

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

Vital

ÉIRE

ROINN RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1940.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1941

Price 2/6.

(P. No. 4893.)

ÉIRE

ROINN RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1940.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1941

Price 2/6.

(P. No. 4893.)

CONTENTS.

PART I.—TEXT.

REPORT:—

INTRODUCTORY REMARKS	Page vii
GENERAL SUMMARY	vii

MOVEMENT OF POPULATION :

Estimated population, natural increase, emigration and immigration	ix
--	-----	-----	-----	-----	-----	-----	-----	----

MARRIAGES :

Number, mode of celebration and rate	x
Conjugal condition of persons married	x
Marriage rates for counties, county boroughs and provinces	xi
Marriage rates in Northern Ireland and Scotland	xi
Marriage rates by quarters	xi
Minors	xii
Re-marriages	xii
Licences for marriage	xii
Buildings registered for the solemnisation of marriage	xii

BIRTHS :

Number and rate	xiii
Birth rates in Northern Ireland, England and Wales, and Scotland	xiii
Rates by counties	xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)	xiv
Proportion of male to female births	xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—continued.

DEATHS :								Page
Number and rate	xv
Death rates in Northern Ireland, England and Wales, and Scotland	xv
Deaths by quarters	xvi
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi
Causes of Death :								
General observations	xvi
Principal causes	xvii
Tuberculosis	xxi
Influenza	xxv
Cancer	xxv
Other general diseases	xxviii
Circulatory, respiratory diseases, etc.	xxviii
Childbirth	xxx
Violence	xxxii
Ages at death	xxxii
Infant mortality	xxxiii

DIAGRAMS.

No. 1.	Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2.	Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xx
No. 3.	Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4.	Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	xxiv
No. 5.	Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6.	Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiv

PART II.—TABLES.

TABLE No.	1.	Estimated population, 1801-1940	2
"	2.	Ages of the population, by sexes, at each census 1851-1936—number and proportion per cent.	3-5
"	3.	Number of marriages, births and deaths, and natural increase, 1864-1940	6
"	4.	Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1940	7
"	5.	Marriages, births, and deaths, by quarters, 1930-1940	8
"	6.	Deaths (numbers and rates) by causes, 1864-1910	9

CONTENTS

v

PART II.—TABLES—*continued.*

TABLE NO.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939	10
7.	" " " " in Éire and Northern Ireland, 1940 ...	11
8.	" " " " by sexes and ages, 1864-1940 ...	12-14
9.	Infant mortality rate, by causes, 1930-1940	15
10.	" " " " by causes and ages	16
11.	" " " " rate, by causes in certain urban areas and aggregate rural areas	17
12.	" " " " illegitimate infants, by causes and ages ...	18
13.	" " " " illegitimate infants, by counties	19
14.	Marriages, births and deaths, by counties and county boroughs ...	20
15.	Marriage, birth and death rates, by counties and county boroughs	21
16.	Births and deaths in principal towns and aggregate urban and rural areas	22
17.	Birth rates and death rates in principal towns and aggregate urban and rural areas	23
18.	Births and deaths in each urban area	24-27
19.	Birth rates and death rates in aggregate urban and rural areas, 1911-1940	28

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered in administrative areas	30-37
" II.	Marriages registered in administrative areas	38-39
" III.	Total births and deaths by sexes, and ages at death, by administrative areas	40-42
" IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	44-61
" V.	Causes of death (short list), by sexes, ages and places of occurrences for each administrative area (as under):—	64-135


	Page		Page		Page
Éire ...	64	Dublin Co. ...	70	Meath ...	84
		Dublin City ...	72	Monaghan ...	134
Leinster ...	66	Galway ...	118	Offaly ...	86
Munster ...	94	Kerry ...	102	Roscommon ...	124
Connaught ...	116	Kildare ...	74	Sligo ...	126
Ulster (part of) ...	128	Kilkenny ...	76	Tipperary N.R. ...	108
		Leitrim ...	120	Tipperary S.R. ...	110
Carlow ...	68	Laoighis ...	78	Waterford Co. ...	112
Cavan ...	130	Limerick Co. ...	104	Waterford Co. ...	114
Clare ...	96	Limerick Co. Boro' ...	106	Boro' ...	114
Cork Co. ...	98	Longford ...	80	Westmeath ...	88
Cork Co. Boro' ...	100	Louth ...	82	Wexford ...	90
Donegal ...	132	Mayo ...	122	Wicklow ...	92

ABSTRACT VI.	Causes of death in thirteen principal towns	136-7
--------------	--	-------

APPENDIX I.	Number of searches at the General Register Office during the years 1864-1940, with the amounts of fees received ...	138
APPENDIX II.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1940	139-143

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1926 to 1940.

ÉIRE	—————	ENGLAND & WALES	· · · · ·
NORTHERN IRELAND	—————	SCOTLAND	● — ● — ● — ●



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1940.

DO'N AIRE RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasáí, Básanna agus Pósanna clárúighthe san mBliadain 1940.

Mi na Nodlag, 1941.

SÉAMUS HURSON,

Árd-Chláradóir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the districts in which the normal residence of the deceased persons was situated. The deaths of 141 non-residents of Éire registered during 1940 have been excluded from this Report.

GENERAL SUMMARY.

Increases are shown in the number of marriages, births and deaths during 1940, when compared with the numbers registered for the previous year.

Marriages.—The marriages registered during the year 1940 numbered 15,212, which figure is 8 above that for the previous year, and 1,011 over the average number (14,201) for the decennial period ended with 1939. The rates per 1,000 of the population for the years 1940 and 1939 were 5·14 and 5·18 respectively, compared with an annual average rate for the period 1930–39 of 4·82.

In Northern Ireland the rate per 1,000 for 1940 was 7·56 ; and in Scotland 10·62.

Births.—The births recorded for the year amounted to 56,594, an increase of 524 when compared with the figure for 1939. The average annual number for the decennial period 1930–39 was 57,281. The rate for 1940 was 19·13 ; for 1939 it was 19·11 ; and for the period 1930–39 the average rate was 19·42.

The rate in Northern Ireland for 1940 was 19·57 ; and in Scotland, 17·13.

Illegitimate births numbered 1,824, equivalent to 3·22 per cent. of the total births, as compared with 3·18 for 1939. The corresponding percentage for 1940 in Northern Ireland was 4·61 ; and in Scotland, 5·89.

Deaths.—The number of deaths registered during 1940 was 41,885. This figure is 168 more than the number for 1939 and is 62 above the average annual number for the years 1930–39. The rate per 1,000 of the population for the year 1940 was 14·16, compared with 14·22 for 1939 and 14·18 for the decennial period ended with the year 1939.

In Northern Ireland the death rate for 1940 was 14·62 ; and in Scotland the civilian rate was 14·86.

Of the deaths recorded, 21·3 per cent. were stated to be due to heart disease, 9·0 to cancer, 8·8 to tuberculosis (all forms), 6·4 to intra-cranial lesions, 4·8 to bronchitis, and 4·4 to pneumonia.

The number of deaths recorded from tuberculosis (all forms) amounted to 3,685. This figure is 381 more than that for 1939 and is 102 above the average for the decennial period from 1930 to 1939. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1940 was 1·25 ; for 1939 it was 1·13, and for the decennial period 1930–39 it was 1·22.

The deaths from cancer (all forms) numbered 3,773; this figure is 35 more than the figure for 1939. The rate per 1,000 of the population for the year 1940 was 1·28, and that for 1939 was 1·27.

During the year 1940 the number of deaths returned as due to diseases of pregnancy, childbirth and the puerperal state was 208. This figure is equivalent to a rate of 3·67 per 1,000 births, compared with an average of 4·32 in the preceding ten years. The corresponding rate for urban areas was 2·76 per 1,000 births, and for rural areas, 4·24, as compared with 3·12 and 3·56 respectively, for the year 1939.

There were 3,759 deaths of infants under one year of age registered during the year. This figure is 68 above that for the year 1939, and is equivalent to a rate of 66 per 1,000 births; the rate for last year was also 66. The rates per 1,000 births for urban and rural areas were 85 and 55 respectively in 1940, and 83 and 55 in 1939.

Among legitimate infants the rate of mortality was 60 per 1,000 births, and among illegitimate it was 246. The legitimate infant mortality rate for Northern Ireland was 82 and the illegitimate, 167; and for Scotland 76 and 120 respectively.

The number of deaths registered as caused by violence was 1,067. Included in this figure are 99 due to suicide, 13 to homicide, 12 to war operations, 2 to execution, and 941 to accidental or unspecified violent causes. During the previous year there were 80 suicidal, 15 homicidal and 815 other violent deaths. The number of accidental deaths registered during 1940 as attributable to road traffic was 210, compared with 198 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1940 authority was issued for the registration of 1,311 births and 148 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1940 returned by the registrars was 26,834, equivalent to 47·4 per cent. of the total births registered.

Searches and Certificates.—During the year 1940 the number of searches made in the records of marriages, births and deaths in this office in respect of which fees were received was 33,704, the certificates issued numbered 18,570, and the amount of fees received was £4,818. In the year 1939 the corresponding figures were as follows:—Searches, 34,803, certificates, 20,876, and fees, £5,181.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1930-40, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1940.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1930	2,927,000	13,631	58,353	41,702	4·66	19·94	14·25
1931	2,933,000	13,133	57,086	42,947	4·48	19·46	14·64
1932	2,949,000	13,029	56,240	42,984	4·42	19·07	14·58
1933	2,962,000	13,992	57,361	40,539	4·72	19·37	13·69
1934	2,971,000	14,251	57,397	39,083	4·80	19·49	13·15
1935	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98
1936	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
Yearly Average, 1930-1939 ...	2,950,000	14,201	57,281	41,823	4·82	19·42	14·18
1940	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
NORTHERN IRELAND, 1940.							
1940	1,296,000	9,795	25,363	18,941	7·56	19·57	14·62

POPULATION.

It is estimated that the population of Éire at the middle of the year 1940 was 2,958,000. The number of males was estimated to be 1,515,000, and the number of females 1,443,000. These figures are based on the result of the Census of 1936, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year was 2,968,420—males 1,520,454, and females 1,447,966.

In Table I, the estimated population for each of the years 1851 to 1940 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1940, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1940.

Intercensal Period, &c.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (-); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	-25,816	- 8.7
" 1928	17,384	5.9	-25,072	- 8.5
" 1929	15,289	5.2	-21,863	- 7.4
" 1930	16,651	5.7	-13,722	- 4.7
" 1931	14,139	4.8	+ 658	+ 0.2
" 1932	13,256	4.5	+ 6,515	+ 2.2
" 1933	16,325	5.7	- 2,615	- 0.9
" 1934	18,814	6.3	-11,002	- 3.7
" 1935	16,723	5.6	-14,345	- 4.8
" 1936	15,529	5.2	-21,539	- 7.3
" 1937	11,402	3.9	-29,716	-10.1
" 1938	16,884	5.7	-21,335	- 7.3
" 1939	14,353	4.9	+12,642	+ 4.3
" 1940	14,709	5.0	+ 4,368	+ 1.5

The following Table gives the number of emigrants and their destinations in 1940 as compared with the nine years preceding:—

TABLE C.—EMIGRANTS to and IMMIGRANTS from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1931-1940.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1931	890	145	164	42	65	111	140	1,557	4,102
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
1934	550	88	142	32	82	96	188	1,178	2,220
1935	481	78	207	31	52	98	191	1,138	2,144
1936	554	63	316	23	99	102	225	1,362	2,094
1937	604	65	209	62	116	97	186	1,342	1,709
1938	1,213	100	207	105	72	76	198	1,971	1,697
1939*	925	34	68	70	32	25	67	1,221	1,057
1940*	487							487	

* The number of migrants through British ports since the 30th June, 1939, is not available.

MARRIAGES.

Number and Rate.—There were 15,212 marriages registered during the year 1940. This figure is 8 more than that for 1939, and is the highest on record since 1923, when 15,632 marriages were registered. The lowest figure recorded since 1923 was in the year 1932, when the number fell to 13,029. The number rose to 13,992 in 1933, and a further increase was shown for each of the years 1934-40. The annual rates per 1,000 of the population for the period 1934-39 were as follows:—4·80, 4·83, 4·98, 5·01, 5·07 and 5·18. The rate for 1940 was 5·14, a rate which is 0·33 above the average rate for the decennial period 1930-39.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1940 amounted to 14,252 (equal to 93·7 per cent. of the total), and other marriages numbered 960. The number of Catholic marriages is 30 less than that for 1939, and the number of all other marriages is 38 more than the figure for the preceding year. In the year 1940 the number of marriages other than Catholic recorded, include 681 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 147 in Presbyterian meeting-houses; 75 in registered buildings belonging to various other religious denominations; 49 by civil contract in the registrars' offices; 5 according to the usages of the Society of Friends, and 3 according to the Jewish rites. Comparing these figures with those for 1939, the number according to the rites and ceremonies of the Protestant Episcopal Church shows an increase of 21; in Presbyterian meeting-houses an increase of 15; in registered buildings an increase of 16; in the registrars' offices a decrease of 3; and a decrease of 12 according to Jewish rites.

At the Census of 1936, Catholics represented 93·4 per cent. of the population, Protestant Episcopalians 4·9 per cent., Presbyterians 1·0, Methodists 0·3, and all other denominations 0·4.

The number of Catholic marriages recorded during 1940 is equal to a rate of 5·16 per 1,000 of the estimated Catholic population, a rate which is 0·33 above the average rate for the preceding ten years, and the rate for all other marriages was 4·92 per 1,000 of all persons other than Catholics in the population, or 0·27 above the average. Corresponding rates for each year from 1930 to 1939 are shown in Table D below. It must be borne in mind that the rates for the years 1930 to 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1940 on the proportion according to the Census of 1936.

TABLE D.—MARRIAGES registered in 1940 and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4·67	4·44	4·66
1931 ...	652	136	56	65	.	6	905	12,228	13,133	4·50	4·17	4·48
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4·46	3·90	4·42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4·77	4·10	4·72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4·88	3·73	4·80
1935 ...	636	118	47	72	1	8	852	13,454	14,336	4·89	4·01	4·83
1936 ...	660	134	59	64	4	8	929	13,884	14,763	4·99	4·74	4·98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5·01	5·00	5·01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5·09	4·77	5·07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5·21	4·76	5·18
Yearly Average 1930-39	646	127	57	64	3	9	906	13,295	14,201	4·83	4·65	4·81
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5·16	4·92	5·14

Conjugal Condition.—In Abstract II, in pages 38 and 39 particulars regarding the marriages recorded by counties, and the conjugal condition of the parties married, etc., are given. The figures relating to conjugal condition show that marriages between bachelors and spinsters constitute 94·2 per cent. of the total marriages; those of widowers and spinsters, 4·0 per cent.; bachelors and widows, 1·2 per cent.; and those of widowers and widows, 0·6 per cent. Of the men married, 4·7 per cent. were widowers, and of the women, 1·8 per cent. were widows, or in 65 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1939 were:—widowers, 4·8 per cent., and widows 1·8 per cent. In Table F similar figures from the year 1930 are shown.

TABLE E.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1940, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1940		Annual Average 1925-7	Annual Average 1935-7	Year 1940
ÉIRE	4.58	4.94	5.14	Kerry	4.18	3.93	4.91
Carlow	4.30	4.96	4.64	Limerick	3.61	3.67	4.38
Dublin	5.43	6.66	6.92	Limerick Co. Borough	9.36	8.50	9.01
City of Dublin	7.57	7.44	7.06	Tipperary N.R.	4.53	4.55	4.35
Kildare	3.91	4.68	4.91	Tipperary S.R.	3.80	4.00	4.07
Kilkenny	3.92	4.26	4.56	Waterford	4.11	4.35	4.61
Laoghis	3.35	3.23	3.37	Waterford Co. Borough	4.89	5.26	5.29
Longford	4.39	3.75	4.10	Munster	4.41	4.49	4.93
Louth	3.99	5.18	5.78	Galway	3.65	4.04	4.04
Meath	3.48	5.15	4.38	Leitrim	4.37	3.99	3.69
Offaly	4.28	4.40	5.26	Mayo	3.78	3.48	3.97
Westmeath	4.01	3.98	1.08	Roscommon	3.97	3.79	4.09
Wexford	4.36	4.70	4.76	Sligo	4.34	4.26	3.90
Wicklow	3.97	4.63	5.24	Connaught	3.90	3.85	3.97
Leinster	5.22	5.84	5.93	Cavan	4.27	4.21	4.06
Clare	3.55	3.67	4.38	Donegal	3.68	4.68	4.84
Cork	3.53	3.61	3.87	Monaghan	3.94	4.03	4.60
Cork Co. Borough	8.21	8.67	9.13	Ulster (pt. of)	3.90	4.41	4.44

Rates for Counties, etc.—In comparing the marriage rates for the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the actual returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In County Cork borough the rate was 9.13 per 1,000; in Limerick 9.01; in Dublin 7.06; and in Waterford 5.29. The rate for Dublin county (exclusive of the county borough) was 6.92 per 1,000. The highest rates for the remaining areas were Louth 5.78; Offaly 5.26; Wicklow 5.24; Kildare 4.91; and Kerry 4.91. The lowest rates were recorded in Laoghis 3.37; Leitrim 3.69; Cork 3.87; Sligo 3.90; and Mayo 3.97.

In the provinces the highest rate was 5.93 for Leinster, followed by 4.93 for Munster, 4.44 for Ulster (part of) and 3.97 for Connaught. The corresponding rates for 1939 were 5.97 for Leinster, 4.60 for Munster, 4.55 for Ulster (part of) and 4.39 for Connaught.

In Northern Ireland the rate for the year 1940 was 7.56, and in Scotland 10.62, as compared with 5.14 for Éire. In the year 1939 the rates were:—Northern Ireland 7.09, Scotland, 9.24, and Éire, 5.18 per 1,000.

Marriages in each Quarter.—In Table 5 the number of marriages is shown by quarters for each of the years 1930-1940, together with the average number and rate for the ten years 1930-39 and the rate for the year 1940. In the first quarter of 1940 the rate per 1,000 of the population was 4.7, in the second 5.1, in the third 6.2, and in the fourth 4.5. The corresponding figures for the year 1939 were 4.8 for the first quarter, 5.0 for the second, 6.2 for the third, and 4.8 for the fourth quarter.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1930 to 1939.

In the case of Catholic marriages, 23 per cent. were recorded in the first quarter, 25 per cent. in the second, 30 per cent. in the third, and 22 per cent. in the last quarter. For other marriages the percentages were 20, 22, 37 and 21 in the corresponding quarters of the year.

TABLE F.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1930 to 1940.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1930	13,631	1.91	7.41	6.65	3.23
1931	13,133	1.52	7.33	6.31	3.02
1932	13,029	1.73	7.71	5.73	2.87
1933	13,992	1.62	7.53	5.20	2.22
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85

Age at Marriage.—The Schedules to the Acts relating to marriages indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. All that is necessary is that each party should be described as “of full age” or “minor” as the case may be, so that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands who married under age was 2.0 per cent.; in Munster 1.7; in Ulster (part of) 1.4; and in Connaught 0.7 per cent. In the case of females married the proportion who were minors in Leinster was 10.6, in Ulster (part of) 7.4, in Munster 6.7, and in Connaught 3.9 per cent. The corresponding percentages for the country as a whole were 1.7 for husbands and 8.2 for wives.

The proportion per cent. of males married in Northern Ireland in 1940 who were under age was 4.5, and of females 17.0.

Licences for Marriage.—During the year 1940 the number of licences issued by the registrars for marriages in registered buildings and in the registrars' offices was 116. On 31st December, 1940, the number of such registrars of marriages authorised to grant licences for marriage was 83.

Marriage licences issued by licensing ministers of the Protestant Episcopal Church amounted to 554. The number of licensing ministers on the 31st December, 1940 was 145.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1940 was 122 (all of which were issued by ministers of the General Assembly). The number of licensing ministers on the 31st December, 1940, was 50, of whom 48 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

Buildings in which Marriages may be solemnised.—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,050 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1940, licensed for the solemnisation of marriages, 145 Presbyterian meeting-houses (143 General Assembly and 2 United Presbytery or Synod of Munster), and 162 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 162 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	124	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	Welsh Presbyterians	1
Independents or Congregationalists	5	“Undenominational”	5
Christian Brethren	9		
Moravians or United Brethren ...	1	TOTAL	162

BIRTHS.

The births registered during the year numbered 56,594, a figure which is 524 more than that for the year 1939, but 687 less than the number recorded during the decennial period ended with 1939. The numbers registered in the years 1936-1939 were 58,115, 56,488, 56,925 and 56,070, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1940 was 19·13 and for 1939 it was 19·11 per 1,000. In the years 1936, 1937 and 1938 the rates were 19·59, 19·16 and 19·38 respectively.

Tables 3 and 4 show the number of births registered and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, each decennial period from 1871 to 1930, and each year since 1930. In the period from 1864 to 1870 the rate was 25·79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26·31, falling gradually to 20·21 for the decennial period 1921-30. During the period 1931 to 1939 the highest rate recorded was 19·61 for 1935, and the lowest 19·07 for the year 1932.

The following table shows the birth-rate for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1931 to 1940 :—

Years				Éire	Northern Ireland	England and Wales	Scotland
1931	19·5	20·5	15·8	19·0
1932	19·1	19·9	15·3	18·6
1933	19·4	19·4	14·4	17·6
1934	19·5	19·4	14·8	18·0
1935	19·6	19·2	14·7	17·8
1936	19·6	20·2	14·8	17·9
1937	19·2	19·8	14·9	17·6
1938	19·4	20·0	15·1	17·7
1939	19·1	19·5	14·9	17·4
1940	19·1	19·6	—	17·1

Rates for Counties, etc.—The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 15 and 17. For the province of Leinster the rate was 20·92, for Munster 18·15, for Connaught 17·26, and for Ulster (part of) 17·46, as compared with 21·18, 17·76, 16·77 and 16·70, respectively, for 1939. When compared with the rates for 1939, it will be seen that while the rate for Leinster has decreased by 0·26, the rates for the provinces of Munster, Connaught and Ulster show increases of 0·39, 0·49 and 0·76, respectively.

In Table 15 it is shown that high rates were recorded in the county borough areas, viz., Waterford 24·21 per 1,000; Limerick, 23·96; Dublin, 22·70, and Cork, 20·68. The highest rates in the counties were Kildare, 21·95; Louth, 20·33; Galway, 20·01; and Dublin county (exclusive of the county borough), 19·92. On the other hand, the lowest rates recorded were Roscommon, 14·45; Leitrim, 15·58, Sligo, 15·61, and Cork county (exclusive of the county borough), 15·96.

The birth-rates for the total urban areas were 21·71 and 21·93, respectively, in the years 1940 and 1939, a decrease of 0·22 per 1,000, while the corresponding rural rates were 17·84 and 17·69, respectively, an increase of 0·15 per 1,000. In Table 19 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1940 include 1,824 of illegitimate children, a figure which is 43 more than that for 1939. The number for 1940 is equivalent to a rate of 0·62 per 1,000 of the population, and a rate of 3·22 per cent. of the total births recorded. The respective rates for the previous year were 0·61 per 1,000 and 3·18 per cent.

In Northern Ireland for 1940 the rate per cent. of the total births was 4·61, and for Scotland 5·89.

The percentages, by provinces, are shown in the following statement for the years 1933-1940 :—

AREA	Illegitimate births—per cent. of total births.							
	1933.	1934.	1935.	1936.	1937.	1938.	1939.	1940.
Éire	3·49	3·51	3·34	3·28	3·21	3·30	3·18	3·22
Leinster ...	4·15	3·87	3·60	3·45	3·60	3·44	3·39	3·40
Munster ...	3·33	3·54	3·53	3·38	3·17	3·41	3·18	3·44
Connaught ...	1·90	2·06	1·75	2·02	1·86	2·16	1·93	1·93
Ulster (part of) ...	3·99	4·34	4·20	4·44	3·79	4·34	4·32	3·90

In Tables 14 and 15 the number of illegitimate births for the year 1940, and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentages of the total births registered were in the following counties :—Waterford (excluding the county borough), 6·69; Westmeath, 6·00; Wexford, 5·34; Limerick (excluding the county borough), 5·14; Kilkenny, 5·04; and Wicklow, 4·91. The counties with the lowest ratios were Mayo, 1·43; Waterford county borough, 1·48; Sligo, 1·52; Cork county borough, 1·68; and City of Dublin, 1·98.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 74 cases during the year 1940. The number of such cases for the preceding year was 62.

Proportion of Males to Females.—The number of male births recorded in 1940 was 29,029 and of female births 27,565. The proportion between the sexes was 1,053 males to 1,000 females, a ratio which is one above the average for 1930–39. In Northern Ireland for the year 1940 the proportion of males born alive to 1,000 females was 1,082, and in Scotland, 1,050.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1930, and also the average rates since the year 1864.

The male children born in wedlock in 1940 numbered 28,134, and the female 26,636, or 1,056 males to every 1,000 females, and of the illegitimate children 895 were males and 929 females, or 963 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes registered during each quarter of 1940 is shown in the following table :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	7,221	7,821	7,310	6,677	29,029
Females ...	6,863	7,313	7,075	6,314	27,565
TOTAL ...	14,084	15,134	14,385	12,991	56,594

In Table 5 the number of births registered in each quarter of the years 1930 to 1940 is given, together with the rates for the year 1940 and the average rates for the previous decennium. With the exception of the second quarter, which shows an increase of 0·2, the rates for the first, third and fourth quarters show decreases of 0·2, 0·5 and 0·6, respectively, when compared with the average.

Multiple Births.—The number of infants born alive in multiple births registered during 1940 was 1,347, consisting of 660 pairs of twins and 9 sets of triplets, as compared with 1,362 (672 pairs of twins and 6 sets of triplets) for the previous year. The twin children whose births were recorded during 1940 were 2·33 per cent. of the total number of infants whose births were registered, and the triplets 0·05. In 1939 these percentages were 2·40 and 0·03, respectively.

The number of mothers of living children whose births were registered during the year was 55,916. Of these, 55,247, or 98·80 per cent., gave birth to single infants, 660, or 1·18 per cent., to twins, and 9 or 0·02 per cent., to triplets.

The infants born in wedlock (54,770) included 53,447 single infants, 1,302 twin and 21 triplets, equivalent to, respectively, the ratios of 97·58 per cent., 2·38 per cent., and 0·04 per cent. of the total number of legitimate births.

Illegitimate infants included 1,800 single infants, 18 twin infants, and 6 triplet infants, equivalent, respectively, to 98·68 per cent., 0·99 per cent. and 0·33 per cent. of the 1,824 illegitimate infants registered. In the year 1939 the illegitimate infants recorded included 1,753 single infants and 28 twin infants.

In the year 1940, the infants born alive in multiple births comprised 677 males and 670 females. Of the twin infants, 668 were males and 652 females, and the triplet infants included 9 males and 18 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1940 was 41,885, the males numbering 21,611 and the females 20,274. The total is 168 more than the number for 1939, and is 62 more than the average for the decennial period 1930-39. In the year 1940 the deaths of males were 44 more, and the deaths of females 124 more than in the previous year.

The deaths registered in 1940 represented a rate of 14·16 per 1,000 of the population, compared with 14·22 for 1939, and an average of 14·18 for the ten years 1930-39. The rates for males during each of the past three years was 13·71, 14·35 and 14·26, the corresponding ratios for females being 13·55, 14·08 and 14·05, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Éire, Northern Ireland, England and Wales, and Scotland for the years 1931 to 1940, are as follows :—

Years	Éire	Northern Ireland	England and Wales	Scotland
1931	14·6	14·4	12·3	13·3
1932	14·6	14·1	12·0	13·5
1933	13·7	14·3	12·3	13·2
1934	13·2	13·7	11·8	12·9
1935	14·0	14·4	11·7	13·2
1936	14·4	14·4	12·1	13·4
1937	15·3	15·1	12·4	13·9
1938	13·6	13·7	11·6	12·6
1939	14·2	13·5	12·1	12·9
1940	14·2	14·6	—	14·9*

* Civilian death rate.

Rates for Counties, etc.—In Abstract I, pages 30 to 37, the number of deaths registered in each county, county borough and superintendent registrar's district is shown. In Tables 15 and 17 rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. As will be seen from Table 15 the rates for the county boroughs were as follows :—Dublin, 14·36; Cork, 14·51; Limerick, 14·93; and Waterford, 17·66. The counties with the highest rates were :—Wexford and Waterford county (exclusive of the county borough) each 16·15; Wicklow, 15·20; Westmeath, 14·77; and Cavan, 14·69. The lowest rates were recorded for Mayo, 12·06; Kerry, 12·70; Clare, 12·88; Limerick county (exclusive of the county borough), 13·06 and Galway, 13·39.

During the year 1940, the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·26 and 14·11 per 1,000 compared with 13·35 and 14·65 for the preceding year. The figure for the urban areas in 1940 is 0·91 more, and that for the rural areas 0·54 less than the respective rates for the year 1939. A comparative statement of the rates for these areas for a series of years is given in Table 19.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1940 :—

—		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	6,862	5,430	4,317	5,002	21,611
Females	...	6,499	5,051	4,125	4,599	20,274
TOTAL	...	13,361	10,481	8,442	9,601	41,885

Of the total deaths, 23,842, or 56·9 per cent., were registered during the first six months, and 18,043, or 43·1 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 56·8 and 43·2.

During the year 1940, the mortality was highest in the first quarter, in which the rate was 18·1 per 1,000 of the population. In the second quarter the rate was 14·2, in the third 11·4, and in the last quarter it was 13·0. In the preceding year the rates for the quarters were as follows :—first 18·1, second 14·1, third 11·7, and fourth 12·9.

The rates for each quarter of 1940 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1940 and the average figure shows that in the first quarter there was an increase of 0·7 per 1,000, and in the second, third and fourth quarters a decrease respectively of 0·2, 0·2 and 0·3 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 4,981, in mental hospitals, 1,278, in county homes and hospitals, etc., 7,879; and 27,747 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11·9, 3·0, 18·8 and 66·3 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1930 the percentages of deaths in the three classes of institutions were 8·6, 2·9 and 15·6, respectively, 72·9 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,272. This figure is equivalent to a rate of 15·0 per cent. of the total deaths registered during the year. The proportion for the previous year was 16·8 and the average percentage for the ten years from 1930 to 1939 was 18·4.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1940 being 21·5. In the urban areas the percentage was only 2·1.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1940 was 1,209, or one in every 35 deaths registered, compared with one inquest in every 34 deaths in 1939. The number of such deaths for the year 1940 include 879 cases in which inquests were held and 330 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The deaths of males and females registered during the year 1940 have been classified according to the cause and age at death, and the result of such classification is published in Abstract IV. In Abstract V the causes of deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of deaths for each of the principal towns are shown.

The deaths for the whole country have been tabulated in accordance with the detailed list adopted at the fifth International Conference for the revision of the Nomenclature of the Causes of Death held at Paris in 1938. In the report of this conference published in the Bulletin of the Health Organisation of the League of Nations it is stated that the lists of causes of death adopted were three in number, viz., a detailed list containing 200 causes, an intermediate list of 87 causes, and an abridged list of 44 causes. According to the report in question the lists do not differ greatly from their immediate predecessors, as the conference, apart from bringing the lists up to date, particularly the section dealing with contagious diseases and making certain improvements suggested by experience in the sections dealing respectively with maternal causes and violent deaths, endeavoured to make as few changes as possible in the contents of the various items in order that statistics based on the successive lists should be as comparable as possible.

Another outcome of the Conference was a recommendation that the new list of causes of death should be first used for the year 1940 instead of 1941. The causes of death for 1940 published in this report are accordingly classified in accordance with the new list. In Table 6a, page 10, the last average number of deaths (tabulated on the list of causes based on the previous revision) and the corresponding rate per 100,000 of the population are for a period of nine years only, viz., 1931-1939.

The proportion of deaths from the principal causes at certain age-periods is given in the table on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely 213 in every 1,000 deaths; the next in order are senility 138, cancer 90, all forms of tuberculosis 88, intra-cranial lesions of vascular origin (cerebral hæmorrhage, etc.) 64, bronchitis 48, and pneumonia 44 in every 1,000 deaths. These causes account for 69 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including debility and premature birth) accounts for 500 in every 1,000 deaths compared with 496 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis, pneumonia, bronchitis, and whooping cough.

In the case of children between the ages of one and five years the excess in the mortality from whooping cough, diphtheria, tuberculous disease (other than that of the respiratory organs), measles, bronchitis, pneumonia and diarrhoea and enteritis is apparent. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to diphtheria and tuberculous disease (all forms). The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

In Table 15 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Éire was 0.37, compared with 0.40 for 1939. The rates for the county boroughs are as follows:—Dublin 0.73; Cork 0.98; Limerick 0.68; and Waterford county borough 1.68 per 1,000. The highest county rates are Monaghan 0.49; Louth 0.42; Dublin county 0.39; Waterford county 0.38, and Wexford 0.33. The counties in which the rates were lowest are Tipperary, N.R., 0.08; Mayo 0.09; Laoighis and Clare each 0.10; and Carlow and Sligo each 0.12 per 1,000.

It may be seen in Table 17 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0.64 per 1,000 of the population, compared with 0.23 for the rural districts. The corresponding rates for 1939 were 0.71 and 0.25 respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 31, including 23 of males and 8 of females. The corresponding figure for 1939 was 56, including 36 of males and 20 of females. The average number for the ten years ended with 1939 was 68. During 1940 there were 8 deaths for urban areas and 23 for rural districts. There were 4 deaths recorded for each of Dublin county borough and Kerry, and 3 for each of Westmeath, Limerick county borough, Galway and Roscommon.

Scarlet Fever.—There were 33 deaths from this disease registered during the year 1940, compared with 43 in the previous year. The average figure for the ten years 1930 to 1939 was 89. The figure for 1940 includes 15 of children under five years, and 9 aged 5 and under 10 years. The deaths registered include 6 for Dublin county borough, 6 for Cork county, 3 deaths for each of Offaly and Galway county, and 2 for each of Meath, Wexford, Kerry, Waterford (exclusive of the county borough), and Donegal.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, small-pox, measles, typhus and diarrhoeal diseases.

TABLE G.—Proportion of deaths from the principal causes at certain age-periods in 1940.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65	75 AND UP
--	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	4	3	4	3	1	1	.	.
2	Cerebro spinal fever	1	2	6	6	3
3	Scarlet fever	1	1	11	15	1	1	1
4	Whooping cough	4	27	54	5	1
5	Diphtheria	4	2	65	95	4	3	.	2	.	.	.
6	Tuberculosis of respiratory system.	69	2	11	72	467	431	246	125	42	10	1
7	All other forms of tuberculosis.	19	9	99	167	116	58	36	18	8	2	.
8	Dysentery
9	Influenza	20	16	24	16	9	16	17	19	18	27	18
10	Measles	2	5	45	6	1	1
11	Acute infectious encephalitis	1	.	2	1	2	2	2	2	1	.	.
12	Typhus	1
13	Cancer	90	.	12	12	13	31	93	157	183	124	50
14	Diabetes mellitus	7	.	2	14	9	8	6	10	11	8	4
15	Intra-cranial lesions of vascular origin.	64	.	.	2	6	10	32	68	91	100	70
16	Diseases of the heart	213	.	7	66	60	76	130	207	278	324	234
17	Other diseases of the circulatory system.	18	1	1	2	1	5	8	13	24	28	21
18	Bronchitis	48	39	36	9	4	11	32	44	48	66	55
19	Pneumonia	44	116	201	59	27	30	49	42	42	30	24
20	Other diseases of the respiratory system.	16	5	22	11	15	20	27	25	23	16	11
21	Ulcer of the stomach or duodenum.	9	.	1	.	6	19	22	25	14	9	2
22	Diarrhoea and enteritis	17	146	70	16	4	1	3	2	4	3	1
23	Appendicitis	5	1	11	37	21	10	7	7	5	2	.
24	Cirrhosis of the liver	1	.	.	.	1	.	3	2	3	2	1
25	Diseases of liver and biliary passages.	4	1	3	4	1	3	4	7	5	5	3
26	Other diseases of the digestive system.	15	19	24	29	12	16	15	18	20	15	9
27	Nephritis	28	1	11	18	16	31	43	47	43	35	18
28	Puerperal infection	1	.	.	.	2	16	10	1	.	.	.
29	Other diseases of childbirth	4	.	.	.	7	34	37	2	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	46	500	25	16	4	1	2
31	Senility	138	105	436
32	Suicide	2	.	.	.	4	7	12	7	3	1	.
33	Other violence	23	13	80	93	63	49	47	31	16	14	11
34	Other causes	85	94	177	225	117	105	113	118	117	74	31

Whooping cough.—The number of deaths recorded under this heading was 163, compared with 166 for the year 1939, and an average of 234 for the decennial period ended with the latter year. The total for 1940 includes 80 of males and 83 of females, compared with 74 and 92 respectively, in the previous year.

The figure for 1940 includes 100 of infants under one year of age and 36 of children aged between one and two years. In 1939 the corresponding figures were 77 and 55.

There were 42 deaths recorded for Dublin county borough, 19 for Monaghan county, 14 for Cork county (exclusive of the county borough); and 10 for each of Waterford county borough and Cavan county.

Diphtheria.—The number of deaths was 178, a decrease of 67 when compared with that for 1939 and of 164 compared with the average figure (342) for 1930 to 1939. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1938 were 341, 378, 345, 293 and 314.

The figure for 1940 includes 88 males and 90 females, the corresponding figures for the previous year being 114 and 131 respectively.

Included in the figure for 1940 were 69 of children aged between one and five years, 68 between the ages of five and ten years, and 13 aged 10 and under 15 years.

The death rate per 100,000 of the population was 6.0 compared with 8.4 for the previous year. In the urban areas as a whole the rate for 1939 was 9.1 compared with 13.6 in the previous year, and in the rural areas the respective rates were 4.5 and 5.7 per 100,000 of the population.

For Leinster the rates for 1940 and 1939 were 8.3 and 11.8; for Munster 4.7 and 5.8; for Connaught 5.0 and 5.9; and for Ulster (part of) 2.5 and 5.4 per 100,000.


In the following statement the counties and county boroughs in which the highest and lowest mortality rates per 100,000 of the population from diphtheria were recorded for the year 1940 are given:—

HIGHEST				LOWEST			
Wexford	12.7	Longford	Nil
Kildare	12.1	Meath	Nil
City of Dublin	11.5	Sligo	Nil
Offaly	9.8	Tipperary, S.R.	1.3
Leitrim	9.8	Cavan	1.3

The death rates per 100,000 for the aggregate urban and rural districts for each year from 1901 are given below:—

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901	9.6	5.0	1921	21.3	12.5
1902	12.0	7.2	1922	15.7	12.3
1903	9.5	7.2	1923	10.4	9.1
1904	5.9	6.5	1924	8.8	5.1
1905	7.1	6.2	1925	7.7	4.3
1906	8.2	7.2	1926	11.7	4.5
1907	9.9	4.4	1927	13.5	4.8
1908	10.3	6.1	1928	11.8	5.8
1909	11.2	8.0	1929	16.0	7.9
1910	10.7	6.3	1930	22.2	9.2
1911	17.0	5.2	1931	15.5	8.7
1912	15.9	5.0	1932	19.1	10.2
1913	13.1	3.8	1933	21.7	10.6
1914	12.7	4.3	1934	18.1	8.4
1915	11.8	0.0	1935	18.1	10.2
1916	8.0	0.0	1936	17.2	9.0
1917	6.8	5.8	1937	14.4	7.7
1918	6.3	4.4	1938	15.9	8.1
1919	9.1	4.8	1939	13.6	5.7
1920	18.6	5.3	1940	9.1	4.5

DIAGRAM No. 2. Mortality from Diphtheria, 1926 to 1940



Tuberculosis.—The number of deaths registered during 1940 from all forms of tuberculosis was 3,685—1,944 of males and 1,741 of females. When compared with the number recorded in 1939 the total shows an increase of 381—in the case of males of 237 and in females of 144. The figure for 1940 is 102 above the average for the decennial period from 1930 to 1939—an increase in male deaths of 124 and a fall of 22 in the case of female deaths.

The deaths recorded during 1940 are equivalent to a rate of 1·25 per 1,000 of the estimated population. For 1939 the rate was 1·13 per 1,000, and during the ten years from 1930 to 1939 the average rate was 1·22 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1931 to 1940 is shown :—

YEARS		Éire	Northern Ireland	England and Wales	Scotland
1931	...	1·33	1·22	0·90	0·87
1932	...	1·25	1·12	0·84	0·84
1933	...	1·19	1·15	0·82	0·80
1934	...	1·18	1·12	0·76	0·75
1935	...	1·27	1·05	0·72	0·74
1936	...	1·17	1·02	0·69	0·74
1937	...	1·23	0·98	0·70	0·74
1938	...	1·09	0·92	0·64	0·69
1939	...	1·13	0·84	0·63	0·70
1940	...	1·25	0·98	—	0·82*

* Civilian death rate.


Table H shows the number of deaths ascribed to this disease in Éire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·33 per 1,000 in 1931 and the lowest 1·09 in 1938. For males the highest rate (1·30) was in 1935 and the lowest 1·10 in 1938. In the case of females the rate was highest in 1931, viz., 1·40, and lowest in 1938—1·09 per 1,000.

TABLE H.—Mortality from Tuberculosis during each of the years 1930–1940.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.		
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	
1930	...	1,922	1·29	1,903	1·33	3,825	1·31	— 50	— 1·3
1931	...	1,893	1·26	2,009	1·40	3,902	1·33	+ 77	+ 2·0
1932	...	1,834	1·22	1,842	1·28	3,676	1·25	— 226	— 5·8
1933	...	1,766	1·17	1,744	1·20	3,510	1·19	— 166	— 4·5
1934	...	1,785	1·18	1,729	1·19	3,514	1·18	+ 4	+ 0·1
1935	...	1,983	1·30	1,787	1·23	3,770	1·27	+ 256	+ 7·3
1936	...	1,791	1·18	1,689	1·17	3,480	1·17	— 290	— 7·7
1937	...	1,871	1·24	1,768	1·23	3,639	1·23	+ 159	+ 4·6
1938	...	1,651	1·10	1,565	1·09	3,216	1·09	— 423	— 11·6
1939	...	1,797	1·14	1,597	1·12	3,394	1·13	+ 88	+ 2·7
Average, 1930–39	...	1,820	1·21	1,763	1·22	3,583	1·22	—	—
1940	...	1,944	1·28	1,741	1·21	3,685	1·25	+ 381	+ 11·5

There were 2,907 deaths from tuberculosis of the respiratory system recorded in 1940 compared with 2,617 in 1939, an increase of 290. The figure for 1940 included 1,549 of males and 1,358 of females—these figures show increases of 191 and 99. During 1940 there were 778 deaths (395 males and 383 females) from tuberculosis other than that of the respiratory system. The respective figures for 1939 were 687 (349 males and 338 females). The figures for 1940 are 91 (46 males and 45 females) above those for the previous year.

DIAGRAM No. 3. Mortality from Tuberculosis, 1926 to 1940.



In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 294 deaths (152 males and 142 females) due to tuberculosis of the meninges and central nervous system, 153 deaths (65 males and 88 females) to tuberculosis of the intestines and peritoneum, 83 (38 males and 45 females) to tuberculosis of the vertebral column, 48 (28 males and 20 females) to this disease of other bones and joints, 37 (21 males and 16 females) in organs of the genito-urinary system, and 145 (82 males and 63 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1935 to 1940 is shown in Table J. The increase in the mortality for 1940 as compared with 1939 at the age-groups at 15 and under 20 years, at 20 and under 25 years, and at 25 and under 35 years is apparent. In the first age group quoted the rates in 1939 and 1940 were 1.40 and 1.55 per 1,000, the figures for males being 1.17 and 1.21 and for females 1.65 and 1.90 per 1,000. In the second age group the rates in 1939 were—for persons—2.03, for males 1.64 and for females 2.46, and for 1940, respectively, 2.15, 1.96 and 2.36. At the age period 25 and below 35 years the figure for all persons rose from 1.99 in 1939 to 2.24 in 1940, the corresponding rates for males being 1.93 and 2.14 and for females 2.05 and 2.35 per 1,000.


TABLE J.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at the same age during each of the years 1935 to 1940.

YEARS	DEATH-RATES PER 1,000 OF THE POPULATION AT THE SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
M A L E S.												
1935 ...	1.30	0.83	0.25	0.37	1.19	2.32	2.09	2.22	1.53	1.39	0.61	0.13
1936 ...	1.15	0.77	0.27	0.35	0.84	2.27	1.92	1.77	1.27	1.54	0.72	0.15
1937 ...	1.24	0.79	0.34	0.40	1.18	1.93	2.24	1.70	1.39	1.43	0.78	0.13
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.49	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
F E M A L E S.												
1935 ...	1.23	0.74	0.28	0.70	1.56	2.60	2.20	1.65	1.01	1.04	0.38	0.10
1936 ...	1.17	0.67	0.28	0.45	1.42	2.69	2.32	1.33	1.07	0.91	0.35	0.19
1937 ...	1.23	0.74	0.31	0.52	1.53	2.62	2.39	1.44	1.12	1.06	0.39	0.13
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.38	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.58	0.08
P E R S O N S.												
1935 ...	1.27	0.79	0.26	0.53	1.37	2.45	2.14	1.94	1.28	1.22	0.50	0.11
1936 ...	1.17	0.72	0.27	0.40	1.12	2.47	2.12	1.56	1.18	1.25	0.54	0.17
1937 ...	1.23	0.77	0.32	0.46	1.35	2.26	2.32	1.57	1.26	1.25	0.58	0.13
1938 ...	1.09	0.56	0.25	0.44	1.43	1.78	2.09	1.53	1.15	0.88	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural areas are published in Tables 14 to 18. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1940 the rate was 1.48, in Munster 1.18, in Connaught 0.99, and in Ulster (part of), 0.89. The corresponding rates for 1939 were in Leinster 1.31, in Munster 1.02, in Connaught 1.00, and in Ulster (part of) 0.82.

DIAGRAM No. 4. Mortality from Influenza, 1926 to 1940.



The highest mortality rates from tuberculosis in 1940 for county or county borough areas were recorded for the following:—Limerick county borough, 2·05; Wexford, 1·71; Dublin county, 1·68; Dublin county borough, 1·63; Cork county borough, 1·61, and Louth, 1·46 per 1,000. The counties having the lowest rates were Roscommon, 0·59; Cavan, 0·68; Longford, 0·69; Monaghan, 0·78; Leitrim, 0·79 and Mayo, 0·88 per 1,000.

The deaths from tuberculosis in 1940 for the aggregate urban districts numbered 1,591, compared with 1,343 for the previous year. For the rural districts the number for 1940 was 2,094, compared with 1,961 for last year. The rate per 1,000 of the population for the urban areas rose from 1·37 in 1939 to 1·61 in 1940, while that for the rural areas has increased from 1·00 to 1·06.

Influenza.—The number of deaths from this disease for 1940 was 828, compared with 1,091 for the preceding year and an average of 1,243 for the decennial period ended with 1939.

The rate per 1,000 of the population in each of the years 1940 and 1939 was 0·28 and 0·37 respectively.

In the aggregate urban areas the death rate for 1940 was 0·21 per 1,000 and in the rural areas 0·31, compared with 0·14 and 0·49 for 1939.

In the first quarter the mortality was 54 per cent. of the total and in each of the second, third and fourth quarters the proportion was 28, 5 and 13 respectively.

Small-pox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 77 deaths registered in 1940. The figure for 1939 was 84, and the average for the period from 1930 to 1939 was 181. Of the deaths recorded, 25 were for Dublin county borough, 21 for Cork county borough and 10 for the county of Donegal.

Typhus.—Two deaths were classified under this heading. In 1939 there were 3 deaths recorded.

Other Infectious or Parasitic Diseases.—There were 41 deaths from Hodgkin's disease and 2 from mumps recorded during the year 1940.

Cancer.—The deaths due to cancer recorded for 1940 numbered 3,773—1,980 of males and 1,793 of females. The total is 35 higher than the number for 1939 and 288 more than the average number for the decennial period ended with 1939. The number of deaths of males is 15 above, and that for females 20 above the corresponding figure for 1939.

The deaths from this disease constitute 9·0 per cent. of the deaths from all causes and are equivalent to a rate of 1·28 per 1,000 of the population. The rates for males and females were respectively 1·31 and 1·28 per 1,000. In Northern Ireland the respective rates were 1·36, 1·34 and 1·38 per 1,000. For Scotland the civilian death rates were 1·70 for both sexes, 1·76 for males and 1·65 for females.

A table is appended in which is shown the mortality from cancer per 1,000 of the population in Éire, Northern Ireland, England and Wales, and Scotland for each of the last ten years.

YEARS	Éire	Northern Ireland	England and Wales	Scotland
1931 ...	1·12	1·25	1·48	1·48
1932 ...	1·12	1·24	1·51	1·53
1933 ...	1·10	1·20	1·53	1·53
1934 ...	1·15	1·29	1·56	1·53
1935 ...	1·19	1·24	1·59	1·57
1936 ...	1·20	1·29	1·63	1·59
1937 ...	1·26	1·30	1·63	1·57
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	—	1·70*

* Civilian death rate.

TABLE K.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES												Total				
		AGES AT DEATH																
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up-wards					
45	Lip	2	.	6	5	10	15	24	62				
	Tongue	1	.	2	6	8	14	21	9	17	78				
	Jaw	1	3	4	3	14	12	10	7	54				
	Mouth	1	4	4	9	8	7	6	39				
	Pharynx	1	1	1	1	3	7	3	2	18				
	Tonsil	1	.	1	.	1	3	3	2	11				
46	Esophagus	1	1	3	4	7	15	9	11	13	64				
	Stomach	1	2	3	13	23	36	57	96	106	81	41	459				
	Rectum	1	1	5	6	16	25	37	45	41	14	191				
	Liver	1	2	3	8	7	11	17	25	20	16	110				
	Pancreas	1	3	6	6	3	8	5	8	4	44				
	Peritoneum ...	1	1	1	.	3				
47	Intestine	3	6	4	2	13	18	25	53	65	55	49	293				
	Larynx, Trachea ...	1	.	1	.	.	.	8	6	16	2	11	3	48				
48	Lung ...	1	1	1	2	7	3	6	12	4	6	2	3	48				
	Mediastinum ...	1	1	1	2	2	.	.	.	7				
49	Uterus ...	—	—	—	—	—	—	—	—	—	—	—	—	—				
49	Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—				
	Vagina ...	—	—	—	—	—	—	—	—	—	—	—	—	—				
	Vulva ...	—	—	—	—	—	—	—	—	—	—	—	—	—				
50	Breast	1	1				
51	Scrotum	1				
	Prostate	1	8	4	9	17	20	18	77				
	Penis	1	2	1	.	.	2	7				
	Testicle	1	1	.	.	1	.	1	.	.	1	5				
52	Bladder	29				
	Kidney ...	3	.	.	1	1	.	3	6	6	8	4	2	13				
53	Ear	1	2	5	9	17				
	Face	1	2	1	5	6	9	9	14	47				
	Other Skin ...	1	1	.	.	.	1	3				
54	Brain	12				
	Spine ...	2	.	2	1	.	.	3	1	3	.	.	.	2				
	Thyroid ...	1	.	.	.	2	.	1	1	.	1	.	.	5				
	Nose ...	1	1	3	.	1	.	6				
55	Abdomen	1	.	.	1	2	.	.	4				
	Arm, Leg ...	6	3	.	.	1	1	5	2	3	4	4	15	44				
	Axilla	1				
	Eye ...	1	2	3				
	Groin	1	.	.	1	1	1	4				
	Neck ...	2	.	.	1	2	1	6	5	15	13	7	12	64				
	Parotid	1	2	1	1	.	5				
	Pelvis ...	2	3	.	1	.	.	6				
	Spleen	1	1	.	2				
	Thorax	1	1	.	1				
	Throat	2	4	4	9	11	10	8	48				
	Other and Unspecified ...	1	.	.	1	.	2	6	3	6	5	9	11	44				
	TOTAL ...		24	9	16	22	44	82	157	211	362	404	351	298	90			
Deaths from Cancer per 100,000 living of the same age ...		3.5	12.1			36.7			150.7			401.5			750.5		727.8	130.7

registered during the year 1940 by Sexes, Ages, and parts affected.

FEMALES												Total Males and Females	International List Nos.		
AGES AT DEATH															
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	TOTAL			
.	1	.	.	1	2	1	4	66	} 45	
.	1	1	4	1	3	1	10	88		
.	.	1	1	.	1	1	4	1	1	4	2	9	63		
1	.	.	.	1	.	.	1	2	2	1	.	12	51		
.	2	.	1	.	8	26	} 46	
2	1	3	2	3	2	9	8	12	5	3	4	46	110		
1	.	.	.	6	10	17	48	57	75	62	44	329	788		
3	1	.	1	.	6	11	11	8	20	14	10	81	272		
.	1	17	15	23	18	17	24	121	231	} 47	
.	.	3	2	7	10	22	26	56	45	52	55	278	571		
1	.	.	1	2	1	3	3	5	1	1	.	17	65		
1	1	1	1	2	1	4	4	4	8	5	2	31	79		
.	1	2	1	.	7	14	} 48	
1	1	2	5	16	20	21	31	30	16	19	10	172	172		
.	3	.	3	6	5	5	4	4	3	3	1	37	37		
.	.	.	.	1	.	1	3	2	1	4	2	5	5		
.	2	4	18	16	23	29	32	45	39	46	29	14	14	} 49	
.	14	5		
.	14	14		
.	14	14		
.	29	284	50	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	} 51	
—	—	—	—	—	—	—	—	—	—	—	—	—	77		
—	—	—	—	—	—	—	—	—	—	—	—	—	7		
—	—	—	—	—	—	—	—	—	—	—	—	—	5		
2	1	1	.	.	2	1	3	2	1	3	2	14	43	} 52	
.	1	.	2	.	.	2	9	22		
.	.	.	1	1	5	1	3	5	29		
.	.	1	.	1	.	1	4	2	1	1	4	31	78		
.	1	1	1	.	8	11	} 53	
1	1	1	1	2	1	2	5	2	3	1	1	13	25		
.	1	1	3	2	3	2	1	13	15		
.	.	.	.	1	1	.	1	2	3	2	.	9	14		
4	1	.	2	3	2	5	1	4	1	3	9	14	18	} 55	
1	2	5	6	6	4	12	9	54	98		
.	1	.	1	2	3		
.	3	3	6		
.	1	1	.	2	2	6		
.	2	4	1	3	13	77		
.	3	.	.	1	2	2	2	5	10		
.	1	.	.	1	7	13		
.	2	.	.	2	2	4		
.	2	2	3		
.	.	.	.	1	.	1	1	3	4	1	.	11	59		
4	.	3	2	1	3	5	5	8	8	6	3	48	92		
21	12	20	42	77	95	170	233	304	297	286	236	1,793	3,773		TOTAL
3.2	16.7		64.2		177.1		410.3		596.8		497.1	124.3	127.6		Rate per 100,000

In Tables 14 and 15 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 16 to 18. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1940 numbered 1,305, equivalent to a rate of 1.32 per 1,000, and in the aggregate rural areas the number was 2,468 and the rate 1.25 per 1,000. In the year 1939 the numbers of deaths for the urban and rural areas were respectively 1,222 and 2,516, corresponding to rates of 1.25 and 1.29 per 1,000 of the population.

In Table K the deaths from cancer in 1940 are classified according to the site affected and the age at death. The excess of female mortality under 50 years of age is apparent, but when this age-period has been passed, the excess in the male mortality is more pronounced with increasing age. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1940 the deaths in the first group amounted to 53 (15 of males and 38 of females) and those in the second to 100 (59 males and 41 females) compared with a total of 69 and 101 respectively, in the previous year.

The non-malignant tumours included 11 of the brain, 11 of the uterus, 9 of the ovary, and 9 of the bladder.

The deaths classified under the heading of tumours of undetermined nature included 49 of the brain; 8 of the intestine; 7 of the mediastinum; 5 of the stomach; and 4 each of the lung and abdomen.

Diabetes.—There were 284 deaths from this disease for 1940 compared with 258 in the previous year.

In the year 1940 the rate per 100,000 of the population represented by the deaths from diabetes was 9.6. The rates for Northern Ireland and Scotland were, respectively, 12.2 and 19.0.


Other General Diseases.—During 1940 there were classified under this heading 7 deaths from coeliac disease, 4 from toxæmia, 2 from hæmochromatosis, 2 from amyloid disease, one from autointoxication, and one from obesity.

Heart Disease.—During 1940 there were 8,908 deaths from diseases of the heart, as compared with 8,533 in 1939, 7,786 in 1938, 7,875 in 1937, and 7,626 in 1936. The average number of deaths registered during the decennial period ended with 1939 was 6,978.

The deaths from this cause in 1940 represent 21.3 per cent. of the mortality from all causes and are equivalent to a rate of 3.01 per 1,000 of the population.

Bronchitis.—During the year 1940 there were 2,011 deaths in which the cause was stated to be bronchitis. Of the total, 996 were of males and 1,015 were of females. The total is equal to a rate of 0.68 per 1,000 of the population and constitutes 4.8 per cent. of the total deaths registered. The number of deaths recorded for 1939 was 1,933, and the average figure for the decennial period from 1930 to 1939 was 2,233.

DIAGRAM No. 5. Mortality from Cancer, 1926 to 1940.



Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,861, equivalent to a rate of 0·63 per 1,000 of the population. Of this figure 983 deaths were of males and 878 of females.

The average number during the ten years from 1930 to 1939 was 2,478, and during 1939 the number recorded was 1,953.

The deaths for 1940 include 951 from broncho-pneumonia, 243 from lobar pneumonia and 667 from pneumonia (unspecified)

Enteritis and Diarrhoea.—There were 598 deaths of children under 2 years recorded, 331 being of males and 267 of females. The number for 1939 and the average for the ten years ended with that year were each 574. The urban mortality was equal to a rate of 18·7 per 1,000 births, and the corresponding rate for rural areas was 5·6 per 1,000 births registered.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1940 the number in the first group was 55, in the second group the figure was 153, and under the third heading there were 19; so that in all, the deaths from these causes numbered 227. The total represents a rate of 4·01 per 1,000 of the total births registered, as compared with 3·89 in the year 1939, and an average of 4·82 for the ten years 1930 to 1939. For the year 1940 the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death. (See note page 56).

In Table L full particulars of the deaths by causes and age periods are given, and in Table M a statement of the number of deaths and the rate per 1,000 births for the years 1930 to 1940.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 18.

TABLE L.—Deaths of women in 1940 returned as either caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection ...	3	.	.	2	.	1	.	.
Abortion without Septic Condition ...	1	.	.	.	1	.	.	.
Ectopic Gestation ...	6	.	.	.	2	4	.	.
Hæmorrhage of Pregnancy ...	9	.	.	1	3	1	4	.
Toxæmias of Pregnancy ...	28	.	2	5	8	8	4	1
Other Diseases of Pregnancy ...	3	.	.	1	.	.	1	1
Hæmorrhage of Childbirth ...	57	.	3	7	13	19	11	4
Infection during Childbirth ...	52	.	4	11	17	15	3	2
Puerperal Toxæmias ...	19	.	2	1	6	9	1	.
Other Accidents of Childbirth ...	22	.	3	6	6	6	1	.
Other or unspecified Puerperal Conditions	8	.	1	.	2	1	4	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Tuberculosis ...	1	1	.	.
Influenza ...	1	1	.
Hæmorrhagic conditions ...	1	.	.	.	1	.	.	.
Anæmias ...	3	.	.	.	2	1	.	.
Heart Disease ...	11	.	.	3	2	2	3	1
Chronic Nephritis ...	1	.	1
Violence (Burns) ...	1	.	.	.	1	.	.	.
TOTAL ...	227	.	16	37	64	68	33	9

TABLE M.—Deaths of women attributable to, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1930-1940, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1930 ...	81	1.39	197	3.38	278	4.77	16	0.27	294	5.04
1931 ...	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
1932 ...	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934 ...	101	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
Average, 1930-39 ...	74	1.28	174	3.04	248	4.32	28	0.50	276	4.82
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01

* The figures and rates under this heading for the years 1930-39 inclusive, relate only to deaths classified to puerperal sepsis. See text on previous page.

Violence.—The number of deaths classified under this heading in 1940 was 1,067. This figure shows an increase of 157 when compared with that for the year 1939. The average figure for the ten years 1930 to 1939 from this group of causes was 958.

Included in the total for 1940 there were 99 by suicide, 13 by homicide (including infanticide), 12 due to wounds of war, 2 to legal executions and 941 to other external causes. The latter figure includes accidental deaths and deaths not known to be due to suicide or homicide. The number of deaths by suicide is 19 more and those by homicide 2 less than the corresponding figures for 1939.

Of the suicidal deaths 77 were of males and 22 of females. In 20 cases poisoning was the means used to cause death, including lysol in 8 cases, carbon monoxide in 7 cases, strychnine in 3, and in the 2 remaining cases the poison used was other than those enumerated. In the other 79 deaths by suicide the means adopted was hanging or strangulation in 30 instances, drowning in 20, cutting or piercing instruments in 19, firearms in 8, and in 2 instances other means were used to cause death.

There were 13 deaths by homicide, including 9 of males and 4 of females; four were cases of infanticide.

There were 9 accidental deaths from poisons or poisonous gases, 6 of which were due to carbon monoxide, and one to each of smoke fumes, sodium amytal and creosote.

Burns and scalds was the cause of 158 deaths (56 males and 102 females), of which 56 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1939 was 49.

Deaths classified to accidental drowning numbered 159 (125 of males and 34 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 224 deaths included under the heading of transport accidents; of this figure 183 were of males and 41 of females. In 1939 the total under this heading was 204 (161 of males and 43 of females). Deaths from motor vehicles numbered 163, compared with 155 for 1939. There were 47 deaths recorded as due to other road transport accidents. This figure includes 31 caused by bicycles and 16 by horse-drawn vehicles, compared with 17 and 21 respectively for 1939.

Of the 163 deaths attributed to motor vehicles, 108 were stated to be caused by motor cars, 32 by motor lorries or vans, 12 by buses, and 11 by motor-cycles.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1940 numbered 4,826, compared with 4,830 for the previous year. The figure for 1940 is 11.5 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 12.4 per cent. of the male mortality, and the rate for females 10.6 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 21,483 in number, constituting 51.3 per cent. of the total number of deaths, and include 10,875 deaths of males, or 50.3 per cent. of the total deaths of males, and 10,608 of females, or 52.3 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 16,924, or 40.4 per cent. of the total deaths.

There were 179 deaths of persons aged 95 years or upwards (66 being males and 113 females), and of these 24 (8 males and 16 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were registered in the year are given in Abstract III by certain age-groups.

The following table shows the variations in the death rates at different age-periods in the years 1940 and 1939.

TABLE N.—DEATH RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1940	1939	Increase or Decrease in 1940	1940	1939	Increase or Decrease in 1940	1940	1939	Increase or Decrease in 1940
Under 5 years ...	18.05	18.21	-0.16	19.72	19.81	-0.09	16.32	16.56	-0.24
5— ...	1.75	1.85	-0.10	1.85	2.09	-0.24	1.64	1.59	+0.05
10— ...	1.37	1.24	+0.13	1.30	1.18	+0.12	1.45	1.31	+0.14
15— ...	2.76	2.62	+0.14	2.55	2.59	-0.04	2.98	2.67	+0.31
20— ...	3.57	3.26	+0.31	3.33	2.93	+0.40	3.84	3.62	+0.22
25— ...	4.58	4.42	+0.16	4.43	4.23	+0.20	4.74	4.63	+0.11
35— ...	5.60	5.44	+0.16	5.44	5.47	-0.03	5.76	5.41	+0.35
45— ...	10.39	10.54	-0.15	10.82	10.60	+0.22	9.93	10.47	-0.54
55— ...	22.23	22.69	-0.46	22.49	23.70	-1.21	21.94	21.55	+0.39
65— ...	54.58	55.26	-0.68	57.38	57.48	-0.10	51.70	52.91	-1.21
75— ...	112.65	113.14	-0.49	119.18	120.42	-1.24	107.07	107.04	+0.03
85 and upwards	185.24	185.79	-0.55	192.24	191.68	+0.56	180.01	186.99	-6.98
All ages ...	14.16	14.22	-0.06	14.26	14.35	-0.09	14.05	14.08	-0.03

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during the period 1864-70, each of the decennial periods from 1871 to 1930, and each year from 1930 to 1940 are given in Table 8.

INFANT MORTALITY.

During the year 1940 the deaths of 3,759 infants under one year of age were registered, compared with 3,691 in the preceding year. The figure for 1940 is equivalent to a rate of 66 per 1,000 births, which was also the rate for 1939, compared with an average of 69 for the ten years 1930 to 1939. The rate for each of the years 1930 to 1940 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,094 were those of males and 1,665 of females; the males were equal to a rate of 72 per 1,000 births of males, and the females to a rate of 60 per 1,000 births of females. The corresponding rates for 1939 were 73 and 58, respectively.

The infant mortality rates during the quarters of 1940 were, respectively, 78, 63, 51 and 75, compared with corresponding figures of 82, 64, 52 and 62 for the previous year.

The infant mortality rate in Northern Ireland for 1940 was 86 per 1,000 births; and in Scotland 78. In the year 1939 the corresponding rates were 70 and 69 respectively.

During the year 1940 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 53·82 per 1,000 births:—congenital debility 13·25 per 1,000 births, premature birth 10·67, diarrhoea and enteritis 9·67, pneumonia 7·70, convulsions 3·55, congenital malformations 4·59, bronchitis 2·62, and whooping cough 1·77.

The deaths of infants during the first month of life were 42·0 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·1, between 2 and 3 months 10·4, at 3 and under 6 months the rate was 19·2 and from 6 to 12 months old the rate was 15·3.

Urban and Rural Infant Mortality.

During the year 1940 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 1,816, representing a rate of 85 per 1,000 births registered. In 1939 the corresponding number of deaths was 1,790, and the rate 83 per 1,000 births.

For the rural areas 1,943 deaths of infants were registered in 1940, compared with 1,901 in the previous year; the rate per 1,000 births for each year was 55.


Table 11 shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 88 per 1,000 births, compared with 83 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 70 per 1,000 births, the rate for 1939 being 85.

The rates for the individual towns are as follows, ranging in order from the highest to the lowest:—

Waterford, 111; Dun Laoghaire, 97; Galway, 95; Kilkenny, 93; Cork, 92; Dublin, 91; Sligo, 77; Limerick, 70; Wexford, 66; Drogheda, 65; Bray, 61; Dundalk, 54; and Tralee, 53 per 1,000 births.

The infant mortality rate for Belfast in 1940 was 122 per 1,000 births; for Derry it was 93; for Edinburgh, 68; and for Glasgow, 95 per 1,000 births.

DIAGRAM No. 6. Infant Mortality 1926 to 1940.



The following statement shows the INFANT MORTALITY per 1,000 births, by sexes, in 1940 for urban and rural areas in Éire :—

AGES.	ÉIRE											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas,			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	32.5	34.5	30.4	27.8	33.9	21.3	31.7	34.4	28.7	25.6	27.2	23.9
1-2 Months ...	11.2	12.5	10.0	11.8	13.8	9.6	11.3	12.7	9.9	7.1	8.0	6.2
2-3 „ ...	9.0	10.2	7.7	9.2	11.3	6.9	9.0	10.4	7.6	5.7	6.4	4.9
3-6 „ ...	20.1	21.9	18.2	10.2	10.8	9.6	18.3	19.8	16.6	9.3	9.1	9.6
6-12 „ ...	15.3	16.3	14.1	11.0	9.8	12.2	14.5	15.1	13.8	7.5	8.9	6.1
Under one Year	88.1	95.4	80.4	70.0	79.6	59.6	84.8	92.4	76.6	55.2	59.6	50.7

This statement shows the very large proportion of infants who died before completing their first month of life. Of the infants who died in urban areas 37 per cent. were under one month old, and the corresponding figure for rural areas was 46 per cent. The contrast between the male and female mortality of infants is also apparent : in almost every instance the male mortality exceeds that of the female.

Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1940 was 449, consisting of 218 deaths of males and 231 of females.

In Table 12 the number of such deaths by causes and at different periods of life is given, and in Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the majority of such deaths take place in institutions. Thus, of 27 deaths for Dublin county, 23 took place in institutions, and of the 104 deaths for Dublin city, the number in institutions was 96, so that only 12 of the 131 deaths for Dublin county and city did not occur in institutions.

PART II.

Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1940, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.			
1801	...	4,154	2,085	2,069	1877	...	3,956	1,947	2,009	1,809	...	3,142	1,589	1,553
1811	...	4,746	2,363	2,383	1878	...	3,952	1,948	2,004	1,910	...	3,189	1,588	1,551
1821	...	5,421	2,676	2,745	1879	...	3,939	1,944	1,995	1,911	...	3,182	1,586	1,546
1831	...	6,194	3,033	3,161	1880	...	3,891	1,920	1,971	1,912	...	3,120	1,581	1,539
1841	...	6,545	3,235	3,310	1881	...	3,847	1,901	1,946	1,913	...	3,103	1,572	1,531
					1882	...	3,808	1,882	1,926	1,914	...	3,092	1,568	1,524
1851	...	5,079	2,486	2,593	1883	...	3,745	1,853	1,892	1,915	...	3,068	1,546	1,522
1852	...	4,927	2,413	2,514	1884	...	3,703	1,834	1,869	1,916	...	3,068	1,549	1,519
1853	...	4,807	2,358	2,449	1885	...	3,671	1,820	1,851	1,917	...	3,065	1,551	1,514
1854	...	4,704	2,311	2,398	1886	...	3,642	1,808	1,834	1,918	...	3,066	1,553	1,513
1855	...	4,638	2,281	2,357	1887	...	3,600	1,788	1,812	1,919	...	3,102	1,598	1,504
1856	...	4,594	2,261	2,333	1888	...	3,554	1,766	1,788	1,920	...	3,103	1,598	1,505
1857	...	4,540	2,234	2,306	1889	...	3,516	1,748	1,768	1,921	...	3,096	1,599	1,497
1858	...	4,506	2,217	2,289	1890	...	3,482	1,733	1,749	1,922	...	3,022	1,529	1,493
1859	...	4,471	2,199	2,272	1891	...	3,449	1,718	1,731	1,923	...	3,014	1,526	1,488
1860	...	4,428	2,179	2,249	1892	...	3,408	1,697	1,711	1,924	...	3,005	1,521	1,484
1861	...	4,393	2,164	2,229	1893	...	3,382	1,684	1,698	1,925	...	2,985	1,512	1,473
1862	...	4,377	2,158	2,219	1894	...	3,362	1,675	1,687	1,926	...	2,971	1,507	1,464
1863	...	4,328	2,134	2,194	1895	...	3,333	1,662	1,671	1,927	...	2,957	1,502	1,455
1864	...	4,263	2,103	2,160	1896	...	3,314	1,653	1,661	1,928	...	2,944	1,498	1,446
1865	...	4,223	2,084	2,139	1897	...	3,298	1,646	1,652	1,929	...	2,937	1,496	1,441
1866	...	4,163	2,051	2,112	1898	...	3,283	1,640	1,643	1,930	...	2,927	1,493	1,434
1867	...	4,130	2,033	2,097	1899	...	3,265	1,631	1,634	1,931	...	2,933	1,497	1,436
1868	...	4,109	2,022	2,087	1900	...	3,234	1,616	1,618	1,932	...	2,949	1,505	1,444
1869	...	4,090	2,012	2,078	1901	...	3,213	1,607	1,606	1,933	...	2,962	1,512	1,450
1870	...	4,062	1,996	2,066	1902	...	3,200	1,603	1,597	1,934	...	2,971	1,518	1,453
1871	...	4,042	1,986	2,056	1903	...	3,185	1,599	1,586	1,935	...	2,971	1,520	1,451
1872	...	4,023	1,975	2,048	1904	...	3,175	1,597	1,578	1,936	...	2,967	1,520	1,447
1873	...	3,989	1,955	2,034	1905	...	3,165	1,594	1,571	1,937	...	2,948	1,510	1,438
1874	...	3,966	1,944	2,022	1906	...	3,160	1,593	1,567	1,938	...	2,937	1,505	1,432
1875	...	3,951	1,940	2,011	1907	...	3,151	1,589	1,562	1,939	...	2,934	1,503	1,431
1876	...	3,949	1,942	2,007	1908	...	3,145	1,588	1,557	1,940	...	2,953	1,515	1,443

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1940 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for the years 1926 to 1936 have been revised in accordance with the population according to the Census of 1936.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
PERSONS.															
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	290,518	121,152	42,403	6,669	1,580	5,111,550
1861	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	55,391	222,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
PROPORTION PER CENT.															
1851	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females); and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	184,815	57,334	18,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	88,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	134,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,060
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	80,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1940.

PERIOD.	Mar- riages.	BIRTHS.							DEATHS.			Natural Increase.
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.	Females	
		Total.	Males.	Females	Total.	Total.	Males.	Females				
Average, 1864-70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	49,203	21,850	21,353	17,203
1930	13,631	58,353	29,913	28,440	56,490	1,863	940	923	41,702	21,075	20,627	16,651
1931	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
Average, 1930-39	14,201	57,281	29,368	27,913	55,384	1,897	974	923	41,823	21,416	20,407	15,458
1940	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1940.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-'70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1930 ...	4.66	19.94	19.30	0.64	3.19	1,052	14.25	67.95	5.69
1931 ...	4.48	19.46	18.81	0.66	3.37	1,063	14.64	68.93	4.82
1932 ...	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49
1933 ...	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68
1934 ...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
Average, 1930-39	4.82	19.42	18.77	0.64	3.31	1,052	14.18	68.56	5.24
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1930-40 ; with the average annual rates for the ten years 1930-39 and the rate for 1940 per 1,000 of the population.

YEAR.	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.										
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	Total.	
1930	3,760	2,843	3,101	2,876	12,670	204	234	298	225	961	3,964	3,077	3,489	3,101	13,631	14,481	15,305	14,862	13,705	58,353	12,666	10,751	8,435	9,850	41,702
1931	3,348	2,875	3,209	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947
1932	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984
1933	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539
1934	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083
1935	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,837	3,056	4,157	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543
1936	3,638	3,175	3,822	3,199	13,834	158	252	361	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
Average for ten years, 1930-1939	3,420	3,127	3,643	3,105	13,295	160	241	317	188	906	3,580	3,368	3,960	3,293	14,201	14,132	14,952	14,762	13,435	57,281	12,845	10,620	8,542	9,816	41,823
1940	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
Equivalent Annual Rate per 1,000 living :—																									
Average, 1930-1939	5.0	4.5	5.3	4.5	4.8	3.3	5.0	6.5	3.9	4.7	4.9	4.6	5.4	4.5	4.8	19.2	20.3	20.0	18.2	19.4	17.4	14.4	11.6	13.3	14.2
1940	4.8	5.2	6.1	4.5	5.2	4.0	4.4	7.3	4.0	4.9	4.7	5.1	6.2	4.5	5.1	19.0	20.5	19.5	17.6	19.1	18.1	14.2	11.4	13.0	14.2

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1923.)

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	} 2,973	660*	514	492	263	} 71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	10.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	} 775	10.9	1.4	0.8	2.1	} 24.4
Dysentery ...	404	198	} 986	942		9.7	5.0	} 26.9	28.3	
Diarrhoea ...	1,456	1,300		35.1		32.8				
Pulmonary tuberculosis.	6,777	6,960	7,026	6,660	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	} 10,169	10,605	11,217	9,522	2,661†	} 244.9	267.7	306.5	285.4	84.4†
Other respiratory diseases.					6,334†					200.8†
Puerperal sepsis...	234	274	244	199	150	5.7	6.0	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	} 1,650	1,531	80†	90	96	} 39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.
† Average for 9 years 1882-90.
‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664.4	1446.9	1417.1
1	Typhoid fever ...	195	108	68	6.3	3.6	2.3
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	184	12.4	8.5	6.2
4	Scarlet fever ...	148	78	94	4.8	2.6	3.2
5	Whooping cough...	491	365	221	16.0	12.3	7.5
6	Diphtheria ...	225	282	337	7.3	9.4	11.4
7	Influenza ...	2,030	1,221	1,313	65.8	40.9	44.5
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephallitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal fever	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	772	42.4	30.8	26.2
13	Cancer ...	2,591	2,933	3,503	83.8	98.4	118.7
14	Diabetes mellitus	245	227	257	7.9	7.6	8.7
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,359	45.8	69.6	79.9
16	Heart disease ...	5,148	4,981	7,092	166.5	167.1	240.2
*17	Other circulatory diseases	—	439	732	—	14.7	24.8
18	Bronchitis ...	4,324	2,750	2,201	139.8	92.0	74.6
19	Pneumonia, all forms	2,853	2,476	2,482	92.3	83.0	84.1
20	Other respiratory diseases	819	722	689	26.5	24.2	23.3
21	Gastric and duodenal ulcer	229	274	322	7.4	9.2	10.9
22	Diarrhoea and enteritis under 2 years	814	592	583	26.3	19.8	19.8
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	74	5.9	3.2	2.5
*25	Other diseases of Liver, etc.	—	138	163	—	4.6	5.4
*26	Other digestive diseases	—	1,172	939	—	39.2	31.8
27	Acute and chr. nephritis	1,150	1,132	1,197	37.2	38.0	40.6
28	Puerperal sepsis ...	129	101	73	4.2	3.4	2.5
29	Other puerperal causes	212	190	172	6.9	6.4	5.8
*30	Congenital debility, etc.	2,101	1,788	1,843	68.0	59.9	62.4
*31	Senility ...	—	8,300	6,174	—	277.8	209.1
32	Suicide ...	82	89	97	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	871	37.7	34.1	29.5
34	Other defined causes	16,609	3,491	3,337	537.2	117.0	113.0
35	Causes ill-defined or unknown.	1,361	1,302	651	44.0	43.4	22.0

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1940.

Nos.	CAUSES OF DEATH	ÉIRE.		NORTHERN IRELAND.	
		1940 No. of Deaths.	1940 Rate.	1940 No. of Deaths.	1940 Rate.
	ALL CAUSES ...	41,885	1416.0	18,941	1461.5
1	Typhoid fever (including paratyphoid) ...	31	1.0	10	0.8
2	Cerebro-spinal fever	23	0.8	58	4.5
3	Scarlet fever	33	1.1	27	2.1
4	Whooping cough	163	5.5	141	10.9
5	Diphtheria	178	6.0	127	9.8
6	Tuberculosis of respiratory system ...	2,907	98.3	967	74.6
7	All other forms of tuberculosis	778	26.3	299	23.1
8	Dysentery	2	0.1	—	—
9	Influenza	828	28.0	665	51.3
10	Measles	77	2.6	103	14.9
11	Acute infectious encephalitis	23	0.8	32	2.5
12	Typhus	2	0.1	—	—
13	Cancer	3,773	127.6	1,764	136.1
14	Diabetes mellitus	284	9.6	158	12.2
15	Intra-cranial lesions of vascular origin ...	2,687	90.8	1,544	119.1
16	Diseases of the heart	8,908	301.1	3,950	304.8
17	Other diseases of the circulatory system ...	755	25.5	337	26.0
18	Bronchitis	2,011	68.0	942	72.7
19	Pneumonia	1,861	62.9	873	67.4
20	Other diseases of the respiratory system ...	678	22.9	296	22.8
21	Ulcer of the stomach or duodenum	372	12.6	164	12.7
22	Diarrhoea and enteritis	724	24.5	465	35.9
23	Appendicitis	190	6.4	72	5.6
24	Cirrhosis of the liver	59	2.0	35	2.7
25	Diseases of the liver and biliary passages	157	5.3	86	6.6
26	Other diseases of the digestive system ...	639	21.6	228	17.6
27	Nephritis	1,183	40.0	473	36.5
28	Puerperal infection	55	1.9	33	2.5
29	Other diseases of childbirth	153	5.2	73	5.6
30	Congenital debility, etc. (Nos. 157-161) ...	1,931	65.3	1,051	81.1
31	Senility	5,788	195.7	1,552	119.8
32	Suicide	99	3.3	60	4.6
33	Other violence	968	32.7	632	48.8
34	Other causes	3,565	120.5	1,634	126.1

TABLE 3.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	932	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077	108
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
1932 ...	21,801	3,235	366	226	412	545	965	1,108	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
Average, 1930-39 ...	21,415	3,042	321	226	375	495	908	1,072	1,824	3,313	5,331	3,503	918	87
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	233.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.53	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1930 ...	14.12	22.32	2.63	1.62	2.80	4.01	4.64	6.27	10.83	26.23	56.26	97.45	181.64
1931 ...	14.53	22.04	2.48	1.60	2.83	4.20	4.57	6.35	11.56	26.98	59.10	104.27	177.65
1932 ...	14.49	22.16	2.53	1.50	2.82	4.38	4.85	6.40	10.73	27.83	60.58	98.73	166.82
1933 ...	13.63	20.23	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.32
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
Average, 1930-39 ...	14.20	21.45	2.27	1.53	2.63	3.88	4.50	6.11	10.94	25.71	57.11	103.60	173.71
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,181	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
Average, 1930-39	20,407	2,450	313	245	394	483	998	1,097	1,638	2,830	4,898	3,792	1,151	118
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113

Rates per 1,000 of corresponding population.

1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1930	14.38	18.09	2.53	1.92	3.27	4.36	5.28	6.87	11.98	26.80	50.38	89.97	173.61
1931	14.76	18.93	2.09	1.97	3.24	4.53	5.58	7.19	11.41	26.48	54.02	91.52	182.22
1932	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	54.14	90.26	169.34
1933	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.23	146.98
1936	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
Average, 1930-39	14.16	18.01	2.30	1.74	2.92	4.16	5.13	6.43	10.66	24.36	51.65	94.19	170.90
1940	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01

*During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,949	7,519	10,043	9,268	2,891	438
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,925	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	231
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,860	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,038	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	560	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	696	447	665	1,055	1,849	2,180	3,302	6,301	10,533	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
Average, 1930-39 ...	41,822	5,492	634	471	769	978	1,906	2,169	3,462	6,143	10,229	7,295	2,069	205
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.98	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.43	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.23	11.34	24.30	46.53	102.78	202.72
1930 ...	14.25	20.25	2.60	1.77	3.03	4.18	4.96	6.57	11.38	26.50	53.25	93.35	177.19
1931 ...	14.64	20.52	2.29	1.78	3.03	4.36	5.08	6.76	11.49	26.74	56.50	97.29	180.18
1932 ...	14.58	20.62	2.59	1.63	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
Average, 1930-39 ...	14.18	19.77	2.29	1.63	2.78	4.01	4.81	6.27	10.80	25.07	54.32	98.48	171.75
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons, and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, 1930-40.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
ALL CAUSES	67.95	68.93	72.19	65.23	63.28	68.44	74.15	72.95	66.65	65.83	66.42
Scarlet Fever (8)	0.02	0.07	0.07	0.03	0.02	0.09	0.31	0.12	0.05	0.07	0.05
Whooping cough (9)	3.24	1.16	2.60	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77
Diphtheria (10)	0.16	0.25	0.23	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14
Tuberculosis of Nervous System (14).	0.45	0.35	0.32	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27
Tuberculosis of Intestines and Peritoneum (15).	0.19	0.26	0.27	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.20
Other Tuberculous Diseases (13, 16-22).	0.72	0.93	0.35	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.28
Syphilis (30)	0.15	0.23	0.11	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27
Influenza (33)	0.24	1.09	1.12	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06
Measles (35)	0.46	1.40	1.00	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35
Meningitis (81)	0.79	0.86	0.96	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83
Convulsions (86)	6.34	6.78	6.54	5.61	5.41	4.50	5.32	4.99	4.43	4.48	3.55
Bronchitis (106)	3.77	3.17	3.96	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62
Pneumonia (107-9)	7.35	7.72	8.44	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70
Diarrhoea and Enteritis (119)	7.20	8.27	9.33	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67
Congenital Malformations (157)	3.29	3.38	3.40	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59
Congenital Debility (158) ...	17.20	16.00	16.46	14.38	13.78	14.19	14.44	13.65	12.79	12.68	13.25
Premature Birth (159)	8.48	8.58	8.53	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67
Injury at Birth (160)	0.84	0.96	0.82	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.80
Other Diseases peculiar to first year of life (161) ...	1.20	1.49	1.69	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86
Mechanical Suffocation (including Overlying) (182)	0.10	0.26	0.12	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28
Other Accidents (including Lack of Care) (195)	0.45	0.47	0.43	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46
Other Causes	5.31	5.25	5.44	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75

TABLE 10.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1940.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	431	525	225	199	198	1,578	493	393	720	575	3,759
Scarlet Fever (8)	1	1	.	1	3
Whooping Cough (9)	3	3	16	17	34	30	100
Diphtheria (10)	1	1	3	1	.	3	8
Tuberculosis of Nervous System (14)	5	10	15
Tuberculosis of Intestines and Peritoneum (15)	3	1	4	3	11
Other Tuberculous Diseases (13, 16-22)	6	10	16
Syphilis (30)	1	.	1	1	1	4	2	1	6	2	15
Influenza (33)	1	2	1	2	6	6	9	18	21	60
Measles (35)	1	3	16	20
Meningitis (81)	1	1	.	2	2	3	12	28	47
Convulsions (86)	8	20	9	9	13	59	31	20	59	32	201
Bronchitis (106)	3	5	4	11	23	24	25	37	39	148
Pneumonia (107-9)	10	10	14	22	56	52	59	120	149	436
Diarrhoea and Enteritis (119)	.	1	20	22	27	70	106	96	173	102	547
Congenital Malformations (157)	29	55	29	15	17	145	33	26	29	27	260
Congenital Debility (158)	82	130	45	58	50	365	139	91	121	34	750
Premature Birth (159)	202	204	67	44	30	547	34	10	12	1	604
Injury at Birth (160)	40	40	11	6	1	98	2	1	1	.	102
Other Diseases peculiar to first year of life (161)	49	50	16	20	9	144	7	7	3	1	162
Mechanical suffocation (includ- ing Overlying) (182)	3	.	.	3	3	5	4	1	16
Other Accidents (including Lack of Care) (195)	16	8	.	.	.	24	.	1	1	.	26
Other Causes	4	3	6	4	11	28	29	18	72	65	212

TABLE 11.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1940.

CAUSES OF DEATH.		DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
		CITIES AND BOROUGHES.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Areas under 10,000 Population.	All Urban Areas.	All Rural Districts.	Éire
		Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
ALL CAUSES	90.74	96.50	91.62	70.12	110.78	72.03	88.14	70.01	84.82	55.23	66.42	
Scarlet Fever (8)	0.27	0.17	.	0.14	.	0.05	
Whooping Cough (9)	2.62	2.79	.	.	7.39	1.68	2.29	1.02	2.06	1.59	1.77	
Diphtheria (10)	0.36	1.40	0.29	.	0.23	0.08	0.14	
Tuberculosis of Nervous System (14)	0.54	1.40	1.20	1.02	.	0.42	0.63	0.51	0.61	0.06	0.27	
Tuberculosis of Intestines and Peritoneum (15)	0.36	.	0.60	.	.	.	0.29	0.77	0.37	0.08	0.20	
Other Tuberculous Diseases (13, 16-22)	0.72	1.40	0.60	.	.	.	0.57	.	0.47	0.17	0.28	
Syphilis (30)	0.36	1.40	0.29	.	0.23	0.28	0.27	
Influenza (33)	0.45	.	.	.	1.48	0.84	0.46	1.28	0.61	1.33	1.06	
Measles (35)	0.45	.	4.79	.	.	1.68	0.97	.	0.79	0.08	0.35	
Meningitis (81)	1.90	2.79	1.80	1.02	.	.	1.54	0.51	1.34	0.51	0.83	
Convulsions (86)	1.72	2.79	4.79	8.13	5.91	2.95	2.75	5.62	3.27	3.72	3.55	
Bronchitis (106)	2.62	4.20	2.99	6.10	7.39	1.26	2.92	1.79	2.71	2.56	2.62	
Pneumonia (107-9)	15.01	8.39	8.98	3.05	7.39	8.85	12.35	7.41	11.45	5.43	7.70	
Diarrhoea and Enteritis (119)	19.34	12.59	26.95	17.28	50.22	5.48	18.99	9.45	17.25	5.06	9.67	
Congenital Malformations (157)	6.51	12.59	2.39	4.06	5.91	7.58	6.35	5.62	6.22	3.61	4.59	
Congenital Debility (158)	9.13	12.59	10.18	15.24	4.43	15.59	10.41	16.35	11.50	14.32	13.25	
Premature Birth (159)	16.18	19.58	14.97	5.08	10.33	9.27	14.41	12.52	14.07	8.61	10.67	
Injury at Birth (160)	3.25	4.20	1.80	.	2.95	0.84	2.63	0.77	2.29	1.51	1.80	
Other Diseases peculiar to first year of life (161)	4.52	1.40	2.39	2.03	1.48	5.48	4.06	1.79	3.65	2.39	2.86	
Mechanical suffocation (including Overlying) (182)	0.27	.	.	.	2.95	0.42	0.34	0.25	0.33	0.26	0.28	
Other Accidents (including Lack of Care) (195)	0.54	2.79	.	.	.	0.42	0.51	0.77	0.56	0.40	0.46	
Other Causes	3.62	4.20	7.19	7.11	2.95	9.27	4.92	3.58	4.67	3.18	3.75	

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in 1940.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year
ALL CAUSES	29	41	22	28	25	145	80	71	93	60	449
Scarlet Fever (8)	1	1
Whooping Cough (9)	3	2	6	3	14
Diphtheria (10)	1	.	.	.	1
Tuberculosis of Nervous System (14)	1	1	2
Tuberculosis of Intestines and Peritoneum (15)	2	1	3	.	6
Other Tuberculous Diseases (13, 16-22)	1	2	3
Syphilis (30)	1	.	1	2	2	1	2	2	9
Influenza (33)	1	.	1	4	8	14	12	39
Measles (35)	1	1
Meningitis (81)	1	1	7	9
Convulsions (86)	2	.	.	2	.	.	1	2	4
Bronchitis (106)	1	2	.	2	5	6	4	4	5	22
Pneumonia (107-9)	5	.	3	6	14
Diarrhœa and Enteritis (119)	2	3	3	8	21	16	23	6	74
Congenital Malformations (157)	1	2	3	1	3	10	2	3	1	1	21
Congenital Debility (158)	2	4	5	13	7	31	23	21	24	7	113
Premature Birth (159)	9	17	2	6	3	37	4	2	3	.	54
Injury at Birth (160)	4	6	4	1	.	15	2	.	.	.	21
Other diseases peculiar to first year of life (161)	2	2	.	1	2	7	1	2	.	.	12
Mechanical suffocation (including Overlying) (182)
Other Accidents (including Lack of Care) (195)	10	7	.	.	.	17	.	1	.	.	18
Other Causes	1	2	1	2	4	10	4	9	6	4	34

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE by age-periods in each county and county borough in 1940, distinguishing deaths in institutions.

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institutions.	Elsewhere.
EIRE	29	41	22	28	25	145	80	71	93	60	449	388	61
Carlow	1	.	.	.	1	2	.	2	2	.	6	5	1
Dublin Co.	4	.	4	.	8	4	6	5	4	27	23	4
City of Dublin	5	9	3	4	7	28	23	15	23	15	104	96	8
Kildare	1	.	.	1	1	3	1	4	2	3	13	12	1
Kilkenny	1	2	.	1	.	4	.	2	6	2	14	13	1
Laoighis	2	.	.	.	2	4	.	.	2	.	6	4	2
Longford	1	1	1	.	3	2	3	1	1	10	10	.
Louth	2	.	.	1	3	.	2	.	.	5	4	1
Meath	1	.	.	2	.	3	2	3	2	2	12	9	3
Offaly	3	2	1	2	8	7	1
Westmeath	1	2	4	2	9	.	3	2	2	16	14	2
Wexford	2	2	1	2	7	3	3	1	3	17	14	3
Wicklow	2	.	2	.	4	2	1	3	2	12	9	3
PROVINCE OF LEINSTER	11	23	8	20	16	78	40	46	50	36	250	220	30
Clare	1	1	2	2	2	2	9	8	1
Cork Co.	3	3	1	2	2	11	10	7	11	6	45	41	4
Cork Co. Borough	2	1	.	3	.	1	2	2	8	6	2
Kerry	1	1	1	1	2	6	.	3	1	.	10	9	1
Limerick Co.	2	2	.	.	.	4	3	2	1	1	11	5	6
Limerick Co. Borough	1	.	.	.	1	.	1	.	.	2	2	.
Tipperary N.R.	2	.	2	2	1	1	2	8	7	1
Tipperary, S.R.	1	1	1	1	.	4	1	2	2	.	9	7	2
Waterford Co.	1	1	.	2	3	1	4	.	10	8	2
Waterford Co. Borough	1	.	.	.	1	.	.	1	.	2	2	.
PROVINCE OF MUNSTER	8	9	6	8	4	35	21	20	25	13	114	95	19
Galway	1	2	1	.	.	4	2	1	3	5	15	14	1
Leitrim	1	1	2	1	2	1	7	7	.
Mayo	2	2	1	.	.	5	4	2	6	2	19	16	3
Roscommon	1	3	.	.	2	6	2	1	.	.	9	6	3
Sligo	1	.	1	.	.	2	4	.	1	.	7	7	.
PROVINCE OF CONNAUGHT	5	7	3	.	3	18	14	5	12	8	57	50	7
Cavan	1	1	1	.	1	4	2	.	1	1	8	7	1
Donegal	4	1	3	.	1	9	2	.	3	2	16	12	4
Monaghan	1	.	.	1	1	.	2	.	4	4	.
PROVINCE OF ULSTER (Part of)	5	2	5	.	2	14	5	.	6	3	28	23	5

TABLE 14.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1940.

PROVINCES AND COUNTIES.	MARRIAGES	BIRTHS			DEATHS FROM					Deaths of Infants under One Year of age.
		Total.	Illegitimate Births.	All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection†	Other Diseases of Childbirth	
ÉIRE.	15,212	56,594	1,824	41,885	1,084	3,685	3,773	55	153	3,759
Carlow ...	160	678	33	80	4	39	36	2	1	49
Dublin Co. ...	822	2,367	75	1,654	46	200	159	1	2	189
City of Dublin ...	3,441	11,064	219	7,002	354	795	593	4	17	1,004
Kildare ...	284	1,271	59	802	14	84	87	1	5	75
Kilkenny ...	313	1,250	63	1,000	17	77	56	2	3	91
Laoighis ...	169	910	44	701	5	51	63	2	1	52
Longford ...	155	687	32	517	7	26	54	.	6	42
Louth ...	372	1,308	50	940	27	94	103	1	4	79
Meath ...	269	1,162	39	838	16	70	98	2	7	59
Offaly ...	270	928	45	723	16	58	67	1	2	55
Westmeath ...	223	967	58	808	15	68	69	2	4	66
Wexford ...	449	1,779	95	1,522	31	161	126	.	5	104
Wicklow ...	307	1,162	57	890	9	83	87	1	6	76
LEINSTER	7,234	25,533	869	17,877	561	1,806	1,598	19	63	1,941
Clare ...	394	1,473	40	1,158	9	88	103	3	8	63
Cork Co. ...	1,065	4,391	162	3,792	89	285	367	12	7	276
Cork Co. Borough ...	737	1,670	28	1,172	79	130	114	1	7	153
Kerry ...	687	2,458	64	1,776	30	164	169	1	8	120
Limerick Co. ...	438	1,986	102	1,307	27	104	110	4	6	119
Limerick Co. Borough	370	984	20	613	28	84	49	.	3	69
Tipperary N.E. ...	259	1,104	52	800	5	61	64	4	3	63
Tipperary S.E. ...	319	1,519	55	1,124	19	83	125	.	2	108
Waterford Co. ...	229	837	56	802	19	71	82	1	5	74
Waterford Co. Boro'	148	677	10	494	47	40	45	.	7	75
MUNSTER	4,646	17,099	589	13,038	352	1,110	1,228	26	56	1,120
Galway ...	679	3,366	71	2,252	41	227	183	7	10	186
Leitrim ...	188	793	23	729	16	40	59	.	1	46
Mayo ...	640	2,736	39	1,946	14	142	163	2	6	104
Roscommon ...	317	1,121	26	1,095	17	46	86	.	2	54
Sligo ...	263	1,053	16	967	8	64	99	.	3	52
CONNAUGHT	2,087	9,069	175	6,989	96	519	590	9	22	442
Cavan ...	311	1,267	50	1,126	18	52	111	1	2	71
Donegal ...	689	2,645	100	2,018	27	150	187	.	5	137
Monaghan ...	245	981	41	837	30	48	59	.	5	48
ULSTER (part of) ...	1,245	4,893	191	3,981	75	250	357	1	12	256

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, small-pox, measles, typhus and diarrhoeal diseases.

† See note, page 56.

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE by age-periods in each county and county borough in 1940, distinguishing deaths in institutions.

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institutions.	Elsewhere.
EIRE	29	41	22	28	25	145	80	71	93	60	449	388	61
Carlow	1	.	.	.	1	2	.	2	2	.	6	5	1
Dublin Co.	4	.	4	.	8	4	6	5	4	27	23	4
City of Dublin	5	9	3	4	7	28	23	15	23	15	104	96	8
Kildare	1	.	.	1	1	3	1	4	2	3	13	12	1
Kilkenny	1	2	.	1	.	4	.	2	6	2	14	13	1
Laoighis	2	.	.	.	2	4	.	.	2	.	6	4	2
Longford	1	1	1	.	3	2	3	1	1	10	10	.
Louth	2	.	.	1	3	.	2	.	.	5	4	1
Meath	1	.	.	2	.	3	2	3	2	2	12	9	3
Offaly	3	2	1	2	8	7	1
Westmeath	1	2	4	2	9	.	3	2	2	16	14	2
Wexford	2	2	1	2	7	3	3	1	3	17	14	3
Wicklow	2	.	2	.	4	2	1	3	2	12	9	3
PROVINCE OF LEINSTER	11	23	8	20	16	78	40	46	50	36	250	220	30
Clare	1	1	2	2	2	2	9	8	1
Cork Co.	3	3	1	2	2	11	10	7	11	6	45	41	4
Cork Co. Borough	2	1	.	3	.	1	2	2	8	6	2
Kerry	1	1	1	1	2	6	.	3	1	.	10	9	1
Limerick Co.	2	2	.	.	.	4	3	2	1	1	11	5	6
Limerick Co. Borough	1	.	.	.	1	.	1	.	.	2	2	.
Tipperary N.R.	2	.	2	2	1	1	2	8	7	1
Tipperary, S.R.	1	1	1	1	.	4	1	2	2	.	9	7	2
Waterford Co.	1	1	.	2	3	1	4	.	10	8	2
Waterford Co. Borough	1	.	.	.	1	.	.	1	.	2	2	.
PROVINCE OF MUNSTER	8	9	6	8	4	35	21	20	25	13	114	95	19
Galway	1	2	1	.	.	4	2	1	3	5	15	14	1
Letchin	1	1	2	1	2	1	7	7	.
Mayo	2	2	1	.	.	5	4	2	6	2	19	16	3
Roscommon	1	3	.	.	2	6	2	1	.	.	9	6	3
Sligo	1	.	1	.	.	2	4	.	1	.	7	7	.
PROVINCE OF CONNAUGHT	5	7	3	.	3	18	14	5	12	8	57	50	7
Cavan	1	1	1	.	1	4	2	.	1	1	8	7	1
Donegal	4	1	3	.	1	9	2	.	3	2	16	12	4
Monaghan	1	.	.	1	1	.	2	.	4	4	.
PROVINCE OF ULSTER (Part of)	5	2	5	.	2	14	5	.	6	3	28	23	5

TABLE 15.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1940.

PROVINCES AND COUNTIES.	Popula- tion, Census 1936.	MARRI- AGES.			BIRTHS.		DEATHS.					
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.			
					All Causes	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.	
ÉIRE ...	2,968,420	5·14	19·13	3·22	14·16	0·37	1·25	1·28	0·97	2·70	66	
Carlow ...	34,452	4·64	19·68	4·87	13·93	0·12	1·13	1·04	2·95	1·47	72	
Dublin Co. ...	118,822	6·92	19·92	3·17	13·92	0·39	1·68	1·34	0·42	0·84	80	
City of Dublin ...	468,103	7·06	22·70	1·98	14·36	0·73	1·63	1·22	0·36	1·54	91	
Kildare ...	57,892	4·91	21·95	4·64	13·85	0·24	1·45	1·50	0·79	3·93	59	
Kilkenny ...	68,614	4·56	18·22	5·04	14·57	0·25	1·12	0·82	1·60	2·40	73	
Laoighis ...	50,109	3·37	18·16	4·84	13·99	0·10	1·02	1·26	2·20	1·10	57	
Longford ...	37,847	4·10	18·15	4·66	13·66	0·18	0·69	1·43	·	8·73	61	
Louth ...	64,339	5·78	20·33	3·82	14·61	0·42	1·46	1·60	0·76	3·06	60	
Meath ...	61,405	4·38	18·92	3·36	13·65	0·26	1·14	1·60	1·72	6·02	51	
Offaly ...	51,308	5·26	18·09	4·85	14·09	0·31	1·13	1·31	1·08	2·16	50	
Westmeath ...	54,706	4·08	17·68	6·00	14·77	0·27	1·24	1·26	2·07	4·14	68	
Wexford ...	94,245	4·76	18·88	5·34	16·15	0·33	1·71	1·34	·	2·81	58	
Wicklow ...	58,569	5·24	19·84	4·91	15·20	0·15	1·42	1·49	0·86	5·16	65	
LEINSTER ...	1,220,411	5·93	20·92	3·40	14·65	0·46	1·48	1·31	0·74	2·47	76	
Clare ...	89,879	4·38	16·39	2·72	12·88	0·10	0·98	1·15	2·04	5·43	43	
Cork Co. ...	275,192	3·87	15·96	3·69	13·78	0·32	1·04	1·33	2·73	1·59	63	
Cork Co. Borough ...	80,765	9·13	20·68	1·68	14·51	0·98	1·61	1·41	0·60	4·19	92	
Kerry ...	139,834	4·91	17·58	2·60	12·70	0·21	1·17	1·21	0·41	3·25	49	
Limerick Co. ...	100,092	4·38	19·84	5·14	13·06	0·27	1·04	1·10	2·01	3·02	60	
Limerick Co. Borough	41,061	9·01	23·96	2·03	14·93	0·68	2·05	1·19	·	3·05	70	
Tipperary, N. R. ...	59,551	4·35	18·54	4·71	13·43	0·08	1·02	1·07	3·62	2·72	57	
Tipperary, S. R. ...	78,284	4·07	19·40	3·62	14·36	0·24	1·06	1·60	·	1·32	71	
Waterford Co. ...	49,646	4·61	16·86	6·69	16·15	0·38	1·43	1·65	1·19	5·97	88	
Waterford Co. Boro.	27,968	5·29	24·21	1·48	17·66	1·68	1·43	1·61	·	10·34	111	
MUNSTER ...	942,272	4·93	18·15	3·44	13·84	0·37	1·18	1·39	1·52	3·28	66	
Galway ...	168,198	4·04	20·01	2·11	13·39	0·24	1·35	1·09	2·08	2·97	55	
Leitrim ...	50,908	3·69	15·58	2·90	14·32	0·31	0·79	1·16	·	1·26	58	
Mayo ...	161,349	3·97	16·96	1·43	12·06	0·09	0·88	1·01	0·73	2·19	38	
Roscommon ...	77,566	4·09	14·45	2·32	14·12	0·22	0·59	1·11	·	1·78	48	
Sligo ...	67,447	3·90	15·61	1·52	14·34	0·12	0·95	1·47	·	2·85	49	
CONNAUGHT ...	525,468	3·97	17·26	1·93	13·30	0·18	0·99	1·12	0·99	2·43	49	
Cavan ...	76,670	4·06	16·53	3·95	14·69	0·23	0·68	1·45	0·79	1·58	56	
Donegal ...	142,810	4·84	18·59	3·78	14·18	0·19	1·05	1·31	·	1·89	52	
Monaghan ...	61,289	4·00	16·01	4·18	13·66	0·49	0·78	0·96	·	5·10	49	
ULSTER (part of)	280,269	4·44	17·46	3·90	14·20	0·27	0·89	1·27	0·20	2·45	52	

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1940.

* See note, page 20.

TABLE 16.-- BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1940.

URBAN AND RURAL AREAS.	Births	DEATHS FROM						
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puer- peral Infection.†	Other Diseases of Childbirth.	Infants under One Year of Age.
ÉIRE	56,594	41,885	1,084	3,685	3,773	55	153	3,759
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS ...	21,398	14,060	635	1,591	1,305	9	50	1,810
ALL RURAL DISTRICTS	35,196	27,825	449	2,094	2,468	46	103	1,943
COUNTY BOROUGHS AND URBAN DIS- TRICTS, over 10,000 Population ...	17,484	11,352	567	1,313	1,019	7	39	1,542
CITY OF DUBLIN ...	11,064	7,002	354	795	593	4	17	1,004
Borough of Dun Laoghaire ...	715	583	14	50	66	1	1	68
Cork County Borough	1,670	1,172	79	130	114	1	7	151
Limerick County Borough ...	984	613	28	84	49	.	3	61
Waterford County Borough ...	677	494	47	40	45	.	7	71
Galway U.D. ...	518	253	8	45	23	.	.	41
Dundalk U.D. ...	295	207	6	28	18	.	2	11
Drogheda U.D. ...	414	215	9	26	34	.	.	21
Sligo U.D. ...	221	174	2	21	14	.	.	11
Wexford U.D. ...	273	196	5	35	27	.	.	11
Tralee U.D. ...	206	142	5	29	11	.	1	11
Kilkenny U.D. ...	216	164	9	12	11	.	.	11
Bray U.D. ...	231	137	1	18	14	1	1	11
URBAN DISTRICTS, under 10,000 Popu- lation	3,914	2,708	68	278	286	2	11	21
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS IN :—								
Province of Leinster	14,605	9,389	420	1,074	846	8	26	1,110
Province of Munster	5,259	3,786	190	407	381	1	22	411
Province of Connaught	1,092	610	16	92	56	.	1	111
Province of Ulster (part of)	442	275	9	18	22	.	1	111
ALL RURAL DISTRICTS IN :—								
Province of Leinster	10,928	8,488	141	732	752	11	37	1,110
Province of Munster	11,840	9,252	162	703	847	25	34	1,110
Province of Connaught	7,977	6,379	80	427	534	9	21	1,110
Province of Ulster (part of)	4,451	3,706	66	232	335	1	11	1,110

* See note, page 20.

† See note, page 56.

TABLE 17.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1940.

URBAN AND RURAL AREAS.	Population Census 1936.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,968,420	19.13	14.16	0.37	1.25	1.28	0.97	2.70	66
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	965,269	21.71	14.26	0.64	1.61	1.32	0.42	2.34	85
ALL RURAL DISTRICTS	2,003,151	17.84	14.11	0.23	1.06	1.25	1.31	2.93	55
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	760,599	22.39	14.54	0.73	1.68	1.30	0.40	2.23	88
CITY OF DUBLIN ...	468,103	22.70	14.36	0.73	1.63	1.22	0.36	1.54	91
Borough of Dun Laoghaire ...	39,785	17.52	14.29	0.34	1.23	1.62	1.40	1.40	97
Cork County Borough	80,765	20.68	14.51	0.98	1.61	1.41	0.60	4.19	92
Limerick County Borough ...	41,061	23.96	14.93	0.68	2.05	1.19	.	3.05	70
Waterford County Borough ...	27,968	24.21	17.66	1.68	1.43	1.61	.	10.34	111
Galway U.D. ...	18,294	28.32	13.33	0.44	2.46	1.26	.	.	95
Dundalk U.D. ...	14,684	20.09	14.10	0.41	1.91	1.23	.	6.78	54
Drogheda U.D. ...	14,494	28.56	14.83	0.62	1.79	2.35	.	.	65
Sligo U.D. ...	12,565	17.59	13.85	0.16	1.67	1.11	.	.	77
Wexford U.D. ...	12,247	22.29	16.00	0.41	2.86	2.20	.	.	66
Tralee U.D. ...	10,285	20.03	13.81	0.49	2.82	1.07	.	4.85	53
Kilkenny U.D. ...	10,237	21.10	16.02	0.88	1.17	1.07	.	.	93
Bray U.D. ...	10,111	22.85	13.55	0.10	1.78	1.38	4.33	4.33	61
URBAN DISTRICTS, under 10,000 Population ...	204,670	19.12	13.23	0.33	1.36	1.40	0.51	2.81	70
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN:—									
Province of Leinster	636,466	22.95	14.75	0.66	1.69	1.33	0.55	1.78	86
Province of Munster	254,689	20.65	14.87	0.75	1.60	1.50	0.19	4.13	86
Province of Connaught	50,656	21.56	12.04	0.32	1.82	1.11	.	0.92	77
Province of Ulster (part of)	23,458	18.84	11.72	0.38	0.77	0.94	.	2.26	63
ALL RURAL DISTRICTS IN:—									
Province of Leinster	583,945	18.71	14.54	0.24	1.25	1.29	1.01	3.39	63
Province of Munster	687,583	17.22	13.46	0.24	1.02	1.23	2.11	2.87	56
Province of Connaught	474,812	16.80	13.43	0.17	0.90	1.12	1.13	2.63	45
Province of Ulster (part of)	256,811	17.33	14.43	0.26	0.90	1.30	0.22	2.47	51

NOTE—The rates for Éire, the City of Dublin, and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1940.

* See note, page 20.

TABLE 18.—BIRTHS and DEATHS registered during the YEAR 1940, for the Thirteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popu- lation Census 1936.	Annual Rate per 1,000 persons represented by			BIRTHS.	DEATHS.																							
		BIRTHS.	DEATHS			Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by													Tuber- culosis.	Influenza.	Cancer.	Puerperal Infection.*	Other Diseases of Childbirth.	Violence.	No. Uncertified.
			All Causes.	Principal epidemic diseases.						Principal Epidemic Diseases.																			
										Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarthera & En- teritis (children under 2 years).	Pulmonary.	Other Forms.									
ÉIRE	2,968,420	19.1	14.2	0.4	56,594	41,885	3,759	21,483	31	33	163	178	2	77	2	598	2,907	778	828	3,773	55	153	1,067	6,272					
Total Rural Districts ...	2,008,151	17.8	14.1	0.2	35,196	27,825	1,943	15,881	23	23	95	88	2	19	1	198	1,648	446	617	2,468	46	103	669	5,974					
Total Urban Districts ...	965,269	21.7	14.3	0.6	21,398	14,060	1,816	5,602	8	10	68	90		58	1	400	1,259	332	211	1,305	9	50	398	298					
Total 13 Principal Towns ...	760,599	22.4	14.5	0.7	17,484	11,352	1,542	4,347	7	8	61	77		55		359	1,043	270	163	1,019	7	39	324	167					
City of Dublin ...	468,103	22.7	14.4	0.7	11,064	7,002	1,004	2,611	4	6	42	56		25		221	642	153	96	593	4	17	194	105					
Boro of Dun Laoghaire ...	39,785	17.5	14.3	0.3	715	583	69	281			2	1				11	38	12	12	66	1	1	15						
Cork Co. Borough ...	80,765	20.7	14.5	1.0	1,670	1,172	153	438	1		6			21		51	97	33	8	114	1	7	25	8					
Limerick „ ...	41,061	24.0	14.9	0.7	984	613	69	227	3	1	2	3				19	68	16	9	49		3	25	14					
Waterford „ ...	27,968	24.2	17.7	1.7	677	494	75	216			10	1				36	30	10	17	45		7	12	2					
Galway U. D. „ ...	18,294	28.3	13.8	0.4	518	253	49	81			1					7	32	13	1	23			8	10					
Dundalk ...	14,684	20.1	14.1	0.4	295	207	16	82			2	2				2	20	8	4	18		2	16	8					
Drogheda ...	14,434	28.6	14.8	0.6	414	215	27	84			2	2		3		2	22	4	2	34			8	3					
Sligo ...	12,565	17.6	13.8	0.2	221	174	17	84			1					1	17	4	3	14			2	2					
Wexford ...	12,247	22.3	16.0	0.4	273	196	18	83			1					4	30	5	2	27			6	3					
Tralee ...	10,285	20.0	13.8	0.5	206	142	11	45			2			3			22	7		11		1	1	6					
Kilkenny ...	10,237	21.1	16.0	0.9	216	164	20	65			1			3		5	12		8	11			6	6					
Bray ...	10,111	22.8	13.5	0.1	231	137	14	50			1						13	5	1	14	1	1	6						

Total Urban Districts under 10,000 Population	...	204,670	19.1	13.2	0.3	3,914	2,708	274	1,255	1	2	7	13	.	.	3	1	41	216	62	48	286	2	11	74	131	
I. LEINSTER.																											
An Uaimh	...	4,123	18.2	12.9	0.5	75	53	.	17	.	.	1	.	.	1	.	.	.	8	1	2	2	.	2	5	.	
Arklow	...	4,680	23.3	13.0	0.2	109	61	4	20	1	4	5	.	6	.	.	2	4	
Athlone	...	7,257	21.8	13.4	0.3	158	97	11	39	2	11	2	2	8	.	.	3	4	
Athy	...	3,628	19.8	11.6	0.3	72	42	2	18	1	3	1	4	3	.	.	2	.	
Birr	...	3,297	14.0	11.5	.	46	38	.	22	3	2	1	3	.	.	2	2	
Carlow	...	7,649	19.5	9.3	.	149	71	8	30	6	2	2	8	1	.	2	6	
Ceanannus Mór	...	2,304	19.1	11.3	0.4	44	26	2	13	1	2	.	1	4	.	.	1	1	
Enniscorthy	...	5,873	22.1	15.0	0.3	130	88	13	30	2	6	1	.	7	.	1	.	2	
Granard	...	1,236	27.5	11.3	.	34	14	2	4	1	.	1	1	.	.	.	2	
Howth	...	4,832	15.3	13.5	0.4	74	65	6	28	.	.	1	1	9	1	.	7	.	.	1	.	
Longford	...	3,807	22.9	14.2	0.3	87	54	12	20	1	2	.	1	5	.	2	3	1	
Naas	...	3,290	29.2	12.8	.	96	42	4	17	4	1	2	4	1	.	2	1	
New Ross	...	5,056	19.4	17.8	1.4	98	90	7	39	.	1	.	4	2	13	3	2	6	.	.	2	.	
Trim	...	1,455	16.5	16.5	0.7	24	24	2	13	1	2	2	.	6	.	.	1	.	
Tullamore	...	5,135	22.8	13.4	0.4	117	69	4	28	1	.	1	7	7	3	2	8	.	.	2	7	
Wicklow	...	3,183	26.4	16.0	.	84	51	5	22	5	.	.	5	.	.	2	1	

NOTE.—The rates for Eire, the City of Dublin, and the Borough of Dun Laoghaire are calculated on the estimated population in the middle of 1940.

* See note page 56.

TABLE 18.—URBAN DISTRICTS, 1940 (continued).

AREA.	Popula- tion Census 1936.	Annual Rate per 1,000 persons represented by			BIRTHS.	DEATHS.																								
		BIRTHS.	DEATHS			Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by											Tuber- culosis		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.		
			All Causes.	Principal epidemic diseases.						Principal Epidemic Diseases.											Pulmonary.	Other Forms.								
										Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (children under 2 years).												
II. MUNSTER.																														
Carrick-on-Suir ...	4,840	19.2	12.8	1.2	93	62	9	24	6	10	3	1	9	3	2	
Cashel ...	3,028	17.5	15.5	.	53	47	10	19	6	.	1	5	1	
Clonakilty ...	2,961	13.8	14.5	.	41	43	2	25	1	1	.	10	2	3	
Clonmel ...	9,391	21.4	12.0	0.1	201	113	15	57	.	.	1	7	3	1	17	1	1		
Cobh ...	6,178	14.9	16.0	0.5	92	99	7	49	.	.	1	.	.	.	1	.	1	3	.	1	12	.	.	.	1	2	1			
Dungarvan ...	5,361	17.7	17.5	0.9	95	94	16	41	.	.	.	1	4	6	5	1	6	2	2		
Ennis ...	5,897	19.0	13.6	0.2	112	80	9	36	1	7	4	.	5	.	.	.	1	1	.			
Fernoy ...	4,123	20.4	13.8	.	84	57	6	29	4	3	1	8	2		
Killarney ...	5,609	13.4	14.1	0.5	75	79	14	36	3	5	1	2	8	1	4			
Kilrush ...	3,426	22.8	14.9	0.6	78	51	5	21	.	.	.	2	8	.	.	7	.	.	.	1	.	4			
Kinsale ...	2,422	11.1	19.8	.	27	48	1	23	3	.	5	9	1	2			
Listowel ...	3,098	20.7	12.3	0.3	64	38	4	20	1	1	.	.	8	.	.	.	1	3				
Macroom ...	2,382	13.4	10.5	0.4	32	25	1	13	1	.	.	.	1	.	.	.	1	.	.			
Mallow ...	4,948	19.2	15.2	0.2	95	75	5	37	.	.	.	1	5	1	.	11	3	.			
Midleton ...	2,711	16.2	12.5	0.4	44	34	3	19	1	2	1	.	3	3			
Nenagh ...	4,902	17.7	13.1	0.2	87	64	5	30	1	7	3	.	10	3			
Passage West ...	2,648	14.7	20.0	0.8	39	53	4	28	2	2	.	.	3	.	.	.	2	4				

TABLE 18.—URBAN DISTRICTS, 1940 (continued).

AREA.	Popula- tion Census 1936.	Annual Rate per 1,000 persons represented by			BIRTHS.	DEATHS.																			
		DEATHS				Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up-wards.	Caused by										Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.		
		BIRTHS.	All Causes.	Principal epidemic diseases.						Principal Epidemic Diseases.														Tuber- culosis	
										Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & Ep- tenteris (children under 2 years).	Pulmonary.					Other Forms.	
II. MUNSTER.																									
Carrick-on-Suir ...	4,840	19·2	12·8	1·2	93	62	9	24	6	10	3	1	9	.	.	3	2
Cashel ...	3,028	17·5	15·5	.	53	47	10	19	6	.	1	5	.	.	1	1
Clonakilty ...	2,961	13·8	14·5	.	41	43	2	25	1	1	.	10	.	.	2	3
Clonmel ...	9,391	21·4	12·0	0·1	201	113	15	57	.	.	1	7	3	1	17	.	.	1	1
Cobh ...	6,178	14·9	16·0	0·5	92	99	7	49	.	.	1	.	.	1	.	.	1	3	.	1	12	.	1	2	1
Dungarvan ...	5,361	17·7	17·5	0·9	95	94	16	41	.	.	.	1	4	6	5	1	6	.	.	2	2
Ennis ...	5,897	19·0	13·6	0·2	112	80	9	36	1	7	4	.	5	.	1	1	.
Fermoy ...	4,123	20·4	13·8	.	84	57	6	29	4	3	1	8	.	.	1	2
Killarney ...	5,609	13·4	14·1	0·5	75	79	14	36	3	5	1	2	8	.	.	1	4
Kilrush ...	3,426	22·8	14·9	0·6	78	51	5	21	.	.	.	2	8	.	.	7	.	1	.	4
Kinsale ...	2,422	11·1	19·8	.	27	48	1	23	3	.	5	9	.	.	1	2
Listowel ...	3,098	20·7	12·3	0·3	64	38	4	20	1	1	.	.	8	.	.	1	3
Macroom ...	2,382	13·4	10·5	0·4	32	25	1	13	1	.	.	.	1	.	.	1	.
Mallow ...	4,948	19·2	15·2	0·2	95	75	5	37	.	.	.	1	5	1	.	11	.	.	3	.
Midleton ...	2,711	16·2	12·5	0·4	44	34	3	19	1	2	1	.	3	.	.	.	3
Nenagh ...	4,902	17·7	13·1	0·2	87	64	5	30	1	7	3	.	10	.	.	.	3
Passage West ...	2,648	14·7	20·0	0·8	39	53	4	28	2	2	.	.	3	.	.	2	4

Skibbereen	2,541	13·0	16·1	.	33	41	3	26	3	1		
Templemore	1,981	26·2	16·7	.	52	33	3	21	2	1	.		
Thurles	5,648	23·0	12·7	0·2	130	72	14	37	1	1	1	.	8	.	2	10	
Tipperary	5,384	24·3	15·2	0·2	131	82	6	42	1	8	2	4	9	.	1	.	
Youghal	5,131	12·5	14·6	0·2	64	75	4	35	.	1	4	1	1	9	.	2	3	
III. CONNAUGHT.																										
Ballina	5,728	21·6	11·5	0·2	124	66	6	32	1	14	2	.	5	.	1	3	9
Ballinasloe	5,834	15·1	6·9	0·7	88	40	6	18	.	.	1	3	1	2	1	4	.	1	2	
Castlebar	4,826	15·5	8·7	0·2	75	42	4	23	.	.	1	1	.	5	.	3	8	
Westport	3,409	19·4	10·3	.	66	35	2	11	5	1	1	5	.	.	7	
IV. ULSTER (part of).																										
Belturbet	1,341	18·6	14·2	0·7	25	19	2	9	.	.	1	2	
Buncrana	2,295	25·3	10·5	.	58	24	1	15	2	1	1	.	.	.	6	
Bundoran	1,352	20·7	13·3	.	28	18	1	10	1	.	1	.	.	2	.	
Carrickmacross	2,095	17·2	11·9	.	36	25	1	13	2	2	1	
Castleblayney	1,725	21·4	16·8	1·2	37	29	3	13	.	.	2	1	.	.	2	.	1	1	
Cavan	3,393	22·7	12·4	.	77	42	6	20	3	.	2	6	.	1	1	
Clones	2,235	17·9	11·2	0·4	40	25	3	15	.	.	1	4	.	.	.	
Cootehill	1,593	16·3	12·6	0·6	26	20	3	10	1	2	.	1	2	.	4	
Letterkenny	2,649	19·6	8·3	0·8	52	22	4	2	1	1	.	.	2	4	.	1	6	
Monaghan	4,780	13·2	10·7	0·4	63	51	4	26	.	.	.	2	3	2	1	4	.	4	2	

TABLE 19.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1940.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928	23.11	18.80	14.41	14.20	0.97	0.38	1.71	1.23	91	56
1929	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	53
1932	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1940, in each Province, County, and County Borough.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
EIRE	17,024,485	2,968,420	15,212	56,594	—	—	56,594	1,824	—	—	1,824	41,885	—	—	41,885	14,709
PROVINCES																
I.—LEINSTER	4,851,340	1,220,411	7,234	25,856	556	233	25,533	930	166	105	869	18,159	381	99	17,877	7,656
II.—MUNSTER	5,962,595	942,272	4,646	17,141	213	171	17,099	633	97	53	589	12,947	82	173	13,038	4,061
III.—CONNAUGHT	4,230,822	525,468	2,087	8,816	31	284	9,069	125	5	55	175	6,872	29	146	6,989	2,080
IV.—ULSTER (part of)	1,979,728	280,269	1,245	4,781	25	137	4,893	136	.	55	191	3,907	14	88	3,981	912

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,452	160	618	10	70	678	14	.	19	33	453	22	49	480	198
2. DUBLIN CO.	203,984	118,822	822	1,210	98	1,255	2,367	107	66	34	75	1,411	246	489	1,654	713
3. CITY OF DUBLIN	18,740	468,103	3,441	13,464	2,505	105	11,064	428	247	38	219	7,966	1,152	188	7,002	4,062
4. KILDARE	418,644	57,892	284	1,077	17	211	1,271	22	.	37	59	721	19	100	809	469
5. KILKENNY	509,470	68,614	313	1,179	28	99	1,250	30	.	33	63	982	22	40	1,000	250
6. LAOIGHIS	424,892	50,109	169	825	12	97	910	18	1	27	44	699	27	29	701	209
7. LONGFORD	257,935	37,847	155	685	50	52	687	22	.	10	32	464	2	55	517	170
8. LOUTH	202,614	64,339	372	1,265	44	87	1,308	43	6	13	50	898	5	47	940	368
9. MEATH	577,824	61,405	269	1,007	7	162	1,162	12	.	27	39	775	15	78	838	324
10. OFFALY	493,636	51,308	270	855	14	87	928	17	.	28	45	664	2	61	723	205
11. WESTMEATH	435,605	54,706	223	999	115	83	967	105	67	20	58	847	87	48	808	159
12. WEXFORD	581,061	94,245	449	1,731	17	65	1,779	74	1	22	95	1,497	11	36	1,522	287
13. WICKLOW	500,250	58,569	307	941	18	239	1,162	38	2	21	57	782	26	134	890	272

PROVINCE OF MUNSTER.

14. CLARE	787,766	89,879	394	1,394	19	98	1,473	20	.	20	40	1,118	6	46	1,158	315
15. CORK CO.	1,840,908	275,192	1,065	3,933	158	616	4,391	184	40	18	162	3,934	447	305	3,792	599
16. CORK CO. BOROUGH ...	2,685	80,765	737	2,193	629	106	1,670	20	7	15	28	1,076	315	411	1,172	498
17. KERRY	1,161,705	139,834	687	2,423	16	51	2,458	53	2	13	64	1,733	5	48	1,776	682
18. LIMERICK CO.	661,585	100,092	438	1,785	34	235	1,986	101	17	18	102	1,357	212	162	1,307	679
19. LIMERICK CO. BOROUGH	2,386	41,061	370	1,183	238	39	984	3	1	18	20	532	150	231	613	371
20. TIPPERARY, N.R. ...	493,268	59,551	259	1,190	152	66	1,104	170	130	12	52	808	65	57	800	304
21. TIPPERARY, S.R. ...	558,034	78,284	319	1,542	78	55	1,519	34	3	24	55	1,116	30	38	1,124	395
22. WATERFORD CO. ...	452,840	49,646	229	725	20	132	837	35	5	26	56	686	26	142	802	35
23. WATERFORD CO. ... BOROUGH	1,438	27,968	148	773	117	21	677	13	7	4	10	587	120	27	494	183

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	168,198	679	3,335	56	87	3,366	80	29	20	71	2,285	77	44	2,252	1,114
25. LEITRIM	376,764	50,908	188	741	10	62	793	5	.	18	23	665	3	67	729	64
26. MAYO	1,333,941	161,349	640	2,655	13	94	2,736	6	1	34	39	1,879	3	70	1,946	790
27. ROSCOMMON	608,540	77,566	317	1,046	28	103	1,121	20	3	9	26	1,061	29	63	1,095	26
28. SLIGO	443,917	67,447	263	1,039	10	24	1,053	14	.	2	16	982	30	15	967	86

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	76,670	311	1,185	6	88	1,267	18	.	32	50	1,052	4	78	1,126	141
30. DONEGAL	1,193,581	142,310	689	2,645	20	20	2,645	95	1	6	100	2,012	10	16	2,018	627
31. MONAGHAN	318,985	61,289	245	951	7	37	981	23	1	19	41	843	28	22	837	144

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT 1.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Population, Census 1936	Total Number of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Numbers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW	221,485	34,452	160	618	10	70	678	14	.	19	33	453	22	40	480	198
2. Dublin Co.																
2. BALBOTHERY	84,405	20,997	83	232	2	218	448	2	.	8	10	246	78	107	275	173
3. DUBLIN (part of)	97,619	38,481	333	445	98	412	759	104	79	15	40	410	122	211	499	260
4. RATHDOWN	26,960	59,344	406	533	14	641	1,160	1	.	24	25	755	89	214	880	280
3. City of Dublin.																
5. DUBLIN (part of)	18,740	468,103	3,441	13,464	2,505	105	11,064	428	247	38	219	7,966	1,169	205	1,002	4,062
4. Kildare Co.																
6. ATHY	130,460	16,552	85	330	20	37	347	9	4	11	16	231	46	57	242	105
7. CELBRIDGE	53,703	8,233	29	107	1	49	155	1	.	5	6	73	.	42	115	40
8. NAAS	234,481	33,107	170	640	13	142	769	12	.	25	37	417	64	92	445	324
5. Kilkenny Co.																
9. CALLAN	62,169	7,112	20	107	1	24	130	.	.	4	4	72	.	24	96	34
10. CASTLECOMER	57,867	8,247	27	93	.	34	127	1	.	11	12	104	.	24	128	—1
11. KILKENNY	133,462	23,377	150	537	126	34	445	6	1	15	20	411	92	32	351	94
12. THOMASTOWN	225,444	26,660	104	393	12	103	484	23	8	9	24	354	47	61	368	116
13. URLINGFORD	30,528	3,218	12	49	.	15	64	.	.	3	3	41	.	16	57	7
6. Laoighis Co.																
14. ABBEYLEIX	200,641	21,319	79	357	22	37	372	8	2	15	21	279	29	34	284	88
15. MOUNTMELLICK	224,251	28,790	90	468	9	79	538	10	2	15	23	420	51	48	417	121

7. Longford Co.																
16. BALLYMAHON	69,834	7,272	29	102		35	137	2		3	5	78		26	104	33
17. GRANARD	84,678	12,532	38	154		53	207	2		7	9	95		41	136	71
18. LONGFORD	103,423	18,043	88	429	108	22	343	18	5	5	18	291	39	25	277	66
8. Louth Co.																
19. ARDEE	67,239	11,218	45	174	8	36	202	2		10	12	163	34	27	156	46
20. DROGHEDA	41,979	19,674	133	551	60	16	507	14	6	3	11	303	21	29	311	196
21. DUNDALK	93,596	33,447	194	540	21	80	599	27	11	11	27	432	7	48	473	126
9. Meath Co.																
22. DUNSHAUGHLIN	106,757	7,724	38	111	1	50	160			5	5	72		35	107	53
23. KELLS	103,420	12,837	47	205	1	41	245			5	5	118		55	173	72
24. NAVAN	182,161	22,209	115	325	2	108	431	4		11	15	300	65	56	291	140
25. OLDCASTLE	44,099	4,596	7	78	1	8	85	2		2	4	56		11	67	18
26. TRIM... ..	141,387	14,039	62	288	82	35	241	6	4	8	10	229	65	36	200	41
10. Offaly Co.																
27. BIRR	248,865	23,462	113	322	7	61	376	3		16	19	249		68	317	59
28. EDENDERRY	81,156	6,563	32	112	5	21	128	2		8	10	92	1	14	105	23
29. TULLAMORE	163,615	21,283	125	421	31	34	424	12	4	8	16	323	44	22	301	123
11. Westmeath Co.																
30. ATHLONE	98,984	18,109	99	311	39	60	332	2		18	20	216	1	64	279	53
31. DELVIN	110,987	10,087	26	212	89	41	164	94	89	4	9	149	33	46	162	2
32. MULLINGAR	225,634	26,510	98	476	55	50	471	9	5	25	29	482	156	21	367	104
12. Wexford Co.																
33. ENNISCORTHY	193,391	29,566	132	506	29	63	540	49	18	6	37	554	131	37	460	80
34. GOREY	130,202	13,850	70	239	7	30	262	7		5	12	181		45	226	36
35. NEW ROSS	124,426	19,417	91	336	3	52	385	7		15	22	259	8	60	311	74
36. WEXFORD... ..	133,042	31,412	156	650	90	32	592	11	1	14	24	503	50	72	525	67
13. Wicklow Co.																
37. BALTINGLASS	154,966	9,854	65	177	36	34	175	3		2	5	155	16	37	176	—1
38. RATHDRUM	262,206	41,443	211	697	18	186	865	33	7	12	38	543	67	133	609	256
39. SHILLELAGH	33,078	7,272	31	67	1	56	122	2		12	14	84		21	105	17

ABSTRACT I.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co.																
40. BALLYVAUGHAN ...	71,629	3,263	12	53	2	4	54	27	.	8	35	19
41. COROFIN	61,381	3,865	12	54	.	5	59	.	.	2	2	32	.	8	40	19
42. ENNIS	113,312	18,634	103	384	54	30	360	15	7	5	13	368	130	16	254	106
43. ENNISTYMON	99,600	14,390	62	261	16	11	256	2	.	3	5	189	6	31	214	42
44. KILLADYSERT	62,615	6,824	13	68	.	8	76	.	.	3	3	69	.	15	84	-8
45. KILRUSH	137,507	22,300	113	331	5	37	363	3	.	8	11	232	3	43	272	91
46. SCARRIFF	241,712	20,603	79	244	8	69	305	.	.	6	6	201	5	63	259	46
15. Cork Co.																
47. BANDON	101,482	14,866	62	256	57	49	248	3	.	19	22	153	4	55	204	44
48. BANTRY	107,277	10,335	48	134	8	14	140	.	.	3	3	113	2	27	138	2
49. CASTLETOWN	74,299	7,833	17	110	.	10	120	.	.	2	2	60	.	19	79	41
50. CLONAKILTY	80,994	14,716	63	181	8	43	216	11	8	2	5	206	15	36	227	-11
51. CORK (part of)	167,841	59,391	260	895	213	306	988	134	112	7	29	1,430	755	164	839	149
52. DUNMANWAY	103,920	10,343	26	169	28	24	165	2	.	3	5	114	.	16	130	35
53. FERMOY	196,733	24,735	105	424	26	32	430	10	1	8	17	319	32	46	333	97
54. KANTURK	185,659	20,455	95	349	14	34	369	5	.	8	13	212	2	36	246	123
55. KINSALE	80,129	11,613	36	112	3	42	151	3	.	3	6	122	.	50	172	-21
56. MACROOM	179,153	17,760	67	225	10	58	273	.	.	5	5	310	1	60	369	-96
57. MALLOW	169,102	24,511	86	354	4	104	454	6	.	13	19	186	10	77	253	201
58. MIDLETON	109,380	16,608	62	200	4	47	243	5	.	11	16	203	7	42	238	5
59. MILLSTREET	74,939	8,992	22	110	5	27	132	2	.	7	9	108	1	11	118	14
60. SKIBBEREEN	115,371	18,041	61	243	4	27	260	1	1	3	3	219	9	30	240	26
61. SKULL	57,669	6,312	19	50	.	14	64	1	.	2	3	65	.	19	84	-20
				191	8	19	132	1	.	4	5	114	25	33	122	10

16. Cork Co. Borough																		
63.	CORK (part of) ...	2,685	80,765	737	2,193	629	106	1,670	20	7	15	28	1,076	315	411	1,172	498	
17. Kerry Co.																		
64.	CAHERCIVVEEN ...	198,101	16,371	82	224	5	21	240	3	.	6	9	152	1	28	179	61	
65.	DINGLE ...	126,454	13,838	63	164	.	18	182	1	.	5	6	121	.	39	160	22	
66.	KENMARE ...	198,416	10,143	30	138	2	17	153	.	.	5	5	92	.	18	110	43	
67.	KILLARNEY ...	251,430	31,660	192	533	27	19	525	31	21	2	12	479	91	45	433	92	
68.	LISTOWEL... ..	165,503	29,407	129	545	8	51	588	3	.	10	13	303	.	64	367	221	
69.	TRALEE ...	221,801	39,415	191	819	77	28	770	15	7	11	19	586	121	62	527	243	
18. Limerick Co.																		
70.	CROOM ...	83,369	10,007	38	388	239	21	170	64	61	2	5	150	67	20	103	67	
71.	KILMALLOCK ...	164,344	23,057	123	352	9	151	494	7	.	27	34	244	.	106	350	144	
72.	LIMERICK (part of) ...	142,828	26,625	94	416	29	156	543	22	15	23	30	487	238	82	331	212	
73.	NEWCASTLE ...	143,842	23,666	112	395	6	84	473	4	1	16	19	322	64	59	317	156	
74.	RATHKEALE ...	127,202	16,737	71	234	1	73	306	4	.	10	14	154	.	52	206	100	
19. Limerick Co. Borough																		
75.	LIMERICK (part of) ...	2,386	41,061	370	1,183	238	39	984	3	1	18	20	532	154	235	613	371	
20. Tipperary N.R.																		
76.	BORRISOKANE ...	109,667	8,842	35	130	2	37	165	.	.	7	7	75	.	25	100	65	
77.	NENAGH ...	183,395	20,688	64	393	40	21	374	3	.	10	13	245	18	48	275	99	
78.	ROSCREA ...	57,541	7,950	29	261	160	13	114	156	150	5	11	181	93	18	106	8	
79.	THURLES ...	142,655	22,071	131	406	8	53	451	11	2	12	21	307	39	51	319	132	
21. Tipperary S.R.																		
80.	CARRICK-ON-SUIR ...	26,118	6,870	41	113	2	12	123	.	.	3	3	74	.	18	92	31	
81.	CASHEL ...	222,782	24,962	80	428	29	69	468	25	14	9	20	404	72	48	380	88	
82.	CLOGHEEN ...	117,415	11,500	47	184	11	25	198	1	.	5	6	142	1	29	170	28	
83.	CLONMEL ...	47,305	13,774	80	303	39	15	279	7	2	6	11	232	60	18	190	89	
84.	TIPPERARY ...	144,414	21,178	71	514	94	31	451	1	.	14	15	264	25	53	292	159	
22. Waterford Co.																		
85.	DUNGARVAN ...	144,342	17,431	64	301	53	21	269	24	17	5	12	305	47	22	280	—11	
86.	KILMACTHOMAS ...	64,590	5,798	35	59	.	37	96	2	.	11	13	72	.	19	91	5	
87.	LISMORE ...	97,186	10,172	53	133	2	43	174	3	.	13	16	114	2	50	162	12	
88.	WATERFORD (part of) ...	146,722	16,245	77	232	12	78	298	6	.	9	15	195	19	93	269	29	
23. Waterford Co. Borough																		
89.	WATERFORD (part of) ...	1,438	27,963	148	773	117	21	677	13	7	4	10	587	120	27	494	183	

ABSTRACT I.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Population, Census 1936	Total Number of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Numbers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No. 90. BALLINASLOE	155,542	18,442	77	228	1	66	293	2	.	14	16	242	91	61	212	81
91. CLIFDEN	193,692	12,434	42	229	4	16	241	2	.	5	7	154	2	35	187	54
92. GALWAY	198,506	38,297	183	1,165	248	24	941	19	11	8	16	774	277	53	550	391
93. GLENAMADDY	82,958	10,889	34	143	1	15	157	120	.	32	152	5
94. GORT	106,312	10,034	24	133	.	37	170	1	.	4	5	94	.	51	145	25
95. LOUGHREA	214,111	19,690	81	299	3	65	361	1	.	5	6	335	95	56	296	65
96. MOUNTBELLEW	72,439	8,562	25	138	1	12	149	1	.	1	2	57	.	36	93	56
97. OUGHTERARD	173,440	13,393	72	342	5	34	371	3	.	4	7	149	.	42	191	180
98. PORTUMNA	62,086	7,178	24	111	.	12	123	.	.	1	1	73	.	19	92	31
99. TUAM	208,574	29,279	117	547	46	59	560	51	44	4	11	287	33	80	334	226
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,577	9,651	45	118	6	41	153	1	.	4	5	154	36	23	141	12
101. MANORHAMILTON ...	177,423	19,566	62	295	6	21	310	1	.	9	10	272	10	38	300	10
102. MOHILL	135,764	21,701	81	328	23	25	330	3	.	5	8	239	1	50	288	42
26. Mayo Co.																
103. BALLINA	251,108	28,142	144	490	6	32	516	1	.	13	14	303	2	55	356	160
104. BALLINROBE	147,105	17,371	75	273	2	21	292	.	1	6	5	168	.	62	230	62
105. BELMÚLLET	179,761	13,447	52	316	2	5	319	3	.	.	3	96	2	21	115	204
106. CASTLEBAR	141,211	22,531	59	392	66	5	331	1	.	4	5	523	259	8	272	59
107. CLAREMORRIS	110,789	19,300	62	267	2	28	293	1	.	5	6	172	.	53	225	68

108. SWINFORD ...	156,063	32,703	101	462	3	40	499	.	.	3	3	381	2	62	441	58
109. WESTPORT ...	347,904	27,855	147	455	1	32	486	.	.	3	3	236	.	71	307	179
27. Roscommon Co.																
110. BOYLE ...	122,372	16,729	65	245	13	25	257	1	.	8	9	199	7	28	220	37
111. CASTLEREAGH ...	163,690	24,724	104	310	2	27	335	1	.	2	3	254	.	85	339	—4
112. ROSCOMMON ...	322,478	36,113	148	491	33	71	529	18	9	5	14	608	99	27	536	—7
28. Sligo Co.																
113. DROMORE WEST ...	97,543	9,980	19	136	2	14	148	.	.	1	1	104	.	30	134	14
114. SLIGO ...	220,505	43,234	190	710	31	20	699	14	2	2	14	743	101	15	657	42
115. TOBERCOURRY ...	125,869	14,233	54	193	.	13	206	.	.	1	1	135	.	41	176	30

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.																
116. BAILIEBOROUGH ...	113,901	19,845	87	298	2	53	349	1	.	15	16	248	.	78	326	23
117. BAWNBOY ...	102,420	11,047	49	142	1	24	165	.	.	1	1	123	.	37	160	5
118. CAVAN ...	250,841	45,778	175	745	43	51	753	17	5	21	33	681	92	51	640	113
30. Donegal Co.																
119. BALLYSHANNON ...	41,628	7,976	29	145	13	7	139	3	1	3	5	127	17	11	121	18
120. DONEGAL ...	160,449	14,780	78	251	26	7	232	3	.	3	6	208	17	25	216	16
121. DUNFANAGHY ...	126,123	13,555	45	236	1	5	240	1	.	2	3	167	.	14	181	59
122. GLENTIES ...	258,505	27,569	121	424	4	34	454	6	.	11	17	360	6	52	406	48
123. INISHOWEN ...	160,021	23,240	129	456	1	11	466	9	.	7	16	295	4	28	319	147
124. LETTERKENNY ...	160,377	18,540	108	380	13	7	374	14	.	2	16	277	79	14	212	162
125. MILFORD ...	112,089	15,513	57	269	.	13	282	13	.	7	20	216	.	20	236	46
126. STRANORLAR ...	174,389	21,137	122	484	40	14	458	46	30	1	17	362	57	22	327	131
31. Monaghan Co.																
127. CARRICKMACROSS ...	65,680	12,862	51	143	.	35	178	3	.	7	10	131	.	41	172	6
128. CASTLEBLAYNEY ...	63,834	13,205	61	183	9	44	218	13	9	6	10	214	52	20	182	36
129. CLONES ...	64,288	11,291	40	184	2	29	211	3	.	6	9	127	.	33	160	51
130. MONAGHAN ...	125,183	23,931	93	441	79	12	374	4	1	9	12	371	70	22	323	51

* See note (*) on page 31.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
IRE	15,212	14,252	960	681	147	75	49	5	3	3,503	3,808	4,592	3,309
PROVINCES.													
LEINSTER	7,234	6,651	583	456	35	46	39	4	3	1,411	1,784	2,494	1,595
MUNSTER	4,646	4,526	190	91	10	11	7	1	.	1,267	1,141	1,235	1,003
CONNUGHT	2,087	2,041	46	40	1	3	2	.	.	526	608	527	426
ULSTER (part of)	1,245	1,034	211	94	101	15	1	.	.	299	325	336	285

PROVINCE OF

CARLOW	160	154	6	5	.	.	1	.	.	40	39	45	36
DUBLIN CO.	822	730	92	82	1	8	.	1	.	156	157	327	182
CITY OF DUBLIN	3,441	3,119	322	222	30	32	35	.	3	587	853	1,296	705
KILDARE	284	269	15	13	.	1	1	.	.	55	68	86	75
KILKENNY	313	301	12	11	1	75	70	97	71
LAOIGHIS	169	151	18	17	1	39	38	42	50
LONGFORD	155	151	4	4	60	38	33	24
LOUTH	372	355	17	15	1	1	.	.	.	75	76	123	98
MEATH	269	258	11	11	49	74	79	67
OFFALY	270	256	14	12	.	1	.	1	.	52	75	82	61
WESTMEATH	223	215	8	8	53	48	66	56
WEXFORD	449	425	24	19	1	2	1	1	.	108	123	127	91
WICKLOW	307	267	40	37	.	1	1	1	.	62	75	91	79

PROVINCE OF

CLARE	394	393	1	1	107	116	72	99
CORK CO.	1,065	1,015	50	43	2	1	4	.	.	295	240	294	236
CORK CO. BOROUGH	737	707	30	15	7	6	1	1	.	167	152	255	163
KERRY	687	683	4	3	.	1	.	.	.	269	153	149	116
LIMERICK CO.	438	430	8	5	.	2	1	.	.	138	123	82	95
LIMERICK CO. BOROUGH	370	367	3	2	.	.	1	.	.	82	102	109	77
TIPPERARY, N.R.	259	249	10	9	.	1	.	.	.	57	69	75	58
TIPPERARY, S.R.	319	312	7	7	67	82	93	77
WATERFORD CO.	229	225	4	4	50	63	67	49
WATERFORD CO. BOROUGH	148	145	3	2	1	35	41	39	33

PROVINCE OF

GALWAY	679	675	4	3	.	.	1	.	.	176	168	196	139
LEITRIM	188	175	13	12	.	1	.	.	.	50	46	49	43
MAYO	640	636	4	3	1	145	251	141	103
ROSCOMMON	317	314	3	3	88	81	78	70
SLIGO	263	241	22	19	.	2	1	.	.	67	62	63	71

PROVINCE OF

CAVAN	311	272	39	26	10	3	.	.	.	80	75	89	67
DONEGAL	689	566	123	49	64	9	1	.	.	158	181	187	163
DONAGHAN	245	196	49	19	27	3	.	.	.	61	69	60	55

REGISTERED IN THE YEAR 1940.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
14,317	187	613	95	708	282	258	1,248	ÉIRE.
6,723	92	363	56	419	148	145	765	PROVINCES.
4,416	56	149	25	174	81	81	310	LEINSTER.
1,993	22	63	9	72	31	15	81	MUNSTER.
1,185	17	38	5	43	22	17	92	CONNAUGHT.
								ULSTER (part of).

LEINSTER

152	1	6	1	7	2	5	19	CARLOW.
771	6	38	7	45	13	14	87	DUBLIN CO.
3,174	45	188	34	222	79	78	353	CITY OF DUBLIN.
267	9	6	2	8	11	4	43	KILDARE.
285	6	20	2	22	8	3	20	KILKENNY.
163	1	5		5	1	1	13	LAOIGHIS.
140	2	11	2	13	4	2	13	LONGFORD.
354	4	12	2	14	6	5	40	LOUTH.
251	1	16	1	17	2	5	29	MEATH.
255	2	11	2	13	4	7	53	OFFALY.
206	6	11		11	6	5	18	WESTMEATH.
420	4	23	2	25	6	12	60	WEXFORD.
285	5	16	1	17	6	4	37	WICKLOW.

MUNSTER

378	5	9	2	11	7	5	17	CLARE.
1,008	14	37	6	43	20	11	58	CORK CO.
695	10	29	3	32	13	26	70	CORK CO. BOROUGH.
659	7	19	2	21	9	5	20	KERRY.
419	5	12	2	14	7	10	33	LIMERICK CO.
348	6	11	5	16	11	10	33	LIMERICK CO. BOROUGH.
244	2	13		13	2	5	15	TIPPERARY, N.R.
306	3	7	3	10	6	1	20	TIPPERARY, S.R.
220	2	7		7	2	3	24	WATERFORD CO.
189	2	5	2	7	4	5	20	WATERFORD CO. BOROUGH.

CONNAUGHT

652	7	19	1	20	8	3	24	GALWAY.
176	3	8	1	9	4	4	8	LEITRIM.
618	6	16		16	6	3	26	MAYO.
300	1	11	5	16	6	4	13	ROSCOMMON.
247	5	9	2	11	7	1	10	SLIGO.

ULSTER (part of)

293	6	11	1	12	7	3	20	CAVAN.
663	5	19	2	21	7	10	55	DONEGAL.
229	6	8	2	10	8	4	17	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages registered in the year 1940—by Provinces and Counties.

Provinces and Counties.	TOTAL BIRTHS	TOTAL DEATHS	AGES AT DEATH.																								
			Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up wards		
ÉIRE	Persons	56,594	41,885	3,759	494	244	195	134	4,826	469	367	738	906	932	894	948	1,034	1,320	1,882	2,488	3,578	4,559	6,264	8,559	1,922	179	
	Males	29,029	21,611	2,094	276	119	114	77	2,680	251	186	351	447	468	448	476	503	718	998	1,328	1,882	2,531	3,241	4,171	866	66	
	Females	27,565	20,274	1,665	218	125	81	57	2,146	218	201	387	459	464	446	472	531	602	884	1,160	1,696	2,028	3,023	4,388	1,056	113	
LEINSTER	Persons	25,533	17,877	1,941	234	124	93	80	2,472	241	187	349	423	398	424	425	455	660	912	1,175	1,628	1,906	2,467	3,087	614	54	
	Males	13,239	9,149	1,097	140	66	54	44	1,401	129	98	156	188	197	221	205	227	375	494	636	838	1,028	1,262	1,429	238	17	
	Females	12,294	8,728	844	94	58	39	36	1,071	112	89	193	225	201	203	220	228	285	418	539	790	878	1,205	1,658	376	37	
MUNSTER	Persons	17,099	13,038	1,120	155	72	53	31	1,431	127	110	225	284	277	288	308	329	393	592	768	1,126	1,468	2,017	2,676	559	60	
	Males	8,661	6,699	604	85	32	29	19	769	69	55	112	144	133	140	153	158	196	304	409	588	824	1,042	1,325	256	22	
	Females	8,438	6,339	516	70	40	24	12	662	58	55	113	140	144	148	155	171	197	288	359	538	644	975	1,351	303	38	
CONNAUGHT	Persons	9,069	6,989	442	50	19	25	17	553	77	63	112	133	180	123	151	164	167	239	341	506	690	1,067	1,858	519	46	
	Males	4,621	3,663	246	28	9	17	10	310	42	20	55	67	101	62	82	81	92	122	178	283	398	555	946	249	20	
	Females	4,448	3,326	196	22	10	8	7	243	35	43	57	66	79	61	69	83	75	117	163	223	292	512	912	270	26	
ULSTER (part of)	Persons	4,893	3,981	256	55	29	24	6	370	24	27	52	66	77	59	64	86	100	139	204	318	495	713	938	230	19	
	Males	2,508	2,100	147	23	12	14	4	200	11	13	28	38	37	25	36	37	55	78	105	173	281	382	471	123	7	
	Females	2,385	1,881	109	32	17	10	2	170	13	14	24	28	40	34	28	49	45	61	99	145	214	331	467	107	12	
LEINSTER.																											
CARLOW	Persons	678	480	49	5	2	1	3	60	6	5	12	11	12	10	8	11	13	18	32	36	54	89	82	21	.	
	Males	323	254	26	4	1	1	1	33	2	5	4	4	6	3	2	5	5	5	19	26	34	50	40	11	.	
	Females	355	226	23	1	1	.	2	27	4	.	8	7	6	7	6	6	8	13	13	10	20	39	42	10	.	
DUBLIN Co.	Persons	2,367	1,654	189	28	9	6	4	236	28	25	37	40	52	38	39	42	43	90	111	149	182	189	284	60	9	
	Males	1,250	833	108	17	3	2	3	133	19	15	21	28	22	20	23	21	25	46	58	65	96	87	129	23	2	
	Females	1,117	821	81	11	6	4	1	103	9	10	16	12	30	18	16	21	18	44	53	84	86	102	155	37	7	
CITY OF DUBLIN	Persons	11,064	7,002	1,004	117	53	51	38	1,263	111	76	146	173	136	171	184	210	336	411	528	646	693	871	854	178	15	
	Males	5,703	3,496	575	66	30	31	20	722	56	39	64	75	69	86	88	102	204	247	304	338	361	394	294	52	1	
	Females	5,361	3,506	429	51	23	20	18	541	55	37	82	98	67	85	96	108	132	164	224	308	332	477	560	126	14	
KILDARE	Persons	1,271	802	75	5	6	1	4	91	17	13	26	31	27	22	16	24	37	46	71	94	100	150	23	1		
	Males	640	442	42	2	3	1	2	50	12	9	4	12	21	13	11	9	14	22	27	35	56	63	75	8	1	
	Females	631	360	33	3	3	.	2	41	5	4	9	14	10	14	11	7	10	15	19	36	38	37	75	15	.	
KILKENNY	Persons	1,250	1,000	91	14	8	2	3	118	3	8	13	23	15	16	16	29	32	37	61	87	117	152	221	47	5	
	Males	618	494	40	7	5	2	2	56	3	4	11	10	9	8	14	15	20	28	47	58	79	111	119	27	2	
	Females	632	506	51	7	3	.	1	62	3	5	9	12	5	7	8	15	17	17	33	40	59	73	110	28	3	
RAOIGHIS	Persons	910	701	52	2	3	1	5	63	4	7	10	10	17	10	17	20	28	32	32	64	95	105	165	16	6	
	Males	482	365	33	2	1	1	3	40	1	4	5	7	5	7	8	9	17	17	15	32	54	46	88	7	3	
	Females	428	336	19	.	2	.	2	23	3	3	5	3	12	3	9	11	11	15	17	32	41	59	77	9	3	
LONGFORD	Persons	687	517	42	3	.	.	1	46	3	.	4	8	5	16	10	20	14	35	41	65	93	126	20	1		
	Males	378	280	22	2	.	.	.	24	3	.	2	4	4	12	2	5	11	7	16	22	33	58	71	6		
	Females	309	237	20	1	.	.	1	22	.	.	2	4	4	1	4	5	9	7	19	19	32	35	55	14	1	

LOUTH	Persons	1,308	940	79	12	8	8	3	110	11	9	16	25	24	25	26	21	31	50	48	93	84	157	167	41	2	
	Males	701	469	37	10	5	4	1	57	6	6	4	11	7	14	18	13	19	26	27	43	46	85	72	18	1	
	Females	607	471	42	2	3	4	2	53	7	3	12	14	17	11	8	8	12	24	21	50	38	74	95	23	1	
MEATH	Persons	1,162	838	59	10	8	1	5	83	9	7	10	12	19	25	15	20	33	43	47	79	98	136	156	45	1	
	Males	586	470	29	7	4	1	4	45	6	2	6	7	10	14	7	10	17	20	23	46	62	83	90	21	1	
	Females	576	368	30	3	4		1	38	3	5	4	5	9	11	8	10	16	23	24	33	36	53	66	24		
OFFALY	Persons	928	723	55	9	10	5	2	81	8	2	20	18	11	13	20	13	17	28	48	68	87	97	165	23	4	
	Males	483	364	39	5	4	3	3	51	3	2	12	7	4	5	13	2	6	17	25	33	38	46	85	14	1	
	Females	445	359	16	4	6	2	2	30	5		8	11	7	8	7	11	11	11	23	35	49	51	80	9	3	
WEST-MEATH	Persons	967	808	66	7	2	7	1	83	16	5	15	24	17	10	20	21	34	49	73	82	126	175	34	3		
	Males	504	441	35	5	1	3	3	44	7	3	7	12	10	7	9	11	13	17	34	37	52	67	86	22	3	
	Females	463	367	31	2	1	4	1	39	9	2	8	12	7	3	11	10	8	17	15	36	30	59	89	12		
WEXFORD	Persons	1,779	1,522	104	10	11	8	8	141	18	20	31	34	33	38	30	20	35	75	86	125	168	240	359	63	6	
	Males	963	776	62	6	7	3	7	85	11	5	13	12	14	18	11	11	14	29	37	68	91	143	193	20	1	
	Females	816	746	42	4	4	5	1	56	7	15	18	22	19	20	19	9	21	46	49	57	77	97	166	43	5	
WICKLOW	Persons	1,162	890	76	12	4	2	3	97	7	10	22	19	26	25	18	22	27	43	52	96	87	112	183	43	1	
	Males	608	465	49	7	2	2	1	61	5	5	10	8	15	13	5	15	15	21	23	46	47	63	95	17	1	
	Females	554	425	27	5	2		2	36	2	5	12	11	11	12	13	7	12	22	29	50	40	49	88	26		
MUNSTER.																											
CLARE	Persons	1,473	1,158	63	9	2	4	2	80	6	8	22	35	25	25	20	26	26	42	48	93	120	234	281	61	6	
	Males	728	616	33	7	1	3	2	46	4	7	12	19	12	13	8	9	14	24	28	41	71	128	151	27	4	
	Females	745	542	30	2	1	1		34	2	1	10	16	13	12	12	17	12	18	20	52	49	106	130	34	2	
CORK CO.	Persons	4,391	3,792	276	37	21	18	7	359	30	33	58	86	69	74	82	82	117	167	230	341	458	590	822	170	24	
	Males	2,205	1,948	154	18	9	12	4	197	16	17	29	41	32	34	40	37	58	87	129	181	254	314	403	69	10	
	Females	2,186	1,844	122	19	12	6	3	162	14	16	29	45	37	40	42	45	59	80	101	160	204	276	419	101	14	
CORK CO. BOROUGH	Persons	1,670	1,172	153	35	5	5	5	203	16	10	24	23	23	31	38	46	40	75	86	120	108	144	155	28	3	
	Males	861	566	82	21	1	3	4	111	8	2	11	12	9	12	13	23	17	38	53	65	51	64	65	11	1	
	Females	809	606	71	14	4	2	1	92	8	8	13	11	13	19	25	23	23	37	33	55	57	80	90	17	2	
KERRY	Persons	2,458	1,776	120	14	12	6	3	155	22	16	34	43	48	42	46	52	52	62	100	137	212	266	399	79	11	
	Males	1,206	941	62	5	6	4	4	77	16	10	16	25	28	23	29	33	28	25	45	82	130	142	191	38	3	
	Females	1,252	835	58	9	6	2	3	78	6	6	18	18	20	19	17	19	24	37	55	55	82	124	208	41	8	
LIMERICK CO.	Persons	1,986	1,307	119	11	8	3	4	145	14	10	22	22	29	25	26	36	31	63	68	119	152	197	280	62	6	
	Males	1,024	678	58	7	3	1	3	73	7	3	7	9	12	16	18	19	16	35	36	61	78	100	153	34	2	
	Females	962	629	61	4	5	2	1	73	7	7	15	13	17	9	8	17	15	28	32	58	74	97	127	28	4	
LIMERICK CO. BOROUGH	Persons	984	613	69	15	6	6		96	11	7	16	16	15	27	25	24	18	34	52	45	56	78	71	21	1	
	Males	505	301	36	7	5	2		50	4	4	11	9	9	11	13	13	9	22	23	21	27	33	34	8		
	Females	479	312	33	8	1	4		46	7	3	5	7	6	16	12	11	9	12	29	24	29	45	37	13	1	
TIPPERARY N.R.	Persons	1,104	800	63	4	4	3	2	76	8	6	11	10	20	17	16	9	31	32	42	63	90	159	170	37	3	
	Males	549	418	33	2	2	2	1	38	5	2	5	3	10	9	8	4	11	18	16	35	58	81	88	24	3	
	Females	555	382	30	2	4	1	1	38	3	4	6	7	10	8	8	5	20	14	26	28	32	78	82	13.		
TIPPERARY S.R.	Persons	1,519	1,124	108	8	3	2	4	125	8	11	16	21	25	15	21	23	30	53	69	105	127	171	254	47	3	
	Males	783	591	64	4	1		3	72	4	6	8	12	11	8	13	10	15	23	41	48	75	95	124	26		
	Females	736	533	44	4	2	2	1	53	4	5	8	9	14	7	8	13	15	30	28	57	52	76	130	21	3	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1940.

Provinces and Counties.	TOTAL BIRTHS.	AGES AT DEATH.																								
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	
WATERFORD CO.	Persons	837	74	8	3	4	3	92	7	6	10	18	15	21	21	18	35	30	48	73	88	116	165	36	3	
	Males	449	41	3	3	2	2	51	1	3	6	11	6	10	6	6	22	19	25	38	49	65	82	12	1	
	Females	388	33	5		2	1	41	6	3	4	7	9	11	15	12	13	11	23	35	39	51	83	24	2	
WATERFORD CO. BOROUGH	Persons	677	75	14	8	2	1	100	5	3	12	10	9	11	13	13	13	34	25	30	57	62	79	18		
	Males	351	41	11	3			55	4	1	7	3	4	4	5	4	6	13	13	16	31	20	34	7		
	Females	326	34	3	5	2	1	45	1	2	5	7	5	7	8	9	7	21	12	14	26	42	45	11		
CONNAUGHT.																										
GALWAY	Persons	3,366	186	26	6	10	11	239	23	29	47	61	76	53	55	45	60	72	98	142	185	306	568	176	17	
	Males	1,741	104	11	3	7	8	133	14	13	22	27	40	28	27	23	34	38	50	77	110	167	303	85	9	
	Females	1,625	82	15	3	3	3	106	9	16	25	34	36	25	28	22	26	34	48	65	75	139	265	91	8	
LEITRIM	Persons	793	46	7	3	1	2	59	9	5	10	9	12	11	17	18	15	24	33	52	92	125	188	49	1	
	Males	398	29	5	1	1		36	5		5	6	10	6	12	9	5	11	20	26	52	65	102	26	1	
	Females	395	17	2	2		2	23	4	5	5	3	2	5	5	9	10	13	13	26	40	60	86	23		
MAYO	Persons	2,736	104	9	6	6	3	128	25	15	31	35	60	32	42	52	37	67	106	142	201	276	517	161	19	
	Males	1,392	53	8	4	4	2	71	14	4	17	19	34	12	23	25	22	32	53	85	114	148	250	82	7	
	Females	1,344	51	1	2	2	1	57	11	11	14	16	26	20	19	27	15	35	53	57	87	128	267	79	12	
ROSCOMMON	Persons	1,121	54	3	2	5	1	65	12	9	9	12	16	13	14	27	29	40	54	84	109	207	318	71	6	
	Males	545	31	1	1	2		35	5	2	4	7	7	7	7	12	17	23	27	51	63	97	172	36	3	
	Females	576	23	2	1	3	1	30	7	7	5	5	9	6	7	15	12	17	27	33	46	110	146	35	3	
SLIGO	Persons	1,053	52	5	2	3		62	8	5	15	16	16	14	23	22	26	36	50	86	103	153	267	62	3	
	Males	545	29	3		3		35	4	1	7	8	10	9	13	12	14	18	28	44	59	78	119	20		
	Females	508	23	2	2			27	4	4	8	8	6	5	10	10	12	18	22	42	44	75	148	42	3	
ULSTER (part of).																										
CAVAN	Persons	1,267	71	12	6	5	1	95	7	6	9	17	12	18	13	29	28	40	63	112	147	218	260	50	2	
	Males	665	38	5	4	1		48	4	1	6	11	5	9	6	16	12	20	34	60	82	115	136	31	2	
	Females	602	33	7	2	4	1	47	3	5	3	6	7	9	7	13	16	20	29	52	65	103	124	19		
DONEGAL	Persons	2,645	137	31	19	11	2	200	10	17	32	35	51	27	42	43	55	71	97	137	227	344	477	137	16	
	Males	1,374	77	13	5	9	1	105	4	10	18	20	26	11	27	15	31	39	50	68	130	183	230	69	5	
	Females	1,271	60	18	14	2	1	95	6	7	14	15	25	16	15	28	24	32	47	69	97	161	247	68	11	
MONAGHAN	Persons	981	48	12	4	8	3	75	7	4	11	14	14	14	9	14	17	28	44	69	121	151	201	43	1	
	Males	469	32	5	3	4	3	47	3	2	4	7	6	5	3	6	12	19	21	45	69	84	105	23		
	Females	512	16	7	1	4		28	4	2	7	7	8	9	6	8	5	9	23	24	52	67	96	20	1	

ABSTRACT IV.

Causes of Death.

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT																					
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot und- 5 year										
		Infective And Parasitic Diseases—continued.																						
7	21	Tuberculosis of Other Organs. {M. F.	1
7	22	Disseminated Tubercu- losis. {M. F.	82 63	3 1	3 1	6 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2
17	23	Leprosy {M. F.
8	24	Purulent Infection, and Septicaemia. {M. F.	47 36	1 1	2 2	3 5	2 2	3 2	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
17	25	Gonococcal Infections {M. F.	2	.	1	1
17	26	Other Bacterial Diseases (Dysentery excepted). {M. F.
9	27	Dysentery {M. F.	2
10	28	Malaria {M. F.	5 1
17	29	Other Diseases due to Parasitic Protozoa, except Spirochetes {M. F.
11	30	Syphilis* {M. F.	42 14	4	2	1	4 2	1 1	9 6	.	.	.	1
17	31	Relapsing Fever ... {M. F.
17	32	Other Diseases due to Spirochetes {M. F.	4 3	1
12	33	Influenza {M. F.	421 407	3 3	3 3	6 3	6 12	8 13	26 34	12 3	5 2	3 3	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2
13	34	Smallpox {M. F.
14	35	Measles {M. F.	39 38	.	.	1	2 1	10 6	13 7	15 14	3 8	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2
17	36	Acute Poliomyelitis and Polioencephalitis {M. F.	8 4	1	.	1	1	1
17	37	Acute Infectious En- cephalitis (Lethargic or Epidemic). {M. F.	15 8	1	1
17	38	Other Diseases due to Viruses. {M. F.	1 3	.	.	.	1	.	1
15	39	Typhus and Typhus-like Diseases (Ricketts- ioses). {M. F.	1 1
16	40	Ankylostomiasis ... {M. F.
16	41	Hydatid Disease ... {M. F.
16	42	Other Diseases due to Helminths. {M. F.	3 1	1	.	1
17	43	Mycoses {M. F.	3	1	1
17	44	Other Infective or Para- sitic Diseases. {M. F.	25 18	.	.	.	1	.	1	1	1	.

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1940.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediates
5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	85--				
.	.	.	.	1	21		
5	4	11	9	9	10	3	8	4	3	4	2	22		
2	6	7	10	5	5	3	3	2	3	3	2	1	23		
.	24		
6	3	3	.	.	4	.	1	5	1	2	3	3	7	.	.	.	25		
2	2	4	1	.	.	3	2	1	5	.	5	3	2	2	.	.	26		
.	1	27		
.	28		
.	29		
.	.	.	.	1	.	.	1	.	1	.	1	1	30		
1	.	.	.	1	1	2	3	6	4	6	3	4	2	.	1	.	31		
.	32		
.	.	1	.	.	1	.	2	1	.	1	33		
5	3	3	4	7	9	8	9	10	23	25	34	59	87	81	10	1	34		
4	2	5	3	7	7	4	12	13	14	19	33	60	84	85	12	1	35		
.	36		
2	.	1	.	1	.	1	.	1	37		
1	2	1	1	1	.	.	.	1	.	.	.	1	38		
1	.	2	1	2	1	1	1	1	4	1	2	1	39		
.	2	1	.	.	40		
.	.	.	.	1	41		
.	.	.	.	1	42		
.	43		
2	1	.	1	44		
1	2	1	4	2	2	4	2	2	2	2	2	2	1	2	.	.			

at different Periods of Life in the Year 1940.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
36	52	310	1011	1115	1923	2546	4581	92101	158178	220241	378314	410302	355289	282221	2521	12	(45-57)	(18-24)
32	41	26	76	912	1620	2242	4477	8295	157170	211233	362304	404297	351286	273213	2421	12	45-55*	18-23
2		2	3	1	2	2	3	4	3	1	2	1	2	5	1		56	24
2	11	12	32	22	31	32	11	102	15	57	144	53	31	44			57	24
68	128	1611	1510	817	107	712	1219	1622	1630	2540	2964	5066	5773	3751	64	1	(58-71)	(25-30)
5	66	68	45	45	52	14	64	33	22	31	24	42	11		1		58	25
				1		12	64	34	29	516	824	2634	3837	1830	3	1	59	26
																	60	26
32	52	62	52	45	33	41	43	77	910	1614	1422	1923	1530	1817	51		61	27
						1						1					62	29
	1	31	33	5	12	4	6	6	27	18	211	5	3	2			63	28
																	64	29
			3	1			1	22	12	11	33	1	21	11			65	29
11		1				1		1					11				66	29
2														1			67-77	30
																	67	30
																	68	30
															1		69	30
2																	70	30
																	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T u ye
(31-32)	(72-76)	IV. Diseases Of The Blood And Blood-Forming Organs. { M. F.	197 248	3 1	.	.	5	1 1	9 3	1 3	2 3	2 1	4 1	
32	72	Hæmorrhagic Con- ditions. { M. F.	19 20	2 1	.	.	1	.	3 2	1	1 2	.	1	
31	73	Anæmias ... { M. F.	138 201	1	.	.	4	1 1	6 1	.	1 3	2 1	1	
32	74	Leukæmias and Aleuk- æmias. { M. F.	30 13	1	.	1 1	
32	75	Diseases of the Spleen { M. F.	8 10	1	
32	76	Other Diseases of the Blood and Blood- forming Organs. { M. F.	2 4	
(33-34)	(77-79)	V. Chronic Poisoning And Intoxication { M. F.	5	
33	77	Alcoholism (Ethylism) { M. F.	5	
34	78	Lead Poisoning ... { M. F.	
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	
(35-41)	(80-89)	VI. Diseases Of The Ner- vous System And Sense Organs. { M. F.	1,718 1,989	38 25	20 16	11 13	38 38	42 27	149 119	24 23	5 11	15 8	6 5	19 16
40	80	Encephalitis (non- epidemic). { M. F.	21 24	.	.	.	1 1	1	2 1	1 2	1 1	.	.	
35	81	Meningitis (non- meningooccal). { M. F.	120 75	2	1	1	8	17	29 18	11 8	3 5	11 7	2 2	5 4
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	49 34	1	.	
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,157 1,530	.	.	.	1	.	1	
38	84	Mental Disorders and Deficiency. { M. F.	57 69	.	3	.	.	.	3	
39	85	Epilepsy ... { M. F.	71 46	1 1	.	.	1 1	
40	86	Convulsions (under 5 years). { M. F.	118 112	35 24	16 15	10 10	27 32	20 12	108 93	5 12	1 5	2 1	2 1	11 11
40	87	Other Diseases of the Nervous System. { M. F.	94 81	1	.	.	.	1	1	4	.	1	.	
41	88	Diseases of the Organs of Vision. { M. F.	1 2	1	
41	89	Diseases of the Ear and of the Mastoid An- trum. { M. F.	30 17	.	.	1	2	4 3	6 5	2	.	.	1	

at different Periods of Life in the Year 1940.

DEATH.

5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-	95 & up-wards	Detailed International List Nos.
7	3	3	3	5	6	7	12	13	9	22	28	25	22	14	.	.	(72-76)
.	1	1	1	1	2	2	2	2	2	1	1	1	.	1	.	.	} 72
1	1	1	8	2	3	4	8	10	6	18	25	19	20	11	.	.	} 73
6	2	1	2	1	1	1	1	3	2	3	1	4	.	2	.	.	} 74
.	.	.	1	1	1	.	1	1	2	.	.	.	} 75
.	.	.	.	1	.	.	1	.	3	1	2	1	} 76
.	.	.	.	1	1	.	3	
.	.	.	.	1	(77-79)
.	.	.	.	1	.	.	.	1	.	1	2	} 77
.	} 78
.	} 79
29	22	21	27	28	29	24	23	56	80	148	155	246	307	285	38	1	(80-89)
14	19	20	16	14	28	27	54	60	122	143	238	283	337	387	57	4	
2	.	1	1	3	3	1	.	1	.	2	1	1	.	1	.	.	} 80
2	4	2	2	1	3	3	3	1	.	1	.	.	
18	11	7	5	9	1	2	5	1	2	1	1	.	1	.	.	.	} 81
10	7	6	3	.	1	1	1	2	1	.	.	1	1	1	.	.	
.	.	1	2	2	4	3	4	4	4	10	8	11	1	1	.	.	} 82
.	.	1	2	1	4	4	1	2	5	2	5	1	3	6	.	.	
1	1	2	3	3	6	9	7	31	54	110	120	214	283	274	38	1	} 83
.	.	1	4	3	7	11	36	43	90	122	202	266	314	370	56	4	
.	.	1	5	1	2	3	1	7	7	8	8	4	4	1	.	.	} 84
.	.	2	2	2	3	4	5	8	12	5	15	5	4	1	.	.	
3	4	8	6	8	7	4	4	3	5	2	6	1	7	1	.	.	} 85
.	1	3	2	3	6	2	6	1	4	7	1	2	3	1	1	.	
.	} 86
.	
2	3	1	1	2	7	3	1	7	7	15	10	14	8	7	.	.	} 87
1	3	4	3	3	4	3	5	4	9	6	11	7	11	6	.	.	
.	} 88
.	1	.	.	.	
.	1	.	.	.	
3	3	1	4	.	3	1	.	2	1	.	1	1	2	.	.	.	} 89
1	4	1	.	1	.	1	.	.	1	.	1	1	.	1	.	.	

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.	1-	2-	3-	4-	Total under 5 years
(42-48)	(90-103)	VII. Diseases Of The Circulatory System. { M. 5,003 F. 4,660			1		2	1	4	1	1	1	1	7
42-46	90-95	Heart Diseases ... { M. 4,596 F. 4,312					1		1		1	1	1	2
42	90	Pericarditis ... { M. 24 F. 17												
46	91	Acute Endocarditis ... { M. 55 F. 43									1		1	2
43	92	Chronic Affection of the Valves and Endocardium. { M. 768 F. 768								1	1			2
44	93	Diseases of the Myocardium. { M. 2,698 F. 2,605					1		1				1	1
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. 416 F. 213												
46	95	Other Diseases of the Heart. { M. 725 F. 666									1	1		1
48	96	Aneurysm (except of Heart and Aorta). { M. 8 F. 2												
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cereb. Hem.) { M. 233 F. 174												
47	98	Gangrene ... { M. 63 F. 54		1				1	1					
48	99	Other Diseases of the Arteries. { M. 15 F. 6												
48	100	Diseases of the Veins { M. 11 F. 20												
48	101	Diseases of the Lymphatic System. { M. 5 F. 2					2	1	3					
48	102	High Blood Pressure (Idiopathic). { M. 70 F. 90												
48	103	Other Diseases of the Circulatory System. { M. 2 F. 2												
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System. { M. 2,378 F. 2,172	42	47	50	90	122	351	89	32	16	10	49	
52	104	Diseases of the Nasal Fossæ and Annexa. { M. 8 F. 3		1				1						
52	105	Diseases of the Larynx { M. 10 F. 12				1	3	4	1	4				
49	106	Bronchitis ... { M. 996 F. 1,015	14	17	22	25	90	14	3	3	1	1	11	
50	107-9	Pneumonia, All Forms { M. 983 F. 873	27	33	32	65	91	248	73	24	10	6	36	
50	107	Broncho-pneumonia ... { M. 498 F. 453	17	26	23	42	66	174	55	20	7	4	26	
50	108	Lobar Pneumonia ... { M. 135 F. 108	2	1		4	2	9	5	2			1	
50	109	Pneumonia (un-specified). { M. 350 F. 317	8	6	9	19	23	65	13	2	3	2	8	
			10	3	9	14	17	53	13	6	1	2	7	

at different Periods of Life in the Year 1940.

DEATH.																	65 & up-wards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
9 14	18 17	23 25	20 27	25 30	38 54	59 66	68 80	113 142	239 211	377 340	603 513	923 691	1,160 1,041	1,154 1,176	159 214	3 13	(90-103)	(42-48)	
9 14	16 17	23 24	20 27	24 29	35 50	56 63	61 78	107 133	227 196	350 313	550 475	851 644	1,058 955	1,052 1,081	147 195	3 12	90-95	42-44	
2 2	3 3	1 1	1 1	3 1	3 1	1 1	2 2	1 1	2 1	1 1	1 1	2 2	6 3	· ·	· ·	· ·	90	42	
4 3	2 3	5 10	6 5	5 2	4 5	5 1	6 2	1 1	3 2	2 1	4 1	2 1	4 4	2 ·	· ·	· ·	91	46	
3 3	7 6	11 8	6 10	5 12	8 13	16 27	11 20	16 41	41 38	81 62	111 99	150 124	164 149	127 144	11 10	· ·	92	43	
·	1 1	3 4	4 4	2 3	13 20	20 26	25 38	53 58	105 104	154 175	292 273	457 377	642 600	722 756	113 149	1 10	93	44	
·	·	1 ·	2 ·	2 5	4 ·	5 3	7 2	18 11	40 21	54 21	66 34	97 43	70 34	45 31	4 8	1 ·	94	45	
·	3 4	7 1	1 8	7 6	3 12	9 6	10 14	19 21	36 31	59 53	77 67	145 97	172 165	156 150	19 28	1 2	95	40	
·	·	1 ·	· ·	· ·	1 ·	· ·	1 ·	1 1	1 1	1 1	1 1	3 ·	· ·	· ·	· ·	· ·	96	48	
·	1 ·	· ·	· ·	· ·	1 ·	· ·	1 ·	3 1	8 5	7 4	28 20	43 23	68 49	65 63	8 9	· ·	97	47	
·	1 ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	1 1	2 3	4 2	14 8	15 11	21 18	4 8	· 1	98	41	
·	·	·	·	·	1 1	1 1	2 ·	1 ·	· ·	2 ·	3 ·	1 1	3 2	2 ·	· ·	· ·	99	41	
·	·	·	·	1 ·	· ·	1 ·	1 ·	1 ·	1 1	3 ·	2 2	2 3	1 6	2 3	1 1	· ·	100	41	
·	·	·	·	·	·	·	1 ·	· ·	· ·	1 ·	· ·	· ·	1 ·	· ·	· ·	· ·	101	41	
·	·	·	·	1 ·	· ·	1 1	1 1	2 6	2 8	14 16	15 14	9 12	14 20	11 9	· 1	· ·	102	41	
·	·	·	·	·	·	·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	103	41	
17 23	10 17	19 15	14 28	25 26	34 26	49 49	64 54	91 54	121 89	169 118	207 195	275 242	331 357	384 420	69 70	1 7	(104-114)	(49-55)	
1 ·	1 ·	1 ·	1 ·	· ·	1 ·	· ·	1 ·	1 ·	1 ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	104	51	
·	·	·	·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	1 1	· ·	1 ·	· ·	· ·	105	51	
3 4	· 1	1 1	5 ·	6 2	6 7	11 15	18 20	36 16	53 35	60 50	91 94	145 138	191 235	236 270	29 42	5 ·	106	41	
12 16	8 14	11 11	7 15	11 15	15 13	26 23	25 24	30 25	44 35	63 50	74 66	75 72	92 85	100 104	28 20	1 1	107-9	41	
8 8	4 5	3 3	4 6	1 8	5 8	8 5	7 7	9 11	18 14	24 21	27 28	28 30	32 39	46 49	14 14	1 ·	107	51	
·	2 5	2 2	2 2	4 3	4 2	5 8	7 6	8 5	9 6	13 8	17 13	15 17	17 6	14 10	2 1	· ·	108	41	
4 7	2 4	6 6	3 7	6 4	6 6	13 12	11 11	13 9	17 15	26 21	30 25	32 25	43 40	40 45	12 5	1 ·	109	41	

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES A											
			All Ages.	Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.	1-	2-	3-	4-	To un-1 year.
VIII. Diseases Of The Respiratory System—contd.														
51	110	Pleurisy ... {M. F.	60 36	1
52	111	Congestion, Oedema {M. Haemorrhagic Infarc- tion and Thrombosis of the Lungs. {F.	138 110	1 1	1 2	1 1	2 1	3	8 5	1 1	.	.	2	1 1
52	112	Asthma ... {M. F.	144 86	1	1	.	1	1
52	113	Pulmonary Emphysema {M. F.	8 4
52	114	Other Diseases of the {M. Respiratory System. {F.	31 28	1	.
IX. Diseases Of The Digestive System.														
53-60)	(115-129)	IX. Diseases Of The Digestive System. {M. F.	1,237 904	41 32	68 46	62 43	104 99	63 66	338 286	37 25	15 9	10 10	8 3	46 33
60	115	Diseases of the Buccal {M. Cavity and Annexa {F. and of the Pharynx and Tonsils.	30 23	.	1 1	.	1 1	1	2 3	1 1	.	1 1	1	.
60	116	Diseases of the Oeso- {M. phagus. {F.	5 2
53	117	Ulcer of the Stomach {M. and Duodenum. {F.	295 77	1	.	.
60	118	Other Diseases of the {M. Stomach. {F.	99 104	.	1 4	2 3	7 9	3 8	13 25	2	1 1	1	.	16 25
54-55	119-120	Enteritis and Diarrhoea {M. F.	584 340	40 30	66 40	58 38	91 82	47 55	302 245	29 22	9 4	1 4	3 2	344 278
56	121	Appendicitis ... {M. F.	104 86	4	4	1 1	3 1	3 1	2	15 8
57	122	Hernia, Intestinal {M. Obstruction. {F.	151 120	.	.	2 2	3 5	9 1	14 9	4	2 1	2 1	1	28 11
60	123	Other Diseases of the {M. Intestines. {F.	36 30	.	1	.	1 1	.	1 2	1	1	1	.	1 5
58	124	Cirrhosis of the Liver {M. F.	47 12
59	125	Other Diseases of the {M. Liver. {F.	31 19	.	.	.	1	1	1 1	.	1	1	.	2 3
59	126	Biliary Calculi ... {M. F.	9 34
59	127	Diseases of the Gall {M. Bladder and Ducts. {F.	23 41
60	128	Diseases of the Pancreas {M. (other than Diabetes). {F.	6 2
60	129	Peritonitis, without stated cause. {M. F.	17 14	1	.	.	1	.	1 1	.	.	1	1	3 1

at different Periods of Life in the Year 1940.

DEATH.																95 & up-wards	Detailed International List Nos.	Inter-mediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
	1	5	4	5	1	3	3	4	1	7	9	7	4	4	1		} 110	51
	2	1	1	3	2	3	3	5	6	10	15	15	25	28	9		} 111	52
				2	2	2	2	3	8	5	17	12	14	25	7	1		
1			1		7	4	9	10	12	24	17	24	18	14	2		} 112	52
			2	3	1	4	4	3	8	8	10	10	16	12	1			
					1			1	2	1		1	1	1			} 113	52
		1						1			1							
1		1	2	1	1	2	5	4	2	4	1	7		1			} 114	52
			2	1	1	3		3	3	1	3		1	3				
24	14	25	20	23	38	32	34	49	70	83	97	120	106	75	14		} (115	(53-
27	9	14	14	10	15	15	24	26	47	55	74	72	80	75	14		-129)	60
3		1	1	1	4	3		3	1	2	3	2	1				} 115	60
4				1	1			2	1		1	3	2	3				
1									2		1		1				} 116	60
		1	7	13	20	17	17	20	39	36	32	41	32	17	2		} 117	53
		2		1	1	3	6	8	13	12	7	12	8	3	1			
2		2	2	3	1	1	3	1	5	9	15	12	16	8	3		} 118	60
2		1	2	1	1	1	1	3	2	8	13	12	12	15	5			
7	1	1	1	1	1		1	1	3	3	4	6	6	4	1		} 119-	54
3	3		5		1	1	3		2	4	10	8	13	7	2		120)	5
7	10	14	4	8	5	3	5	7	5	6	4	4	6	4			} 121	56
12	3	10	7	2	3	2	4	3	7	8	10	7	7	4				
2	2	4	3	1	1	5	2	9	6	11	14	19	22	23	5		} 122	57
2	1		1	2	4	3	7	4	8	10	13	9	21	24				
1		1	1	1	1				2	3	6	9	3	7	1		} 123	60
		1	1	1	1				5	1	3	3	4	5				
			1				3	3	1	4	9	13	8	4	1		} 124	58
						2	1		1	2	2	2	2	1				
1	1	1		1	1	2	2	3	3	3		6	2	3	1		} 125	54
	1				1	1	2	1	1	2	3	4	1	2				
					1	1		1	1	4	3	2	5	5			} 126	54
					1	1			4	4	3	7	5	5				
				1	1	1	1	1	1	1	1	3	6	5			} 127	54
					1	1		4	2	2	7	3	9	9	2			
					1			1	1	1	1	1					} 128	6
									1									
4	1		1	1	2	1	1		1	3	3	2	2				} 129	6
					1	1	1			1	1		1					

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death,	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years
61-67)	(130-139)	X. Diseases of The Urinary and Genital Systems (not Venereal or connected with Pregnancy or The Puerperium) { M. F.	1,103 567	1	1	1 2	1	1	4 3	3 3	3 1	4	1	15 7
61	130-132	Nephritis (All Forms) { M. F.	683 500	1	.	1 1	1	.	2 2	1 3	3 1	4	.	10 6
61	130	Acute Nephritis ... { M. F.	79 56	1	.	1 1	.	.	2 2	1 3	3 1	4	.	10 6
61	131	Chronic Nephritis ... { M. F.	339 241
61	132	Nephritis, not stated to be acute or chronic (over 10 years of age). { M. F.	265 203
62	133	Other Diseases of the Kidney and Ureters. { M. F.	52 43	.	1	.	1	.	1 1	2	1	.	.	3 1
63	134	Calculi of the Urinary Passages. { M. F.	9 2
64	135	Diseases of the Bladder { M. F.	80 9	1	1
65	136	Diseases of the Urethra, Urinary Abscess, etc. { M. F.	15
66	137	Diseases of the Prostate M.	262
67	138	Diseases of Other Male Genital Organs ... M.	2	1	.	.	.	1
67	139	Diseases of the Female Genital Organs ... F.	13
(68-72)	(140-150)	XI. Diseases Of Pregnancy, Childbirth, And The Puerperal State F.	208
70	140	Post-abortive Infection F.	3
69	141	Abortion without mention of septic conditions F.	1
68	142	Ectopic Gestation ... F.	6
68	143	Hæmorrhage of Pregnancy ... F.	9
68	144	Toxæmias of Pregnancy F.	28
68	145	Other Diseases and Accidents of Pregnancy ... F.	3
72	146	Hæmorrhage of Childbirth and the Puerperium ... F.	57
71	147	Infection during Childbirth and the Puerperium ... F.	52*
72	148	Puerperal Toxæmias ... F.	19
72	149	Other Accidents of Childbirth ... F.	22
72	150	Other or Unspecified Conditions of Childbirth and the Puerperal State ... F.	8

* Including 6 deaths from Puerperal thrombophlebitis and 20 from Puerperal embolism and sudden death.

at different Periods of Life in the Year 1940.

DEATH.																95 & upwards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
2 5	5 5	5 5	5 14	14 15	17 19	25 26	27 27	44 31	57 42	72 55	133 80	178 79	221 80	255 70	27 7	1	(130-139)	(61-67)
1 4	5 5	4 5	5 12	13 11	16 16	22 17	22 24	38 30	43 39	56 52	78 72	117 70	121 73	122 60	10 4	.	} 130-132	61
1 4	2 1	2 1	1 .	5 3	6 4	3 2	3 2	4 3	2 5	6 4	3 7	6 6	13 5	12 3	.	.	} 130	61
.	3 1	1 1	1 5	4 3	6 10	9 7	10 13	18 19	23 20	27 23	46 35	69 33	55 34	59 34	8 3	.	} 131	61
.	3	1 3	3 7	4 5	4 2	10 8	9 9	16 8	18 14	23 25	29 30	42 31	53 31	51 23	2 1	.	} 132	61
1 1	.	.	1 .	1 2	1 3	2 4	3 2	3 1	4 1	3 3	5 7	3 7	10 3	11 5	2 2	.	} 133	62
.	1 1	1 1	1 1	1 1	1 .	1 .	2 1	1 .	.	.	} 134	63
.	.	1	1 1	.	.	1 1	.	10 .	9 1	19 2	32 3	6 1	.	} 135	64
.	3 .	3 .	2 .	5 .	1 .	1 .	.	} 136	65
.	1 .	2 .	8 .	9 .	35 .	46 .	64 .	88 .	8 .	1 .	} 137	66
.	1	} 138	67
.	.	.	1 .	2 .	.	4 .	.	.	1 .	.	1 .	1 .	1 .	2 .	.	.	} 139	67
.	.	.	15 .	34 2	58 .	64 1	29 .	8	(140-150)	(68-70)
.	1	141	69
.	2 .	4	142	68
.	.	.	.	1 .	3 .	1 .	4	143	68
.	.	.	2 .	5 .	8 .	8 .	4 .	1	144	68
.	.	.	.	1 .	.	.	1 .	1	145	68
.	.	.	3 .	7 .	13 .	19 .	11 .	4	146	72
.	.	.	.	4 .	11 .	17 .	3 .	2	147	71
.	.	.	2 .	1 .	6 .	9 .	1	148	72
.	.	.	3 .	6 .	6 .	6 .	1	149	72
.	.	.	1 .	.	2 .	1 .	4	150	72

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES A												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5	
		XVII. Deaths from Violence													
		<i>—contd.</i>													
84	174	Accidents in Mines and Quarries. { M. F.	9
84	175	Agricultural and Forestry Accidents. { M. F.	4
84	176	Accidents caused by Machinery. { M. F.	5
84	177	Food Poisoning ... { M. F.	1
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5 2	1
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	1 1
84	180	Conflagration ... { M. F.	5 4	.	.	1	1	.	1	.	1
84	181	Accidental Burns (Conflagration excepted). { M. F.	56 102	1 1	1 1	11 7	6 7	9 6	2 6	.
84	182	Accidental Mechanical Suffocation. { M. F.	16 9	.	3	1 2	4 1	2 2	1	7 9	.	1	.	.	.
84	183	Accidental Drowning ... { M. F.	125 34	2 2	1 1	3	.	.
84	184	Accidental Injury by Firearms. { M. F.	20 2	1
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	1
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	59 22	1	.	1	.	.	2 1	.	.
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	10 1	1	.	.	.
84	189	Hunger or Thirst ... { M. F.
84	190	Excessive Cold ... { M. F.
84	191	Excessive Heat ... { M. F.	1 1	1	.	.	.
84	192	Lightning ... { M. F.
84	193	Other Accidents due to Electric Currents. { M. F.	2
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	117 101	15 9	.	1	1	.	.	17 9	1	1	.	2	.
85	196	Deaths of Persons in Military Service during Operations at War. { M. F.	8
85	197	Deaths of Civilians due to Operations of War. { M. F.	1 3
86	198	Legal Executions ... { M. F.	2
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	251 246	3 1	.	1	1 2	2	.	6 4	3 5	1 4	3 1	1 2	.
87	199	Sudden Death { M. F.	12 7	2
87	200	Causes of Death Unstated or Ill-defined. { M. F.	239 239	3 1	.	.	1 2	2	.	6 4	3 3	1 4	3 1	1 2	.

at different Periods of Life in the Year 1940.

DEATH.															95 & up-wards	Detailed International List Nos.	Intermediate International	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—				85—
.	.	.	.	2	.	1	1	1	2	.	1	.	1	.	.	.	174	84
.	.	.	1	2	1	175	84
.	.	.	.	1	1	.	2	1	176	84
.	1	177	84
.	.	1	1	1	1	1	178	84
.	1	1	179	84
.	.	.	.	2	1	180	84
2	1	1	2	1	1	2	1	1	1	2	.	5	6	3	1	.	181	84
8	4	3	2	1	1	3	2	1	3	5	6	8	12	14	2	.	182	84
.	.	1	.	2	.	1	.	.	.	2	.	1	1	.	.	.	183	84
10	12	15	15	12	4	6	9	10	3	6	3	7	5	2	.	.	184	84
4	2	7	7	1	2	3	4	2	2	2	1	.	.	1	.	.	185	84
.	1	3	3	6	.	1	2	2	.	1	186	84
.	1	1	187	84
2	2	3	3	2	1	1	2	6	11	4	6	8	4	3	.	1	188	84
.	2	1	1	1	3	1	5	3	1	.	189	84
.	2	2	1	.	.	1	1	.	190	84
.	191	84
.	1	.	.	.	192	84
.	193	84
.	1	194	84
.	195	84
1	5	2	2	2	4	4	3	3	4	6	3	12	15	24	6	.	196	85
1	1	.	.	1	.	1	1	1	2	4	6	13	22	30	7	3	197	85
.	1	.	.	1	198	86
.	.	.	1	199	87
.	.	.	.	2	1	200	87
.	.	.	.	1	.	.	.	1	(199-200)	87
3	1	7	3	3	5	3	3	7	15	29	58	98	1	1	.	.	199	87
2	4	1	2	3	3	2	7	13	24	37	60	70	1	1	.	.	200	87
.	.	1	2	1	1	1	3	4	199	87
3	1	7	3	3	5	3	3	6	14	28	55	94	1	1	.	.	200	87
2	4	.	2	3	3	2	7	12	24	36	59	69	1	1	.	.	200	87

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSESM. F. }	41,885	21,611 20,274	2,094 1,665	586 481	437 419	798 846	916 910	979 1,003	1,716 1,486	3,210 2,856	5,772 5,051	5,103 5,557	2,797 2,184	635 643	4,525 3,354	13,654 14,093	3,001 3,271
1	Typhoid Fever (including Para- typhoid).M. F. }	31	23 8	.	.	3	5	4 3	5 1	3 1	2 1	1 2	.	1	8 2	13 5	1 1	.
2	Cerebro-spinal FeverM. F. }	23	15 8	4 1	3 3	3 2	4 1	1	.	5 1	.	7 5	3 2	.
3	Scarlet FeverM. F. }	33	18 15	2 1	7 5	6 7	1	1 1	1 1	2 3	.	8 8	8 4	1
4	Whooping-coughM. F. }	163	80 83	55 45	23 35	2	20 26	.	3 3	57 54	14 6
5	DiphtheriaM. F. }	178	88 90	6 2	34 35	42 39	2 5	3 2	.	1 5	.	.	.	34 36	.	47 43	7 11	1
6	Tuberculosis of the Respiratory System.M. F. }	2,907	1,549 1,358	4 4	6 6	22 40	337 431	389 398	288 200	262 140	165 88	66 47	10 4	430 354	100 93	354 266	665 645	33 23
7	All other forms of TuberculosisM. F. }	778	395 383	18 16	66 60	66 77	93 97	54 53	34 37	30 29	25 24	7 10	2	119 111	19 10	126 127	131 135	1
8	DysenteryM. F. }	2	2	1	.	1	.	.	.	2	.	.	.
9	InfluenzaM. F. }	828	421 407	26 34	17 8	8 6	7 8	16 14	17 16	33 27	59 52	146 144	92 98	23 26	13 17	52 25	333 339	77 96
10	MeaslesM. F. }	77	39 38	13 7	23 25	2 3	.	.	1	11 8	.	11 6	17 24	2 1
11	Acute Infectious EncephalitisM. F. }	23	15 8	.	2	.	2 2	3 1	2 1	5 1	3	.	.	.	2	7 2	6 3	.
12	TyphusM. F. }	2	1 1	1 1	1 1	.	.
13	CancerM. F. }	3,773	1,980 1,793	1 6	7 6	7 3	9 12	25 32	66 119	239 265	573 537	755 583	298 236	302 273	18 20	525 331	1,135 1,169	50 38
14	Diabetes MellitusM. F. }	284	138 146	1	2	8 4	11 4	7 4	8 4	16 17	30 36	34 53	23 18	14 25	7 1	35 23	82 97	4 5

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	2,687 } 1,530	1	.	.	2	5	9	16	85	230	497	313	34	29	233	811	115
				1	.	.	5	10	47	133	324	580	430	82	46	254	1,148	134	
16	Diseases of the Heart	... M. } ... F. }	8,908 } 4,596 4,312	1	2	25	48	59	117	334	900	1,909	1,202	237	206	1,004	3,149	270	
				5	31	51	79	9	141	329	788	1,599	1,288	212	228	754	3,118	239	
17	Other Diseases of the Circulatory System.	M. } F. }	755 } 407 348	4	1	2	.	4	10	18	80	174	114	38	19	131	219	12	
				.	.	1	5	5	24	65	133	115	23	8	106	211	20		
18	Bronchitis M. } ... F. }	2,011 } 996 1,015	90	21	3	1	12	29	89	150	336	265	64	11	189	732	108	
				58	17	5	6	9	35	51	144	373	317	36	9	136	834	131	
19	Pneumonia M. } ... F. }	1,861 } 983 878	248	113	20	18	26	51	74	137	167	129	121	20	151	691	32	
				188	101	30	26	28	47	60	116	157	125	102	24	91	661	49	
20	Other Diseases of the Respiratory System.	M. } F. }	678 } 399 279	13	13	4	14	21	33	49	89	103	60	54	12	88	245	21	
				7	11	5	11	15	21	32	53	69	55	24	6	41	208	8	
21	Uleer of the Stomach or Duodenum.	M. } F. }	372 } 295 77	.	1	.	8	33	34	59	68	73	19	81	.	103	111	8	
				.	.	.	2	2	9	21	19	20	4	12	2	16	47	3	
22	Diarrhoea and Enteritis	... M. } ... F. }	724 } 384 340	302	42	8	2	1	1	4	7	12	5	140	1	68	175	6	
				245	33	6	5	1	4	2	14	21	9	98	3	54	185	11	
23	Appendicitis	... M. } ... F. }	190 } 104 86	4	9	17	18	13	8	12	10	9	4	37	.	55	12	3	
				.	3	15	17	5	6	10	18	11	1	29	.	47	10		
24	Cirrhosis of the Liver	... M. } ... F. }	59 } 47 12	.	.	.	1	.	3	4	13	21	5	2	.	15	30	.	
				3	1	4	2	2	1	.	4	7	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	157 } 63 94	1	1	2	1	3	5	9	10	21	10	17	2	13	31	4	
				1	2	1	.	3	3	13	22	29	20	21	3	17	53	2	
26	Other Diseases of the Digestive System.	M. } F. }	639 } 344 295	31	17	11	15	16	15	31	72	90	46	71	2	101	170	23	
				40	9	14	4	14	14	26	52	69	53	44	3	73	175	20	
27	Nephritis M. } ... F. }	1,183 } 683 500	2	8	6	9	29	44	81	134	238	132	90	14	177	402	17	
				2	4	9	17	27	41	69	124	143	64	52	12	88	348	12	
28	Puerperal Infection	... F. }	55 } 55	.	.	.	4	30	19	2	.	.	.	10	.	25	20	.	
29	Other Diseases of Childbirth	... F. }	153 } 153	.	.	.	11	62	74	6	.	.	.	45	.	50	58	3	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	1,931 } 1,078 853	1,044	17	7	6	1	2	1	.	.	.	321	1	195	561	151	
				834	10	7	1	.	1	234	.	170	449	129	
31	Senility	... M. } ... F. }	5,788 } 2,625 3,163	523	2,102	12	46	200	2,367	1,711	
				619	2,544	16	60	204	2,883	1,992	
32	Suicide	... M. } ... F. }	99 } 77 22	.	.	.	2	10	18	17	14	13	3	9	2	2	64	.	
				.	.	.	5	2	6	6	2	1	.	4	1	.	17	.	
33	Other Violence	... M. } ... F. }	968 } 640 328	25	53	50	78	75	71	83	68	89	48	137	2	168	333	3	
				25	32	30	26	14	23	15	32	66	65	76	2	98	152	5	
34	Other Causes	... M. } ... F. }	3,565 } 1,971 1,594	200	102	111	101	101	100	177	371	487	221	321	101	443	1,106	335	
				153	87	82	92	91	123	200	338	319	109	198	90	281	1,025	341	

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	17,877	9,149 8,728	1,097 844	304 227	227 201	354 418	418 404	432 448	869 703	1,474 1,329	2,290 2,083	1,684 2,071	1,875 1,501	273 260	1,877 1,407	5,124 5,560	612 578
1	Typhoid Fever (including Para-typhoid). M. F. }	9	5 4	.	.	.	1 2	1	1	1	1	1	.	1	3 2	1 2	.	.
2	Cerebro-spinal Fever ... M. F. }	15	9 6	2 1	2 2	3 1	2 1	.	.	.	1	.	.	4 1	.	3 5	2	.
3	Scarlet Fever ... M. F. }	14	8 6	2 1	2 3	3 2	1	2 3	.	3 2	3 1	.
4	Whooping-cough ... M. F. }	75	31 44	23 26	8 16	1	1	16 22	.	2	13 22	1 1
5	Diphtheria ... M. F. }	101	46 55	4 2	21 24	20 22	3	1 1	.	.	3	.	.	29 34	.	15 18	2 3	.
6	Tuberculosis of the Respiratory System. M. F. }	1,423	764 659	2 3	5 2	10 20	154 227	187 192	142 96	145 64	80 37	32 17	7 1	222 177	36 19	183 124	323 339	6 4
7	All other forms of Tuberculosis ... M. F. }	383	205 178	11 8	40 16	46 40	47 50	23 25	9 17	14 10	12 10	2 2	1	91 75	3 1	46 50	65 52	1
8	Dysentery ... M. F. }	1	1	1	1	.	.	.
9	Influenza ... M. F. }	293	149 144	16 18	7 1	4 5	1 2	5 6	5 6	16 8	23 28	43 39	29 31	14 17	4 7	10 7	121 113	13 7
10	Measles ... M. F. }	36	19 17	4 2	13 15	1	.	.	1	11 6	.	1 1	7 10	.
11	Acute Infectious Encephalitis ... M. F. }	8	5 3	.	1	1	1	2	.	1	1	1	.	2	1	1	3 1	.
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	1,598	788 810	1	3 2	3 1	3 7	14 13	25 44	97 126	226 245	305 261	111 111	164 171	3 3	198 135	423 501	9 5
14	Diabetes Mellitus ... M. F. }	110	47 63	1	1	1	2 3	3 3	3 2	8 9	11 15	9 18	9 10	12 7	3	8	24	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	1,199	480 719	.	.	1	5	2	8	48	95	208	113	61	21	96	302	21
					1	.	.	4	3	22	67	155	266	201	61	29	116	513	18
16	Diseases of the Heart	... M. F. }	4,073	2,069 2,004	.	.	18	23	26	51	175	441	829	506	172	107	429	1,361	74
					2	.	15	26	37	60	163	361	717	623	155	116	308	1,425	58
17	Other Diseases of the Circulatory System.	M. F. }	430	228 202	3	1	.	.	3	4	14	49	90	64	23	9	92	104	4
						.	.	1	2	3	16	39	65	76	20	3	91	88	3
18	Bronchitis	... M. F. }	961	452 509	32 30	11 10	1	2	5	18	52	79	147	107	46	5	108	293	16
							2	2	3	18	27	92	178	147	26	7	89	387	22
19	Pneumonia	... M. F. }	923	505 418	143 112	59 48	11 12	6	11	32	43	76	67	57	105	14	73	313	3
							12	12	9	20	29	61	60	55	82	15	44	277	7
20	Other Diseases of the Respiratory System.	M. F. }	353	197 156	5 3	8 5	1	6	7	8	16	31	49	44	30	43	5	36	113
							1	7	8	16	18	27	40	32	20	4	25	107	3
21	Ulcer of the Stomach or Duodenum.	M. F. }	130	98 32	6	10	26	28	23	5	38	.	26	34	1
								1	1	5	8	9	6	2	10	1	3	18	1
22	Diarrhoea and Enteritis	... M. F. }	380	215 165	177 127	22 10	2	1	1	.	1	5	5	2	124	1	25	65	.
							2	1	1	2	2	7	8	5	83	1	15	66	2
23	Appendicitis	... M. F. }	65	33 32	.	2	5	6	3	3	5	6	2	1	16	.	15	2	2
						1	4	7	1	3	6	6	4	.	18	.	9	5	.
24	Cirrhosis of the Liver	... M. F. }	35	29 6	.	.	.	1	.	2	3	7	15	1	2	.	11	16	.
									1	1	1	1	2	1	1	.		5	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	63	22 41	.	1	1	.	2	1	4	4	6	3	9	1	4	8	.
					1	2	.	.	1	3	4	11	11	8	14	2	5	20	1
26	Other Diseases of the Digestive System.	M. F. }	253	131 122	11 20	7 6	6 6	5 1	6 8	4 4	16 17	33 18	25 15	18 15	46 35	2	31	52	5
															2	22	63	6	
27	Nephritis	... M. F. }	522	322 200	2	4	2	5	15	17	46	70	108	53	56	7	102	157	7
						1	4	7	11	18	24	52	57	26	30	5	26	139	1
28	Puerperal Infection	... F. }	19	19	.	.	.	2	8	8	1	.	.	.	6	.	6	7	.
29	Other Diseases of Childbirth	... F. }	63	63	.	.	.	4	24	34	1	.	.	.	25	.	14	24	2
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	1,005	565 440	550 428	7 7	4 3	3 1	.	.	1	.	.	.	256	.	65	244	46
										1	.	.	.	185	.	74	181	30	
31	Senility	... M. F. }	1,404	606 798	125	481	4	5	75	522	294
													149	649	8	11	79	700	329
32	Suicide	... M. F. }	41	33 8	.	.	.	1	5	9	8	5	5	.	8	2	.	23	.
								1	2	2	3	.	.	3	.	.	.	5	.
33	Other Violence	... M. F. }	483	307 176	13 14	27 17	30 17	39 13	43 11	26 11	40 12	29 16	41 33	19 32	107 66	1	68 45	131 64	2
34	Other Causes	... M. F. }	1,409	781 628	95 47	54 35	55 39	43 35	46 33	45 51	74 84	144 137	158 121	67 46	193 128	40 29	150 86	398 385	106 77

ABSTRACT V—continued—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	480	254 226	26 23	7 4	7 4	8 15	9 13	7 12	10 21	45 23	84 59	51 52	22 10	1 6	62 33	169 177	39 34
1	Typhoid Fever (including Para-typhoid). M. F. }	
2	Cerebro-spinal Fever ... M. F. }	3	2 1	.	.	1	1 1	1 1	1	.
3	Scarlet Fever ... M. F. }	
4	Whooping-cough ... M. F. }	1	1	1	1	1
5	Diphtheria ... M. F. }	1	1	.	.	.	1	1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	25	7 18	.	.	.	1 9	3 6	1 2	.	1 1	1 1	.	.	.	2 3	5 14	.
7	All other forms of Tuberculosis ... M. F. }	14	7 7	.	3	1	2 1	1 2	.	1	1	1	.	2 1	.	3 5	2 1	.
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	11	5 6	.	1	2 1	2 1	2	.	.	5 4	3
10	Measles ... M. F. }	
11	Acute Infectious Encephalitis ... M. F. }	
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	36	15 21	1	.	1	2 3	5 2	5 12	2 3	1 2	2 3	12 16	1
14	Diabetes Mellitus ... M. F. }	1	1	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	30	17	5	12	.	.	.	5	12	.
				13	1	3	1	6	2	.	1	2	10	1
16	Diseases of the Heart	... M. F. }	123	74	.	.	.	1	.	3	1	15	36	18	.	26	48	3
				49	.	.	.	2	1	.	8	7	8	.	2	7	40	3
17	Other Diseases of the Circulatory System.	M. F. }	6	3	1	2	.	1	.	.	2	.
				3	1	.	2	.	.	1	2	.
18	Bronchitis M. F. }	24	10	2	1	.	4	3	.	.	4	6	.
				14	1	2	4	4	3	.	.	1	13	1
19	Pneumonia M. F. }	15	9	.	1	.	.	.	1	3	3	.	.	.	3	6	.
				6	1	2	2	1	.	1	1	.	4	.
20	Other Diseases of the Respiratory System.	M. F. }	4	3	1	2	3	.
				1	1	1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	6	4	1	2	1	.	4
				2	2	2	.
22	Diarrhoea and Enteritis	... M. F. }	4	2	1	1	1	.	.	1	.
				2	1	1	2	1
23	Appendicitis	... M. F. }	2	2	.	.	.	1	.	1	.	.	.	1
			
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.
			
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	2	1	.	1	.	.	.	1	.
			
26	Other Diseases of the Digestive System.	M. F. }	10	6	.	.	.	1	1	.	1	.	1	2	1	.	2	3
				4	2	2	1	.	.	3	1
27	Nephritis M. F. }	8	4	1	3	.	.	.	3	1	.
				4	1	.	3	.	.	1	.	.	3	.
28	Puerperal Infection F. }	2	2	2	2	.
			
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	1	.
			
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	33	19	19	6	.	2	11	4
				14	13	.	1	1	.	1	12	2
31	Senility M. F. }	65	32	9	23	.	.	1	31	19
				33	5	28	.	.	.	33	21
32	Suicide M. F. }	1	1	1	1	.
			
33	Other Violence	... M. F. }	10	6	.	.	.	1	.	2	1	2	.	1	.	4	1	.
				4	.	1	.	.	1	.	1	1	.	.	.	1	3	1
34	Other Causes	... M. F. }	41	25	3	1	5	1	1	1	7	5	1	4	1	3	17	7
				16	4	.	2	.	.	6	2	1	.	1	1	4	10	3

ABSTRACT V—continued—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	1,654	833 821	108 81	25 22	34 19	49 28	42 48	44 37	71 62	123 137	183 186	154 199	240 182	25 34	113 101	455 504	3 3
1	Typhoid Fever (including Paratyphoid). M. F. }																	
2	Cerebro-spinal Fever ... M. F. }																	
3	Scarlet Fever ... M. F. }																	
4	Whooping-cough ... M. F. }	7	1 6	1 3		1	1							3			1 3	
5	Diphtheria ... M. F. }	6	4 2	1	1	3 1								3 2		1		
6	Tuberculosis of the Respiratory System. M. F. }	152	93 59			3 2	24 15	22 28	16 5	15 3	8 6	3	2	17 14	5 2	14 9	57 34	
7	All other forms of Tuberculosis ... M. F. }	48	24 24	2 1	6 5	5 6	5 6	2	2 2	2 2	2			14 15		3 5	7 4	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	26	14 12		1	1		3 1				2 4	4 4		1	5 2	8 10	
10	Measles ... M. F. }																	
11	Acute Infectious Encephalitis ... M. F. }																	
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	159	73 86				2	1 1	1 5	13 17	15 25	29 21	12 17	28 22		8 10	37 53	
14	Diabetes Mellitus ... M. F. }	13	6 7				1		1 1			3	1 2	1 4		1	4 3	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	132	42 90	.	.	.	1	1	2	3 5	9 25	12 31	17 25	9 14	2 4	4 11	27 61	.
16	Diseases of the Heart	... M. F. }	376	181 195	.	.	4 2	1 2	1 4	2 6	20 13	41 37	70 66	42 65	28 17	4 14	25 19	124 145	.
17	Other Diseases of the Circulatory System.	M. F. }	46	22 24	1 1	.	2 2	3 5	8 7	8 9	2 6	1 .	5 6	14 12	.
18	Bronchitis M. F. }	85	41 44	8 2	.	.	.	1	.	3 1	6 7	9 18	8 14	8 1	1 1	6 9	26 33	.
19	Pneumonia M. F. }	96	47 49	7 8	4 6	1 1	3	.	5 2	5 5	6 5	8 8	13 14	12 6	4 4	6 7	25 32	.
20	Other Diseases of the Respiratory System.	M. F. }	33	17 16	.	2	.	.	1 1	.	3 1	3 1	6 2	3 7	5 1	2 1	2 3	8 11	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	15	12 3	1	1	2 1	4	3	1	5 2	.	2	5 1	.
22	Diarrhoea and Enteritis	... M. F. }	37	20 17	17 13	2 2	1	1	.	1	8 7	.	5 2	7 8	.
23	Appendicitis M. F. }	3	1 2	.	.	1 1	1 1	.	.	1	.
24	Cirrhosis of the Liver	... M. F. }	6	5 1	4	1	1	.	.	.	5 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	8	1 7	2	.	1 3	2	3	.	1	3	.
26	Other Diseases of the Digestive System.	M. F. }	27	17 10	1	1 1	1	.	1 3	1	4	4 1	4 2	1 2	11 4	1	2	3 6	.
27	Nephritis M. F. }	48	33 15	.	1 1	.	.	1	5 1	4 2	3 4	11 4	8 3	11 2	1	7	14 13	.
28	Puerperal Infection F. }	1	1	1	1
29	Other Diseases of Childbirth F. }	2	2	2	2
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	105	60 45	56 44	1 1	2	1	40 25	.	6 8	14 12	2 1
31	Senility M. F. }	51	19 32	4 3	15 29	1 3	.	1	18 25	2
32	Suicide M. F. }	4	1 3	1	1	1	1	.	.	2	.	.	1 1	.
33	Other Violence M. F. }	52	37 15	3 2	2 .	3	9 1	7 3	3 3	2 1	5 1	1 4	2	14 5	.	5 2	18 8	.
34	Other Causes M. F. }	116	62 54	13 5	5 5	9 5	2	2 4	5 2	1 3	9 9	6 15	10 6	22 20	3 4	6 6	31 24	1

ABSTRACT V—continued.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	7,002	3,496 3,506	575 429	147 112	95 92	139 180	155 152	190 204	451 296	642 532	755 809	347 700	1,290 1,008	101 102	691 567	1,414 1,829	54 51
1	Typhoid Fever (including Para-typhoid). M. F. }	4	3 1	1 1	.	1 .	1 .	.	.	1 .	2 1	.	.	.
2	Cerebro-spinal Fever ... M. F. }	5	4 1	1 1	1 .	1 .	1	4 1
3	Scarlet Fever ... M. F. }	6	3 3	2 1	.	1 2	2 3	.	.	1 .	.
4	Whooping-cough ... M. F. }	42	19 23	15 14	4 9	13 13	.	.	6 10	.
5	Diphtheria ... M. F. }	56	25 31	4 .	11 17	9 12	.	1 1	24 31	.	1 .	.	.
6	Tuberculosis of the Respiratory System. M. F. }	642	374 268	2 2	4 2	5 10	60 93	72 65	70 52	92 23	47 16	18 5	4 .	129 79	16 8	109 60	120 121	1 .
7	All other forms of Tuberculosis ... M. F. }	153	90 63	9 5	14 5	22 18	20 19	9 8	4 5	5 2	5 1	1 .	1 .	64 47	1 1	12 9	13 6	.
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	96	47 49	2 3	.	2 3	.	1 2	5 4	10 4	9 8	10 16	8 8	2 3	.	3 .	42 43	1 .
10	Measles ... M. F. }	25	14 11	4 1	8 10	1 .	.	.	1	10 6	.	.	4 4	.
11	Acute Infectious Encephalitis ... M. F. }	4	1 3	1	1 .	.	.
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	593	272 321	1 .	2 2	1 1	.	6 5	11 19	39 48	92 108	98 94	22 41	106 112	2 .	61 47	103 162	.
14	Diabetes Mellitus ... M. F. }	36	14 22	1	1 1	.	4 3	4 5	1 8	3 2	8 8	.	2 .	4 13	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	438	161 277	2 1	.	3 15	22 28	36 60	77 99	21 72	44 42	4 9	36 45	77 181	1 1
16	Diseases of the Heart	... M. F. }	1,514	690 824	.	.	10 8	13 14	11 20	18 29	82 76	163 124	263 286	190 266	127 121	44 51	145 151	374 501	16 12	
17	Other Diseases of the Circulatory System.	M. F. }	222	107 115	2 .	1 1	5 10	27 22	46 44	26 38	15 12	3 2	59 71	30 30	.	
18	Bronchitis M. F. }	519	248 271	13 16	8 2	.	.	3 3	15 12	38 17	56 56	77 90	38 72	38 21	3 4	65 67	142 179	1 7	
19	Pneumonia M. F. }	466	244 222	93 73	30 28	3 5	3 8	6 6	15 12	30 16	34 29	21 29	9 16	83 72	4 2	22 18	135 130	3 3	
20	Other Diseases of the Respiratory System.	M. F. }	177	107 70	3 1	2 1	.	5 5	4 4	12 7	21 8	30 10	17 22	13 11	32 17	2 2	24 13	49 38	1 .	
21	Ulcer of the Stomach or Duodenum.	M. F. }	41	31 10	3 3	10 3	10 3	7 1	1 2	23 6	.	2 1	6 3	1 .
22	Diarrhoea and Enteritis	... M. F. }	235	139 96	127 87	8 1	.	.	1 .	.	1 1	1 3	1 2	.	108 69	.	9 9	22 18	.	
23	Appendicitis	... M. F. }	26	11 15	.	2 1	1 1	2 2	.	.	3 3	2 3	4 3	3 3	9 11	.	2 2	.	.	
24	Cirrhosis of the Liver	... M. F. }	16	16	2 .	3 .	3 .	8 .	.	1 .	.	8 .	7 .	
25	Diseases of the Liver and Biliary Passages.	M. F. }	25	8 17	.	1 1	.	.	1 1	2 .	2 1	1 5	1 4	2 3	6 7	.	1 1	1 7	.	
26	Other Diseases of the Digestive System.	M. F. }	86	50 36	6 6	4 2	3 1	2 .	2 3	.	5 8	17 6	5 5	6 2	30 22	1 .	4 3	15 11	1 1	
27	Nephritis M. F. }	210	128 82	.	2 1	1 2	2 4	6 8	5 8	24 11	41 23	37 25	10 8	39 23	1 1	48 9	40 49	.	
28	Puerperal Infection	... F.	4	4	2 .	2	4	
29	Other Diseases of Childbirth	... F.	17	17	9 .	8	11 .	.	.	6 .	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	456	258 198	249 189	4 5	2 2	2 1	.	.	1 1	.	.	.	169 124	.	19 22	70 52	4 .	
31	Senility M. F. }	189	41 148	9 .	32 126	1 4	1 5	39 135	5 4		
32	Suicide M. F. }	13	11 2	.	.	.	1 1	.	4 .	4 1	1 .	1 .	7 1	1 .	.	.	3 1	.	
33	Other Violence	... M. F. }	181	108 73	6 5	12 8	14 10	14 6	7 .	9 2	14 6	11 8	12 12	9 15	75 52	.	9 9	24 12	.	
34	Other Causes	... M. F. }	505	279 233	37 24	30 14	19 14	13 20	19 16	12 18	36 26	49 42	45 41	12 18	120 84	17 11	48 24	87 114	20 22	

ABSTRACT V—continued.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	802	442 360	42 33	8 8	21 9	16 23	34 24	20 18	36 25	62 55	119 75	84 90	65 55	12 10	96 51	269 244	20 9
1	Typhoid Fever (including Para-typhoid). M. F. }																	
2	Cerebro-spinal Fever ... M. F. }	1	1		1													
3	Scarlet Fever ... M. F. }															1		
4	Whooping-cough ... M. F. }	1	1	1												1		
5	Diphtheria ... M. F. }	7	4 3		4 1									2		2 3		
6	Tuberculosis of the Respiratory System. M. F. }	66	39 27		2	10 10	18 10	6 2	4 2	1		1		20 12		2 2	17 13	1
7	All other forms of Tuberculosis ... M. F. }	18	8 10		1 1	3 5	3 2			1				3 3		1 3	4 4	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	19	8 11	3 2		1				1		2 3	1 4	2 2	1		5 8	
10	Measles ... M. F. }																	
11	Acute Infectious Encephalitis ... M. F. }																	
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	87	48 39		1 1		1 3	1 1	5 5	13 11	18 13	8 5		10 11		9 4	29 24	
14	Diabetes Mellitus ... M. F. }	4	3 1					1			1		1	1		1	1 1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	39	18 21	1	.	2	4	5	6	2	3	6	7	.
16	Diseases of the Heart	... M. } ... F. }	180	105 75	.	.	3	1	1	3	10	24	41	22	4	5	29	69	6
17	Other Diseases of the Circulatory System.	M. } F. }	20	10 10	1	1	2	2	4	.	.	1	9	.
18	Bronchitis	... M. } ... F. }	36	15 21	1	1	1	4	8	.	.	.	3	12	.
19	Pneumonia	... M. } ... F. }	30	15 15	1	2	2	.	.	1	2	1	3	3	1	.	4	10	.
20	Other Diseases of the Respiratory System.	M. } F. }	8	3 5	.	1	1	1	1	.	1	.	.	2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	3 2	2	1	.	1	.	2	.	.	1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	8	5 3	3	1	1	1	.	2	2	.
23	Appendicitis	... M. } ... F. }	3	1 2	.	.	.	1	1	.	1	.	1	1	.
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	2 4	1	.	.	2	1	.	1	.	1	2	.
26	Other Diseases of the Digestive System.	M. } F. }	13	6 7	.	3	1	.	.	.	1	.	2	3	1	.	2	4	.
27	Nephritis	... M. } ... F. }	25	18 7	.	.	.	3	2	1	2	2	8	3	.	1	5	12	.
28	Puerperal Infection	... F.	1	1	.	.	.	1	1	.	.
29	Other Diseases of Childbirth	... P.	5	5	.	.	.	2	3	4	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	46	30 16	29 16	1	8	.	1	21	4
31	Senility	... M. } ... F. }	61	29 32	9	20	1	.	10	18	5
32	Suicide	... M. } ... F. }	
33	Other Violence	... M. } ... F. }	36	26 10	1 1	1	4	3	5	1	5	2	4	.	2	1	8	15	.
34	Other Causes	... M. } ... F. }	77	45 32	3 3	1 2	3	1	2	3	4	7	16	5	5	3	8	29	4

ABSTRACT V—continued.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES M. F. }	1,000	494 506	40 51	16 11	3 8	15 21	19 12	22 23	35 34	75 73	137 132	132 141	26 33	16 20	110 82	342 371	59 75
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	1	.	.	.	1	.	.	.
2	Cerebro-spinal Fever M. F. }	2	1 1	.	1	1	1 1	.	.
3	Scarlet Fever M. F. }
4	Whooping-cough M. F. }	2	1 1	1	1 1	1
5	Diphtheria M. F. }	3	1 2	.	1 1	1	1 1	1	.
6	Tuberculosis of the Respiratory System. M. F. }	65	27 38	.	.	.	8 12	7 6	3 8	2 6	5 4	1 2	1 13	10 13	4 1	.	13 22	1 1
7	All other forms of Tuberculosis ... M. F. }	12	3 9	.	1 2	2 3	1 1	2 1	.	.	2	.	.	.	1	2 3	6	1
8	Dysentery M. F. }
9	Influenza M. F. }	35	13 22	2 5	2 1	4 5	5 7	1 5	1	.	12 14	2 2
10	Measles M. F. }	4	2 2	.	2 2	1	.	.	1 2	.
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus M. F. }
13	Cancer M. F. }	56	25 31	.	.	.	1	.	1	7	9 6	9 14	6 3	2	1	8 6	17 22	1
 M. F. }	7	3	2	.	1	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	65	30 35	.	.	.	1	.	1	4	4	13 14	7 8	2	2	4	22 25	3 2
16	Diseases of the Heart	... M. } ... F. }	219	121 98	.	.	.	1	1	5	8	33 19	51 41	23 26	3	3	19 8	96 87	1 7
17	Other Diseases of the Circulatory System.	M. } F. }	23	19 4	2	3	10 3	4 1	2	2	12 1	3 2	3 2	2
18	Bronchitis M. } ... F. }	36	13 23	2 1	2	.	.	.	2	1	4 3	4 8	4 9	2	1	3 3	10 17	1
19	Pneumonia M. } ... F. }	45	21 24	7 6	4 2	1	2	1	2	2	3 5	2 3	1 2	1	2	6 5	15 16	.
20	Other Diseases of the Respiratory System.	M. } F. }	12	7 5	2	1	1 3	3	1	1	1	5 4	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	9	9	1	1	4	1	1	1	1	.	3	5	.
22	Diarrhoea and Enteritis	... M. } ... F. }	12	6 6	3 1	3 1	1	5 3	.	1
23	Appendicitis M. } ... F. }	3	2 1	2	.	1	2 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	1	1	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	2 1	.	1	.	.	.	1	1	.	.	.	1	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	16	7 9	.	.	.	1	.	1	2	2 1	2 4	1 1	.	1	4 3	3 4	.
27	Nephritis M. } ... F. }	27	14 13	.	.	.	2	1	1	1	3 5	5 4	1 2	.	1	3 3	10 9	2
28	Puerperal Infection F. }	2	2	1	1	1	1	.
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	1	1	1	1	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	53	20 33	20 33	2 3	.	5 9	13 21	2 4
31	Senility M. } ... F. }	192	90 102	16 24	74 78	.	.	2 2	14 12	74 88	43 52
32	Suicide M. } ... F. }	1	1	1	1	.
33	Other Violence M. } ... F. }	23	18 5	2	2	2	2	.	2	2	4	2	2	1	.	6 4	11 1	.
34	Other Causes	... M. } ... F. }	67	36 31	3 3	1	1	1	4	4	4	6	11 7	1	2	.	13 6	21 22	4 2

ABSTRACT V—continued.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	701	365 336	33 19	7 4	5 6	12 8	12 15	17 20	34 26	47 49	100 100	98 89	26 13	16 7	77 61	246 255	38 44
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	
2	Cerebro-spinal Fever ... M. } ... F. }	1	1	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }	
4	Whooping-cough ... M. } ... F. }	3	1 2	1 2	1	.	.	.	2
5	Diphtheria ... M. } ... F. }	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	42	23 19	.	.	1	4 4	6 8	5 4	5 3	1	1	.	10 7	.	2 2	11 9	.
7	All other forms of Tuberculosis ... M. } ... F. }	9	5 4	.	2	1	1 2	1	.	1	.	1	.	1	.	1 2	4 1	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	11	6 5	2	.	.	1	.	.	1	.	3 3	1	2	.	1	4 3	1
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	.	1	1	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	63	27 36	4	1 7	7 8	13 12	6 5	1	.	8 10	19 25	.
14	Diabetes Mellitus ... M. } ... F. }	5	2 3	1	.	1	1	1	.	.	2 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	56	25 31	5 1	4 8	10 14	6 8	2	1	3 5	19 26	2 1
16	Diseases of the Heart	... M. } ... F. }	211	122 89	.	.	2	1	4 1	5 3	6 4	19 18	47 38	40 23	1	9 1	37 20	75 68	2 5	
17	Other Diseases of the Circulatory System.	M. } F. }	10	6 4	3 1	1 1	2 3	.	.	2	4 4	.	
18	Bronchitis M. } ... F. }	22	9 13	2	1	2	3 8	3 3	.	1	.	9 12	3	
19	Pneumonia M. } ... F. }	26	13 13	2 3	2	1	.	.	2 1	2 2	3 3	2 1	2 2	.	1	3 3	9 10	.	
20	Other Diseases of the Respiratory System.	M. } F. }	9	6 3	1	2	2	1	3	.	.	.	2	4 3	1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	4 2	2	1 1	1 1	.	.	.	3	1 2	.	
22	Diarrhœa and Enteritis	... M. } ... F. }	3	1 2	.	1	1	1	.	.	1 2	.	
23	Appendicitis M. } ... F. }	1	1	1	1	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }		
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	1 2	.	1	1	.	1	.	1	.	.	2	.	
26	Other Diseases of the Digestive System.	M. } F. }	9	4 5	.	1	.	1	1	1	1	1	2	1 1	.	.	3 1	1 4	.	
27	Nephritis M. } ... F. }	15	9 6	.	1	1	.	1	1	1	1	4	1	1	1	1	7 5	1	
28	Puerperal Infection F. }	2	2	.	.	.	1	1	1	1	.	
29	Other Diseases of Childbirth	... F. }	1	1	1	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	31	21 10	21	5 2	.	3 1	13 7	2 4	
31	Senility M. } ... F. }	83	36 47	5 8	31 39	.	.	.	1 5	35 42	17 27	
32	Suicide M. } ... F. }	1	1	1	1	.	
33	Other Violence	... M. } ... F. }	12	7 5	.	1	1	1	4 2	2 1	2	.	2 2	3 3	.	
34	Other Causes	... M. } ... F. }	64	33 31	5 1	1 1	1	2 1	2 2	3 3	5 7	8 7	4 7	2 2	2 1	4 3	4 6	23 21	13 3	

ABSTRACT V—contd.—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries	Else-where.	
	ALL CAUSES ... M. } ... F. }	517	230 237	22 20	2 2	3 3	6 6	16 5	7 13	18 16	38 38	91 67	77 70	16 11	8 12	65 38	191 176	76 80
1	Typhoid Fever (including Para- M. } typhoid). ... F. }
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	1	1	1	1
5	Diphtheria ... M. } ... F. }
6	Tuberculosis of the Respiratory M. } System. ... F. }	24	12 12	.	.	1 4	4 3	.	2	3 2	3 1	1	.	1 1	3	3 7	5 4	2
7	All other forms of Tuberculosis ... M. } ... F. }	2	2	.	.	1	1	1	.	1	.	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	14	10 4	1	1	8 1	2 1	.	.	.	10 4	7 2
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	54	32 22	.	.	1	1	1	4	9 7	14 12	3 1	2	2	.	11 5	19 15	2 1
14	Diabetes Mellitus ... M. } ... F. }	3	2 1	2	1	.	.	.	1 1	1	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	21	9 12	2	1	3	5 3	1 5	.	.	3	6 12	1 4
16	Diseases of the Heart	... M. F. }	101	58 43	.	.	.	2 1	2	1	3	13 10	21 17	21 8	.	4 10	14 8	40 25	4 3
17	Other Diseases of the Circulatory System.	M. F. }	13	9 4	1 1	1	2	7 1	1 1	.	.	3 1	6 3	1
18	Bronchitis M. F. }	21	11 10	1 1	2	2	5 5	3 2	.	.	.	11 10	3 3
19	Pneumonia M. F. }	21	11 10	1 2	1 1	1	.	2 1	1	1	3	1 2	3 2	.	.	3	8 10	2
20	Other Diseases of the Respiratory System.	M. F. }	3	1 2	1	.	1	.	1	.	.	.	1 1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	5 2	.	.	.	2	1	.	1	1	1 1	.	.	1	3	2 1	.
22	Diarrhoea and Enteritis	... M. F. }	9	5 4	3 1	1 1	1	.	2	1	.	5	3	.
23	Appendicitis M. F. }	5	4 1	.	.	1 1	.	1	.	.	1	.	1	.	.	3 1	1	2
24	Cirrhosis of the Liver	... M. F. }	
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	2	.	.	1	1	.	1	.	.	1	.
26	Other Diseases of the Digestive System.	M. F. }	8	5 3	1	.	.	2	.	.	.	1	2 2	.	.	.	1	4 3	.
27	Nephritis M. F. }	18	10 8	1	.	.	.	2	2 3	2 1	2 1	3 1	.	1	.	4	6 7	2 1
28	Puerperal Infection F. }	
29	Other Diseases of Childbirth ...	F. }	6	6	6	1	5	2
30	Congenital Debility, etc. (Nos. 157--161).	M. F. }	30	15 15	15 15	5 5	.	.	2 5	8 5	5 3
31	Senility M. F. }	115	51 64	13 17	38 47	.	.	3 6	48 58	42 52
32	Suicide M. F. }	2	2	1	1	1	1	.	.	.
33	Other Violence M. F. }	3	6 2	.	.	.	3	.	2 1	.	1	.	1	2	.	1 2	3	.
34	Other Causes M. F. }	29	18 11	2	.	2	.	.	1 2	3 6	9 3	1	3 1	.	.	4	11 10	4 7

ABSTRACT V—continued.—Causes of Death in Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	940	469 471	37 42	20 11	10 10	15 26	21 28	31 16	45 36	70 71	129 112	91 119	31 27	24 6	99 87	315 351	37 35
1	Typhoid Fever (including Para-typhoid). M. } ... F. }
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.
4	Whooping-cough ... M. } ... F. }	7	5 2	2 1	3 1	1	.	1	3 2	.
5	Diphtheria ... M. } ... F. }	6	3 3	.	3	1	1	.	.	1	1 2	2 1	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	71	34 37	.	.	1	7 15	8 15	9 3	8 3	1	.	1	3 1	2 1	9 14	20 21	.
7	All other forms of Tuberculosis ... M. } ... F. }	23	14 9	.	2 1	4 2	4 2	1 2	1 2	1	1	.	.	2 2	.	5 3	7 4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	14	11 3	1	1	7 1	2 2	.	2	.	9 3	.
10	Measles ... M. } ... F. }	4	2 2	.	2 1	1	1 2	.
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	103	47 56	2	3 4	7 4	11 20	17 16	9 6	.	12 10	32 40	.
14	Diabetes Mellitus ... M. } ... F. }	8	4 4	.	.	1	.	.	.	1	1	.	1 1	.	2	.	2 4	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	73	31 42	1	.	.	.	4 6	7 9	13 16	6 11	.	3 1	8 5	20 36	2 1
16	Diseases of the Heart	... M. F. }	205	102 103	2	1	2	6 2	9 7	16 21	47 38	24 32	1 2	10 2	21 12	70 87	8 4
17	Other Diseases of the Circulatory System.	M. F. }	9	5 4	1	1 2	2 2	3 2	1	.	1 2	3 2	.
18	Bronchitis M. F. }	29	18 11	1	1	.	.	.	1	1	1	1	6 1	5 3	5 4	.	.	6 1	12 10	2 1
19	Pneumonia M. F. }	27	15 12	3 1	1 1	2 1	1 1	1 3	1 3	5 2	2 2	1	1	2 2	12 9	.
20	Other Diseases of the Respiratory System.	M. F. }	17	10 7	.	1	2 1	2 1	5 3	.	2	1	2 2	5 5	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	2	1 1	1	1	.	.	.	1	.	.	.
22	Diarrhoea and Enteritis	... M. F. }	12	8 4	4 2	3	1 1	.	1	.	.	2	6 4	.
23	Appendicitis M. F. }	3	2 1	.	.	.	1	1	2 1	.	.	.
24	Cirrhosis of the Liver	... M. F. }		
25	Diseases of the Liver and Biliary Passages.	M. F. }	2	1 1	1 1	1	.	1
26	Other Diseases of the Digestive System.	M. F. }	18	9 9	.	3	.	1	1	4 3	3	1	1	.	2 1	6 8	2 1
27	Nephritis M. F. }	30	10 11	.	1	.	1	.	1	1	3 1	5 1	7 6	2 1	.	1	.	4	14 11	.
28	Puerperal Infection F. }	1	1	1	1	.
29	Other Diseases of Childbirth	... F. }	4	4	.	.	.	1	1	2	1	.	1	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	54	23 31	23 31	7 8	.	3 6	13 17	1 1
31	Senility M. F. }	101	40 61	9 13	31 48	.	2 1	7 14	31 46	17 22
32	Suicide M. F. }	4	3 1	2	.	.	1	3 1	.
33	Other Violence	... M. F. }	39	25 14	.	2	3 2	2 1	1 2	8 2	3 2	3 1	3 1	3 2	1 2	1 3	1	.	2 4	22 7	.
34	Other Causes	... M. F. }	73	37 36	4	1 3	3 3	1 1	3 2	3 2	3 2	4 8	8 6	9 9	4 9	4 2	6 2	1	8 8	22 26	5 5

ABSTRACT V—continued.—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	838	470 368	29 30	16 8	8 8	13 9	24 20	17 18	37 39	69 57	145 89	112 90	22 23	18 7	115 78	315 260	48 26
1	Typhoid Fever (including Paratyphoid) ... M. F. }
2	Cerebro-spinal Fever ... M. F. }
3	Scarlet Fever ... M. F. }	2	2	.	1	1	2	.
4	Whooping-cough ... M. F. }	6	2 4	1 2	1 2	1 2	.	.	1 2	.
5	Diphtheria ... M. F. }
6	Tuberculosis of the Respiratory System ... M. F. }	51	25 26	.	.	1	3	8 8	6 4	4 5	2 1	2 1	.	2	1	8 5	16 18	.
7	All other forms of Tuberculosis ... M. F. }	19	10 9	.	5 1	1 3	1	1 1	1	2 1	1 1	.	.	1	.	5 4	4 5	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	11	5 6	2	1	.	.	1	.	1	2	1 2	.	1	.	.	5 5	.
10	Measles ... M. F. }	1	1	.	1	1	.
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	98	53 45	1	1 2	2 7	16 13	24 17	9 6	2 2	1	24 13	26 30	1
14	Diabetes Mellitus ... M. F. }	6	2 4	1 1	.	1	2 1	.	.	.	2 4	.

ABSTRACT V—continued.—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	6-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	838	470 368	29 30	16 8	8 8	13 9	24 20	17 18	37 39	69 57	145 89	112 90	22 23	18 7	115 78	315 260	48 26
1	Typhoid Fever (including Para-typhoid). M. F. }
2	Cerebro-spinal Fever ... M. F. }
3	Scarlet Fever ... M. F. }	2	2	.	1	1	2	.
4	Whooping-cough ... M. F. }	6	2 4	1 2	1 2	1 2	.	.	1 2	.
5	Diphtheria ... M. F. }
6	Tuberculosis of the Respiratory System. M. F. }	51	25 26	.	.	1	3	8	6	4	2	2	.	.	1	8	16	.
7	All other forms of Tuberculosis ... M. F. }	19	10 9	.	5 1	1 3	1	1	1	2	1	.	.	1	.	5	4	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	11	5 6	2	1	1	2	1	5	.
10	Measles ... M. F. }	1	1	.	1	1	.	2	.	1	.	.	5	.
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	98	53 45	1	1	2	16	24	9	2	1	24	26	1
14	Diabetes Mellitus ... M. F. }	6	2 4	1	1	1	2 1	.	.	.	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	77	27 50	1 6	3 7	15 22	8 15	.	.	2	11 17	16 31	1 1
16	Diseases of the Heart	... M. } ... F. }	201	127 74	.	.	1	4	1	2	13 5	25 16	44 20	39 29	4 4	14 3	22 12	87 55	4 1	
17	Other Diseases of the Circulatory System.	M. } F. }	20	14 6	.	1	.	.	.	1	1 1	1 3	4 3	7 1	1	.	1 3	12 3	2	
18	Bronchitis M. } ... F. }	21	10 11	1 1	3 2	6 4	3 3	.	.	5 1	5 10	1 1	
19	Pneumonia M. } ... F. }	21	14 7	6 4	.	1	.	.	.	2 2	.	5 2	1 1	1	.	2 2	11 5	.	
20	Other Diseases of the Respiratory System.	M. } F. }	20	11 9	.	1 1	.	.	1	.	3 3	3 1	1 3	2	1	.	2 2	8 7	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	3 2	1 1	1 1	.	.	1	.	.	.	2 1	1 1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	11	7 4	4 2	1	.	.	.	1	.	.	2	1	2	.	.	6 2	.	
23	Appendicitis M. } ... F. }	2	1 1	1 1	1	.	1	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	3	1	1	1	.	.	.	3	.	
26	Other Diseases of the Digestive System.	M. } F. }	8	3 5	.	2	1	.	.	.	1	2	1	1	1	.	2 2	1 2	1	
27	Nephritis M. } ... F. }	39	25 14	.	.	.	1	.	1 1	3 3	15 5	5 3	1	.	6 2	18 12	.		
28	Puerperal Infection F. }	2	2	1	1	.	.	.	1	.	.	1	.		
29	Other Diseases of Childbirth	... F. }	7	7	.	.	.	4	3	1	.	4	2	.		
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	32	16 16	16 15	.	1	3 4	.	2 5	11 7	3 3	
31	Senility M. } ... F. }	65	39 26	11	28 26	.	.	2 2	37 24	22 13	
32	Suicide M. } ... F. }	3	3	2	.	.	.	1	3	.	
33	Other Violence	... M. } ... F. }	25	18 7	.	2 2	1 1	1	4	5	3	.	1 2	1 2	1 1	.	9 2	8 4	.	
34	Other Causes	... M. } ... F. }	81	49 32	2 2	2 1	3 2	5 1	5	1 1	4 6	10 9	14 8	3 2	5	2 1	11 1	31 30	14 6	

ABSTRACT V—continued.—Causes of Death in Administrative County of OFFALOY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospi-tals,	County Homes and Hcspls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	723	364 359	39 16	12 14	5 5	19 19	9 15	15 18	23 22	58 58	84 100	100 92	21 20	7 8	68 51	268 280	55 55
1	Typhoid Fever (including Para-M. } typhoid). ... F. }	
2	Cerebro-spinal Fever ... M. } ... F. }	
3	Scarlet Fever ... M. } ... F. }	3	2 1	.	.	1 1	1	2 1	.	.
4	Whooping-cough ... M. } ... F. }	2	.	1 2	1	.	.	1	.
5	Diphtheria ... M. } ... F. }	5	1 4	1	2	1	1 4	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	47	17 30	.	.	.	5 11	3 7	3 4	2 6	2	2 2	.	7 10	1 3	3	6 17	1
7	All other forms of Tuberculosis ... M. } ... F. }	11	5 6	.	1 1	.	3 2	.	.	2 1	.	.	.	1	.	2 4	2 2	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	27	14 13	4 1	2	2 1	2	2 4	2 3	4 1	.	1 2	9 10	1 1
10	Measles ... M. } ... F. }	2	.	.	2	2	.
11	Acute Infectious Encephalitis ... M. } ... F. }	3	.	3	.	.	.	1	.	1	1	.	.	.	1	.	2	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	67	35 32	.	.	.	1	1	2	7 1	7 13	11 12	7 5	1 1	.	8 3	26 28	1 2
14	Diabetes Mellitus ... M. } ... F. }	6	1 5	2	1	3	.	.	1	1 4	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	43	13 30	2	3	1	5 15	8 9	.	.	1	2 2	11 27	.	.
16	Diseases of the Heart	... M. } ... F. }	142	81 61	1 1	2 1	4 3	20 13	31 24	19	31 24	19	1 2	2 3	9 3	69 53	8 2	.	
17	Other Diseases of the Circulatory System.	M. } F. }	10	7 3	1	1	.	.	1	2	3 2	.	.	.	2 2	5 1	1	.	
18	Bronchitis	... M. } ... F. }	34	16 18	2	3 3	8 10	3 3	.	.	.	2 2	14 16	1 2	.	
19	Pneumonia	... M. } ... F. }	37	27 10	4 1	3 2	1	.	.	1 1	.	.	8 3	4 2	6 1	.	.	.	3 1	24 9	.	.	
20	Other Diseases of the Respiratory System.	M. } F. }	8	3 5	.	1	1 3	.	1 1	.	.	1	1	2 4	.	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	2 2	1	.	1 1	2 2	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	7	3 4	3 1	2	1	1	.	.	.	2 4	.	.	
23	Appendicitis	... M. } ... F. }	4	4	.	.	1	1	.	.	.	1	1	.	.	1	.	.	2	1	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }		
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	1	1	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	6	6	1	1	1	.	3	1	5	1	.	
27	Nephritis	... M. } ... F. }	14	6 8	1 1	1 2	.	1 4	1 1	2	1 2	1 1	.	.	1 1	4 6	.	.	
28	Puerperal Infection	... F. }	1	1	.	.	.	1	1	.	.	
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	1	.	.	1	.	.	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	30	22 8	22 8	2 1	.	.	6 1	14 6	4 2	.	
31	Senility	... M. } ... F. }	107	53 54	10 10	43 44	.	.	.	12 6	41 48	29 33	.	
32	Suicide	... M. } ... F. }	1	1	.	.	.	1	1	.	.	
33	Other Violence	... M. } ... F. }	23	11 12	.	1 1	.	3 1	.	1 1	2 1	.	3 2	1 4	1 1	1 1	.	.	3 7	7 5	.	.	
34	Other Causes	... M. } ... F. }	76	42 34	4 1	3 4	3 1	7 2	2 2	4 2	1 3	10 11	5 6	3 2	2 1	.	3	.	10 7	27 26	10 10	.	

ABSTRACT V—contd.—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	308	441 367	35 31	9 8	10 11	19 20	17 10	20 21	30 25	71 51	119 89	111 101	24 14	15 17	131 81	271 255	68 65
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	3	1 2	1	1 2	.	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	3	.	2	1	2	.	.	1	.
5	Diphtheria ... M. } ... F. }	3	3	.	1	2
6	Tuberculosis of the Respiratory M. } System. ... F. }	49	29 20	.	.	.	10 9	7 5	4 1	5 3	3 1	.	1	.	1	20 12	9 7	.
7	All other forms of Tuberculosis ... M. } ... F. }	19	12 7	.	1	3	2 1	2 1	1 2	1 1	2 1	.	.	1 1	.	6 3	5 3	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	7	2 5	1	1	1	.	.	.	1	1	.
10	Measles ... M. } ... F. }	1	.	1	1	1	1	1	.	3	.
11	Acute Infectious Enecephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	69	39 30	.	.	1	.	.	.	2	5 7	13 4	14 11	6 6	4	20 6	15 24	2 2

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	49	24 25	1	.	.	4 3	11 8	8 11	1 1	3 2	3 4	17 18	2 5
16	Diseases of the Heart	... M. } ... F. }	192	97 95	.	1	1	.	.	4 2	3 7	19 23	45 34	26 27	.	3 9	32 18	62 68	6 5
17	Other Diseases of the Circulatory System.	M. } F. }	17	10 7	1	2 2	2 2	3 3	.	1 1	5 2	4 4	1 1	
18	Bronchitis M. } ... F. }	26	14 12	.	2	.	.	1 1	2 1	1 1	6 6	4 2	.	.	4	10 12	1 1	
19	Pneumonia M. } ... F. }	23	13 10	2 4	1	.	.	1 1	.	6 1	2 2	1 2	.	2	1 2	10 8	1	
20	Other Diseases of the Respiratory System.	M. } F. }	7	2 5	1	.	1	1 2	1 1	.	.	1	2 4	1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	4	1	1	1	1	.	.	.	1	3	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	14	7 7	3 3	1	1	1	.	.	.	2 1	.	1 2	3	1	1	2 5	.
23	Appendicitis M. } ... F. }	3	3	.	1	1	1	3	.	.	
24	Cirrhosis of the Liver	..M. } ..F. }	4	3 1	.	.	.	1	.	.	1	.	2	.	1	1	1 1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	1 2	.	.	.	1	.	.	.	1	.	1	1	1	1	1	1
26	Other Diseases of the Digestive System.	M. } F. }	17	11 6	1	1	.	.	1	2	2 3	2 2	2 1	1	.	5 1	5 5	1 1	
27	Nephritis M. } ... F. }	29	18 11	.	.	1	2	1 1	4 1	6 1	6 3	2 2	3	1 2	8 4	6 5	.	
28	Puerperal Infection F.	2	2	.	.	1	.	1	1	1	.	
29	Other Diseases of Childbirth	... F.	4	4	3	1	2	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	40	22 18	22 18	2 3	.	2 7	18 8	6 1	
31	Senility M. } ... F. }	110	58 52	11 11	47 41	.	.	1 2	57 50	42 37	
32	Suicide M. } ... F. }	4	3 1	.	.	1	1	.	1	3 1	.	
33	Other Violence M. } ... F. }	20	17 3	.	3	2	3	3 1	.	1	3	1 1	2	.	7 2	8 1	1	
34	Other Causes M. } ... F. }	31	51 30	6 3	3	3	1	2 1	4 2	5 1	6 7	12 4	9 1	6 2	3 1	9 5	33 22	8 8

ABSTRACT V—continued.—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.	
	ALL CAUSES M. } F. }	1,522	776 746	62 42	23 14	16 22	25 40	32 39	22 28	43 67	105 106	234 174	214 214	34 45	15 18	167 123	560 560	83 76
1	Typhoid Fever (including Para-typhoid). M. } F. }
2	Cerebro-spinal Fever M. } F. }	1	1	1	1	.	.
3	Scarlet Fever M. } F. }	2	1 1	.	1	1 1	.	.
4	Whooping-cough M. } F. }
5	Diphtheria M. } F. }	12	7 5	.	3 4	4 3	.	1	.	1	7 4	.	.
6	Tuberculosis of the Respiratory System. M. } F. }	128	56 72	1	1 4	16 28	17 22	13 4	2 5	4 6	3 2	.	18 26	.	2	5 5	31 41	1 2
7	All other forms of Tuberculosis ... M. } F. }	33	16 17	.	4 2	4 5	3 3	1 2	.	2 2	2 2	.	1	.	.	4 6	11 11	.
8	Dysentery M. } F. }	1	1	1	1	.	.	.
9	Influenza M. } F. }	8	3 5	1 1	.	.	.	1	.	2	1 1	.	1 2	.	.	.	2 3	.
10	Measles M. } F. }
11	Acute Infectious Encephalitis ... M. } F. }
12	Typhus M. } F. }
13	Cancer M. } F. }	126	75 51	1 1	1 3	8 11	20 16	35 15	10 5	1 2	.	21 12	53 37	1
14	Diabetes Mellitus M. }	9	5	2	1	1	1	1	.	1	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	93	43 50	1	.	.	4 7	7 12	18 18	14 12	.	3 4	4 5	36 40	9 2
16	Diseases of the Heart	... M. F. }	408	208 200	.	.	.	1 2	4 3	2 6	10 15	30 34	96 75	65 65	2	2	6	34 28	172 164	13 12	
17	Other Diseases of the Circulatory System.	M. F. }	24	11 13	1	.	.	1	.	2	.	4 3	4 2	5 2	1 1	2	.	2	8	.	
18	Bronchitis M. F. }	77	31 46	1 6	1 1	1 3	2 5	15 12	11 19	1	.	.	6 2	25 43	3 2	
19	Pneumonia M. F. }	65	49 16	12 1	7 2	2 2	1	2	.	1 2	9 2	7 2	9 4	3	3	2	14 3	29 11	.	
20	Other Diseases of the Respiratory System.	M. F. }	27	16 11	1	1	.	1	1	3	.	1 2	8 2	4 2	.	.	.	1 3	15 8	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	14	11 3	2	4 1	4 2	1	.	.	.	5 1	6 2	.	
22	Diarrhoea and Enteritis	... M. F. }	21	8 13	5 9	2 2	1 1	1 1	.	.	.	2	8 11	.	
23	Appendicitis M. F. }	4	4	.	.	1	1	.	1	1	.	.	.	1	.	.	2	1	.	
24	Cirrhosis of the Liver	... M. F. }	5	3 2	1	1	1	2 2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	1 2	1	1	1	.	1	.	.	.	1	.	
26	Other Diseases of the Digestive System.	M. F. }	22	8 14	3 1	1 3	2	.	.	1	1	2	2	3	2	1	.	2 5	4 8	.	
27	Nephritis M. F. }	35	21 14	1	.	.	2	1	1	1	3	6	8	4	.	1	4 4	17 9	1	
28	Puerperal Infection F. }		
29	Other Diseases of Childbirth ...	F. }	5	5	.	.	1	1	3	2	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	53	32 21	31 21	1	1 2	.	.	11 9	20 10	4 4	
31	Senility M. F. }	195	90 105	13 24	77 81	1	1	.	20 16	69 87	44 46	
32	Suicide M. F. }	3	3	.	.	.	1	.	1	1	1	3	.	
33	Other Violence M. F. }	30	13 17	1 1	1 1	.	2 3	1 1	3 1	2 1	3 1	2 2	1 6	1	1	.	8 6	5 9	.	
34	Other Causes M. F. }	118	60 58	4 1	2 2	5 4	3 3	1 3	3 4	4 13	14 14	14 8	10 6	3 4	2 2	.	15 7	40 45	7 8	

ABSTRACT V—contd.—Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES ... M. } ... F. }	890	465	49	12	10	18	28	20	36	69	110	113	58	15	83	309	32
			425	27	9	7	23	23	20	34	79	89	114	60	13	54	298	25
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1
2	Cerebro-spinal Fever ... M. } ... F. }	2	1	.	.	1	1	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }
5	Diphtheria ... M. } ... F. }	1
6	Tuberculosis of the Respiratory M. } System. F. }	61	28	.	.	5	12	6	3	2	.	.	.	1	.	.	.	
			33	.	1	11	9	5	3	1	3	.	7	2	6	13	.	
7	All other forms of Tuberculosis ... M. } ... F. }	22	9	.	1	2	5	.	1	1	1	6	6	.
			13	2	.	1	5	5	5	3	5	5	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	14	11	2	1	1	1	.	.	.	1	2	2	2	.	.	9	.
			3	.	.	.	1	.	.	.	1	1	1	.	.	.	3	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	87	47	.	.	.	2	3	4	9	18	11	6	.	6	35	.	
			40	.	.	1	.	2	9	12	12	4	8	1	6	25	.	
14	Diabetes Mellitus ... M. } ... F. }	6	2	2	1	1	.	1	1	1	.
			4	.	.	1	.	1	.	.	1	1	2	.	1	1	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	83	40 43	.	.	1	.	1	1	3	11	12	11	1	.	7	32	1
16	Diseases of the Heart	... M. } ... F. }	201	103 98	.	.	1	.	1	8	23	37	33	3	9	.	16	75	3
						1	1	.	3	6	22	30	35	5	7	.	11	75	2
17	Other Diseases of the Circulatory System.	M. } F. }	10	5 5	1	1	2	2	1	.	.	1	4	.
						1	2	2	2	2	.	.	1	5	.
18	Bronchitis M. } ... F. }	31	16 15	1	2	.	.	1	1	2	1	4	4	1	1	4	11	3
						1	.	.	2	1	2	6	3	3	.	1	3	11	1
19	Pneumonia M. } ... F. }	51	27 24	5	3	1	.	1	1	5	3	7	4	.	4	4	19	.
						3	1	1	.	3	4	3	4	.	2	1	1	21	1
20	Other Diseases of the Respiratory System.	M. } F. }	28	11 17	1	.	.	.	1	.	.	.	6	1	.	1	9	9	1
						1	.	1	.	2	3	3	7	.	.	.	17	17	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	12	9 3	1	.	2	3	2	1	.	3	4	2	.
						3	3	3	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	7	4 3	4	3	1	.	.	3	.
						3	1	.	.	2	.
23	Appendicitis	... M. } ... F. }	6	4 2	2	1	1	.	.	2	.	2	.	.
						1	2
24	Cirrhosis of the Liver	... M. } ... F. }	
					
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	1	.	.	.	1	1	.	1	.	.
					
26	Other Diseases of the Digestive System.	M. } F. }	13	5 8	1	1	2	1	1	.	4	2	3	.
						1	.	.	2	.	2	1	1	.	1	.	3	3	.
27	Nephritis M. } ... F. }	24	17 7	1	2	1	.	6	7	1	.	8	8	1
						1	3	3	.	2	.	1	4	4	.
28	Puerperal Infection	... F.	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F.	6	6	5	1	4	.	2	.	.
30	Congenital Debility etc. (Nos. 157-161).	M. } F. }	42	27 15	27	15	6	.	3	18	5
						15	4	.	4	11	2
31	Senility M. } ... F. }	70	28 42	6	22	1	.	3	24	9	.
						7	35	.	6	36	16	.	.
32	Suicide M. } ... F. }	4	4	1	.	1	.	2	.	.	.	4	.	.
					
33	Other Violence	... M. } ... F. }	24	15 9	.	1	1	2	3	2	2	1	2	1	5	.	4	6	.
						1	.	2	.	2	1	2	1	.	.	2	7	.	.
34	Other Causes	... M. } ... F. }	81	51 30	9	4	3	4	3	2	5	7	8	6	13	1	11	26	9
						3	2	.	3	5	1	8	7	4	6	2	3	19	3

ABSTRACT V—contd.—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	13,038	6,899 6,338	604 516	165 146	124 113	256 253	273 292	311 326	500 485	997 897	1,866 1,619	1,603 1,692	686 549	183 221	1,583 1,192	4,247 4,377	832 922
1	Typhoid Fever (including Para-typhoid). M. F. }	10	8 2	.	.	2	1	3 1	1	1	2	6 2	.	.
2	Cerebro-spinal Fever ... M. F. }	4	3 1	1 1	1	.	1	.	1	1 1	.
3	Scarlet Fever ... M. F. }	13	8 5	.	5 1	1 3	.	1 1	1	5 3	3 2	.
4	Whooping-cough ... M. F. }	32	18 14	13 9	5 5	1 1	.	.	17 12	1 3
5	Diphtheria ... M. F. }	44	21 23	.	5 6	13 13	1 1	1	.	1 1	.	.	.	3 2	.	15 15	3 6	.
6	Tuberculosis of the Respiratory System. M. F. }	879	457 422	2 1	1 3	4 4	113 122	111 125	85 69	70 48	49 34	19 15	3 1	137 126	32 42	104 76	184 178	6 10
7	All other forms of Tuberculosis ... M. F. }	231	110 121	5 8	16 18	14 26	28 25	15 13	15 10	5 15	8 4	4 2	.	20 32	9 7	47 40	34 42	.
8	Dysentery ... M. F. }	1	1	1	.	.	.	1	.	.	.
9	Influenza ... M. F. }	225	121 104	6 10	5 3	1	1 2	5 1	8 4	5 8	19 11	43 41	29 23	5 7	3 4	16 5	97 88	19 12
10	Measles ... M. F. }	30	16 14	8 5	8 7	1	1	9 5	7 7	.
11	Acute Infectious Encephalitis ... M. F. }	7	4 3	.	.	.	2	.	1	2	1	.	.	.	1	2 2	1 1	.
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	1,228	655 573	.	2 2	3 1	3 3	8 9	21 44	82 95	189 163	245 188	102 68	115 83	4 10	174 126	362 354	9 6
14	Diabetes Mellitus ... M. F. }	115	63 52	.	.	3	7 1	3 3	3 1	7 5	14 15	16 23	10 4	2 8	1	18 11	42 33	2 2

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	798	339 459	.	.	1	.	4	4	24	78	136	92	20	6	77	236	30
									4	4	44	104	174	119	18	12	91	338	33
16	Diseases of the Heart	... M. F. }	2,395	1,464 1,431	.	1	5	17	16	42	100	288	627	368	54	54	408	948	79
						3	12	16	29	51	104	265	544	407	50	59	323	999	83
17	Other Diseases of the Circulatory System.	M. F. }	168	90 78	.	.	2	.	.	3	3	16	42	24	11	3	18	58	3
										1	5	14	36	22	2	1	7	68	7
18	Bronchitis M. F. }	583	303 280	40	5	.	3	7	27	44	103	74	16	3	53	231	31	
					19	4	1	3	4	11	16	32	113	77	10	1	36	233	25
19	Pneumonia M. F. }	519	276 243	65	38	6	6	9	11	18	32	53	38	14	3	49	210	7
					47	30	6	8	11	13	20	29	48	31	13	6	27	197	15
20	Other Diseases of the Respiratory System.	M. F. }	201	119 82	5	2	3	4	9	10	8	26	34	18	10	3	33	73	6
					2	2	3	3	3	2	10	15	24	18	4		8	70	4
21	Ulcer of the Stomach or Duodenum.	M. F. }	134	110 24	.	1	.	5	14	14	20	21	28	7	33	.	32	45	2
										3	5	7	8	1	2	1	6	15	2
22	Diarrhoea and Enteritis	... M. F. }	266	133 133	107	13	3	2	.	.	3	1	4	.	14	.	36	83	2
					95	16	2	3	.	2	.	6	7	2	13	1	33	86	6
23	Appendicitis M. F. }	59	36 23	3	4	5	7	6	2	3	2	3	1	16	.	15	5	.
						1	5	5	2	2	.	5	2	1	11	.	11	1	.
24	Cirrhosis of the Liver	... M. F. }	16	12 4	1	.	4	4	3	.	.	3	9	.
										1	.	2	1	1	.	.	3	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	59	26 33	.	.	1	1	.	1	3	5	11	4	8	.	8	10	1
										1	6	8	10	8	5	.	8	20	.
26	Other Diseases of the Digestive System.	M. F. }	208	115 93	10	4	3	8	8	5	9	21	33	14	20	.	37	58	9
					14	1	6	3	2	6	4	18	19	20	7	.	26	60	5
27	Nephritis M. F. }	364	192 172	.	1	2	1	6	13	20	42	72	35	21	5	42	124	2
					1	3	2	7	8	14	29	46	43	19	16	4	36	116	4
28	Puerperal Infection F. }	26	26	18	8	3	.	12	11	.
29	Other Diseases of Childbirth F. }	56	56	.	.	.	3	27	24	2	.	.	.	16	.	22	18	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	536	285 251	273	7	2	2	.	1	39	.	80	166	37
					248	.	3	39	.	60	152	46
31	Senility M. F. }	1,892	866 1,026	191	675	7	18	81	760	499
													210	816	8	34	68	916	580
32	Suicide M. F. }	27	20 7	.	.	.	2	2	5	5	3	4	1	1	.	1	18	.
								2		2	1	1	1	1	1	.	5	.	.
33	Other Violence M. F. }	283	192 91	5	14	14	23	21	23	24	25	22	21	22	1	55	114	1
					9	12	6	8	1	6	1	13	15	20	8	.	30	53	1
34	Other Causes M. F. }	1,129	637 492	61	27	37	26	28	34	60	109	171	84	96	35	158	348	86
					48	28	18	35	28	36	66	103	96	34	62	37	99	294	78

ABSTRACT V—continued.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	1,158	616 542	33 30	13 4	11 3	31 26	25 25	17 29	38 30	69 72	199 155	180 168	33 28	21 18	138 93	424 403	113 128
1	Typhoid Fever (including Para-typhoid). M. F. }	2	2	.	.	.	1	.	1	2	.	.
2	Cerebro-spinal Fever ... M. F. }
3	Scarlet Fever ... M. F. }
4	Whooping-cough ... M. F. }
5	Diphtheria ... M. F. }	3	2 1	.	2 1	2 1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	74	39 35	.	.	18 12	7 11	4 6	4 2	4 2	2 2	.	.	12 13	.	9 5	18 17	2 2
7	All other forms of Tuberculosis ... M. F. }	14	9 5	.	2 1	1 1	4 1	1 .	1 2	.	1 1	.	.	1 1	1 .	5 2	2 2	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	24	10 14	2 3	.	.	1	2 7	6 3	1 3	.	.	9 10	6 3
10	Measles ... M. F. }
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	103	57 46	.	.	.	1	1	2 4	8 6	14 9	19 20	14 5	3 1	.	16 15	38 30	1
14	Diabetes Mellitus ... M. F. }	9	7 2	.	.	1	1	1	.	.	2	1 2	1 .	1 .	.	1	5 2	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	70	37	1	2	7	15	12	.	.	11	26	5
				33	2	7	12	10	.	.	5	28	6	
16	Diseases of the Heart	... M. F. }	205	122	2	2	11	23	54	30	2	9	27	84	9
				33	.	1	.	2	3	2	5	20	31	19	1	1	16	65	8
17	Other Diseases of the Circulatory System.	M. F. }	10	2	1	.	.	1	.	.	.	2	.
				8	2	.	1	.	7	2
18	Bronchitis M. F. }	67	37	2	1	3	5	15	11	.	.	3	34	7
				30	1	1	1	3	10	14	1	.	3	26	6
19	Pneumonia M. F. }	44	28	3	4	1	2	6	2	.	2	4	4	1	.	6	21	.
				16	4	1	.	.	2	.	1	3	2	3	.	1	15	15	4
20	Other Diseases of the Respiratory System.	M. F. }	17	10	1	1	1	1	.	1	.	.	3	2	.	.	3	7	.
				7	2	.	.	4	1	.	.	1	6	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	4	4	4	.	1	.	1	2	.
22	Diarrhœa and Enteritis	... M. F. }	8	3	2	1	.	.	.	2	1	.
				5	2	1	1	.	1	2	2	.
23	Appendicitis	... M. F. }	4	1	1	1	.	.
				3	.	.	.	1	.	1	1	.	2	.	.
24	Cirrhosis of the Liver	... M. F. }	4	2	1	.	1	.	.	1	2	.
				2	1	.	1	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	2	1	2	.	1	.	1	.	.
				2	1	1	.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. F. }	21	10	.	.	1	.	.	1	1	4	4	4	2	.	2	8	1
				11	1	.	.	1	.	1	.	4	1	3	1	.	2	8	.
27	Nephritis	... M. F. }	39	22	.	.	.	2	.	2	6	9	9	3	.	1	5	16	1
				17	1	5	9	9	2	.	.	1	16	2
28	Puerperal Infection	... F. }	3	3	.	.	.	2	1	2	1	.
29	Other Diseases of Childbirth	... F. }	8	8	.	.	.	1	2	5	1	.	2	5	.
30	Congenital Debility etc. (Nos. 157-161).	M. F. }	31	15	14	1	2	13	2
				16	16	2	.	1	13	4
31	Senility	... M. F. }	251	115	34	81	.	5	23	87	68
				136	33	103	.	3	16	117	84
32	Suicide	... M. F. }	1	1	1	1	.
33	Other Violence	... M. F. }	19	12	1	2	1	2	1	.	.	1	3	1	3	.	1	8	1
				7	1	.	1	1	1	.	1	2	1	.	.	.	1	7	.
34	Other Causes	... M. F. }	119	67	8	3	4	1	4	2	6	3	27	9	5	.	17	40	10
				52	3	2	.	5	3	6	7	15	11	.	3	11	14	24	7

ABSTRACT V—continued.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,792	1,948 1,844	154 122	43 40	33 30	70 74	66 77	77 87	145 139	310 261	568 480	482 534	257 199	55 63	420 319	1,216 1,263	225 282
1	Typhoid Fever (including Para-M. } typhoid). F. }	
2	Cerebro-spinal Fever ... M. } ... F. }	1	1	.	1
3	Scarlet Fever ... M. } ... F. }	6	4 2	.	3 1	.	.	.	1	2 1	2 1	1
4	Whooping-cough ... M. } ... F. }	14	7 7	7 6	1	1 1	.	1	6 5	2
5	Diphtheria ... M. } ... F. }	16	8 8	.	2 4	5 4	1	1	.	1 1	.	.	.	2 1	.	6 6	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	227	106 121	.	1	.	25 33	30 33	20 18	16 17	7 13	7 5	1	44 44	13 17	14 13	35 47	2 4
7	All other forms of Tuberculosis ... M. } ... F. }	58	28 30	.	2 6	3 5	9 9	4 4	5 4	3 2	3 1	1	.	6 9	.	15 15	7 4	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	49	27 22	.	1	.	.	2	3	1 2	5 4	10 8	6 7	1	.	.	26 22	2 2
10	Measles ... M. } ... F. }	6	3 3	2	1 2	.	1	3 1	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	367	205 162	.	1 1	.	1 1	3 1	7 12	23 27	70 48	73 53	27 19	46 31	2 3	51 33	106 95	1 3
14	Diabetes Mellitus ... M. } ... F. }	33	17 16	.	.	.	2 1	.	2 1	3 1	4 5	3 6	3 1	1 4	1 1	4 3	11 9	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	215	98 117	.	.	1	.	.	1	5	21	50	20	7	3	21	67	6
16	Diseases of the Heart	... M. F. }	908	462 446	.	1	1	8	9	10	33	88	196	126	19	20	115	308	21
17	Other Diseases of the Circulatory System.	M. F. }	44	23 21	2	1	2	10	9	6	.	7	10	1
18	Bronchitis M. F. }	161	79 82	13 5	1	1	1	1	4	6	8	28	7	1	1	16	55	8
19	Pneumonia M. F. }	145	70 75	19 14	8	1	1	2	2	6	8	18	7	2	1	15	52	2
20	Other Diseases of the Respiratory System.	M. F. }	78	49 29	1	1	2	2	3	2	5	8	16	11	4	2	10	33	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	40	33 7	.	.	.	1	4	3	8	7	7	3	12	.	6	15	1
22	Diarrhoea and Enteritis	... M. F. }	61	31 30	23 16	6	6	1	.	1	.	1	.	.	5	.	10	16	.
23	Appendicitis	... M. F. }	22	17 5	2	2	2	3	4	.	.	2	2	.	9	.	7	1	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	1	.	.	1	.	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	20	9 11	.	.	.	1	.	1	2	3	1	1	4	.	1	4	.
26	Other Diseases of the Digestive System.	M. F. }	59	38 21	1 7	2	2	3	1	2	1	10	16	2	12	.	10	16	1
27	Nephritis M. F. }	96	51 45	.	1	.	3	2	2	5	5	19	13	8	1	9	33	.
28	Puerperal Infection F. }	12	12	9	3	1	.	6	5	.
29	Other Diseases of Childbirth	... F. }	7	7	3	2	2	.	.	.	3	.	2	2	.
30	Congenital Debility, etc. (Nos. 157—161).	M. F. }	139	77 62	74 61	2	1	1	17	.	26	34	8
31	Senility M. F. }	600	260 340	57	203	4	1	11	244	145
32	Suicide M. F. }	9	7 2	.	.	.	1	2	1	1	1	1	1	1	.	7	1	.
33	Other Violence	... M. F. }	77	55 22	1 3	5 4	5 3	5 3	6	6	9	9	5	4	5	.	18	32	1
34	Other Causes	... M. F. }	320	133 137	11 8	8 6	13 6	6 10	6 8	6 14	19 16	45 30	47 29	22 10	35 26	10 6	43 31	95 74	26 24

ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. F. }	1,172	566 606	82 71	29 21	10 16	23 24	21 32	36 48	55 60	118 88	115 137	77 109	133 123	13 20	171 148	249 315	3 5	
1	Typhoid Fever (including Para-typhoid). M. F. }																		
2	Cerebro-spinal Fever ... M. F. }	1	1	1												1			
3	Scarlet Fever ... M. F. }	1	1		1												1		
4	Whooping-cough ... M. F. }																		
5	Diphtheria ... M. F. }	6	3 3		2 3	1								1 1		1 1	1 1		
6	Tuberculosis of the Respiratory System. M. F. }	97	48 49	1			12 15	9 13	9 12	9 4	9 2	2		27 27	2 4	8 2	11 16		
7	All other forms of Tuberculosis ... M. F. }	33	15 18		6 2	3 4	1 2	2 1		2 2	1 2			7 9	1 2	5 3	2 4		
8	Dysentery ... M. F. }																		
9	Influenza ... M. F. }	8	5 3						1	1	1		2 3		1			4 3	
10	Measles ... M. F. }	21	11 10	4 4	7 5		1									6 4	5 4		
11	Acute Infectious Encephalitis... M. F. }	2	1 1						1	1				2		1	1		
12	Typhus ... M. F. }																		
13	Cancer ... M. F. }	114	54 60		1		1	2 2		10 12	20 18	14 18	6 7	23 26		15 11	16 22		
14	Diabetes Mellitus ... M. F. }	1	1					1											

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	55	20 35	3	4	7	7	5	4	.	3	13	.	
16	Diseases of the Heart	... M. } ... F. }	292	133 159	.	.	1	1	6	8	37	10	27	53	27	8	5	53	67	1	
17	Other Diseases of the Circulatory System.	M. } F. }	17	12 5	.	.	1	.	.	.	1	2	3	4	3	2	.	3	7	.	
18	Bronchitis M. } ... F. }	67	35 32	3	1	.	1	1	7	8	3	8	9	6	4	.	12	19	.	
19	Pneumonia M. } ... F. }	53	27 26	10	5	1	1	2	1	5	4	1	1	3	3	2	5	16	.	
20	Other Diseases of the Respiratory System.	M. } F. }	26	10 16	.	1	1	2	3	1	2	2	3	4	1	3	.	4	3	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	13	13	.	.	1	.	3	4	2	3	.	.	.	3	.	5	5	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	55	24 31	19	3	.	.	.	2	3	.	12	9	.	
23	Appendicitis M. } ... F. }	5	4 1	.	.	1	1	.	1	.	1	.	.	.	1	.	1	2	.	
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	7	2 5	1	2	1	1	.	1	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	21	11 10	3	.	1	.	.	1	1	4	1	1	3	.	4	4	7	.	
27	Nephritis M. } ... F. }	28	16 12	.	1	1	1	3	7	4	1	3	3	3	3	.	5	8	.	
28	Puerperal Infection F.	1	1	.	.	.	1	1	
29	Other Diseases of Childbirth	... F.	7	7	.	.	.	4	3	4	.	3	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	54	32 22	31	1	9	.	11	12	9	.	
31	Senility M. } ... F. }	53	20 33	5	15	2	.	1	17	1	.	
32	Suicide M. } ... F. }	2	1 1	1	1	1	.	.	1	.	
33	Other Violence	... M. } ... F. }	23	15 8	.	1	4	1	4	1	3	1	3	1	3	.	1	7	4	.	
34	Other Causes	... M. } ... F. }	109	53 36	11	3	1	2	6	3	15	9	3	18	2	13	2	13	20	2	

ABSTRACT V—continued.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	1,776	941 835	62 58	15 20	26 12	41 36	51 39	62 36	53 61	127 110	272 206	232 257	81 68	29 28	187 124	644 615	234 232
1	Typhoid Fever (including Para-typhoid). M. F. }	4	3 1	2 1	.	1	2	1 1	.	.
2	Cerebro-spinal Fever ... M. F. }	1	1	1	.	1
3	Scarlet Fever ... M. F. }	2	1 1	.	.	1 1	1	1	.
4	Whooping-cough ... M. F. }	4	1 3	.	1 1	1 3	1
5	Diphtheria ... M. F. }	8	7 1	.	3 4	1 1	5 1	2	.
6	Tuberculosis of the Respiratory System. M. F. }	140	80 60	1 2	.	1 24	19 14	17 6	10 7	9 4	3 2	.	1	36 33	6 7	5 4	33 16	3
7	All other forms of Tuberculosis ... M. F. }	24	13 11	1 1	1	3 1	2 4	1 2	3 1	2 2	.	.	.	2 1	2	3 5	6 5	.
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	32	19 13	1	3	1	3	12 7	1 2	.	1	2	16 12	10 5
10	Measles ... M. F. }	3	2 1	2 1	2 1	.
11	Acute Infectious Encephalitis ... M. F. }	2	2	1	.	1	1	1	.
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	169	89 80	1 1	3 5	13 14	17 18	37 31	18 11	7 6	.	21 20	61 53	4 2
14	Diabetes Mellitus ... M. F. }	17	10 7	.	.	.	3	.	1	.	2 1	2 3	2 3	.	.	2 2	8 5	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	102	42 60	1 1	.	2 2	4 9	6 13	19 20	12 15	1 2	2 4	7 12	32 42	9 5
16	Diseases of the Heart	... M. } ... F. }	354	183 171	.	1	2	3 2	3 6	10 8	6 9	6 9	42 32	84 62	33 31	6 9	6 5	56 38	115 119	25 35
17	Other Diseases of the Circulatory System.	M. } F. }	23	13 10	2 4	7 3	4 3	.	.	1 .	4 10	8 10	3 5
18	Bronchitis M. } ... F. }	56	26 30	3 2	1	.	.	1 .	1 .	2 2	3 4	9 16	8 4	2 2	.	.	3 1	21 27	5 4
19	Pneumonia M. } ... F. }	87	44 43	10 8	3 7	1 2	.	3 2	1 .	2 2	3 5	15 8	6 7	2 4	.	1 .	9 2	33 36	3 7
20	Other Diseases of the Respiratory System.	M. } F. }	18	13 5	1 1	.	.	.	2 .	1 .	1 .	4 .	4 .	4	3 5	10 5	2 .
21	Ulcer of the Stomach or Duodenum.	M. } F. }	14	11 3	5 .	1 .	.	2 .	3 1	.	.	3 .	.	4 3	4 3	1 .
22	Diarrhoea and Enteritis	... M. } ... F. }	12	9 3	7 2	1	1	.	.	1	2 .	.	3 1	4 2	2 .
23	Appendicitis	... M. } ... F. }	12	7 5	1 .	.	1 3	2 1	.	2	1 .	2 3	.	.	4 2	1 .	2 .
24	Cirrhosis of the Liver	... M. } ... F. }	3	3	1 .	.	1 .	1	3 .	2 .
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	2 4	1 .	.	1 2	1 1	.	.	.	2 2	2 .	1 .
26	Other Diseases of the Digestive System.	M. } F. }	41	22 19	2 .	1	1	.	4 .	1 .	3 .	6 3	2 4	3 9	1 1	.	.	7 5	14 13	5 4
27	Nephritis M. } ... F. }	52	30 22	.	.	1	.	2 2	1 2	2 4	11 6	9 6	4 2	2 1	.	.	9 3	19 18	1 1
28	Puerperal Infection F. }	1	1	1	1 .	2 .
29	Other Diseases of Childbirth F. }	8	8	6 .	2	1 .	.	4 .	3 .	2 .
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	60	28 32	27 32	.	1	3 1	.	7 9	18 22	10 10
31	Senility M. } ... F. }	323	160 163	35 25	125 138	.	.	2 2	2 2	156 159	132 138
32	Suicide M. } ... F. }	6	4 2	1 1	.	1 .	3	1 .	.	4 1	2 .
33	Other Violence M. } ... F. }	34	23 11	.	1 2	.	5 .	4 .	3 1	1 .	2 3	4 .	3 4	.	1 .	.	7 2	16 8	2 .
34	Other Causes M. } ... F. }	158	93 65	7 7	4 6	9 2	6 3	4 3	12 5	8 6	11 12	21 16	11 5	11 3	7 6	22 7	53 49	25 21	

ABSTRACT V—contd.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	1,307	678 629	58 61	14 12	10 14	16 28	28 26	37 25	51 43	97 90	178 171	189 159	42 32	25 28	134 100	477 469	87 104
1	Typhoid Fever (including Para-typhoid). M. F. }																	
2	Cerebro-spinal Fever ... M. F. }																	
3	Scarlet Fever ... M. F. }																	
4	Whooping-cough ... M. F. }	1	1	1													1	
5	Diphtheria ... M. F. }	3	3		2	1										3		
6	Tuberculosis of the Respiratory System. M. F. }	75	45 30		1	5 10	10 9	14 5	4 3	9 3	2			2	7 6	7 10	29 14	1
7	All other forms of Tuberculosis ... M. F. }	29	16 13	1 1	1 4	2 1	4 1	3 1	3 1	2 1	1 2			1 1	2 1	8 3	5 8	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	39	23 16		1 2			1 1	2 1	3 1	8 6		8 4			5	18 15	1 1
10	Measles ... M. F. }																	
11	Acute Infectious Encephalitis ... M. F. }	1	1			1										1		
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	110	61 49		1			1 1	8 7	16 18	23 16	12 7	9 7	9 3		10 5	42 40	3
14	Diabetes Mellitus ... M. F. }	16	8 8				1		2	1	3	1 2	1 2			4 3	4 5	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	87	37	5	18	7	19	2	1	7	27	3
				50	1	4	11	24	10	1	3	10	36	2
16	Diseases of the Heart	... M. F. }	264	138	.	.	1	3	3	11	21	51	48	6	4	28	100	8	
				126	.	2	4	5	4	9	20	56	26	4	5	20	97	9	
17	Other Diseases of the Circulatory System.	M. F. }	35	19	.	1	.	.	1	1	1	4	9	3	2	3	14	1	
				16	.	.	.	1	.	1	5	6	3	3	2	2	13	.	
18	Bronchitis	... M. F. }	51	27	3	.	.	.	1	.	2	4	11	6	.	1	2	24	5
				24	2	1	2	10	9	2	.	1	21	4	
19	Pneumonia	... M. F. }	51	26	4	3	.	.	.	2	2	3	8	4	1	.	4	21	1
				25	4	3	.	4	.	2	3	1	5	3	.	.	4	21	.
20	Other Diseases of the Respiratory System.	M. F. }	19	8	1	.	.	.	1	.	.	1	3	2	.	.	3	5	1
				11	.	1	.	.	.	1	2	2	4	1	.	.	1	10	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	23	20	.	1	.	3	2	5	1	2	5	1	5	.	8	7	.
				3	1	1	.	2	2	.	.	.	1	2	.
22	Diarrhoea and Enteritis	... M. F. }	24	11	10	1	11	1
				13	12	.	1	1	.	1	11	3
23	Appendicitis	... M. F. }	4	2	.	.	1	.	.	.	1	.	.	.	1	.	1	.	.
				2	.	.	1	1	.	.	2
24	Cirrhosis of the Liver	... M. F. }	2	1	1	1	.	.
				1	1	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	7	3	3	2	1	3
				4	1	.	3	.	.	.	1	3	.
26	Other Diseases of the Digestive System.	M. F. }	20	12	1	.	1	1	1	1	1	3	3	.	.	.	5	7	.
				8	.	1	.	1	1	2	2	1	1	1	.	3	4	1	.
27	Nephritis	... M. F. }	47	27	.	.	1	.	2	2	5	11	6	3	2	.	4	18	.
				20	.	.	1	1	2	5	6	3	2	3	.	5	12	.	
28	Puerperal Infection	... F. }	4	4	.	.	.	3	1	1	.	.	3	.	.
29	Other Diseases of Childbirth	... F. }	6	6	.	.	.	3	3	2	.	.	4	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	69	36	34	1	1	1	.	.	6	29	8
				33	32	.	1	3	1	2	28	14	.
31	Senility	... M. F. }	170	70	8	62	1	5	2	62	47	
				100	18	82	.	11	2	87	60	
32	Suicide	... M. F. }	2	2	1	1	2	.	.
33	Other Violence	... M. F. }	33	21	.	3	1	3	1	4	2	4	3	1	.	5	15	.	
				12	2	2	1	1	.	2	2	2	2	1	.	5	6	.	
34	Other Causes	... M. F. }	115	64	3	3	2	3	2	2	4	9	18	18	7	3	19	35	8
				51	7	2	2	5	2	1	5	13	10	4	5	1	13	32	6

ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitais.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	613	301 312	36 33	14 13	8 10	20 12	20 22	26 23	31 21	44 53	60 74	42 51	41 29	4 10	105 98	151 175	9 5
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	3	2 1	.	.	1	.	1	.	1	2 1	.	.
2	Cerebro-spinal Fever ... M. } ... F. }	
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.	.
4	Whooping-cough ... M. } ... F. }	2	1 1	.	1 1	1 1	1
5	Diphtheria ... M. } ... F. }	3	3	.	2	1
6	Tuberculosis of the Respiratory M. } System. ... F. }	68	35 33	.	.	.	7 6	10 13	7 5	5 3	3 5	3 1	.	1	.	28 18	6 12	.
7	All other forms of Tuberculosis ... M. } ... F. }	16	7 9	.	2 3	1 2	2 1	1	1	1	.	1	.	1 5	.	3 2	3 2	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	9	5 4	.	1	.	1	1 1	1	.	2	1	1	1	.	2 2	2 1	.
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	49	32 17	.	.	1	.	1	2 4	4 4	10 4	9 2	6 2	6 4	.	13 6	13 7	.
14	Diabetes Mellitus ... M. } ... F. }	4	4	1	.	1	1	1	.	2	.	2	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	21	8 13	1	.	1	3	2	1	3	.	2	3	.
16	Diseases of the Heart	... M. } ... F. }	156	69 87	.	.	2 3	.	1	3	10	13 20	24 33	16 20	5	2 2	28 38	34 43	.
17	Other Diseases of the Circulatory System.	M. } F. }	6	4 2	1	2 2	1	1	.	1	2 2	.
18	Bronchitis	... M. } ... F. }	35	21 14	5 1	3	.	2	2	1	4	2	2 10	2	1	1	3	16 14	.
19	Pneumonia	... M. } ... F. }	26	13 13	2 1	3	.	.	1	1	.	1	4 3	3	1	.	2 1	11 12	.
20	Other Diseases of the Respiratory System.	M. } F. }	8	6 2	1	.	.	1	.	1	1	1	1	.	2	.	2	2 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	6 4	3	1	.	.	2	3	.	1	2 3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	23	7 16	6 14	3	.	1	1	.	.	6 15	1
23	Appendicitis	... M. } ... F. }	4	2 2	.	1	.	.	.	1	.	2	.	.	2
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	2	2	.
26	Other Diseases of the Digestive System.	M. } F. }	10	6 4	1 2	.	1	1	2	1	.	1	.	.	1	.	3	2 3	.
27	Nephritis	... M. } ... F. }	15	10 5	.	1	.	1	.	2	2	2	3 1	1	3	.	1 3	6 2	.
28	Puerperal Infection	... F.	
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	2	1	1	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	27	16 11	15 11	.	.	1	3	.	2 2	11 9	2 1
31	Senility	... M. } ... F. }	40	12 28	4 7	8 21	.	1 4	2 5	9 19	4 3
32	Suicide	... M. } ... F. }	
33	Other Violence	... M. } ... F. }	25	16 9	.	1	2 1	3 1	1	5	.	1	1	2 3	1	.	2 3	13 4	.
34	Other Causes	... M. } ... F. }	47	22 25	6 6	1 2	2 1	3 2	1 3	1 2	2 2	2 3	4 3	.	6 4	.	7 6	9 15	2

ABSTRACT V—continued.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	800	418 382	33 30	5 8	7 7	8 13	19 18	12 13	29 34	51 54	139 110	115 95	37 23	11 3	102 82	268 274	71 65
1	Typhoid Fever (including Para- M. } typhoid). F. }	
2	Cerebro-spinal Fever ... M. } ... F. }	1	1	.	1	1	.
3	Scarlet Fever ... M. } ... F. }	1	1	1	1	.	.
4	Whooping-cough ... M. } ... F. }	
5	Diphtheria ... M. } ... F. }	2	2	.	1	1
6	Tuberculosis of the Respiratory M. } System. F. }	50	27 23	1	.	1 1	4 5	8 9	4 1	4 4	4 2	1	1	11 8	.	4 2	12 12	1
7	All other forms of Tuberculosis ... M. } ... F. }	11	6 5	.	2	1 1	2 1	1	1	1 1	2	4 2	2	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	13	8 5	2 1	.	.	1	.	.	.	1	3 1	2	2 1	1	.	5 4	1
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	2	1 1	.	.	.	1	.	.	1	1	.	.	.
12	Typhus ... M. } ... F. }		1	.	.
13	Cancer ... M. } ... F. }	64	38 26	.	1	1	.	1	.	3	4 3	12 8	17 8	4 2	5 2	16 7	17 17	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	70	27 43	1 2	.	3 4	1 8	14 12	8 16	1 1	.	.	7 10	19 32	5 5
16	Diseases of the Heart	M. } F. }	142	76 66	.	.	1	.	1	1 3	.	2 8	13 13	49 31	9 9	2 1	.	2	13 15	59 50	8 4
17	Other Diseases of the Circulatory System.	M. } F. }	4	1 3	1 2	1	1 3	1
18	Bronchitis ...	M. } F. }	43	27 16	4 1	2	1	3 2	11 9	6 2	6 3	21 13	4
19	Pneumonia ...	M. } F. }	34	17 17	2 3	2 1	.	.	.	1	2 1	3 2	2 7	6 2	.	1	.	1	3 1	13 15	2
20	Other Diseases of the Respiratory System.	M. } F. }	5	3 2	.	1	.	1	1 1	1 1	1 1	.	.	1 1	1 1	1 1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	12	9 3	.	.	.	1	1	2 1	2 1	2 1	2 1	1 1	3	.	.	.	4 2	2 1	1
22	Diarrhoea and Enteritis	M. } F. }	9	5 4	2	.	1	1	2 1	1 2	4 2	.
23	Appendicitis ...	M. } F. }	1	1	1	1	.	.
24	Cirrhosis of the Liver	M. } F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	3 3	1 1	2 1	2 1	2	.	.	.	1 1	2	.
26	Other Diseases of the Digestive System.	M. } F. }	10	3 7	.	.	.	1	1	.	.	1 2	3	2	1 1	6	.
27	Nephritis ...	M. } F. }	23	7 16	.	1	.	1	.	.	4	5	6 2	1 3	2 1	.	.	.	1 3	4 12	.
28	Puerperal Infection ...	F. }	4	4	.	.	.	2	2	4	.
29	Other Diseases of Childbirth	F. }	3	3	.	.	.	2	1	1	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157--161).	M. } F. }	41	17 24	16 23	.	1	.	.	1	1 4	.	.	4 5	12 15	4 4
31	Senility ...	M. } F. }	151	82 69	16 18	66 51	.	.	3 1	.	18 13	61 55	44 38
32	Suicide ...	M. } F. }	
33	Other Violence ...	M. } F. }	18	11 7	.	1 1	.	.	.	2	3	1 1	3 4	3 1	6 5	5 2	.
34	Other Causes	M. } F. }	70	44 26	6 2	1 1	1 2	1	4 1	1 1	7 4	6 6	11 4	7 4	6 3	2	.	.	10 5	26 18	4 9

ABSTRACT V—continued.—Causes of Death in Administrative County of TIPPERARY, S.R., by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,124	591 533	64 44	8 9	10 9	20 17	19 21	23 21	38 45	89 85	170 128	150 154	31 16	8 16	136 94	416 407	60 53
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	1	1	.	.	1	1	.	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	1	1	1	1	.
5	Diphtheria ... M. } ... F. }	1	1	.	1	1	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	66	35 31	.	.	1 1	10 10	9 9	6 5	6 5	.	2 1	1 1	1 1	3 2	14 8	17 20	.
7	All other forms of Tuberculosis ... M. } ... F. }	17	6 11	2 1	1 1	4	2 3	1	.	1 1	.	.	.	1 2	.	1 2	4 7	.
8	Dysentery ... M. } ... F. }	1	1	1	.	.	.	1	.	.	.
9	Influenza ... M. } ... F. }	18	6 12	.	3	1	1	.	.	1	.	2 2	3 4	1	.	5 1	1 9	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	125	58 67	.	.	.	1	1 3	3 5	4 9	14 25	28 20	7 5	8 1	2 4	13 11	35 51	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	89	37 52	1 1	1 2	7 9	11 17	17 23	1 2	.	1	6 13	30 36	2 6
16	Diseases of the Heart	... M. F. }	253	132 121	.	.	2	1	4	3 1	10 4	27 25	53 34	34 42	2	1 1	.	43 28	86 92	7 7
17	Other Diseases of the Circulatory System.	M. F. }	20	11 9	1 2	2 2	6 4	3 2	.	1	.	10 9	.	.
18	Bronchitis M. F. }	45	24 2	1	.	.	1	.	.	2 2	5 1	9 8	7 7	.	.	.	1 3	23 18	1 1
19	Pneumonia M. F. }	28	21 7	7 2	1	.	1	.	1	2	3	1 2	5	1	.	4 2	16 4	1	.
20	Other Diseases of the Respiratory System.	M. F. }	14	10 4	.	.	.	1	1	.	2	6 1	2	1	.	.	3	7 4	2	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	8	7 1	.	.	.	1	1	1	3	1	.	.	2	.	2	3 1	.	.
22	Diarrhoea and Enteritis	... M. F. }	19	14 5	11 4	1	1	1 1	.	2 1	.	1	11 4	1	.
23	Appendicitis M. F. }	2	1 1	.	1	.	.	1	1	.	1	.	.	.
24	Cirrhosis of the Liver	... M. F. }	5	5	1	2	2	.	.	2	3	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	3	.	.	1	1	.	1	1	.	.	2	.	.
26	Other Diseases of the Digestive System.	M. F. }	10	5 5	.	.	1	.	.	1	.	1	3 2	2	1	.	3	1 5	.	.
27	Nephritis M. F. }	42	18 24	2	3 2	3 8	7 7	3 4	.	1	.	4 5	14 18	.	.
28	Puerperal Infection F.	
29	Other Diseases of Childbirth ...	F.	2	2	2	1	.	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	67	40 27	38 27	2	3 2	.	11 8	26 17	2 4	.
31	Senility M. F. }	161	78 83	21 19	57 64	.	1	3 4	75 77	38 31	.
32	Suicide M. F. }	3	2 1	.	.	.	1	.	1	.	1	2 1	.	.
33	Other Violence M. F. }	20	14 6	.	.	2	1	1	3 1	1	4 1	1 1	1 2	1	.	7 1	6 5	.	.
34	Other Causes M. F. }	87	52 35	5 2	2 4	2	4 1	2 3	1	6 9	6 7	17 7	8 1	6 1	1 5	9 6	36 23	6 4	.

ABSTRACT V—continued—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	802	413 389	41 33	10 8	4 9	17 11	16 20	12 27	41 24	63 58	114 90	95 109	22 13	13 20	123 82	255 274	29 46
1	Typhoid Fever (including Para-typhoid). M. F. }																	
2	Cerebro-spinal Fever ... M. F. }																	
3	Scarlet Fever ... M. F. }	2	1 1		1			1								1 1		
4	Whooping-cough ... M. F. }																	
5	Diphtheria ... M. F. }	1	1								1						1	
6	Tuberculosis of the Respiratory System. M. F. }	52	24 28			7 4	8 9	1 9	5 2	3 2				3	1 1	9 9	11 18	1
7	All other forms of Tuberculosis ... M. F. }	19	7 12	1 1	1 4		3 1	1 2	1 1		2			1 2	1 1	2 5	3 4	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	16	10 6	1	1		1		1	1	2	3 3	2		1	2 1	8 4	
10	Measles ... M. F. }																	
11	Acute Infectious Encephalitis ... M. F. }																	
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	82	45 37		1			1	2 3	7 6	11 9	18 11	6 7	7 3		14 13	24 21	1
14	Diabetes Mellitus ... M. F. }	7	6 1							1	1 1	4				3	3 1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	56	21	1	1	2	10	6	1	1	.	7	13	.
				35	1	1	6	11	9	8	.	1	4	30
16	Diseases of the Heart	... M. } ... F. }	173	85	.	1	.	1	.	1	5	14	39	24	2	4	23	56	1
				88	.	.	1	.	2	2	2	19	32	30	.	2	2	13	73
17	Other Diseases of the Circulatory System.	M. } F. }	8	5	2	3	.	.	1	.	4	.
				3	1	2	3
18	Bronchitis	... M. } ... F. }	37	16	3	1	1	2	6	4	2	.	2	12	1
				21	2	1	1	1	2	6	8	.	1	1	19
19	Pneumonia	... M. } ... F. }	31	15	4	2	1	1	.	1	2	2	.	2	1	.	1	13	.
				16	5	3	1	1	2	2	2	1	.	.	15
20	Other Diseases of the Respiratory System.	M. } F. }	9	6	1	.	2	2	1	.	.	2	4	.
				3	1	.	1	1	1	3
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	5	1	2	2	.	.	.	1	4	1
				1	1	1	1
22	Diarrhoea and Enteritis	... M. } ... F. }	18	12	10	1	1	1	4	7	.
				6	5	1	1	.	.	4
23	Appendicitis	... M. } ... F. }	4	2	.	.	1	1	1	1	.
				2	.	.	1	1	2
24	Cirrhosis of the Liver	... M. } ... F. }
			
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	2	1	.	1	.	.	.	2	.	.
				1	1	1	1
26	Other Diseases of the Digestive System.	M. } F. }	12	7	2	1	1	1	1	1	.	.	3	4	2
				5	.	.	.	1	.	1	1	2	3
27	Nephritis	... M. } ... F. }	16	9	1	1	3	.	3	1	.	1	3	5	.
				7	.	.	.	1	.	2	1	2	.	1	.	1	1	1	5
28	Puerperal Infection	... F. }	1	1	1	1	.	.
			
29	Other Diseases of Childbirth	... F. }	5	5	3	2	1	.	4	.	.
			
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	31	16	16	1	.	7	8	1
				15	15	3	.	.	.	5	7
31	Senility	... M. } ... F. }	119	59	10	49	.	.	19	40	19
				60	15	45	.	9	9
32	Suicide	... M. } ... F. }	3	2	2	2	.
				1	1	1
33	Other Violence	... M. } ... F. }	23	16	1	.	.	3	2	.	5	3	2	.	1	1	6	8	.
				7	1	1	.	2	.	1	.	1	1	1	.	1	1	4	3
34	Other Causes	... M. } ... F. }	68	42	3	2	1	1	2	3	3	9	14	4	2	4	11	25	3
				26	4	1	3	1	1	1	2	4	4	5	4	2	3	5	16

H

ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	494	227 267	41 34	14 11	5 3	10 12	8 12	9 17	19 28	29 26	51 68	41 56	9 18	4 15	67 52	147 182	1 1
1	Typhoid Fever (including Para-M. } typhoid). F. }
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	10	8 2	5	3 2	8 2	.
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	30	18 12	.	1 .	.	5 3	1 5	3 2	7 1	1	.	.	.	1	6 5	12 6	.
7	All other forms of Tuberculosis ... M. } ... F. }	10	3 7	.	2 .	.	1 .	1 1	1	1	.	1	.	1	1	1 1	2 4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	17	8 9	1	2	.	.	1	.	.	1	2	1 3	.	1	.	8 8	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	45	16 29	1 4	1 7	5 6	7 9	2 3	1 6	.	5 5	10 18	.
14	Diabetes Mellitus ... M. } ... F. }	2	1	.	1	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. } 33	12 21	1	.	3 5	5 10	4 5	.	1	2	6 2	6 16	.
16	Diseases of the Heart	... M. F. } 148	64 84	.	.	.	1	1	3 4	4 9	10 13	24 29	21 28	2 3	1 4	22 17	39 60	.	.	.
17	Other Diseases of the Circulatory System.	M. F. } 1	1	1	1	.	.
18	Bronchitis M. F. } 21	11 10	3 2	1 2	2 2	2 2	3 3	1 3	.	.	5 1	6 9	1	.	.
19	Pneumonia M. F. } 20	15 5	4 1	7 2	1	.	1	.	1 1	2	.	.	1	.	.	14 5	.	.	.
20	Other Diseases of the Respiratory System.	M. F. } 7	4 3	1	2 1	2 1	2 1	1 1	1	1	2	1 2	.	.	.
21	Ulcer of the Stomach or Duodenum.	M. F. } 4	2 2	.	.	.	1	.	.	.	1 1	.	1 1	1	1	1	1 1	.	.	.
22	Diarrhoea and Enteritis	... M. F. } 37	17 20	17 17	2	1	.	1	.	3 2	14 17	.	.	.
23	Appendicitis	... M. F. } 1	1	1	.	.	.	1
24	Cirrhosis of the Liver	... M. F. }
25	Diseases of the Liver and Biliary Passages.	M. F. } 1	1	.	.	.	1	1
26	Other Diseases of the Digestive System.	M. F. } 4	1 3	1	.	.	1	2	.	.	.	1	3	.	.	.
27	Nephritis M. F. } 6	2 4	1 1	1 1	2 1	1 1	.	1	1	2 1	1 1	.	.	.
28	Puerperal Infection F. }
29	Other Diseases of Childbirth	... F. } 7	7	.	.	2	2	3	1	.	4	2	.	.	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. F. } 17	8 9	8 9	1	.	4 5	3 4	.	.	.	
31	Senility M. F. } 24	10 14	1 5	9 9	.	1 2	1	9 11	1	.	.	
32	Suicide M. F. } 1	1	1	1	
33	Other Violence	... M. F. } 11	9 2	2	1 2	1	.	2 1	1 1	.	.	1	3 1	.	2 1	4	.	.	.	
34	Other Causes	... M. F. } 36	17 19	1 4	2 1	2 5	1 1	1 2	2 2	3 1	3 1	2 2	.	2	1 2	7 5	9 10	.	.	

ABSTRACT V—continued.—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	6,989	3,663 3,326	246 196	64 47	62 78	122 123	163 140	163 152	214 192	461 386	953 804	1,215 1,208	165 100	115 116	740 520	2,643 2,590	1,039 1,213
1	Typhoid Fever (including Para-typhoid). M. } F. }	9	8 1	1 .	3 .	. .	3 .	1 1	. .	. 1	6 1	1
2	Cerebro-spinal Fever ... M. } F. }	1	. 1 1	1 .	. .
3	Scarlet Fever ... M. } F. }	4	2 2	. .	. 1	2 1 2	2 .	1 .
4	Whooping-cough ... M. } F. }	21	12 9	8 5	3 1	1	1 2	. .	1 1	10 6	4 .
5	Diphtheria ... M. } F. }	26	16 10	2 .	3 3	7 4	1 1	. 1	. .	. 1	2 .	. .	13 9	1 1	. 1
6	Tuberculosis of the Respiratory System. M. } F. }	410	230 180	. .	. 1	5 11	49 59	63 50	48 19	31 18	24 12	10 8	. 2	59 46	26 23	45 38	100 73	12 6
7	All other forms of Tuberculosis ... M. } F. }	109	51 58	2 .	5 4	4 9	10 18	14 10	6 4	5 2	3 7	1 4	1 .	6 2	4 2	24 29	17 25	1 1
8	Dysentery ... M. } F. }
9	Influenza ... M. } F. }	173	74 99	1 5	3 1	4 .	2 3	4 6	3 4	7 4	5 9	23 35	22 32	1 2	3 4	12 6	58 87	27 55
10	Measles ... M. } F. }
11	Acute Infectious Encephalitis ... M. } F. }	2	2	1 .	1	1 .	1 .	. .
12	Typhus ... M. } F. }
13	Cancer ... M. } F. }	590	335 255	. .	2 1	1 1	2 .	1 1	11 22	35 32	101 81	127 75	55 42	12 13	4 6	113 51	206 185	14 12
14	Diabetes Mellitus ... M. } F. }	36	15 21	2 1	2 .	. 2	. 1	. 2	3 3	6 10	2 2	. .	2 .	6 5	7 16	2 .

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	395	185 210	1 2	3 8	11 15	28 36	86 82	56 67	1 4	2 4	45 39	137 167	34 46
16	Diseases of the Heart	... M. } ... F. }	1,147	643 504	.	.	1 3	4 6	16 7	20 17	33 41	111 93	259 182	199 154	9 4	24 31	99 71	511 398	63 61	
17	Other Diseases of the Circulatory System.	M. } F. }	93	54 39	1	.	.	.	1 1	1 2	.	12 5	25 21	14 9	1 2	4 2	18 4	31 33	7	
18	Bronchitis M. } ... F. }	276	146 130	12 5	2	2 2	1 1	4 2	3 4	4 4	20 13	47 46	51 53	1 .	2 1	26 10	117 119	37 51	
19	Pneumonia M. } ... F. }	277	133 144	28 17	8 8	3 3	3 6	6 7	5 10	9 7	20 19	26 34	25 26	2 2	1 2	20 16	110 124	15 20	
20	Other Diseases of the Respiratory System.	M. } F. }	78	53 25	3 2	3 1	1 .	2 .	3 4	3 2	6 2	10 8	13 2	9 4	1 .	3 2	15 5	34 18	8 2	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	65	49 16	.	.	.	2 1	9 1	6 1	6 6	9 3	14 4	3 4	7 .	.	30 7	12 9	3	
22	Diarrhœa and Enteritis	... M. } ... F. }	51	23 28	11 17	4 5	3 2	.	.	1 .	.	1 1	1 2	2 1	2 1	.	4 6	17 19	3 2	
23	Appendicitis M. } ... F. }	55	30 25	.	2 1	6 5	5 4	4 1	2 1	4 3	2 6	3 4	2 .	5 .	.	23 21	2 4	1	
24	Cirrhosis of the Liver	... M. } ... F. }	6	4 2	1 .	1 1	1 .	1 .	.	.	1 1	3 1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	27	10 17	1	.	.	.	1	2	2	.	3 3	2 7	.	1 1	1 4	8 10	3 1	
26	Other Diseases of the Digestive System.	M. } F. }	108	57 51	5 4	3 1	2 2	.	2 3	2 4	5 4	11 10	18 12	9 11	2 2	.	21 17	34 32	5 8	
27	Nephritis M. } ... F. }	181	102 79	.	2	.	1 3	6 4	8 6	12 10	13 15	35 27	25 12	7 6	.	25 17	70 55	3 2	
28	Puerperal Infection F. }	9	9	.	.	.	1	4	3	1	7	2	.	
29	Other Diseases of Childbirth	... F. }	22	22	.	.	2	8	11	1	3	.	10	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	235	136 99	133 96	2	.	1	17 7	.	35 25	84 67	42 32	
31	Senility M. } ... F. }	1,754	816 938	134 177	682 761	1 .	21 14	28 36	766 888	665 780	
32	Suicide M. } ... F. }	20	16 4	.	.	1	3	3	2	2	4 1	2 1	1 .	.	.	1	15 4	.	
33	Other Violence	... M. } ... F. }	132	93 39	6 1	6 1	5 5	12 3	8 2	14 5	10 .	11 3	16 10	5 9	6 1	.	29 13	58 24	1	
34	Other Causes	... M. } ... F. }	677	368 309	33 43	13 14	12 16	21 15	17 23	18 25	30 34	72 57	103 61	49 21	22 6	17 21	98 69	231 213	98 123	

ABSTRACT V—continued—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	2,252	1,200 1,052	104 82	29 24	27 25	49 59	68 61	50 50	72 60	127 113	277 214	397 364	62 39	39 31	286 195	813 787	299 343
1	Typhoid Fever (including Para- M. } typhoid). F. }	3	2 1	.	.	.	1	.	.	1	.	.	1	.	1	1	.	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	3	1 2	.	1	1	2	1	.
4	Whooping-cough ... M. } ... F. }	4	3 1	3 1	1	2 1	.
5	Diphtheria ... M. } ... F. }	12	8 4	1	6 1	1 2	.	.	.	1	.	.	.	1	.	6 3	1 1	1
6	Tuberculosis of the Respiratory M. } System. F. }	169	92 77	.	2 5	21 31	24 24	21 4	12 5	7 4	5 3	1	29 23	12 7	13 18	36 29	2 3	
7	All other forms of Tuberculosis ... M. } ... F. }	58	27 31	1	5 4	3 3	5 9	7 5	2 1	1 2	3 4	3	4 1	1	14 19	8 11	.	
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	42	20 22	.	3 2	.	2	1 2	1 1	3	.	2 1	8 12	.	6 1	14 21	10 13	
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	183	102 81	.	1 1	1	.	4 7	17 11	22 22	36 25	22 14	22 14	3 6	1 2	39 15	59 58	4 5
14	Diabetes Mellitus ... M. } ... F. }	12	7 5	.	.	1	.	.	.	2	3 4	1 1	.	1	3	3 5	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	117	57 60	1 1	2 3	1 5	10 13	24 18	19 20	.	.	17 15	40 45	8 13
16	Diseases of the Heart	... M. F. }	365	204 161	.	.	1 2	4 2	4 4	5 6	9 14	27 19	82 48	72 65	4	7 6	28 28	165 127	14 15
17	Other Diseases of the Circulatory System.	M. F. }	43	27 16	1	.	.	.	1 .	1 1	.	6 3	11 9	7 3	.	2 1	11 3	14 12	4
18	Bronchitis M. F. }	76	41 35	5 1	1	.	1 .	1 .	1 .	1 2	5 3	12 10	16 18	.	1	10 4	30 31	8 8
19	Pneumonia M. F. }	97	51 46	15 5	3 5	2 1	1 3	4 1	1 5	3 4	5 6	9 8	8 8	2	.	10 7	39 39	6 8
20	Other Diseases of the Respiratory System.	M. F. }	20	15 5	.	1	.	1 .	1 1	1 1	2 .	4 .	3 1	3 1	.	.	3 1	12 4	4 1
21	Ulcer of the Stomach or Duodenum.	M. F. }	15	11 4	.	.	.	2 .	4 1	1 .	1 1	1 1	1 2	1 .	1	.	9 1	1 3	1
22	Diarrhoea and Enteritis	... M. F. }	27	13 14	6 9	1 3	3 1	1 .	1 1	1 .	1	.	2 2	10 12	1
23	Appendicitis M. F. }	20	14 6	.	.	5 1	3 2	3 .	.	1 .	1 1	1 1	2 .	3	.	10 5	1 1	.
24	Cirrhosis of the Liver	... M. F. }	3	1 2	1 .	.	1 1	1 1	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	11	4 7	1 .	1 .	1 1	1 1	2 2	1 2	.	1	1 2	3 4	1
26	Other Diseases of the Digestive System.	M. F. }	41	24 17	3	2	.	.	2 3	1 3	3 3	5 3	7 4	1 1	.	.	15 8	9 9	3
27	Nephritis M. F. }	49	28 21	.	.	.	1 1	2 2	2 .	3 1	1 2	9 10	10 5	1 2	.	9 6	18 13	2 1
28	Puerperal Infection F. }	7	7	.	.	.	1	2	3	1	5	2	.
29	Other Diseases of Childbirth ...	F. }	10	10	.	.	.	1	4	5	2	.	5	3	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	96	53 43	51 42	2 1	6 3	.	15 11	32 29	16 15
31	Senility M. F. }	473	232 241	31 43	201 198	.	9 5	1 1	222 235	197 218
32	Suicide M. F. }	9	6 3	.	.	.	1 .	1 .	1 1	1 1	2 1	1	6 3	.
33	Other Violence M. F. }	53	38 15	2	2	3	4	4	4	5	3	7	4	1	.	14 4	23 10	.
34	Other Causes M. F. }	234	119 115	16 23	4 6	3 5	3 7	8 8	3 8	10 8	22 26	30 16	20 8	6 2	4 8	45 27	64 78	24 39

ABSTRACT V—continued.—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	729	397 332	29 17	7 6	5 9	11 8	16 7	21 14	16 23	46 39	117 100	129 109	13 12	12 10	75 42	297 266	143 153
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	
2	Cerebro-spinal Fever ... M. } ... F. }	1	1	.	1	1	.
3	Scarlet Fever ... M. } ... F. }	
4	Whooping-cough ... M. } ... F. }	7	4 3	3 1	1 1	1 1	.	1	3 1	2
5	Diphtheria ... M. } ... F. }	5	3 2	.	1	2 1	1 1	3 2	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	32	22 10	.	.	1 1	3 3	3 3	4 1	2 2	3	1 1	.	2 1	2	10 3	8 6	.
7	All other forms of Tuberculosis ... M. } ... F. }	8	3 5	.	.	2	1 2	1 1	1	1 2	2 3	1
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	27	12 15	1 2	.	.	.	1	1	1	.	6 6	3 6	2	.	1 1	11 12	7 9
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	59	34 25	.	2	.	.	1	3 2	4 6	8 9	12 4	5 3	1 2	.	16 4	17 18	3 1
14	Diabetes Mellitus ... M. } ... F. }	1	1	.	.	.	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	44	22 22	2 2	2 4	2 2	9 12	9 2	.	.	1 4	4 17	18 6	8 6
16	Diseases of the Heart	... M. } ... F. }	115	65 50	2 1	2 5	1 5	10 11	30 20	20 13	.	1 4	5 4	10 4	50 41	7 7	7 7
17	Other Diseases of the Circulatory System.	M. } F. }	9	5 4	1 3	3 3	1 1	.	.	.	2 3	3 4	.	.
18	Bronchitis M. } ... F. }	25	11 14	2	2 5	3 5	4 9	.	.	.	1 13	11 13	7 13	7 13
19	Pneumonia M. } ... F. }	34	15 19	2 3	1	.	1 3	1 1	.	2 1	3 2	5 5	2 2	.	1	.	2 2	13 16	2 6	2 6
20	Other Diseases of the Respiratory System.	M. } F. }	4	3 1	1 1	1 1	2 1	.	.	1	.	3	1	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	5 1	2	.	.	1	1 1	1 1	.	2	.	2	1 1	1	1
22	Diarrhoea and Enteritis	... M. } ... F. }	6	2 4	1 2	1 1	1	2 4	2 2	2 2
23	Appendicitis M. } ... F. }	3	1 2	.	.	1	.	.	1	.	1	1 2	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	1	.	.	1	.	.	1	.	1	1	1
26	Other Diseases of the Digestive System.	M. } F. }	7	4 3	.	.	1	.	.	.	1	1 2	1 1	1 1	.	.	.	2	4 1	1	1
27	Nephritis M. } ... F. }	27	19 8	.	.	.	1	.	3 1	2 1	2 1	8 2	4 3	1 1	.	.	4 3	14 4	1	1
28	Puerperal Infection F.	
29	Other Diseases of Childbirth	... F.	1	1	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	23	16 7	16 7	1 2	.	.	3 1	12 4	8 3	8 3
31	Senility M. } ... F. }	191	95 96	24 27	71 69	.	2	.	11 8	82 88	75 82	75 82
32	Suicide M. } ... F. }	1	1	1	1	.	.
33	Other Violence M. } ... F. }	9	8 1	.	1	.	2 1	1 1	2 1	.	2 1	1	7 1	.	.
34	Other Causes M. } ... F. }	32	44 38	4 2	1 3	1	2 1	2 1	4 2	2 4	10 11	13 14	5 1	5 1	2 3	.	4 2	33 32	17 23	17 23

ABSTRACT V—continued.—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,946	1,012	53	18	18	36	46	48	54	138	262	339	43	33	187	749	323
			934	51	6	22	30	46	46	50	110	215	358	21	35	131	747	380
1	Typhoid Fever (including Para-M. } typhoid). F. }	1	1	.	.	1	1	.	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	1	1	.	.	1	1	1
4	Whooping-cough ... M. } ... F. }	2	2	1	1	2	1
5	Diphtheria ... M. } ... F. }	3	3	1	.	2	1	.	2	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	118	69	.	.	2	14	21	16	8	6	2	.	16	6	11	36	9
			49	.	1	2	16	13	7	4	5	1	.	13	6	7	23	2
7	All other forms of Tuberculosis ... M. } ... F. }	24	11	1	.	.	3	2	1	3	.	.	1	1	2	5	3	1
			13	.	.	3	3	4	1	.	2	.	.	.	2	5	6	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	29	14	.	.	1	.	2	.	2	3	3	3	.	2	.	12	2
			15	2	1	1	4	4	3	.	3	.	12	10
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	163	96	.	.	1	.	1	2	8	28	40	16	5	1	27	63	3
			67	5	6	20	23	13	3	2	15	47	3
14	Diabetes Mellitus ... M. } ... F. }	11	4	.	.	2	.	.	.	1	1	1	.	.	.	3	1	.
			7	.	.	1	.	.	2	1	1	2	.	.	.	3	4	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	107	48 59	1	2	1	11	26	10	.	.	11	37
16	Diseases of the Heart	... M. } ... F. }	262	152 110	3	9	6	33	60	41	2	6	27	117
17	Other Diseases of the Circulatory System.	M. } F. }	18	11 7	1	.	1	6	4	.	2	2	7
18	Bronchitis M. } ... F. }	88	43 45	3 1	.	2 1	.	1 1	1 2	1 1	1 2	6 8	15 17	14 13	.	1	6 1	37 43	12 14
19	Pneumonia M. } ... F. }	72	32 40	2 5	3	1 4	.	1 2	1 5	1	3	7 8	9 8	5 8	.	1	4 4	27 36	4 5
20	Other Diseases of the Respiratory System.	M. } F. }	26	17 9	.	2	.	2	1	2	2	2	2	5	1	.	1	9 4	7 5	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	24	20 4	3	1	3	6	7	.	.	2	.	13 3	5 1	1
22	Diarrhœa and Enteritis	... M. } ... F. }	11	5 6	3 3	1	1	.	.	1	1	.	2	1	1	4
23	Appendicitis M. } ... F. }	15	8 7	.	2	1	.	2	1	1	1	1	1	.	.	.	8 7	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	3	3	1	.	.	1	.	.	.	3	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	2 6	1	.	1	1	4	.	.	.	1	2 5	1 1
26	Other Diseases of the Digestive System.	M. } F. }	29	13 16	2 3	1 1	1	1	2 3	4 4	3 2	.	1	.	5 5	8 10
27	Nephritis M. } ... F. }	44	20 24	.	1	.	1	2	1	2	2 3	6 6	4 7	4 4	.	2	1	3 1	15 22
28	Puerperal Infection F. }	2	2	2	2	.
29	Other Diseases of Childbirth	... F. }	6	6	2	3	1	4	2	.
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	55	31 24	30 23	.	.	1	1	5	.	7 6	19 18
31	Senility M. } ... F. }	583	268 315	45 55	223 260	.	4 3	8 8	256 304	221 266
32	Suicide M. } ... F. }	5	5	2	2	1	.	.	1	4	.
33	Other Violence M. } ... F. }	27	20 7	1	2	1	3	3	4	1	1	4	3	2	.	1	6 3	13 4	.
34	Other Causes	... M. } ... F. }	209	113 96	8 16	5 3	4 5	11 5	4 11	6 8	11 11	24 11	28 17	12 9	8 1	8 9	27 25	70 61	31 38	

ABSTRACT V—continued.—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	1,095	575 520	31 23	4 7	7 14	11 10	14 15	19 22	40 29	78 60	160 156	211 184	17 9	18 17	116 89	424 405	164 193
1	Typhoid Fever (including Para-typhoid). M. F. }	3	3	.	.	.	2	.	1	3	.	.
2	Cerebro-spinal Fever ... M. F. }
3	Scarlet Fever ... M. F. }
4	Whooping-cough ... M. F. }	6	3 3	1 1	1 2	1	3 3	.
5	Diphtheria ... M. F. }	6	2 4	.	1 2	2	.	1	2 4	.	.
6	Tuberculosis of the Respiratory System. M. F. }	39	17 22	.	.	2	3 4	4 4	2 3	5 4	3 3	.	2	5	5 6	3 7	4 9	1
7	All other forms of Tuberculosis... M. F. }	7	5 2	.	.	1	.	1	2 1	1	.	.	1	1 1	1 1	2 1	1	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	48	17 31	.	3	.	2	.	1 1	1 2	1 2	8 16	5 6	.	.	5 4	12 27	4 13
10	Measles ... M. F. }
11	Acute Infectious Encephalitis... M. F. }	1	1	1	1	.
12	Typhus ... M. F. }
13	Cancer ... M. F. }	86	48 38	2 6	3 4	20 15	16 12	7 1	1	2 1	15 9	30 28	2 1
14	Diabetes Mellitus ... M. F. }	5	1 4	1	1	1 1	1 1	.	.	2	1 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	61	28 33	1	2	13 17	10 6	.	2 1	8 7	18 25	5 6	
16	Diseases of the Heart.	... M. } ... F. }	224	134 90	.	.	.	1	1	2	11 3	25 15	50 42	45 27	2 2	1 4	23 17	108 67	18 16
17	Other Diseases of the Circulatory System.	M. } F. }	13	7 6	1 1	5 3	1 1	.	.	3 .	4 6	1	
18	Bronchitis M. } ... F. }	51	31 20	2 3	1	.	1	1	1	1 1	7 8	11 7	7 7	.	1	9 4	21 16	7 8
19	Pneumonia M. } ... F. }	49	24 25	5 4	.	.	.	1	2	2 2	4 2	2 9	8 4	.	1 1	1 2	23 21	3 1
20	Other Diseases of the Respiratory System.	M. } F. }	13	9 4	1	2	.	1	2 1	3 1	.	1	1 .	7 4	3
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	6 4	.	.	.	1	.	2	.	4	3 2	3 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	3	2 1	1	1	1	1	.	1 1	.	.
23	Appendicitis M. } ... F. }	5	3 2	.	.	.	2	.	1	.	2	2 2	1	1
24	Cirrhosis of the Liver	... M. } ... F. }
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	1	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	11	4 7	2	1	2	2 1	1	1	.	2	4 4	1
27	Nephritis M. } ... F. }	38	24 14	.	1	.	.	2	1	4 2	3 3	9 6	4	1 3	.	8 7	15 4	.
28	Puerperal Infection F.
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	1	1	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	26	15 11	15 10	2	.	3 2	10 9	5 3
31	Senility M. } ... F. }	287	132 155	19 30	113 125	.	5 4	4 2	123 149	103 128
32	Suicide M. } ... F. }	3	2 1	1	1	1	2 1	.
33	Other Violence	... M. } ... F. }	22	13 9	3 1	.	1	1	.	2	2	4 1	1 3	2	3	.	5 3	5 6	1
34	Other Causes	... M. } ... F. }	74	43 31	3 1	1	3 3	3 1	1 2	2 4	3 7	5 5	15 5	7 2	1	.	16 10	26 20	13 13

ABSTRACT V—continued.—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES ... M. } ... F. }	967	479 488	29 23	6 4	5 8	15 16	19 11	25 20	32 30	72 64	137 119	139 183	30 19	13 23	76 63	360 383	110 144
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	2	2	2	1	1	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	2	2	2	1	.	.	1	.
5	Diphtheria ... M. } ... F. }
6	Tuberculosis of the Respiratory M. } System. ... F. }	52	30 22	.	.	1	8 6	6 6	5 4	4 3	5 5	2 1	1	7 9	1 4	6 3	16 6	1
7	All other forms of Tuberculosis... M. } ... F. }	12	5 7	.	.	1	1 3	2	1 1	1	1	1	.	.	.	2 2	3 5	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	27	11 16	.	1	1	.	1	1 1	.	1 2	4 5	3 5	1	1 1	.	9 15	4 10
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis... M. } ... F. }	1	1	1	1	.	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	99	55 44	.	.	1	.	.	.	3 5	23 15	23 11	5 11	2 2	.	16 8	37 34	2 2
14	Diabetes Mellitus ... M. } ... F. }	7	2 5	1 5	1	.	1	.	1 5	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	66	30 36	1	4 1	3 5	14 13	8 17	1	.	5 2	24 32	6 7
16	Diseases of the Heart	... M. } ... F. }	181	88 93	.	.	1	2	6	2 2	6 6	16 24	37 27	21 31	1	5 11	11 8	71 74	6 9
17	Other Diseases of the Circulatory System.	M. } F. }	10	4 6	1	.	.	3	.	1 1	1	.	.	3 6	1
18	Bronchitis M. } ... F. }	36	20 16	.	.	.	1	1	1 1	2	.	6 6	10 6	1	.	1	18 16	3 8
19	Pneumonia M. } ... F. }	25	11 14	4	1	2	1	.	1 1	.	1 2	1 4	2 4	.	1	3 1	8 12	.
20	Other Diseases of the Respiratory System.	M. } F. }	15	9 6	2	1	.	1	.	.	1	2	1 3	1 1	1	1	2	5 5	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	7 3	2	2	1	1 1	1	2	.	3 1	2 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	4	1 3	3	1	1 3	.	.
23	Appendicitis M. } ... F. }	12	4 8	.	.	1	2	.	.	1 1	1 3	1 2	.	2	.	2 5	3	.
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	1 2	.	.	.	2	.	.	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	20	12 8	1	.	1	.	.	1	.	3	4 2	3 4	2	.	1	9 8	2 1
27	Nephritis M. } ... F. }	23	11 12	.	.	.	1	.	1 2	1 3	1 4	5 2	3	2	.	1	8 12	.
28	Puerperal Infection F. }	
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	1	2	1	.	.	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	35	21 14	21 14	3 2	.	7 5	11 7	4 4
31	Senility M. } ... F. }	220	89 181	15 22	74 109	1	1 2	4 17	83 112	69 91
32	Suicide M. } ... F. }	2	2	1	.	.	.	1	2	.
33	Other Violence M. } ... F. }	21	14 7	.	1 1	1 1	2	.	2 1	2	1	4 3	1 1	1 1	.	3 3	10 3	.
34	Other Causes M. } ... F. }	78	49 29	2 1	2 1	3 1	2 1	1 1	3 3	4 4	11 4	17 9	5 2	2 1	3 1	6 5	38 22	13 10

ABSTRACT V—continued.—Causes of Death in PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,981	2,100 1,881	147 109	53 61	24 27	66 52	62 74	73 77	133 106	278 244	663 545	601 586	71 34	64 46	325 235	1,640 1,566	518 558
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	3	2 1	.	.	.	1	.	.	.	1	.	.	.	2	.	1	.
2	Cerebro-spinal Fever ... M. } ... F. }	3	3	1	.	.	2	3	.	.
3	Scarlet fever ... M. } ... F. }	2	1
4	Whooping-cough ... M. } ... F. }	35	19 16	11 5	7 11	1	2 1	.	1 1	17 14	8 2
5	Diphtheria ... M. } ... F. }	7	5 2	.	2 2	2	.	1	4 1	1 1	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	195	98 97	.	.	3 5	21 23	28 31	13 16	16 10	12 5	5 7	.	12 5	6 9	22 28	58 55	9 3
7	All other forms of Tuberculosis ... M. } ... F. }	55	29 26	.	5 2	2 2	8 4	2 5	4 6	6 2	2 3	.	.	2 2	3 8	9 8	15 16	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	137	77 60	3 1	2 3	.	3 1	2 1	1 2	5 7	12 4	37 29	12 12	3 2	3 2	14 7	57 51	18 22
10	Measles ... M. } ... F. }	11	4 7	1	2 3	1	1	3 7	2 1
11	Acute Infectious Encephalitis ... M. } ... F. }	6	4 2	.	.	.	1	.	.	.	2 1	1	.	.	.	3	1 1	.
12	Typhus ... M. } ... F. }	2	1 1	1 1	1 1	.	.
13	Cancer ... M. } ... F. }	357	202 155	.	.	.	1 2	2 9	9 9	25 12	57 48	78 59	30 15	11 6	7 1	40 19	144 129	18 15
14	Diabetes Mellitus ... M. } ... F. }	23	13 10	.	.	2	.	1	2	1 1	2 3	3 2	2 2	.	1	3 1	9 9	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	295	153 142	.	.	.	1	2	1	3	2	29	67 38	52 43	2	.	1	15	136 130	30 37
16	Diseases of the Heart	M. } F. }	793	420 373	.	1	1	4	1	4	13	26	60	194 156	129 104	2	21	68 52	329 296	54 37	
17	Other Diseases of the Circulatory System.	M. } F. }	64	35 29	1	2	2	1	3	17 11	12 8	3	3	3	26 22	5 3	
18	Bronchitis ...	M. } F. }	191	95 96	6	3	.	.	.	1	2	6	7	39 36	33 40	1	1	2	91 95	24 33	
19	Pneumonia ...	M. } F. }	142	69 73	12	8	15	2	3	1	3	4	9	21 15	9 13	2	1	9	58 63	7 7	
20	Other Diseases of the Respiratory System.	M. } F. }	46	30 16	.	.	.	2	1	4	1	4	4	4	12 3	3	.	1	4	25 13	4 1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	43	38 5	.	.	.	1	4	4	2	7	10	8	4	1	3	15	20 5	2	
22	Diarrhoea and Enteritis	M. } F. }	27	13 14	7	3	2	1	.	.	3	10 14	1 1	
23	Appendicitis ...	M. } F. }	11	5 6	1	1	1	1	1	1	1	1	1	1	1	.	.	2	3	.	
24	Cirrhosis of the Liver	M. } F. }	2	2	1	1	2	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	5 3	1	1	.	.	1	1	1	2	.	.	5	.	
26	Other Diseases of the Digestive System.	M. } F. }	70	41 29	5	3	.	2	.	4	1	1	7	14 11	5 7	3	1	12	26 20	4 1	
27	Nephritis ...	M. } F. }	116	67 49	1	1	2	2	2	6	3	9	23	19 16	19 7	6	2	8	51 38	5 5	
28	Puerperal Infection ...	F. }	1	1	.	.	.	1	1	.	.	.	
29	Other Diseases of Childbirth	F. }	12	12	.	.	.	2	3	5	2	1	4	7	1	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	155	92 63	88 62	1	1	.	1	1	9	1	15	67 49	26 21	
31	Senility ...	M. } F. }	738	337 401	73 83	264 318	.	2	16	319 379	253 303	
32	Suicide ...	M. } F. }	11	8 3	1	2	1	2	2	2	1	.	.	.	8	.	
33	Other Violence ...	M. } F. }	70	48 22	1	6	1	4	3	8	9	3	10	3	3	2	.	16	30	2	
34	Other Causes ...	M. } F. }	350	185 165	11 15	8 10	7 9	11 7	10 7	3 11	13 16	46 41	55 41	21 8	10 2	9 3	37 27	129 133	45 63		

ABSTRACT V—continued.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,126	598 528	38 33	10 14	5 8	17 9	14 16	22 20	32 36	94 81	197 168	169 143	27 17	18 12	119 89	434 410	138 138
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	1	.	.	.
2	Cerebro-spinal Fever ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	10	5 5	2 2	3 3	1	.	.	5 4	1
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	44	22 22	.	.	.	5 4	4 6	3 5	2 3	2 1	3 2	.	4 1	2 3	6 6	10 12	1 1
7	All other forms of Tuberculosis ... M. } ... F. }	8	5 3	.	.	1	2	.	1 2	1	1	1 1	4 2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	24	15 9	1	2 1	.	1	.	.	1 2	1	5 5	4 1	1	.	1	13 8	2 5
10	Measles ... M. } ... F. }	1	1	.	.	1	1	.
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	.	1	1	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	111	56 55	.	1	.	.	.	5 4	5 5	24 17	15 3	7 3	5 3	2 1	13 6	36 45	3 2
14	Diabetes Mellitus ... M. } ... F. }	7	5 2	1	1	1	.	2 1	.	.	1	3	1 2	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	75	41 34	1	1	.	.	1	3	10	18	11	2	.	.	10	29	5
					1	1	.	.	3	6	17	6	2	.	1	.	4	27	4
16	Diseases of the Heart	... M. F. }	246	132 114	.	.	1	.	.	3	4	.	6	25	66	31	1	8	39	84	11		
					7	27	52	22	2	3	37	72	10		
17	Other Diseases of the Circulatory System.	M. F. }	16	10 6	1	.	.	.	2	2	4	5	1	1	1	1	9	2
					2	2	1	1	1	1	2	2	2	
18	Bronchitis M. F. }	63	32 31	1	.	3	1	14	14	.	.	1	.	.	31	6
					3	1	8	18	31	10
19	Pneumonia M. F. }	34	19 15	3	1	.	1	.	.	1	.	.	4	6	3	3	16	2
					4	3	2	.	.	2	2	2	1	.	.	.	14	1	
20	Other Diseases of the Respiratory System.	M. F. }	17	9 8	.	.	1	.	1	1	.	1	2	1	5	1	9	2
					2	3	1	7	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	10	10	2	.	.	.	3	2	2	1	1	.	.	6	3	.
22	Diarrhoea and Enteritis	... M. F. }	9	3 6	2	1	2	1	3	1
					3	6	
23	Appendicitis M. F. }	5	2 3	.	.	1	1	1	1	1	.
					.	.	1	1	1	3		
24	Cirrhosis of the Liver	... M. F. }		
25	Diseases of the Liver and Biliary Passages.	M. F. }	7	4 3	1	1	1	1	2	4	.
					1	1	2	3	
26	Other Diseases of the Digestive System.	M. F. }	29	14 15	1	.	.	1	.	2	.	.	.	3	5	2	2	.	1	.	3	9	2
					5	5	4	2	12	
27	Nephritis M. F. }	26	16 10	2	.	.	2	4	5	5	1	.	.	.	1	14	2
					2	3	4	1	3	7	1
28	Puerperal Infection F. }	1	1	.	.	.	1	1
29	Other Diseases of Childbirth	... F. }	2	2	1	1	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	50	28 22	27	1	5	.	.	9	14	3
					22	3	.	.	5	14	4
31	Senility M. F. }	202	98 104	24	74	4	94	78
					27	77	8	96	79
32	Suicide M. F. }	4	3 1	1	.	.	1	.	1	1	3	.
					1	1	
33	Other Violence M. F. }	18	12 6	1	1	.	1	2	2	1	1	1	1	2	1	3	1	.	.	5	7	
					1	1	.	1	3	3	2	
34	Other Causes M. F. }	104	54 50	1	1	2	3	2	2	2	2	3	15	18	9	5	3	12	34	17		
					1	5	4	2	2	2	2	2	6	15	15	12	1	1	7	41	18		

ABSTRACT V—continued.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.													PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES ... M. } ... F. }	2,018	1,041 977	77 60	28 35	14 13	38 29	37 41	42 43	70 56	118 116	313 258	304 326	28 9	33 25	119 95	861 848	311 345		
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1	1	.		
2	Cerebro-spinal Fever ... M. } ... F. }	3	3	1	.	.	2	3	.	.		
3	Scarlet Fever ... M. } ... F. }	2	2	.	.	1	.	.	.	1	1	1	.		
4	Whooping-cough ... M. } ... F. }	6	4 2	3	1 2	1	4 1	3		
5	Diphtheria ... M. } ... F. }	3	2 1	.	1 1	.	.	1	2 1	.	.		
6	Tuberculosis of the Respiratory M. } System. F. }	111	66 51	.	.	3 3	14 11	18 16	10 8	8 5	5 4	2 4	.	5	4 3	15 19	36 29	5 1		
7	All other forms of Tuberculosis ... M. } ... F. }	39	20 19	.	4 2	1 2	5 3	2 4	3 3	4 2	1 2	.	1	2 2	2	7 4	9 13	.		
8	Dysentery ... M. } ... F. }			
9	Influenza ... M. } ... F. }	99	52 47	1 1	.	.	2 1	2 1	1 2	3 5	11 3	25 21	7 11	2	3 1	10 7	37 39	16 17		
10	Measles ... M. } ... F. }	10	4 6	1	2 3	1 1	.	1	.	1	1	3 6	2 1		
11	Acute Infectious Encephalitis... M. } ... F. }	1	1	.	1	1	.		
12	Typhus ... M. } ... F. }	2	1 1	1 1	1 1	.	.		
13	Cancer ... M. } ... F. }	187	107 80	.	.	.	1 1	1 7	4 5	14 7	23 26	46 25	18 9	6 1	5	17 11	79 68	14 11		
14	Diabetes Mellitus ... M. } ... F. }	8	5 3	.	.	1	.	.	.	1	.	.	1 1	.	.	.	5 3	1		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	154	78 76	1	1	1 3	14 15	35 26	26 30	.	1	.	2	76 71	20 26
16	Diseases of the Heart	... M. F. }	364	183 181	.	1	1	1	1	.	15 11	22 29	74 64	68 63	1	11 17	18 12	153 151	35 20	
17	Other Diseases of the Circulatory System.	M. F. }	31	16 15	2	1 3	9 5	6 5	1	3 1	1	11 13	2 3	
18	Bronchitis M. F. }	75	34 41	4 3	2 3	2 1	2 6	14 13	10 14	.	.	1	33 40	12 16	
19	Pneumonia M. F. }	85	41 44	8 7	5 10	.	2	.	2	4 3	2 3	14 9	4 11	.	2	3	36 39	5 6	
20	Other Diseases of the Respiratory System.	M. F. }	19	13 6	.	.	.	1	1	4	2	2 1	3	1 1	.	.	2	11 5	2	
21	Ulcer of the Stomach or Duodenum.	M. F. }	29	24 5	.	.	.	1	2	3	3 2	7	5 2	3 1	2	.	6	16 5	2	
22	Diarrhoea and Enteritis	... M. F. }	9	3 6	1 2	1	.	1	1 2	1	.	.	.	3 6	.	
23	Appendicitis	... M. F. }	5	2 3	1	1	.	.	1	1	1 3	1	.	
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1	1	1	1	.	
26	Other Diseases of the Digestive System.	M. F. }	25	17 8	3 1	2	.	.	2	1	1	1	6 3	3 2	1	.	5 3	11 5	1	
27	Nephritis M. F. }	68	39 29	.	.	2 1	2	1 3	3 2	2 2	3 6	13 10	13 4	4	2	3 4	30 23	3 3	
28	Puerperal Infection F. }			
29	Other Diseases of Childbirth	... F. }	5	5	.	.	.	1	1	2	1	2	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	83	49 34	47 33	.	1	.	1	1	.	5 6	43 28	23 16	
31	Senility M. F. }	389	171 218	38 48	133 170	.	.	1	170 218	140 184	
32	Suicide M. F. }	5	3 2	1	2	3 2	.	
23	Other Violence	... M. F. }	30	21 9	.	3	1	2	1	5	5 1	1	2 3	1	1	.	6 3	14 6	1	
34	Other Causes	... M. F. }	168	87 81	7 12	6 4	3 4	5 3	5 3	2 6	5 8	20 16	25 21	9 4	2 1	1 1	9 8	75 71	25 40	

ABSTRACT V—contd.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	837	461 376	32 16	15 12	5 6	11 14	11 17	9 14	31 14	66 47	153 119	128 117	16 8	13 9	87 51	345 308	69 75
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	1	.	.	.	1	.	.	.
2	Cerebro-spinal Fever ... M. F. }
3	Scarlet Fever ... M. F. }
4	Whooping-cough ... M. F. }	19	10 9	6 3	3 6	1	2	.	.	8 9	1 2
5	Diphtheria ... M. F. }	3	2 1	.	1 1	1	1	1 1	.
6	Tuberculosis of the Respiratory System. M. F. }	40	16 24	.	.	2 1	6 8	9	3 3	5 2	.	5 1	.	3 4	3	1 3	12 14	3 1
7	All other forms of Tuberculosis ... M. F. }	8	4 4	.	1	.	1 1	1	1	1	1	1	.	.	1	1 3	2 1	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	14	10 4	1	1	.	1 3	1	.	.	3	7 4	.
10	Measles ... M. F. }
11	Acute Infectious Encephalitis ... M. F. }	4	3 1	2 1	1	3	.	.
12	Typhus ... M. F. }	1	.	.	.
13	Cancer ... M. F. }	59	39 20	.	.	.	1	1	.	6	10 5	17 10	5 3	.	.	10 2	29 16	1 2
14	Diabetes Mellitus ... M. F. }	8	3 5	.	1	.	1	.	.	.	1 2	1 1	1	.	.	.	3 4	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	66	34 32	1	1	5 8	14 15	15 7	.	.	3	31 32	5 7
16	Diseases of the Heart	M. } F. }	183	105 78	.	.	3	.	1	2	3	5 13	13 13	54 40	30 19	.	2 2	11 3	92 73	8 7
17	Other Diseases of the Circulatory System.	M. } F. }	17	9 8	2	.	2 2	4 4	1 2	2	.	.	1 1	6 7	1
18	Bronchitis	M. } F. }	53	29 24	2 1	1	.	.	.	1	1	4	11 15	9 8	1	.	.	1	27 24	6 7
19	Pneumonia	M. } F. }	23	9 14	1 1	2 2	.	1	1	1	1	3 2	1 4	2	.	1	.	3 2	6 1	.
20	Other Diseases of the Respiratory System.	M. } F. }	10	8 2	1	1 2	1 4	2	.	1	.	2 1	5 1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	4	1	1	1	1	1	3	1	.
22	Diarrhoea and Enteritis	M. } F. }	9	7 2	4 1	2 1	1	3	4 2	1
23	Appendicitis	M. } F. }	1	1	1	1	.
24	Cirrhosis of the Liver	M. } F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	
26	Other Diseases of the Digestive System.	M. } F. }	16	10 6	1 1	1 1	.	1	.	.	.	4	3 3	.	1	.	.	4 3	6 3	1
27	Nephritis	M. } F. }	22	12 10	.	1	.	1	1	1	1	2 2	5 2	1 2	1	.	.	4 2	7 8	1
28	Puerperal Infection	M. } F. }	
29	Other Diseases of Childbirth	M. } F. }	5	5	.	.	1	1	2	1	1	.	.	1	3	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	22	15 7	14 7	1	3	1	.	1	10 7	1
31	Senility	M. } F. }	147	68 79	11 8	57 71	.	2 1	.	11 13	55 65	35 40
32	Suicide	M. } F. }	2	2	1	.	.	1	2	.
33	Other Violence	M. } F. }	22	15 7	.	2	.	1	.	1	3	1	6 4	1 1	1	.	.	5 4	9 3	2
34	Other Causes	M. } F. }	78	44 34	3 2	1 1	2 1	3 2	3 2	1 3	5 2	11 10	12 8	3 3	3	.	5 1	16 12	20 21	3 5

ABSTRACT VI.—CAUSES OF DEATH, &c., in each of the Thirteen Principal Towns during the year 1940.

No.	CAUSES OF DEATH, ETC.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Bray	
	All Causes ... M. } ... F. }	5,575 5,777	3,496 3,506	261 322	566 606	301 312	227 267	126 127	106 101	101 114	80 94	96 100	81 61	76 88	58 79	
1	Typhoid Fever (including Para- M. } typhoid). F. }	5 2	3 1	.	.	2 1
2	Cerebro-spinal Fever ... M. } ... F. }	5 2	4 1	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }	4 4	3 3	.	.	1
4	Whooping-cough ... M. } ... F. }	31 30	19 23	.	.	1 1	8 2	.	1 1	2
5	Diphtheria ... M. } ... F. }	36 41	25 31	1	3 3	3	1	1	2	1	.	1	2	.	1	1
6	Tuberculosis of the Respiratory M. } System. F. }	579 464	374 268	21 17	48 49	35 33	18 12	19 13	12 8	9 13	7 10	12 18	16 6	4 8	4 9	4 9
7	All other forms of Tuberculosis ... M. } ... F. }	138 132	90 63	5 7	15 18	7 9	3 7	6 7	3 5	2 2	2 2	1 4	3 4	.	1 4	1 4
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	84 79	47 49	8 4	5 3	5 4	8 9	1	3 1	1 1	1 2	1 1	.	3 5	1	1
10	Measles ... M. } ... F. }	29 26	14 11	.	11 10	1 2	.	.	2 1	1 2	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	2 4	1 3	.	1 1
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	485 534	272 321	28 38	54 60	32 17	16 29	14 9	9 9	17 17	6 8	18 9	7 4	6 5	6 8	6 8
14	Diabetes Mellitus ... M. } ... F. }	22 40	14 22	3 5	1	4	2	.	1	.	1 2	.	2	2	1 1	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	248 437	161 277	10 39	20 35	8 13	12 21	3 7	8 6	7 11	7 6	3 4	2 4	3 8	4 6
16	Diseases of the Heart	... M. } ... F. }	1,144 1,401	690 824	60 80	133 159	69 87	64 84	19 30	18 22	21 21	15 28	16 21	14 18	16 14	9 13
17	Other Diseases of the Circulatory System.	M. } F. }	143 148	107 115	8 14	12 5	4 2	1 1	4 2	2 1	1 1	2 4	2 4	1 1	1 1	1 2
18	Bronchitis	... M. } ... F. }	348 350	248 271	12 8	35 32	21 14	11 10	2 1	1 2	2 3	7 1	1 1	4 2	3 4	1 1
19	Pneumonia	... M. } ... F. }	354 330	244 222	18 21	27 26	13 13	15 5	7 10	5 5	1 3	4 6	6 2	2 6	6 4	6 7
20	Other Diseases of the Respiratory System.	M. } F. }	150 113	107 70	6 4	10 16	6 2	4 3	2 1	2 1	3 1	3 3	2 2	1 1	1 1	6 9
21	Ulcer of the Stomach or Duodenum.	M. } F. }	65 19	31 10	3 2	13 4	6 4	2 2	1 1	1 1	1 1	4 1	1 1	1 1	3 3	1 1
22	Diarrhoea and Enteritis	... M. } ... F. }	269 177	139 96	6 5	24 31	7 16	17 20	3 4	2 2	2 2	1 1	3 3	2 2	5 2	1 1
23	Appendicitis	... M. } ... F. }	19 26	11 15	1 1	4 1	2 2	1 1	3 3	1 1	1 1	2 2	1 1	1 1	1 1	1 1
24	Cirrhosis of the Liver	... M. } ... F. }	18 2	16 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	11 33	8 17	1 4	2 5	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Other Diseases of the Digestive System.	M. } F. }	88 73	50 36	5 4	11 10	6 4	1 3	4 2	4 1	2 2	2 2	2 2	2 4	1 3	3 3
27	Nephritis	... M. } ... F. }	188 121	128 82	9 6	16 12	10 5	2 4	1 2	4 2	5 2	3 2	1 1	5 1	2 2	2 2
28	Puerperal Infection	... F. }	7	4	1	1	1	1	1	1	1	1	1	1	1	1
29	Other Diseases of Childbirth	... F. }	39	17	1	7	3	7	7	2	2	2	2	1	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	378 307	258 198	24 14	32 22	16 11	8 9	15 14	3 8	3 14	5 3	5 2	1 2	8 8	6 2
31	Senility	... M. } ... F. }	136 309	41 148	2 13	20 33	12 28	10 14	5 8	7 9	6 11	5 13	12 15	6 4	8 11	2 2
32	Suicide	... M. } ... F. }	21 4	11 2	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Other Violence	... M. } ... F. }	189 110	108 73	9 4	15 8	16 9	9 2	5 1	7 9	6 1	1 3	2 3	6 6	5 5	5 5
34	Other Causes	... M. } ... F. }	446 413	272 233	21 25	53 56	22 25	17 19	14 13	10 8	10 7	4 2	8 8	7 7	7 5	1 5

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 77 years 1864-1940.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1903	4,944	3,796	781	12	6
1865	41	20	4	12	0	1904	5,183	3,958	769	19	7
1866	55	34	7	0	0	1905	5,110	3,954	759	8	5
1867	46	26	5	12	0	1906	5,714	4,409	849	6	0
1868	69	42	9	13	0	1907	5,877	4,544	875	0	2
1869	80	54	8	15	0	1908	5,984	4,670	894	19	7
1870	93	54	11	10	0	1909	6,220	4,761	920	8	0
1871	112	67	14	6	6	1910	6,387	4,903	944	18	4
1872	120	76	15	14	0	1911	6,128	4,778	914	9	11
1873	100	106	21	14	0	1912	6,811	5,160	998	7	2
1874	166	107	22	6	6	1913	6,462	4,972	957	9	0
1875	244	166	33	15	0	1914	7,552	6,140	1,157	10	0
1876	270	185	36	16	0	1915	7,398	5,898	1,118	7	0
1877	312	202	42	14	0	1916	7,729	6,198	1,172	1	2
1878	391	286	55	15	0	1917	8,151	6,475	1,225	13	6
1879	522	399	78	0	0	1918	10,702	8,499	1,611	11	6
1880	753	596	114	7	0	1919	11,513	8,998	1,712	16	0
1881	743	583	111	8	6	1920	11,484	8,810	1,688	2	0
1882	852	688	129	11	0	1921	11,419	8,499	1,646	0	6
1883	1,036	773	149	1	6	1922	18,413	7,675	1,892	9	6
1884	1,254	966	185	3	0	1923	18,377	8,808	2,076	0	0
1885	1,412	1,116	212	8	0	1924	23,947	14,867	3,003	0	6
1886	1,527	1,173	225	7	4	1925	33,945	45,435	8,940	12	0
1887	1,693	1,307	251	7	0	1926	48,193	77,347	13,493	5	6
1888	1,778	1,404	266	9	0	1927	45,802	72,665	12,391	17	6
1889	1,986	1,561	297	4	6	1928	37,462	56,965	9,804	0	6
1890	2,448	2,042	383	2	9	1929	39,650	61,132	10,412	2	6
1891	2,815	2,297	433	1	6	1930	29,901	41,744	7,384	14	6
1892	3,209	2,534	489	17	0	1931	16,540	14,548	3,162	2	6
1893	3,559	2,733	532	2	2	1932	19,265	12,051	2,951	16	0
1894	3,492	2,678	512	7	0	1933	23,360	11,477	3,052	16	6
1895	3,482	2,618	508	8	0	1934	25,611	12,445	3,329	5	0
1896	4,046	3,103	596	10	6	1935	29,463	18,024	3,049	4	6
1897	3,917	2,960	572	3	0	1936	27,778	13,552	3,673	0	0
1898	4,132	3,207	613	1	2	1937	32,502	16,191	4,376	2	0
1899	4,133	3,201	616	13	6	1938	32,595	17,327	4,529	4	0
1900	4,558	3,481	672	7	6	1939	34,803	20,876	5,181	12	6
1901	4,843	3,733	718	18	0	1940	33,704	18,570	4,818	11	0
1902	4,871	3,719	716	16	6						

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1940.

The letters in the last column denote the following diseases:—A. Acute anterior poliomyelitis. B. Cerebro-spinal fever. C. Continued fever. D. Encephalitis lethargica. E. Erysipelas. F. Ill-defined fever. G. Membranous croup. H. Meningitis. J. Ophthalmia neonatorum. K. Paratyphoid A. L. Paratyphoid B. M. Dysentery (Bacillary). N. Malaria. O. Undulant fever. P. Dysentery (Amoebic).

COUNTY BOROUGHES.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puerperal Sepsis	Pneumonia		Other Diseases
						Primary	Influenzal	
Cork	1	52	142	1	27	1	A. 1, B. 2, D. 1, E. 23.
Dublin	62	720	627	13	188	12	A. 1, B. 27, D. 3, E. 94, J. 11, L. 3, M. 1.
Limerick	19	17	15	.	23	12	E. 8.
Waterford	1	19	79	1	59	13	B. 2, E. 16, M. 17.
TOTAL	83	808	863	15	297	38	A. 2, B. 31, D. 4, E. 141, J. 11, L. 3, M. 18.

URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puerperal Sepsis	Pneumonia		Other Diseases
							Primary	Influenzal	
Carlow	Carlow	1	2	8	1	2	.	B. 2.
Cavan	Belturbet	1	.	.	.
	Cavan
	Cootehill
Clare	Ennis	3	20	14	.	.	.	E. 1.
	Kilrush	1	4	3
Cork	Clonakilty	3
	Cobh	17	20	.	1	.	.
	Fermoy	1	E. 1.
	Kinsale	2
	Macroom
	Mallow	16	15	.	.	2	E. 1.
	Midleton	10
	Passage West	3	6
	Skibbeeen	1
	Youghal	1	6	11	1	.	1

CASES OF INFECTIOUS DISEASES—contd.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influenzal	
Donegal ...	Buncrana	11	
	Bundoran	1	.	.	.	
	Letterkenny ...	1	1	.	3	.	.	.	
Dublin ...	Dún Laoghaire	30	35	1	1	.	L. 1.
	Howth	3	2	.	1	.	
Galway ...	Ballinasloe	1	5	7	1	.	.	E. 1.
	Galway	7	13	12	12	.	.	B. 1, E. 6.
Kerry ...	Killarney	16	4	6	1	2	2	B. 2.
	Listowel	1	1	.	.	.	
	Tralee	4	21	4	.	.	.	
Kildare ...	Athy	
	Naas	5	1	1	7	1	
Kilkenny ...	Kilkenny	11	9	.	.	1	B. 6.
Longford ...	Granard	1	.	.	.	
	Longford	3	1	.	.	.	F. 2.
Louth ...	Drogheda	37	13	.	.	.	
	Dundalk	1	6	2	.	.	.	
Mayo ...	Ballina	3	20	1	7	2	B. 1, E. 2.
	Castlebar	1	3	.	
	Westport	
Meath ...	An Uaimh	6	.	.	.	
	Ceannanus Mor	
	Trim	
Monaghan ...	Carrickmacross	2	.	
	Castleblayney	1	.	.	
	Clones	4	4	.	.	.	E. 1.
	Monaghan	2	3	4	.	1	.	
Offaly ...	Birr	6	.	.	.	
	Tullamore	7	20	.	.	.	
Sligo ...	Sligo	2	15	.	.	.	
	Nenagh	1	4	.	.	1	D. 1.
	Templemore	3	.	.	.	
Tipperary N.R.	Thurles	1	1	1	3	.	
	Carrick-on-Suir	9	2	.	.	.	
	Cashel	
Tipperary S.R.	Clonmel	4	30	.	.	.	B. 3, E. 2.
	Tipperary	E. 1.
Waterford ...	Dungarvan	
Westmeath ...	Athlone	1	2	.	.	.	
Wexford ...	Enniscorthy	2	.	.	.	L. 2.
	New Ross	64	45	.	.	.	E. 1.
	Wexford	6	3	1	1	.	E. 2, J. 1.
Wicklow ...	Arklow	
	Bray	9	6	.	.	37	A. 1.
	Wicklow	N. 1.
	TOTAL ...	1	38	321	368	24	31	59	A. 1, B. 15, D. 1, E. 21, J. 1, L. 3, N. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Primary	Influenzal	
Carlow	Carlow	9	17	.	1	.	B. 1.
	Carlow No. 2	2	2	1	.	
	Idrone	2	B. 14.
Cavan	Bailieboro'	5	.	1	3	
	Bawnboy	3	.	.	.	1	1	
	Castlerahan	3	1	
	Cavan	4	.	5	.	.	4	
	Enniskillen No. 2	E. 1.
	Mullaghoran	
Clare ...	Ballyvaughan	2	1	2	.	3	.	E. 1.
	Corrofin	2	1	
	Ennis	7	8	5	.	.	.	
	Ennistymon	1	1	2	.	.	E. 1.
	Killadysert	
	Kilrush	8	8	1	.	1	B. 1.
	Meelick	6	1	.	.	.	
	Scarriff	4	1	.	.	
	Tulla	1	.	.	.	
Cork ...	Bandon	10	.	1	.	L. 1.
	Bantry	2	20	1	.	.	B. 1, E. 1.
	Castletown	1	.	4	.	.	4	E. 2.
	Clonakilty	2	.	.	.	E. 1.
	Cork	4	29	91	6	3	5	A. 1, B. 1, E. 7.
	Dunmanway	30	.	1	1	E. 2.
	Fermoy	11	37	1	7	7	E. 4.
	Kanturk	2	39	3	.	13	B. 1, E. 2.
	Kinsale	2	18	2	.	.	B. 2.
	Maerom	6	20	.	1	.	
	Mallow	5	25	2	.	1	E. 1.
	Midleton	16	1	.	1	
	Millstreet	3	1	.	2	.	
	Mitchelstown No. 1	9	1	.	3	.	B. 1.
	Rathluirc	1	.	.	.	E. 1.
	Skibbereen	4	19	.	1	.	E. 1.
	Skull	E. 1.
Youghal No. 1	1	.	.	.		
Donegal	Ballyshannon	1	.	.	.	
	Donegal ...	7	2	1	17	.	.	.	
	Dunfanaghy	2	2	5	.	.	.	
	Genties ...	1	.	4	7	1	13	4	
	Inishowen	1	15	11	.	9	6	E. 1.
	Letterkenny	2	.	3	.	1	.	E. 1.
	Milford	1	7	2	.	.	.	
	Stranorlar ...	1	1	1	17	.	.	.	E. 2.
Dublin	Balrothery	3	41	1	14	8	B. 3, E. 7, L. 1.
	CHI Droichead No. 2	3	6	1	1	1	
	Dublin North	67	30	5	5	3	
	Dublin South	1	15	17	.	5	.	E. 8.
	Rathdown No. 1	15	19	.	.	.	E. 10, M. 1.
Galway	Ballinasloe	2	2	8	1	.	.	E. 2.
	Clifden	7	.	2	.	E. 1.
	Galway	5	11	9	.	.	2	B. 1, E. 4.
	Glenamaddy	2	2	.	.	.	E. 1.
	Gort	1	.	.	
	Loughrea	8	8	.	.	.	B. 1, E. 2.
	Mountbellew	
	Oughterard	2	2	27	.	3	1	E. 2.
	Portumna	1	6	.	.	.	E. 1.
	Tuan	1	6	6	.	1	.	B. 2.
Kerry	Cahiriveen	6	1	2	.	1	3	E. 3, K. 1.
	Dingle	5	12	3	1	2	1	
	Kenmare	2	
	Killarney	1	8	18	.	.	1	
	Listowel	4	45	1	7	1	E. 2.
	Tralee	1	15	3	.	1	1	B. 1, E. 4.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Primary	Infu-enzal	
Kildare	Athy No. 1	.	.	10	6	1	1	1	E. 1.
	Gill Droichead No. 1	.	.	6	3	.	.	.	E. 1.
	Edenderry No. 2	.	.	6	4	.	.	.	B. 1, E. 1, L. 3.
	Nas na Riogh No. 1	.	2	19	6	.	.	.	
Kilkenny	Callan	.	.	8	.	.	3	1	B. 1.
	Carrick-on-Suir No. 3	
	Castlecomer	.	.	.	12	.	4	.	
	Ida	.	.	7	11	.	.	.	E. 1.
	Kilkenny	.	2	1	12	.	.	.	
	Thomastown	.	.	1	1	.	1	1	
	Uringford No. 1	.	.	12	10	.	.	.	
Waterford No. 2	.	.	.	7	.	.	.		
Laoighis	Abbeyleix	.	.	4	9	1	14	15	E. 2.
	Athy No. 2	.	.	4	1	.	2	2	F. 2.
	Mountmelick	.	12	11	8	.	10	.	B. 2, E. 2.
	Roscrea No. 3	
	Slievemary	1	
Leitrim	Ballinamore	1	.	
	Carrick-on-Shannon No. 1	.	.	6	1	.	1	.	
	Kinlough	.	.	.	3	.	.	.	
	Manorhamilton	.	.	1	2	.	.	.	
	Mohill	.	3	28	
Limerick	Croom	.	.	3	.	2	1	.	
	Glin	2	.	
	Kilmallock	.	.	2	6	2	7	1	A. 1.
	Limerick No. 1	.	13	9	4	1	1	1	E. 2, D. 1.
	Mitchelstown No. 2	4	.	
	Newcastle	.	.	13	9	1	1	.	E. 1.
	Rathkeale	.	.	3	1	1	2	.	
Tipperary No. 2	1	.		
Longford	Ballymahon	
	Granard No. 1	.	.	1	2	.	.	.	
	Longford	.	.	3	4	.	.	.	E. 1.
Louth	Ardee No. 1	.	.	.	16	.	.	.	E. 2.
	Dundalk	.	.	15	4	.	.	2	
	Louth	
Mayo	Ballina	.	2	3	17	.	7	2	A. 1, B. 1, E. 1.
	Ballinrobe	1	.	.	
	Belmullet	.	1	2	.	2	.	.	
	Castlebar	.	.	3	4	.	12	.	B. 1.
	Claremorris	.	2	1	1	.	14	1	A. 1, E. 2.
	Swinford	.	.	2	8	1	20	.	E. 4.
	Westport	.	.	1	1	1	8	1	
Meath	Ardee No. 2	.	1	.	4	.	.	.	
	Ceannanus Mór	.	1	.	8	.	.	.	
	Dunshaughlin	.	.	.	9	.	.	.	
	Meath	.	.	.	3	.	.	1	
	Navan	.	.	7	5	.	.	.	
	Oldcastle	
	Trim	.	.	3	1	.	.	.	E. 2.
Monaghan	Carrickmacross	.	1	.	9	.	1	1	E. 2.
	Castleblayney	.	1	1	1	.	1	.	B. 2, E. 2.
	Clones No. 1	.	.	4	1	.	3	.	A. 1.
	Monaghan	.	.	5	7	.	21	.	B. 1, E. 3.
Offaly	Birr	.	2	1	44	.	.	3	
	Edenderry No. 1	.	.	3	14	.	.	.	
	Roscrea No. 2	.	.	2	10	.	1	.	
	Tullamore	.	1	8	7	.	.	4	E. 1.

CASES OF INFECTIOUS DISEASES--contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Prim-ary	Influ-enzal	
Roscommon ...	Athlone No. 2	1	3	5	.	4	.	
	Boyle No. 1	1	17	2	.	1	3	
	Carrick-on-Shannon No. 2	5	.	.	1	E. 2.
	Castlerea	4	8	.	.	8	14	E. 1.
	Roscommon	3	20	8	.	8	10	E. 7.
Sligo ...	Coolavin	5	E. 1.
	Dromore West	1	
	Sligo	2	5	7	.	.	.	
	Tobercurry	1	
Tipperary N.R.	Borrisokane	5	17	.	.	.	
	Nenagh	3	3	.	2	.	A. 1.
	Roscrea No. 1	20	14	1	17	3	E. 1.
	Thurles	6	7	.	1	.	B. 2, E. 3.
Tipperary S.R.	Carrick-on-Suir No. 1	2	.	.	.	L. 2.
	Cashel	1	1	.	.	
	Ologheen	2	.	.	.	E. 1.
	Clonmel No. 1	2	1	.	.	.	
	Slieveragh	2	4	2	.	6	.	E. 2.
Tipperary No. 1	2	2	2	1	.	.	E. 1.	
Waterford ...	Carrick-on-Suir No. 2	1	1	.	1	2	
	Clonmel No. 2	1	1	.	.	.	E. 1.
	Dungarvan	1	.	.	.	
	Kilmacthomas	1	6	.	1	.	A. 1.
	Lismore	1	45	.	.	.	E. 3, L. 2.
	Waterford No. 1	1	18	.	1	5	
Youghal No. 2	3	.	.	.	E. 1.	
Westmeath ...	Athlone No. 1	1	25	1	.	1	.	D. 1.
	Ballymore	
	Coole	5	1	.	.	.	
	Delvin	2	
	Mullingar	2	7	11	1	.	.	E. 1, L. 2.
Wexford ...	Enniscorthy	3	7	4	1	2	.	E. 1, M. 21.
	Gorey	2	10	1	3	.	
	New Ross	30	25	1	1	.	
	Wexford	9	4	1	2	.	E. 3, J. 1.
Wicklow ...	Bultinglass	1	12	1	.	5	B. 2, D. 1, E. 1.
	Rathdown No 2	21	.	.	.	
	Rathdrum	24	4	1	.	.	E. 1.
	Shillelagh	2	.	.	.	
	TOTAL ...	10	132	762	1234	58	294	153	A. 7. B. 42. D. 3. E. 142. J. 1. K. 1. L. 11. M. 22.

TOTAL

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
						Prim-ary	Influ-enzal	
County Boroughs	83	808	863	15	297	38	A. 2, B. 31, D. 4, E. 141, J. 11, L. 3, M. 18.
Urban Districts ...	1	38	321	368	21	31	59	A. 1, B. 15, D. 1, E. 21, J. 1, L. 3, N. 1.
Rural Districts ...	10	132	762	1,234	58	294	153	A. 7, B. 42, D. 3, E. 142, J. 1, K. 1, L. 11, M. 22.
Total for all Districts ...	11	253	1,891	2,465	97	622	250	A. 10, B. 88, D. 8, E. 304, J. 13, K. 1, L. 17, M. 40, N. 1.