

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

Vital

ÉIRE

(HALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1942.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1943

Price 2/6

ÉIRE

ROINN RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1942.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1943

Price 2/6.

(P. No. 6193.)

CONTENTS.

PART I.—TEXT.

REPORT:—

	Page
INTRODUCTORY REMARKS	vii
GENERAL SUMMARY	vii
 POPULATION :	
Estimated population, natural increase, passenger movement	ix
 MARRIAGES :	
Number and rate	ix
Rate in Northern Ireland, England and Wales, and Scotland	ix
Modes of celebration	x
Conjugal condition of persons married	x
Rate for counties, etc.	xi
Marriage rate by quarters	xi
Marriage of Minors	xii
Re-marriages	xii
Licences for marriage	xii
Buildings registered for the solemnisation of marriage	xii
 BIRTHS :	
Number and rate	xiii
Rate in Northern Ireland, England and Wales, and Scotland	xiii
Rate for counties, etc.	xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)	xiv
Proportion of male to female births	xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—continued.

DEATHS :	Page
Number and rate	xv
Rate in Northern Ireland, England and Wales, and Scotland	xv
Rate for counties, etc.	xv
Deaths by quarters	xv
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi
 Causes of Death :	
General observations	xvi
Epidemic Diseases	xviii
Tuberculosis	xx
Influenza	xxv
Cancer	xxv
Heart disease	xxviii
Bronchitis	xxviii
Pneumonia	xxviii
Diarrhoea and Enteritis	xxviii
Childbirth	xxx
Violence	xxxi
Ages at death	xxxi
Infant mortality	xxxii
Rate for Northern Ireland, England and Wales, and Scotland	xxxii
Causes and ages, 1942	xxxiii
Principal causes, 1932-1942	xxxiii
Causes in urban districts 1942	xxxvi

DIAGRAMS.

No. 1. Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2. Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xix
No. 3. Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4. Death rates from influenza in Éire, Northern Ireland, England, and Wales, and Scotland	xxiv
No. 5. Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6. Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiv

PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1942	2
„ 2. Ages of the population, by sexes, at each census 1851-1936— number and proportion per cent.	3-5
„ 3. Number of marriages, births and deaths, and natural increase, 1864-1942	6
„ 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1942	7
„ 5. Marriages, births, and deaths, by quarters, 1932-1942	8
„ 6. Deaths (numbers and rates) by causes, 1864-1910	9

PART II.—TABLES—*continued.*

TABLE No.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939	10
7.	" " " " in Éire and Northern Ireland, 1940-1942	11
8.	" " " " by sexes and ages, 1864-1942	12-14
9.	Marriages, births and deaths, by counties and county boroughs	15
10.	Marriage, birth and death rates, by counties and county boroughs	16
11.	Births and deaths for principal towns and aggregate urban and rural areas	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas	18
13.	Births and deaths for each urban area	20-23
14.	Birth rates and death rates for aggregate urban and rural areas, 1911-1942	24

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered in administrative areas	26-33
II.	Marriages registered in administrative areas	34-35
III.	Births and deaths by sexes, and ages at death, by administrative areas	36-38
IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	40-57
V.	Causes of death (short list), by sexes, ages and places of occurrences for each administrative area (as under) :—	60-131


	Page		Page		Page
Éire	60	Dublin Co.	66	Meath	80
		Dublin City	67	Monaghan	130
Leinster	62	Galway	114	Offaly	82
Munster	90	Kerry	98	Roscommon	120
Connaught	112	Kildare	70	Sligo	122
Ulster (part of)	124	Kilkenny	72	Tipperary N.R.	104
		Leitrim	116	Tipperary S.R.	106
Carlow	64	Laoighis	74	Waterford Co.	108
Cavan	126	Limerick Co.	100	Waterford Co. Boro'	110
Clare	92	Limerick Co. Boro	102	Westmeath	84
Cork Co.	94	Longford	76	Wexford	86
Cork Co. Boro'	96	Louth	77	Wicklow	88
Donegal	128	Mayo	118		

ABSTRACT VI.	Causes of death for thirteen principal towns	132 & 133
--------------	---	-----------

APPENDIX I.	Alterations in boundaries of Registrars' Districts	134
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1942, with the amounts of fees received	135
APPENDIX III.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1942	136-140

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1928 to 1942.

EIRE	—————	ENGLAND & WALES
NORTHERN IRELAND	—————	SCOTLAND	●——●——●——



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1942.

DO'N AIRE RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasai, Básanna agus Pósanna clárúighthe san mBliadain 1942.

SÉAMUS HURSON,
Árd-Chláradóir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the districts in which the normal residence of the deceased persons was situated. The deaths of 122 non-residents of Éire registered during 1942 have been excluded from this Report.

GENERAL SUMMARY.

During the year 1942 the number of marriages recorded was 2,449 more than that for 1941 the number of births registered increased by 9,337 and the number of deaths decreased by 2,157 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1942 numbered 17,470, compared with 15,021 for the previous year, and an annual average figure of 14,548 for the decennial period ended with 1941. The rates per 1,000 of the population for the years 1942 and 1941 were 5.90 and 5.02 respectively, while the annual average rate for the period 1932–1941 was 4.92.

In Northern Ireland the rate per 1,000 for 1942 was 8.99; in England and Wales it was 8.9; and in Scotland 9.49.

Births.—The births registered during the year 1942 amounted to 66,117, an increase of 9,337 when compared with the figure for 1941. The average annual number for the decennial period 1932–1941 was 57,074. The rate for 1942 was 22.31; for 1941 it was 18.97; and for the period 1932–1941 the average rate was 19.29.

The rate in Northern Ireland for 1942 was 22.82; in England and Wales it was 15.8; and in Scotland, 18.12.

The number of illegitimate births recorded was 2,419, equivalent to a rate of 3.66 per cent. of the total births, as compared with 3.48 for 1941. The corresponding percentage for 1942 in Northern Ireland was 4.95; in England and Wales 5.5; and in Scotland, 7.12.

Deaths.—During the year 1942 the number of deaths registered was 41,640, a figure which is 2,157 less than the number for 1941 and 286 less than the average annual number for the years 1932–1941. The rate per 1,000 of the population for the year 1942 was 14.05, compared with 14.63 for 1941 and 14.17 for the decennial period ended with the year 1941.

In Northern Ireland the death rate for 1942 was 13.28; in England and Wales it was 11.6, and in Scotland the rate was 12.98.

Of the deaths registered, 20.6 per cent. were stated to be due to heart disease, 10.4 to tuberculosis (all forms), 9.7 to cancer, 6.3 to intra-cranial lesions, 4.1 to pneumonia, and 3.5 to bronchitis.

There were 4,347 deaths from all forms of tuberculosis recorded during the year 1942. This figure is 636 above that for 1941 and 796 more than the average number of deaths for the decennial period from 1932 to 1941. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1942 was 1.47; for 1941 the rate was 1.24, and for the decennial period 1932–1941 the rate was 1.20.

Deaths from cancer (all forms) numbered 4,055 ; this figure is 265 more than the figure for 1941 and 476 above the annual average number for the period from 1932 to 1941. The rate per 1,000 of the population for the year 1942 was 1·37, and that for 1941 was 1·27.

During the year 1942 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 163. This figure is equivalent to a rate of 2·47 per 1,000 births, compared with an average of 4·10 in the preceding ten years. The corresponding rate for urban areas was 1·81 per 1,000 births, and for rural areas, 2·85 as compared with 2·55 and 3·59 respectively, for the year 1941.

There were 4,591 deaths of infants under one year of age registered during the year. This figure is 416 above that for the year 1941, and is equivalent to a rate of 69 per 1,000 births, compared with a rate of 74 for the preceding year. The rates per 1,000 births for urban and rural areas were 90 and 58 respectively in 1942 and 99 and 58 in 1941.

The infant mortality rate in Northern Ireland was 76 ; in England and Wales it was 49, and in Scotland the rate was 69.

Among legitimate infants the rate of mortality was 62 per 1,000 births, and among illegitimate it was 262. The legitimate infant mortality rate for Northern Ireland was 72 and the illegitimate, 157 ; for England and Wales 48 and 74, and for Scotland 66 and 115 respectively.

The number of deaths registered as caused by violence was 999. Included in this figure are 83 due to suicide, 14 to homicide, 4 to war operations, 2 to execution, and 896 to accidental or unspecified violent causes. During the previous year there were 90 suicidal, 18 homicidal and 845 other violent deaths. The number of accidental deaths registered during 1942 as attributable to road traffic was 185, compared with 170 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1942 authority was issued for the registration of 1,428 births and 140 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1942 recorded by the registrars was 43,265, equivalent to 65·4 per cent. of the total births registered. The number for 1941 was 29,298 or 51·6 per cent.

Searches and Certificates.—During the year 1942 the number of searches made in the records of marriages, births and deaths in this office in respect of which fees were received was 30,587, the certificates issued numbered 18,639, and the amount of fees received was £4,529. In the year 1941 the corresponding figures were as follows :—searches, 29,601, certificates, 16,227, and fees, £4,243.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1932-42, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1942.

YEARS.	Estimated Population.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1932	2,949,000	13,029	56,240	42,984	4·42	19·07	14·58
1933	2,962,000	13,992	57,364	40,539	4·72	19·37	13·69
1934	2,971,000	14,251	57,397	39,083	4·80	19·49	13·15
1935	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98
1936	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938	2,937,000	14,893	56,325	40,041	5·07	19·38	13·63
1939	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
1941	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
Yearly Average, 1932-1941	2,959,000	14,548	57,074	41,926	4·92	19·29	14·17
1942	2,963,000	17,470	66,117	41,640	5·90	22·31	14·05
NORTHERN IRELAND, 1942.							
1942	1,299,000	11,673	29,645	17,256	8·99	22·82	13·28

POPULATION.

It is estimated that the population of Eire at the middle of the year 1942 was 2,963,000. The number of males was estimated to be 1,499,000, and the number of females 1,464,000. These figures are based on the result of the Register of Population, 1941, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year was 2,968,420—males 1,520,454, and females 1,447,966, and according to the Register of Population the population in November 1941 was 2,989,700—of which 1,512,170 were males and 1,477,530 females.

In Table I, the estimated population for each of the years 1851 to 1942 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1942, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1942.

Intercensal Period, &c.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	-25,816	- 8.7
" 1928	17,384	5.9	-25,072	- 8.5
" 1929	15,289	5.2	-21,863	- 7.4
" 1930	16,651	5.7	-13,722	- 4.7
" 1931	14,139	4.8	+ 658	+ 0.2
" 1932	13,256	4.5	+ 6,515	+ 2.2
" 1933	16,825	5.7	- 2,615	- 0.9
" 1934	18,814	6.3	-11,002	- 3.7
" 1935	16,723	5.6	-14,345	- 4.8
" 1936	15,529	5.2	-21,539	- 7.3
" 1937	11,402	3.9	-29,716	-10.1
" 1938	16,884	5.7	-21,335	- 7.3
" 1939	14,353	4.9	+12,642	+ 4.3
" 1940	14,709	5.0	+ 4,368	+ 1.5
" 1941	12,983	4.3	-21,386	- 7.1
" 1942	24,477	8.3	-29,794	-10.1

MARRIAGES.

Number and Rate.—There were 17,470 marriages registered during the year 1942. This figure is 2,449 above that for the year 1941 and is the highest recorded since 1878, in which year 18,159 marriages were registered.

During each of the last ten years there has been an increase annually (with the exception of 1941) in the number of marriages recorded, the number rising from 13,992 for the year 1933 to 14,251 in the following year, to 15,204 for 1939 and to 15,212 for 1940. The number fell to 15,021 in 1941 and rose to 17,470 in 1942.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1933 to 1942:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1933	4.7	6.1	7.9	7.0
1934	4.8	6.5	8.4	7.5
1935	4.8	7.0	8.6	7.7
1936	5.0	7.2	8.7	7.6
1937	5.0	6.7	8.7	7.7
1938	5.1	6.7	8.8	7.8
1939	5.2	7.1	10.6	9.2
1940	5.1	7.6	11.3	10.7
1941	5.0	9.3	9.4	9.5
1942	5.9	9.0	8.9	9.5

x

MARRIAGES—continued.

The annual rate per 1,000 of the population for the year 1942 was 5.90 compared with 4.59 in 1878. The rate for 1932 was 4.42 per 1,000 rising to 5.01 in 1937, to 5.07 in 1938, and to 5.18 in 1939. In 1940 and 1941 the rates were respectively 5.14 and 5.02 per 1,000. The figures and rates for each of the years 1932 to 1942 are shown in Table C below and the averages since 1864 in Tables 3 and 4 of Part II of this report.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1942 amounted to 16,466 (equal to 94.3 per cent. of the total), and other marriages numbered 1,004. The number of Catholic marriages is 2,405 more than that for 1941, and the number of all other marriages is 44 more than the figure for the preceding year. In the year 1942 the number of marriages other than Catholic recorded include 720 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 153 in Presbyterian meeting-houses; 64 in registered buildings belonging to various other religious denominations; 57 by civil contract in the registrars' offices; 3 according to the usages of the Society of Friends, and 7 according to Jewish rites. Comparing these figures with those for 1941, the number according to the rites and ceremonies of the Protestant Episcopal Church shows an increase of 52; in Presbyterian meeting-houses a decrease of 7; in registered buildings a decrease of 2; in the registrars' offices an increase of 2; in the case of the Society of Friends an increase of one; and a decrease of 2 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1942 is equal to a rate of 5.95 per 1,000 of the estimated Catholic population, a rate which is 1.00 above the average rate for the preceding ten years, and the rate for all other marriages was 5.12 per 1,000 of all persons other than Catholics in the population, or 0.64 above the average. Corresponding rates for each year from 1932 to 1941 are shown in Table C below. It must be borne in mind that the rates for the years 1932 to 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1942 on the proportion according to the Census of 1936.

TABLE C.—MARRIAGES registered in 1942 and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic						Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by			
	Protestant Episcopal	Presbyterian	In Registered Buildings	In Registrars' Offices	Society of Friends	Jews			Total	Catholic Marriages	All other Marriages	Total Marriages
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4.46	3.90	4.42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4.77	4.10	4.72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.88	3.73	4.80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4.99	4.74	4.98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
Yearly Average 1932-41	649	132	59	60	3	9	912	13,636	14,548	4.95	4.48	4.92
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90

Conjugal Condition.—In Abstract II, particulars regarding the marriages recorded by counties, and the conjugal condition of the parties married, etc., are given. The figures relating to conjugal condition show that marriages between bachelors and spinsters constitute 94.8 per cent. of the total marriages; those of widowers and spinsters, 3.5 per cent.; bachelors and widows, 1.1 per cent.; and those of widowers and widows, 0.6 per cent. Of the men married, 4.1 per cent. were widowers, and of the women, 1.7 per cent. were widows, or in 58 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1941 were:—widowers, 4.3 per cent., and widows 1.9 per cent. In Table E similar figures from the year 1932 are shown.

MARRIAGES—continued.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1942, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1942		Annual Average 1925-7	Annual Average 1935-7	Year 1942
ÉIRE	4.58	4.94	5.90	Kerry	4.18	3.93	5.01
Carlow	4.30	4.96	5.92	Limerick	3.61	3.67	4.56
Dublin	5.43	6.66	6.97	Limerick Co. Borough	9.36	8.50	10.31
City of Dublin	7.57	7.44	8.27	Tipperary N.R.	4.53	4.55	5.53
Kildare	3.91	4.68	5.23	Tipperary S.R.	3.80	4.00	5.29
Kilkenny	3.92	4.26	5.64	Waterford	4.11	4.35	5.76
Laoghis	3.35	3.23	4.33	Waterford Co. Borough	4.89	5.26	6.07
Longford	4.39	3.75	4.10	Munster	4.41	4.49	5.64
Louth	3.99	5.13	6.45	Galway	3.65	4.04	4.61
Meath	3.48	5.15	5.60	Leitrim	4.37	3.99	5.12
Offaly	4.28	4.40	5.35	Mayo	3.78	3.48	4.23
Westmeath	4.01	3.98	5.80	Roscommon	3.97	3.79	4.46
Wexford	4.36	4.70	5.28	Sligo	4.34	4.26	4.28
Wicklow	3.97	4.63	5.54	Connaught	3.90	3.85	4.48
Leinster	5.22	5.84	6.69	Cavan	4.27	4.21	4.87
Clare	3.55	3.67	4.94	Donegal	3.68	4.68	5.41
Cork	5.53	3.61	4.47	Monaghan	3.94	4.03	5.14
Cork Co. Borough	8.21	8.67	10.79	Ulster (pt. of)...	3.90	4.41	5.21

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Cork county borough the rate was 10.79 per 1,000; in Limerick 10.31; in Dublin 8.27; and in Waterford 6.07. The rate for Dublin county (exclusive of the county borough) was 6.97 per 1,000. The highest rates for the remaining areas were Louth 6.45; Carlow 5.92; Westmeath 5.80; Waterford (exclusive of the county borough) 5.76; and Kilkenny 5.64. The lowest rates were recorded in Longford 4.10; Mayo 4.23; Sligo 4.28; Laoghis 4.33; and Roscommon 4.46.

In the provinces the highest rate was 6.69 for Leinster, followed by 5.64 for Munster, 5.21 for Ulster (part of), and 4.48 for Connaught. The corresponding rates for 1941 were 5.77 for Leinster; 4.65 for Munster; 4.88 for Ulster (part of); and 3.93 for Connaught.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1932–1942, and also the average number and rate for the ten years 1932 to 1941, and the rate for the year 1942. In the first quarter of 1942 the rate per 1,000 of the population was 5.4, in the second 6.2, in the third 6.8, and in the fourth 5.2. The corresponding figures for the year 1941 were 4.7 for the first quarter, 4.9 for the second, 5.6 for the third, and 4.9 for the fourth quarter.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1932 to 1941.

In the case of Catholic marriages, 23 per cent. were recorded in the first quarter, 26 per cent. in the second, 29 per cent. in the third, and 22 per cent. in the last quarter. For other marriages the percentages were 17, 29, 34 and 20 in the corresponding quarters of the year.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1932 to 1942.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1932	13,029	1·73	7·71	5·73	2·87
1933	13,999	1·62	7·53	5·20	2·22
1934	14,251	1·82	7·82	5·90	2·61
1935	14,336	1·43	7·64	4·95	2·43
1936	14,763	1·35	7·00	5·05	2·30
1937	14,780	1·42	6·84	5·07	2·20
1938	14,893	1·36	7·22	5·20	2·19
1939	15,204	1·47	7·39	4·84	1·82
1940	15,212	1·70	8·20	4·65	1·85
1941	15,021	1·84	7·96	4·27	1·90
1942	17,470	1·99	8·51	4·12	1·65

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1942 who were stated to have married under age was 2·4 per cent.; in Munster 1·9; in Ulster (part of) 1·3; and in Connaught 1·1 per cent. In the case of females married the proportion who were minors in Leinster was 10·0, in Munster 7·8, in Ulster (part of) 7·3, and in Connaught 5·2 per cent. The corresponding percentages for the country as a whole were 2·0 for husbands and 8·5 for wives.

The proportion per cent. of males married in Northern Ireland in 1942 who were under age was 4·3, and of females 18·8.

Licences for Marriage.—During the year 1942 the number of licences issued by the registrars for marriages in registered buildings and in the registrars' offices was 124. On 31st December, 1942 the number of such registrars of marriages authorised to grant licences for marriage was 77.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 603. The number of licensing officers on the 31st December, 1942 was 147.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1942 was 131. The number of licensing ministers on the 31st December, 1942, was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,048 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1942, licensed for the solemnisation of marriages, 147 Presbyterian meeting houses (142 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 161 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 161 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	127	Salvation Army	2
Reformed Presbyterians	2	Seceders	2
Baptists	7	“Undenominational”	6
Independents or Congregationalists	5		
Christian Brethren	9		
Moravians or United Brethren ...	1	TOTAL	161

BIRTHS.

The births registered during the year 1942 numbered 66,117, a figure which is 9,337 more than that for the year 1941, and 9,043 more than the number recorded during the decennial period from 1932 to 1941. The figure for the year 1942 is the highest recorded since 1915 in which year the number registered was 67,501, representing a rate of 22.00 per 1,000 of the estimated population. The numbers registered in each of the years 1938 to 1941 were 56,925, 56,070, 56,594 and 56,780, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1942 was 22.31 and for 1941 it was 18.97 per 1,000. In the years 1938, 1939 and 1940 the rates were 19.38, 19.11 and 19.13, respectively.

In Tables 3 and 4 the number of births registered is shown and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, each decennial period from 1871 to 1940, and each year since 1932. In the period from 1864 to 1870 the rate was 25.79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26.31, falling gradually to 19.34 for the decennial period 1931-40. During the period 1932 to 1941 the highest rate recorded was 19.61 for 1935, and the lowest 18.97 for the year 1941.

The following table shows the birth-rate for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1933 to 1942:—

Years	Éire	Northern Ireland	England and Wales	Scotland
1933	19.4	19.4	14.4	17.6
1934	19.5	19.4	14.8	18.0
1935	19.6	19.2	14.7	17.8
1936	19.6	20.2	14.8	17.9
1937	19.2	19.8	14.9	17.6
1938	19.4	20.0	15.1	17.7
1939	19.1	19.5	14.9	17.4
1940	19.1	19.6	14.6	17.1
1941	19.0	20.8	14.2	17.9
1942	22.3	22.8	15.8	18.1

Rates for Counties, etc.—The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 23.82, for Munster 21.45, for Connaught 19.98, and for Ulster (part of) 20.55, as compared with 20.31, 18.06, 17.76 and 18.35, respectively, for 1941. Comparing the rates for the years 1941 and 1942, it will be seen that the rate for Leinster has increased by 3.51, that for Munster by 3.39, and those for the provinces of Connaught and Ulster by 2.22 and 2.20, respectively.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 25.60, Cork 23.75, Limerick 27.36, and Waterford 28.02 per 1,000. The highest rates in the counties were Kildare 25.79, Carlow 24.72, Limerick 24.25, Wexford 23.80, Wicklow 23.69, and Offaly 23.63. On the other hand, the lowest rates recorded were Leitrim 17.16, Roscommon 17.56, Sligo 18.38, Cork 18.73, Monaghan 19.40, and Cavan 19.62.

The birth-rates for the total urban areas were 25.18 and 21.96, respectively, in the years 1942 and 1941, an increase of 3.22 per 1,000, while the corresponding rural rates were 20.87 and 17.76, respectively, an increase of 3.11 per 1,000. In Table 14 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1942 include 2,419 of illegitimate children, a figure which is 444 more than that for 1941. The number for 1942 is equivalent to a rate of 0.82 per 1,000 of the population, and a rate of 3.66 per cent. of the total births recorded. The respective rates for the previous year were 0.66 per 1,000 and 3.48 per cent.

In Northern Ireland for 1942 the rate per cent. of the total births was 4.95, for England and Wales it was 5.5, and for Scotland 7.12.

The percentages, by provinces, are shown in the following statement for the years 1935-1942:—

AREA	Illegitimate births—per cent. of total births.							
	1935.	1936.	1937.	1938.	1939.	1940.	1941.	1942.
Éire	3.34	3.28	3.21	3.30	3.18	3.22	3.48	3.66
Leinster	3.60	3.45	3.60	3.44	3.39	3.40	3.62	3.77
Munster	3.58	3.38	3.17	3.41	3.18	3.44	3.59	3.80
Connaught	1.75	2.02	1.86	2.16	1.93	1.93	2.32	2.53
Ulster (part of) ...	4.20	4.44	3.79	4.34	4.32	3.90	4.43	4.59

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births for the year 1942, and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentage of the total births registered were in the following counties: Carlow 7.11, Waterford (excluding the county borough) 7.11, Wexford 6.09, Wicklow 5.65, Limerick (excluding the county borough) 5.64, Kilkenny 5.46, Monaghan 5.13, and Cavan 5.11. The counties with the lowest ratios were Limerick county borough 1.12, Cork county borough 1.75, Waterford county borough 2.13, Mayo 2.19, Dublin county borough 2.39, Galway 2.47, Roscommon 2.54, and Leitrim 2.65.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 63 cases during the year 1942. The number of such cases for the preceding year was 46.

Proportion of Males to Females.—The number of male births registered in 1942 was 34,013 and of female births 32,104. The proportion between the sexes was 1,059 males to 1,000 females, a ratio which is 7 above the average for 1932 to 1941. In Northern Ireland for the year 1942 the proportion of males born alive to 1,000 females was 1060, in England and Wales it was 1063, and in Scotland, 1,018.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1932, and also the average rates since the year 1864.

The male children born in wedlock in 1942 numbered 32,715, and the female 30,983, or 1,056 males to every 1,000 females, and of the illegitimate children 1,298 were males and 1,121 females, or 1,158 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes registered during each quarter of 1942 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	7,499	9,286	9,150	8,078	34,013
Females ...	6,928	8,895	8,599	7,682	32,104
TOTAL ...	14,427	18,181	17,749	15,760	66,117

In Table 5 the number of births registered in each quarter of the years 1932 to 1942 is given, together with the rates for the year 1942 and the average rates for the previous decennial period. The rate for each of the quarters shows respectively an increase of 0.5, 4.3, 4.0, and 3.3 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1942 was 1,615, consisting of 798 pairs of twins, 5 sets of triplets, and one set of quadruplets, as compared with 1,254 (621 pairs of twins and 4 sets of triplets) for the previous year. The twin children whose births were recorded during 1942 were 2.41 per cent. of the total number of infants whose births were registered. In 1941 the percentage was 2.19.

The number of mothers of living children whose births were registered during the year was 65,306. Of these, 64,502, or 98.77 per cent., gave birth to single infants, and 804 or 1.23 per cent. to two or more infants at a birth.

The infants born in wedlock (63,698) included 62,151 single infants, 1,528 twins, 15 triplets, and 4 quadruplets, equivalent to, respectively, the ratios of 97.57 per cent., 2.40 per cent., 0.02 and 0.01 per cent. of the total number of legitimate births.

Illegitimate infants included 2,351 single infants and 68 twin infants, equivalent, respectively, to 97.19 per cent., and 2.81 per cent. of the 2,419 illegitimate infants registered. In the year 1941 the illegitimate infants recorded included 1,943 single infants, and 32 twin infants.

In the year 1942, the infants born alive in multiple births comprised 835 males and 780 females. Of the twin infants, 828 were males and 768 females, the triplet infants included 5 males and 10 females, and of the quadruplet infants 2 were males and 2 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1942 was 41,640, the males numbering 21,868 and the females 19,772. The total is 2,157 less than the number for 1941, and is 286 less than the average for the decennial period 1932 to 1941. In the year 1942 the deaths of males were 774 less, and the deaths of females 1,383 less than in the previous year.

The deaths registered in 1942 represent a rate of 14·05 per 1,000 of the population, compared with 14·63 for 1941, and an average of 14·17 for the ten years 1932 to 1941. The rates for males during each of the past three years was 14·26, 14·77 and 14·59, the corresponding ratios for females being 14·05, 14·49 and 13·51, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1933 to 1942 are as follows :—

Years	Eire	Northern Ireland	England and Wales	Scotland
1933 ...	13·7	14·3	12·3	13·2
1934 ...	13·2	13·7	11·8	12·9
1935 ...	14·0	14·4	11·7	13·2
1936 ...	14·4	14·4	12·1	13·4
1937 ...	15·3	15·1	12·4	13·9
1938 ...	13·6	13·7	11·6	12·6
1939 ...	14·2	13·5	12·1	12·9
1940 ...	14·2	14·6	14·0	14·9
1941 ...	14·6	15·2	12·9	14·5
1942 ...	14·1	13·3	11·6	13·0

Rates for Counties, etc.—In Abstract I, the number of deaths recorded for each county, county borough and superintendent registrar's district is shown. In Tables 10 and 12 rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. As will be seen from Table 10 the rates for the county boroughs were as follows :—Dublin 13·80, Cork 15·90, Limerick 13·88, and Waterford 14·77. The counties with the highest rates were : Sligo 15·83, Wexford 15·79, Louth 15·31, Waterford (exclusive of the county borough) 14·94, and Tipperary S.R. 14·75. The lowest rates were recorded for Mayo 12·28, Longford 12·31, Kerry 12·74, Dublin (exclusive of the county borough) 12·78, and Carlow 13·33.

During the year 1942, the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·27 and 13·91 per 1,000 compared with 14·68 and 14·79 for the preceding year. The figure for the urban areas in 1942 is 0·41 less, and that for the rural areas 0·88 less than the respective rates for the year 1941. A comparative statement of the rates for these areas for a series of years is given in Table 14.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1942 :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	6,317	5,684	4,480	5,387	21,868
Females ...	5,805	5,138	4,017	4,812	19,772
TOTAL ...	12,122	10,822	8,497	10,199	41,640

DEATHS—continued.

Of the total deaths, 22,944, or 55.1 per cent., were registered during the first six months, and 18,696, or 44.9 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 59.3 and 40.7.

During the year 1942, the mortality was highest in the first quarter, in which the rate was 16.4 per 1,000 of the population. In the second quarter the rate was 14.6, in the third 11.5, and in the last quarter it was 13.8. In the preceding year the rates for the quarters were as follows:—first 19.6, second 15.1, third 11.6, and fourth 12.2.

The rates for each quarter of 1942 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1942 and the average figure shows that in the first quarter there was a decrease of 1.2 per 1,000, and in the third of 0.1; the rate for the second quarter shows an increase of 0.3 and in the fourth quarter there was an increase of 0.6 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,174, in mental hospitals, 1,336, in county homes and hospitals, etc., 8,213; and 26,917 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 12.4, 3.2, 19.7 and 64.7 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1932 the percentages of deaths in the three classes of institutions were 9.7, 2.8 and 15.8, respectively, 71.7 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 5,709. This figure is equivalent to a rate of 13.7 per cent. of the total deaths registered during the year. The proportion for the previous year was 15.7 and the average percentage for the ten years from 1932 to 1941 was 17.3.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1942 being 19.6. In the urban areas the percentage was only 1.9.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1942 was 1,160, or one in every 36 deaths registered. The number of such deaths for the year 1942 include 849 cases in which inquests were held and 311 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1942 classified in accordance with the list adopted at the International Conference held at Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of the deaths for each of the principal towns are shown.

[TABLE F.]

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1942.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	1	1	11	7	3	3	1	.	.
2	Cerebro-spinal meningitis	1	1	8	7	4	1	1	1	1	.	.
3	Scarlet fever	1	1	10	13	1	1	1	1	.	.	.
4	Whooping cough	6	26	78	13
5	Diphtheria	7	6	101	96	6	1	2	1	.	.	.
6	Tuberculosis of respiratory system.	84	2	20	111	529	502	277	148	54	11	1
7	All other forms of tuberculosis.	20	9	92	156	123	57	41	21	8	1	.
8	Dysentery
9	Influenza	9	8	12	4	4	5	9	9	8	13	10
10	Measles	2	5	26	25	.	1	1
11	Acute infectious encephalitis	1	.	2	3	1	1	3	1	1	.	.
12	Typhus	1	1
13	Cancer	97	.	9	7	14	32	110	185	193	152	58
14	Diabetes mellitus	6	.	2	9	9	12	5	6	12	10	3
15	Intra-cranial lesions of vascular origin.	63	.	2	8	6	11	28	76	95	105	68
16	Diseases of the heart	206	1	10	43	37	58	157	202	295	327	237
17	Other diseases of the circulatory system.	16	.	2	2	2	3	8	16	21	26	21
18	Bronchitis	35	36	40	14	6	9	14	30	36	47	40
19	Pneumonia	41	102	185	59	22	28	28	39	30	32	19
20	Other diseases of the respiratory system.	14	6	22	13	15	19	22	21	22	13	10
21	Ulcer of the stomach or duodenum.	7	.	.	.	2	10	15	19	13	7	3
22	Diarrhoea and enteritis	28	206	60	18	2	5	11	4	4	4	2
23	Appendicitis	3	.	6	25	15	5	4	6	5	1	1
24	Cirrhosis of the liver	1	.	.	1	1	1	3	2	3	2	.
25	Diseases of liver and biliary passages.	3	.	4	17	4	4	5	6	5	3	2
26	Other diseases of the digestive system.	15	12	23	32	13	9	24	19	20	16	8
27	Nephritis	26	1	9	25	21	28	40	40	36	35	18
28	Puerperal infection	1	.	.	.	2	11	8
29	Other diseases of childbirth	3	.	.	.	9	30	22
30	Congenital debility, etc. (Nos. 157-161).	53	470	23	12	2	2	1	1	.	.	.
31	Senility	139	95	449
32	Suicide	2	.	.	.	4	8	6	5	4	1	.
33	Other violence	22	14	64	76	48	40	29	27	18	16	13
34	Other causes	87	94	189	209	86	99	122	111	115	83	37

CAUSES OF DEATH—continued.

The proportion of deaths from the principal causes at certain age-periods is given in Table F on the preceding page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely 206 in every 1,000 deaths; the next in order are senility 139 tuberculosis (all forms) 104, cancer 97, intra-cranial lesions of vascular origin (cerebra haemorrhage, etc.) 63, pneumonia 41, and bronchitis 35 in every 1,000 deaths. These causes account for 69 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 470 in every 1,000 deaths compared with 487 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (206 in every 1,000), pneumonia (102), bronchitis (36), and whooping cough (26 in every 1,000 deaths).

In the case of children between the ages of one and five years pneumonia is the cause of 185 in every 1,000 deaths, diphtheria in 101 instances, tuberculosis (other than of the respiratory system) in 92, whooping cough in 78, diarrhoea and enteritis in 60 and bronchitis in 40 instances. The chief feature of the mortality of children aged 5 and under 15 year of age is the proportion due to tuberculosis (267 in every 1,000), diphtheria 96, and pneumonia (59 in every 1,000). The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

In Table 7 a comparative statement of the principal causes of death recorded for each of the years 1940, 1941 and 1942 together with the corresponding rates per 100,000 of the population is published.

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0.57, compared with 0.45 for the year 1941. The rates for the county boroughs are as follows:—Dublin 1.16, Cork 1.04, Limerick 1.34, and Waterford county borough 1.19 per 1,000. The highest county rates are: Carlow 0.76, Dublin 0.69, Limerick 0.66, Wexford 0.61, and Tipperary S.R. 0.59. The counties in which the rates were lowest are: Leitrim 0.08, Cavan and Roscommon each 0.18, Sligo 0.20, and Offaly 0.21.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0.96 per 1,000 of the population, compared with 0.37 for the rural districts. The corresponding rates for 1941 were 0.92 and 0.24, respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 58, including 2 of males and 30 of females. The corresponding figure for 1941 was 38, including 18 of males and 20 of females. The average number for the decennial period from 1932 to 1941 was 6. During 1942 there were 16 deaths for urban areas and 42 for rural districts. There were 7 deaths for each of Kerry and Galway counties, 6 for Dublin county borough, and 5 for each of Laoighis and Limerick county borough.

Scarlet Fever.—There were 35 deaths from this disease registered during the year 1942 compared with 32 in the previous year. The average figure for the ten years 1932 to 1941 was 84. The figure for 1942 includes 16 of children under five years, and 10 of children age 5 and under 10 years. The deaths registered include 8 each for Kerry and Monaghan counties 6 for Dublin county borough, and 4 for Cork county.

Whooping cough.—The number of deaths recorded under this heading was 228, compared with 150 for the year 1941, and an average figure of 216 for the decennial period ended with the latter year. The total for 1942 includes 113 of males and 115 of females, compared with 77 and 73 respectively, in the previous year.

The figure for 1942 includes 120 of infants under one year of age and 52 of children age between one and two years. In 1941 the corresponding figures were 83 and 41.


There were 72 deaths recorded for Dublin county borough, 21 for Galway county, and 14 for each of Kildare and Mayo counties.

Diphtheria.—The number of deaths was 267 compared with a figure of 165 for 1941 and of an average figure of 306 for the years 1932 to 1941. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1941 were 341, 378, 345, 293, 314, 245 and 178.

The figure for 1942 includes 137 males and 130 females, the corresponding figures for the previous year being 85 and 80, respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1928 to 1942.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1942 were 125 of children aged between one and five years 74 between the ages of five and ten years, and 14 of children aged 10 and under 15 years.

The death rate per 100,000 of the population was 9.0 compared with 5.5 for the previous year. In the urban areas as a whole the rate for 1942 was 12.3 compared with 8.4 in the previous year, and in the rural areas the respective rates were 7.4 and 4.2 per 100,000 of the population.

For Leinster the rates for 1942 and 1941 were 8.5 and 7.8, for Munster 13.9 and 5.1 for Connaught 3.1 and 2.7, and for Ulster (part of) 5.1 and 1.1, per 100,000.

The following table shows the death rate per 100,000 of the population for the urban and rural areas for each of the years 1933 to 1942:—

YEARS	Eire	Urban Districts			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1933 ...	14.1	26.1	11.7	21.7	10.6
1934 ...	11.5	20.0	16.6	18.1	8.4
1935 ...	12.7	18.3	22.5	18.1	10.2
1936 ...	11.6	19.1	11.2	17.2	9.0
1937 ...	9.9	16.3	7.3	14.4	7.7
1938 ...	10.7	17.8	8.8	15.9	8.1
1939 ...	8.3	14.1	11.7	13.6	5.7
1940 ...	6.0	9.9	6.4	9.1	4.5
1941 ...	5.5	9.0	4.9	8.4	4.2
1942 ...	9.0	13.8	5.4	12.3	7.4

The counties and county boroughs in which the highest death rates from this disease were recorded in 1942 are as follows: Limerick county borough 40.0, Cork county borough 27.0, Carlow county 23.4, Kerry county 20.1, and Tipperary N.R. 16.9. There were no deaths recorded for each of the counties of Laoighis, Waterford county borough, and Leitrim and the lowest rates for the remaining counties were: Meath 1.5, Westmeath 1.8, Offaly 1.9, and Mayo 1.9 per 100,000 of the population.

Tuberculosis.—The number of deaths registered during 1942 from all forms of tuberculosis was 4,347—2,297 of males and 2,050 of females. When compared with the number recorded in 1941 the total shows an increase of 636—an increase in the case of males of 44 and in the case of females of 194. The figure for 1942 is 796 above the average for the decennial period from 1932 to 1941—an increase in male deaths of 478 and of 318 in the case of female deaths.

The deaths recorded during 1942 are equivalent to a rate of 1.47 per 1,000 of the estimated population. For 1941 the rate was 1.24 per 1,000, and during the ten years from 1932 to 1941, the average rate was 1.20 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1933 to 1942.

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1933 ...	1.19	1.15	0.82	0.80
1934 ...	1.18	1.12	0.76	0.75
1935 ...	1.27	1.05	0.72	0.74
1936 ...	1.17	1.02	0.69	0.74
1937 ...	1.23	0.98	0.70	0.74
1938 ...	1.09	0.92	0.64	0.69
1939 ...	1.13	0.84	0.63	0.70
1940 ...	1.25	0.98	0.70	0.82
1941 ...	1.24	1.04	0.73	0.83
1942 ...	1.47	0.97	0.66	0.80

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate (1.53) was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1942, viz., 1.40, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1932-1942.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.
1932 ...	1,834	1.22	1,842	1.28	3,676	1.25	— 226	— 5.8
1933 ...	1,766	1.17	1,744	1.20	3,510	1.19	— 166	— 4.5
1934 ...	1,785	1.18	1,729	1.19	3,514	1.18	+ 4	+ 0.1
1935 ...	1,983	1.30	1,737	1.23	3,720	1.27	+ 256	+ 7.3
1936 ...	1,791	1.18	1,689	1.17	3,480	1.17	— 290	— 7.7
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938 ...	1,651	1.10	1,565	1.09	3,216	1.09	— 423	— 11.6
1939 ...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+ 11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
Average, 1932-41 ...	1,819	1.20	1,732	1.20	3,551	1.20	—	—
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+ 14.6

There were 3,512 deaths from tuberculosis of the respiratory system recorded in 1942 compared with 2,882 in 1941, an increase of 630. The figure for 1942 includes 1,837 of males and 1,675 of females—the figure for males shows an increase of 399 and that for females an increase of 231 when compared with the corresponding figures for the previous year. During 1942 there were 835 deaths (460 males and 375 females) from tuberculosis other than that of the respiratory system. The respective figures for 1941 were 829 (417 males and 412 females). The figures for 1942 are 6 (an increase of 43 males and a decrease of 37 females) above those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 356 deaths (200 males and 156 females) due to tuberculosis of the meninges and central nervous system, 162 deaths (81 males and 81 females) to tuberculosis of the intestines and peritoneum, 56 (25 males and 31 females) to tuberculosis of the vertebral column, 57 (36 males and 21 females) to this disease of other bones and joints, one (a male) to tuberculosis of the skin, 11 (4 males and 7 females) of the lymphatic system, 32 (23 males and 9 females) in organs of the genito-urinary system, 4 (2 males and 2 females) to tuberculosis of other organs, and 156 (88 males and 68 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1937 to 1942 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1942 and 1941 were respectively 1.95 and 1.49 per 1,000, the figures for males being 1.88 and 1.19 and for females 2.02 and 1.81 per 1,000. In the age-group from 20 to 24 years the rates in 1942 were—for persons 2.66, for males 2.36 and for females 2.99, and for 1941, respectively, 2.18, 1.66 and 2.77. At the age period 25 and below 35 years the figure for all persons in 1942 was 2.71 per 1,000, and in 1941 was 2.23, the corresponding rates for males being 2.54 and 2.10 and for females 2.89 and 2.36 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1928 to 1942.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1937 to 1942.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1937 ...	1,871	116	49	60	173	241	448	296	240	173	70	5
1938 ...	1,651	70	36	56	164	211	403	291	220	138	56	6
1939 ...	1,707	89	49	45	160	219	395	298	207	171	62	12
1940 ...	1,944	94	49	39	167	263	443	322	292	190	73	12
1941 ...	1,855	102	45	41	166	225	440	343	246	176	63	8
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
DEATHS OF FEMALES.												
1937 ...	1,768	103	42	74	211	297	469	242	174	114	36	6
1938 ...	1,565	79	31	67	216	238	424	247	192	96	30	5
1939 ...	1,597	77	35	57	212	292	391	234	153	104	37	5
1940 ...	1,741	66	39	78	246	282	451	237	169	112	57	4
1941 ...	1,856	93	53	65	237	335	458	291	168	100	49	7
1942 ...	2,050	79	37	90	266	362	563	296	193	111	43	10
DEATHS OF MALES AND FEMALES.												
1937 ...	3,639	219	91	134	384	538	917	538	414	287	106	11
1938 ...	3,216	149	67	123	380	449	827	538	352	234	86	11
1939 ...	3,304	166	84	102	372	511	786	532	360	275	99	17
1940 ...	3,685	160	88	117	413	545	894	559	461	302	130	16
1941 ...	3,711	195	98	106	403	560	898	634	414	276	112	15
1942 ...	4,347	186	97	148	522	676	1,082	664	499	332	125	10
MALES—RATE PER 1,000.												
1937 ...	1.24	0.79	0.34	0.40	1.18	1.93	2.24	1.70	1.39	1.43	0.78	0.13
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.40	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
1942 ...	1.53	0.80	0.45	0.41	1.88	2.36	2.54	2.07	1.95	1.57	0.82	0.15
FEMALES—RATE PER 1,000.												
1937 ...	1.23	0.74	0.31	0.52	1.53	2.62	2.39	1.44	1.12	1.06	0.39	0.13
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.33	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.58	0.03
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
1942 ...	1.40	0.59	0.28	0.64	2.02	2.99	2.89	1.68	1.27	0.84	0.43	0.21
MALES AND FEMALES—RATE PER 1,000.												
1937 ...	1.23	0.77	0.32	0.46	1.35	2.26	2.32	1.57	1.26	1.25	0.58	0.13
1938 ...	1.09	0.66	0.25	0.44	1.43	1.78	2.09	1.63	1.15	0.86	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.62	1.22	0.63	0.18

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural areas are published in Tables 9 to 13. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1942 the rate was 1.67, in Munster 1.34, in Connaught 1.28, and in Ulster (part of), 1.18. The corresponding rates for 1941 were in Leinster 1.41, in Munster 1.20, in Connaught 1.01, and in Ulster (part of) 0.99.

DIAGRAM No. 4. Mortality from Influenza, 1928 to 1942.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1942 for county or county borough areas were recorded for the following:—Limerick county borough 2·12, Louth 1·93, Dublin county borough 1·90, Meath 1·80, and Sligo 1·76 per 1,000. The counties having the lowest rates were—Roscommon 0·89, Leitrim 0·91, Monaghan 0·96, and Longford 0·98 per 1,000.

The deaths from tuberculosis in 1942 for the aggregate urban districts numbered 1,825, compared with 1,523 for the previous year. For the rural districts the number for 1942 was 2,522, compared with 2,188 for last year. The rate per 1,000 of the population for the urban areas rose from 1·58 in 1941 to 1·89 in 1942, while that for the rural areas increased from 1·09 to 1·26.

Influenza.—The number of deaths from this disease for 1942 was 388 compared with 1,335 for the preceding year and an average of 1,251 for the decennial period ended with 1941.

The rate per 1,000 of the population for each of the years 1942 and 1941 was 0·13 and 0·45, respectively.

In the aggregate urban areas the death rate for 1942 was 0·06 per 1,000 and in the rural areas 0·17 compared with 0·22 and 0·56 for 1941.

In the first quarter the mortality was 33 per cent. of the total and in each of the second, third and fourth quarters the proportion was 35, 10 and 19 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 79 deaths registered in 1942 compared with 89 in the year 1941 and an average for the period from 1932 to 1941 of 145. Of the deaths recorded, 18 were for Dublin county borough, 13 for Dublin county, 10 for Wexford, 8 for Donegal, and 7 for Kerry.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 75 (51 males and 24 females) compared with 20 (13 males and 7 females) in the previous year. The figure for 1942 includes 16 recorded for Dublin county borough, 12 for Louth county, 9 for Dublin county, 8 for Meath, 6 for Clare, 5 for Roscommon, 3 for each of Laoighis and Galway, 2 for each of Leitrim, Mayo, Sligo, and Monaghan, and one each for Offaly, Wexford, Tipperary S.R., Waterford county and Cavan.

Typhus.—Five deaths were classified under this heading in 1942 compared with 6 in the previous year. Two of the deaths were for Wicklow county and one each for Westmeath, Galway and Mayo.

Other Infective or Parasitic Diseases.—There were 39 deaths from Hodgkin's disease recorded during the year 1942.

Cancer.—The deaths due to cancer recorded for 1942 numbered 4,055—2,181 of males and 1,874 of females. The total figure is 265 above the number for 1941 and 476 above the average number for the decennial period ended with 1941. The number of deaths of males is 177 above, and that for females 88 above the corresponding figure for 1941.

The deaths from this disease constitute 9·7 per cent. of the deaths from all causes and are equivalent to a rate of 1·37 per 1,000 of the population. The rates for males and females were respectively 1·46 and 1·28 per 1,000. In Northern Ireland the respective rates were 1·41, 1·37 and 1·45 per 1,000. For Scotland the death rates were 1·71 for both sexes, 1·71 for males and 1·71 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given.

YEARS	Éire	Northern Ireland	England and Wales	Scotland
1933 ...	1·10	1·20	1·53	1·53
1934 ...	1·15	1·29	1·56	1·53
1935 ...	1·19	1·24	1·59	1·57
1936 ...	1·20	1·29	1·63	1·59
1937 ...	1·26	1·30	1·63	1·57
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	1·72	1·70
1941 ...	1·27	1·37	1·78	1·69
1942 ...	1·37	1·41	1·83	1·71

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES												Total
		AGES AT DEATH												
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	
45	Lip ...	1	1	1	3	9	14	14	43
	Tongue	1	.	1	2	1	7	11	18	13	12	66
	Jaw	1	.	1	1	2	2	13	19	16	4	59
	Mouth	1	.	1	4	2	4	7	4	23
	Pharynx	3	1	6	6	5	4	25
	Tonsil	1	.	.	.	1	1	1	2	5	1	12
46	Esophagus	1	4	6	13	17	19	20	15	95
	Stomach ...	1	1	4	8	25	24	45	62	89	139	112	73	583
	Rectum ...	3	1	1	3	2	8	20	23	42	33	39	25	200
	Liver ...	1	.	.	2	2	5	10	11	19	29	27	19	125
	Pancreas	1	2	3	8	7	5	7	8	41
	Peritoneum ...	2	.	.	.	1	.	1	1	1	1	.	.	7
	Intestine ...	1	1	.	9	5	11	13	28	47	55	71	51	292
47	Larynx, Trachea	1	1	.	.	1	5	6	12	13	10	6	55
	Lung ...	3	.	3	2	7	9	6	12	12	10	5	3	72
	Mediastinum ...	1	1	1	1	1	2	1	1	9
48	Uterus
49	Ovary
	Vagina
	Vulva
50	Breast	2	.	2
51	Scrotum	1	.	.	.	1	2	2	.	6
	Prostate	1	1	4	3	13	19	22	21	84
	Penis	1	2	1	2	1	7
	Testicle ...	2	1	1	.	1	.	1	.	.	1	.	1	8
52	Bladder	2	.	1	2	1	5	9	3	2	25
	Kidney ...	2	.	2	1	.	1	2	2	2	3	3	1	19
53	Ear	1	.	2	7	3	7	20
	Face ...	1	.	.	.	1	5	2	7	4	8	9	20	
	Other Skin	2	2	.	.	3	7
54	Brain ...	3	.	3	.	4	4	1	2	1	.	1	.	19
	Spine ...	1	1	.	.	1	.	2	.	.	2	.	1	7
	Thyroid	1	.	1
	Nose	1	1	2	1	1	1	1	1	1	.	10
55	Abdomen	1	1	.	4	.	2	8
	Arm, Leg ...	4	1	.	1	1	.	3	4	5	4	7	4	34
	Axilla	1	1
	Eye ...	1	.	.	.	1	2	4
	Groin ...	1	1	.	.	1	3
	Neck ...	1	5	4	7	7	7	18	9	58
	Parotid	3	3	.	6
	Pelvis	1	.	.	1	.	.	.	2
	Spleen	1	2	.	3
	Thorax
	Throat	1	4	1	10	16	14	17	63
	Other and Unspecified ...	1	.	.	1	1	4	1	4	2	4	.	2	20
TOTAL ...		30	7	19	30	61	92	148	217	342	456	445	334	2,181
Deaths from Cancer per 100,000 living of the same age ...		4.4	12.7		51.1		152.9		395.9		905.2		847.2	145.5

registered during the year 1949 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Females	International List Nos.	
AGES AT DEATH															
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	TOTAL			
.	.	.	.	1	1	1	2	.	.	1	3	7	50	45	
.	.	.	.	1	1	.	2	2	2	.	1	6	72		
.	2	2	1	1	4	3	15	74		
.	2	1	1	.	3	9	32		
.	1	.	4	3	1	1	.	10	35		
.	12		
.	1	.	.	5	5	12	11	3	10	10	5	62	157	46	
.	.	2	7	13	14	40	36	56	78	78	67	391	974		
.	.	1	4	5	6	16	8	21	11	14	9	95	295		
.	.	2	4	5	5	8	17	18	23	34	25	141	266		
.	.	.	2	3	2	3	4	10	7	3	3	37	78		
.	.	.	1	1	3	1	1	7	14		
1	5	1	1	10	10	24	27	41	54	56	56	286	578		
1	.	.	.	2	2	.	3	5	2	1	4	20	75	47	
.	1	1	.	.	3	5	5	3	4	3	.	23	95		
.	1	3	1	1	.	1	.	9	18		
.	1	2	6	16	19	27	21	32	26	33	14	197	197	48	
1	.	1	1	10	4	2	2	2	6	1	2	32	32	49	
.	.	.	.	1	.	1	2	1	.	2	2	3	3		
.	8	8		
2	1	6	7	16	22	38	40	38	28	35	39	272	274	50	
.	6	51	
.	84		
.	7		
.	8		
.	.	.	1	.	.	2	1	3	1	6	.	14	39	52	
2	.	.	.	2	.	1	.	2	.	2	.	9	28		
.	1	2	3	23	53	
.	1	1	3	2	15	22	79		
.	1	.	2	.	1	4	11		
1	2	1	1	1	2	4	1	1	5	.	.	14	33	54	
.	1	.	1	1	1	1	.	7	14		
.	1	.	2	.	1	3	1	9	10		
.	1	1	2	.	2	.	5	15		
.		
1	1	.	.	2	.	1	3	3	3	2	3	19	27	55	
2	1	1	3	.	.	1	7	10	6	10	14	54	88		
.	2	2	3		
.	.	1	.	1	1	.	.	3	7		
.	1	2	5		
1	1	.	.	1	3	.	.	.	2	6	2	18	76		
.	.	.	.	1	.	.	.	1	1	1	.	2	8		
.	.	1	1	1	2	.	.	1	1	1	1	10	12		
.	1	.	.	1	4		
.	1	4	2	3	2	4	3	19	82		
1	1	2	1	2	2	3	3	2	3	1	6	27	47		
13	14	22	40	99	108	200	211	271	288	320	288	1,874	4,055	TOTAL	
2-0	18-5		78-7		202-9			365-0		613-4		597-9	128-0	136-9	Rate per 100,000

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11 to 13. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1942 numbered 1,382, equivalent to a rate of 1.43 per 1,000, and in the aggregate rural areas the number was 2,673 and the rate 1.33 per 1,000. In the year 1941 the numbers of deaths for the urban and rural areas were respectively 1,287 and 2,503, corresponding to rates of 1.33 and 1.25 per 1,000 of the population.

In Table J the deaths from cancer in 1942 are classified according to the site of the disease and the age at death. The mortality of females under 55 years of age is higher than that of males but when the age of 60 years has been reached the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1942 the deaths in the first group amounted to 54 (19 of males and 35 of females) and those in the second to 91 (49 males and 42 females) compared with a total of 46 and 81, respectively, in the previous year.

The non-malignant tumours included 13 of the ovary, 8 of the uterus, 7 of the brain, and 4 each of the bladder and prostate.

The deaths classified under the heading of tumours of undetermined nature included 48 of the brain, 8 of the mediastinum, 6 of the lung, 4 each of the abdomen, stomach, spine and ovary, and 3 of the intestine.

Diabetes.—There were 267 deaths from this disease for 1942 compared with 277 in the previous year. The deaths for 1942 include 133 of males and 134 of females, compared with 136 and 141 for 1941.

In the year 1942 the rate per 100,000 of the population represented by the deaths from diabetes was 9.0. The rates for Northern Ireland and Scotland were, respectively, 9.0 and 12.8.

Other General Diseases.—During 1942 there were classified under this heading 4 deaths from coeliac disease, 4 from toxæmia, and 2 from amyloid disease.

Heart Disease.—During 1942 there were 8,550 deaths from diseases of the heart, as compared with 9,338 deaths in the previous year, and an average number of deaths for the decennial period ended with 1941 of 7,605.

The deaths from this cause in 1942 represent 20.6 per cent. of the mortality from all causes and are equivalent to a rate of 2.89 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1942 there were 1,473 deaths in which the cause was stated to be bronchitis. Of the total, 814 were of males and 659 were of females. The total is equal to a rate of 0.50 per 1,000 of the population and constitutes 3.5 per cent. of the total deaths registered. The number of deaths recorded during 1941 was 1,952 and the average figure for the decennial period from 1932 to 1941 was 2,118.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,707, equivalent to a rate of 0.58 per 1,000 of the population. Of the deaths 941 were of males and 766 of females.

The average number during the ten years from 1932 to 1941 was 2,338, and during 1941 the number recorded was 1,881.

The deaths for 1942 include 906 from broncho-pneumonia, 266 from lobar pneumonia and 535 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 1,000 deaths of children under 2 years recorded, 575 being of males and 425 of females. The number recorded for 1941 was 875, and the average for the ten years ended with 1941 was 646. The urban mortality was equal to a rate of 26.6 per 1,000 births, and the rate for rural areas was 8.4 per 1,000 births registered, compared with respective rates of 31.0 and 6.1 in 1941.

The deaths recorded include 412 for the county borough of Dublin, and 56, 34 and 34 for the respective county boroughs of Cork, Limerick and Waterford.

DIAGRAM No. 5. Mortality from Cancer, 1928 to 1942.




TABLE K.—Deaths of women in 1942 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection	1	1	.
Abortion without Septic Condition	6	.	1	2	1	2	.	.
Ectopic Gestation	7	.	.	2	2	2	1	.
Hemorrhage of Pregnancy	9	.	.	2	3	3	1	.
Toxæmia of Pregnancy	19	.	1	6	6	2	4	.
Other Diseases of Pregnancy	5	.	1	1	.	3	.	.
Hemorrhage of Childbirth	30	.	4	7	6	5	8	.
Infection during Childbirth	42	.	3	8	14	11	5	1
Puerperal Toxæmia	11	.	2	2	4	3	.	.
Other Accidents of Childbirth	28	1	7	4	6	7	3	.
Other or unspecified Puerperal Conditions	5	.	.	3	1	.	1	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Pulmonary Tuberculosis	3	.	.	1	1	1	.	.
Influenza	1	1	.	.
Rheumatic Fever	1	.	.	.	1	.	.	.
Anæmia	1	.	1
Heart Disease	8	.	.	.	1	7	.	.
Nephritis	4	.	.	2	1	.	1	.
Diabetes Mellitus	2	.	.	1	1	.	.	.
Bronchitis	1	.	.	.	1	.	.	.
Other Causes	5	.	.	1	.	1	3	.
TOTAL	189	1	19	43	49	48	23	1

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1932-1942, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1932 ...	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934 ...	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
Average, 1932-41 ...	69	1.20	166	2.90	235	4.10	29	0.51	264	4.61
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86

* The figures and rates under this heading for the years 1932-39 inclusive, relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1942 the number in the first group was 43, in the second group the figure was 120, and under the third heading there were 26 deaths; so that the total number of deaths from these causes was 189. The total represents a rate of 2·86 per 1,000 of the total births registered, as compared with 3·68 in the year 1941, and an average of 4·61 for the ten years 1932 to 1941. For the years 1940, 1941 and 1942 the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1932 to 1942.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 9 to 13.

Violence.—The number of deaths classified under this heading in 1942 was 999. This figure shows an increase of 46 when compared with that for the year 1941. The average figure for the ten years 1932 to 1941 from this group of causes was 979.

Included in the total for 1942 there were 83 by suicide, 14 by homicide (including infanticide), 4 due to war operations, 2 to execution and 896 to other external causes. The latter figure includes accidental deaths and deaths not known to be due to suicide or homicide. The number of deaths by suicide is 7 less and those by homicide 4 less than the corresponding figure for 1941.

Of the suicidal deaths 60 were of males and 23 of females. In 7 cases poisoning was the means used to cause death, including strychnine in 3 cases. In the other 76 deaths by suicide the means adopted was hanging or strangulation in 31 instances, drowning in 23, cutting or piercing instruments in 12, firearms in 8, and in 2 instances other means were used to cause death.

There were 14 deaths by homicide, including 7 of males and 7 of females; 4 were cases of infanticide.

There were 16 accidental deaths from poisons or poisonous gases, 6 of which were due to carbon monoxide, 2 to coal gas, 3 to prussic acid, and one to each of strychnine, smoke fumes, nembatal, oil of wintergreen, and bluestone.

Deaths caused by accidental burns numbered 119 (45 males and 74 females), of which 48 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1941 was 59.

Deaths classified to accidental drowning numbered 138 (104 of males and 34 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 196 deaths included under the heading of transport accidents; of this figure 164 were of males and 32 of females. In 1941 the total under this heading was 183 (140 of males and 43 of females). Deaths from motor vehicles numbered 86, compared with 93 for 1941. There were 99 deaths recorded as due to other road transport accidents. This figure includes 53 caused by bicycles and 44 by horse-drawn vehicles, compared with 43 and 23, respectively, for 1941. There were 10 deaths caused by railway accidents compared with 12 for 1941.

Of the 86 deaths attributed to motor vehicles, 44 were stated to be caused by motor lorries or vans, 20 by motor cars, and 14 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1942 numbered 5,826 compared with 5,328 for the previous year. The figure for 1942 is 14·0 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 15·1 per cent. of the male mortality, and the rate for females 12·8 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 20,684 in number, constituting 49·7 per cent. of the total number of deaths, and include 10,671 deaths of males, or 48·8 per cent. of the total deaths of males, and 10,013 of females, or 50·6 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 16,516, or 39·7 per cent. of the total deaths.

There were 184 deaths of persons aged 95 years or upwards (65 being males and 119 females), and of these 21 (7 males and 14 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were registered in the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the variations in the death rates at different age-periods in the years 1942 and 1941.

TABLE M.—DEATH RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1942	1941	Increase or Decrease in 1942	1942	1941	Increase or Decrease in 1942	1942	1941	Increase or Decrease in 1942
Under 5 years ...	21.75	19.70	+2.05	24.50	22.13	+2.37	18.98	17.18	+1.80
5— ...	1.97	1.70	+0.27	2.32	1.78	+0.54	1.62	1.61	+0.01
10— ...	1.38	1.22	+0.16	1.86	1.08	+0.28	1.40	1.36	+0.04
15— ...	2.96	2.57	+0.39	2.95	2.41	+0.54	2.97	2.74	+0.23
20— ...	4.12	3.54	+0.58	4.01	3.11	+0.90	4.23	4.04	+0.19
25— ...	4.85	4.46	+0.39	4.54	4.25	+0.29	5.17	4.69	+0.48
35— ...	5.89	5.75	+0.14	5.96	5.62	+0.34	5.81	5.88	—0.07
45— ...	9.60	9.62	—0.02	9.92	9.86	+0.06	9.27	9.37	—0.10
55— ...	19.71	22.15	—2.44	20.66	22.28	—1.62	18.67	22.01	—3.34
65— ...	50.09	55.45	—5.36	54.71	58.54	—3.83	45.37	52.28	—6.91
75— ...	111.91	124.41	—12.50	121.58	132.36	—10.78	103.71	117.62	—13.91
85 and upwards	192.02	208.26	—16.24	211.59	220.75	—9.16	182.76	198.93	—16.17
All ages ...	14.05	14.63	—0.58	14.59	14.77	—0.18	13.51	14.49	—0.98

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during the period 1864-70, each of the decennial periods from 1871 to 1940, and each year from 1932 to 1942 are given in Table 8.

INFANT MORTALITY.

During the year 1942 the deaths of 4,591 infants under one year of age were registered, compared with 4,175 in the preceding year. The figure for 1942 is equivalent to a rate of 69 per 1,000 births as compared with 74 for 1941, and an average of 69 for the ten years 1932 to 1941. The rate for each of the years 1932 to 1942 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,660 were those of males and 1,931 of females; the males were equal to a rate of 78 per 1,000 births of males, and the females to a rate of 60 per 1,000 births of females. The corresponding rates for 1941 were 83 and 64, respectively.

The infant mortality rates during the quarters of 1942 were, respectively, 80, 62, 57 and 78 compared with corresponding figures of 84, 72, 65 and 74 for the previous year.

The infant mortality rate for each of the years 1933 to 1942 compared with the rate for Northern Ireland, England and Wales and Scotland is as follows:—

YEARS.	Eire	Northern Ireland.	England and Wales.	Scotland.
1933 ...	65	80	64	81
1934 ...	63	70	59	78
1935 ...	68	86	57	77
1936 ...	74	77	59	82
1937 ...	73	77	58	80
1938 ...	67	75	53	70
1939 ...	66	70	50	69
1940 ...	66	86	55	78
1941 ...	74	77	58	83
1942 ...	69	76	49	69

INFANT MORTALITY—continued.

During the year 1942 the following causes accounted for 83 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 57·83 per 1,000 births:—diarrhoea and enteritis 14·32 per 1,000 births, congenital debility 13·66, premature birth 9·24, pneumonia 7·11, congenital malformations 5·13, convulsions 4·05, bronchitis 2·51 and whooping cough 1·81.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1932 to 1942 is given in Table O.

The deaths of infants during the first month of life were 39·5 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 15·4, between 2 and 3 months 10·9, at 3 and under 6 months the rate was 20·0 and from 6 to 12 months old the rate was 14·2.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1942.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	439	519	276	286	315	1,815	708	499	918	651	4,591
Scarlet Fever	1	1	2	4
Whooping Cough	4	4	8	16	16	39	41	120
Diphtheria	1	1	4	3	9	3	.	5	12	29
Tuberculosis of Nervous System	1	1	1	19	22
Tuberculosis of Intestines and Peritoneum	1	2	8	11
Other Tuberculous Diseases	.	.	.	1	.	1	1	.	6	7	15
Syphilis	1	.	1	4	6	1	2	5	1	15
Influenza	1	1	6	7	16	7	37
Measles	1	2	3	15	21
Meningitis	1	.	2	.	1	4	7	2	14	10	37
Convulsions	8	24	17	8	22	79	43	38	68	40	266
Bronchitis	4	2	5	7	18	33	22	42	51	166
Pneumonia	8	11	13	20	52	60	67	133	158	470
Diarrhoea and Enteritis	4	5	20	41	70	140	197	149	309	152	947
Congenital Malformations	44	62	39	28	29	202	46	31	40	20	339
Congenital Debility	78	113	63	75	86	415	191	114	142	41	903
Premature Birth	198	190	74	54	39	555	33	8	13	2	611
Injury at Birth	21	41	7	5	.	74	74
Other Diseases peculiar to first year of life	65	60	32	16	16	189	26	9	4	5	233
Mechanical suffocation (including Overlying)	4	.	.	.	1	5	8	5	11	.	29
Other Accidents (including Lack of Care)	11	7	1	.	.	19	.	.	1	1	21
Other Causes	5	3	7	11	12	38	35	24	63	59	219

DIAGRAM No. 6. Infant Mortality, 1928 to 1942.




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, 1932-42.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.											
	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	
ALL CAUSES	72.19	65.23	63.23	68.44	74.15	72.95	68.65	65.33	66.42	73.53	69.44	
Scarlet Fever	0.07	0.03	0.02	0.09	0.31	0.12	0.05	0.07	0.05	0.09	0.06	
Whooping cough	2.60	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77	1.46	1.31	
Diphtheria	0.23	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14	0.33	0.44	
Tuberculosis of Nervous System	0.32	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27	0.33	0.33	
Tuberculosis of Intestines and Peritoneum	0.27	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.28	0.09	0.17	
Other Tuberculous Diseases	0.35	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.23	0.28	0.23	
Syphilis	0.11	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27	0.23	0.23	
Influenza	1.12	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06	0.92	0.56	
Measles	1.00	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35	0.37	0.32	
Meningitis	0.96	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83	0.79	0.56	
Convulsions	6.54	5.61	5.41	4.50	5.32	4.99	4.43	4.43	3.55	4.23	4.05	
Bronchitis	3.96	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62	2.34	2.51	
Pneumonia	8.44	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70	7.93	7.11	
Diarrhea and Enteritis	9.33	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67	14.18	14.32	
Congenital Malformations	3.40	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59	5.57	5.13	
Congenital Debility	16.46	14.38	13.78	14.19	14.44	13.65	12.79	12.68	13.25	14.14	13.66	
Premature Birth	8.53	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67	11.57	9.24	
Injury at Birth	0.82	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.30	1.39	1.12	
Other Diseases peculiar to first year of life	1.69	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86	3.17	3.52	
Mechanical Suffocation (including Overlying)	0.12	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28	0.14	0.44	
Other Accidents (including Lack of Care)	0.43	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46	0.26	0.32	
Other Causes	5.44	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75	3.72	3.31	

INFANT MORTALITY—continued.

During the year 1942 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,178, representing a rate of 90 per 1,000 births registered. In 1941 the corresponding number of deaths was 2,097, and the rate 99 per 1,000 births.

For the rural areas 2,413 deaths of infants were registered in 1942, compared with 2,078 in the previous year; the rate per 1,000 births for each year was 58.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 93 per 1,000 births, compared with 102 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 76 per 1,000 births, the rate for 1941 being 83.

The rates for the principal towns are as follows, ranging in order from the highest to the lowest:—

Wexford 127, Dublin 98, Bray 93, Cork and Waterford each 91, Dun Laoghaire 85, Drogheda 79, Galway 78, Limerick 77, Sligo 75, Kilkenny 70, Tralee 69, and Dundalk 44.

The following statement shows the infant mortality rate for each of the years 1933 to 1942 for urban and rural districts in Eire:—

YEARS.	Eire.	Urban Districts.			Rural Districts.
		Principal Towns.	Other Urban Districts.	Total	
1933 ...	65	87	79	85	54
1934 ...	63	81	67	78	55
1935 ...	68	91	75	87	57
1936 ...	74	103	81	99	59
1937 ...	73	97	68	91	61
1938 ...	67	88	66	84	55
1939 ...	66	83	85	83	55
1940 ...	66	88	70	85	55
1941 ...	74	102	83	99	58
1942 ...	69	93	76	90	58

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1942.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
	CITIES AND BOROUGHS.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Districts under 10,000 Population.	All Urban Districts.	All Rural Districts.	Ire
	Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
ALL CAUSES	97.94	85.27	91.01	77.39	91.48	78.60	92.75	76.15	89.61	57.71	69.44
Scarlet Fever	0.16	0.10	.	0.08	0.05	0.06
Whooping Cough	2.87	2.58	0.55	.	.	2.67	2.33	.	1.89	1.77	1.81
Diphtheria	0.80	.	1.10	.	.	0.38	0.66	.	0.53	0.38	0.44
Tuberculosis of Nervous System	0.48	.	1.64	0.86	.	0.38	0.56	0.22	0.49	0.24	0.33
Tuberculosis of Intestines and Peritoneum	0.86	2.51	0.76	0.25	0.22	0.25	0.12	0.17
Other Tuberculous Diseases	0.48	0.30	0.22	0.29	0.19	0.23
Syphilis	0.48	0.30	.	0.25	0.22	0.23
Influenza	0.16	0.76	0.20	0.22	0.20	0.77	0.56
Measles	0.56	.	0.55	.	.	0.76	0.51	.	0.41	0.27	0.32
Meningitis	0.72	1.29	0.55	.	.	.	0.56	0.65	0.58	0.55	0.56
Convulsions	3.91	1.29	4.93	10.32	2.51	6.49	4.57	6.53	4.94	3.54	4.05
Bronchitis	2.24	2.58	2.19	7.74	7.52	1.91	2.74	3.04	2.80	2.34	2.51
Pneumonia	11.33	9.05	8.77	4.30	6.27	12.21	10.50	7.61	9.96	5.45	7.11
Diarrhoea and Enteritis	31.69	20.68	29.61	25.79	41.36	8.78	28.06	14.14	25.43	7.87	14.32
Congenital Malformations	7.02	2.58	8.77	1.72	1.25	4.58	6.14	6.74	6.25	4.47	5.13
Congenital Debility	10.22	12.92	11.51	12.04	5.01	17.17	11.27	18.28	12.59	14.28	13.66
Premature Birth	13.89	11.63	10.42	5.16	8.77	11.45	12.43	11.10	12.18	7.53	9.24
Injury at Birth	2.39	5.17	.	0.86	1.25	0.38	1.88	1.30	1.77	0.74	1.12
Other Diseases peculiar to first year of life	5.59	7.75	4.39	0.86	8.77	3.82	5.18	1.96	4.57	2.92	3.52
Mechanical suffocation (including Overlying)	0.24	2.58	0.55	.	1.25	0.76	0.46	0.44	0.45	0.43	0.44
Other Accidents (including Lack of Care)	0.32	.	.	0.86	.	.	0.25	.	0.20	0.38	0.32
Other Causes	2.39	5.17	5.48	6.02	5.01	5.34	3.50	3.48	3.50	3.20	3.31

PART II.



Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1942, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.			
1801	...	4,154	2,085	2,069	1879	...	3,939	1,944	1,995	1911	...	3,132	1,586	1,546
1811	...	4,746	2,363	2,383	1880	...	3,891	1,920	1,971	1912	...	3,120	1,581	1,539
1821	...	5,421	2,676	2,745	1881	...	3,847	1,901	1,946	1913	...	3,103	1,572	1,531
1831	...	6,194	3,033	3,161	1882	...	3,808	1,882	1,926	1914	...	3,092	1,568	1,524
1841	...	6,545	3,235	3,310	1883	...	3,745	1,853	1,892	1915	...	3,068	1,546	1,522
1851	...	5,079	2,486	2,593	1884	...	3,703	1,834	1,869	1916	...	3,068	1,549	1,519
1852	...	4,927	2,413	2,514	1885	...	3,671	1,820	1,851	1917	...	3,065	1,551	1,514
1853	...	4,807	2,358	2,449	1886	...	3,642	1,808	1,834	1918	...	3,066	1,553	1,518
1854	...	4,704	2,311	2,393	1887	...	3,600	1,788	1,812	1919	...	3,102	1,598	1,504
1855	...	4,633	2,281	2,357	1888	...	3,554	1,766	1,788	1920	...	3,103	1,598	1,505
1856	...	4,594	2,261	2,333	1889	...	3,516	1,748	1,768	1921	...	3,096	1,599	1,497
1857	...	4,540	2,234	2,306	1890	...	3,482	1,733	1,749	1922	...	3,022	1,529	1,493
1858	...	4,506	2,217	2,289	1891	...	3,449	1,718	1,731	1923	...	3,014	1,526	1,488
1859	...	4,471	2,199	2,272	1892	...	3,408	1,697	1,711	1924	...	3,005	1,521	1,484
1860	...	4,428	2,179	2,249	1893	...	3,382	1,684	1,698	1925	...	2,985	1,512	1,473
1861	...	4,393	2,164	2,229	1894	...	3,352	1,675	1,687	1926	...	2,971	1,507	1,464
1862	...	4,377	2,158	2,219	1895	...	3,333	1,662	1,671	1927	...	2,957	1,502	1,455
1863	...	4,328	2,134	2,194	1896	...	3,314	1,653	1,661	1928	...	2,944	1,498	1,446
1864	...	4,263	2,103	2,160	1897	...	3,298	1,646	1,652	1929	...	2,937	1,496	1,441
1865	...	4,223	2,084	2,139	1898	...	3,283	1,640	1,643	1930	...	2,927	1,493	1,434
1866	...	4,168	2,051	2,112	1899	...	3,265	1,631	1,634	1931	...	2,933	1,497	1,436
1867	...	4,130	2,033	2,097	1900	...	3,234	1,616	1,618	1932	...	2,949	1,505	1,444
1868	...	4,109	2,022	2,087	1901	...	3,213	1,607	1,606	1933	...	2,962	1,512	1,450
1869	...	4,090	2,012	2,078	1902	...	3,200	1,603	1,597	1934	...	2,971	1,518	1,453
1870	...	4,062	1,996	2,066	1903	...	3,185	1,599	1,586	1935	...	2,971	1,520	1,451
1871	...	4,042	1,986	2,056	1904	...	3,175	1,597	1,578	1936	...	2,967	1,520	1,447
1872	...	4,023	1,975	2,048	1905	...	3,165	1,594	1,571	1937	...	2,948	1,510	1,438
1873	...	3,989	1,955	2,034	1906	...	3,160	1,593	1,567	1938	...	2,937	1,505	1,432
1874	...	3,966	1,944	2,022	1907	...	3,151	1,589	1,562	1939	...	2,934	1,503	1,431
1875	...	3,951	1,940	2,011	1908	...	3,145	1,588	1,557	1940	...	2,958	1,515	1,443
1876	...	3,949	1,942	2,007	1909	...	3,142	1,589	1,553	1941	...	2,993	1,533	1,460
1877	...	3,956	1,947	2,009	1910	...	3,139	1,588	1,551	1942	...	2,963	1,499	1,464
1878	...	3,952	1,948	2,004										

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1941 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for these years have been revised in accordance with the population according to the Census of 1936 and the Register of Population, 1941. The population for 1942 has been based on the Register of Population, 1941 the numbers of births and deaths registered and the passenger movement figures.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
	PERSONS.														
1851 ...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861 ...	103,081	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,785	1,451	4,402,111
1871 ...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881 ...	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891 ...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901 ...	60,229	251,519	325,078	336,293	349,036	323,933	465,833	342,310	298,276	260,048	139,600	57,632	10,379	1,517	3,221,823
1911 ...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926 ..	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,692
1936 ...	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
	PROPORTION PER CENT.														
1851 ...	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861 ...	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871 ...	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881 ...	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891 ...	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901 ...	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911 ...	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926 ...	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936 ...	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	13,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,723,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,985
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	23,084	118,089	144,764	150,314	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	134,680	207,403	180,324	159,188	143,199	100,878	35,154	4,663	220	1,520,454
PROPORTION PER CENT.															
1851	2·05	7·98	12·91	14·52	12·80	9·66	12·55	10·67	8·26	5·41	2·30	0·75	0·12	0·02	100
1861	2·42	9·82	10·67	10·71	11·77	10·81	13·02	9·85	9·34	7·26	2·96	1·16	0·18	0·03	100
1871	2·52	9·91	12·11	12·21	9·65	8·20	13·11	9·82	8·56	7·99	4·20	1·42	0·26	0·04	100
1881	2·09	9·35	12·49	12·45	10·84	9·31	11·68	10·32	8·31	6·89	4·21	1·81	0·22	0·03	100
1891	1·92	8·16	11·17	12·23	12·11	9·82	12·20	9·65	9·36	7·06	3·99	1·92	0·37	0·04	100
1901	1·90	7·91	10·23	10·66	10·87	10·16	14·54	10·47	8·82	7·87	4·44	1·77	0·32	0·04	100
1911	1·88	7·93	9·91	9·70	9·78	8·89	14·39	12·48	8·99	6·30	6·87	2·53	0·32	0·03	100
1926	1·86	7·84	9·61	10·01	9·69	8·26	13·22	11·51	11·46	8·01	5·90	2·20	0·41	0·02	100
1936	1·79	7·18	8·97	9·45	9·08	8·86	13·64	11·87	10·47	9·42	6·64	2·31	0·31	0·01	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,602	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,949	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,897	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	586	1,447,966
PROPORTION PER CENT.															
1851	1·88	7·38	11·91	13·32	12·29	9·81	13·28	11·58	8·72	6·30	2·44	0·91	0·14	0·04	100
1861	2·27	9·27	10·08	9·87	11·70	10·63	12·85	10·97	9·85	7·75	3·19	1·32	0·21	0·04	100
1871	2·41	9·28	11·44	11·25	9·71	8·59	13·73	10·07	9·29	8·27	4·07	1·56	0·28	0·05	100
1881	1·97	8·91	11·91	11·60	10·86	9·08	12·35	11·04	8·56	7·54	4·13	1·75	0·25	0·05	100
1891	1·83	7·87	10·75	11·70	11·74	8·94	12·61	10·71	10·02	7·24	4·21	1·97	0·36	0·05	100
1901	1·83	7·70	9·95	10·22	10·80	9·95	14·37	10·78	9·70	8·27	4·23	1·81	0·33	0·06	100
1911	1·88	7·88	9·84	9·61	9·54	8·24	14·55	11·74	8·79	6·63	8·16	2·74	0·36	0·04	100
1926	1·86	7·80	9·55	9·88	9·56	7·90	13·62	11·70	10·85	7·51	6·45	2·76	0·53	0·03	100
1936	1·83	7·28	9·19	9·60	8·99	8·28	13·31	12·07	10·37	9·02	6·77	2·84	0·43	0·02	100

* See note (*) on page 3.

97

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1942.

PERIOD.	Marriages.	BIRTHS.							DEATHS.			Natural Increase.
		TOTAL (including Illegitimate).			Legitimate.	Illegitimate.			Total.	Males.	Females	
		Total.	Males.	Females		Total.	Total.	Males.				
Average, 1864-70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,378	33,445	39,603
" 1871-80	18,014	104,379	53,604	50,775	102,674	1,705	873	827	71,611	36,224	35,387	32,768
" 1881-90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	14,805	73,995	37,932	36,013	72,527	1,468	753	715	52,994	29,468	29,526	15,001
" 1901-10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,303
" 1911-20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	23,131	23,322	15,054
" 1921-30	14,245	60,406	30,933	29,423	58,700	1,706	830	826	43,203	21,350	21,353	17,203
" 1931-40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,341	21,469	20,372	15,264
1932	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
Average, 1932-41	14,548	57,074	29,253	27,816	55,176	1,898	973	925	41,926	21,553	20,363	15,143
1942	17,470	66,117	34,013	32,104	63,693	2,419	1,293	1,121	41,840	21,362	19,772	24,177

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1942.

PERIOD.	MARRIAGES.	BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	3.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	98.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40 ...	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1932 ...	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49
1933 ...	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68
1834 ...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
1941 ...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
Average, 1932-41	4.92	19.29	18.65	0.64	3.32	1,052	14.17	68.87	5.12
1942 ...	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1932-42 ; with the average annual rates for the ten years 1932-41 and the rate for 1942 per 1,000 of the population.

YEAR.	Marriages.										Births.					Deaths.											
	Catholic.					All Other.					Total.					Total.											
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.							
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.								
1932	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984
1933	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539
1934	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083
1935	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,167	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543
1936	3,638	3,175	3,822	3,199	13,834	158	252	331	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
1940	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
Average for ten years, 1932-1941			3,376	3,252	3,809	3,199	13,636	159	240	323	190	912	3,535	3,492	4,132	3,389	14,548	14,029	14,916	14,780	13,349	57,074	13,011	10,595	8,574	9,746	41,926
1942	3,837	4,316	4,377	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	68,117	12,122	10,822	8,497	10,199	41,640
Equivalent Annual Rate per 1,000 living population, 1932-1941			4.9	4.7	5.5	4.6	4.9	3.2	4.0	6.6	3.9	4.7	4.8	4.7	5.6	4.6	4.9	19.0	20.2	20.0	18.0	19.3	17.6	14.3	11.6	13.2	14.2
1942	5.5	6.2	6.8	5.3	5.9	3.6	5.9	7.0	4.0	5.1	5.4	6.2	6.8	5.2	5.9	19.5	24.5	24.0	21.3	22.3	16.4	14.6	11.5	13.8	14.1

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	} 2,973	660*	514	492	263	} 71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	} 775	10.9	1.4	0.8	2.1	} 24.4
Dysentery ...	404	198	} 986	942		9.7	5.0	} 26.9	28.3	
Diarrhoea ...	1,456	1,300		35.1		32.8				
Pulmonary tuber- culosis.	6,777	6,900	7,026	6,660	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	} 10,160	} 10,605	} 11,217	} 9,522	2,661†	} 244.0	} 267.7	} 306.5	} 285.4	84.4‡
Other respiratory diseases.					6,334†					200.8‡
Puerperal sepsis...					234					274
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	} 1,650	} 1,531	80†	90	96	} 39.8	} 38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	30.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664.4	1446.9	1417.1
1	Typhoid fever ...	195	108	68	6.3	3.6	2.3
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	184	12.4	8.5	6.2
4	Scarlet fever ...	148	78	94	4.8	2.6	3.2
5	Whooping cough...	494	365	221	16.0	12.3	7.5
6	Diphtheria ...	225	282	337	7.3	9.4	11.4
7	Influenza ...	2,030	1,221	1,313	65.8	40.9	44.5
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	772	42.4	30.8	26.2
13	Cancer ...	2,591	2,933	3,503	83.8	98.4	118.7
14	Diabetes mellitus	245	227	257	7.9	7.6	8.7
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,359	45.8	69.6	79.9
16	Heart disease ...	5,148	4,981	7,092	166.5	167.1	240.2
*17	Other circulatory diseases	—	439	732	—	14.7	24.8
18	Bronchitis ...	4,324	2,750	2,201	139.8	92.0	74.6
19	Pneumonia, all forms	2,853	2,476	2,482	92.3	83.0	84.1
20	Other respiratory diseases	819	722	689	26.5	24.2	23.3
21	Gastric and duodenal ulcer	229	274	322	7.4	9.2	10.9
22	Diarrhoea and enteritis under 2 years	814	592	583	26.3	19.8	19.3
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	74	5.9	3.2	2.5
*25	Other diseases of Liver, etc.	—	138	163	—	4.6	5.4
*26	Other digestive diseases	—	1,172	939	—	39.2	31.8
27	Acute and chr. nephritis	1,150	1,132	1,197	37.2	38.0	40.6
28	Puerperal sepsis ...	129	101	73	4.2	3.4	2.5
29	Other puerperal causes	212	190	172	6.9	6.4	5.8
*30	Congenital debility, etc.	2,101	1,788	1,843	68.0	59.9	62.4
*31	Senility ...	—	8,300	6,174	—	277.8	209.1
32	Suicide ...	82	89	97	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	871	37.7	34.1	29.5
34	Other defined causes	16,609	3,491	3,337	537.2	117.0	113.0
35	Causes ill-defined or unknown.	1,361	1,302	651	44.0	43.4	22.0

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, IRE AND NORTHERN IRELAND, 1940 — 1942.

Nos.	CAUSES OF DEATH.	IRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1940	1941	1942	1940	1941	1942	1940	1941	1942	1940	1941	1942
	ALL CAUSES	41,885	43,787	41,640	1416.0	1463.3	1405.3	18,941	19,640	17,256	1461.5	1521.3	1328.4
1	Typhoid fever (including paratyphoid)	31	38	58	1.0	1.3	2.0	10	8	7	0.8	0.6	0.5
2	Cerebro-spinal meningitis ...	23	41	40	0.8	1.4	1.3	58	105	70	4.5	8.1	5.4
3	Scarlet fever ...	33	32	35	1.1	1.1	1.2	27	12	2	2.1	0.9	0.2
4	Whooping cough ...	163	150	228	5.5	5.0	7.7	111	98	64	10.9	7.6	4.9
5	Diphtheria ...	178	165	267	6.0	5.5	9.0	127	133	91	9.8	10.3	7.0
6	Tuberculosis of respiratory system.	2,907	2,882	3,512	96.3	96.3	118.5	967	1,012	939	74.6	78.4	72.3
7	All other forms of tuberculosis.	778	820	835	26.3	27.7	28.2	299	327	320	23.1	25.3	24.6
8	Dysentery ...	2	4	3	0.1	0.1	0.1	—	1	—	—	0.1	—
9	Influenza ...	828	1,335	388	28.0	44.6	13.1	665	443	194	51.3	34.3	14.9
10	Measles ...	77	89	79	2.6	3.0	2.7	193	18	68	14.9	1.4	5.2
11	Acute infectious encephalitis	23	24	22	0.6	0.8	0.7	32	33	26	2.5	2.6	2.0
12	Typhus ...	2	6	5	0.1	0.2	0.2	—	—	1	—	—	0.1
13	Cancer ...	3,773	3,790	4,055	127.6	126.6	136.9	1,764	1,763	1,837	136.1	136.6	141.4
14	Diabetes mellitus ...	284	277	267	9.6	9.3	9.0	158	141	117	12.2	10.9	9.0
15	Intra-cranial lesions of vascular origin.	2,687	2,721	2,617	90.3	90.9	86.3	1,544	1,659	1,393	119.1	128.5	107.2
16	Diseases of the heart ...	2,908	2,938	3,550	301.1	312.0	288.6	3,950	4,076	3,616	304.8	315.7	278.4
17	Other diseases of the circulatory system.	755	777	674	25.5	26.0	22.7	337	341	390	26.0	26.4	30.0
18	Bronchitis ...	2,011	1,952	1,473	68.0	65.2	49.7	942	908	737	72.7	70.3	56.7
19	Pneumonia ...	1,861	1,881	1,707	62.9	62.8	57.6	873	913	859	67.4	70.7	66.1
20	Other diseases of the respiratory system.	678	671	595	22.9	22.4	20.1	296	281	250	22.8	21.8	19.2
21	Ulcer of the stomach or duodenum.	372	339	274	12.6	11.3	9.2	164	159	140	12.7	12.3	10.8
22	Diarrhoea and enteritis ...	724	1,020	1,167	24.5	34.1	39.4	465	403	350	35.9	31.2	26.9
23	Appendicitis ...	190	127	142	6.4	4.2	4.6	72	67	54	5.6	5.2	4.2
24	Cirrhosis of the liver ...	59	62	54	2.0	2.1	1.8	35	32	29	2.7	2.5	2.2
25	Diseases of the liver and biliary passages.	157	157	142	5.3	5.2	4.8	86	84	66	6.6	6.5	5.1
26	Other diseases of the digestive system.	639	680	610	21.6	22.7	20.6	228	240	219	17.6	18.6	16.9
27	Nephritis ...	1,183	1,184	1,063	40.0	39.6	35.9	473	419	397	36.5	32.5	30.6
28	Pureperal infection ...	55	43	43	1.9	1.4	1.5	33	19	20	2.5	1.5	1.5
29	Other diseases of childbirth	153	139	120	5.2	4.7	4.0	73	93	68	5.6	7.2	5.2
30	Congenital debility, etc. (Nos. 157-161).	1,931	2,094	2,214	65.3	70.0	74.7	1,051	1,073	1,222	81.1	83.1	94.1
31	Senility ...	5,738	6,440	5,774	195.7	215.2	194.9	1,552	1,571	1,565	119.8	121.7	120.5
32	Suicide ...	99	90	83	3.3	3.0	2.8	60	55	44	4.6	4.3	3.4
33	Other violence ...	968	863	916	32.7	28.8	30.9	632	1,554	609	48.8	120.4	46.9
34	Other causes ...	3,565	3,557	3,628	120.5	118.8	122.4	1,634	1,599	1,492	126.1	123.9	114.9

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1942.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,923	2,698	4,046	4,623	3,417	1,084	214
.. 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,260	2,149	2,113	2,532	4,249	5,459	4,566	1,326	273
.. 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,388	4,636	1,462	218
.. 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
.. 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,253	4,541	3,327	1,379	230
.. 1911-20 ...	26,131	4,703	514	375	653	858	1,689	1,325	2,138	2,723	4,732	4,407	1,339	172
.. 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,396	4,391	3,662	1,267	138
.. 1931-40 ...	21,469	2,986	303	221	370	490	908	1,063	1,810	3,320	5,412	3,602	895	83
1932 ...	21,801	3,235	366	226	412	545	965	1,103	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77
Average, 1932-41 ...	21,558	2,971	297	212	363	480	906	1,055	1,770	3,318	5,485	3,729	892	80
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.23	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.13
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	23.84	65.40	133.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	23.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	23.73	50.27	111.41	233.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	118.64	254.26
1921-30 ...	14.39	23.58	2.53	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.43	6.02	10.94	25.34	57.22	105.73	174.77
1932 ...	14.49	22.16	2.53	1.50	2.82	4.38	4.85	6.40	10.73	27.33	60.58	98.73	166.82
1933 ...	13.63	20.28	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.22
1934 ...	13.12	18.57	2.21	1.43	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
Average, 1932-41 ...	14.24	21.20	2.12	1.45	2.57	3.70	4.45	5.95	10.77	24.87	57.16	108.59	179.08
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1942.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	398
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	705	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	522	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
„ 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,327	4,937	3,875	1,129	117
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,920	2,409	391	237	398	504	1,005	1,151	1,674	2,688	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,093	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,138	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	115
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
Average, 1932-41	20,368	2,380	293	229	379	477	968	1,065	1,564	2,831	4,953	4,000	1,115	114
1942	19,772	2,532	218	197	391	513	1,007	1,027	1,408	2,466	4,497	4,312	1,085	119

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	63.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	269.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1932	...	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	54.14	90.26	169.34
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.38	26.08	59.76	92.25	146.98
1936	...	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
Average, 1932-41	...	14.10	17.66	2.17	1.63	2.85	4.06	4.99	6.19	10.25	23.42	51.60	98.51	173.21
1942	...	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.81	9.27	18.67	45.37	103.71	182.76

*During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 3 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1942.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	502
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	436
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	563
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	439
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,906	5,343	8,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,630	5,516	8,811	7,654	2,636	291
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1932 ...	42,934	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,860	3,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	606	447	665	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	186
Average, 1932-41 ...	41,926	5,351	590	441	742	957	1,874	2,120	3,334	6,149	10,438	7,729	2,007	194
1942 ...	41,640	5,826	530	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	184

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.33	284.60
1881-90 ...	17.66	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	239.83
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.43	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1932 ...	14.58	20.62	2.59	1.68	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26
Average, 1932-41 ...	14.17	19.46	2.14	1.54	2.70	3.87	4.71	6.07	10.52	24.18	54.35	103.12	175.37
1942 ...	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.02

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons, and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1942.

PROVINCES AND COUNTIES.	MARRIAGES	BIRTHS		DEATHS FROM						Deaths of Infants under One Year of age.	
		Total.	Illegitimate Births.	All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection			Other Diseases of Child-birth.
								Sepsis	Other		
ÉIRE.	17,470	66,117	2,419	41,640	1,675	4,347	4,055	16	27	120	4,591
Carlow ...	202	844	60	455	26	48	31	.	.	3	56
Dublin Co. ...	898	2,637	82	1,647	89	213	179	.	3	4	231
City of Dublin ...	4,047	12,528	300	6,750	568	928	656	2	4	14	1,227
Kildare ...	332	1,638	79	860	32	93	83	.	.	.	116
Kilkenny ...	385	1,501	82	966	18	78	88	1	.	7	96
Laoighis ...	216	1,067	53	696	25	53	86	.	2	1	65
Longford ...	155	784	31	465	16	37	51	.	.	2	48
Louth ...	424	1,501	59	1,007	33	127	89	.	.	4	87
Meath ...	365	1,524	61	958	19	117	107	.	.	2	97
Offaly ...	276	1,219	55	705	11	78	97	.	.	.	67
Westmeath ...	329	1,225	58	781	33	88	93	.	1	2	91
Wexford ...	495	2,232	136	1,481	57	158	118	1	.	5	179
Wicklow ...	327	1,398	79	865	27	97	80	.	.	5	91
LEINSTER	8,451	30,098	1,135	17,036	954	2,115	1,758	4	10	49	2,451
Clare ...	436	1,823	61	1,223	25	124	122	.	2	3	83
Cork Co. ...	1,232	5,157	218	3,764	103	319	369	3	3	7	334
Cork Co. Borough ...	829	1,824	32	1,221	80	127	151	.	1	2	166
Kerry ...	699	2,895	88	1,779	71	181	154	.	3	11	153
Limerick Co. ...	460	2,447	138	1,411	67	129	136	2	2	3	170
Limerick Co. Borough	438	1,163	13	590	57	90	56	1	.	.	90
Tipperary N.R. ...	328	1,258	49	810	21	68	72	.	.	2	84
Tipperary S.R. ...	413	1,772	79	1,152	46	111	141	1	.	4	133
Waterford Co. ...	282	985	70	731	16	57	64	1	.	2	73
Waterford Co. Boro'	173	798	17	421	34	47	48	.	1	1	73
MUNSTER	5,290	20,122	765	13,102	520	1,253	1,313	8	12	35	1,359
Galway ...	776	3,725	92	2,259	63	275	188	2	.	8	210
Leitrim ...	248	831	22	690	4	44	64	.	.	2	30
Mayo ...	653	3,148	69	1,896	38	154	173	.	1	3	131
Roscommon ...	340	1,338	34	1,069	14	68	84	.	1	7	54
Sligo ...	277	1,189	42	1,024	13	114	118	.	2	3	78
CONNAUGHT	2,294	10,231	259	6,938	132	655	627	2	4	23	503
Cavan ...	359	1,447	74	1,078	13	77	99	.	.	2	83
Donegal ...	771	3,068	127	2,042	32	190	170	1	.	10	149
Monaghan ...	305	1,151	59	844	24	57	88	1	1	1	46
ULSTER (part of) ...	1,435	5,666	260	3,964	69	324	357	2	1	13	278

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1942.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Register of Popu- lation, 1941.	MARRI- AGES.			BIRTHS.			DEATHS.			
		Rates per 1,000 of Popu- lation.	Rates per 1,000 of Popu- lation.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTH		
					All Causes	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deat of Infant in One Year of age
ÉIRE ...	2,989,700	5.90	22.31	3.66	14.05	0.57	1.47	1.37	0.65	1.82	68
Carlow ...	34,142	5.92	24.72	7.11	13.33	0.76	1.41	0.91	.	3.55	66
Dublin Co. ...	128,861	6.97	20.46	3.11	12.78	0.69	1.65	1.39	1.14	1.52	88
City of Dublin ...	489,276	8.27	25.60	2.39	13.80	1.16	1.90	1.34	0.48	1.12	98
Kildare ...	63,506	5.23	25.79	4.82	13.54	0.50	1.46	1.31	.	.	71
Kilkenny ...	68,268	5.64	21.99	5.46	14.15	0.26	1.14	1.29	0.67	4.66	64
Laoighis ...	49,920	4.33	21.37	4.97	13.94	0.50	1.06	1.72	1.87	0.94	61
Longford ...	37,771	4.10	20.76	3.95	12.31	0.42	0.98	1.35	.	2.55	61
Louth ...	65,772	6.45	22.82	3.93	15.31	0.50	1.93	1.35	.	2.66	58
Meath ...	65,124	5.60	23.40	4.00	14.71	0.29	1.80	1.64	.	1.31	64
Offaly ...	51,583	5.35	23.63	4.51	13.67	0.21	1.51	1.88	.	.	55
Westmeath ...	56,676	5.80	21.61	4.73	13.78	0.58	1.55	1.64	0.82	1.63	74
Wexford ...	93,777	5.28	23.80	6.09	15.79	0.61	1.68	1.26	0.45	2.24	80
Wicklow ...	59,023	5.54	23.69	5.65	14.66	0.46	1.64	1.36	.	3.58	65
LEINSTER ...	1,263,698	6.69	23.82	3.77	13.96	0.75	1.67	1.39	0.47	1.63	81
Clare ...	88,287	4.94	20.65	3.35	13.85	0.28	1.40	1.38	1.10	1.65	46
Cork Co. ...	275,323	4.47	18.73	4.23	13.67	0.37	1.16	1.34	1.16	1.36	65
Cork Co. Borough ...	76,758	10.79	23.75	1.75	15.90	1.04	1.65	1.97	0.55	1.10	91
Kerry ...	139,021	5.01	20.73	3.04	12.74	0.51	1.30	1.10	1.04	3.80	53
Limerick Co. ...	100,887	4.56	24.25	5.64	13.99	0.66	1.28	1.35	1.63	1.23	69
Limerick Co. Borough	42,522	10.31	27.36	1.12	13.88	1.34	2.12	1.32	0.86	.	77
Tipperary, N. R.	59,262	5.53	21.23	3.90	13.67	0.35	1.15	1.21	.	1.59	67
Tipperary, S. R.	78,100	5.29	22.69	4.46	14.75	0.59	1.42	1.81	0.56	2.26	75
Waterford Co. ...	48,943	5.76	20.13	7.11	14.94	0.33	1.16	1.31	1.02	2.03	74
Waterford Co. Boro'.	28,481	6.07	28.02	2.13	14.77	1.19	1.65	1.68	1.25	1.25	91
MUNSTER ...	938,184	5.64	21.45	3.80	13.97	0.55	1.34	1.40	0.99	1.74	68
Galway ...	168,451	4.61	22.11	2.47	13.41	0.37	1.63	1.12	0.54	2.15	56
Leitrim ...	48,418	5.12	17.16	2.65	14.25	0.08	0.91	1.32	.	2.41	36
Mayo ...	154,416	4.23	20.39	2.19	12.28	0.25	1.00	1.12	0.32	0.95	42
Roscommon ...	76,190	4.46	17.56	2.54	14.03	0.18	0.89	1.10	0.75	5.23	40
Sligo ...	64,676	4.28	18.38	3.53	15.33	0.20	1.76	1.82	1.68	2.52	66
CONNUGHT ...	512,151	4.48	19.98	2.53	13.55	0.26	1.28	1.22	0.59	2.25	49
Cavan ...	73,766	4.87	19.62	5.11	14.61	0.18	1.04	1.34	.	1.38	57
Donegal ...	142,583	5.41	21.52	4.14	14.32	0.22	1.33	1.19	0.33	3.26	49
Monaghan ...	59,317	5.14	19.40	5.13	14.23	0.40	0.96	1.48	1.74	0.87	40
ULSTER (part of)	275,666	5.21	20.55	4.59	14.38	0.25	1.18	1.30	0.53	2.29	49

NOTE—The rates for Éire are calculated on the population estimated to the middle of 1942.

* See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1942.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.		Other Diseases of Child-birth.	Infants under One Year of Age.
						Sepsis.	Other.		
ÉIRE	68,117	41,640	1,675	4,347	4,055	16	27	120	4,591
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	24,304	13,778	929	1,825	1,382	5	8	31	2,178
ALL RURAL DISTRICTS	41,813	27,862	746	2,522	2,673	11	19	89	2,413
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	19,708	11,054	831	1,495	1,115	3	6	26	1,828
CITY OF DUBLIN ...	12,528	6,750	568	928	656	2	4	14	1,227
Borough of Dun Laoghaire ...	774	554	28	61	62	.	.	2	66
Cork County Borough	1,824	1,221	80	127	151	.	1	2	166
Limerick County Borough ...	1,163	590	57	90	56	1	.	.	90
Waterford County Borough ...	798	421	34	47	48	.	1	1	73
Galway U.D. ...	486	251	9	50	26	.	.	.	38
Dundalk U.D. ...	362	213	8	39	13	.	.	1	16
Drogheda U.D. ...	429	217	12	22	21	.	.	1	34
Sligo U.D. ...	293	178	4	37	20	.	.	2	22
Wexford U.D.	300	228	19	36	16	.	.	1	38
Tralee U.D. ...	247	123	4	19	15	.	.	1	17
Kilkenny U.D. ...	257	141	3	12	15	.	.	.	18
Bray U.D. ...	247	167	5	27	16	.	.	1	23
URBAN DISTRICTS, under 10,000 Population ...	4,596	2,724	98	330	267	2	2	5	350
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	16,606	9,164	688	1,246	880	2	5	22	1,512
Province of Munster	6,036	3,713	214	435	413	2	3	5	527
Province of Connaught	1,166	605	22	104	59	1	.	2	82
Province of Ulster (part of)	496	296	5	40	30	.	.	2	27
ALL RURAL DISTRICTS IN :—									
Province of Leinster	13,492	8,472	266	869	878	2	5	27	909
Province of Munster	14,086	9,389	306	818	900	6	9	30	832
Province of Connaught	9,064	6,333	110	551	568	1	4	21	421
Province of Ulster (part of)	5,171	3,668	64	284	327	2	1	11	251

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1942.

URBAN AND RURAL AREAS.	Population Census 1936.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,958,420	22.31	14.05	0.57	1.47	1.37	0.65	1.82	69
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	965,269	25.18	14.27	0.96	1.89	1.43	0.53	1.28	90
ALL RURAL DISTRICTS	2,003,151	20.87	13.91	0.37	1.26	1.33	0.72	2.13	58
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	760,599	25.91	14.53	1.09	1.97	1.47	0.46	1.32	93
CITY OF DUBLIN ...	468,103.	25.60	13.80	1.16	1.90	1.34	0.48	1.12	98
Borough of Dun Laoghaire ...	39,785	18.88	13.51	0.68	1.49	1.51	.	2.58	85
Cork County Borough	89,765	23.75	15.90	1.04	1.65	1.97	0.55	1.10	91
Limerick County Borough ...	41,061	27.36	13.88	1.34	2.12	1.32	0.86	.	77
Waterford County Borough ...	27,968	28.00	14.77	1.19	1.65	1.68	1.25	1.25	91
Galway U.D. ...	18,294	26.57	13.72	0.49	2.73	1.42	.	.	78
Dundalk U.D. ...	14,684	24.65	14.51	0.54	2.66	0.89	.	2.76	44
Drogheda U.D. ...	11,494	29.60	14.97	0.83	1.52	1.45	.	2.33	79
Sligo U.D. ...	12,565	23.32	14.17	0.32	2.94	1.59	.	6.83	75
Wexford U.D. ...	12,247	24.50	18.62	1.55	2.94	1.31	.	3.33	127
Tralee U.D. ...	10,285	24.02	11.96	0.39	1.85	1.46	.	4.05	69
Kilkenny U.D. ...	10,237	25.11	13.77	0.29	1.17	1.47	.	.	70
Bray U.D. ...	10,111	24.43	16.52	0.49	2.67	1.58	.	4.05	93
URBAN DISTRICTS, under 10,000 Population ...	204,670	22.46	13.31	0.48	1.61	1.30	0.87	1.09	76
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	636,166	26.09	14.40	1.08	1.96	1.38	0.42	1.32	93
Province of Munster	251,689	24.09	14.58	0.84	1.71	1.62	0.81	0.81	86
Province of Connaught	50,656	23.02	11.94	0.43	2.05	1.16	0.86	1.72	70
Province of Ulster (part of)	23,458	21.11	12.62	0.21	1.71	1.28	.	4.03	54
ALL RURAL DISTRICTS IN :—									
Province of Leinster	583,945	23.10	14.51	0.46	1.49	1.50	0.52	2.00	67
Province of Munster	687,583	20.34	13.66	0.45	1.19	1.31	1.07	2.15	59
Province of Connaught	474,812	19.09	13.34	0.23	1.16	1.20	0.55	2.32	46
Province of Ulster (part of)	256,811	20.14	14.28	0.25	1.11	1.27	0.58	2.13	49

NOTE—The rates for Éire and for the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1942, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.

* See note, page 15.



TABLE 13.—BIRTHS and DEATHS registered during the YEAR 1942, for the Thirteen Principal Towns and for each URBAN DISTRICT.

AREA.	Population Census 1936.	Annual Rate per 1,000 persons represented by				DEATHS.																					
		BIRTHS.		DEATHS		Total Number.	Under 1 year of age.	At 65 years and up- wards.	Caused by											Tuber- culosis.		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.
		Total Number.	All Causes.	Principal epidemic diseases.	Total Number.				Principal Epidemic Diseases.											Pulmonary.	Other Forms.						
									Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Marburg & Bn- gerius (under 2 years).	Other Forms.									
ÉIRE	2,968,420	22.3	14.1	0.6	66,117	41,640	4,591	20,684	58	35	228	267	3	.	79	5	1,000	3,512	335	388	4,055	43	120	999	5,709		
Total Rural Districts ...	2,008,151	20.9	13.9	0.4	41,813	27,862	2,413	15,486	42	27	125	148	3	.	45	4	352	2,037	485	330	2,673	30	89	710	5,452		
Total Urban Districts ...	965,269	25.2	14.3	1.0	24,304	13,778	2,178	5,198	16	8	103	119	.	.	34	1	648	1,475	350	58	1,382	13	31	289	257		
Total 13 Principal Towns ...	760,599	25.9	14.5	1.1	19,708	11,054	1,828	4,006	11	7	96	108	.	.	31	.	578	1,227	268	32	1,115	9	26	238	154		
City of Dublin ...	468,103	25.6	13.8	1.2	12,528	6,750	1,227	2,321	6	6	72	54	.	.	18	.	419	768	160	34	656	6	14	161	90		
Borough of Dun Laoghaire	39,785	18.9	13.5	0.7	774	554	66	256	.	.	4	7	17	46	15	4	62	.	2	15	1		
Cork Co. Borough ...	80,765	23.8	15.9	1.0	1,824	1,221	166	505	.	.	2	21	.	.	1	.	56	108	19	.	151	1	2	22	7		
Limerick „ ...	41,061	27.4	13.9	1.3	1,163	590	90	184	5	1	.	17	34	73	17	.	56	1	.	12	10		
Waterford „	27,968	28.0	14.8	1.2	798	421	73	176	34	37	10	.	48	1	1	9	2		
Galway U. D. „	18,294	26.6	13.7	0.5	486	251	38	94	.	.	2	.	.	.	2	.	5	37	13	1	26	.	.	5	3		
Dundalk ...	14,684	24.7	14.5	0.5	362	213	16	83	.	.	.	5	3	34	5	.	13	.	1	3	4		
Drogheda ...	14,494	29.6	15.0	0.8	429	217	34	74	.	.	2	1	.	.	3	.	6	16	6	1	21	.	1	3	7		
Sligo „	12,565	23.3	14.2	0.3	293	178	22	64	.	.	1	2	1	31	6	.	20	.	2	2	7		
Wexford „	12,247	24.5	18.6	1.6	300	228	38	71	.	9	6	.	4	30	6	2	16	.	1	3	1		
Tralee ...	10,285	24.0	12.0	0.4	247	123	17	49	1	.	3	18	1	.	15	.	1	.	13		
Kilkenny „	10,237	25.1	13.8	0.3	257	141	18	65	.	.	3	9	3	.	15	.	.	1	6		
Bray ...	10,111	24.4	16.5	0.5	247	167	23	64	.	.	1	1	3	20	7	.	16	.	1	2	2		

Total Urban Districts under 10,000 Population ...	204,670	22.5	13.3	0.5	4,596	2,724	350	1,192	5	1	7	11	.	.	3	1	70	248	82	26	267	4	5	51	103
I. LEINSTER.																									
An Uaimh ...	4,123	21.3	13.4	1.5	88	76	11	29	.	.	1	1	4	8	4	.	12
Arklow ...	4,680	24.8	13.9	.	116	65	1	38	5	2	1	6	.	.	.	2
Athlone ...	7,257	33.9	12.1	1.2	246	88	21	23	.	1	1	1	6	8	3	.	7	1	1	2	4
Athy ...	3,628	29.8	14.1	0.6	108	51	2	30	.	.	1	1	2	2	3	4	.	.	2	2
Birr ...	3,297	19.4	18.5	0.3	64	61	4	27	1	7	2	.	5	.	.	6	2
Carlow ...	7,649	25.1	9.7	1.2	192	74	12	25	.	.	.	3	.	.	2	.	4	9	2	.	4	.	.	1	5
Ceanannas Mór ...	2,304	18.7	12.2	.	43	28	6	13	1	1	1	2
Enniscorthy ...	5,873	29.5	15.2	1.0	173	89	13	37	.	.	1	5	6	2	.	6	.	.	.	2
Granard ...	1,236	25.1	12.9	0.8	31	16	3	5	.	.	1	1	1	.	1	.	.	.	2
Howth ...	4,832	14.3	10.1	0.2	69	49	4	20	.	.	1	6	1	.	4	.	.	2	.
Longford ...	3,807	30.5	12.3	0.8	116	47	10	23	3	4	2	1	2	.	.	1	3
Naas ...	3,290	32.8	14.9	0.6	108	49	8	17	.	.	1	1	10	1	1	6	.	.	2	.
New Ross ...	5,056	22.7	14.8	0.4	115	75	10	32	2	11	5	2	8	.	1	1	3
Trim ...	1,455	26.1	14.4	.	38	21	.	10	1	2	.	4	.	.	.	1
Tullamore ...	5,135	25.1	11.3	0.2	129	58	9	25	1	8	1	.	7	.	.	1	.
Wicklow ...	3,183	22.9	14.8	0.6	73	47	6	25	2	3	.	1	3

NOTE.—The rates for Eire and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1942, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.

TABLE 13.—URBAN DISTRICTS, 1942 (continued).

AREA.	Popula- tion Census 1936.	Annual Rate per 1,000 persons represented by			BIRTHS. Total Number.	DEATHS.																			
		DEATHS				Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by											No. Uncertified.					
		BIRTHS.	All Causes.	Principal epidemic diseases.					Principal Epidemic Diseases.												Tuber- culosis				
									Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Forms.			Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.
II. MUNSTER.																									
Carrick-on-Suir ...	4,840	28.3	19.2	2.7	137	93	17	43	13	8	3	.	14	.	.	1	3
Cashel ...	3,028	20.1	14.5	1.0	61	44	8	23	3	3	1	.	6	.	.	.	1
Clonakilty ...	2,961	14.9	16.2	.	44	48	2	27	5	5	2	.	3	1	.	.	5
Clonmel ...	9,391	24.0	12.5	0.1	225	117	12	44	1	15	1	.	17	1	.	1	1
Qobh ...	6,178	15.7	13.9	0.6	97	86	10	42	4	4	.	.	5	.	1	1	1
Dungarvan ...	5,361	19.4	16.0	.	104	86	10	40	11	1	3	4	.	.	2	1
Ennis ...	5,897	25.4	12.9	0.8	150	76	6	33	1	.	.	2	2	7	7	1	9
Fermoy ...	4,123	26.7	16.0	.	110	66	11	29	7	3	.	7	.	.	3	6
Killarney ...	5,609	15.3	14.4	0.2	86	81	26	28	1	2	2	1	10	.	.	.	3
Kilrush ...	3,426	18.7	16.1	.	64	55	5	20	7	1	.	2	.	.	.	2
Kinsale ...	2,422	16.5	20.6	0.4	40	50	5	23	1	1	1	.	8	.	.	1	1
Listowel ...	3,098	21.0	14.8	0.3	65	46	10	14	1	3	4	1	3	.	.	1	2
Macroom ...	2,382	12.6	8.4	.	30	20	.	9	2	.	.	4	.	.	2	4
Mallow ...	4,948	20.2	15.8	0.4	100	78	5	40	.	.	.	2	9	2	.	11	.	.	2	.
Midleton ...	2,711	21.8	14.8	0.4	59	40	5	17	1	.	1	.	5	.	.	.	3
Nenagh ...	4,902	18.2	11.0	.	89	54	6	23	4	1	.	3	.	.	2	.
Passage West ...	2,648	13.2	13.2	.	35	35	4	18	2	.	.	3	.	.	.	1

Skibbereen	2,541	23-6	1-7	.	60	45	5	26	3	5	8
Templemore	1,951	28-3	10-6	.	56	21	2	9	3	3	2	
Thurles	5,648	28-7	11-0	0-5	162	62	13	21	.	.	.	2	1	7	1	.	.	.	5	2	5
Tipperary	5,384	24-3	12-8	0-4	131	69	11	28	2	6	4	1	.	.	11	2	
Youghal	5,131	19-3	16-8	0-4	99	86	8	46	.	.	.	1	1	6	2	.	.	.	5	1	1

III. CONNAUGHT.

Ballina	5,728	31-1	9-8	0-3	178	56	8	19	1	1	10	.	.	.	1	3	2	6	
Ballinasloe	5,834	12-3	7-7	0-5	72	45	7	15	2	1	4	.	.	.	3	1	1	2	2
Castlebar	4,826	17-2	7-7	0-6	83	37	5	16	3	1	1	.	.	.	5	1	4	
Westport	3,409	15-8	11-1	0-3	54	38	2	20	.	.	.	1	1	.	.	.	2	4	5	

IV. ULSTER (part of).

Belturbet	1,341	20-1	8-2	.	27	11	.	7	1
Buncrana	2,295	32-7	11-8	.	75	27	4	11	3	3
Bundoran	1,352	24-4	20-0	.	33	27	3	12	2
Carrickmacross	2,095	21-5	13-8	0-5	45	29	2	12	1	3	2	2
Castleblayney	1,725	20-9	12-8	.	36	22	.	12	1	1	.	.	.	3
Cavan	3,393	24-2	13-3	0-6	82	45	5	22	2	3	3	.	.	.	5	1	1
Clones	2,235	25-1	15-7	0-4	56	35	2	13	1	3	3	.	.	.	5	1	.	
Cootehill	1,593	16-9	16-3	.	27	26	2	12	3	3
Letterkenny	2,649	20-4	11-7	.	54	31	3	18	5	.	.	.	3	1	2	6
Monaghan	4,780	12-8	9-0	0-2	61	43	6	16	1	1	1	.	.	.	6	

TABLE 14.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1942.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	63
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	59
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1942, in each Province, County, and County Borough.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion Accord- ing to Register of Popula- tion, 1941.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
EIRE	17,024,485	2,989,700	17,470	66,117	.	.	66,117	2,419	.	.	2,419	41,640	.	.	41,640	24,677
No. PROVINCES																
I.—LEINSTER	4,851,340	1,263,699	8,461	30,430	559	227	30,098	1,216	188	107	1,135	17,886	365	115	17,636	12,462
II.—MUNSTER	5,962,595	938,184	5,290	20,129	220	213	20,122	809	121	77	765	13,066	112	148	13,102	7,020
III.—CONNUGHT	4,230,822	512,151	2,294	9,985	47	293	10,231	187	5	77	259	6,796	13	155	6,938	3,293
IV.—ULSTER (part of)	1,979,728	275,666	1,435	5,573	37	130	5,666	207	1	54	260	3,892	14	86	3,964	1,702

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,142	202	780	16	80	844	30	.	30	60	434	24	45	455	389
2. DUBLIN CO.	208,984	128,861	898	1,406	141	1,372	2,637	144	106	44	82	1,399	269	517	1,647	990
3. CITY OF DUBLIN	18,740	489,276	4,047	15,146	2,733	115	12,528	588	335	47	300	7,746	1,230	234	6,750	5,778
4. KILDARE	418,644	63,506	332	1,432	16	222	1,638	44	.	35	79	796	25	89	860	778
5. KILKENNY	509,470	68,268	385	1,419	29	111	1,501	45	2	39	82	927	9	48	966	535
6. LAOIGHIS	424,892	49,920	216	986	10	91	1,067	23	.	30	53	690	33	39	696	371
7. LONGFORD	257,935	37,771	155	751	32	65	784	18	.	13	31	419	.	46	465	319
8. LOUTH	202,814	65,772	424	1,511	81	71	1,501	50	4	13	59	950	9	66	1,007	494
9. MEATH	577,824	65,124	365	1,302	20	242	1,524	29	3	35	61	869	12	101	958	566
10. OFFALY	493,636	51,583	276	1,148	12	83	1,219	26	.	29	55	636	4	73	705	514
11. WESTMEATH	435,605	56,676	329	1,202	63	86	1,225	60	22	20	58	809	73	45	781	444
12. WEXFORD	581,061	93,777	495	2,189	22	65	2,232	110	1	27	136	1,452	8	37	1,481	751
13. WICKLOW	500,250	59,023	327	1,158	21	261	1,398	49	1	31	79	759	16	122	865	533

PROVINCE OF MUNSTER

14. CLARE	757,756	88,287	456	1,700	7	130	1,823	35	.	26	61	1,178	1	46	1,223	600
15. CORK CO.	1,840,908	275,323	1,232	4,708	186	635	5,157	259	60	19	218	3,938	482	308	3,764	1,393
16. CORK CO. BOROUGH ...	2,635	76,758	829	2,351	632	105	1,824	15	6	23	32	1,116	317	422	1,221	603
17. KERRY	1,161,705	139,621	699	2,855	22	62	2,895	72	1	17	88	1,736	7	50	1,779	1,116
18. LIMERICK CO.	661,585	100,887	460	2,183	46	310	2,447	127	12	23	138	1,504	230	137	1,411	1,036
19. LIMERICK CO.	2,386	42,522	438	1,461	330	32	1,163	10	4	7	13	476	124	238	590	573
20. TIPPERARY, N.R. ...	493,258	59,262	328	1,337	157	78	1,258	179	143	13	49	820	91	81	810	448
21. TIPPERARY, S.R. ...	558,034	78,100	413	1,771	70	71	1,772	45	.	34	79	1,146	46	52	1,152	620
22. WATERFORD CO. ...	452,840	48,943	282	835	19	169	985	45	4	29	70	618	14	127	731	254
23. WATERFORD CO. BOROUGH	1,438	28,481	173	928	150	20	798	22	11	6	17	534	128	15	421	377

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	168,461	776	3,703	74	96	3,725	102	41	31	92	2,262	58	55	2,259	1,466
25. LEITRIM	376,764	48,418	248	767	5	69	831	6	.	16	22	625	.	65	690	141
26. MAYO	1,333,941	154,416	653	3,058	15	105	3,148	21	.	48	69	1,834	5	67	1,896	1,252
27. ROSCOMMON	608,540	76,190	340	1,302	45	81	1,338	24	5	15	34	1,040	24	53	1,069	269
28. SLIGO	443,917	64,676	277	1,155	16	50	1,189	34	3	11	42	1,035	42	31	1,024	165

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	73,766	359	1,381	14	80	1,447	48	1	27	74	1,006	8	80	1,073	369
30. DONEGAL	1,193,581	142,583	771	3,065	20	23	3,068	116	.	11	127	2,032	7	17	2,042	1,026
31. MONAGHAN	318,985	59,317	305	1,127	9	33	1,151	43	.	16	59	854	41	31	844	307

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT 1.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1942.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Numbers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No. 1. CARLOW	221,485	34,452	202	780	16	80	844	30	.	30	60	434	24	45	455	389
2. Dublin Co.																
2. BALROTHERY	84,405	20,997	112	308	3	208	513	2	.	15	17	331	137	115	309	204
3. DUBLIN (part of)	97,619	38,481	372	498	137	476	837	138	120	19	37	375	88	205	492	345
4. BATHDOWN	26,960	59,344	414	600	19	706	1,287	4	.	24	28	693	70	223	846	441
3. City of Dublin.																
5. DUBLIN (part of)	18,740	468,103	4,047	15,146	2,733	115	12,528	588	335	47	300	7,746	1,230	234	6,750	5,778
4. Kildare Co.																
6. ATHEY	130,460	16,552	104	459	21	47	485	22	5	8	25	251	46	44	249	236
7. CELBRIDGE	53,703	8,233	33	132	1	60	191	4	.	9	13	69	.	48	117	74
8. NAAS	234,481	33,107	195	841	15	136	962	18	.	23	41	476	60	78	494	468
5. Kilkenny Co.																
9. CALLAN	62,166	7,112	34	135	1	35	169	.	.	6	6	68	.	25	93	76
10. CASTLECOMER	57,867	8,247	51	136	2	38	172	5	.	9	14	104	.	22	126	46
11. KILKENNY	133,462	23,377	174	665	142	36	559	19	6	13	26	394	89	22	327	232
12. THOMASTOWN	225,444	26,660	111	422	8	101	515	20	5	15	30	327	25	72	374	141
13. URLINGFORD	30,528	3,218	15	61	.	25	86	1	.	5	6	34	.	12	46	40
6. Laoighis Co.																
14. ABBEYLEIX	200,641	21,319	87	356	11	68	413	3	.	20	23	267	21	40	286	127

7. Longford Co.																
16. BALLYMAHON	69,834	7,272	19	119	1	41	159	5	.	5	10	77	.	15	92	67
17. GRANARD	84,678	12,532	29	164	2	66	228	3	.	8	11	112	.	32	144	84
18. LONGFORD	103,423	18,043	107	468	96	25	397	10	6	6	10	230	28	27	229	168
8. Louth Co.																
19. ARDEE	67,239	11,218	51	196	7	51	240	5	.	10	15	160	34	45	171	69
20. DROGHEDA	41,979	19,674	162	676	144	10	542	22	8	3	17	329	41	32	320	222
21. DUNDALK	93,596	23,447	211	639	16	96	719	23	6	10	27	461	4	59	516	203
9. Meath Co.																
22. DUNSHAUGHLIN	106,757	7,724	72	125	2	68	191	.	.	7	7	85	.	41	126	65
23. KELLS	103,420	12,837	66	251	1	53	303	5	.	14	19	123	.	41	164	139
24. NAVAN	182,161	22,209	135	439	5	152	586	7	2	8	13	360	64	72	368	218
25. OLDCASTLE	44,099	4,596	18	87	2	26	111	.	.	7	7	64	.	13	77	34
26. TRIM... ..	141,387	14,039	74	400	108	41	333	17	12	10	15	237	64	50	223	110
10. Offaly Co.																
27. BIRR	248,865	23,462	116	412	3	74	483	7	.	15	22	253	.	70	323	160
28. EDENDERRY	81,156	6,563	41	180	2	37	215	3	.	7	10	77	2	16	91	124
29. TULLAMORE	163,615	21,283	119	556	59	24	521	16	7	14	23	306	48	33	291	230
11. Westmeath Co.																
30. ATHLONE	98,984	18,109	122	453	31	51	473	2	.	15	17	191	7	49	233	240
31. DELVIN	110,987	10,087	34	192	34	48	206	42	31	7	18	116	5	44	155	51
32. MULLINGAR	226,634	26,510	173	557	55	44	546	16	6	13	23	502	130	21	393	153
12. Wexford Co.																
33. ENNISCORTHY	193,391	29,566	164	726	47	67	746	73	33	11	51	519	110	41	450	296
34. GOREY	130,202	13,850	42	261	5	33	289	3	.	10	13	156	.	52	208	81
35. NEW ROSS	124,426	19,417	117	422	6	52	468	16	.	12	28	247	13	55	289	179
36. WEXFORD	133,042	31,412	172	780	89	38	729	18	.	26	44	530	59	63	534	195
13. Wicklow Co.																
37. BALTINGLASS	154,966	9,854	47	218	40	49	227	5	.	12	17	160	13	34	181	46
38. RATHDRUM	262,203	41,443	248	824	26	214	1,012	42	11	21	52	528	77	132	583	429
39. SHILLELAGH	83,078	7,272	32	116	.	43	159	2	.	8	10	71	.	30	101	58

ABSTRACT I.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1942.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula-tion, Census 1936	Total Number of Mar-riages Regis-tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num-bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co. 40. BALLYVAUGHAN ...	71,629	3,263	16	55		6	61			4	4	26		16	42	19
41. COROFIN ...	61,381	3,865	13	70	1	9	78	1		2	3	39		6	45	33
42. ENNIS ...	113,312	18,634	139	506	89	34	451	25	10	4	19	394	168	15	241	210
43. ENNISTYMON ...	99,600	14,390	77	304	4	12	312	3		2	5	166	2	31	195	117
44. KILLADYSERT ...	62,615	6,824	43	95		29	124			5	5	71		23	94	30
45. KILRUSH ...	137,507	22,300	73	361	3	25	383	4		9	13	224	3	38	259	124
46. SCARRIFF ...	241,712	20,603	75	309	1	106	414	2		10	12	258		89	347	67
No. 15. Cork Co. 47. BANDON ...	101,482	14,866	65	318	50	41	309	1		9	10	165	10	48	203	106
48. BANTRY ...	107,277	10,335	41	178	12	17	183			4	4	113	3	29	139	44
49. CASTLETOWN ...	74,299	7,833	30	112		16	128			3	3	87		24	111	17
50. CLONAKILTY ...	80,994	14,716	72	215	7	33	241	14	7	1	8	185	21	48	212	29
51. CORK (part of) ...	167,841	59,391	292	1,049	253	334	1,130	171	126	3	48	1,500	847	150	803	327
52. DUNMANWAY ...	103,920	10,343	18	162	11	36	187	1		8	9	119	2	27	144	43
53. FERMOY ...	196,733	24,735	131	529	38	49	540	27	6	17	38	326	30	51	347	193
54. KANTURK ...	185,659	20,455	98	417	16	28	429	13		7	20	197	4	58	251	178
55. KINSALE ...	80,129	11,613	51	156	3	66	219	6		9	15	122	2	63	183	36
56. MACROOM ...	179,153	17,760	97	269	18	47	298	2		3	5	161	1	69	229	69
57. MALLOW ...	169,102	24,511	115	391	2	103	492	12		10	22	300	22	75	353	139
58. MIDDLETON ...	109,380	16,608	87	281	7	51	325	1		10	11	170	3	59	226	99
59. MILLSTREET ...	74,939	8,992	24	139	2	23	160	2		3	5	96	9	18	105	55
60. SKIBBEREEN ...	115,371	18,041	48	240	14	28	263	3		7	10	187	6	43	224	39
61. SKULL ...	57,669	6,312	23	65		15	80	2		1	3	74	1	24	97	-17

63. CORK (part of) ...	2,685	80,765	829	2,351	632	105	1,824	15	6	23	32	1,116	317	422	1,221	603	
17. Kerry Co.																	
64. CAHERIVEEN ...	198,101	15,371	71	259	3	22	278	6	.	4	10	170	.	42	212	66	
65. DINGLE ...	126,454	13,838	60	200	2	30	228	.	.	2	2	128	1	43	170	58	
66. KENMARE ...	198,416	10,143	34	152	.	14	166	.	.	6	6	89	.	24	113	53	
67. KILLARNEY ...	251,430	31,660	168	634	37	36	633	45	25	6	26	475	105	61	431	202	
68. LISTOWEL ...	165,503	29,407	154	587	10	82	659	7	.	15	22	296	2	72	366	293	
69. TRALEE ...	221,801	39,415	212	1,023	123	31	931	14	5	13	22	578	142	51	487	444	
18. Limerick Co.																	
70. CROOM ...	83,369	10,007	54	491	267	29	253	78	65	2	15	205	76	27	156	97	
71. KILMALLOCK ...	164,344	23,057	82	438	5	152	585	6	.	25	31	270	.	100	370	215	
72. LIMERICK (part of) ...	142,828	26,625	110	476	40	189	625	30	13	27	44	518	246	79	351	274	
73. NEWCASTLE ...	143,842	23,666	122	496	6	127	617	8	.	23	31	344	74	51	321	296	
74. RATHKEALE ...	127,202	16,737	92	282	2	87	367	5	.	12	17	167	1	47	213	154	
19. Limerick Co. Borough																	
75. LIMERICK (part of) ...	2,386	41,061	438	1,461	330	32	1,163	10	4	7	13	476	124	238	590	573	
20. Tipperary N.R.																	
76. BORRISOKANE ...	109,667	8,842	53	161	1	35	195	.	.	6	6	81	.	38	119	76	
77. NENAGH ...	183,395	20,688	106	422	38	21	405	4	.	11	15	254	32	53	275	130	
78. ROSCREA ...	57,541	7,950	42	288	168	13	133	161	157	3	7	202	116	30	116	17	
79. THURLES ...	142,655	22,071	127	466	13	72	525	14	6	13	21	283	50	67	300	225	
21. Tipperary S.R.																	
80. CARRICK-ON-SUIR ...	26,118	6,870	50	171	1	11	181	3	.	3	6	104	1	25	128	53	
81. CASHEL ...	222,782	24,962	109	551	58	72	565	34	16	11	29	404	96	46	354	211	
82. CLOGHEEN ...	117,415	11,500	46	195	11	35	219	.	.	10	10	138	.	36	174	45	
83. CLONMEL ...	47,305	13,774	102	327	42	29	314	4	.	7	11	242	83	29	188	126	
84. TIPPERARY ...	144,414	21,178	106	527	83	49	493	4	.	19	23	258	12	62	308	185	
22. Waterford Co.																	
85. DUNGARVAN ...	144,342	17,431	99	359	46	23	336	30	12	4	22	271	27	21	265	71	
86. KILMACTHOMAS ...	64,590	5,798	23	69	2	36	103	4	.	8	12	58	.	27	85	18	
87. LISMORE ...	97,186	10,172	72	145	2	34	177	3	.	10	13	124	1	26	149	28	
88. WATERFORD (part of) ...	146,722	16,245	88	262	7	114	369	8	.	15	23	165	10	77	232	137	
23. Waterford Co. Borough																	
89. WATERFORD (part of) ...	1,438	27,968	173	928	150	20	798	22	11	6	17	534	128	15	421	377	

See note () on page 27.

ABSTRACT I.—(continued).

MARRIAGES, BIRTHS AND DEATHS, 1942.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Population, Census 1936	Total Number of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Numbers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No. 90. BALLINASLOE	155,542	18,442	87	307	2	50	355	2	.	2	4	212	71	72	213	142
91. OLIFDEN	193,692	12,434	59	246	8	21	259	.	.	7	7	128	2	46	172	87
92. GALWAY	198,506	38,297	232	1,177	237	27	967	9	5	14	18	793	293	49	549	418
93. GLENAMADDY	82,958	10,889	31	153	.	22	175	.	.	1	1	116	.	36	152	23
94. GORT	106,812	10,034	35	140	.	50	190	3	.	13	16	92	.	49	141	49
95. LOUGHREA	214,111	19,690	79	384	7	42	419	2	.	10	12	280	85	57	252	167
96. MOUNTBELLEW	72,439	8,562	12	129	1	14	142	2	.	1	3	87	.	30	117	25
97. OUGHTERARD	173,440	13,393	68	301	.	49	350	3	.	4	7	141	1	45	185	165
98. PORTUMNA	62,086	7,178	42	110	2	19	127	.	.	1	1	65	.	12	77	50
99. TUAM	208,574	29,279	131	756	75	60	741	81	67	9	23	348	41	94	401	340
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,577	9,651	58	128	4	39	163	3	2	4	5	151	20	15	146	17
101. MANORHAMILTON	177,423	19,556	67	283	6	25	302	1	.	10	11	250	8	39	261	41
102. MOHILL	135,764	21,701	123	356	14	24	366	2	.	4	6	244	.	39	283	83
26. Mayo Co.																
103. BALLINA	251,108	28,142	122	576	8	25	593	4	.	12	16	265	1	60	324	269
104. BALLINROBE	147,105	17,371	72	321	1	19	339	1	.	6	7	203	32	50	221	118
105. BELMULLET	179,761	13,447	76	354	5	4	353	2	.	2	4	102	1	20	121	232
106. CASTLEBAR	141,211	22,581	82	475	69	16	422	4	1	9	12	510	251	15	274	148

108. SWINFORD	156,063	32,703	130	509	2	50	557	2	.	11	13	345	8	59	396	161
109. WESTPORT	347,904	27,855	110	515	5	33	548	6	.	4	10	225	.	80	305	238
27. Roscommon Co.																
110. BOYLE	122,372	16,729	63	258	23	22	257	1	.	5	6	216	.	37	253	4
111. CASTLEREAGH	163,690	24,724	135	385	2	46	429	2	.	10	12	287	3	54	338	91
112. ROSCOMMON	322,478	36,113	142	659	51	44	652	21	10	5	16	537	88	29	478	174
28. Sligo Co.																
113. DROMORE WEST	97,543	9,980	42	150	.	21	171	2	.	3	5	114	.	32	146	25
114. SLIGO	220,505	43,234	168	809	45	46	810	28	7	10	31	794	125	32	701	109
115. TOBERCURRY	125,869	14,233	67	196	2	14	208	4	.	2	6	127	.	50	177	31

MARRIAGES, BIRTHS AND DEATHS, 1942.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.																
116. BAILIEBOROUGH	113,901	19,845	83	368	1	77	444	7	.	20	27	211	.	75	286	158
117. BAWNBOY	102,420	11,047	53	156	3	22	175	.	.	4	4	117	.	30	147	28
118. CAVAN	250,341	45,778	223	857	81	52	828	41	15	17	43	678	88	55	645	183
30. Donegal Co.																
119. BALLYSHANNON	41,628	7,976	43	158	12	12	158	4	.	.	4	105	15	13	103	55
120. DONEGAL	160,449	14,780	93	294	22	8	280	3	.	4	7	223	19	26	230	50
121. DUNFANAGHY	126,123	13,555	57	264	6	8	266	7	.	3	10	164	.	8	172	94
22. GLENTIES	253,505	27,569	130	525	5	28	548	6	.	8	14	366	11	46	401	147
123. INISHOWEN	160,021	23,240	145	544	1	17	560	19	.	10	29	321	6	23	338	222
124. LETTERKENNY	160,377	18,540	127	438	10	9	437	12	.	4	16	271	52	21	240	197
125. MILLFORD	112,089	15,513	87	314	9	11	316	11	.	4	15	206	.	26	232	84
126. STRANORLAR	174,369	21,137	89	528	35	10	503	54	23	1	32	376	70	20	326	177
31. Monaghan Co.																
127. CARRICKMACROSS	65,680	12,862	56	172	1	45	216	2	.	8	10	122	3	43	162	54
128. CASTLEBLAYNEY	63,334	13,205	80	244	26	55	273	31	22	7	16	242	73	42	211	62
129. CLONES	64,288	11,291	45	199	8	34	225	5	.	8	13	122	2	55	175	50
130. MONAGHAN	125,183	23,931	124	512	101	26	437	5	1	16	20	368	111	39	296	141

* See note (*) on page 27.

ABSTRACT II.—MARRI.

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Regi- in the Quarter end the last day of		
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.
ÉIRE	17,470	16,466	1,004	720	153	64	57	3	7	4,013	4,603	5,021
PROVINCES.												
LEINSTER	8,451	7,858	503	456	40	39	52	1	5	1,611	2,285	2,601
MUNSTER	5,290	5,169	121	99	1	12	5	2	2	1,425	1,341	1,379
CONNUGHT	2,294	2,254	40	37	2	1	.	.	.	634	636	603
ULSTER (part of) ...	1,435	1,185	250	128	110	12	.	.	.	343	341	438

PROVING

CARLOW	202	188	14	14	2	46	55	47
DUBLIN CO.	898	819	79	73	.	3	1	.	.	145	254	312
CITY OF DUBLIN ...	4,047	3,707	340	224	35	24	51	1	5	664	1,130	1,350
KILDARE	332	318	14	14	66	91	90
KILKENNY	385	380	5	5	104	103	95
LAOIGHIS	216	192	24	21	.	3	.	.	.	43	66	52
LONGFORD	155	149	6	6	35	38	50
LOUTH	424	412	12	9	.	3	.	.	.	33	103	133
MEATH	365	348	17	16	1	82	103	86
OFFALY	276	263	13	11	.	2	.	.	.	68	61	91
WESTMEATH	329	325	4	4	94	69	70
WEXFORD	495	470	25	22	2	1	.	.	.	108	134	142
WICKLOW	327	287	40	37	.	3	.	.	.	73	78	83

PROVING

CLARE	456	434	2	2	138	124	106
CORK CO.	1,232	1,173	59	54	.	3	2	.	.	332	301	318
CORK CO. BOROUGH ...	329	304	25	13	.	7	3	.	2	265	204	280
KERRY	699	696	3	3	257	141	154
LIMERICK CO.	460	453	7	7	142	132	99
LIMERICK CO. BOROUGH	438	433	5	4	.	.	.	1	.	89	129	128
TIPPERARY, N.R. ...	328	314	14	14	91	91	71
TIPPERARY, S.R. ...	413	412	1	1	112	113	89
WATERFORD CO. ...	282	278	4	1	1	1	.	1	.	68	63	81
WATERFORD CO. BOROUGH	173	172	1	.	.	1	.	.	.	31	43	53

PROVING

GALWAY	776	771	5	5	216	208	212
LETRIM	248	244	4	4	64	65	74
MAYO	653	645	8	8	171	192	150
ROSCOMMON	340	339	1	1	112	76	98
SLIGO	277	255	22	19	2	1	.	.	.	71	95	69

PROVING

CAVAN	359	309	50	43	4	3	.	.	.	99	79	104
DONEGAL	771	628	143	70	67	6	.	.	.	185	177	239
MONAGHAN	305	248	57	15	39	3	.	.	.	59	85	95

REGISTERED IN THE YEAR 1942.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
16,562	188	620	100	720	288	348	1,486	ÉIRE.
7,987	99	301	64	365	163	205	847	LEINSTER.
5,025	47	194	24	218	71	99	414	MUNSTER.
2,180	26	80	8	88	34	25	120	CONNUGHT.
1,370	16	45	4	49	20	19	105	ULSTER (part of).
LEINSTER								
194	2	6	.	6	2	6	27	CARLOW.
854	7	31	6	37	13	26	82	DUBLIN CO.
3,813	54	147	33	180	87	105	385	CITY OF DUBLIN.
324	3	4	1	5	4	7	30	KILDARE.
360	8	16	1	17	9	9	36	KILKENNY.
203	2	8	3	11	5	2	25	LAGHIS.
145	1	4	2	6	6	.	13	LONGFORD.
412	1	8	3	11	4	12	49	LOUTH.
341	3	17	4	21	7	5	38	MEATH.
260	4	12	.	12	4	5	23	OFFALY.
313	4	11	1	12	5	4	28	WESTMETH.
465	5	20	5	25	10	16	75	WEXFORD.
303	2	17	5	22	7	8	36	WICKLOW.
MUNSTER								
415	6	15	.	15	6	4	32	CLARE.
1,171	12	46	3	49	15	11	76	CORK CO.
791	8	24	6	30	14	24	78	CORK CO. BOROUGH.
666	8	23	2	25	10	9	34	KERRY.
432	1	23	4	27	5	8	41	LIMERICK CO.
422	.	15	1	16	1	14	47	LIMERICK CO. BOROUGH.
317	2	7	2	9	4	11	26	TIPPERARY, N.R.
389	6	17	1	18	7	6	36	TIPPERARY, S.R.
260	1	18	3	21	4	3	19	WATERFORD CO.
162	3	6	2	8	5	9	25	WATERFORD CO. BOROUGH.
CONNUGHT								
736	7	32	1	33	8	8	34	GALWAY.
232	5	9	2	11	7	3	4	LEITRIM.
629	7	16	1	17	8	10	50	MAYO.
318	4	16	2	18	6	2	12	ROSCOMMON.
265	3	7	2	9	5	2	20	SLIGO.
ULSTER (part of)								
327	7	14	1	15	8	5	25	CAVAN.
744	5	20	2	22	7	10	55	DONEGAL.
289	4	11	1	12	5	4	25	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages registered in the year 1942—by Provinces and Counties.

Provinces and Counties.		TOTAL BIRTHS	AGES AT DEATH.																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	
EIRE	Persons	66,117	41,640	4,591	567	288	195	185	5,826	530	389	792	1,046	981	955	937	1,151	1,191	1,774	2,181	3,223	4,168	5,775	8,522	2,035	184	
	Males	34,013	21,868	2,660	294	160	98	82	3,294	312	192	401	533	454	475	475	586	643	914	1,175	1,743	2,381	3,065	4,210	950	85	
	Females	32,104	19,772	1,931	273	128	97	103	2,532	218	197	391	513	527	480	462	565	548	860	986	1,480	1,787	2,710	1,085	119		
LEINSTER	Persons	30,098	17,636	2,451	274	146	100	91	3,062	264	185	375	482	444	433	418	525	539	869	995	1,415	1,689	2,282	2,927	677	55	
	Males	15,439	9,156	1,380	145	81	45	33	1,684	160	88	189	236	198	206	217	270	295	450	559	737	950	1,197	1,414	291	15	
	Females	14,659	8,480	1,071	129	65	55	58	1,378	104	97	186	246	246	227	201	255	244	419	436	678	739	1,085	1,513	386	40	
MUNSTER	Persons	20,122	13,102	1,359	180	87	55	60	1,741	158	107	238	316	299	267	293	350	379	542	691	1,049	1,412	1,934	2,668	605	53	
	Males	10,303	6,895	804	93	47	30	36	1,010	88	52	123	172	145	135	182	200	283	372	577	811	1,006	1,308	279	17		
	Females	9,819	6,207	555	87	40	25	24	731	70	55	115	144	154	132	158	168	179	259	319	472	601	928	1,360	326	36	
CONNAUGHT	Persons	10,231	6,938	503	73	30	26	24	656	69	63	134	162	160	162	151	170	172	235	300	480	649	956	1,369	498	52	
	Males	5,311	3,680	305	35	17	14	10	381	41	32	64	76	73	92	81	79	93	112	148	272	368	530	961	253	24	
	Females	4,920	3,258	198	38	13	12	14	275	28	31	70	86	87	70	70	91	79	123	152	208	281	426	908	245	28	
ULSTER (part of)	Persons	5,666	3,964	278	40	25	14	10	367	39	34	45	86	78	93	75	106	101	128	175	279	418	603	1,058	255	24	
	Males	2,960	2,137	171	21	15	9	3	219	23	20	25	49	38	42	42	55	55	69	96	157	252	332	527	127	9	
	Females	2,706	1,827	107	19	10	5	7	148	16	14	20	37	40	51	33	51	46	59	79	122	166	271	531	128	15	
LEINSTER.																											
CARLOW	Persons	844	455	56	9	2	2	7	76	9	3	8	14	5	10	15	14	10	17	22	36	45	50	104	16	1	
	Males	425	228	33	5	1		3	42	5	3	3	6	3	5	4	5	6	11	19	28	27	47	9			
	Females	419	227	23	4	1	2	4	34	4		5	8	2	5	11	9	5	11	17	17	17	23	57	7	1	
DUBLIN CO.	Persons	2,637	1,647	281	18	11	14	13	287	39	34	44	54	44	35	41	39	46	79	103	141	157	186	254	57	7	
	Males	1,350	823	122	9	5	7	8	151	33	19	25	25	13	12	18	21	26	41	60	75	86	90	108	19	1	
	Females	1,287	824	109	9	6	7	5	136	6	15	19	29	31	23	23	18	20	38	43	66	71	96	146	38	6	
CITY OF DUBLIN	Persons	12,528	6,750	1,227	122	59	50	33	1,491	112	70	173	175	177	170	180	237	275	377	451	541	614	722	784	186	15	
	Males	6,316	3,372	632	63	29	20	11	805	63	32	74	74	76	74	91	130	154	210	254	273	332	352	312	64	2	
	Females	6,212	3,378	545	59	30	30	22	686	49	38	99	101	101	96	89	107	121	167	197	268	282	370	472	122	13	
KILDARE	Persons	1,638	860	116	13	9	5	4	147	7	7	8	29	27	25	17	29	19	37	37	61	85	128	156	37	4	
	Males	867	493	70	9	7	3	1	90	2	4	5	19	14	16	11	18	10	23	29	30	51	73	79	19	2	
	Females	771	367	46	4	2	2	3	57	5	3	3	10	13	9	6	13	9	14	8	31	34	55	77	18	2	
KILKENNY	Persons	1,501	966	96	15	8	5	4	128	11	6	12	17	23	19	29	27	22	48	37	99	101	152	185	49	1	
	Males	797	507	57	6	4	2	1	70	5	1	7	7	12	9	18	15	9	21	18	51	59	80	104	21		
	Females	704	459	39	9	4	3	3	58	6	5	5	10	11	10	11	12	13	27	19	48	42	72	81	28	1	
LAOIGHIS	Persons	1,067	696	65	9	4	3		81	8	2	12	15	14	17	15	22	16	25	36	57	72	122	148	32	2	
	Males	558	361	37	5	2	2		45	4	1	4	9	8	9	6	9	6	13	17	28	41	72	76	12	1	
	Females	509	335	28	4	2	1		36	4	1	8	6	6	8	9	13	10	12	19	29	31	50	72	20	1	
LONGFORD	Persons	784	465	48	3	1	1	2	55	2		6	15	11	3	10	7	16	12	35	60	85	112	27	4		
	Males	399	247	29	1				31			2	4	2	2	4	4	7	8	24	32	42	62	13	2		
	Females	385	218	19	2		1	2	24	2		4	11	6	1	6	3	9	7	11	11	14	19	14	14	2	

LOUTH	Persons	1,501	1,007	87	15	10	5	6	123	17	10	23	36	29	33	19	30	23	46	66	85	102	137	181	45	2	
	Males	794	46	7	5	3	4	65	8	2	13	17	14	19	10	14	15	20	43	39	58	72	92	18	1		
	Females	707	487	41	8	5	2	2	58	9	8	10	19	15	14	9	16	8	26	23	46	44	65	89	27	1	
MEATH	Persons	1,524	958	97	8	6	1	1	113	7	8	22	24	26	26	21	19	27	44	47	77	88	158	207	42	2	
	Males	779	546	62	6	6	1	1	76	5	5	16	14	14	11	13	10	14	25	23	40	56	92	110	20	2	
	Females	745	412	35	2				37	2	3	6	10	12	15	8	9	13	19	24	37	32	66	97	22		
OFFALY	Persons	1,219	705	67	7	5	2	2	83	8	9	15	25	14	8	13	20	13	45	36	60	71	90	154	38	3	
	Males	617	400	39	3	2	1	1	46	5	5	8	9	11	2	5	13	9	22	21	41	43	55	81	22		
	Females	602	305	28	4	3	1	1	37	1	4	7	16	3	6	8	7	4	23	15	19	28	35	73	16	3	
WEST-MEATH	Persons	1,225	781	91	6	6	2	2	111	6	14	9	24	15	21	18	21	24	40	37	62	70	119	145	40	5	
	Males	615	407	48	2	5	1	2	58	5	7	4	14	7	11	10	7	11	17	19	33	35	67	82	18	2	
	Females	610	374	43	4	1	1	4	53	1	7	5	10	8	10	8	14	13	23	18	29	35	52	63	22	3	
WEXFORD	Persons	2,232	1,481	179	38	19	9	12	257	24	18	24	36	29	32	23	41	32	58	58	112	142	211	310	67	7	
	Males	1,186	804	105	21	11	5	1	143	15	9	18	24	9	17	15	17	12	25	29	62	84	114	170	39	2	
	Females	1,046	677	74	17	8	4	11	114	9	9	6	12	20	15	8	24	20	33	29	50	58	97	140	28	5	
WICKLOW	Persons	1,398	865	91	11	6	1	1	110	14	4	20	27	26	26	24	16	25	37	53	49	82	122	187	41	2	
	Males	448	50	8	3	3	1	1	62	10	16	10	17	13	16	14	9	17	20	27	22	45	61	91	17		
	Females	662	417	41	8	3			48	6	4	10	11	13	10	10	7	8	17	26	27	37	61	96	24	2	
MUNSTER.																											
CLARE	Persons	1,823	1,223	83	17	5	4	8	117	16	13	24	36	22	29	30	33	31	46	51	87	106	207	289	76	10	
	Males	936	660	51	10	2	3	6	72	12	5	13	22	9	12	12	12	18	23	28	49	66	117	141	36	4	
	Females	887	563	32	7	3	1	2	45	4	8	11	14	13	17	18	12	13	23	23	38	40	90	148	40	6	
CORK CO.	Persons	5,157	3,764	334	32	22	12	13	413	35	26	52	87	69	82	85	100	113	161	197	286	453	587	833	170	15	
	Males	2,625	2,010	200	19	10	10	9	248	18	11	27	46	37	41	45	51	60	88	106	145	262	319	416	83	7	
	Females	2,532	1,754	134	13	12	2	4	165	17	15	25	41	32	41	40	49	53	73	91	141	191	268	417	87	8	
CORK CO. BOROUGH	Persons	1,824	1,221	166	22	8	7	3	206	18	8	28	21	28	21	26	39	45	68	101	117	140	178	144	30	3	
	Males	941	622	101	9	5	2	2	119	7	6	14	10	15	13	14	17	24	39	50	65	74	90	55	10		
	Females	883	599	65	13	3	5	1	87	11	2	14	11	13	8	12	22	21	29	51	52	66	88	89	20	3	
KERRY	Persons	2,895	1,779	153	24	15	6	16	214	29	22	23	46	59	34	46	40	39	74	91	130	178	256	401	90	7	
	Males	1,476	907	80	14	10	4	9	117	17	12	9	22	30	22	30	22	22	37	46	71	100	134	184	44		
	Females	1,419	872	73	10	5	2	7	97	12	10	14	24	29	12	24	19	20	37	45	59	78	122	217	46	7	
LIMBRICK CO.	Persons	2,447	1,411	170	23	9	10	10	222	22	11	37	32	29	33	25	31	36	49	52	111	133	195	302	90	1	
	Males	1,255	747	107	11	4	5	3	130	13	4	18	23	10	16	8	15	18	24	26	73	78	99	151	41		
	Females	1,192	664	63	12	5	5	7	92	9	7	19	9	19	17	17	16	18	25	26	38	55	96	151	49	1	
LIMBRICK CO. BOROUGH	Persons	1,163	590	90	23	13	3	4	133	11	9	19	20	22	12	9	22	26	29	41	53	57	69	52	6		
	Males	572	316	60	11	7	1	4	83	7	2	12	9	10	4	4	10	15	15	22	29	36	30	27	1		
	Females	591	274	30	12	6	2		50	4	7	7	11	12	8	5	12	11	14	19	24	21	39	25	5		
TIPPERARY N.B.	Persons	1,258	810	84	8	4	6	2	104	5	6	12	22	25	11	19	19	29	34	42	68	87	115	175	34	3	
	Males	622	442	48	4	2	3	3	57	1	5	6	15	7	8	11	16	15	31	41	45	53	98	18	1		
	Females	636	368	36	4	2	3	2	47	4	1	6	8	10	4	11	8	13	19	11	27	42	62	77	16	2	
TIPPERARY S.B.	Persons	1,772	1,152	133	15	6	2	3	150	11	8	22	31	22	17	25	34	32	37	62	99	137	154	236	60	6	
	Males	946	594	76	8	3	3	2	89	6	5	15	17	10	6	10	16	15	17	29	52	80	80	118	27	2	
	Females	826	558	57	7	3	2	1	70	5	3	7	14	12	11	15	18	17	20	33	47	57	74	118	33	4	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1942.

Provinces and Counties.	TOTAL BIRTHS.	AGES AT DEATH.																								
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	
WATERFORD CO.	Persons	985	731	73	9	3	2	.	87	2	4	15	12	13	12	17	23	16	20	40	59	83	107	176	40	5
	Males	524	375	39	4	2	.	45	1	2	7	6	5	6	8	13	10	8	25	31	50	54	86	17	1	
	Females	461	356	34	5	1	2	.	42	1	2	8	6	8	6	9	10	6	12	15	28	33	53	90	23	4
WATERFORD CO. BOROUGH	Persons	798	421	73	7	2	3	1	86	9	.	6	9	10	16	11	9	12	24	14	39	38	66	60	9	3
	Males	406	222	42	3	2	2	1	50	6	.	2	3	4	8	4	7	5	17	9	21	20	30	32	2	2
	Females	392	199	31	4	.	1	.	36	3	.	4	6	6	8	7	2	7	7	5	18	18	36	28	7	1
CONNAUGHT.																										
GALWAY	Persons	3,725	2,259	210	32	10	10	9	271	35	28	59	69	53	54	50	57	56	86	106	134	194	266	535	183	23
	Males	1,950	1,220	126	15	4	5	5	155	18	13	32	31	27	35	25	22	29	49	53	78	109	167	265	104	8
	Females	1,775	1,039	84	17	6	5	4	116	17	15	27	38	26	19	25	35	27	37	53	56	85	99	270	79	15
LETRIM	Persons	881	690	80	3	3	1	1	88	3	3	12	13	14	21	14	15	18	26	33	46	77	127	197	32	1
	Males	427	367	18	3	.	.	1	22	2	1	4	6	8	9	6	8	12	9	13	29	46	73	103	15	1
	Females	404	323	12	.	3	1	.	16	1	2	8	7	6	12	8	7	6	17	20	17	31	54	94	17	.
MAYO	Persons	3,148	1,896	181	25	13	8	9	186	13	9	29	41	42	50	48	47	44	46	75	129	172	258	544	146	17
	Males	1,613	979	76	11	11	5	1	104	10	5	10	25	17	26	29	26	28	19	40	72	83	135	282	59	9
	Females	1,535	917	55	14	2	3	8	82	3	4	19	16	25	24	19	21	16	27	35	57	89	123	262	87	8
ROSCOMMON	Persons	1,388	1,069	54	9	2	5	3	73	11	10	19	13	20	15	22	25	24	32	50	80	92	174	336	67	6
	Males	704	581	37	3	1	3	2	46	7	5	13	5	10	7	12	13	10	14	22	43	63	95	180	34	2
	Females	684	488	17	6	1	2	1	27	4	5	6	8	10	8	10	12	14	18	28	37	29	79	156	33	4
SLIGO	Persons	1,189	1,024	78	4	2	2	2	88	7	13	15	26	31	22	17	26	30	45	36	91	114	181	257	70	5
	Males	617	533	48	3	1	1	1	54	4	8	5	9	11	15	9	10	14	21	20	50	67	60	131	41	4
	Females	572	491	30	1	1	1	1	34	3	5	10	17	20	7	8	16	16	24	16	41	47	71	126	29	1
ULSTER (part of).																										
OAVAN	Persons	1,447	1,078	83	6	3	4	1	97	8	10	10	12	16	20	21	37	21	47	49	64	120	183	286	69	8
	Males	786	569	50	3	2	2	1	57	4	8	5	6	14	6	14	20	13	24	27	43	73	105	143	33	4
	Females	711	479	33	3	1	2	.	40	4	2	5	6	2	14	7	17	8	23	22	21	47	78	143	36	4
DONEGAL	Persons	3,068	2,042	149	25	18	8	6	206	23	17	25	54	49	47	36	49	56	55	79	141	199	284	566	143	13
	Males	1,623	1,091	92	15	11	6	1	126	13	8	13	32	21	19	19	26	32	31	41	70	122	158	285	73	2
	Females	1,445	951	56	10	7	2	5	80	10	9	12	22	28	28	17	23	24	24	38	71	77	126	281	70	11
MONAGHAN	Persons	1,151	844	46	9	4	2	3	64	8	7	10	20	13	26	18	20	24	26	47	74	99	136	206	43	3
	Males	601	447	28	3	2	1	2	36	6	4	7	11	3	17	9	9	10	14	28	44	57	69	99	21	3
	Females	550	397	18	6	2	1	1	28	2	3	3	9	10	9	9	11	14	12	19	30	42	67	107	22	.

ABSTRACT IV.

Causes of Death.

at different Periods of Life in the Year 1942.

DEATH.																	95 & upwards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
312 218	192 197	401 391	533 513	454 527	475 480	475 462	586 565	643 548	914 860	1,175 986	1,743 1,480	2,381 1,787	3,065 2,710	4,210 4,312	950 1,085	65 119			
130 106	84 116	281 282	336 377	282 351	268 245	221 187	189 132	175 118	169 114	146 81	130 77	109 71	82 50	59 59	9 10	1	(1-44)	(1-17)	
.	.	7 2	4 7	3 4	4 2	1 2	4	.	3 2	.	1 2	.	1	.	.	.	1	1	
1	2	1
.	3	2
.	4	17
.	.	.	.	1	5	17
2 3	1	2 2	3 1	1 1	1	1 2	.	1	1	3	1	6	17
.	7	17
7 3	1 1	.	1	.	1	1	1	2	1	8	3
3 7	2	9	4
35 39	7 7	4 5	1 2	1 2	.	2 1	1	1	1	1	1	1	1	1	.	.	.	10	5
1 1	.	.	.	1	1	.	1	1	1	1	1	1	1	1	.	.	.	11	17
1 1	2 2	.	1	.	.	1	.	1	1	4	.	1	1	12	17
60 37	58 90	256 266	314 362	267 329	252 234	204 173	164 123	159 98	147 95	123 64	98 47	58 36	24 7	6 8	2	.	.	13- 22	(6-
16 11	20 55	176 222	259 315	243 297	224 208	177 145	148 108	146 84	130 78	113 53	86 38	56 30	22 7	4 7	1	.	.	13	
44 26	38 35	80 44	55 47	24 32	28 26	27 28	16 15	13 14	17 17	10 11	12 9	2 6	2 2	2 1	1	.	.	14- 22	
33 20	19 28	42 23	16 16	8 7	6 6	7 4	3 5	3 2	4	2 1	1 2	1	14	
5 1	8 4	18 8	12 9	2 13	4 7	6 10	1 2	4 5	1 5	2	3	1	.	1	.	.	.	15	
1	2	.	5 4	3 4	4 3	3 2	2	3	2 5	1 2	2 1	2	1	1	.	1	.	16	
1 2	2	6 3	6 2	2 2	2 2	2 2	3 2	1	2 3	1 1	5 1	1	1	17	
.	1	18	
.	1	2 3	1 3	19	
.	1	2	2 1	2	3 1	2 4	5 1	2	2 1	1 1	.	1	20	

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES.												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T u y	
		Infective And Parasitic Diseases—continued.													
7	21	Tuberculosis of Other Organs. {M. F.	2 2	1	1
7	22	Disseminated Tubercu- losis. {M. F.	88 68	3	2	5	7	.	2	4	1
17	23	Leprosy ... {M. F.
8	24	Purulent Infection, and Septicaemia. {M. F.	66 54	3 3	1 2	1 3	5 1	.	1	10 10	1 2	1	1	.	.
17	25	Gonococcal Infections {M. F.	.	.	1	1
17	26	Other Bacterial Diseases (Dysentery excepted). {M. F.
9	27	Dysentery ... {M. F.	3	1	1
10	28	Malaria ... {M. F.
17	29	Other Diseases due to Parasitic Protozoa, except Spirochaetes {M. F.
11	30	Syphilis* ... {M. F.	44 9	3 3	1	2	4 1	.	1	10 5	.	1	.	.	.
17	31	Relapsing Fever ... {M. F.
17	32	Other Diseases due to Spirochaetes {M. F.	5 2
12	33	Influenza ... {M. F.	193 195	1	3 3	2 5	8 8	3 4	17 20	2 4	3 1	.	2	3	.
13	34	Smallpox ... {M. F.
14	35	Measles ... {M. F.	38 41	.	1	2	1 2	9 6	10 11	6 12	2	2	2 5	3 2	.
17	36	Acute Poliomyelitis and Polioencephalitis {M. F.	51 24	2 1	2 1	4 1	5 2	4 2	3	1 1	.
17	37	Acute Infectious En- cephalitis (Lethargic or Epidemic). {M. F.	10 12	1	.	1	.	.
17	38	Other Diseases due to Viruses. {M. F.	5 4	.	.	1	.	1 1	1 4	.	1
15	39	Typhus and Typhus-like Diseases (Rickettsi- oses). {M. F.	3 2
16	40	Ankylostomiasis ... {M. F.
16	41	Hydatid Disease ... {M. F.
16	42	Other Diseases due to Helminths. {M. F.
17	43	Mycoses ... {M. F.	2 5	.	.	1	.	.	1 1	1 2
17	44	Other Infective or Para- sitic Diseases. {M. F.	25 14

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta,

different Periods of Life in the Year 1942.

BATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
					1	1					1						21	7
4 3	6 3	12 10	14 15	7 6	9 6	6 6	4 3	3 4	5 2	3 1		1		1			22	7
																	23	17
3 2	3 5	1	3	3 4	1 2	1	4 1	3 1	3 1	3 5	8 4	6 4	8 6	3 6	1		24	8
																	25	17
																	26	17
									1	1							27	9
																	28	10
																	29	17
		2			1	2	1 1	1	5 1	4	3	8 2	3	3			30	11
																	31	17
							1			1	1	2	1				32	17
2	1 1	2 1	2	1 1	2 5	5 3	8 2	7 6	5 8	7 5	12 19	28 23	41 34	44 44	6 8	1	33	12
																	34	13
12 4	3 4			2			1										35	14
5 3	7 4	7 3	3 1	2 4	4 1	2 1	1	1	2 1								36	17
1 2			1	1		1 2	3	1 2		2	1	1	1				37	17
														1	2		38	17
	1	1						1			1						39	15
																	40	16
																	41	16
																	42	16
		1									1 1	1					43	17
	1		2 2	3 2	2	2 1	1 2	1 2	2 2	1 1	2 1	4	4	1			44	17

at different Periods of Life in the Year 1942.

BATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-				85-
6	3	8	14	9	23	34	63	95	161	228	347	459	452	313	25	.	} (45-57)	(18-24)
2	4	5	4	17	25	43	111	115	208	214	279	296	326	272	23	1		
3	.	8	13	7	19	30	61	92	148	217	342	456	445	310	24	.		
2	1	3	2	14	22	40	99	108	200	211	271	288	320	264	23	1	} 55*	18-23
1	1	.	1	.	.	1	1	5	1	4	3	6	3	1	6	.		
2	2	.	1	2	4	3	2	3	12	9	2	1	5	.	.	.	} 56	24
2	2	1	1	3	1	2	7	6	4	.	2	5	5	2	.	.		
14	10	11	9	13	13	9	11	8	14	19	33	46	56	53	2	.	} (58-71)	(25-30)
10	3	11	13	10	9	9	14	21	21	41	60	59	63	58	4	.		
9	5	6	2	2	4	4	2	1	4	3	3	3	1	1	1	.		
5	2	8	5	1	3	1	.	2	1	.	2	1	2	2	1	.	} 58	25
.	.	.	1	.	2	5	3	1	5	7	12	18	32	34	1	.		
.	1	} 59	26
.		
4	3	4	5	7	6	3	5	3	5	5	16	24	23	23	18	.	} 60	26
1	.	3	5	4	6	1	2	4	6	14	27	23	27	10	.	.		
.	.	.	1	.	.	.	1	} 61	27
.	.	.	.	1		
.	.	.	1	1	.	1	.	.	.	2	} 62	28
2	.	.	1	5	.	2	6	11	8	10	6	7	2	2	1	.		
1	1	.	.	1	1	} 63	29
.		
.	.	.	1	1	.	1	2	2	.	2	.	1	} 64	29
.	1	2	.	3	.	2	.	1	.	.		
2	1	1	1	1	.	.	.	} 65	29
.		
.	} 66	29
.		
.	} 67	30
.		
.	} 67 71	30
.		
.	} 67	30
.		
.	} 68	30
.		
.	} 69	30
.		
.	} 70	30
.		
.	} 71	30
.		

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AC										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
(31-32)	(72-76)	IV. Diseases Of The Blood And Blood Forming Organs. { M. F.	175 217	.	4 1	.	2 2	1	7 8	3 1	4 3	5 6	
32	73	Hæmorrhagic Con- ditions. { M. F.	16 22	.	2 1	.	2 1	.	4 3	1 1	.	3	.
31	73	Anaemias ... { M. F.	119 169	.	2	.	1	1 3	3 5	1	1 1	.	4
32	74	Leukæmias and Aleukæmias. { M. F.	31 17	1	3 2	1 2	.
32	75	Diseases of the Spleen { M. F.	9 8	1	.
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	1
(33-34)	(77-79)	V. Chronic Poisoning And Intoxication { M. F.	4 1
33	77	Alcoholism (Ethylism) { M. F.	2 1
34	78	Lead Poisoning ... { M. F.	2
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.
(35-41)	(80-89)	VI. Diseases Of The Nervous System And Sense Organs. { M. F.	1,729 1,978	57 28	32 18	22 18	49 35	31 26	191 125	23 25	15 7	13 10	1
40	80	Encephalitis (non-epidemic). { M. F.	23 21	.	.	.	1	1 1	1 2	1	2 1	1 2	.
35	81	Meningitis (non-meningococcal). { M. F.	93 75	4	5 2	2	11 3	3 7	25 12	7 7	6 2	8 3	.
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	54 29	1	.	.
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,123 1,494	1 1	.
38	84	Mental Disorders and Deficiency. { M. F.	82 67	1	1	.
39	85	Epilepsy ... { M. F.	69 58	1	1	1	.	3	.
40	86	Convulsions (under 5 years). { M. F.	180 131	52 27	27 16	20 18	38 30	24 16	161 107	13 17	5 3	.	2
40	87	Other Diseases of the Nervous System. { M. F.	89 88	1	.
41	88	Diseases of the Organs of Vision. { M. F.	3	1	.	.	.
41	89	Diseases of the Ear and of the Mastoid Antrum. { M. F.	13 15	1 1	.	.	1	2 2	3 4	1	1	.	.

at different Periods of Life in the Year 1942.

DEATH.																	95 & upwards	Detailed International List Nos.	Intermediate Internationals
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-				
3 4	5 2	1 1	4 3	2 5	4 3	3 10	7 19	3 13	9 20	23 22	26 29	31 27	17 20	16 17	1 2	.	(72-76)	(31-32)	
.	1	1	.	1 1	1	1	2	1	2	1 1	1 3	1 3	.	2	.	.	72	32	
2 1	1	1	3 2	1 3	1 1	2 9	2 16	2 8	6 18	17 18	20 25	25 21	15 17	16 15	1 2	.	73	31	
1 2	3 1	.	1 1	1	2	1	3 2	2	.	4 1	4	4 2	2 1	.	.	.	74	32	
.	1	.	.	.	1	.	1	.	3	1 1	1 1	1 1	75	32	
.	1	76	32	
.	.	.	1	.	1	1	1	(77-79)	(33-34)	
.	.	.	1	.	1	1	77	33	
.	1	1	78	34	
.	79	34	
29 18	16 13	17 12	34 19	21 23	26 24	29 27	45 48	47 66	70 123	98 156	159 226	234 230	325 380	302 373	40 58	3	(80-89)	(35-41)	
1	.	1	3	1	2 1	4	3	1	1 2	1 1	3	1 2	5	.	.	.	80	40	
14 8	8 6	3 6	4 4	3 5	4 1	3 4	1	2	2 4	2	1	1	2	.	.	.	81	35	
.	1	2	.	2 2	2 1	1	5 4	4 3	6 3	6 6	8 2	7 2	6 2	2 3	1	.	82	36	
1 2	3 1	2 4	2 3	5 4	4 2	5 9	17 28	25 50	50 100	65 122	126 193	200 207	291 347	287 351	39 56	2	83	37	
4 2	4 1	1	1 1	3 3	3 5	5 3	8 5	4 4	4 1	8 11	13 7	10 9	10 6	3 6	.	.	84	38	
5 2	1 3	6 1	7 6	3 8	6 4	4 5	8 4	4 5	3 6	6 6	3 3	3 2	3 4	3 1	.	.	85	39	
.	86	40	
3 1	1 1	2	5 4	8 3	4 4	7 4	4 6	9 2	3 6	10 10	9 10	11 8	11 14	7 12	1	1	87	40	
.	.	.	.	1	1	88	41	
1	1 1	1	2 1	1 2	1	2	.	.	1 1	.	1	.	2	.	.	.	89	41	

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.	1-	2-	3-	4-
42-46	90-95	Heart Diseases	M. 4,418 F. 4,132	.	.	1	2	.	2 1	2	4 1	1	.
42	90	Pericarditis ...	M. 24 F. 18	1	.	.
46	91	Acute Endocarditis ...	M. 27 F. 25	.	.	.	1	.	1	1	.	.	2
43	92	Chronic Affection of the Valves and Endocardium.	M. 641 F. 705	1	.	.	.
44	93	Diseases of the Myocardium.	M. 2,614 F. 2,475	.	.	1	1	.	1 1	.	2 1	1	2
45	94	Diseases of the Coronary Arteries: Angina Pectoris.	M. 432 F. 220
46	95	Other Diseases of the Heart.	M. 680 F. 689	1	.	.
48	96	Aneurysm (except of Heart and Aorta).	M. 2 F.
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cereb. Haem.)	M. 169 F. 122
47	98	Gangrene ...	M. 80 F. 50
48	99	Other Diseases of the Arteries.	M. 19 F. 9
48	100	Diseases of the Veins	M. 12 F. 16
48	101	Diseases of the Lymphatic System.	M. 4 F. 3	.	.	.	1	.	1	1	.	.	.
48	102	High Blood Pressure (Idiopathic).	M. 97 F. 83
48	103	Other Diseases of the Circulatory System.	M. 2 F. 6	1	.	.
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System.	M. 2,092 F. 1,683	43 28	63 35	54 37	108 77	116 102	334 279	87 98	26 38	19 16	1
52	104	Diseases of the Nasal Fossae and Annexa.	M. 7 F. 1	.	1	.	.	.	1
52	105	Diseases of the Larynx	M. 16 F. 11	.	.	1	1	3 1	3 3	2 5	1 1	.	.
49	106	Bronchitis ...	M. 814 F. 659	11 7	24 9	18 4	23 19	28 23	104 62	11 17	6 8	3 2	.
50	107-9	Pneumonia, All Forms	M. 941 F. 766	32 20	36 24	35 32	79 64	82 76	264 206	73 71	18 25	16 13	.
50	107	Broncho-pneumonia ...	M. 476 F. 430	22 9	27 21	28 23	62 42	63 59	202 154	57 55	14 19	7 10	.
50	108	Lobar Pneumonia ...	M. 149 F. 117	.	1 1	2 3	5 1	4 3	12 8	6 3	.	3	.
50	109	Pneumonia (un-specified).	M. 316 F. 219	10 9	8 2	5 6	12 11	15 14	50 42	10 13	4 3	6 3	.

at different Periods of Life in the Year 1942.

BATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-			
11 8	6 17	10 21	16 24	21 25	29 44	68 66	109 101	136 94	226 189	352 272	567 511	793 669	1,092 953	1,169 1,169	189 228	9 21	} (90-103)	(42-48)
10 8	5 17	9 19	16 24	21 23	26 43	65 62	107 94	127 89	207 176	325 254	530 478	725 628	1,002 896	1,058 1,090	169 204	9 19	} 90-95	42-46
2 1	.	1 .	.	1 1	2 .	2 .	.	1 2	2 1	5 1	2 5	1 3	2 1	2 2	.	.	} 90	42
5	1 3	2 1	2 4	6 2	1 2	1 4	3 1	1 1	.	3	1	1	2	.	.	.	} 91	46
1 4	3 9	4 6	4 7	5 12	7 15	25 22	34 33	18 26	31 42	44 54	76 84	122 113	137 190	119 134	11 21	2	} 92	43
2 1	1 1	1 6	3 4	6 7	9 14	28 17	45 33	47 34	115 89	165 124	280 286	411 348	642 578	716 764	130 149	9 16	} 93	44
.	.	.	2	.	1	4 3	15 2	28 9	31 13	52 27	82 37	72 51	72 35	67 32	7 9	.	} 94	45
2	3	1 6	5 8	3 1	7 11	5 16	10 25	32 17	28 30	59 45	89 66	118 113	147 162	154 158	21 25	1	} 95	46
.	1	.	1	.	.	.	} 96	48
.	17 12	32 13	40 24	53 48	11 15	1	} 97	47
.	1 1	3 1	4 3	14 10	23 14	27 13	8 6	1	} 98	47
.	1	.	.	1	3	1 1	.	1 .	1 1	1 .	4 3	1 1	3 .	3 3	.	.	} 99	48
.	.	1	.	.	1	1 1	.	2 .	2 1	2 1	4	2 2	1 3	1 3	.	.	} 100	48
.	1	.	.	1 1	1 1	1 .	.	.	} 101	48
.	.	1	.	.	.	1 1	4	5 4	10 8	12 13	11 11	18 14	22 14	17 11	1 2	.	} 102	48
1	.	1	.	1	.	.	1	1	.	1	.	} 103	48
27 23	13 16	13 16	32 19	28 22	31 23	26 21	57 29	68 33	99 68	121 73	173 111	247 174	254 247	321 312	51 46	4 3	} (104-114)	(49-52)
.	1	2	.	.	1	1	.	.	.	1	1	} 104	52
2	.	1	1	.	.	1	1	.	1	1	.	.	.	1	.	.	} 105	52
2 4	4 3	1 2	7 2	3 2	5 7	3 3	16 7	22 8	36 24	54 32	63 47	108 79	144 141	182 182	36 25	1 2	} 106	49
20 16	7 11	8 9	11 12	16 12	16 11	14 7	26 12	26 18	42 30	34 25	61 42	100 70	79 73	91 81	13 12	2 1	} 107-9	50
7 8	4 8	1 4	1 5	6 4	3 3	4 2	7 .	10 6	9 12	15 10	17 11	35 27	35 38	32 43	7 5	1	} 107	50
3 3	1	1 1	1 3	4 5	4 8	3 3	8 4	8 6	14 8	11 7	14 10	22 13	15 9	16 16	2 3	1	} 108	50
10 5	3 2	6 4	9 4	6 3	9	7 2	11 8	8 6	19 10	8 8	30 21	43 30	29 26	43 22	4 4	1	} 109	50

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T u y
VIII. Diseases Of The Respiratory System—contd.														
51	110	Pleurisy ... {M. F.	66 29	1 .	1 .	1 .	3 1	
52	111	Congestion, Oedema Haemorrhagic Infarc- tion and Thrombosis of the Lungs. {M. F.	107 113	. 1	2 2	. .	5 2	1 1	8 6	1 3	1 2	1 .
52	112	Asthma ... {M. F.	105 79	1 1	1 1	. 1	. 1	1 1
52	113	Pulmonary Emphysema {M. F.	10 8 1	. .	. 1
52	114	Other Diseases of the Respiratory System. {M. F.	26 17 1	1 .
(53- 60)	(115- 129)	IX. Diseases Of The Digestive System. {M. F.	1,357 1,032	78 69	132 75	87 72	185 144	93 67	575 427	45 25	10 13	3 8	5 8	5 7
60	115	Diseases of the Buccal Cavity and Annexa and of the Pharynx and Tonsils. {M. F.	28 20	. 2	. .	1 1	. .	1 .	2 3	1 1	2	2 .
60	116	Diseases of the Oeso- phagus. {M. F.	6 3
53	117	Ulcer of the Stomach and Duodenum. {M. F.	207 67
60	118	Other Diseases of the Stomach. {M. F.	83 73	1 3	6 1	3 4	6 9	2 1	18 11	7 2	1 1	1 1	. .	1 1
54- 55	119- 120	Diarrhea and Enteritis {M. F.	653 514	76 64	124 73	82 67	171 138	88 64	541 406	34 19	4 6	1 6	. 4	. 4
56	121	Appendicitis ... {M. F.	75 67	1 .	. .	1 1	1 .	3 .	2 .	1 .	1 .
57	122	Hernia, Intestinal Obstruction. {M. F.	160 138	1 .	2 .	1 .	8 3	1 2	13 5	1 .	1 1	1 1
60	123	Other Diseases of the Intestines. {M. F.	31 15
58	124	Cirrhosis of the Liver {M. F.	35 19
59	125	Other Diseases of the Liver. {M. F.	27 23	1 .	1 .	1 1	. 1
59	126	Biliary Calculi ... {M. F.	19 31
59	127	Diseases of the Gall Bladder and Ducts. {M. F.	17 25	2 .
60	128	Diseases of the Pancreas (other than Diabetes). {M. F.	8 5
60	129	Peritonitis, without stated cause. {M. F.	18 32	. .	1	1 .	1 .	2 1	1 .	. .	1 1

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- de- fin- ed	
VIII. Diseases Of The Respiratory System—contd.															
51	110	Pleurisy ... { M. F.	66 29	1 .	1 .	1 .	3 1	
52	111	Congestion, Oedema, Haemorrhagic Infarction and Thrombosis of the Lungs. { M. F.	107 113	. 1	2 2	. .	5 2	1 1	8 6	1 3	1 2	1 .	
52	112	Asthma ... { M. F.	105 79	1 1	1 1	. 1	. 1	. 1	. .	. 1	
52	113	Pulmonary Emphysema { M. F.	10 8	1 .	. .	1	
52	114	Other Diseases of the Respiratory System. { M. F.	26 17 1 1	
(53-60)	(115-129)	IX. Diseases Of The Digestive System. { M. F.	1,357 1,032	78 89	132 75	87 72	185 144	93 87	575 427	45 25	10 13	3 8	5 7		
60	115	Diseases of the Buccal Cavity and Annexa and of the Pharynx and Tonsils. { M. F.	28 20	. 2	. .	1 1	. .	1 .	2 3	1 1	2	2 .	
60	116	Diseases of the Oesophagus. { M. F.	6 3	
53	117	Ulcer of the Stomach and Duodenum. { M. F.	207 67	
60	118	Other Diseases of the Stomach. { M. F.	83 73	1 3	6 1	3 4	6 9	2 1	18 11	7 2	1 1	. 1	. .	. 1	
54-55	119-120	Diarrhoea and Enteritis { M. F.	653 514	76 64	124 73	82 67	171 138	88 64	541 406	34 19	4 6	1 6	. .	. 4	
56	121	Appendicitis ... { M. F.	75 67	1 .	. .	1 1	1 1	. 3	2 .	. .	1 .	
57	122	Hernia, Intestinal Obstruction. { M. F.	150 138	1 .	2 .	1 .	8 3	1 2	13 5	1 .	1 1 1	
60	123	Other Diseases of the Intestines. { M. F.	31 15	
58	124	Cirrhosis of the Liver { M. F.	35 19	
59	125	Other Diseases of the Liver. { M. F.	27 23	1 .	1 .	1 1	. 1	
59	126	Biliary Calculi ... { M. F.	19 31	
59	127	Diseases of the Gall Bladder and Ducts. { M. F.	17 25 2	
60	128	Diseases of the Pancreas (other than Diabetes). { M. F.	8 5	
60	129	Peritonitis, without stated cause. { M. F.	18 32	. .	. 1 1	. 1	2 1	. 1	. .	. 1	

t different Periods of Life in the Year 1942.

BATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
1	.	1 3	8 5	2 3	4 1	2 3	2 1	4 3	7 3	5 1	10	6	7 2	5	2	.	110	51
1 1	1 1	1	3	1 2	1 5	2 3	5 3	4 1	3 8	9 5	13 9	13 13	10 20	28 25	1 6	.	111	51
1	.	.	.	3 1	5 3	3 4	3 5	7 2	6 3	12 8	20 11	17 8	12 9	14 19	1	1	112	52
.	.	.	1	.	.	.	2	1	.	1	2 1	1	1 1	1 2	.	.	113	52
1 1	1	1	1	3 2	.	.	2 1	4 1	4	4 1	3 1	2 2	1 1	2	1	.	114	52
3 2	18 13	15 13	24 14	14 12	19 21	29 22	49 31	55 28	47 38	65 50	93 64	96 68	77 80	82 65	3 10	1	(115-129)	(53-60)
5 1	1 1	1 1	5 2	.	.	2 1	1	1 2	2 1	1 1	1 1	1	1 2	.	.	.	115	60
.	1	1	1	2	.	2 1	1	.	.	116	60
.	.	.	3	8 2	6 3	12 2	13 5	28 3	24 1	21 9	26 12	26 14	16 12	23 4	1	.	117	53
2	2	1	.	.	2	1 1	4 3	4 2	1 4	3 4	11 10	6 6	11 10	8 15	1 2	.	118	60
5 5	4 3	.	1 2	.	3 2	5 3	5 9	3 3	2 5	4 4	8 8	10 5	13 13	9 3	1 2	1	119-120	54-55
8 3	7 5	7 7	8 6	1	4 5	1 1	4 3	5 5	3 5	5 6	8 6	6 1	1 3	4 5	.	.	121	56
3	1 1	4 1	2 1	4 1	5	1 5	9 5	4 7	7 10	14 13	14 13	27 27	21 19	24 20	3	.	122	57
1	.	1	.	1	.	2 1	3 1	4	1	5 2	3 2	6 1	1 3	4 3	.	.	123	60
1	.	1	.	.	1	2	3 1	2	2 3	6 1	7 4	8 4	2 4	2 1	.	.	124	58
5 4	1	1 2	2 1	1 1	1	1 2	1 2	.	2 2	2 2	2 2	1 1	4 2	1 3	1	.	125	59
1	1	1	2	1 5	2 3	2	5 4	3 6	2 3	3 5	.	.	126	59
3 1	1	.	2	.	1	1	1	1	2	2 7	3 1	1 3	3 3	3 2	1	.	127	59
.	.	.	.	1	.	2	.	1	1	.	1	1	1 2	1	.	.	128	60
1 6	1 3	1	1 1	.	1	4	4 1	1	1	1 1	2 1	1	2 3	3	1	.	129	60

at different Periods of Life in the Year 1942.

DEATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—				85—
1	.	3	2 1	2 1	.	1	4 1	3	5 3	2 2	3 2	8 3	10 4	6 6	.	.	(151) -153	73
.	.	.	1	1	1	.	1	2	2 1	1 1	1	1 1	1 1	4	.	.	151	73
1	.	3	1	1	.	1	1 1	1	3	1 1	1 1	5	6	1 2	.	.	152	73
.	.	.	1	.	.	.	2	.	2	.	1 1	2 2	3 3	1 4	.	.	153	73
4 3	11 3	4 3	3 1	3	2 2	1	1	1	5 3	3 3	6 2	4	5 1	3 2	1	.	(154) -156	74
4 3	9 2	4 2	2 1	2	2 1	1	1	1	4	2 2	3 1	1	2	2 1	1	.	154	74
.	.	.	1	1	1	155	74
.	2 1	1	.	1	1	.	.	.	1	1 1	2 1	2	3 1	1 1	.	.	156	74
5	3 3	1 1	.	1	2 1	.	2	1	2 1	.	1	(157)	75
.	157	75
.	(158) -161	(76-79)
.	158	76
.	159	77
.	160	78
.	161	79
.	31 22	421 472	1,575 1,832	597 689	50 85	(162)	80
37 16	14 3	32 9	48 8	36 13	34 9	28 9	30 8	24 10	46 17	33 10	54 20	53 24	52 41	56 69	5 9	1 2	(163) -198	(81-86)
.	.	1	6 1	3 8	6 3	3 3	5 1	1 4	8 3	6 1	11 2	8 1	1	1	1	.	163- 164	81
.	.	1	2	.	.	1	2	2	1 1	.	.	165- 168	82
37 16	14 3	32 7	40 7	33 10	28 6	23 5	23 7	23 6	38 14	27 9	43 18	45 23	51 30	54 68	4 9	1 2	169- 198	83- 86
.	1	.	2	1	1	.	.	1	2	1	1	169	84
9 4	1	4	5	1 1	1 1	3 1	4 1	6	2 2	4 3	8 3	5	4 2	.	.	.	170	83
4 1	2 1	4	4 2	4 1	6	3	5	8 1	5 2	7 1	12 1	9	6	4 1	1	.	171	84
.	172	84
.	.	.	1	173	84

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES.														
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T o t a l			
		XVII. Deaths from Violence															
		<i>—contd.</i>															
84	174	Accidents in Mines and Quarries. { M. F.	2
84	175	Agricultural and Forestry Accidents. { M. F.	9
84	176	Accidents caused by Machinery. { M. F.	8
84	177	Food Poisoning ... { M. F.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5 5
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	2 6	1	1	.	.	1
84	180	Conflagration ... { M. F.	1 1
84	181	Accidental Burns (Conflagration excepted). { M. F.	45 74	.	.	1	1	.	2	2	5	9	3	2	2	3	3
84	182	Accidental Mechanical Suffocation. { M. F.	21 12	4 1	4 4	3 2	7 4	.	18 11	1
84	183	Accidental Drowning ... { M. F.	104 34	1 2	2 1	1	3	2	.	.	.
84	184	Accidental Injury by Firearms. { M. F.	12 1
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	1
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	73 25	2	2	1	2	.	1	.	.	.
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	7 2	1	1	1
84	189	Hunger or Thirst ... { M. F.
84	190	Excessive Cold ... { M. F.	1
84	191	Excessive Heat ... { M. F.
84	192	Lightning ... { M. F.	2
84	193	Other Accidents due to Electric Currents { M. F.	5
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	122 120	11 8	.	.	1	.	12 9
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	4
85	197	Deaths of Civilians due to Operations of War. { M. F.
86	198	Legal Executions ... { M. F.	2
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	259 211	4 3	. 4	1 2	. .	1 .	6 9	9 10	4 2	4 1
87	199	Sudden Death { M. F.	25 22	1	1 2
87	200	Causes of Death Unstated or Ill-defined. { M. F.	234 189	3 3	2 2	1 2	.	1	5 7	9 10	4 2	4 1

at different Periods of Life in the Year 1942.

BATH.															95 & upwards	Detailed International List Nos.	Intermediate International		
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-				85-	
.	.	.	1	1	174	81	
.	.	1	1	2	.	1	.	.	1	.	.	2	.	1	.	.	175	81	
.	.	3	.	1	3	1	.	.	.	176	84	
.	177	84	
1	.	2	1	2	.	2	1	178	84	
1	1	.	.	.	179	84	
2	1	1	180	84	
.	1	181	84	
3	1	.	.	.	1	1	2	3	2	.	1	1	2	7	.	.	182	84	
7	2	2	2	.	1	.	2	1	1	.	1	5	6	15	2	.	183	84	
.	1	.	1	.	1	.	.	184	84	
16	5	12	11	9	5	4	6	.	4	2	6	6	7	3	1	.	185	84	
2	.	4	.	5	3	.	3	.	3	2	2	2	3	2	.	.	186	84	
.	1	1	3	2	1	.	.	.	1	1	.	2	187	84	
.	.	.	.	1	188	84	
.	189	84	
.	1	190	84	
.	191	84	
.	1	1	.	192	84	
.	193	84	
.	194	84	
.	195	84	
3	2	2	1	2	2	2	5	5	2	8	10	6	9	4	10	.	196	84	
2	.	.	2	1	.	3	3	2	2	2	2	2	1	2	3	1	197	84	
.	198	84	
.	199	84	
.	200	84	
7	.	.	3	8	.	6	3	11	17	29	48	102	2	.	.	.	(199-200)	8	
1	2	.	3	2	7	3	8	12	8	16	48	89	7	3	.	.	199	8	
.	1	1	2	3	5	11	1	.	.	.	200	8	
.	.	.	.	1	.	.	6	2	1	2	4	5	5	2	8
7	.	.	3	8	.	6	2	10	15	26	43	91	1	8
1	2	.	3	1	7	3	8	12	7	14	44	64	2	1	8

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	41,640	21,868 19,772	2,660 1,931	634 601	504 415	934 904	929 1,007	1,061 1,027	1,557 1,408	2,918 2,466	5,446 4,497	5,225 5,516	2,827 2,347	726 610	4,768 3,445	13,547 13,370	2,797 2,912
1	Typhoid Fever (including Para-typhoid). M. F. }	58	28 30	. .	. 1	. 1	11 9	7 6	5 2	3 5	1 3	1 2	. 1	2 8	1 4	23 15	2 3	. .
2	Cerebro-spinal Meningitis ... M. F. }	40	23 17	3 1	7 3	3 3	5 3	2 1	1 2	1 1	1 3	9 5	. .	6 7	8 5	. .
3	Scarlet Fever ... M. F. }	35	19 16	1 3	6 6	8 4	1 .	. 1	1 1	2 1	3 6	. .	11 5	5 5	. .
4	Whooping-cough ... M. F. }	228	118 115	70 50	40 56	3 9	21 19	. .	9 3	83 93	11 5
5	Diphtheria ... M. F. }	267	137 130	17 12	67 58	42 46	5 7	1 2	3 1	. 2	1 1	1 1	. .	40 41	. 1	77 75	20 13	1 .
6	Tuberculosis of the Respiratory System. M. F. }	3,512	1,837 1,675	4 4	13 12	36 36	435 537	467 505	325 253	276 162	199 91	78 37	4 8	453 410	167 110	467 359	750 796	21 31
7	All other forms of Tuberculosis ... M. F. }	835	460 375	21 19	69 44	82 61	135 91	52 58	43 43	30 31	22 20	4 6	2 2	125 92	14 12	167 132	154 139	2 3
8	Dysentery ... M. F. }	3	3	1	1 .	1	1 .	. .	2 .	. .
9	Influenza ... M. F. }	388	193 195	17 20	5 10	1 3	4 3	3 6	13 5	12 14	19 24	69 57	50 53	11 15	5 5	20 16	157 159	41 65
10	Measles ... M. F. }	79	38 41	10 11	13 19	15 8	. .	. 2	. 1	4 8	. .	5 8	29 25	2 5
11	Acute Infectious Encephalitis ... M. F. }	22	10 12	. 2	1 2	1 .	1 .	. 1	4 2	1 2	1 2	1 1	. .	3 3	. 2	1 5	6 2	. .
12	Typhus ... M. F. }	5	3 2	1 1	1 1 1	1	3 2
13	Cancer ... M. F. }	4,055	2,181 1,874	. .	6 5	3 3	21 5	26 36	91 139	240 308	559 482	901 608	334 288	333 306	36 28	622 382	1,190 1,188	40 32

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	2,617	1,123 1,494	.	1 1	4 3	4 7	9 12	22 37	75 150	191 321	491 554	326 409	71 104	30 19	216 222	806 1,149	101 109
16	Diseases of the Heart	... M. F. }	8,550	4,418 4,132	2 1	5 7	15 25	25 43	47 66	172 156	334 265	855 732	1,727 1,524	1,236 1,313	205 192	243 243	956 751	3,014 2,946	230 205
17	Other Diseases of the Circulatory System.	M. F. }	674	385 289	1 .	1 1	2 .	1 2	3 3	5 11	28 18	64 51	158 98	122 105	46 31	15 1	117 90	207 167	11 9
18	Bronchitis M. F. }	1,473	814 659	104 62	23 27	6 7	8 4	8 9	19 10	58 32	117 79	252 220	219 209	33 20	9 5	162 87	610 547	98 65
19	Pneumonia M. F. }	1,707	941 766	264 206	111 118	27 27	19 21	32 23	40 19	68 48	95 67	179 143	106 94	123 63	17 24	163 101	639 578	36 32
20	Other Diseases of the Respiratory System.	M. F. }	595	337 258	16 11	9 18	7 5	18 10	19 18	24 21	41 21	82 38	70 58	51 58	50 30	11 4	61 44	215 180	18 14
21	Ulcer of the Stomach or Duodenum.	M. F. }	274	207 67	.	.	.	3 .	14 5	25 7	52 4	47 21	42 26	24 4	55 8	2 1	71 12	79 46	11 4
22	Diarrhoea and Enteritis	... M. F. }	1,167	653 514	541 406	39 35	9 8	1 2	3 7	10 12	5 8	12 12	23 18	10 6	238 196	8 5	117 90	290 223	10 7
23	Appendicitis M. F. }	142	75 67	.	4 4	15 8	15 13	4 6	5 4	8 10	13 12	7 4	4 5	22 26	.	45 53	8 8	.
24	Cirrhosis of the Liver	... M. F. }	54	35 19	.	.	.	1 1	1 1	5 1	4 3	13 5	10 6	2 1	1 5	1 .	11 2	22 12	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	142	63 79	1 .	3 2	10 6	5 3	3 4	4 7	4 13	14 14	12 18	7 12	15 17	1 .	15 16	32 46	.
26	Other Diseases of the Digestive System.	M. F. }	610	324 286	33 20	17 12	17 12	15 8	8 10	29 22	29 28	59 50	79 76	38 48	70 58	5 2	100 77	149 149	10 14
27	Nephritis M. F. }	1,063	610 453	3 2	9 2	13 10	23 16	31 23	30 54	47 71	111 81	216 129	127 65	76 54	7 18	170 80	357 301	15 9
28	Puerperal Infection F.	43	43	.	.	.	3	22	17	1	.	.	.	7	.	17	19	.
29	Other Diseases of Childbirth ...	F.	120	120	.	.	.	17	58	45	34	.	53	33	2
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	2,214	1,302 912	1,268 892	17 11	8 3	1 3	3 1	2 .	3 1	.	.	.	394 280	.	243 196	665 435	171 92
31	Senility M. F. }	5,774	2,674 3,100	452 494	2,222 2,606	12 18	45 44	237 192	2,380 2,846	1,631 1,927
32	Suicide M. F. }	83	60 23	.	.	.	6 2	9 6	8 4	9 7	17 3	9 1	2	6 2	4 .	3	47 21	.
33	Other Violence M. F. }	916	597 319	34 28	42 37	51 19	74 15	61 16	48 13	61 20	70 27	96 64	60 80	124 56	1 3	124 94	348 166	4 10
34	Other Causes M. F. }	3,628	2,072 1,556	249 182	124 109	118 74	88 70	103 89	119 135	157 171	332 285	521 302	261 139	265 212	102 77	514 288	1,191 979	330 264

ABSTRACT V.—continued—Causes of Death for PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	Un-certified Deaths.
	ALL CAUSES ... M. } ... F. }	17,636	9,156 8,480	1,380 1,071	304 307	248 201	425 432	404 473	487 456	745 683	1,296 1,114	2,147 1,824	1,720 1,939	1,925 1,588	298 288	1,878 1,416	5,055 5,208	540 488
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	22	10 12	1 4	4 4	3 3	2 .	1 1	. 2	. 1	. .	1 5	. 1	8 6	1 .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	20	11 9	2 1	3 2	2 .	2 2	1 .	. 1	1 1	. 2	8 4	. .	3 3	3 2	. .
3	Scarlet Fever ... M. } ... F. }	8	2 6	3 .	1 1	. 1	. .	. 1	. .	1	2 4	. .	1 .	1 .	. .
4	Whooping-cough ... M. } ... F. }	157	77 80	45 31	31 43	1 6	21 19	. .	6 1	50 60	4 2
5	Diphtheria ... M. } ... F. }	107	52 55	7 8	25 26	18 17	1 1	. 1	1 .	. 1	. .	. 1	. .	32 33	. .	14 12	6 10	. .
6	Tuberculosis of the Respiratory System. M. } ... F. }	1,716	891 825	3 2	8 7	20 30	214 274	218 255	165 124	134 73	95 43	33 12	1 5	232 196	59 37	237 190	373 402	4 9
7	All other forms of Tuberculosis ... M. } ... F. }	399	219 180	12 7	40 22	41 34	59 50	24 26	20 16	13 14	8 8	1 2	1 1	95 67	3 5	57 46	64 62	1 1
8	Dysentery ... M. } ... F. }	1	1	1	1
9	Influenza ... M. } ... F. }	116	62 54	6 9	2 2	1 1	3 1	2 3	6 1	4 4	6 4	18 10	14 19	7 13	3 .	5 2	47 39	4 8
10	Measles ... M. } ... F. }	51	30 21	8 7	9 10	13 3 1	4 8	. .	4 3	22 10	1 1
11	Acute Infectious Encephalitis ... M. } ... F. }	9	4 5	. .	1 .	1 .	1 .	. 1	. 2	. 1	. 1	1 .	. .	3 1	. 1	. 2	1 1	. .
12	Typhus ... M. } ... F. }	3	1 2 1	1 1 1	1 2
13	Cancer ... M. } ... F. }	1,758	947 811	. .	3 2	1 2	9 1	11 16	46 63	120 139	249 225	362 237	146 126	210 202	16 12	244 118	477 479	5 5
14	Diabetes Mellitus ... M. }	105	53	. .	1 .	1 .	5 .	5 .	3 .	1 .	9 .	19 .	9 .	14 .	. .	11 .	28 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	1,127	466 661	.	1	1	1	1	11	32	84	210	126	46	11	89	320	15
						1	1	2	7	15	80	145		170	73	10	97	481	19
16	Diseases of the Heart	... M. F. }	3,971	1,992 1,979	2	3	5	9	13	81	168	420	762	529	156	133	378	1,325	78
						1	15	22	29	62	130	360	715	645	142	129	340	1,368	50
17	Other Diseases of the Circulatory System.	M. F. }	357	199 158	.	1	2	1	1	3	16	31	89	55	34	4	75	86	2
						1	1	2	2	6	13	30	49	55	28	1	52	77	1
18	Bronchitis M. F. }	642	346 296	37 32	8	2	3	.	11	32	59	104	90	23	4	73	246	15
						18	3	1	4	5	17	33	98	85	13	4	46	233	11
19	Pneumonia M. F. }	799	434 365	155 115	51 58	15 13	9 11	18 9	17 8	35 27	41 22	63 4	30 38	94 51	6 13	70 46	264 255	3 6
20	Other Diseases of the Respiratory System.	M. F. }	286	152 134	9 6	5 11	5 4	8 5	10 9	7 10	24 9	38 23	29 34	17 23	35 21	4 2	26 20	87 91	1 2
21	Ulcer of the Stomach or Duodenum.	M. F. }	89	62 27	.	.	.	1	4	10	18	11	15	3	28	1	14	19	2
						.	.	.	1	2	2	5	15	2	3	1	3	20	2
22	Diarrhoea and Enteritis	... M. F. }	678	367 311	317 262	20 17	4 4	.	.	4	1	7	11	3	200	6	50	111	4
						17	4	1	2	6	3	5	7	4	166	1	50	94	1
23	Appendicitis M. F. }	43	18 25	.	1	5	3	1	1	2	2	2	1	4	.	11	3	.
						1	4	2	3	3	6	6	1	3	11	.	9	5	.
24	Cirrhosis of the Liver	... M. F. }	30	19 11	.	.	.	1	4	1	3	5	8	.	.	1	7	11	.
						1	.	1	1	3	2	3	1	.	2	.	9	9	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	56	25 31	.	.	3	2	1	3	4	7	3	2	9	1	5	10	.
						1	4	1	1	2	4	6	9	3	8	.	4	19	1
26	Other Diseases of the Digestive System.	M. F. }	240	123 117	10 9	4 7	9 6	5 3	2 5	16 7	13 16	27 22	24 23	13 19	50 33	3 2	25 26	45 56	2
27	Nephritis M. F. }	442	261 181	1 1	2 4	7 8	9 14	14 14	16 27	25 27	46 38	84 42	57 20	50 39	2 6	85 35	124 101	3 2
28	Puerperal Infection F. }	14	14	.	.	.	2	4	8	6	.	4	4	.
29	Other Diseases of Childbirth ...	F. }	49	49	.	.	.	4	25	20	21	.	17	11	2
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	1,145	662 483	646 478	10 4	2	.	1	.	3	.	.	.	282	.	94	286	50
						4	1	.	.	214	.	70	199	17
31	Senility M. F. }	1,405	634 771	130 134	514 637	7 9	9 10	89 73	529 679	252 303
32	Suicide M. F. }	25	18 7	.	.	.	2	5	1	2	6	2	.	6	.	2	10	.
						.	.	2	3	2	1	6	1	.	2	.	2	5	.
33	Other Violence M. F. }	418	273 145	15 16	18 20	28 12	36 5	23 11	24 11	29 6	34 11	37 20	29 33	95 42	1 3	42 35	135 65	2 2
34	Other Causes M. F. }	1,348	745 603	105 84	57	61 35	37 26	45 31	35 54	65 79	110 102	150 94	80 46	177 140	30 30	166 96	379 337	92 53

ABSTRACT V—continued—Causes of Death for Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	455	228 227	33 23	9 11	8 4	9 13	8 7	9 20	11 16	30 28	55 40	56 65	21 22	3 1	38 44	166 160	30 25
1	Typhoid Fever (including Paratyphoid). M. } ... F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	5	2 3	1 1	1 2	2 3	1
5	Diphtheria ... M. } ... F. }	8	5 3	.	1 1	4 2	5 3	.	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	40	19 21	1	.	1	8 7	5 3	2 6	2 3	1 1	.	.	5 1	1	6 8	7 12	.
7	All other forms of Tuberculosis ... M. } ... F. }	8	4 4	2	1	1	3	.	1	2 1	.	1	1 3	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	10	5 5	1 2	.	.	.	2	4 1	.	.	.	5 3	.
10	Measles ... M. } ... F. }	3	2 1	.	1	1	.	.	1	1	1 1	.
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	31	13 18	.	1	.	.	.	1	1 2	4 6	3 6	5 2	1 2	.	4	12 12	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	29	13 16	1	.	3 5	7 3	2 4	.	.	3 2	10 13	.	1
16	Diseases of the Heart	... M. } ... F. }	109	57 52	.	.	1	.	.	1 1	2 3	11 8	20 22	22 17	1 2	.	15 11	41 39	3 4	
17	Other Diseases of the Circulatory System.	M. } F. }	4	1 3	1	1	1	.	1	.	.	.	1 3	.	.
18	Bronchitis M. } ... F. }	12	10 2	.	1	2	1	4	2	.	1	.	9 2	2	
19	Pneumonia M. } ... F. }	11	7 4	2	1	.	1	.	1	.	2	2	.	2	1	2 2	5 1	.	.
20	Other Diseases of the Respiratory System.	M. } F. }	8	6 2	.	1	.	1	.	1	1	.	3	1	.	1	.	6 1	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	3	3	2	.	1	.	.	2	.	.	1	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	11	8 3	7 3	1	.	3 1	.	.	5 2	.	.
23	Appendicitis	... M. } ... F. }	1	1	1	1	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }
26	Other Diseases of the Digestive System.	M. } F. }	4	2 2	1	2	1	.	1	.	.	2 1	.	.
27	Nephritis M. } ... F. }	8	4 4	1 1	.	1	2	2	.	.	2	4 2	.	.
28	Puerperal Infection	... F.
29	Other Diseases of Childbirth	... F.	3	3	3	1	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	30	16 14	15 14	.	1	2 5	.	3	14 6	2	
31	Senility M. } ... F. }	63	21 42	3 5	18 37	.	.	.	21 42	14 19	
32	Suicide M. } ... F. }	2	2	2	1	1	.	.
33	Other Violence	... M. } ... F. }	6	4 2	.	2 2	2	.	.	.	2	.	2	2	.	.
34	Other Causes	... M. } ... F. }	41	19 22	3 3	1 3	1	2 1	2 3	1 3	4 2	6 1	1 3	3 5	1 1	2 4	13 12	8		

ABSTRACT V—continued—Causes of Death for Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	647	823 824	122 109	29 27	52 21	50 48	25 54	39 41	67 58	135 109	176 167	128 190	224 213	30 33	108 97	461 481	4 2
1	Typhoid Fever (including Para- M. } typhoid). F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	1	1	1	1
4	Whooping-cough ... M. } ... F. }	10	1 9	5	4	1	1 2	.	.	7	.
5	Diphtheria ... M. } ... F. }	17	12 5	1	5 3	5 1	.	1	8 2	.	1 1	3 2	.
6	Tuberculosis of the Respiratory M. } System. F. }	176	83 93	.	4	27 30	16 31	10 13	13 4	10 11	3 3	.	1	15 13	5 2	13 30	50 48	.
7	All other forms of Tuberculosis ... M. } ... F. }	37	17 20	1	5 2	2 4	5 6	1 3	1 2	2 1	.	1	.	10 13	1	1	7 5	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	6	4 2	.	.	.	1	2	1 1	.	.	.	4 1	.
10	Measles ... M. } ... F. }	13	11 2	2	1	8 2	11 2	.
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	179	90 89	1 2	5 5	9 14	24 25	35 22	16 21	35 30	.	14 4	41 53	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	132	68	1	5	16	21	21	8	.	8	48	.	
										2	6	13	25	22	11	2	4	51	.	
16	Diseases of the Heart	... M. F. }	366	181	1	2	.	1	.	9	13	48	69	58	23	18	24	116	.	
				185	.	.	1	3	1	3	14	32	65	66	16	18	24	127	1	
17	Other Diseases of the Circulatory System.	M. F. }	45	22	1	3	3	9	6	4	.	5	13	1	
				23	2	4	4	6	11	6	.	6	11	.	
18	Bronchitis M. F. }	49	24	5	.	1	2	.	.	1	5	4	6	1	.	3	20	.	
				25	4	1	.	.	.	1	.	.	9	10	3	.	1	21	.	
19	Pneumonia M. F. }	73	35	14	2	6	2	1	1	2	4	2	1	11	2	5	17	.	
				38	11	6	1	1	.	1	1	3	9	5	6	2	3	27	.	
20	Other Diseases of the Respiratory System.	M. F. }	23	13	1	.	1	1	1	.	1	4	2	2	5	1	.	7	.	
				10	.	1	1	.	1	1	1	1	4	1	1	.	.	9	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	6	3	1	.	2	.	2	.	1	.	.	
				3	3	3	.	
22	Diarrhoea and Enteritis	... M. F. }	60	32	26	2	3	1	.	15	.	7	10	.	
				28	21	.	3	.	1	1	1	1	.	.	17	.	2	9	.	
23	Appendicitis M. F. }	7	3	.	1	.	1	1	.	2	.	1	.	.	
				4	1	.	.	1	.	2	1	.	2	1	.	
24	Cirrhosis of the Liver	... M. F. }	2	1	1	1	.	
				1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	3	.	.	1	1	.	1	2	.	1	.	.	
				1	1	.	.	.	1	.	.	
26	Other Diseases of the Digestive System.	M. F. }	31	16	1	.	2	1	.	1	3	3	4	1	9	.	1	6	.	
				15	1	.	1	2	.	.	3	2	1	5	6	.	3	6	.	
27	Nephritis M. F. }	30	17	.	.	2	.	1	2	6	4	2	6	.	5	6	.	.	
				13	.	.	1	.	1	2	1	3	4	1	4	.	4	5	.	
28	Puerperal Infection F. }	3	3	.	.	.	1	1	1	1	.	.	2	.	
29	Other Diseases of Childbirth F. }	4	4	2	2	3	.	.	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	118	60	59	1	.	.	.	32	.	8	20	1	
				58	57	1	36	.	6	16	.	
31	Senility M. F. }	69	31	6	25	1	1	.	29	1	
				38	4	34	4	.	1	33	.	
32	Suicide M. F. }	
33	Other Violence M. F. }	44	24	4	2	2	3	1	2	5	2	1	2	11	.	1	12	.	
				20	2	1	1	1	1	4	2	4	3	2	8	1	2	9	.	
34	Other Causes M. F. }	128	68	7	9	13	6	4	6	6	9	6	2	21	3	10	34	1	
				60	7	8	6	3	7	2	7	5	7	8	27	1	2	30	1	

ABSTRACT V—continued.—Causes of Death for CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	6,750	3,372 3,378	882 545	123 141	95 87	148 200	150 197	221 196	364 288	527 465	684 652	378 607	1,288 1,100	124 102	625 574	1,335 1,502	62 28
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	8	1 5	.	.	1	2	1	.	1	1	.	.	1 5
2	Cerebro-spinal Meningitis ... M. } ... F. }	9	6 3	1 1	3	1	1	.	.	1	.	.	.	6 3
3	Scarlet Fever ... M. } ... F. }	6	2 4	.	1	.	1	.	1	2 3	.	.	1	.
4	Whooping-cough ... M. } ... F. }	72	34 38	24 12	10 28	.	3	20 17	.	.	14 21	.
5	Diphtheria ... M. } ... F. }	54	23 31	3 7	14 14	5 9	1	23 30	.	.	1	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	768	411 357	2 1	5 6	11 16	82 135	84 102	87 51	79 29	47 12	14 3	2	121 116	28 15	128 78	134 148	1
7	All other forms of Tuberculosis... M. } ... F. }	160	90 70	5 4	21 15	21 14	24 16	7 7	6 4	3 6	2 3	1 1	.	60 44	.	9 10	21 16	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	24	9 15	.	1 1	.	1 1	.	1 1	1 2	1	1 1	3 6	1 4	.	1	8 10	1
10	Measles ... M. } ... F. }	13	7 11	3 4	3 7	1	4 8	.	.	3 3	1
11	Acute Infectious Encephalitis... M. } ... F. }	7	2 5	.	1	.	.	.	1 2	1 1	1	.	.	2 1	.	2	1	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	656	328 328	.	.	1 2	5 1	3 9	23 33	58 60	96 96	109 84	33 43	131 138	4 3	69 39	124 148	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	377	129 248	.	.	1	.	1	4	13	26	57	27	28	.	26	75	1
16	Diseases of the Heart	... M. } ... F. }	1,489	683 806	.	1	2	2	41	67	173	241	156	112	69	106	396	24	
17	Other Diseases of the Circulatory System.	M. } F. }	180	98 82	.	.	2	2	1	1	9	22	42	21	23	2	48	25	.
18	Bronchitis M. } ... F. }	284	162 122	13 15	2 5	1	1	1	8	19	29	58	31	19	1	51	91	1
19	Pneumonia M. } ... F. }	361	189 172	75 67	24 26	4 5	3	9	6	20	17	21	10	74	3	21	91	1
20	Other Diseases of the Respiratory System.	M. } F. }	136	68 68	1 4	1 5	2 2	3	3	4	14	22	13	5	26	1	13	28	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	23	20 8	.	.	.	2	1	11	2	2	2	15	.	1	4	5	1
22	Diarrhoea and Enteritis	... M. } ... F. }	440	234 206	215 182	10	.	.	1	1	4	2	2	162	2	31	39	1	
23	Appendicitis M. } ... F. }	13	5 8	.	.	1	.	.	1	2	1	1	1	.	2	2	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	17	11 6	.	.	1	.	1	1	3	5	.	1	5	5	4	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	26	10 16	.	1	1	1	2	3	2	2	.	5	.	2	3	.	.
26	Other Diseases of the Digestive System.	M. } F. }	85	48 37	4 3	1 1	1	1	8	7	13	7	6	30	.	4	14	1	
27	Nephritis M. } ... F. }	183	102 81	.	.	3	4	7	16	15	20	33	14	28	.	39	35	.
28	Puerperal Infection F. }	6	6	.	.	.	2	4	5	.	.	1	.	.
29	Other Diseases of Childbirth	... F. }	14	14	.	.	1	10	3	12	.	1	1	.	.
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	496	292 204	287 203	3	.	1	.	1	.	.	.	202	.	31	59	4	
31	Senility M. } ... F. }	176	46 130	10	36	5	2	18	39	3	
32	Suicide M. } ... F. }	10	6 4	.	.	1	2	.	.	1	2	.	5	.	1	.	.	.
33	Other Violence	... M. } ... F. }	151	90 61	5 2	5 7	15 6	9	5	8	11	8	17	7	62	.	2	26	.
34	Other Causes	... M. } ... F. }	465	250 215	44 36	16 18	23 14	13	18	11	28	34	40	23	112	11	32	95	24
																			9

ABSTRACT V—continued.—Causes of Death for Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospi-tals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	860	493 367	70 46	20 11	6 8	24 13	30 22	27 19	33 23	59 39	124 89	100 97	61 34	11 9	127 68	294 256	21 18
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	14	10 4	7 1	3 3	3	7 4	.
5	Diphtheria ... M. } ... F. }	2	1 1	.	1	1 1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	76	39 37	.	.	2	11 11	14 16	6 5	3 1	4 1	1	1	15 6	1 1	6 10	17 20	.
7	All other forms of Tuberculosis ... M. } ... F. }	17	13 4	1	1	2 2	4	.	2 1	2 1	.	.	1	3 1	.	6 3	4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	5	4 1	1	.	2	1	1	.	1	1	2 1	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	.	1	1	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	83	44 39	.	1	.	2	2	2 2	4 10	8 10	18 10	7 7	8 6	1	19 6	16 27	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	48	22 26	1 1	1 9	2 9	13 9	5 6	1 1	.	1 3	7 23	.
16	Diseases of the Heart	... M. } ... F. }	189	109 80	.	.	.	1 1	1 2	5 1	9 7	19 11	44 31	30 27	3 2	3 4	24 15	79 59	7 2
17	Other Diseases of the Circulatory System.	M. } F. }	14	8 6	*	.	2 1	1 .	3 2	2 3	1 .	1 1	1 6	5 5	1 .
18	Bronchitis	... M. } ... F. }	44	19 25	2 4	1	1 .	1 2	1 1	5 7	8 11	.	1 1	3 1	16 22	3 2
19	Pneumonia	... M. } ... F. }	41	29 12	10 4	3 .	1	5 2	3 1	4 2	3 2	1 3	1 .	7 2	21 6	.
20	Other Diseases of the Respiratory System.	M. } F. }	5	3 2	1 .	.	1	1 .	.	.	1 1	.	.	2 .	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	3	2 1	1 .	.	1 .	.	1 1	1 .	1 .	.
22	Diarrhoea and Enteritis	... M. } ... F. }	18	9 9	7 6	1 2	1 .	.	3 3	.	1 3	5 3	1 .
23	Appendicitis	... M. } ... F. }	2	1 1	.	.	1 1	1 .	1 .	.
24	Cirrhosis of the Liver	... M. } ... F. }	4	2 2	1 .	.	1 .	.	1 1	.	.	2 .	2 .	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 .	.	1	1 .	1 .	.
26	Other Diseases of the Digestive System.	M. } F. }	12	8 4	3 .	.	.	1 .	.	1 .	.	2 2	1 1	.	1 .	.	2 2	5 2	.
27	Nephritis	... M. } ... F. }	34	26 8	.	1	1 .	5 .	11 2	8 3	1 1	1 .	5 1	19 6	.
28	Puerperal Infection	... F. }
29	Other Diseases of Childbirth	... F. }
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	65	41 24	38 28	2	1	11 8	.	2 2	28 14	4 .
31	Senility	... M. } ... F. }	32	41 41	13 10	28 31	.	1 .	12 7	28 34	5 10
32	Suicide	... M. } ... F. }	2	2	1 .	1	1 .	.	.	1 .	.
33	Other Violence	... M. } ... F. }	27	17 10	.	1 3	1 1	2 .	5 1	3 .	1 .	1 .	2 2	1 2	3 1	.	6 5	8 4	.
34	Other Causes	... M. } ... F. }	61	39 22	1 5	5 3	1 .	2 1	5 .	3 3	3 .	7 2	7 6	5 2	7 .	2 1	14 3	16 18	2 2

ABSTRACT V—continued.—Causes of Death for Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } F. }	956	507 459	57 39	13 19	6 11	14 15	21 21	33 23	30 40	69 67	139 114	125 110	59 40	14 15	91 69	343 335	50 53
1	Typhoid Fever (including Para-typhoid). M. } F. }	
2	Cerebro-spinal Meningitis ... M. } F. }	
3	Scarlet Fever ... M. } F. }	
4	Whooping-cough ... M. } F. }	9	4 5	2 1	2 3	1	1	3 5	.
5	Diphtheria ... M. } F. }	2	1 1	1	.	1	1	1	.
6	Tuberculosis of the Respiratory System. M. } F. }	68	38 30	.	.	1 1	6 9	11 12	12 3	3 2	4 2	1 1	.	23 10	1 2	1	13 18	1
7	All other forms of Tuberculosis ... M. } F. }	10	7 3	.	1	.	2	1 1	1	1 2	1	.	.	3	.	2	2 3	.
8	Dysentery ... M. } F. }	
9	Influenza ... M. } F. }	3	4 5	1 3	1	1	.	.	1 1	1 3	1	.	2 2	.
10	Measles ... M. } F. }	
11	Acute Infectious Encephalitis ... M. } F. }	
12	Typhus ... M. } F. }	
13	Cancer ... M. } F. }	36	44 44	.	1 1	.	.	.	1 1	9 12	9 12	19 16	5 2	4 7	2 1	10 7	28 29	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	51	17 34	.	.	.	1	.	1	1	2	7	5	2	.	14	1	
16	Diseases of the Heart	... M. } ... F. }	221	115 106	1	1	1	2	2	4	6	21	52 48	29 21	2	3	14 9	99 91	2 4
17	Other Diseases of the Circulatory System.	M. } F. }	32	23 9	.	1	.	1	.	.	.	3 3	12 2	6 2	3 1	1	10 5	9 3	1
18	Bronchitis M. } ... F. }	32	18 14	1	1	3	1	.	1	2	5 2	4 4	6 1	.	1	2 2	15 12	5 2
19	Pneumonia M. } ... F. }	21	14 7	3	2	1	.	1	1	.	2	4 2	1 1	2	1	3 1	9 5	1
20	Other Diseases of the Respiratory System.	M. } F. }	14	7 7	1	1	1	1	1	.	.	.	4 2	1 1	.	1	1 1	5 6	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	4 2	2	1	.	1 1	.	.	.	1	3 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	12	9 3	5	2	1	.	.	2	.	1	.	.	.	2	1	6 3	1
23	Appendicitis M. } ... F. }	3	3	.	.	.	2	.	.	1	.	.	.	2	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	1	.	1	2	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	.	.	1	.	.	.	1	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	13	6 7	1	2	2	1	.	.	1	2 2	1	.	3 1	.	1 2	2 4	.
27	Nephritis M. } ... F. }	30	16 14	.	.	1	1	1	1	1	3 4	4 3	4 1	1	.	5 5	10 8	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.	.
29	Other Diseases of Childbirth	... F. }	7	7	.	.	.	1	2	4	6	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	56	34 22	33	22	1	8 5	.	7 3	19 14	5
31	Senility M. } ... F. }	64	77 87	17 18	60 69	.	2	14 11	63 72	24 42
32	Suicide M. } ... F. }	1	1	1	1	.
33	Other Violence	... M. } ... F. }	25	17 8	.	1	2	1	1	2	2	5 1	3 4	2 4	3 1	1	6 2	7 5	.
34	Other Causes	... M. } ... F. }	84	46 38	8	4	1	1	2	4	5	8 5	9 9	4 1	4 2	3 5	11 9	28 22	10 1

ABSTRACT V—continued.—Causes of Death for Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	698	361 335	37 28	8 8	5 5	13 14	17 14	15 22	19 22	45 48	113 81	83 93	32 17	8 12	79 56	242 250	46 39
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	5	3 2	.	.	.	2 1	.	1 .	.	1	3 2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	1 .	.
3	Scarlet Fever ... M. } ... F. }	
4	Whooping-cough ... M. } ... F. }	12	6 6	4 2	2 3	1	6 6	1 1
5	Diphtheria ... M. } ... F. }	
6	Tuberculosis of the Respiratory M. } System. ... F. }	43	21 22	.	1 .	.	4 8	5 8	7 3	2 3	2 .	.	.	7 6	1 3	3 1	10 12	1 .
7	All other forms of Tuberculosis ... M. } ... F. }	10	8 2	1 .	.	2 .	2 .	5	2 .	.	5 1	1 1	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	8	4 4	1 2	.	1	1 1	2 .	1 2	.	2 .	1 2	.
10	Measles ... M. } ... F. }	1	1	1	1 .	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	86	45 41	1 .	2 5	4 3	12 16	22 12	4 5	5 2	2 .	10 7	28 32	.
14	Diabetes Mellitus ... M. }	3	2	1 .	1 .	.	.	1 .	2 .	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	44	18 26	2	4 5	7 14	7 5	.	.	1 2	17 23	3 2
16	Diseases of the Heart	... M. } ... F. }	186	97 89	.	.	.	1 1	.	2 2	7 3	15 13	45 31	27 38	2 1	3 4	24 14	68 70	4 3	
17	Other Diseases of the Circulatory System.	M. } F. }	10	9 1	5 1	4 1	1 .	.	1 .	7 1	.	
18	Bronchitis M. } ... F. }	15	10 5	2	.	.	.	1	.	.	1	4 3	3 1	1 .	1 .	.	8 5	1 1	
19	Pneumonia M. } ... F. }	28	11 17	3 1	1 3	1 .	.	3 1	.	.	4 1	2 4	1 2	1 .	.	2 4	8 13	.	
20	Other Diseases of the Respiratory System.	M. } F. }	8	3 5	1	.	.	1 2	1 1	1 1	.	.	1 .	2 5	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	4 3	1	2	1 1	1 1	.	1	.	1 1	2 2	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	9	6 3	4 2	1 1	1	3 1	.	1 1	2 1	.	
23	Appendicitis	... M. } ... F. }	2	2	2	1	1	.	
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	1 2	1	.	1	.	1	.	.	1	2	.	
26	Other Diseases of the Digestive System.	M. } F. }	10	6 4	.	.	.	1	2	.	1	2	1 3	2	.	.	2 1	2 3	.	
27	Nephritis M. } ... F. }	11	6 5	3	1	1	2 1	2	2	.	.	3	4 2	.	
28	Puerperal Infection F.	2	2	2	1	1	.	
29	Other Diseases of Childbirth	... F.	1	1	1	1	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	37	20 17	19 17	1	3 2	.	3 2	14 13	6 3	
31	Senility M. } ... F. }	83	41 42	8 8	33 34	.	1	3 2	38 39	26 24	
32	Suicide M. } ... F. }	3	2 1	.	.	.	2	.	1	2 1	.	
33	Other Violence	... M. } ... F. }	15	10 5	.	1	3	.	.	.	1	4	1 2	1	.	1	4 2	6 2	1	
34	Other Causes	... M. } ... F. }	52	27 25	3 3	2	1 1	3 1	1 2	4	4 4	4 6	8 3	1 1	1 2	1 3	12 8	13 12	3 5	

ABSTRACT V—contd.—Causes of Death for Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.	
	ALL CAUSES ... M. } ... F. }	465	247 218	29 19	2 5	2 2	4 7	9 17	6 7	14 9	32 15	74 71	77 66	7 9	15 9	60 37	165 163	52 73
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	2	2	2	2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	2	2	1	1	2	1
5	Diphtheria ... M. } ... F. }	3	1 2	.	1 1	.	1	1	.	.	1 1	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	33	17 16	.	.	.	3 3	5 7	3 4	1	3 2	2	.	1 2	3 2	7 6	6 6	1 2
7	All other forms of Tuberculosis ... M. } ... F. }	4	1 3	.	1	1	1	.	.	.	1	.	.	1	.	2	1	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	10	4 6	1	.	.	1 1	2 2	3	1	.	.	3 6	2
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	51	36 15	1	1 1	1 1	9 2	15 7	10 3	.	1	11 2	24 18	1 1
14	Diabetes Mellitus ... M. }

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	30	15 15	2	.	3	3	7	2	.	1	8	6	2
16	Diseases of the Heart	... M. } ... F. }	103	56 47	.	.	.	1	1	1	6	8	20	21	.	7	20	29	2	
17	Other Diseases of the Circulatory System.	M. } F. }	2	2	2	2	.	.	.	2	.	
18	Bronchitis M. } ... F. }	10	6 4	1	.	.	.	1	.	1	.	2	3	.	.	.	6	1	
19	Pneumonia M. } ... F. }	20	17 3	7	.	.	.	1	.	1	6	2	2	.	.	1	16	1	
20	Other Diseases of the Respiratory System.	M. } F. }	6	4 2	.	.	1	1	1	.	1	1	.	.	1	.	2	2	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	2 2	.	.	.	1	.	.	.	1	1	.	1	.	1	2	1	
22	Diarrhoea and Enteritis	... M. } ... F. }	10	3 7	2	1	.	.	1	.	2	1	.	
23	Appendicitis M. } ... F. }	1	1	1	.	.	.	1	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	.	1	1	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	5	1 4	1	.	1	1	2	.	1	1	3	.	
27	Nephritis M. } ... F. }	12	8 4	.	.	.	1	.	.	.	4	3	3	1	1	.	7	1	
28	Puerperal Infection F.	
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	2	1	1	1	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	20	12 8	12	8	3	4	2	7	3	
31	Senility M. } ... F. }	20	36 44	7	29	.	1	.	35	34	
32	Suicide M. } ... F. }	
33	Other Violence M. } ... F. }	9	4 5	1	2	1	2	1	.	.	1	5	2	
34	Other Causes M. } ... F. }	43	20 23	5	2	.	1	.	1	2	2	5	6	1	.	4	16	4	
					2	2	1	4	11	1	.	2	5	16	8	

ABSTRACT V—continued.—Causes of Death for Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,007	520 487	46 41	19 17	10 17	30 29	33 29	24 25	35 34	82 69	130 109	111 117	45 39	13 14	131 90	331 344	36 24
1	Typhoid Fever (including Para-M. } typhoid). F. }	1	1	.	.	.	1	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	1 1	1	.	.	1	.	.	1	.	.	1	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	3	2 1	1	2	2 1	1
5	Diphtheria ... M. } ... F. }	9	4 5	1	1 2	3 2	3 3	1 2	.
6	Tuberculosis of the Respiratory M. } System. F. }	101	47 54	.	.	2	10 18	18 17	6 13	6 4	4	3	.	3 5	2 3	18 19	24 27	1
7	All other forms of Tuberculosis ... M. } ... F. }	26	13 13	1	2 2	6	6 4	2	.	2	.	.	.	5 3	.	2 4	6 6	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	7	5 2	.	1	.	.	.	1	.	1	2 1	1	1	.	.	5 1	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	1	1
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	89	44 45	1	3 1	3 7	19 15	13 15	5 7	5 5	1 1	13 10	25 29	.
14	Diabetes Mellitus ... M. } ... F. }	16	4

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	94	42 52	3 4	10 9	21 20	8 19	2 2	1 1	9 5	30 45	.	2
16	Diseases of the Heart	... M. F. }	220	118 102	.	.	.	1 1	1 5	2 5	9 5	26 24	37 38	42 29	7 3	1 8	28 20	82 71	5 1	
17	Other Diseases of the Circulatory System.	M. F. }	7	5 2	.	.	.	1	.	.	.	1	3	2	1 1	.	1	3 1	.	
18	Bronchitis M. F. }	26	10 16	1 1	.	.	.	1	.	2 3	.	7 5	1 5	1	.	1 3	8 13	.	
19	Pneumonia M. F. }	38	21 17	3 5	3 4	.	1 2	2	4 1	1 2	1 1	5 2	1 2	1 1	1 1	6 1	13 15	.	
20	Other Diseases of the Respiratory System.	M. F. }	14	9 5	2	.	.	.	1 1	1	3 4	2 4	1 1	8 4	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	6 1	1	.	3	1	1 1	.	2	1	2	1 1	.	
22	Diarrhoea and Enteritis	... M. F. }	28	12 16	9 10	.	1	.	.	.	1	1	2 2	.	1 3	.	2	11 11	.	
23	Appendicitis M. F. }	1	1	.	.	.	1	1	.	.	
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	3 1	.	.	.	1	.	1	.	1	.	1	2	1	.	1	.	
26	Other Diseases of the Digestive System.	M. F. }	15	6 9	1 1	1 1	2 1	1 1	1	1	1	2	1 1	1 1	1 3	1	2 1	2 5	.	
27	Nephritis M. F. }	20	11 9	.	1	.	2	1	2	2 3	2	4 2	1 2	2	.	4 2	5 6	.	
28	Puerperal Infection F.	
29	Other Diseases of Childbirth	... F.	4	4	.	.	1	2	1	1	.	1	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	45	27 18	26 18	1	3 6	.	8 1	16 11	1	
31	Senility M. F. }	113	57 56	14 10	43 46	1 1	4	12 3	40 52	21 16	
32	Suicide M. F. }	
33	Other Violence	... M. F. }	20	11 9	.	1 2	1	3 1	1	.	1 1	2	1 1	2 2	1 1	.	4 3	6 5	.	
34	Other Causes	... M. F. }	101	58 43	4 3	6 5	4 5	5 2	4 4	2 2	2 5	12 5	13 9	6 3	5 2	.	15 10	38 30	8 4	

ABSTRACT V—continued.—Causes of Death for Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	6-	15- *	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infir- maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	958	546 412	62 35	14 2	10 5	30 16	25 27	23 17	39 32	63 61	148 98	132 119	39 17	12 19	143 72	352 304	58 42	
1	Typhoid Fever (including Para- M. } typhoid). F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	2	.	.	.	1	.	1	2	.	.	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	3	2 1	1	2	1	1 1	.
5	Diphtheria ... M. } ... F. }	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	83	46 37	.	.	2 2	14 8	13 11	8 2	3 6	3 6	2 2	1	2 5	1 2	14 6	29 24	1 1	
7	All other forms of Tuberculosis ... M. } ... F. }	34	22 12	1	1	3	6 3	3 5	5 2	2	2 1	.	.	4	1 1	8 5	9 6	.	
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	4	3 1	1	.	.	1	1 1	.	1	.	2 1	.	
10	Measles ... M. } ... F. }	1	1	.	1	1	.	
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	107	70 37	.	.	.	1	1 1	2 5	7 3	13 9	27 11	19 8	6 1	1 1	22 6	41 29	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. } 83	40 43	1 1	1 4	6 12	19 13	13 13	2 1	4	11 12	23 30	2 1
16	Diseases of the Heart	... M. F. } 231	115 116	.	.	.	2	3	1 2	10 6	18 17	46 45	37 44	2	2 15	17 13	94 88	13 3
17	Other Diseases of the Circulatory System.	M. F. } 17	7 10	2	1	6 2	1 5	1	.	1	5 10	.
18	Bronchitis M. F. } 26	14 12	1 1	3	2 1	5 5	3 4	.	.	5 1	9 11	.
19	Pneumonia M. F. } 32	24 8	9 2	2	.	.	1	2	1 1	5	3 4	1 1	1	.	8 2	15 6	1
20	Other Diseases of the Respiratory System.	M. F. } 15	9 6	1 1	.	.	1	1	.	2	1 2	2 2	1	1	.	1 3	7 3	1
21	Ulcer of the Stomach or Duodenum.	M. F. } 4	3 1	1	1	1	1	1	.	2	1	.
22	Diarrhoea and Enteritis	... M. F. } 15	10 5	9 5	1	.	2	.	5 1	3 2	.
23	Appendicitis M. F. }
24	Cirrhosis of the Liver	... M. F. }
25	Diseases of the Liver and Biliary Passages.	M. F. } 2	1 1	1 1	1 1	.
26	Other Diseases of the Digestive System.	M. F. } 8	5 3	1	1	2 1	1	1 1	.	2 2	.	1 1	2	.
27	Nephritis M. F. } 15	9 6	.	.	.	1	.	1	.	2	6 1	2 2	1	.	5	3 6	.
28	Puerperal Infection F. }
29	Other Diseases of Childbirth ...	F. } 2	2	1	1	1	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. } 56	32 24	31 23	1	1	6 3	.	6 7	20 14	4 3
31	Senility M. F. } 91	49 42	11 5	38 37	.	.	5 1	44 41	26 25
32	Suicide M. F. } 1	1	1	1	.
33	Other Violence M. F. } 24	21 3	1	2	2	2	2	2	1	5	1	3 1	3	.	6 1	12 2	.
34	Other Causes M. F. } 92	57 35	10 1	5 1	2 3	3	1	1	6 9	4 8	14 4	12 2	4 2	2	23 10	28 23	9 7

ABSTRACT V—continued.—Causes of Death for Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } F. }	705	490 305	39 28	7 9	12 5	17 23	13 9	18 15	31 27	62 34	98 63	103 92	26 15	15 8	91 50	268 232	48 49
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } F. }	2	1 1	.	1	.	1	1 1	.
3	Scarlet Fever ... M. } F. }
4	Whooping-cough ... M. } F. }	2	1 1	.	1	1 1	1
5	Diphtheria ... M. } F. }	1	1	1	1
6	Tuberculosis of the Respiratory M. } System. F. }	66	29 37	.	.	1 2	7 14	5 6	4 4	5 7	4 2	3 2	.	7 5	4 1	3 8	15 23	2
7	All other forms of Tuberculosis ... M. } F. }	12	6 6	.	.	2 1	2 3	1	1 1	1 1	5 4	1 2	1
8	Dysentery ... M. } F. }
9	Influenza ... M. } F. }	9	5 4	2	.	1	1	1	.	2 1	.	.	3 3	1
10	Measles ... M. } F. }
11	Acute Infectious Encephalitis ... M. } F. }
12	Typhus ... M. } F. }
13	Cancer ... M. } F. }	97	66 31	1 2	2 2	8 5	17 6	27 10	11 6	5 2	.	20 5	41 23	2
14	Diabetes Mellitus M }	3	2	.	.	.	1	.	.	.	1	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	40	19 21	4 5	8 5	7 8	.	.	4 3	15 18	2 2	
16	Diseases of the Heart	... M. } ... F. }	155	93 62	.	.	1 1	1 .	1 .	4 3	7 3	25 10	37 23	17 23	1 2	8 3	17 8	67 49	5 6
17	Other Diseases of the Circulatory System.	M. } F. }	6	1 5	1 3	2 2	.	.	1 2	3 .	.
18	Bronchitis M. } ... F. }	33	17 16	3 3	.	1 .	.	.	4 .	2 3	3 4	5 4	.	.	2 2	15 14	1 2	
19	Pneumonia M. } ... F. }	18	11 7	3 1	3 2	.	1 1	.	1 .	.	1 2	3 1	1 .	.	2 .	8 7	2 2	
20	Other Diseases of the Respiratory System.	M. } F. }	3	3	.	1	1	1	3	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	3 2	2	.	.	1 1	.	1	.	1	2 1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	9	6 3	4 1	1 1	1	1	.	3	.	.	3 3	.	
23	Appendicitis M. } ... F. }	2	2	.	.	.	1	.	.	1	1	1	.	
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	.	.	1 1	.	.	.	1 1	1 3	.	
26	Other Diseases of the Digestive System.	M. } F. }	6	3 3	.	1 1	1 .	1 .	.	1 1	.	.	.	1	.	1	2 1	.	
27	Nephritis M. } ... F. }	13	8 5	.	.	1 .	.	2 2	2 1	2 1	.	1 1	1 .	.	2 1	5 4	.	
28	Puerperal Infection F.	
29	Other Diseases of Childbirth F.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	39	21 18	21 18	2 2	.	6 7	13 9	3 2	
31	Senility M. } ... F. }	115	60 55	8 9	52 46	.	.	15 4	45 51	30 30	
32	Suicide M. } ... F. }	1	1	1	1	.	
33	Other Violence M. } ... F. }	19	13 6	2 2	.	3 1	2 1	.	2 1	1 1	.	3 1	1 .	.	1 1	11 5	.	
34	Other Causes M. } ... F. }	43	29 14	3 2	.	2 1	1 5	1 2	3 1	4 4	7 2	3 1	1 2	3 3	12 1	13 8	4 .	

ABSTRACT V—contd.—Causes of Death for Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } F. }	781	407 374	48 43	10 10	12 8	18 15	18 18	17 22	23 36	52 47	102 87	102 88	17 17	26 22	116 97	243 238	43 37	
1	Typhoid Fever (including Para- M. } typhoid). F. }	
2	Cerebro-spinal Meningitis ... M. } F. }	
3	Scarlet Fever ... M. } F. }	1	1	.	1	1	.	.	.
4	Whooping-cough ... M. } F. }	9	2 7	2 3	3	1	1 1	1 6	.	.
5	Diphtheria ... M. } F. }	1	1	.	1	1	.	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	63	36 27	.	.	.	9 8	14 7	4 7	4 4	4 1	1 .	.	3 1	5 3	18 12	10 11	.	.
7	All other forms of Tuberculosis ... M. } F. }	25	13 12	.	3	3 2	2 3	1 3	2 2	2 1	.	1 .	.	2 1	1 2	7 7	3 2	.	.
8	Dysentery ... M. } F. }	
9	Influenza ... M. } F. }	6	4 2	1	.	1 1	2 1	.	.	.	4 2	.	1
10	Measles ... M. } F. }	5	2 3	1 2	1	1	1 2	1 1	.	1
11	Acute Infectious Encephalitis... M. } F. }	
12	Typhus ... M. } F. }	1	1	.	.	.	1	1	.	.	.
13	Cancer ... M. } F. }	93	51 42	2 1	6 4	13 10	15 12	15 6	2 4	2	19 11	28 27	1 1	
14	Diabetes Mellitus ... M. }	4	2	1	1	2	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	49	24 25	1 2	3 6	13 10	4 7	1 1	6 5	16 19	1 .	
16	Diseases of the Heart	... M. } ... F. }	179	93 86	.	.	3	1	.	1 1	7 7	16 17	43 34	25 24	1 13	23 15	56 57	4 3
17	Other Diseases of the Circulatory System.	M. } F. }	12	5 7	3 3	2 2	.	2 2	3 8	.
18	Bronchitis M. } ... F. }	13	8 5	3	3	1 2	1 3	.	3 1	5 4	1
19	Pneumonia M. } ... F. }	28	13 15	4 5	.	2	1	.	1	2	.	4 3	1 5	.	3 3	10 12	.
20	Other Diseases of the Respiratory System.	M. } F. }	10	5 5	1	1	.	.	1	1	.	2	1 1	1	1	1 1	3 4	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	3	2 1	1	1	1	.	.	2 1	.	.
22	Diarrhœa and Enteritis	... M. } ... F. }	18	11 7	9 6	2	.	1	2 1	1 1	8 5	1
23	Appendicitis M. } ... F. }	8	5 3	.	.	3 1	1	.	1	1	1	.	.	.	4 3	1	.
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	1	1	.	.
26	Other Diseases of the Digestive System.	M. } F. }	12	6 6	.	1	.	1	.	.	1	1	2 3	1	.	3 2	2 4	1
27	Nephritis M. } ... F. }	20	7 13	.	.	.	1 1	2	2	1	3	3 1	3 3	1 2	4 4	2 5	1
28	Puerperal Infection F. }	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	1	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	45	27 18	26 18	1	2 3	4 6	21 9	6 2
31	Senility M. } ... F. }	90	51 39	7 6	44 33	.	2	51 37	24 23
32	Suicide M. } ... F. }	3	2 1	.	.	.	1 1	1	1	1 1	.
33	Other Violence	... M. } ... F. }	13	9 4	.	1	1	1	1	.	1	2	1 2	1 1	.	2 4	7	1
34	Other Causes	... M. } ... F. }	66	27 39	2 6	1 1	3	.	1	3	1	9 5	6 9	2 3	3 4	9 9	13 26	3 5

ABSTRACT V—continued.—Causes of Death for Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,481	804 677	105 74	38 40	24 18	42 18	26 35	32 32	37 53	91 79	198 155	211 173	44 24	9 11	186 101	565 541	71 84
1	Typhoid Fever (including Para- M. } typhoid). F. }	4	3 1	.	.	.	1	.	1	1	.	.	1	.	.	3	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	12	9 3	3 1	6 2	9 3	.
5	Diphtheria ... M. } ... F. }	6	3 3	1	1 2	1 1	2 2	1 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	123	64 59	1	2 1	3 1	22 12	17 22	8 9	8 6	4 3	2 1	.	17 12	1 2	7 9	39 36	2
7	All other forms of Tuberculosis ... M. } ... F. }	35	15 20	1 2	3 2	4 2	5 5	1 4	1 2	.	2	.	.	.	1 1	9 6	5 13	.
8	Dysentery ... M. } ... F. }	1	1	1	.	.	.	1	.	.	.
9	Influenza ... M. } ... F. }	8	5 3	1	1	.	1	1	1	1	.	2	2 3	1
10	Measles ... M. } ... F. }	10	7 3	2	3 2	2 1	2	5 3	.
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	118	71 47	.	1	.	1	.	2	5	14	42	6	3	2	20	46	1
14	Diabetes Mellitus ... M. } ... F. }	10	4 6	.	.	.	1	3	.	.	.	1	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	83	38 45	1	1	1	4	17 14	15 13	.	1	2	4	32 37	1 3
16	Diseases of the Heart	... M. } ... F. }	331	175 156	.	.	1	1	1	5	12	27	73	55	53	.	1	2	53	122 132	4 3
17	Other Diseases of the Circulatory System.	M. } F. }	17	12 5	1	1	2	5	3	3	.	.	1	3	8 5	.
18	Bronchitis M. } ... F. }	72	39 33	4	3	2	.	.	.	1	8	7	17	9	.	.	1	2	37 31	2 1
19	Pneumonia M. } ... F. }	76	38 38	12 11	9 11	3 5	1 1	1	1	2	4	2	3	1	1	1	1	5	32 33	1
20	Other Diseases of the Respiratory System.	M. } F. }	29	11 9	1	2	1	1	.	.	1	3	1	2	1	.	.	.	4	6 6	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	8 2	3	.	2	3	2	.	.	2	.	1	5 2	1 1
22	Diarrhoea and Enteritis	... M. } ... F. }	28	13 15	10 12	2 1	2	.	1	.	.	2	2	.	1	11 12	1
23	Appendicitis M. } ... F. }	1	1	.	.	.	1	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	2 2	.	.	.	1	1	1	2 1	.
26	Other Diseases of the Digestive System.	M. } F. }	22	9 13	.	1	2	1	1	.	1	3	2	2	2	1	2	.	3	5 6	.
27	Nephritis M. } ... F. }	39	26 13	1	.	1	1	3	2	.	5	7	7	3	.	.	.	8	15 11	2
28	Puerperal Infection F. }	1	1	1	1	.	.
29	Other Diseases of Childbirth F. }	5	5	3	2	3	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	92	59 33	59 33	5	.	.	12 6	42 24	9 4
31	Senility M. } ... F. }	211	100 111	12	88	23 15	77 96	40 56
32	Suicide M. } ... F. }	1	1	1	1	.
33	Other Violence M. } ... F. }	28	23 5	2	1	.	4	.	3	3	4	4	2	3	.	.	.	6 2	14 3	.
34	Other Causes M. } ... F. }	112	67 45	8 10	5 7	9 1	1	2	3	3	8	16	12	5	.	1	.	15 5	46 39	10 11

ABSTRACT V—contd.—Causes of Death for Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	865	448 417	50 41	12 7	8 10	26 21	29 23	23 17	37 25	49 53	106 98	108 122	62 41	18 13	83 61	285 302	21 24
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	2	1 1	1 1	1 1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	3	1	.	1	1	2	.	.	1	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	4	2 2	1 2	1	2 2	.
5	Diphtheria ... M. } ... F. }	3	3	.	1	1	.	.	.	1	2	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	76	41 35	.	.	1	11 11	11 13	8 4	5 4	5 2	1	.	13 14	6 1	3 3	19 17	.
7	All other forms of Tuberculosis ... M. } ... F. }	21	10 11	.	2	1 2	3 4	2 3	1	1	.	1	.	4 3	.	3 3	3 5	1
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	10	6 4	1	.	1	.	.	2 2	2 2	.	.	6 4	1
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }	2	2	.	.	.	1	.	.	1	2	.	.
13	Cancer ... M. } ... F. }	80	45 35	1	1	5 2	11 9	17 17	10 6	5 3	.	17 7	23 22	.
14	Diabetes Mellitus ... M. } ... F. }	4	2 2	1 2	1	.	1	.	.	1 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	67	25 42	2	1 3	1 8	13 16	10 13	2 2	.	.	2 8	21 32	2 2
16	Diseases of the Heart	... M. } ... F. }	192	100 92	.	.	.	2 2	2 2	5 2	13 6	13 13	35 31	30 36	2 2	9 6	13 7	76 77	5 4	
17	Other Diseases of the Circulatory System.	M. } F. }	11	8 3	1 1	.	1 1	6 1	.	.	2 1	6 1	.	
18	Bronchitis M. } ... F. }	26	9 17	1	2 3	2 3	4 5	4 8	1 1	.	1 2	7 14	.	
19	Pneumonia M. } ... F. }	52	25 27	10 6	2 2	.	.	1	.	1 4	2 4	7 3	3 5	1 1	.	5 2	19 25	.	
20	Other Diseases of the Respiratory System.	M. } F. }	24	11 13	.	.	1	.	1	.	1 3	1 1	3 3	1 4	1 1	.	10 12	.	1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	3	2 1	.	.	.	1	1 1	.	1	.	1	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	20	14 6	10 5	1	1 1	1 1	1 1	1 1	3 2	2	1 2	8 2	.	
23	Appendicitis M. } ... F. }	2	1 1	1	1 1	
24	Cirrhosis of the Liver	... M. } ... F. }		
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	1	.	.	1	.	.	1	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	17	7 10	.	1	.	.	.	1 1	.	1 4	2 4	3 4	1 2	.	5 3	1 5	.	
27	Nephritis M. } ... F. }	27	21 6	.	.	1	.	1	1	1 1	3 2	6 2	8 2	4	.	8 6	9 6	.	
28	Puerperal Infection F. }		
29	Other Diseases of Childbirth F. }	5	5	.	.	.	2	3	3	.	2	.	.	
30	Congenital Debility etc. (Nos. 157--161).	M. } F. }	46	21 25	20 24	1 1	3 5	.	5 1	13 19	2 2	
31	Senility M. } ... F. }	68	24 44	4 6	20 38	.	1	5 9	19 33	4 15	
32	Suicide M. } ... F. }	1	1	1	1	.	
33	Other Violence M. } ... F. }	37	30 7	.	2	2	6	6	4	2	2	1	5	6	.	3 1	21 6	.	
34	Other Causes M. } ... F. }	60	38 22	7 2	3 1	2 2	2 2	2	.	1 1	5 8	13 5	3	11 2	1	7 6	19 14	6	

ABSTRACT V—contd.—Causes of Death for PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } F. }	13,102	6,895 6,207	804 555	206 176	140 125	295 259	280 286	317 326	483 438	949 791	1,817 1,529	1,604 1,722	677 582	247 187	1,757 1,282	4,214 4,156	814 897
1	Typhoid Fever (including Para- M. } typhoid). F. }	19	10 9	. .	. 1	. .	4 4	4 1	1 1	. .	1 .	. 1	. 1	. 2	1 .	9 6	1 .	. .
2	Cerebro-spinal Meningitis ... M. } F. }	12	6 6	. .	3 1	. 3	1 .	1 1	1 1	1 1	. .	2 3	3 2	. .
3	Scarlet Fever ... M. } F. }	15	8 7	1 .	4 4	3 2 1	1 2	. .	4 4	3 1	. .
4	Whooping-cough ... M. } F. }	24	13 11	9 6	4 3	. 2	2 .	11 11	. .
5	Diphtheria ... M. } F. }	130	70 60	7 3	35 27	20 21	4 6	. 1	2 .	. 1	1 1	1 .	. .	7 7	. 1	50 50	13 2	1 .
6	Tuberculosis of the Respiratory M. } System. F. }	1,018	534 484	. .	2 2	8 18	126 151	126 141	101 78	84 52	56 25	28 14	3 2	139 146	69 35	119 86	207 217	5 10
7	All other forms of Tuberculosis ... M. } F. }	235	131 104	7 9	18 15	24 16	40 18	12 14	9 14	11 8	7 8	2 2	1 .	18 19	7 1	61 52	45 32	. 1
8	Dysentery ... M. } F. }	1	1	1	1 .	. .
9	Influenza ... M. } F. }	85	39 46	2 3	1 2	. 2	. .	. 2	3 1	5 1	3 3	14 23	11 9	. 2	1 1	5 1	33 42	9 16
10	Measles ... M. } F. }	13	4 9	2 2	1 4	1 2	. .	. 1	1 3	3 6	1 3
11	Acute Infectious Encephalitis ... M. } F. }	5	1 4	. .	. 2	. 1	1 1 2	. .	. 1	1 .	. .
12	Typhus ... M. } F. }	
13	Cancer ... M. } F. }	1,313	712 601	. .	. 1	1 .	10 1	10 6	21 37	71 103	184 156	316 216	99 81	100 79	9 8	233 144	370 370	11 10
14	Diabetes Mellitus ... M. }	83	38	. .	1 .	2 .	2 .	1 .	2 .	6 .	7 .	12 .	5 .	3 .	1 .	8 .	26 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	243	364 479	.	1	1	1	5	9	24	71	154	98	20	10	93	241	27
16	Diseases of the Heart	... M. } ... F. }	2,677	1,409 1,268	.	2	7	9	20	54	103	271	573	370	41	67	397	904	57
17	Other Diseases of the Circulatory System.	M. } F. }	173	95 78	2	2	7	19	35	30	10	5	26	54	2
18	Bronchitis M. } ... F. }	479	276 203	38	9	2	3	5	5	20	37	89	68	8	3	72	193	28
19	Pneumonia M. } ... F. }	483	259 224	70	32	4	7	9	14	19	27	52	25	21	8	57	173	8
20	Other Diseases of the Respiratory System.	M. } F. }	181	114 67	4	4	2	6	7	10	13	24	24	20	13	2	23	76	4
21	Ulcer of the Stomach or Duodenum.	M. } F. }	97	71 26	.	.	.	2	7	4	17	23	11	7	21	.	28	22	1
22	Diarrhoea and Enteritis	... M. } ... F. }	379	226 153	186	16	3	1	1	4	3	3	4	5	30	2	52	142	5
23	Appendicitis M. } ... F. }	60	30 30	.	3	5	5	2	2	4	8	1	.	15	.	13	2	.
24	Cirrhosis of the Liver	... M. } ... F. }	14	8 6	.	.	.	1	.	1	2	6	2	6	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	48	20 28	.	2	1	1	2	1	.	4	7	2	4	.	5	11	.
26	Other Diseases of the Digestive System.	M. } F. }	214	119 95	15	10	8	6	3	7	11	15	33	11	17	2	39	61	3
27	Nephritis M. } ... F. }	350	189 161	1	5	2	12	9	6	10	32	79	33	22	3	44	120	7
28	Puerperal Infection F. }	20	20	12	7	1	.	.	.	1	.	9	10	.
29	Other Diseases of Childbirth F. }	35	35	.	.	.	8	13	14	8	.	17	10	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	657	382 275	372 265	6	2	1	1	85	.	87	210	51
31	Senility M. } ... F. }	1,933	879 1,054	163 177	716 877	4 8	17 19	86 70	772 957	505 603
32	Suicide M. } ... F. }	35	26 9	.	.	.	3	2	4	3	8	4	2	.	1	1	24	.
33	Other Violence M. } ... F. }	265	182 83	9	12	14	24	29	18	18	19	27	12	24	.	43	115	.
34	Other Causes M. } ... F. }	1,266	679 527	81	35	30	27	22	37	51	122	188	86	73	39	195	372	86
					67	35	26	20	24	45	54	95	112	49	56	22	195	344	92

ABSTRACT V—continued.—Causes of Death for Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,223	660 563	51 32	21 13	17 12	35 25	21 30	33 30	41 36	77 61	183 130	181 194	53 33	20 18	145 108	442 404	117 126
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	3	1 2	. .	. 1	. .	1 .	. .	1	1 .	. .	1 1
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	1	. 1	. 1 1	. .
5	Diphtheria ... M. } ... F. }	9	7 2	3 .	2 1	2 .	. 1	4 2	3 .	. .
6	Tuberculosis of the Respiratory M. } System. ... F. }	95	52 43	. .	. 2	1 17	16 11	13 5	8 6	5 .	3 2	5 2	1 .	21 21	8 4	6 3	17 15	. .
7	All other forms of Tuberculosis ... M. } ... F. }	29	22 7	. .	3 1	4 2	8 1	2 .	1 2	1 .	2 1	1 .	. .	5 .	1 .	11 4	5 3	. .
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	16	8 8	1 1 2	1	4 3	2 2	. 1	1 1	. .	7 6	4 5
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	. 1	. .	1	1
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	122	73 49 1	3 4	7 8	18 9	36 16	9 11	2 .	. .	28 16	43 33	3 .
14	Diabetes Mellitus ... M. }	10	6	1	1	3 .	1 .	1	5 .	. .

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	74	34	2	2	3	16	11	.	.	5	29	6
				40	1	3	1	9	11	15	.	.	7	33	2
16	Diseases of the Heart	... M. F. }	210	113	1	6	6	22	45	33	2	7	26	78	7
				97	.	1	2	2	2	6	8	19	37	22	1	8	19	69	5
17	Other Diseases of the Circulatory System.	M. F. }	18	10	1	1	1	5	3	1	.	2	7	.
				8	1	1	1	4	3	.	.	2	6	.
18	Bronchitis M. F. }	51	25	3	3	.	1	.	2	1	2	5	8	.	.	1	24	8
				26	.	.	.	1	.	2	1	4	9	9	.	.	1	25	3
19	Pneumonia M. F. }	50	28	5	3	2	2	1	1	3	7	2	2	3	.	3	22	1
				22	1	3	1	2	.	1	1	3	7	5	.	.	3	19	2
20	Other Diseases of the Respiratory System.	M. F. }	15	10	.	.	1	.	.	.	3	3	1	2	1	.	3	6	1
				5	1	3	1	.	.	2	3	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	11	8	1	.	1	2	2	2	2	.	1	5	.
				3	1	.	1	1	.	1	.	.	2	1
22	Diarrhoea and Enteritis	... M. F. }	16	8	7	.	.	.	1	1	.	1	6	.
				8	4	1	.	.	1	1	.	.	1	.	.	.	3	5	.
23	Appendicitis	... M. F. }	5	2	.	.	.	1	.	.	.	1	2	.	.
				3	.	1	2	3	.	.
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	3	.	.	1	2	.	.	.	1	2	.
26	Other Diseases of the Digestive System.	M. F. }	18	10	1	.	1	.	.	.	2	1	3	2	1	.	4	5	1
				8	2	5	1	.	.	2	6	2
27	Nephritis M. F. }	31	17	.	.	1	2	.	.	1	4	5	4	5	.	3	9	1
				14	1	.	.	.	1	1	1	4	4	2	.	.	4	10	.
28	Puerperal Infection	... F.	2	2	1	1	1	.	.	1	.
29	Other Diseases of Childbirth	... F.	3	3	2	1	1	2	.
30	Congenital Debility etc. (Nos. 157-161).	M. F. }	43	25	24	1	6	.	1	18	4
				18	17	.	1	3	.	5	10	3
31	Senility	... M. F. }	252	116	24	92	.	1	17	98	72
				136	15	121	.	3	14	119	95
32	Suicide	... M. F. }	4	4	.	.	.	1	1	1	1	4	.
33	Other Violence	... M. F. }	25	15	.	1	.	1	.	2	4	2	5	.	.	.	2	13	.
				10	2	1	.	.	2	2	2	3	2	8	.
34	Other Causes	... M. F. }	105	66	7	8	3	3	2	6	4	10	14	9	2	.	23	39	9
				39	5	3	3	3	2	1	4	8	7	2	2	.	14	23	8

ABSTRACT V—continued.—Causes of Death for Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	(CAUSES OF DEATH.)	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infir-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,764	2,010 1,754	200 134	48 31	29 32	73 66	78 73	96 89	148 126	251 232	581 459	506 512	211 198	101 69	500 330	1,198 1,157	222 253
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	1	1	1	.	.	.	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	2 1	.	1	.	.	1	2	1	.
3	Scarlet Fever ... M. } ... F. }	4	2 2	1	.	1	.	.	1	1 1	1 1	.
4	Whooping-cough ... M. } ... F. }	7	5 2	1 1	4	1	2	3 2	1
5	Diphtheria ... M. } ... F. }	30	16 14	.	7 4	6 6	1 2	.	1	1	1	12 13	4 1	1
6	Tuberculosis of the Respiratory System. M. } ... F. }	263	135 128	.	.	1 5	30 36	31 30	26 28	17 15	21 5	8 8	1 1	33 54	23 18	35 13	44 43	2 2
7	All other forms of Tuberculosis ... M. } ... F. }	56	35 21	1 1	3 2	6 2	10 3	4 7	4 2	5 2	1 1	1 1	.	5 7	2	13 11	15 3	1
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	17	8 9	.	1 1	.	1	.	.	1	1 2	1 4	4 1	.	.	1	7 9	2 2
10	Measles ... M. } ... F. }	1	1	1	1	1
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	1	1	.	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	369	208 161	.	.	.	3	.	4 8	28 26	38 46	102 58	33 22	32 23	4 3	60 35	112 100	4 3
14	Diabetes Mellitus ... M. }	25	13	.	1	1	2	.	.	1	2	3	3	1	1	5	6	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	238	107 131	.	.	.	1	1	3	9	14	51	28	5	3	25	74	8
16	Diseases of the Heart	... M. } ... F. }	842	478 364	.	2	1	3	6	21	27	92	203	125	15	37	131	295	18
17	Other Diseases of the Circulatory System.	M. } F. }	51	30 21	.	.	.	2	1	1	5	10	11	3	.	.	13	14	1
18	Bronchitis M. } ... F. }	116	62 54	6	2	1	1	1	1	6	5	25	17	1	.	17	44	7
19	Pneumonia M. } ... F. }	117	62 55	16	7	1	1	3	4	5	1	19	5	4	2	12	44	1
20	Other Diseases of the Respiratory System.	M. } F. }	65	35 30	1	2	1	3	2	4	3	3	10	10	1	1	4	29	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	30	19 11	.	.	.	1	1	1	6	3	3	4	7	.	6	6	.
22	Diarrhoea and Enteritis	... M. } ... F. }	76	48 28	36	4	.	.	2	2	1	3	.	2	11	2	16	19	.
23	Appendicitis M. } ... F. }	24	14 10	.	3	3	1	1	.	1	4	1	.	10	.	4	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	5	3 2	.	.	.	1	.	.	.	3	1	2	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	18	9 9	.	2	.	1	1	.	1	3	1	3	.	.	2	4	.
26	Other Diseases of the Digestive System.	M. } F. }	68	34 34	3	2	1	2	3	2	5	3	9	4	8	2	9	15	.
27	Nephritis M. } ... F. }	98	49 49	.	1	.	2	3	2	3	10	19	9	3	2	12	32	.
28	Puerperal Infection F. }	6	6	4	2	4	2	.
29	Other Diseases of Childbirth	... F. }	7	7	.	.	.	3	2	2	3	.	2	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	189	114 75	113	1	31	.	32	51	12
31	Senility M. } ... F. }	587	265 322	43	222	1	.	18	244	146
32	Suicide M. } ... F. }	12	11 1	.	.	.	1	1	3	1	2	2	1	.	.	.	11	.
33	Other Violence	... M. } ... F. }	75	53 22	2	2	1	9	9	7	5	7	8	3	10	.	11	32	.
34	Other Causes	... M. } ... F. }	363	193 170	20	6	7	4	9	10	23	31	60	23	27	20	56	90	19
					21	10	9	4	6	16	18	28	42	16	18	7	38	107	31

ABSTRACT V—continued.—Causes of Death for Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,221	622 599	101 65	18 22	13 13	24 25	28 21	31 34	83 50	115 103	164 154	65 112	179 155	14 17	175 140	254 287	5 2
1	Typhoid Fever (including Para- M. } typhoid). F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	1
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	2	1 1	1	1	1 1	.
5	Diphtheria ... M. } ... F. }	21	10 11	1 1	6 3	2 7	1	.	4 6	.	5 5	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	108	61 47	.	2 1	10 17	13 10	13 7	14 7	4 4	4 1	4 1	1	30 23	6 1	7 6	18 17	.
7	All other forms of Tuberculosis ... M. } ... F. }	19	8 11	1 2	3 3	1 1	2	2	.	1 1	.	1	.	4 5	.	2 6	2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }
10	Measles ... M. } ... F. }	1	1	1	1	.	.
11	Acute Infectious Encephalitis... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	151	82 69	.	.	2	2	4	10	21	40	3	35	.	26	21	.	
14	Diabetes Mellitus ... M. }	8	2	1	1	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	86	27 53	.	.	1	.	1	.	2	10	10	3	3	1	10	13	.
16	Diseases of the Heart	... M. } ... F. }	305	140 165	.	1	1	3	4	16	35	55	25	16	4	36	84	84	2
17	Other Diseases of the Circulatory System.	M. } F. }	14	6 8	1	1	2	1	1	1	2	.	2	2	.
18	Bronchitis M. } ... F. }	80	45 35	1	1	1	2	1	1	3	12	15	8	6	.	25	14	1
19	Pneumonia M. } ... F. }	55	27 28	10	3	.	1	2	1	3	3	4	9	1	5	12	.	.
20	Other Diseases of the Respiratory System.	M. } F. }	17	10 7	.	2	.	1	.	3	3	2	1	4	.	1	5	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	6 4	.	.	.	1	1	1	3	.	.	5	.	1	.	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	61	40 21	37	2	.	1	.	.	.	1	1	11	.	10	19	.	.
23	Appendicitis	... M. } ... F. }	5	2 3	.	1	.	1	.	1	.	.	.	2
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	3 5	2	.	1	.	.	.	1	2	.	.
26	Other Diseases of the Digestive System.	M. } F. }	14	10 4	2	1	.	.	1	1	3	2	1	4	.	3	3	.	.
27	Nephritis M. } ... F. }	20	10 10	.	.	2	2	1	1	3	4	1	5	.	4	1	.	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	1	.	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	66	36 30	36	18	.	7	11	1	.
31	Senility M. } ... F. }	52	18 34	7	11	1	1	6	10	.	.
32	Suicide M. } ... F. }	4	4	.	.	1	.	.	1	1	1	4	.	.
33	Other Violence	... M. } ... F. }	18	12 6	1	3	1	1	1	1	1	1	2	3	.	1	8	.	.
34	Other Causes	... M. } ... F. }	97	60 37	11	3	2	2	1	3	6	13	17	17	1	22	90	1	.
					6	2	2	2	2	4	5	6	5	13	.	5	19	.	.

ABSTRACT V—continued.—Causes of Death for Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	1,779	967 872	80 73	37 24	29 22	31 38	52 41	43 43	56 57	117 104	234 200	228 270	79 68	43 34	206 158	579 612	220 247
1	Typhoid Fever (including Para- M. } typhoid). F. }	7	4 3	.	.	.	1 2	2 1	1	1 .	3 3	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	2 1	.	1	1 1	1 .	.	1 .	1 .	.
3	Scarlet Fever ... M. } ... F. }	3	4 4	.	2 3	2 1	1 2	.	2 2	1 .	.
4	Whooping-cough ... M. } ... F. }	
5	Diphtheria ... M. } ... F. }	23	15 13	1 .	9 6	5 5	3 1	.	11 11	1 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	158	86 72	.	2 4	19 19	23 21	18 14	10 8	8 5	6 .	.	.	36 33	15 14	1 4	34 21	1 2
7	All other forms of Tuberculosis ... M. } ... F. }	23	11 12	.	2 1	5 2	3 2	3 1	1 1	3 4	.	6 5	2 2	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	17	5 12	2 .	.	2 1	1 2	.	.	.	5 12	3 7
10	Measles ... M. } ... F. }	7	2 5	1 1	2 1	1 .	.	1	1 .	2 4	1 2
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	154	77 77	.	1 .	.	1 .	4 2	2 5	9 10	21 18	27 30	13 11	3 6	1 1	28 19	45 51	2 6
14	Diphtheria ... M. }	15	8	1	.	1	9	4	.	.	.	1	7	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	92	38 54	.	1	.	.	2	3	2 6	3 15	18 23	9 10	1 1	2 1	7 5	28 47	6 9
16	Diseases of the Heart	... M. } ... F. }	282	135 147	.	1	2	1	1	3	8 8	22 27	61 55	36 49	2 1	5 7	39 36	89 103	13 9
17	Other Diseases of the Circulatory System.	M. } F. }	15	7	2	2 1	3 3	4 4	1	2	2 4	2 4	.
18	Bronchitis M. } ... F. }	53	32 21	8 3	.	1	.	.	.	2 2	3 4	9 6	10 5	.	1 1	9 2	22 18	6 5
19	Pneumonia M. } ... F. }	78	44 34	11 10	3 5	.	2	.	1	3 4	11 3	9 5	4 5	3	2 1	15 3	24 30	3 3
20	Other Diseases of the Respiratory System.	M. } F. }	18	12 6	2 1	1 1	.	1	2	2	1 1	2	.	1	3	1	5 2	3 4	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	9	8 1	1	.	3 1	3	1	.	2	.	3 1	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	38	23 15	9 7	5 1	3	.	.	1	1 2	.	3 2	1 2	3	.	3 3	17 12	2
23	Appendicitis M. } ... F. }	12	5 7	1	.	1	3	1	1	2	.	.	.	4	.	3 2	2 1	.
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	2 4	1 2	1 1	.	.	1	.	1 2	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	30	21 9	2	1	2	1	.	2	.	3 1	9 2	1 1	2 1	.	9 4	10 4	2 2
27	Nephritis M. } ... F. }	48	32 16	1	2	.	2	1	1	2 3	4 1	16 8	3 3	3	.	5 2	24 14	5 2
28	Puerperal Infection F. }	3	3	1	1	1	3	.
29	Other Diseases of Childbirth	... F. }	11	11	.	.	.	3	4	4	3	.	8	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	77	40 37	36 37	2	1	.	1	4	.	17 13	19 19	10 8
31	Senility M. } ... F. }	364	165 199	29 32	136 167	.	6 4	3	156 195	135 158
32	Suicide M. } ... F. }	5	4 1	1	.	1	2	.	1	.	1	.	3 1	.
33	Other Violence	... M. } ... F. }	23	16 7	1 1	1 1	2	.	4	1	1 1	3 1	3 1	.	2	.	7 6	7 1	.
34	Other Causes	... M. } ... F. }	195	109 86	8 10	6 2	3	5	6	3	6 8	27 19	36 20	9 9	6 7	6 3	26 16	71 60	31 32

ABSTRACT V—contd.—Causes of Death for Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,411	747 664	107 63	23 29	17 16	41 28	26 36	23 33	42 43	99 64	177 151	192 201	41 27	23 15	151 111	532 511	96 114
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	2	.	1	1	1	1	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.
4	Whooping-cough ... M. } ... F. }	8	4 4	4 2	2	4 4	1
5	Diphtheria ... M. } ... F. }	8	5 3	.	2 3	2	.	.	1	3 3	2	.
6	Tuberculosis of the Respiratory M. } System. F. }	104	48 56	.	1	4	16 14	9 23	7 5	7 6	5 1	3 2	1	3 2	6 4	12 16	27 34	2 4
7	All other forms of Tuberculosis... M. } ... F. }	25	16 9	2 1	1	2	8 6	1 1	1	1	1	.	.	1	2	6 4	7 5	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	20	13 7	1	2	1	.	.	1	2	1	4 3	4 1	.	.	4	9 7	1
10	Measles ... M. } ... F. }	4	1 3	.	1 2	1	2	1 1	.
11	Acute Infectious Encephalitis... M. } ... F. }	1	1	1	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	136	71 65	.	.	1	2	.	1	4	25 14	23 23	15 14	8 5	1	19 13	43 47	.
14	Diabetes Mellitus ... M. } ... F. }	7	2 5	2 4	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	92	41 51	1 2	.	1 1	12 11	15 18	12 14	3 1	1 1	6 7	31 42	3 3
16	Diseases of the Heart	... M. F. }	271	141 130	.	1 1	1 4	2 1	1 1	5 6	11 7	22 29	56 43	42 45	1 3	5 1	19 15	116 111	6 3
17	Other Diseases of the Circulatory System.	M. F. }	18	8 10	4 5	3 5	1 .	.	3 2	4 8	.
18	Bronchitis M. F. }	44	27 17	3 .	.	1 1	.	2 1	1 .	2 1	1 1	10 5	7 7	.	.	4 .	23 16	2 4
19	Pneumonia M. F. }	64	30 34	6 8	5 7	1 2	1 .	1 1	1 1	1 1	3 3	4 6	7 5	1 .	2 2	6 5	21 27	1 1
20	Other Diseases of the Respiratory System.	M. F. }	15	13 2	.	.	.	1 .	1 .	1 .	.	4 .	3 2	3 2	2 .	.	3 .	8 2	1 1
21	Ulcer of the Stomach or Duodenum.	M. F. }	10	8 2	3 .	3 1	1 1	.	.	.	5 .	3 2	.
22	Diarrhoea and Enteritis	... M. F. }	50	29 21	28 17	.	1	1 .	.	1 1	.	1 1	.	12 5	16 15	0 2
23	Appendicitis	... M. F. }	1	1	1	1 .	.	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	1	1 .	1 .	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	5	1 4	.	.	1	1 .	.	1 1	1 1	.	.	.	1 4	.
26	Other Diseases of the Digestive System.	M. F. }	23	14 9	3 .	2 1	1 .	.	1 .	2 .	1 .	2 4	3 1	1 3	.	.	5 3	9 3	1
27	Nephritis M. F. }	60	36 24	.	.	1 1	1 1	1 1	3 3	6 6	18 1	5 8	2 4	3 3	1 .	10 5	23 16	2
28	Puerperal Infection	... F.	4	4	.	.	.	2 .	2	2 .	2 .	.
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	1 .	2	1 .	2 .	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	84	51 33	51 32	1	9 3	.	9 11	33 19	11 5
31	Senility M. F. }	195	86 109	14 18	72 91	1 .	3 6	1 .	81 103	62 80
32	Suicide M. F. }	1	1	1	1 .	.
33	Other Violence	... M. F. }	40	32 8	2 .	5 2	3 .	7 .	6 .	2 .	4 1	2 1	.	1 2	4 2	.	10 3	18 5	.
34	Other Causes	... M. F. }	112	65 47	7 2	4 6	4 3	3 2	2 2	1 .	1 5	8 7	16 7	19 7	4 4	2 1	12 11	47 31	7 7

ABSTRACT V—continued.—Causes of Death for Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH,	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	590	316 274	60 30	23 20	9 11	21 18	14 20	14 17	30 25	51 43	66 60	28 30	23 31	7 6	135 97	151 140	8 2
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	5	3 2	.	.	.	2 1	1	.	.	.	1	.	.	.	3 2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.	.
4	Whooping-cough ... M. } ... F. }
5	Diphtheria ... M. } ... F. }	17	9 8	.	6 8	2	1	8 8	1	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	73	35 38	.	.	2 2	8 12	10 12	6 6	7 1	1 4	1 1	.	1	2 1	26 15	6 22	.
7	All other forms of Tuberculosis ... M. } ... F. }	17	6 11	2	1	2 4	4	.	1	1	2	.	.	1	.	6 6	4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	1	1
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	56	27 29	1 3	1 4	14 8	10 13	1 1	5 7	.	13 9	9 13	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	41	15	1	6	5	3	2	.	9	4	.
				26	7	8	5	5	5	1	5	15	.
16	Diseases of the Heart	... M. F. }	91	53	.	.	1	.	2	2	11	14	19	4	2	1	23	27	.
				28	.	.	1	.	2	1	4	8	17	5	2	2	15	19	1
17	Other Diseases of the Circulatory System.	M. F. }	9	6	1	4	1	.	.	1	5	.
				3	1	2	.	.	.	2	1	.
18	Bronchitis M. F. }	40	29	7	2	3	7	7	3	.	1	11	17	1
				11	2	2	1	.	1	.	.	3	3	1	1	.	5	5	.
19	Pneumonia M. F. }	19	13	3	4	.	.	.	1	2	1	2	.	1	1	2	9	.
				6	2	1	.	1	.	.	1	1	2	4	.
20	Other Diseases of the Respiratory System.	M. F. }	11	7	4	1	1	.	1	1	.	.	1	1	2	.	2	3	.
				4	.	1	.	.	.	1	.	.	2	.	.	.	3	1	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	3	2	1	.	1	.	.	2
				1	1	1	.	.
22	Diarrhoea and Enteritis	... M. F. }	38	23	19	3	1	.	.	4	19	.
				15	11	3	1	15	15	.
23	Appendicitis	... M. F. }	2	1	1	1	.	.
				1	.	.	1	1	.	.
24	Cirrhosis of the Liver	... M. F. }	1
				1	1	1	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	1
				1	1	.	1
26	Other Diseases of the Digestive System.	M. F. }	14	8	3	1	1	.	4	.	.	.	2	6	.
				6	2	.	1	1	2	2	.	3	1	.
27	Nephritis M. F. }	13	8	.	2	.	1	.	.	1	1	2	2	2	.	3	3	.
				5	.	.	.	2	1	1	.	1	1	2	2	.	3	3	.
28	Puerperal Infection	... F. }	1	1	1	1	.
29	Other Diseases of Childbirth	... F. }
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	26	17	17	1	16	1
				9	7	1	1	2	.	3	4	.
31	Senility M. F. }	33	13	3	10	.	1	6	6	2
				20	8	12	.	1	10	9	1
32	Suicide M. F. }
			
33	Other Violence	... M. F. }	12	6	.	2	2	1	.	.	.	1	1	.	2	.	1	3	.
				6	.	2	2	1	.	.	.	1	1	.	2	.	3	3	.
34	Other Causes	... M. F. }	62	33	10	2	.	3	2	2	2	5	7	2	4	1	11	17	.
				29	5	4	2	1	2	2	2	5	4	2	6	1	4	18	.

ABSTRACT V—continued.—Causes of Death for Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	810	442 .368	48 36	9 11	6 5	20 14	22 14	19 19	31 32	72 38	98 104	117 95	36 27	7 15	121 85	278 241	56 66
1	Typhoid Fever (including Para-typhoid). ... M. } ... F. }	1	1	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	2	1 1	1 1	1 1	.
5	Diphtheria ... M. } ... F. }	10	6 4	1 1	2 1	1 2	2 2	5 3	1 .	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	51	31 20	.	.	.	6 6	9 9	4 2	8 3	3 .	1 .	.	12 10	1 1	3 1	15 8	. 2
7	All other forms of Tuberculosis ... M. } ... F. }	17	5 12	.	1 2	.	1 1	1 2	.	1 3	2 2	.	.	.	1 1	2 6	2 4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	4	4	1	3	.	1	.	1	2	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	72	43 29	1 .	1 1	4 9	14 4	15 12	8 3	6 1	.	12 7	25 18	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	77	33 44	1 2	2 3	6 6	12 18	12 15	2 .	2 .	6 16	23 28	1 5	
16	Diseases of the Heart	... M. } ... F. }	135	80 55	3	3 1	3 6	18 11	37 27	16 10	1 1	.	6	27 11	52 37	4 4
17	Other Diseases of the Circulatory System.	M. } F. }	11	6 5	4 1	.	2 2	1 .	1	.	2 5	2 .	.
18	Bronchitis M. } ... F. }	34	21 13	5 3	1	1	3 3	4 3	7 4	.	.	.	21 11	2 1	.
19	Pneumonia M. } ... F. }	25	16 9	6 2	.	4	.	3	1 1	1 1	.	1 1	3 1	1 .	.	.	3 2	13 7	1 1
20	Other Diseases of the Respiratory System.	M. } F. }	11	9 2	.	1	.	.	1	1 .	1 .	2 3	1 1	3 1	6 1	1 .
21	Ulcer of the Stomach or Duodenum.	M. } F. }	11	9 2	1	1 .	1 .	2 4	1 1	7 1	2 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	12	5 7	4 4	1	5 2	5 4	.
23	Appendicitis	... M. } ... F. }	2	.	2	.	.	.	1	.	1	2	.	.
24	Cirrhosis of the Liver	... M. } ... F. }
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	1 2	1	.	.	.	1 1	1	2	.
26	Other Diseases of the Digestive System.	M. } F. }	21	11 10	1 2	.	1	3	.	.	1	2	1 6	2	1 2	.	.	4 3	6 5	.
27	Nephritis M. } ... F. }	20	6 14	1	1 1	.	1 3	1 2	3 5	2 2	.	3	2 4	4 5	.
28	Puerperal Infection	... F.
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	1	1	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	44	26 18	25 18	1	4 3	.	4 6	18 9	7 3	.
31	Senility M. } ... F. }	135	68 67	10 15	58 52	.	.	.	17 5	51 62	31 41
32	Suicide M. } ... F. }	2	2	1	1	2	.
33	Other Violence	... M. } ... F. }	21	10 11	.	1	.	1	2 1	2 1	.	1 2	3 1	1 5	1 1	.	.	5 6	5 4	.
34	Other Causes	... M. } ... F. }	85	52 33	5 3	4 3	4 3	3 2	2 .	4 6	5 3	10 5	9 7	6 1	8 3	2	17 7	25 23	8 8	

ABSTRACT V—continued.—Causes of Death for Administrative County of TIPPERARY, S.R., by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,152	594 558	76 57	13 13	11 8	32 21	16 23	26 33	32 37	81 80	160 131	147 155	28 15	16 12	156 122	400 409	49 59
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	1	1	.	.	.	1	1
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	2	.	1	.	1	2	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	4	2 2	2 1	.	1	2 2	1
5	Diphtheria ... M. } ... F. }	5	2 3	1 1	1	.	2	2 3	.	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	84	42 42	.	1	.	16 15	4 13	8 6	5 3	9 4	.	.	2 2	2 1	15 16	23 23	.
7	All other forms of Tuberculosis ... M. } ... F. }	27	17 10	1	3 4	3 3	6	2 2	.	1 1	.	.	1	.	1	10 6	6 4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	5	3 2	1 1	.	1	.	2	.	.	.	3 2	1
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. }	141	73	2	2	5 4	17 17	36 25	11 9	7 2	1	26 20	39 46	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	89	42 47	2 2	2 4	10 9	19 21	11 11	.	1 1	20 12	20 35	2 2
16	Diseases of the Heart	... M. } ... F. }	237	195 112	.	.	1	1	2	5	4	10 5	22 21	49 37	35 37	1 1	1 6	39 29	84 76	5 3
17	Other Diseases of the Circulatory System.	M. } F. }	17	7 10	2 2	5 2	6 6	.	2	1 2	4 8	.
18	Bronchitis M. } ... F. }	28	16 12	1	2 1	2 1	6 5	5 5	1 1	.	.	3 1	19 11	1 1
19	Pneumonia M. } ... F. }	39	24 15	10 2	2 4	.	1	.	2 1	2 1	2 1	5 3	1 2	.	1	.	7 1	17 13	.
20	Other Diseases of the Respiratory System.	M. } F. }	13	7 6	.	.	.	1	.	1	.	1 4	3 1	1 1	7 6	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	5	.	.	.	1	.	1	.	3	.	.	1	.	.	2	2	1
22	Diarrhœa and Enteritis	... M. } ... F. }	38	22 16	20 14	2	1 1	.	.	2 2	.	1 1	19 13	1 1
23	Appendicitis M. } ... F. }	3	2 1	.	.	.	1	.	1	.	1	.	.	.	2	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	4	2 2	1	1 2	1 1	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	15	5 10	.	3 1	1 1	.	.	.	1	.	1 1	3 3	.	1	.	2	5 7	.
27	Nephritis M. } ... F. }	35	14 21	.	.	1	1	1	1	3	2 4	5 4	4 5	2	.	2	4 2	8 17	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.
29	Other Diseases of Childbirth F. }	4	4	.	.	.	1	.	3	1	.	1	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	68	36 32	34 31	1 1	1	6 2	.	8 11	22 19	3 5
31	Senility M. } ... F. }	158	77 81	13 10	64 71	.	.	1	3	77 77	34 40
32	Suicide M. } ... F. }	7	6 1	.	.	.	1	.	1 1	1	2	1	1	5 1	.
33	Other Violence M. } ... F. }	22	15 7	2	1	1	3	2	.	1	2	1 3	4 2	.	1	.	3 5	12 1	.
34	Other Causes M. } ... F. }	90	44 46	5 8	.	4	2	2	4	1	7 10	11 13	10 3	2 1	2	2	13 4	27 39	1 5

ABSTRACT V—continued—Causes of Death for Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	731	375 356	39 34	6 8	3 3	13 14	11 14	21 19	18 18	56 43	104 86	104 117	15 10	12 7	101 90	247 249	40 26
1	Typhoid Fever (including Para- M. } typhoid). F. }	
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.	.
4	Whooping-cough ... M. } ... F. }	
5	Diphtheria ... M. } ... F. }	2	2	.	1	1	2	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	45	24 21	.	1	.	3 8	6 7	8 2	5 1	2 2	.	.	.	1 4	7 5	13 14	.
7	All other forms of Tuberculosis ... M. } ... F. }	12	6 6	1 1	.	.	4 1	.	1 3	.	.	1	.	.	1 3	5 3	1 2	.
8	Dysentery ... M. } ... F. }	1	1	1	1	.
9	Influenza ... M. } ... F. }	6	2 4	1	1 1	3	.	.	.	2 4	.
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	64	25 39	.	.	.	1	1	2 2	.	9 5	11 14	3 5	1 1	1	8 11	15 27	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	36	19 17	1 1	4 4	8 8	6 4	2 1	.	.	1 2	16 14	1 1
16	Diseases of the Heart	... M. } ... F. }	173	84 89	.	.	1	.	1 3	4 8	13 11	30 32	35 32	.	4 2	.	32 19	48 67	2 2
17	Other Diseases of the Circulatory System.	M. } F. }	16	12 4	1	1 1	5 1	5 2	12 4	1
18	Bronchitis M. } ... F. }	24	13 11	1	.	.	1	.	.	2 2	6 3	3 5	.	1	.	2 1	10 10	.
19	Pneumonia M. } ... F. }	26	10 16	1 6	4 2	.	.	1 1	.	3 4	4 3	1	.	.	.	3 3	7 12	1 1
20	Other Diseases of the Respiratory System.	M. } F. }	11	7 4	1 1	.	5 1	2 1	.	.	.	1	6 4	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	1 1	.	2	2 1	1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	12	7 5	7 5	1 1	.	.	2 1	4 3	.
23	Appendicitis M. } ... F. }	6	3 3	.	.	1 1	1	.	.	.	1	.	1 1	.	.	2 2	.	.
24	Cirrhosis of the Liver	... M. } ... F. }
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	7	4 3	.	1 1	.	.	.	1 1	.	1 1	2 2	2 1	.
27	Nephritis M. } ... F. }	16	12 4	.	.	.	1 1	1 1	.	3	7 1	1	.	1	.	1 1	11 2	1
28	Puerperal Infection F. }	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	40	25 5	24 15	.	1	6 1	.	.	3 3	16 11	2
31	Senility M. } ... F. }	138	62 76	16 13	46 63	1 1	1 1	.	15 21	45 54	23 21
32	Suicide M. } ... F. }
33	Other Violence	... M. } ... F. }	18	15 3	.	.	1	4	2	3	1	4 1	.	1	.	.	3 2	12 1	.
34	Other Causes	... M. } ... F. }	66	40 26	5 6	1 3	1	2	1	3 2	3 1	8 6	13 4	4 1	3 1	1 2	19 6	24 17	7

ABSTRACT V—continued.—Causes of Death for Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	421	222 199	42 31	8 5	6 3	5 10	12 14	11 9	22 14	30 23	50 54	36 36	12 18	10 5	67 41	133 135	1 1	
1	Typhoid Fever (including Para-M. } typhoid). F. }	
2	Cerebro-spinal Meningitis ... M. } ... F. }	
3	Scarlet Fever ... M. } ... F. }	
4	Whooping-cough ... M. } ... F. }	
5	Diphtheria ... M. } ... F. }	
6	Tuberculosis of the Respiratory M. } System. F. }	37	20 17	.	1 .	.	2 7	8 5	3 3	6 2	.	.	.	1 .	2 .	7 7	10 10	.	
7	All other forms of Tuberculosis ... M. } ... F. }	10	5 5	1 1	2 1	1 1	1 .	.	.	1 .	1	1 .	5 4	.	
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis... M. } ... F. }	1	1	1	1 .	.	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	48	33 15	.	.	.	2 .	1 1	1 .	3 5	7 2	16 7	3 .	1 5	1 .	13 2	18 8	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	24	8	2	3	.	3	1	.	4	3	.
16	Diseases of the Heart	... M. } ... F. }	131	16	7	11	11	18	19	1	3	25	31
				71	.	.	1	1	4	4	5	13	28	19	4	1	13	53	.
17	Other Diseases of the Circulatory System.	M. } F. }	4	3	1	.	1	1	1	.	.	.	2
18	Bronchitis M. } ... F. }	9	6	3	1	1	6
				3	3	1	2
19	Pneumonia M. } ... F. }	10	5	2	1	1	1	1	4	5
				5	3	1	1	.	.	.	5	.
20	Other Diseases of the Respiratory System.	M. } F. }	5	4	.	.	1	.	.	.	1	.	1	1	.	.	.	1	3
				1	.	.	.	1	1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3	.	.	.	1	.	.	.	2	.	.	2	.	.	1	.
				1	1	1
22	Diarrhea and Enteritis	... M. } ... F. }	33	21	19	2	3	18	.
				17	14	1	2	4	13	.
23	Appendicitis	... M. } ... F. }	
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	.	.	.	1	1	.	.	1	.	.	1	.
				2
26	Other Diseases of the Digestive System.	M. } F. }	4	2	1	.	1	.	.	.	1	.	.	1	.
				2	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.
27	Nephritis M. } ... F. }	9	5	.	.	1	.	.	.	1	2	1	1	.	.	.	1	5
				4	.	.	.	1	.	.	1	1	1	1	.	.	.	3	.
28	Puerperal Infection	... F. }	1	1	.	.	.	1	1	.
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } P. }	20	12	12	1	.	5	6	.
				8	8	2	.	2	4	1
31	Senility M. } ... F. }	19	9	4	5	2	2	3	4	7	.
				10	2	8	1	1	2	3	7	.
32	Suicide M. } ... F. }	
33	Other Violence	... M. } ... F. }	9	6	2	.	2	1	1	3	.	.	.	3	.
				3	1	1	1	1	1	.	.	1	1	.
34	Other Causes	... M. } ... F. }	33	19	3	1	2	.	1	2	1	3	5	2	2	4	3	14	1
				14	1	1	.	2	2	1	1	3	3	3	3	4	7	.	

ABSTRACT V—continued.—Causes of Death for PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospi.	Mental Hospi.	County Homes and District Hospi. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	6,938	3,680 3,258	305 198	76 77	73 59	140 156	165 157	160 161	205 202	420 360	398 707	1,238 1,181	182 143	124 115	701 497	2,673 2,503	954 996
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	12	6 6	2 1	. 2	2 1	2 1	. 1	1 1	. 2	5 2	1 .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	3	1	1	1	1 .	2 .	. .
3	Scarlet Fever ... M. } ... F. }	4	1 3	. .	1 1	1	1 .	3 .	. .
4	Whooping-cough ... M. } ... F. }	41	22 19	16 12	4 7	2	1 2	21 17	3 2
5	Diphtheria ... M. } ... F. }	16	8 8	1 3	4 3	3 5	7 8	1 .	. .
6	Tuberculosis of the Respiratory System. M. } ... F. }	535	272 263	. 1	6 2	59 15	89 87	34 72	38 37	38 29	38 12	8 8	. .	71 58	23 31	70 52	108 122	4 8
7	All other forms of Tuberculosis ... M. } ... F. }	120	67 53	. 1	6 5	10 6	27 16	9 9	8 8	1 4	5 2	1 2	. .	8 6	2 3	32 22	25 22	. 1
8	Dysentery ... M. } ... F. }	1	1	1	1 .	. .
9	Influenza ... M. } ... F. }	92	44 48	4 6	1 4	. .	1 1	1 1	2 2	. 7	5 8	19 10	11 9	2 .	. 4	3 8	39 36	12 17
10	Measles ... M. } ... F. }	7	7	2	2	. 2	. .	. 1 2	5 .	. .
11	Acute Infectious Encephalitis ... M. } ... F. }	5	2 3 1	2 .	. 1	. .	. 1	. .	. 1	. .	. 2	2 .	. .
12	Typhus ... M. } ... F. }	2	2	1	1	2
13	Cancer ... M. } ... F. }	627	336 291	. .	3 2	1 .	1 2	2 7	16 25	36 40	79 70	139 97	59 48	15 18	7 4	106 65	208 204	13 9

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	355	163 192	.	.	1 1	2 2	3 1	2 4	12 15	25 39	64 79	54 51	3 3	6 3	18 26	136 162	27 31
16	Diseases of the Heart	... M. } ... F. }	1,117	606 511	.	.	1 5	6 7	9 9	20 26	44 30	93 97	231 171	202 170	7 8	33 29	99 71	467 403	50 46
17	Other Diseases of the Circulatory System.	M. } F. }	98	59 40	4 2	4 4	10 8	19 15	26 11	2 .	5 .	7 10	45 30	5 2
18	Bronchitis M. } ... F. }	223	120 103	9 5	3 1	1 2	2 .	3 .	3 1	4 4	13 9	41 33	41 48	1 3	1 .	11 6	107 94	35 25
19	Pneumonia M. } ... F. }	276	159 117	25 25	16 16	3 3	3 5	4 7	6 2	10 4	17 11	40 29	35 15	7 1	3 1	23 17	126 98	18 10
20	Other Diseases of the Respiratory System.	M. } F. }	71	41 30	1 .	.	1 2	4 .	1 5	3 4	4 4	12 5	11 5	5 4	2 3	3 1	8 5	28 21	6 4
21	Ulcer of the Stomach or Duodenum.	M. } F. }	43	34 9	1 2	9 .	6 1	4 2	6 3	8 1	5 .	1 .	8 9	20 9	6 1
22	Diarrhoea and Enteritis	... M. } ... F. }	69	34 35	23 22	3 4	1 2	.	1 2	.	1 2	1 1	3 1	2 .	6 8	2 2	10 4	18 21	1 2
23	Appendicitis M. } ... F. }	20	15 5	.	.	2 .	5 1	1 .	2 .	1 2	.	3 .	1 2	3 .	.	10 4	2 1	.
24	Cirrhosis of the Liver	... M. } ... F. }	8	6 2	1 .	1 .	2 .	1 2	1 .	1 .	.	1 .	4 2	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	30	14 16	.	.	6 1	1 1	.	.	.	2 3	2 3	3 3	2 1	.	4 6	8 9	2
26	Other Diseases of the Digestive System.	M. } F. }	97	49 48	4 4	1 1	.	3 .	3 .	2 4	1 5	11 9	13 19	11 5	2 3	.	21 14	26 31	2 7
27	Nephritis M. } ... F. }	169	96 73	1 .	1 2	2 2	2 2	3 1	6 4	8 15	20 13	28 26	25 8	3 2	2 3	28 9	63 59	3 1
28	Puerperal Infection F. }	6	6	4	2	2	4	.
29	Other Diseases of Childbirth	... F. }	23	23	.	.	.	2	11	10	5	.	13	5	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	272	176 96	171 91	1 3	2 1	.	1 1	1	22 9	.	46 32	108 55	46 19
31	Senility M. } ... F. }	1,684	794 890	122 131	672 759	1 1	17 13	31 35	745 841	617 727
32	Suicide M. } ... F. }	9	6 3	1	1	2 1	2 2	.	.	.	1	.	5 3	.
33	Other Violence M. } ... F. }	140	88 57	6 4	7 6	7 2	6 7	7 1	1 1	8 3	12 2	19 13	10 18	4 3	.	21 11	58 43	6
34	Other Causes M. } ... F. }	709	433 276	42 25	25 15	20 8	15 18	23 25	37 23	23 27	63 59	117 50	68 26	13 12	20 18	120 66	280 180	104 73

ABSTRACT V—continued—Causes of Death for Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hosps.	County Homes and Hosps. District Hosps. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	2,259	1,220 1,039	126 84	29 32	31 32	63 65	62 45	47 60	73 64	131 109	276 184	377 364	75 49	37 22	265 195	843 773	286 265
1	Typhoid Fever (including Paratyphoid) ... M. F. }	7	4 3	.	.	.	1	.	1	2 1	.	.	.	1 1	.	3 2	.	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	1	1	.	.
3	Scarlet Fever ... M. F. }	
4	Whooping-cough ... M. F. }	21	12 9	10 6	2 3	12 7	2
5	Diphtheria ... M. F. }	8	4 4	.	2 1	2 3	4 4	.	.
6	Tuberculosis of the Respiratory System ... M. F. }	209	113 96	.	1	5 7	30 35	25 24	8 8	18 15	14 4	3 2	.	26 20	5 6	33 24	39 46	2 2
7	All other forms of Tuberculosis ... M. F. }	66	30 36	.	1 4	5 4	14 10	5 6	2 7	1 2	1	1 2	.	3 4	.	18 15	9 15	.
8	Dysentery ... M. F. }	1	1	1	1	.
9	Influenza ... M. F. }	26	8 18	.	1	.	1 1	.	.	2	1	1 2	4 3	2 3	.	.	8 14	1 4
10	Measles ... M. F. }	5	5	2	1	1	.	1	1	4	.
11	Acute Infectious Encephalitis ... M. F. }	2	1 1	.	.	1	.	.	1	1	1	.
12	Typhus ... M. F. }	1	1	.	.	1	1	.	.
13	Cancer ... M. F. }	188	108 80	.	1 1	.	1	1	7 10	12 9	25 25	46 22	15 13	4 4	2	38 15	64 61	6 2
14	Diabetes Mellitus ... M. F. }	16	7 9	.	.	1	1	1	.	.	1	1	3	.	.	2	5	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	114	61 53	.	.	.	1	1	.	1	4	9	24	23	.	3	10	48	6	
16	Diseases of the Heart	... M. } ... F. }	366	181 185	.	.	.	1	2	4	14	27	67	66	.	3	9	33	139	9	
17	Other Diseases of the Circulatory System.	M. } F. }	43	29 14	2	7	6	14	.	2	2	3	22	2	
18	Bronchitis M. } ... F. }	62	32 30	5 4	1 1	.	1	.	.	3	1	12	9	.	1	.	4	27	5	
19	Pneumonia M. } ... F. }	85	51 34	11 12	8 7	1 1	1	2	3	2	7	9	7	.	5	.	10	36	4	
20	Other Diseases of the Respiratory System.	M. } F. }	22	13 9	.	.	1	.	1	.	3	1	5	6	.	.	.	4	9	2	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	9	7 2	1	3	2	.	1	.	.	3	.	2	2	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	28	13 15	8 9	3 1	.	1	.	1	.	.	1	1	.	1	.	2	10	1	
23	Appendicitis	... M. } ... F. }	9	6 3	.	.	.	2	1	.	1	.	2	.	1	.	.	3	2	.	
24	Cirrhosis of the Liver	... M. } ... F. }	4	2 2	1	.	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	16	8 8	.	.	5	1	.	.	.	1	1	.	1	.	.	2	5	.	
26	Other Diseases of the Digestive System.	M. } F. }	40	24 16	1 2	.	1	3	3	.	2	1	7	7	3	1	.	14	9	4	
27	Nephritis M. } ... F. }	57	32 25	.	1	1	1	2	2	3	6	9	7	.	.	.	9	23	1	
28	Puerperal Infection F. }	2	2	2	1	1	.	
29	Other Diseases of Childbirth F. }	3	8	.	.	.	1	3	4	2	.	4	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	95	66 29	62 27	1 1	1	.	1	1	11	.	14	41	17	
31	Senility M. } ... F. }	476	240 236	35 32	205 204	.	12	4	1	227	197	
32	Suicide M. } ... F. }	
33	Other Violence M. } ... F. }	44	24 20	3 1	2 3	2 2	2 1	.	.	3 2	4 2	6 3	2 6	1 2	.	.	8 4	15 14	1	
34	Other Causes M. } ... F. }	228	141 87	25 15	7 6	7 4	2 6	7 5	15 9	9 8	14 16	35 11	20 7	4 1	4	2	45 34	88 50	31 15	

ABSTRACT V—continued.—Causes of Death for Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	690	367 323	18 12	4 4	3 3	10 15	17 18	14 15	21 23	42 37	119 85	119 111	7 9	21 13	49 32	290 269	98 108
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	1	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	.	1	1	.	.
4	Whooping-cough ... M. } ... F. }	1	1	1	1	.
5	Diphtheria ... M. } ... F. }	
6	Tuberculosis of the Respiratory M. } System. F. }	39	20 19	.	1	.	3 2	6 6	4 5	3 3	3 3	1 1	.	2	5 7	3 4	10 8	.
7	All other forms of Tuberculosis... M. } ... F. }	5	3 2	.	1	.	1	.	1	.	1 1	2	3	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	10	6 4	1	1	.	.	.	1	.	1	1 1	2 2	1	.	.	5 4	2 2
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	64	34 30	.	.	.	1	2	1	4 9	7 7	20 9	2 1	2 4	1	12 3	20 22	.
14	Diabetes Mellitus ... M. } ... F. }	10	7 3	2	1	.	1	3 2	1	.	.	2 7	5	2

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	51	19 32	.	.	.	1	1	2	2 1	4 4	8 17	5 6	.	.	1 3	18 29	3 8
16	Diseases of the Heart	... M. } ... F. }	111	66 45	.	.	1	2	1	2	7 2	8 9	29 14	20 16	.	10 2	7 1	49 42	6 6
17	Other Diseases of the Circulatory System.	M. } F. }	9	8 1	2	.	4	2 1	.	1	1 1	6 1	1
18	Bronchitis M. } ... F. }	32	20 12	2	.	.	1	.	1	.	2 1	7 1	8 8	.	.	1	19 12	8 3
19	Pneumonia M. } ... F. }	29	17 12	.	1	.	.	.	2	1	2 4	5 4	6 3	.	1	1 1	15 11	4
20	Other Diseases of the Respiratory System.	M. } F. }	6	4 2	1	.	1	1	.	3	.	1	.	4	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	6 1	1	1	.	.	1	4	.	.	.	6 1	3
22	Diarrhoea and Enteritis	... M. } ... F. }	5	3 2	.	1	.	.	1	.	.	1	1 1	.	.	.	1 1	2 1	.
23	Appendicitis M. } ... F. }	3	2 1	.	.	1	1	1	.	.	2	1	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	1	1
26	Other Diseases of the Digestive System.	M. } F. }	10	5 5	1	2 1	.	2 3	.	.	.	5 4	1 1
27	Nephritis M. } ... F. }	27	13 14	.	1	.	1	1	1	.	2 3	4 8	5	.	1	3 1	10 12	2 1
28	Puerperal Infection F. }		
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	17	11 6	11 5	2	.	4 2	5 4	3 2
31	Senility M. } ... F. }	151	69 82	19 15	50 67	.	.	6 4	63 78	52 69
32	Suicide M. } ... F. }		
33	Other Violence M. } ... F. }	22	10 12	.	.	3	3	.	.	1 1	1	1	1 3	.	.	1	10 11	2
34	Other Causes M. } ... F. }	74	41 33	3 3	1	1	1 2	3 5	2 2	1 5	7 5	15 7	7 3	.	3	4 1	33 24	11 13

ABSTRACT V—continued.—Causes of Death for Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,896	979 917	76 55	28 27	15 7	35 35	43 49	55 40	47 43	112 92	218 212	350 357	41 36	41 45	182 115	715 719	282 335
1	Typhoid Fever (including Para- M. } typhoid). F. }	3	1 2	1 1	1
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	1	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	14	7 7	3 4	2 3	2	7 7	1 1
5	Diphtheria ... M. } ... F. }	3	2 1	. .	1 1	1	2 1
6	Tuberculosis of the Respiratory M. } System. F. }	137	72 65	. 1	. 2	. 22	17 21	20 13	15 13	6 3	13 2	1 1	. .	23 19	11 9	7 7	31 30	2 4
7	All other forms of Tuberculosis... M. } ... F. }	17	12 5	. 1	3 1	1 .	4 2	3 1	. .	. 1	1	1 1	1 .	7 2	3 2	. 1
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	16	7 9	1 .	1	1	2 2	2 2	2	7 3	2 2
10	Measles ... M. } ... F. }	1	1	.	1
11	Acute Infectious Encephalitis... M. } ... F. }
12	Typhus ... M. } ... F. }	1	1	1	1	.	.
13	Cancer ... M. } ... F. }	173	84 89	. 1	1 1	. 1	1 1	5 8	9 12	18 15	29 35	20 16	. .	4 6	3 1	25 21	52 61	3 2
14	Diabetes Mellitus ... M. } ... F. }	16	5 11	1 .	. .	1 4	3 6	. 1	2 .	3 11	. 2

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	79	36 43	2	2	3	3	15	11	1	3	3	29	6
16	Diseases of the Heart	... M. F. }	267	146 121	.	.	3	1	7	8	10	25	48	47	1	8	27	110	15
17	Other Diseases of the Circulatory System.	M. F. }	23	12 11	1	2	2	4	6	.	.	2	10	1
18	Bronchitis M. F. }	63	31 32	1	.	.	1	1	2	.	5	13	8	.	1	2	28	13
19	Pneumonia M. F. }	78	41 37	5	6	.	1	2	4	4	2	14	10	.	1	4	36	6
20	Other Diseases of the Respiratory System.	M. F. }	23	12 11	1	.	.	3	.	1	.	4	3	2	1	2	3	6	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	16	13 3	1	2	3	2	3	3	.	1	4	8	2
22	Diarrhoea and Enteritis	... M. F. }	19	9 10	8	2	.	.	1	.	.	.	1	2	.	3	4	4	2
23	Appendicitis M. F. }	4	3 1	.	.	1	.	1	.	.	.	1	1	.	.	3	.	.
24	Cirrhosis of the Liver	... M. F. }	2	2	1	.	1	.	.	1	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	8	5 3	.	1	1	.	.	1	.	1	1	2	1	.	2	2	2
26	Other Diseases of the Digestive System.	M. F. }	24	11 13	2	.	.	.	2	.	2	2	3	2	1	.	7	3	1
27	Nephritis M. F. }	38	24 14	1	1	.	1	.	2	3	7	5	5	.	10	14	.	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	1	.
29	Other Diseases of Childbirth ...	F. }	3	3	.	.	.	1	2	1	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	79	46 33	45	1	1	2	.	17	27	6
31	Senility M. F. }	546	245 301	35	210	.	2	9	234	194
32	Suicide M. F. }	4	3 1	1	.	2	.	.	.	1	.	2	2	.
33	Other Violence M. F. }	38	24 14	.	3	3	1	1	1	2	2	8	3	.	8	16	.	3
34	Other Causes	... M. F. }	199	124 75	9	12	4	7	6	12	5	20	30	19	3	7	33	81	29
					4	4	1	3	10	6	7	15	17	8	1	10	13	51	20

ABSTRACT V—continued.—Causes of Death for Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,069	581 488	37 17	9 10	12 9	18 14	17 18	25 22	24 32	65 65	158 108	216 193	14 14	11 13	110 74	446 387	172 176
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	2	2	.	1	1	2	.
4	Whooping-cough ... M. } ... F. }	3	2 1	2 1	1	1 1	1
5	Diphtheria ... M. } ... F. }	2	1 1	.	1	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	53	28 25	.	.	2	6 8	10 5	3 5	3 2	6 2	.	1	1 2	1 2	16 9	10 12	2
7	All other forms of Tuberculosis ... M. } ... F. }	15	10 5	.	.	2	4	.	4 1	.	1	.	.	2	1	3	4 4	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	27	17 10	2	1	.	.	1	1	.	2	1 2	9 2	3	1	3 2	13 8	3 3
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1	1	.	.	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	84	43 41	.	1	.	.	3	2 3	3 6	11 9	18 11	8 9	1 3	.	12 18	30 20	3 5
14	Diabetes Mellitus ... M. } ... F. }	3	7 1	.	.	2	2	3 1	.	.	.	1	6 1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	83	29 34	.	.	1	1	1	.	3	4	12 12	7 8	.	.	3	26 30	7 5
16	Diseases of the Heart	... M. } ... F. }	201	117 84	.	.	1	1	.	5	5	18 21	44 26	43 26	1	1	20 9	95 71	16 14
17	Other Diseases of the Circulatory System.	M. } F. }	13	9 4	1	1	5 2	3 1	.	2	1	6 4	1
18	Bronchitis M. } ... F. }	40	25 15	1	2	.	.	1	1	1	2 2	7 5	11 7	.	.	2 2	23 13	8 3
19	Pneumonia M. } ... F. }	49	29 20	5	1	1	1	.	1	3	6 2	10 9	2	1	.	3 1	25 19	3 2
20	Other Diseases of the Respiratory System.	M. } F. }	8	4 4	1	1	2	.	1	.	1	.	.	3 3	2 1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	2 2	2	.	.	2	.	.	.	1	1 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	10	4 6	3	1	.	.	2	.	2 1	.	.
23	Appendicitis M. } ... F. }	3	3	.	.	.	1	.	2	1	.	2	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	1 2	1	.	.	1	.	1	.	.	1	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	5	3 2	.	1	1	.	1	2	.	.	1	3 1	.
27	Nephritis M. } ... F. }	27	16 11	.	.	1	.	1	2	1	7 5	6 3	2	.	.	5 3	9 8	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.
29	Other Diseases of Childbirth	... F. }	7	7	.	.	.	3	4	2	.	3	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	29	20 9	20 9	4 3	16 6	9 1
31	Senility M. } ... F. }	276	125 151	20 22	105 129	.	3 2	2 4	120 145	99 126
32	Suicide M. } ... F. }	2	1 1	1	1	1 1	.
33	Other Violence M. } ... F. }	13	10 3	1	.	.	1	.	1	1	3 1	3 2	.	.	.	2 2	8 1	.
34	Other Causes M. } ... F. }	118	73 45	3 1	2 4	4 2	3 5	4 1	3 4	5 3	13 13	22 8	14 4	1 3	3 2	26 11	43 29	21 15

ABSTRACT V—continued.—Causes of Death for Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES ... M. } F. }	1,024	533 491	48 30	6 4	12 8	14 27	26 27	19 24	35 40	70 57	127 118	178 156	45 33	14 22	95 81	379 355	116 110
1	Typhoid Fever (including Para- M. } typhoid). F. }	
2	Cerebro-spinal Meningitis ... M. } F. }	
3	Scarlet Fever ... M. } F. }	1	1	1	.
4	Whooping-cough ... M. } F. }	2	1 1	1	1	1 1	.
5	Diphtheria ... M. } F. }	3	1 2	1	.	2	1 2	.
6	Tuberculosis of the Respiratory M. } System. F. }	97	39 58	.	.	1 4	3 20	18 16	4 6	8 6	2 3	3 3	.	9 17	1 7	11 8	18 26	.
7	All other forms of Tuberculosis ... M. } F. }	17	12 5	.	1	2	5 3	1 2	1	.	2	.	.	2 1	.	4 3	6 1	.
8	Dysentery ... M. } F. }	
9	Influenza ... M. } F. }	13	6 7	1	3 2	2 2	.	.	.	6 7	4 6
10	Measles ... M. } F. }	1	1	.	.	1	1
11	Acute Infectious Encephalitis ... M. } F. }	2	1 1	1	.	.	1	.	.	.	1	1	.
12	Typhus ... M. } F. }	
13	Cancer ... M. } F. }	118	67 51	1 1	3	8 4	18 14	26 20	14 9	4 1	2 2	19 8	42 40	1
14	Diabetes Mellitus ... M. }	3	2	2	.	1	.	.	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	48	18 } 30 }	1	4	5	5	8	2	.	1	15	8
16	Diseases of the Heart	... M. } ... F. }	172	96 } 76 }	.	.	1	.	.	3	8	15	43	26	5	5	12	74	4	
17	Other Diseases of the Circulatory System.	M. } F. }	11	1 } 10 }	1	1	2	4	1	.	.	.	1	.	
18	Bronchitis M. } ... F. }	26	12 } 14 }	.	1	.	1	.	.	1	1	3	2	5	.	.	2	10	
19	Pneumonia M. } ... F. }	35	21 } 14 }	4	.	1	1	1	1	1	2	3	6	2	1	1	5	14	
20	Other Diseases of the Respiratory System.	M. } F. }	12	8 } 4 }	.	.	.	1	.	1	1	2	1	2	.	.	1	1	6	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	6 } 1 }	1	1	1	2	1	1	2	.	.	1	3	
22	Diarrhoea and Enteritis	... M. } ... F. }	7	5 } 2 }	4	.	1	1	.	2	2	
23	Appendicitis	... M. } ... F. }	1	1 }	1	1	.	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1	1	1	
26	Other Diseases of the Digestive System.	M. } F. }	18	6 } 12 }	.	1	.	.	.	1	1	.	3	2	.	.	.	6	.	
27	Nephritis M. } ... F. }	20	11 } 9 }	2	4	4	3	2	1	2	1	7	
28	Puerperal Infection	... F. }	2	2 }	2	1	1	
29	Other Diseases of Childbirth	... F. }	3	3 }	2	1	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	52	33 } 19 }	33	7	.	7	19	
31	Senility M. } ... F. }	235	115 } 120 }	13	102	1	.	13	101	11	
32	Suicide	... M. } ... F. }	3	2 } 1 }	1	.	1	2	.	
33	Other Violence	... M. } ... F. }	23	15 } 8 }	2	2	2	.	2	1	1	1	4	1	1	3	.	3	9	
34	Other Causes	... M. } ... F. }	90	54 } 36 }	2	3	4	2	3	5	3	9	15	8	5	2	12	35	12	
					2	1	.	2	4	2	4	10	7	4	4	3	3	26	10	

ABSTRACT V—continued.—Causes of Death for PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,964	2,137 1,827	171 107	48 41	43 30	74 57	80 91	97 84	124 105	253 201	584 437	663 674	43 34	57 40	432 250	1,605 1,503	489 521
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	5	2 3	.	.	.	1	.	.	3	.	1	.	.	1	1 1	1 1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	5	3 2	.	.	1	2	.	.	.	1	3 1	1 1	.
3	Scarlet Fever ... M. } ... F. }	8	8	.	1	4	1	.	1	1	6	2	.
4	Whooping-cough ... M. } ... F. }	6	1 5	1	3	1	1 5	1 1
5	Diphtheria ... M. } ... F. }	14	7 7	3 1	3 2	1	.	1	1	1 1	.	6 5	1 1	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	243	140 103	1	3 1	3 3	36 25	34 37	25 14	20 8	10 11	9 3	.	11 10	16 7	51 31	62 55	8 4
7	All other forms of Tuberculosis ... M. } ... F. }	81	43 38	2 2	5 2	7 5	9 7	7 9	6 5	5 5	2 2	.	.	4	2 3	17 12	20 23	1
8	Dysentery ... M. } ... F. }	
	Influenza ... M. } ... F. }	95	48 47	5 2	1 2	.	.	.	2 1	3 2	5 9	18 14	14 16	2	1	7 5	38 42	16 24
10	Measles ... M. } ... F. }	8	4 4	.	3 3	1	4 4	1
11	Acute Infectious Encephalitis... M. } ... F. }	3	3	2	1	1	2	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	357	186 171	.	.	1	1	3 7	8 14	13 26	47 31	84 58	30 33	8 7	4 4	39 25	135 135	11 8
14	Diabetes Mellitus ... M. } ... F. }	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	292	130 162	.	.	1	.	.	.	4	7	11	63	48	2	3	16	109	32
16	Diseases of the Heart	M. } F. }	785	411 374	.	2	1	5	17	19	17	19	71	161	135	1	10	82	318	45
17	Other Diseases of the Circulatory System.	M. } F. }	45	32 13	1	1	4	15	11	.	1	9	22	2	
18	Bronchitis ...	M. } F. }	129	72 57	20 9	3 3	1	.	1	2	1	2	8	18	20	1	1	6	64	20
19	Pneumonia ...	M. } F. }	149	89 60	14 15	12 9	5 4	1	3	4	10	24	16	10	.	2	13	76	7	
20	Other Diseases of the Respiratory System.	M. } F. }	57	30 27	2 1	.	.	1	4	3	2	8	6	9	.	2	4	24	7	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	45	40 5	.	.	.	2	2	11	9	10	6	1	1	.	21	18	2	
22	Diarrhoea and Enteritis	M. } F. }	41	26 15	15 10	3	1	.	1	2	1	5	.	2	.	5	19	.		
23	Appendicitis ...	M. } F. }	19	12 7	.	.	3	2	.	1	3	1	2	.	.	.	11	1	.	
24	Cirrhosis of the Liver	M. } F. }	2	2	1	1	.	.	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	4 4	1	1	1	.	.	1	.	1	1	1	.	.	1	3	.	
26	Other Diseases of the Digestive System.	M. } F. }	59	33 26	4 2	2 1	1	2	1	2	1	6	9	3	1	.	15	17	3	
27	Nephritis ...	M. } F. }	102	64 38	.	1	2	5	2	4	13	25	12	12	1	1	13	50	2	
28	Puerperal Infection ...	F. }	3	3	.	.	.	1	2	2	1	.	
29	Other Diseases of Childbirth	F. }	13	13	.	.	3	9	1	6	7	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	140	82 58	79 58	.	2	.	.	1	5	.	16	61	24	
31	Senility ...	M. } F. }	752	367 385	47	320	333	.	2	31	334	257	
32	Suicide ...	M. } F. }	14	10 4	.	.	.	1	1	2	2	1	3	.	.	2	.	8	.	
33	Other Violence	M. } F. }	93	59 34	4	5	2	8	2	5	6	5	3	9	1	.	18	40	2	
34	Other Causes	M. } F. }	365	215 150	21 6	7 7	7 5	9 6	13 9	10 13	18 11	37 29	66 46	27 18	2 4	13 7	33 21	167 118	48 46	

ABSTRACT V—*continued*.—Causes of Death for Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	1,078	599 479	50 33	7 7	12 6	11 11	20 16	34 24	37 31	70 43	178 125	180 183	15 13	16 17	155 71	413 378	109 137
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	2	1 1	1	.	1	.	.	.	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	2 1	.	.	1	1	1	.	.	.	2	1	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	2	.	.	2	2	.
5	Diphtheria ... M. } ... F. }	2	2	2	1	.	1	.	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	53	38 20	.	1	.	8 5	8 7	10 4	6	4 2	1 1	1	4 3	3 2	21 9	10 6	2 1
7	All other forms of Tuberculosis ... M. } ... F. }	19	13 6	2 2	1	2 2	1	1	2	3	2	.	.	3	2 1	5 3	3 2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	7	3 4	1	.	1	2 1	1 1	.	.	.	3 4	1 1
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1	1	.	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	99	50 49	3 6	4 11	15 2	22 16	6 12	2 4	1 1	16 7	31 37	1 1
14	Diabetes Mellitus ... M. }	10	6	.	.	1	.	2	1	.	.	2	.	.	.	4	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	74	32	1	.	.	3	5	1	18	12	4	28	6	
				42	11	14	1	1	.	.	5	35	4	
16	Diseases of the Heart	... M. F. }	222	125	1	.	1	.	6	5	27	57	29	34	91	5	
				97	1	1	.	.	3	8	11	35	38	.	.	4	.	18	75	12	
17	Other Diseases of the Circulatory System.	M. F. }	12	5	1	2	2	5	1	
				7	1	6	6	1	6	2	
18	Bronchitis M. F. }	49	32	8	.	1	2	.	1	7	13	32	8	
				17	1	1	2	.	1	9	3	1	16	3	
19	Pneumonia M. F. }	35	22	4	4	1	2	.	3	3	5	3	19	1	
				13	3		2	2	2	3	3	3	.	.	2	.	11	11	1	
20	Other Diseases of the Respiratory System.	M. F. }	14	7	2	.	.	2	3	1	6	1	
				7	1	6	.	.	1	1	5	.	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	13	13	2	4	3	3	1	1	.	.	.	6	6	2	
22	Diarrhoea and Enteritis	... M. F. }	8	3	2	1	.	1	2	.	
				5	4	1	1	.	.	.	1	3	1	
23	Appendicitis	... M. F. }	8	7	.	.	1	1	2	1	2	6	1	.	
				1	1	1	.	.	
24	Cirrhosis of the Liver	... M. F. }	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1	1	1	1	.	
26	Other Diseases of the Digestive System.	M. F. }	17	9	3	1	.	2	3	7	2	.	
				8	.	1	.	1	1	3	3	2	2	6	1	
27	Nephritis M. F. }	33	21	.	.	2	.	3	1	1	1	7	6	3	18	.	
				12	.	.	1	1	1	1	2	4	2	.	1	.	.	1	10	2	
28	Puerperal Infection	... F. }	
29	Other Diseases of Childbirth	... F. }	2	2	2	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	42	21	20	.	1	2	.	.	.	6	13	4	
				21	21	1	.	.	.	8	12	5	
31	Senility	... M. F. }	215	106	16	90	.	.	1	.	15	90	68	
				109	14	95	.	.	1	.	4	104	88	
32	Suicide	... M. F. }	3	3	1	1	.	1	.	.	1	.	.	.	2	.	
			
33	Other Violence	... M. F. }	25	17	2	1	2	2	6	4	8	9	.	
				8	1	1	1	4	2	1	.	.	.	3	4	.	
34	Other Causes	... M. F. }	102	60	7	1	2	1	3	3	8	6	23	6	1	8	.	.	11	40	9	
				42	1	2	1	1	1	4	1	8	17	6	2	2	.	.	4	34	15	

ABSTRACT V—continued.—Causes of Death for Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	2,042	1,091 951	93 56	33 24	21 19	45 34	40 56	45 40	63 48	111 109	280 203	360 362	13 5	23 7	162 107	893 832	321 318
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	1 1	.	.	.	1 1	1 1	.	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping-cough ... M. } ... F. }	4	1 3	.	1 1	.	1	1 3	1 1
5	Diphtheria ... M. } ... F. }	8	4 4	.	2 1	1 2	.	1	4 3	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	145	77 68	1	2 1	2 3	23 17	20 27	9 7	11 6	4 7	5	.	2 1	11 1	27 22	37 44	6 2
7	All other forms of Tuberculosis ... M. } ... F. }	45	23 22	.	4 2	4 2	7 5	3 4	3 3	2 3	9 5	14 16	1
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	79	40 39	4 2	1 2	.	1	.	2	3 2	5 8	14 11	11 13	1	1	7 4	31 35	14 22
10	Measles ... M. } ... F. }	8	4 4	.	3 3	1 1	4 4	1
11	Acute Infectious Encephalitis... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	170	90 80	.	.	1	1	2	5 3	7 5	18 23	39 31	19 15	3	1 1	11 6	75 73	10 5
14	Diabetes Mellitus ... M. } ... F. }	12	5 7	2 1	.	1	1 1	1 3	1 2	.	.	1 1	4 6	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	149	71 78	.	.	1	.	.	4	5	34	27	1	1	4	65	24
16	Diseases of the Heart	... M. } ... F. }	372	201 171	.	2	2	1	3	9	12	26	70	78	1	5	35	160
17	Other Diseases of the Circulatory System.	M. } F. }	20	15 5	1	1	6	7	.	1	1	13	1
18	Bronchitis M. } ... F. }	51	25 26	10 7	1	5	4	5	1	.	5	19	11
19	Pneumonia M. } ... F. }	91	54 37	10 9	7	3	.	1	1	3	3	16	11	.	6	48	6
20	Other Diseases of the Respiratory System.	M. } F. }	32	16 16	2	.	.	1	1	1	2	3	3	6	1	1	14	6
21	Ulcer of the Stomach or Duodenum.	M. } F. }	21	18 3	1	6	6	2	3	.	9	9	.
22	Diarrhœa and Enteritis	... M. } ... F. }	21	15 6	7 4	2	1	1	4	.	.	3	12	.
23	Appendicitis M. } ... F. }	10	4 6	.	.	2	.	1	1	1	1	.	.	.	4	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	1	1	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	5	3 2	.	1	.	1	.	.	.	1	.	.	.	1	2	.
26	Other Diseases of the Digestive System.	M. } F. }	25	14 11	1	1	.	.	1	1	2	2	4	3	.	4	10	2
27	Nephritis M. } ... F. }	49	33 16	.	1	.	.	1	1	3	7	16	4	1	8	24	2
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.	.
29	Other Diseases of Childbirth	... F. }	10	10	.	.	2	7	1	3	7	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	78	48 30	46 30	.	1	.	.	1	.	.	.	1	.	8	39	16
31	Senility M. } ... F. }	400	191 209	25	166	.	.	2	189	154
32	Suicide M. } ... F. }	9	5 4	.	.	.	1	1	1	1	1	.	.	1	.	4	.
33	Other Violence	... M. } ... F. }	44	26 18	1	4	1	5	1	4	2	1	3	4	1	3	29	2
34	Other Causes	... M. } ... F. }	178	105 73	11 3	5 3	3 3	5 3	6 2	4 7	4 8	20 15	32 19	15 10	1	7 8	96 65	33 29

ABSTRACT V—contd.—Causes of Death for Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1942.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	844	447 397	28 18	8 10	10 5	18 12	20 19	18 20	24 26	72 49	126 109	123 120	15 16	18 16	115 72	299 293	59 66
1	Typhoid Fever (including Para-M. } typhoid). F. }	2	1 1	.	.	.	1	.	.	1	1 1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }	8	8	.	1	4	1	.	1	1	6	2	.
4	Whooping-cough ... M. } ... F. }
5	Diphtheria ... M. } ... F. }	4	1 3	.	1 1	1	1	.	1 2	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	40	25 15	.	.	.	5 3	6 3	6 3	3 2	2 2	3 2	.	5 6	2 4	3	15 5	.
7	All other forms of Tuberculosis ... M. } ... F. }	17	7 10	.	.	1 1	2 1	3 4	1 2	.	2 2	.	.	1	1	3 4	3 5	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	9	5 4	1	2 2	2 2	1	.	.	4 3	1 1
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	2	2	1	1	2	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	38	46 42	.	.	.	1	2 3	.	2 5	14 10	23 11	5 6	3 3	2 2	12 12	29 26	.
14	Diabetes Mellitus ... M. } ... F. }	4	3 1	.	.	.	1	.	1	.	.	2	.	.	.	1 1	2	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	69	27 42	2 3	5 12	11 17	9 10	1	2	3 6	16 36	2 6
16	Diseases of the Heart	... M. } ... F. }	191	85 106	.	.	.	1	1	4	2 3	18 18	34 42	28 37	.	5 3	13 10	67 93	8 16
17	Other Diseases of the Circulatory System.	M. } F. }	13	12 1	1	2	7 1	2	.	.	8	4 1	1
18	Bronchitis M. } ... F. }	29	15 14	2 1	2 1	2 2	7 5	2 5	.	1	1 1	13 13	1 1
19	Pneumonia M. } ... F. }	23	13 10	.	1 3	1 1	1	1	.	1 1	4 1	5	1	.	.	4 1	9 9	.
20	Other Diseases of the Respiratory System.	M. } F. }	11	7 4	.	.	.	1	.	1	.	5	1 1	1	1	1	2 1	4 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	11	9 2	1	1	1	5 1	2	.	.	6 1	3 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	12	8 4	6 2	.	1	.	1	1 1	.	2 3	5 3	.
23	Appendicitis M. } ... F. }	1	1	.	.	.	1	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	1	1	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	17	10 7	.	1 2	.	1	.	2 2	2	2 1	2 1	1	1	.	4 3	5 3	1
27	Nephritis M. } ... F. }	20	10 10	.	.	.	1	.	1	.	5 1	2 1	2 6	.	.	2 10	8 10	.
28	Puerperal Infection F. }	2	2	.	.	.	1	1	1	1	.
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	20	13 7	13 7	2 1	.	2 2	9 4	4 1
31	Senility M. } ... F. }	137	70 67	6 11	64 56	.	1 1	14 10	55 56	35 35
32	Suicide M. } ... F. }	2	2	1	.	1	2	.
33	Other Violence M. } ... F. }	24	16 8	1	1 2	1	3	1	.	2 1	2	4 3	1 2	.	.	7 6	9 2	.
34	Other Causes M. } ... F. }	85	50 35	3 2	1 2	2 1	3 2	4 6	3 2	6 2	11 6	11 10	6 2	2	4 5	15 9	31 19	6 2

ABSTRACT VI.—CAUSES OF DEATH, &c., for each of the Thirteen Principal Towns during the year 1942.

No	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Bray	
	All Causes M. } F. }	5,552 5,502	3,372 3,378	258 296	622 599	316 274	222 199	118 133	105 108	118 99	89 89	123 105	56 67	68 73	85 82	
1	Typhoid Fever (including Para- M. } typhoid). F. }	4 7	1 5	.	.	3 2
2	Cerebro-spinal Meningitis ... M. } ... F. }	8 5	6 3	.	1	.	.	.	1	1	1
3	Scarlet Fever M. } F. }	3 4	2 4	.	.	1
4	Whooping-cough M. } F. }	47 49	34 38	1 3	1 1	.	.	2	.	1 1	1	6 3	.	1 2	.	1
5	Diphtheria M. } F. }	51 57	23 31	6 1	10 11	9 8	.	.	2 3	1	1
6	Tuberculosis of the Respiratory M. } System. F. }	644 583	411 357	19 27	61 47	35 38	20 17	16 21	10 15	9 7	12 19	15 15	8 10	6 3	13 7	
7	All other forms of Tuberculosis ... M. } F. }	140 128	90 70	7 8	8 11	6 11	5 5	4 9	4 1	3 3	4 2	3 3	1	3	3 4	
8	Dysentery M. } F. }
9	Influenza M. } F. }	14 18	9 15	3 1	.	.	.	1	.	1	.	1 1
10	Measles M. } F. }	12 16	7 11	.	1	.	.	2	.	.	.	4 2	1	.	.	.
11	Acute Infectious Encephalitis... M. } F. }	4 6	2 5	.	.	1	1	.	1
12	Typhus M. } F. }
13	Cancer M. } F. }	565 550	328 328	25 37	82 69	27 29	33 15	15 11	7 6	10 11	10 10	10 6	4 11	7 8	7 9	
14	Diabetes Mellitus M. } F. }	25 33	16 17	2 2	2 6	1 2	.	1	1	2 2	.	1	1	.	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	248 427	129 248	26 28	27 53	15 26	8 16	7 8	6 7	14 11	3 2	3 5	3 8	3 5	4 10
16	Diseases of the Heart	... M. } ... F. }	1,129 1,287	683 806	57 74	140 165	53 38	60 71	16 51	24 29	25 14	20 9	18 11	6 7	12 15	15 17
17	Other Diseases of the Circulatory System.	M. } F. }	135 119	98 82	8 9	6 8	6 3	3 1	5 3	2	1	2	4 2	2	4 3	2
18	Bronchitis M. } ... F. }	262 208	162 122	5 6	45 35	29 11	6 3	4 2	1 2	1 7	1 4	3 4	1	3 8	1 4
19	Pneumonia M. } ... F. }	303 269	189 172	12 10	27 28	13 6	5 5	3 4	7 6	6 4	4 7	22 20	5 2	2 1	8 4
20	Other Diseases of the Respiratory System.	M. } F. }	112 103	68 68	6 4	10 7	7 4	4 1	1 1	2 2	2 2	2 1	2 4	2 1	2 1	6 7
21	Ulcer of the Stomach or Duodenum.	M. } F. }	39 16	20 8	1 2	6 4	2 1	3 1	1	3	.	1	1	.	.	1
22	Diarrhoea and Enteritis	... M. } ... F. }	343 286	234 206	8 9	40 21	23 15	21 17	3 6	1 5	6 1	1	1 3	1 3	1	3
23	Appendicitis M. } ... F. }	10 13	5 8	.	2 3	1 1	.	2 1
24	Cirrhosis of the Liver	... M. } ... F. }	13 8	11 6	1	1	1	.	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	16 27	10 16	2 1	3 5	1	2	1 2
26	Other Diseases of the Digestive System.	M. } F. }	81 71	48 37	7 7	10 4	8 6	2 2	1 3	.	1 4	1 3	3	.	.	1 1
27	Nephritis M. } ... F. }	149 114	102 81	4 2	10 10	8 5	5 4	6 2	2 3	2 2	2 1	1 2	2 2	1 1	4 1
28	Puerperal Infection F.	9	6	.	1	1	1
29	Other Diseases of Childbirth	... F.	26	14	2	2	.	1	.	1	1	2	1	1	.	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	433 306	292 204	17 15	36 30	17 9	12 8	11 6	3 5	12 7	9 6	9 5	4 3	6 3	5 5
31	Senility M. } ... F. }	157 283	46 130	9 19	18 34	13 20	9 10	4 8	11 6	6 10	11 17	12 11	6 3	8 12	4 3
32	Suicide M. } ... F. }	10 4	6 4	.	4
33	Other Violence M. } ... F. }	134 90	90 61	9 6	12 6	6 6	6 3	3 2	1 2	1 2	2 1	2 1	.	1	1 1
34	Other Causes	... M. } ... F. }	461 380	250 215	24 22	60 37	33 29	19 14	11 10	11 7	13 11	8 5	6 3	10 12	8 11	8 4

APPENDIX I.

ALTERATIONS IN REGISTRARS' DISTRICTS, 1942.

On the 1st October, 1942, the boundaries of the Registrars' Districts known as Limerick Urban Nos. 1, 2, and 3 were altered.

APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 79 years 1864-1942.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1903	4,944	3,796	731	12	6
1865	41	20	4	12	0	1904	5,183	3,958	769	19	7
1866	55	34	7	0	0	1905	5,110	3,954	759	8	5
1867	46	26	5	12	0	1906	5,714	4,409	849	6	0
1868	69	42	9	13	0	1907	5,877	4,544	875	0	2
1869	80	34	8	15	0	1908	5,984	4,670	894	19	7
1870	93	54	11	10	0	1909	6,220	4,761	920	8	0
1871	112	67	14	6	6	1910	6,387	4,903	944	18	4
1872	120	76	15	14	0	1911	6,128	4,778	914	9	11
1873	100	106	21	14	0	1912	6,811	5,160	998	7	2
1874	166	107	22	6	6	1913	6,462	4,972	957	9	0
1875	244	166	33	15	0	1914	7,552	6,140	1,157	10	0
1876	270	185	36	16	0	1915	7,398	5,898	1,118	7	0
1877	312	202	42	14	0	1916	7,729	6,198	1,172	1	2
1878	391	286	55	15	0	1917	8,151	6,475	1,225	13	6
1879	522	399	78	0	0	1918	10,702	8,499	1,611	11	6
1880	753	596	114	7	0	1919	11,513	8,998	1,712	16	0
1881	743	583	111	8	6	1920	11,484	8,810	1,688	2	0
1882	852	688	129	11	0	1921	11,419	8,499	1,646	0	6
1883	1,036	773	149	1	6	1922	18,413	7,675	1,892	9	6
1884	1,254	966	185	3	0	1923	19,377	8,808	2,076	0	0
1885	1,412	1,116	212	8	0	1924	23,947	14,367	3,003	0	6
1886	1,527	1,173	225	7	4	1925	33,945	45,435	8,940	12	0
1887	1,693	1,307	251	7	0	1926	48,193	77,347	13,493	5	6
1888	1,778	1,404	266	9	0	1927	45,802	72,665	12,391	17	6
1889	1,986	1,561	297	4	6	1928	37,462	56,865	9,804	0	6
1890	2,448	2,042	533	2	9	1929	39,650	61,182	10,412	2	6
1891	2,815	2,297	433	1	6	1930	29,901	41,744	7,384	14	6
1892	3,209	2,534	489	17	0	1931	16,540	14,548	3,162	2	6
1893	3,559	2,783	532	2	2	1932	19,265	12,031	2,951	16	0
1894	3,492	2,678	512	7	0	1933	23,360	11,477	3,052	16	6
1895	3,482	2,618	508	8	0	1934	25,611	12,445	3,329	5	0
1896	4,046	3,103	596	10	6	1935	29,463	13,024	3,649	4	6
1897	3,917	2,960	572	3	0	1936	27,778	13,552	3,673	0	0
1898	4,132	3,207	613	1	2	1937	32,502	16,191	4,376	2	0
1899	4,133	3,201	616	13	6	1938	32,595	17,327	4,529	4	0
1900	4,558	3,481	672	7	6	1939	34,803	20,876	5,181	12	6
1901	4,843	3,733	718	18	0	1940	33,704	18,670	4,818	11	0
1902	4,871	3,719	716	16	6	1941	29,601	16,227	4,243	4	6
						1942	30,587	18,539	4,529	7	0

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX III.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1942.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A—Acute anterior poliomyelitis. B—Cerebro-spinal fever. C—Continued fever. D—Encephalitis lethargica. E—Erysipelas. F—Ill-defined fever. G—Membranous Croup. J—Ophthalmia neonatorum. K—Paratyphoid A. L—Paratyphoid B. M—Dysentery (Bacillary). N—Malaria. O—Undulant fever. P—Dysentery (Amoebic). Q—Pomphigus Neonatorum. R—Trachoma. S—Diarrhoea and Enteritis.

COUNTY BOROUGHS.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
								Pri-mary	Influenzal	
Cork	372	52	1	90	.	31	2	B. 2. E. 38. J. 1.
Dublin	33	624	678	1,427	1,423	22	355	3	A. 53. B. 33. D. 1. E. 130. J. 13. M. 1. N. 1. Q. 1 R. 42. S. 2,657
Limerick	26	165	46	2	1	1	18	4	A. 1. B. 2. E. 26
Waterford	17	112	.	30	2	18	.	B. 2. D. 1. E. 11 M. 1. R. 5.
TOTAL	59	1,178	888	1,430	1,544	25	422	9	A. 54. B. 39. D. 3 E. 205. J. 16. M. 2. N. 1. Q. 1 E. 47. S. 2,657

URBAN DISTRICTS.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Carlow ...	Carlow	8	3	51	.	2	6	.	A. 1. B. 1. E. 1
Cavan ...	Belturbet	4
	Cavan	1	.	.	.	8	.	E. 1.
	Cootehill	1
Clare ...	Ennis	6	58	10	A. 13. E. 1.
	Kilrush	5	.	1	A. 9.
Cork ...	Clonakilty	1
	Cobh	1	1	.	.
	Fermoy	14	6	.	.	.	1	.	D. 1.
	Kinsale
	Macroom	1	2
	Mallow	5	11
	Midleton	1	1	11	.	1	.	E. 2.
	Passage West	1	E. 1.
Donegal ...	Skibbereen	2	.	1
	Youghal	3	2	.	.	.	4	.	B. 1.
	Buncrana	1	.	3
Letterkenny ...	Bundoran
	Letterkenny	7	B. 1. L. 1.

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infec-tion	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Dublin ...	Dun Laoghaire	2	133	137	29	23	2	4	1	A. 9. B. 2. E. 9 L. 1. R. 2. S. 22.
	Howth	2	6	6	.	1	3	6	S. 7.
Galway ...	Ballinasloe	6	6	16	.	.	2	.	.	A. 1.
	Galway	4	3	58	63	28	5	1	.	A. 1. E. 8.
Kerry ...	Killarney	1	13	1	77	.	.	7	1	E. 1.
	Listowel	1	5	10	1
	Tralee	5	11	13	2
Kildare ...	Athy	1	2	.	.
	Naas	6	1	.	9	1	31	1	E. 1. J. 1. O. 1.
Kilkenny ...	Kilkenny	16	28	5	14	.	.	1	B. 2. E. 2.
	Granard	2	1	.	8	1
Longford ...	Longford	1	1	7
	Longford
Louth ...	Drogheda	35	8	2	5	.	.	.	A. 20.
	Dundalk	29	10	.	.	1	2	.	A. 2.
Mayo ...	Ballina	9	3	64	.	.	10	.	B. 2. E. 2.
	Castlebar	15	.	.	1	2	.	1	.	E. 1. L. 1.
	Westport ...	5	.	.	1	1	12	.	2	.	B. 1.
Meath ...	An Uaimh	1	2	3	.	2	.	.	.	A. 2. E. 1.
	Ceannanus Mor
	Trim	29	.	1	.	.	.	A. 1.
Monaghan	Carrickmacross	3	4	16
	Castleblayney	15	.	.	1	.	.	E. 1.
	Clones	25	2	.	E. 1.
	Monaghan	11	9	40	A. 1. E. 2.
Offaly ...	Birr	1	11	1
	Tullamore	5	20	1	.	.	3	.	.
Sligo ...	Sligo	17	4	11	.	.	1	.	A. 2. E. 1.
Tipperary N.R.	Nenagh	1	8	.	1	2	.	.	R. 1.
	Templemore	1	.	.	1	1	.	.	.
	Thurles	2	.	17	.	1	5	.	E. 1.
Tipperary S.R.	Carrick-on-Suir	1	2	.	.
	Cashel	3	5	1	A. 1. E. 1.
	Clonmel	7	1	.	.	1	2	.	E. 1.
	Tipperary	15	.	1
Waterford	Dungarvan	1	.	1	1	.	B. 1.
Westmeath	Athlone	124
Wexford ...	Enniscorthy	3	.	10
	New Ross	5	3	58	E. 4.
	Wexford	4	1	136	23	.	12	2	B. 2. E. 1.
Wicklow ...	Arklow	B. 2.
	Bray	17	28	81	5	.	12	27	A. 3. B. 2. E. 2. R. 3.
	Wicklow
	TOTAL ...	5	61	484	525	769	139	21	124	39	A. 66. B. 17. D. 1. E. 46. J. 1. L. 3. O. 1. R. 6. S. 29.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infec-tion	Pneumonia		Other Diseases	
									Prim-ary	Influen-zal		
Carlow	Carlow	.	.	19	2	67	7	.	3	.	A. 2. B. 2. E. 2. Q. 1. A. 1.	
	Carlow No. 2 Idrone	.	.	5	.	2	A. 1.	
Cavan	Baillieboro'	.	2	.	1	1	.	.	8	4	B. 2. P. 2.	
	Bawnboy	.	1	.	.	1	16	.	2	.	A. 3. B. 1. A. 6.	
	Castlerahan	1	9	.	A. 6.	
	Cavan	.	3	7	3	12	.	.	9	3	A. 6.	
	Enniskillen No. 2 Mullagheran	.	2	.	.	.	1	.	1	.	.	
Clare	Ballyvaughan	1	2	.	.	
	Corofn	.	2	18	3	.	.	.	5	1	A. 9. B. 1. A. 29. E. 1. J. 1.	
	Ennis	.	7	21	9	.	.	2	1	.	A. 2.	
	Ennistymon	.	.	3	.	.	8	1	6	.	.	
	Killadysert	.	.	.	2	
	Kilrush	.	6	4	10	5	27	.	22	.	A. 7. R. 1. J. 1.	
	Mellick	.	5	7	5	.	.	.	2	.	.	
	Scariff	.	5	5	4	.	1	1	2	.	A. 7.	
	Tulla	.	1	3	2	.	.	31	.	.	.	
Cork	Bandon	.	.	6	6	.	.	1	.	.	B. 3. E. 2.	
	Bantry	.	.	3	13	2	.	1	1	.	.	
	Castletown	.	5	11	22	9	E. 2.	
	Clonakilty	.	.	.	1	.	16	
	Dunmanway	.	3	156	39	6	30	2	11	4	B. 1. E. 13. J. 1. A. 1.	
	Fermoy	.	.	1	6	.	.	.	7	.	A. 1.	
	Kanturk	6	.	2	55	.	9	.	1	.	B. 2. E. 5.	
	Kinsale	.	.	9	31	4	.	2	.	.	B. 1. E. 1. A. 3. B. 1. E. 1.	
	Macroom	.	.	3	18	.	12	.	7	.	E. 2.	
	Mallow	.	.	5	13	1	.	1	7	.	E. 2.	
	Midleton	.	.	4	4	.	5	.	5	1	A. 1. E. 2.	
	Millstreet	.	.	7	22	.	6	
	Mitchelstown	1	30	.	3	.	E. 3.	
	No. 1	12	3	10	.	3	5	.
	Rathluirc	4	.	.	3	.	E. 1.	
Skull	E. 1.		
Youghal No. 1	.	.	3	1	1	.	.	1	.	.		
Donegal	Ballyshannon	.	.	.	3	2	.	.	3	.	.	
	Donegal	.	3	5	7	2	A. 1. B. 1.	
	Dunfanaghy	.	.	1	1	A. 1. E. 1. R. 1. E. 5. I. 1.	
	Glenties	.	.	.	17	3	5	1	6	.	.	
	Inishowen	.	5	15	10	5	.	1	4	7	.	
	Letterkenny	.	3	9	3	.	.	1	.	.	.	
	Milford	.	.	7	9	2	1	
	Stranorlar	.	3	4	6	7	6	.	6	.	E. 1. L. 4.	
Dublin	Balrothery	.	1	39	49	80	4	.	18	6	A. 5. E. 4. J. 1. S. 22.	
	Cill Droichead, No. 2	.	.	11	9	7	.	.	6	.	B. 1. S. 8.	
	Dublin, Nth.	.	.	68	64	84	6	2	9	2	A. 6. D. 2. E. 3. J. 2. Q. 4. S. 19.	
	Dublin, Sth.	.	.	29	15	12	35	1	8	.	R. 9. S. 11.	
	Rathdown No. 1	.	.	43	42	31	32	.	5	.	A. 6. E. 3. S. 7.	
Galway	Ballinasloe	.	1	.	17	.	2	.	1	.	A. 5.	
	Clifden	.	1	1	2	.	2	
	Galway	14	7	25	13	.	4	1	1	.	A. 1.	
	Glenamaddy	.	.	.	1	
	Gort	.	1	3	1	1	.	1	.	.	A. 1. B. 1.	
	Loughrea	.	9	1	1	4	26	1	4	.	B. 1. R. 1.	
	Mountbellew	.	.	.	1	.	1	
	Oughterard	.	2	6	1	.	19	1	.	3	A. 1. E. 1.	
Portumna	.	.	1	3	E. 1.		
Tuam	.	3	.	1	1	6	.	.	.	A. 3. B. 1.		
Kerry	Caherciveen	.	2	23	6	8	1	2	4	.	E. 9.	
	Dingle	.	35	1	3	.	1	.	5	1	A. 1.	
	Kenmare	.	.	2	.	1	R. 1.	
	Killarney	.	1	29	2	28	.	1	6	.	E. 8.	
	Listowel	.	13	72	27	19	.	3	6	1	A. 1. E. 4. L. 1.	
	Tralee	.	22	66	65	7	1	.	4	2	A. 1. B. 1. E. 1.	
Kildare	Athy No. 1	.	1	.	3	2	.	.	8	4	E. 3.	
	Cill Droichead No. 1	.	.	14	2	7	.	.	1	.	A. 3.	
	Edenderry No. 2	.	.	1	1	14	15	
	Nas na Riogh No. 1	.	.	12	28	2	78	1	25	1	A. 1. B. 1. D. 1. E. 1. J. 1.	

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
									Primary	Infu-enzal	
Kilkenny ...	Callan	31	.	4	.	2	.	E. 1.
	Carrick-on-Suir No. 3	2	2
	Castlecomer	4	.	29	.	.	.	A. 1. E. 2.
	Ida	4	1
	Kilkenny	4	14	6	29	.	2	1	A. 1. B. 1.
	Thomastown	13	2
	Urlingford No. 1 Waterford No. 2	.	.	1	.	.	1	.	.	.	J. 1.
Laoighis ...	Abbeyleix	3	3	16	5	33	.	5	.	A. 1. B. 2. E. 3.
	Athy No. 2	2	1	2	48	12	.	11	1	A. 2. E. 5. O. 1.
	Mountmellick	3	8	14	125	138	2	9	2	A. 2. E. 6.
	Roscrea No. 3	1	.	A. 2.
	Slievemary	3	2	.	1	1	.
Leitrim ...	Ballinamore	1	.	.
	Carrick-on-Shannon No. 1	.	1	2	.	1
	Kinlough	1
	Manorhamilton	.	2	1	12	A. 2.
	Mohill	3	A. 1.
Limerick ...	Croom	2	10	3	4	B. 1. E. 2.
	Glin	2	1	.	.	.	5	.	.
	Kilmallock	26	18	.	1	.	7	.	.
	Limerick No. 1	.	3	22	13	.	.	1	3	.	B. 1. E. 1.
	Mitchelstown No. 2	.	.	1	4	5	.	.	3	.	.
	Newcastle	3	16	31	1	1	.	1	3	E. 2.
	Rathkeale	4	8	.	1	.	5	.	.
Tipperary No. 2	.	.	6	.	3	.	.	3	1	.	
Longford ...	Ballymahon	3	1	2	5	1	1	.	.	.
	Granard No. 1	.	6	.	2	8	.	1	1	.	A. 3. B. 1. E. 1.
	Longford	1	2	11	1	A. 2.
Louth ...	Ardee No. 1	14	.	.	.	1	.	.	A. 3.
	Dundalk	2	16	12	A. 5. B. 1.
	Louth	1	2	2	.	3	.	.	4	A. 15.
Mayo ...	Ballina	5	2	5	21	3	.	9	5	A. 1. B. 5. E. 1.
	Ballinrobe	1	1	1	.	1	1	.
	Belmullet	4	1	2	1	.	.	.	2	A. 7.
	Castlebar	2	.	5	67	9	.	8	2	A. 1. E. 1. J. 1.
	Claremorris	20	2	6	1	A. 4. E. 1.
	Swineford	1	.	4	15	4	1	12	.	B. 2. F. 4.
	Westport	1	.	2	3	34	.	9	2	A. 2. B. 4. E. 3.
Meath ...	Ardee No. 2	A. 3.
	Ceannanus Mor	.	.	.	2	A. 5.
	Dunshaughlin	.	.	1	4	3	9	.	.	.	A. 1.
	Meath	2	2	.	.	1	10	.	A. 11. E. 1.
	Navan	4	17	.	.	1	.	.	A. 4.
	Oldcastle	1	1	2	4	.	.	.	A. 2.
	Trim	2	10	23	12	.	.	.	A. 6. E. 1.
	Monaghan	.	2	5	31	10	9	.	3	.	B. 1.
Monaghan	Castleblayney	.	2	2	51	2	.	.	.	1	E. 5. L. 1.
	Clones No. 1	.	5	14	2	.	.	.	2	.	A. 1. E. 1.
	Monaghan	9	9	22	.	1	.	3	.	E. 2. R. 1.
	Offaly	5	3	5	.	7	.	3	.	A. 1.
Offaly ...	Edenderry No. 1	.	.	5	7	.	1	.	.	1	B. 2.
	Roscrea No. 2	.	.	2	29	.	1	.	2	.	A. 1. E. 1.
	Tullamore	2	3	20	18	1	1	2	.	E. 1. J. 1. O. 1.
	Roscommon	.	.	3	16	5	.	1	3	.	A. 2.
Roscommon	Boyle No. 1	1	4	3	.	.	.	2	1	B. 1.
	Carrick-on-Shannon No. 2	.	11	2	1	E. 1.
	Castlerea	6	.	1	3	13	2	10	17	E. 6.
	Roscommon	9	2	5	8	3	2	2	1	A. 18. E. 2.
	Sligo	2	1	.	2	14	.	1	.	.
	Dromore West	.	.	2	.	1	A. 3.
Sligo ...	Sligo	6	2	12	1	1	.	.	A. 1. E. 1.
	Tobercurry	3	.	2	7	1	.	1	.	A. 2. E. 1.
	Tipperary	.	.	8	4	E. 2.
N.R. ...	Nenagh	7	3	.	.	.	5	.	E. 2.
	Roscrea No. 1.	.	1	19	23	.	.	2	2	.	E. 5. J. 1.
	Thurles	21	5	.	.	.	9	.	E. 1. R. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Tipperary S.R. ...	Carrick-on-Suir No. 1	2	2	E. 1.
	Cashel	10	4	
	Clogheen	1	.	9	
	Clonmel No. 1	1	.	.	10	1	2	.	
	Slievardagh	1	2	1	.	5	.	4	2	
Tipperary No. 1	.	.	4	1	.	L. 1.	
Waterford	Carrick-on-Suir No. 2	5	1	E. 1.
	Clonmel No. 2	E. 1.
	Dungarvan	2	.	E. 1.
	Kilmacthomas	5	7	5	.	1	1	1	.	D. 1. E. 1.
	Lismore	1	18	.	.	.	1	2	R. 1.
	Waterford No. 1	.	1	1	17	.	3	1	1	.	E. 1.
Youghal No. 2	.	1	.	7	E. 1.	
Westmeath	Athlone No. 1	2	2	13	9	.	6	.	A. 1. B. 1.
	Ballymore	
	Coole	3	.	.	16	5	.	1	.	B. 1.
	Delvin	1	7	1	1	.	.	A. 1. B. 1. E. 1.
	Mullingar	8	6	174	36	.	2	.	
Wexford ...	Enniscorthy	1	6	8	62	1	.	4	.	A. 6. B. 2. E. 1. J. 1. M. 5.
	Gorey	4	6	12	9	.	2	1	.	B. 1.
	New Ross	3	2	5	12	.	.	1	.	A. 3.
	Wexford	5	46	1	179	32	1	12	2	A. 2. B. 1. E. 4. J. 2.
Wicklow ...	Baltinglass	9	3	1	.	2	6	.	A. 1. B. 1.
	Rathdown No. 2	4	3	9	7	5	.	.	.	A. 1.
	Rathdrum	2	8	27	.	2	.	.	A. 2. B. 1. E. 2. J. 1.
	Shillelagh ...	3	1	.	1	
	TOTAL ...	23	290	1,191	1,352	1,403	936	64	465	107	A. 241. B. 61. D. 4. E. 161. J. 15. L. 8. M. 5. O. 2. Q. 5. R. 6. S. 67.

TOTAL.

County	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
								Pri-mary	Influenzal	
Boroughs	.	59	1,178	888	1,430	1,544	25	422	9	A. 54. B. 39. D. 3. E. 205. J. 16. M. 2. N. 1. Q. 1. R. 47. S. 2,657.
Urban Districts ...	5	61	484	525	769	139	21	124	39	A. 66. B. 17. D. 1. E. 46. J. 1. L. 3. O. 1. R. 6. S. 29.
Rural Districts ...	23	290	1,191	1,352	1,403	936	64	465	107	A. 241. B. 61. D. 4. E. 161. J. 15. L. 8. M. 5. O. 2. Q. 5. R. 6. S. 67.
TOTAL ...	28	410	2,853	2,765	3,602	2,619	110	1,011	155	A. 361. B. 117. D. 8. E. 412. J. 92. L. 11. M. 7. N. 1. O. 3. Q. 6. R. 59. S. 2,753.