

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

ÉIRE

AN ROINN RIALTAIS ÁITIÚIL AGUS SLÁINTE POIBLÍ
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1943.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.
or through any bookseller.

1944

Price : Three Shillings.

(P. No. 6764.)

CONTENTS.

PART I.—TEXT.

REPORT:—

INTRODUCTORY REMARKS	Page vii
GENERAL SUMMARY	vii

POPULATION :

Estimated population, natural increase, passenger movement	ix
--	-----	-----	-----	-----	-----	-----	-----	----

MARRIAGES :

Number and rate	ix
Rate in Northern Ireland, England and Wales, and Scotland	ix
Modes of celebration	x
Conjugal condition of persons married	x
Rate for counties, etc.	xi
Marriage rate by quarters	xi
Marriage of Minors	xii
Re-marriages	xii
Licences for marriage	xii
Buildings registered for the solemnisation of marriage	xii

BIRTHS :

Number and rate	xiii
Rate in Northern Ireland, England and Wales, and Scotland	xiii
Rate for counties, etc.	xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)	xiv
Proportion of male to female births	xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—continued.

DEATHS :	Page
Number and rate	xv
Rate in Northern Ireland, England and Wales, and Scotland	xv
Rate for counties, etc.	xv
Deaths by quarters	xv
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi
 Causes of Death :	
General observations	xvi
Proportion from principal causes	xvii
Epidemic Diseases	xviii
Tuberculosis	xx
Influenza	xxv
Cancer	xxv
Heart disease	xxviii
Bronchitis	xxviii
Pneumonia	xxviii
Diarrhoea and Enteritis	xxviii
Childbirth	xxx
Violence	xxxi
Ages at death	xxxi
Infant mortality	xxxii
Rate for Northern Ireland, England and Wales, and Scotland	xxxii
Causes and ages, 1943	xxxiii
Principal causes, 1933-1943	xxxv
Causes in urban districts 1943	xxxvi

DIAGRAMS.

No. 1. Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2. Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xix
No. 3. Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4. Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	xxiv
No. 5. Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6. Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiv

PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1943	2
" 2. Ages of the population, by sexes, at each census 1851-1941— number and proportion per cent.	3-5
" 3. Number of marriages, births and deaths, and natural increase, 1864-1943	6
" 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1943	7
" 5. Marriages, births, and deaths, by quarters, 1933-1943	8
" 6. Deaths (numbers and rates) by causes, 1864-1910	9

CONTENTS

v

PART II.—TABLES—*continued.*

TABLE No.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939	10
7.	" " " " in Éire and Northern Ireland, 1941-1943	11
8.	" " " " by sexes and ages, 1864-1943	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs	16
11.	Births and deaths for principal towns and aggregate urban and rural areas	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas	18
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs	19
14.	Births and deaths for each urban area	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1943	24

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties	26-27
II.	Marriages registered by counties	28-29
III.	Births and deaths by sexes, and ages at death, by counties	30-32
IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	34-51
V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under):—	54-125


	Page		Page		Page
Éire	... 54	Dublin Co.	... 60	Meath	... 74
		'Dublin City	... 62	Monaghan	... 124
Leinster	... 56	Galway	... 108	Offaly	... 76
Munster	... 84	Kerry	... 92	Roscommon	... 114
Connaught	... 106	Kildare	... 64	Sligo	... 116
Ulster (part of)	... 118	Kilkenny	... 66	Tipperary N.R.	98
		Leitrim	... 110	Tipperary S.R.	100
Carlow	... 58	Laoighis	... 68	Waterford Co. ...	102
Cavan	... 120	Limerick Co.	... 94	Waterford Co.	
Clare	... 86	Limerick Co. Boro	96	Boro'	... 104
Cork Co.	... 88	Longford	... 70	Westmeath	... 78
Cork Co. Boro'	... 90	Louth	... 72	Wexford	... 80
Donegal	... 122	Mayo	... 112	Wicklow	... 82

ABSTRACT VI.	Causes of death for thirteen principal towns	126-127
--------------	---	---------

APPENDIX I.	Alterations in boundaries of Registrars' Districts	128
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1943, with the amount of fees received	129
APPENDIX III.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1943	130-134

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1929 to 1943.

ÉIRE	—————	ENGLAND & WALES
NORTHERN IRELAND	—————	SCOTLAND	●—●—●—●



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1943.

DO'N DR. CONN MAC A' BHÁIRD,

RÚNAÍ PÁIRLIMINTE DO'N AIRE RIALTAIS ÁITIÚIL AGUS SLÁINTE POIBLÍ.

Tá sé d'ónóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasáí, Básanna agus Pósanna cláruighthe san mBliadain, 1943.

SÉAMUS HURSON,

Árd-Chláradóir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births for 1943 is exclusive of the number (1,496) of late registrations, viz.—births registered on the authority of the Registrar-General, and the deaths of 140 non-residents of Éire registered during 1943 have also been excluded from this Report.

GENERAL SUMMARY.

During the year 1943 the number of marriages recorded was 142 less than that for 1942; the number of births registered decreased by 1,742 and the number of deaths increased by 1,854 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1943 numbered 17,328, compared with 17,470 for the previous year, and an annual average figure of 14,992 for the decennial period ended with 1942. The rates per 1,000 of the population for the years 1943 and 1942 were 5·88 and 5·90 respectively, while the annual average rate for the period 1933-1942 was 5·07.

In Northern Ireland the rate per 1,000 for 1943 was 7·79; in England and Wales it was 7·15; and in Scotland 7·64.

Births.—The births registered during the year 1943 amounted to 64,375, a decrease of 1,742 when compared with the figure for the year 1942. The average annual number for the decennial period 1933-42 was 58,062. The rate for 1943 was 21·85; for 1942 it was 22·31; and for the period 1933-1942 the average rate was 19·61.

The rate in Northern Ireland for 1943 was 24·17; in England and Wales it was 16·5; and in Scotland, 18·91.

The number of illegitimate births recorded was 2,448, equivalent to a rate of 3·80 per cent. of the total births, as compared with 3·66 for 1942. The corresponding percentage for 1943 in Northern Ireland was 5·48; in England and Wales 6·3; and in Scotland, 7·58.

Deaths.—During the year 1943 the number of deaths registered was 43,494, a figure which is 1,854 more than the number for 1942, and 1,702 more than the average annual number for the years 1933-1942. The rate per 1,000 of the population for the year 1943 was 14·76, compared with 14·05 for 1942 and 14·12 for the decennial period ended with the year 1942.

In Northern Ireland the death rate for 1943 was 13·37; in England and Wales it was 12·1, and in Scotland the rate was 13·33.

Of the deaths registered, 21·3 per cent. were stated to be due to heart disease, 9·9 to tuberculosis (all forms), 9·3 to cancer, 6·1 to intra-cranial lesions, 4·3 to pneumonia, and 3·3 to bronchitis.

There were 4,306 deaths from all forms of tuberculosis recorded during the year 1943. This figure is 41 less than that for 1942 and 688 more than the average number of deaths for the decennial period from 1933 to 1942. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1943 was 1·46; for 1942 the rate was 1·47, and for the decennial period 1933-42 the rate was 1·22.

Deaths from cancer (all forms) numbered 4,043; this figure is 12 less than the figure for 1942 and 390 above the annual average number for the period from 1933 to 1942. The rate per 1,000 of the population for the year 1943 was 1.37, being the same as that for the preceding year.

During the year 1943 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 145. This figure is equivalent to a rate of 2.25 per 1,000 births, compared with an average of 3.90 in the preceding ten years. The corresponding rate for urban areas was 1.48 per 1,000 births, and for rural areas, 2.71 as compared with 1.81 and 2.85 respectively, for the year 1942.

There were 5,319 deaths of infants under one year of age registered during the year. This figure is 728 above that for the year 1942, and is equivalent to a rate of 83 per 1,000 births, compared with a rate of 69 for the preceding year. The rates per 1,000 births for urban and rural areas were 110 and 67 respectively in 1943, and 90 and 58 in 1942.

The infant mortality rate in Northern Ireland was 78; in England and Wales it was 49, and in Scotland the rate was 65.

Among legitimate infants the rate of mortality was 76 per 1,000 births, and among illegitimate it was 250. The legitimate infant mortality rate for Northern Ireland was 74 and the illegitimate, 144; for England and Wales 48 and 72 and for Scotland 62 and 108, respectively.

The number of deaths registered as caused by violence was 961. Included in this figure are 78 due to suicide, 18 to homicide, 22 to war operations, 3 to execution, and 840 to accidental or unspecified violent causes. During the previous year there were 83 suicidal, 14 homicidal and 902 other violent deaths. The number of accidental deaths registered during 1943 as attributable to road traffic was 133 compared with 185 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1943 authority was issued for the registration of 1,640 births and 149 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 1,496.

Vaccinations.—The number of successful primary vaccinations for the year 1943 recorded by the registrars was 28,114, equivalent to 43.7 per cent. of the total births registered. The number for 1942 was 43,265 or 65.4 per cent.

Searches and Certificates.—During the year 1943 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 32,061, the certificates issued numbered 20,526, and the amount of fees received was £4,851. In the year 1942 the corresponding figures were as follows:—searches, 30,587, certificates, 18,639, and fees £4,529.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1933-43, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1943.

YEARS.	Estimated Population.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1933	2,962,000	13,992	57,364	40,539	4.72	19.37	13.69
1934	2,971,000	14,251	57,397	33,083	4.80	19.49	13.15
1935	2,971,000	14,336	58,266	41,543	4.83	19.61	13.98
1936	2,967,000	14,763	58,115	42,586	4.98	19.59	14.35
1937	2,948,000	14,780	56,488	46,086	5.01	19.16	15.29
1938	2,937,000	14,893	56,925	40,041	5.07	19.58	13.63
1939	2,934,000	15,204	56,070	41,717	5.18	19.11	14.22
1940	2,958,000	15,212	56,594	41,885	5.14	19.13	14.16
1941	2,993,000	15,021	56,780	43,797	5.02	18.97	14.63
1942	2,963,000	17,470	66,117	41,640	5.90	22.31	14.05
Yearly Average, 1933-1942 ...	2,960,000	14,992	58,062	41,792	5.07	19.61	14.12
1943	2,946,000	17,328	64,375	43,494	5.88	21.85	14.76
NORTHERN IRELAND, 1943.							
1943	1,304,000	10,155	31,521	17,437	7.79	24.17	13.37

POPULATION.

It is estimated that the population of Eire at the middle of the year 1943 was 2,946,000. The number of males was estimated to be 1,490,000, and the number of females 1,456,000. These figures are based on the result of the Register of Population, 1941, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966, and according to the Register of Population in November 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females.

In Table I, the estimated population for each of the years 1851 to 1943 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1943, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1943.

Intercensal Period, &c.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,865	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,964	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	-25,816	- 8.7
" 1928	17,384	5.9	-25,072	- 8.5
" 1929	15,289	5.2	-21,863	- 7.4
" 1930	16,651	5.7	-13,722	- 4.7
" 1931	14,139	4.8	+ 658	+ 0.2
" 1932	13,256	4.5	+ 6,515	+ 2.2
" 1933	16,825	5.7	- 2,615	- 0.9
" 1934	18,814	6.3	-11,002	- 3.7
" 1935	16,723	5.6	-14,345	- 4.8
" 1936	15,529	5.2	-21,539	- 7.3
" 1937	11,402	3.9	-29,716	-10.1
" 1938	16,884	5.7	-21,335	- 7.3
" 1939	14,353	4.9	+12,642	+ 4.3
" 1940	14,709	5.0	+ 4,368	+ 1.5
" 1941	12,983	4.3	-21,386	- 7.1
" 1942	24,477	8.3	-29,794	-10.1
" 1943	20,881	7.1	-37,396	-12.7

MARRIAGES.

Number and Rate.—There were 17,328 marriages registered during the year 1943. This figure is 142 less than that for the year 1942 which was the highest recorded since 1878, in which year 18,159 marriages were registered.

During each of the last ten years there has been an increase annually (with the exception of 1941 and 1943) in the number of marriages recorded, the number rising from 13,992 in the year 1933 to 14,251 in the following year, to 15,204 in 1939, and to 15,212 in 1940. The number fell to 15,021 in 1941 and rose to 17,470 in 1942.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1934 to 1943 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1934 ...	4.8	6.5	8.4	7.5
1935 ...	4.8	7.0	8.6	7.7
1936 ...	5.0	7.2	8.7	7.6
1937 ...	5.0	6.7	8.7	7.7
1938 ...	5.1	6.7	8.8	7.8
1939 ...	5.2	7.1	10.6	9.2
1940 ...	5.1	7.6	11.3	10.7
1941 ...	5.0	9.3	9.4	9.5
1942 ...	5.9	9.0	8.9	9.5
1943 ...	5.9	7.8	7.2	7.6

MARRIAGES—continued.

The annual rate per 1,000 of the population for the year 1943 was 5.88 compared with 4.59 in 1878. The rate for 1933 was 4.72 per 1,000 rising to 5.01 in 1937, to 5.07 in 1938, and to 5.18 in 1939. In 1940, 1941 and 1942 the rates were respectively 5.14, 5.02 and 5.90 per 1,000. The figures and rates for each of the years 1933 to 1943 are shown in Table C below, and the averages since 1864 in Tables 3 and 4 of Part II of this report.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the modes of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1943 amounted to 16,386 (equal to 94.6 per cent. of the total), and other marriages numbered 942. The number of Catholic marriages is 80 less than that for 1942, and the number of all other marriages is 62 less than the figure for the preceding year. In the year 1943 the number of marriages other than Catholic recorded include 677 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 152 in Presbyterian meeting-houses; 49 in registered buildings belonging to various other religious denominations; 52 by civil contract in the registrars' offices; 3 according to the usages of the Society of Friends, and 9 according to Jewish rites. Comparing these figures with those for 1942 the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 43; in Presbyterian meeting-houses a decrease of one; in registered buildings a decrease of 15; in the registrars' offices a decrease of 5; and an increase of 2 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1943 is equal to a rate of 5.96 per 1,000 of the estimated Catholic population, a rate which is 0.87 above the average rate for the preceding ten years, and the rate for all other marriages was 4.84 per 1,000 of all persons other than Catholics in the population, or 0.10 above the average. Corresponding rates for each year from 1933 to 1942 are shown in Table C below. It must be borne in mind that the rates for the years 1933 to 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1943 on the proportion according to the Census of 1936.

TABLE C.—MARRIAGES registered in 1943 and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4.77	4.10	4.72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.88	3.73	4.80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4.99	4.74	4.98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,352	15,212	5.16	4.92	5.14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
Yearly Average 1933-42	663	125	59	58	3	9	927	14,065	14,992	5.09	4.74	5.06
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88

MARRIAGES—continued.

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 95·1 per cent. of the total marriages; those of widowers and spinsters, 3·2 per cent.; bachelors and widows, 1·1 per cent.; and those of widowers and widows, 0·6 per cent. Of the men married, 3·9 per cent. were widowers, and of the women, 1·7 per cent. were widows, or in 56 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1942 were:—widowers, 4·1 per cent., and widows 1·7 per cent. In Table E similar figures from the year 1933 are shown.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1943, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1943		Annual Average 1925-7	Annual Average 1935-7	Year 1943
ÉIRE	4·58	4·94	5·88	Kerry	4·18	3·93	5·21
Carlow	4·30	4·96	4·71	Limerick	3·61	3·67	4·29
Dublin	5·43	6·66	6·09	Limerick Co. Borough	9·36	8·50	11·41
City of Dublin	7·57	7·44	8·08	Tipperary N.R.	4·53	4·55	5·07
Kildare	3·91	4·68	5·49	Tipperary S.R.	3·80	4·00	4·90
Kilkenny	3·92	4·26	5·45	Waterford	4·11	4·35	5·34
Laoghais	3·35	3·23	4·05	Waterford Co. Borough	4·89	5·26	5·78
Longford	4·39	3·75	4·31	Munster	4·41	4·49	5·46
Louth	3·99	5·18	6·68	Galway	3·65	4·04	5·43
Meath	3·48	5·15	4·84	Leitrim	4·37	3·99	4·42
Offaly	4·28	4·40	5·95	Mayo	3·78	3·48	5·10
Westmeath	4·01	3·98	6·01	Roscommon	3·97	3·79	3·58
Wexford	4·36	4·70	5·23	Sligo	4·34	4·26	5·13
Wicklow	3·97	4·63	5·30	Connaught	3·90	3·85	4·92
Leinster	5·22	5·84	6·55	Cavan	4·27	4·21	4·54
Clare	3·55	3·67	4·80	Donegal	3·68	4·68	5·62
Cork	3·53	3·61	4·38	Monaghan	3·94	4·03	4·37
Cork Co. Borough	8·21	8·67	9·64	Ulster (part of)	3·90	4·41	5·06

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Limerick county borough the rate was 11·41 per 1,000; in Cork 9·64; in Dublin 8·08; and in Waterford 5·78. The highest rates for the remaining areas were Louth 6·68; Dublin (exclusive of the county borough) 6·09; Westmeath 6·01; Offaly 5·95; and Donegal 5·62. The lowest rates were recorded in Roscommon 3·58; Laoighis 4·05; Limerick (exclusive of the county borough) 4·29; Longford 4·31; and Monaghan 4·37.

In the provinces the highest rate was 6·55 for Leinster, followed by 5·46 for Munster, 5·06 for Ulster (part of), and 4·92 for Connaught. The corresponding rates for 1942 were 6·69 for Leinster; 5·64 for Munster; 5·21 for Ulster (part of); and 4·48 for Connaught. The rate for Leinster for 1943 is 0·71 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 0·97 more than the average, in Connaught the increase was 1·07 and in Ulster (part of) it was 0·65 per 1,000 of the population.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1933-1943, and also the average number and rate for the ten years 1933 to 1942, and the rate for the year 1943. In the first quarter of 1943 the rate per 1,000 of the population was 6·2, in the second 5·4, in the third 7·0, and in the fourth 4·9. The corresponding rates for the year 1942 were 5·4 for the first quarter, 6·2 for the second, 6·8 for the third, and 5·2 for the fourth quarter; and the average rates for the decennial period from 1933 to 1942 were 4·9, 4·9, 5·8 and 4·7 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1943 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1933 to 1942.

In the case of Catholic marriages, 27 per cent. were recorded in the first quarter of 1943, 23 per cent. in the second, 29 per cent. in the third, and 21 per cent. in the last quarter. For other marriages the percentages were 18, 28, 34 and 20 in the corresponding quarters of the year.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1933 to 1943.

YEAR	Total Marriages	Persons not of Full Age		Re-marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1933	13,992	1.62	7.53	5.20	2.22
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1943 who were stated to have married under age was 2.0 per cent.; in Munster 1.6; in Connaught 0.6, and in Ulster (part of) 0.5 per cent. In the case of females married the proportion who were minors in Leinster was 9.2, in Ulster (part of) 7.5, in Munster 6.3, and in Connaught 4.4 per cent. The corresponding percentages for the country as a whole were 1.6 for husbands and 7.5 for wives.

The proportion per cent. of males married in Northern Ireland in 1943 who were under age was 4.8 and of females 18.5.

Licences for Marriage.—During the year 1943 the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 92. On 31st December, 1943, the number of such registrars of marriages authorised to grant licences for marriage was 74.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 573. The number of licensing officers on the 31st December, 1943, was 147.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1943 was 123. The number of licensing ministers on the 31st December, 1943 was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,046 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1943, licensed for the solemnisation of marriages, 147 Presbyterian meeting houses (142 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 161 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 161 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	127	Salvation Army	2
Reformed Presbyterians	2	Seceders	2
Baptists	7	“Undenominational”	6
Independents or Congregationalists	5		
Christian Brethren	9		
Moravians or United Brethren	1		
		TOTAL	161

BIRTHS.

The births for the year 1943 numbered 64,375, a figure which is 1,742 less than that for the year 1942, and 6,313 more than the number recorded during the decennial period from 1933 to 1942. The numbers recorded for each of the years 1939 to 1942 were 56,070, 56,594, 56,780, and 66,117, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1943 was 21.85 and for 1942 it was 22.31 per 1,000. In the years 1939, 1940 and 1941 the rates were 19.11, 19.13 and 18.97 respectively.

In Tables 3 and 4 the number of births is shown and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and for each year since 1933. In the period from 1864 to 1870 the rate was 25.79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26.31, falling gradually to 19.34 for the decennial period 1931-40. During the period 1933 to 1942 the highest rate recorded was 22.31 for 1942 and the lowest 18.97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1934 to 1943 :—

Years	Eire	Northern Ireland	England and Wales	Scotland
1934 ...	19.5	19.4	14.8	18.0
1935 ...	19.6	19.2	14.7	17.8
1936 ...	19.6	20.2	14.8	17.9
1937 ...	19.2	19.8	14.9	17.6
1938 ...	19.4	20.0	15.1	17.7
1939 ...	19.1	19.5	14.9	17.4
1940 ...	19.1	19.6	14.6	17.1
1941 ...	19.0	20.8	14.2	17.9
1942 ...	22.3	22.8	15.8	18.1
1943 ...	21.9	24.2	16.5	18.9

Rates for Counties, etc.—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1943 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 23.58, for Munster 20.53, for Connaught 19.04, and for Ulster (part of) 20.00, as compared with 23.82, 21.45, 19.98 and 20.55, respectively, for 1942. Comparing the rates for the years 1942 and 1943, it will be seen that the rate for Leinster has decreased by 0.24, for Munster by 0.92, and for Connaught and Ulster by 0.94 and 0.55 respectively.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 24.73, Cork 23.53, Limerick 25.87, and Waterford 23.80 per 1,000. The highest rates in the counties were Kildare 25.56, Carlow 24.64, Louth 23.56, Meath 23.18, Wexford 23.14, and Tipperary S.R. 23.11. On the other hand, the lowest rates recorded were Roscommon 17.04, Leitrim 17.11, Sligo 17.24, Cork 18.22, Cavan 18.56 and Clare 19.26.

The birth-rates for the total urban areas were 23.91 and 25.18, respectively, in the years 1943 and 1942, a decrease of 1.27 per 1,000, while the corresponding rural rates were 20.33 and 20.87, respectively, a decrease of 0.54 per 1,000. In Table 15 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1943 include 2,448 of illegitimate children, a figure which is 29 more than that for 1942. The number for 1943 is equivalent to a rate of 0.83 per 1,000 of the population, and a rate of 3.80 per cent. of the total births recorded. The respective rates for the previous year were 0.82 per 1,000 and 3.66 per cent.

In Northern Ireland for 1943 the rate per cent. of the total births was 5.48, for England and Wales it was 6.3, and for Scotland 7.58.

The percentages are shown in the following statement for the years 1936-1943 for each of the provinces :—

AREA	Illegitimate births—per cent. of total births.							
	1936.	1937.	1938.	1939.	1940.	1941.	1942.	1943.
Eire	3.28	3.21	3.30	3.18	3.22	3.48	3.66	3.80
Leinster ...	3.45	3.60	3.44	3.39	3.40	3.62	3.77	4.00
Munster ...	3.38	3.17	3.41	3.13	3.44	3.59	3.80	4.16
Connaught	2.09	1.86	2.16	1.93	1.93	2.32	2.53	2.29
Ulster (part of)	4.44	3.79	4.34	4.32	3.90	4.43	4.59	4.19

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births for the year 1943 and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentage of the total births registered were in the following counties: Waterford (excluding the county borough) 7·04, Limerick 6·88, Laoighis 6·68, Kilkenny 6·36, Carlow 5·94, Wexford 5·57, Kildare 5·17 and Cavan 5·11. The counties with the lowest ratios were Mayo 1·61, Cork county borough 1·88, Limerick county borough 2·27, Kerry 2·41, Roscommon 2·54, Galway and Sligo each 2·60 and Waterford county borough and Leitrim each 2·65 per cent.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 86 cases during the year 1943. This figure is 23 more than the corresponding figure for the year 1942.

Proportion of Males to Females.—The number of male births registered in 1943 was 33,241 and of female births 31,134. The proportion between the sexes was 1,068 males to 1,000 females, a ratio which is 16 above the average for 1933 to 1942. In Northern Ireland for the year 1943 the proportion of males born alive to 1,000 females was 1,076, in England and Wales it was 1,064, and in Scotland, 1,051.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1933, and also the average rates since the year 1864.

The male children born in wedlock in 1943 numbered 32,012, and the female 29,915, or 1,070 males to every 1,000 females, and of the illegitimate children 1,229 were males and 1,219 females, or 1,008 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes during each quarter of 1943 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	8,380	8,800	8,359	7,702	33,241
Females ...	8,020	8,116	7,883	7,115	31,134
TOTAL ...	16,400	16,916	16,242	14,817	64,375

In Table 5 the number of births registered in each quarter of the years 1933 to 1943 is given, together with the rates for the year 1943, and the average rates for the previous decennial period. The rate for each of the quarters were 22·3, 23·0, 22·1 and 20·1 per 1,000, showing increases of respectively 3·2, 2·4, 1·7 and 1·7 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1943 was 1,680, consisting of 828 pairs of twins, and 8 sets of triplets, as compared with 1,615 (798 pairs of twins, 5 sets of triplets and one set of quadruplets) for the previous year. The twin children whose births were recorded during 1943 were 2·57 per cent. of the total number of infants whose births were registered. In 1942 the corresponding percentage was 2·41.

The number of mothers of living children whose births were recorded during the year was 63,531. Of these, 62,695, or 98·69 per cent., gave birth to single infants, and 836 or 1·31 per cent. to two or more infants at a birth.

The infants born in wedlock (61,927) included 60,300 single infants, 1,606 twins and 21 triplets, equivalent to, respectively, the ratios of 97·38 per cent., 2·59 per cent., 0·03 per cent. of the total number of legitimate births.

Illegitimate infants included 2,395 single infants, 50 twin infants and 3 triplets, equivalent, respectively, to 97·84 per cent., 2·04 per cent., and 0·12 per cent. of the 2,448 illegitimate infants registered. In the year 1942 the illegitimate infants recorded included 2,351 single infants, and 68 twin infants.

In the year 1943 the infants born alive in multiple births comprised 832 males and 848 females. Of the twin infants, 825 were males and 831 females and the triplet infants included 7 males and 17 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1943 was 43,494, the males numbering 22,663 and the females 20,831. The total is 1,854 more than the number for 1942, and is 1,702 more than the average for the decennial period 1933 to 1942. In the year 1943 the deaths of males were 795 more, and the deaths of females 1,059 more than in the previous year.

The deaths registered in 1943 represent a rate of 14·76 per 1,000 of the population, compared with 14·05 for 1942, and an average of 14·12 for the ten years 1933 to 1942. The rate for males during each of the past three years was 14·77, 14·59 and 15·21, the corresponding ratio for females being 14·49, 13·51 and 14·31, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1934 to 1943 are as follows:—

Years	Eire	Northern Ireland	England and Wales	Scotland
1934 ...	13·2	13·7	11·8	12·9
1935 ...	14·0	14·4	11·7	13·2
1936 ...	14·4	14·4	12·1	13·4
1937 ...	15·3	15·1	12·4	13·9
1938 ...	13·6	13·7	11·6	12·6
1939 ...	14·2	13·5	12·1	12·9
1940 ...	14·2	14·6	14·0	14·9
1941 ...	14·6	15·2	12·9	14·5
1942 ...	14·1	13·3	11·6	13·0
1943 ...	14·8	13·4	12·1	13·3

Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows:—Dublin 14·40, Cork 16·61, Limerick 14·09, and Waterford 16·45. The counties with the highest rates were Longford 16·78, Cavan 16·43, Leitrim 16·34, Sligo 16·11, and Clare 16·03. The lowest rates were recorded for Dublin (exclusive of the county borough) 11·83, Kerry 12·90, Galway 13·30, Laoighis 13·60, and Tipperary N.R. 13·87.

The rate for the province of Leinster was 14·42 per 1,000, for Munster 14·64, for Connaught 14·30 and for Ulster (part of) 15·13, compared with 13·96, 13·97, 13·55, and 14·38 for the preceding year.

During the year 1943 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·58 and 14·51 per 1,000 compared with 14·27 and 13·91 for the preceding year. The figure for the urban areas in 1943 is 0·31 more, and that for the rural areas 0·60 more than the respective rates for the year 1942. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1943:—

	1st Quarter	2nd Quarter	3rd Quarter	* 4th Quarter	Total
Males ...	6,587	5,694	4,733	5,649	22,663
Females ...	6,040	5,280	4,222	5,289	20,831
TOTAL ...	12,627	10,974	8,955	10,938	43,494

DEATHS—continued.

Of the total deaths, 23,601, or 54·3 per cent., were registered during the first six months, and 19,893, or 45·7 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 55·1 and 44·9.

During the year 1943 the mortality was highest in the first quarter, in which the rate was 17·1 per 1,000 of the population. In the second quarter the rate was 14·9, in the third 12·2, and in the last quarter it was 14·9. In the preceding year the rates for the quarters were as follows:—first 16·4, second 14·6, third 11·5, and fourth 13·8.

The rates for each quarter of 1943 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1943 and the average figure shows that in the first quarter there was a decrease of 0·3 per 1,000; the rate for the second quarter shows an increase of 0·6; the third an increase of 0·7, and in the fourth quarter there was an increase of 1·7 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,284, in mental hospitals, 1,168, in county homes and hospitals, etc., 8,598; and 28,444 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 12·1, 2·7, 19·8 and 65·4 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1933 the percentages of deaths in the three classes of institutions were 9·9, 2·6 and 16·7, respectively, 70·8 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,187. This figure is equivalent to a rate of 14·2 per cent. of the total deaths registered during the year. The proportion for the previous year was 13·7 and the average percentage for the ten years from 1933 to 1942 was 16·7.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1943 being 20·2. In the urban areas the percentage was only 2·1.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1943 was 1,242, or one in every 35 deaths registered. The number of such deaths for the year 1943 include 860 cases in which inquests were held, and 382 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1943, classified in accordance with the list adopted at the International Conference held at Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of the deaths for each of the principal towns are shown.

The proportion of deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 213 in every 1,000 deaths; the next in order are senility 140, tuberculosis (all forms) 99, cancer 93, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 61, pneumonia 43, and bronchitis 33 in every 1,000 deaths. These causes account for 68 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 458 in every 1,000 deaths compared with 470 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (221 in every 1,000), pneumonia (108), bronchitis (36), and whooping cough (35 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 188 in every 1,000 deaths, tuberculosis (other than that of the respiratory system) in 110 instances, diphtheria in 98, whooping cough in 89, diarrhoea and enteritis in 63 and bronchitis in 35 instances. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (281 in every 1,000), diphtheria 125, and pneumonia (62 in every 1,000). The cause of the majority of the deaths of persons aged 15 and under

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1943.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	1	8	8	3	1	2	.	.
2	Cerebro-spinal meningitis	1	1	10	8	2	3	1	1	.	.	.
3	Scarlet fever . . .	1	1	9	14	1	2
4	Whooping cough . . .	7	35	89	8
5	Diphtheria . . .	7	5	98	125	12	2	3	2	.	.	.
6	Tuberculosis of respiratory system.	78	3	17	109	517	470	299	144	55	13	1
7	All other forms of tuberculosis.	21	11	110	172	125	70	37	13	8	3	1
8	Dysentery
9	Influenza . . .	11	8	19	8	5	6	8	12	10	13	11
10	Measles . . .	1	2	8	7	.	1	1
11	Acute infectious encephalitis	.	1	4	1	.	.	.
12	Typhus	1	.	1	.	.	.
13	Cancer . . .	93	.	5	10	10	32	115	168	195	144	58
14	Diabetes mellitus . . .	5	.	2	13	2	7	8	7	10	7	3
15	Intra-cranial lesions of vascular origin.	61	.	5	5	7	10	35	67	98	101	65
16	Diseases of the heart . . .	213	.	9	53	57	82	139	215	291	341	251
17	Other diseases of the circulatory system.	15	.	2	2	2	4	7	17	23	24	17
18	Bronchitis . . .	33	36	35	9	6	8	18	30	31	44	37
19	Pneumonia . . .	43	108	188	62	23	26	36	37	31	31	20
20	Other diseases of the respiratory system.	14	6	20	13	10	18	14	22	21	16	9
21	Ulcer of the stomach or duodenum.	6	.	.	2	.	8	20	18	13	6	2
22	Diarrhoea and enteritis . . .	32	221	63	12	2	4	2	3	5	4	3
23	Appendicitis . . .	3	.	9	24	15	5	8	5	3	1	1
24	Cirrhosis of the liver . . .	1	1	4	4	2	2	.
25	Diseases of liver and biliary passages.	4	.	4	9	3	5	5	8	6	3	3
26	Other diseases of the digestive system.	14	14	20	27	8	15	14	21	29	14	9
27	Nephritis . . .	26	2	11	14	13	27	36	55	43	31	19
28	Puerperal infection . . .	1	.	.	.	1	10	7
29	Other diseases of childbirth	3	.	.	.	4	33	20
30	Congenital debility, etc. (Nos. 157-161).	57	458	28	21	3	1	1
31	Senility . . .	140	98	443
32	Suicide . . .	2	.	.	.	3	5	6	5	4	1	.
33	Other violence . . .	20	10	57	90	51	36	25	33	19	13	11
34	Other causes . . .	86	78	182	182	110	100	124	110	110	90	36

CAUSES OF DEATH—continued.

45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

A comparative statement of the deaths from the principal causes recorded for each of the years 1941, 1942 and 1943 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	NUMBER OF DEATHS REGISTERED			CAUSES	NUMBER OF DEATHS REGISTERED		
	YEARS				YEARS		
	1941	1942	1943		1941	1942	1943
Typhoid Fever ...	38	58	52	Heart Disease ...	9,338	8,550	9,264
Cerebro-Spinal Meningitis ...	41	40	39	Bronchitis ...	1,952	1,473	1,444
Scarlet Fever ...	32	35	34	Pneumonia ...	1,881	1,707	1,874
Whooping Cough ...	150	228	310	Diarrhoea and Enteritis (under 2 years)	875	1,000	1,233
Diphtheria ...	165	267	310	Nephritis ...	1,184	1,063	1,115
Tuberculous Disease	3,711	4,347	4,306	Puerperal Infection	43	43	36
Dysentery ...	4	3	3	Other Puerperal Causes	139	120	109
Influenza ...	1,335	388	461	Congenital Debility, Malformation, Premature Birth, etc. ...	2,094	2,214	2,501
Measles ...	89	79	32	Senility ...	6,440	5,774	6,097
Acute Infectious Encephalitis ...	24	22	16	Violence ...	953	999	961
Typhus ...	6	5	4				
Cancer ...	3,790	4,055	4,043				
Intra-Cranial Lesions of vascular origin	2,721	2,617	2,652				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0.67, compared with 0.57 for the year 1942. The rates for the county boroughs are as follows:—Dublin 1.47, Cork 0.89, Limerick 0.92, and Waterford 1.47 per 1,000. The highest county rates are:—Limerick 0.87, Wexford 0.75, Wicklow 0.71, Dublin 0.70, and Kerry and Tipperary each 0.63. The counties in which the rates were lowest are:—Leitrim 0.21, Mayo 0.25, Meath and Cavan each 0.28, and Monaghan 0.32.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 1.11 per 1,000 of the population, compared with 0.44 for the rural districts. The corresponding rates for 1942 were 0.96 and 0.37, respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 52, including 30 of males and 22 of females. The corresponding figure for 1942 was 58, including 28 of males and 30 of females. The average number for the decennial period from 1933 to 1942 was 59. During 1943 there were 10 deaths for urban districts and 42 for rural districts. There were 7 deaths for Cavan county, 6 for Longford, and 4 for Kerry.

Scarlet Fever.—There were 34 deaths from this disease registered during the year 1943 compared with 35 in the previous year. The average figure for the ten years 1933 to 1942 was 78. The figure for 1943 includes 15 of children under five years, and 9 of children aged 5 and under 10 years. The deaths registered include 7 each for Dublin county borough and Limerick county, and 4 for Monaghan county.

Whooping Cough.—The number of deaths recorded under this heading was 310, compared with 228 for the year 1942, and an average figure of 210 for the decennial period ended with the latter year. The total for 1943 includes 142 of males and 168 of females, compared with 113 and 115 respectively, in the previous year.

The figure for 1943 includes 185 of infants under one year of age and 70 of children aged between one and two years. In 1942 the corresponding figures were 120 and 52.


There were 64 deaths recorded for Dublin county borough, 30 for Wexford county, 22 for Kerry county, and 20 for Galway county.

Diphtheria.—The number of deaths was 310 compared with a figure of 267 for 1942, and of an average figure of 294 for the years 1933 to 1942. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1941 were 341, 378, 345, 293, 314, 245, 178 and 165.

The figure for 1943 includes 154 males and 156 females, the corresponding figures for the previous year being 137 and 130 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1929 to 1943.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1943 were 130 of children aged between one and five years, 94 between the ages of five and ten years, and 20 of children aged 10 and under 15 years.

The death rate per 100,000 of the population was 10·5 compared with 9·0 for the previous year. In the urban areas as a whole the rate for 1943 was 14·3 compared with 12·3 in the previous year, and in the rural areas the respective rates were 8·4 and 7·4 per 100,000 of the population.

For Leinster the rates for 1943 and 1942 were 12·1 and 8·5, for Munster 11·4 and 13·9, for Connaught 5·1 and 3·1, and for Ulster (part of) 8·7 and 5·1 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1934 to 1943:—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1934 ...	11·5	20·0	16·6	18·1	8·4
1935 ...	12·7	18·3	22·5	18·1	10·2
1936 ...	11·6	19·1	11·2	17·2	9·0
1937 ...	9·9	16·3	7·3	14·4	7·7
1938 ...	10·7	17·8	8·8	15·9	8·1
1939 ...	8·3	14·1	11·7	13·6	5·7
1940 ...	6·0	9·9	6·4	9·1	4·5
1941 ...	5·5	9·0	4·9	8·4	4·2
1942 ...	9·0	13·8	5·4	12·3	7·4
1943 ...	10·5	15·7	8·8	14·3	8·4

The counties and county boroughs in which the highest death rates from this disease were recorded in 1943 are as follows: Limerick county borough 25·9, Laoighis county 20·0, Limerick county 19·8, Cork county borough 19·5, Dublin county borough 16·6, Kerry 16·5, and Dublin county 16·3 per 100,000 of the population. There was no death recorded for Roscommon county, and the lowest rates for the remaining counties were: Cavan 1·4, Kildare 1·6, Tipperary N.R. 1·7, and Mayo 1·9 per 100,000 of the population.

Tuberculosis.—The number of deaths registered during 1943 from all forms of tuberculosis was 4,306—2,203 of males and 2,103 of females. When compared with the number recorded in 1942 the total shows a decrease of 41—a decrease in the case of males of 94, and an increase in the case of females of 53. The figure for 1943 is 688 above the average for the decennial period from 1933 to 1942—an increase in male deaths of 338 and of 350 in the case of female deaths.

The deaths recorded during 1943 are equivalent to a rate of 1·46 per 1,000 of the estimated population. For 1942 the rate was 1·47 per 1,000, and during the ten years from 1933 to 1942, the average rate was 1·22 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1934 to 1943.

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1934 ...	1·18	1·12	0·76	0·75
1935 ...	1·27	1·05	0·72	0·74
1936 ...	1·17	1·02	0·69	0·74
1937 ...	1·23	0·98	0·70	0·74
1938 ...	1·09	0·92	0·64	0·69
1939 ...	1·13	0·84	0·63	0·70
1940 ...	1·25	0·98	0·70	0·82
1941 ...	1·24	1·04	0·73	0·83
1942 ...	1·47	0·97	0·66	0·80
1943 ...	1·46	0·91	0·67	0·79

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate (1.53) was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1943, viz., 1.44, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1933-1943.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.
1933 ...	1,766	1.17	1,744	1.20	3,510	1.19	- 166	- 4.5
1934 ...	1,785	1.18	1,729	1.19	3,514	1.18	+ 4	+ 0.1
1935 ...	1,983	1.30	1,787	1.23	3,770	1.27	+ 256	+ 7.3
1936 ...	1,791	1.18	1,689	1.17	3,480	1.17	- 290	- 7.7
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938 ...	1,661	1.10	1,565	1.09	3,216	1.09	- 423	-11.6
1939 ...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+17.1
Average, 1933-42	1,865	1.23	1,753	1.21	3,618	1.22	—	—
1943 ...	2,203	1.48	2,103	1.44	4,306	1.46	- 41	- 0.9

There were 3,398 deaths from tuberculosis of the respiratory system recorded in 1943 compared with 3,512 in 1942, a decrease of 114. The figure for 1943 includes 1,738 of males and 1,660 of females—the figure for males shows a decrease of 99 and that for females a decrease of 15 when compared with the corresponding figures for the previous year. During 1943 there were 908 deaths (465 males and 443 females) from tuberculosis other than that of the respiratory system. The respective figures for 1942 were 835 (460 males and 375 females). The figures for 1943 are 73 (an increase of 5 males and an increase of 68 females) above those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than that of the respiratory system are given. There were 387 deaths (198 males and 189 females) due to tuberculosis of the meninges and central nervous system, 179 deaths (83 males and 96 females) to tuberculosis of the intestines and peritoneum, 92 (53 males and 39 females) to tuberculosis of the vertebral column, 61 (35 males and 26 females) to this disease of other bones and joints, 7 (2 males and 5 females) to tuberculosis of the skin, 7 (2 males and 5 females) of the lymphatic system, 28 (16 males and 12 females) in organs of the genito-urinary system, 3 (2 males and one female) to tuberculosis of other organs, and 144 (74 males and 70 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1938 to 1943 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1943 and 1942 were respectively 1.84 and 1.95 per 1,000, the figures for males being 1.65 and 1.88 and for females 2.03 and 2.02 per 1,000. In the age-group from 20 to 24 years the rates in 1943 were—for persons 2.75, for males 2.48 and for females 3.04, and for 1942, respectively, 2.66, 2.36 and 2.99. At the age period 25 and below 35 years the figure for all persons in 1943 was 2.43 per 1,000, and in 1942 was 2.71, the corresponding rates for males being 2.27 and 2.54 and for females 2.60 and 2.89 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1929 to 1943.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1938 to 1943.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1938 ...	1,651	70	36	56	164	211	403	391	220	188	56	6
1939 ...	1,707	89	49	45	160	219	395	298	207	171	62	12
1940 ...	1,944	94	49	39	167	263	443	322	292	190	73	12
1941 ...	1,855	102	45	41	166	225	440	343	246	176	63	8
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
1943 ...	2,203	138	60	55	222	297	484	362	271	210	96	8
DEATHS OF FEMALES.												
1938 ...	1,565	79	31	67	216	238	424	247	132	96	30	5
1939 ...	1,597	77	35	57	212	292	391	234	153	104	37	5
1940 ...	1,741	66	39	78	246	282	451	237	169	112	57	4
1941 ...	1,856	93	53	65	237	335	458	291	168	100	49	7
1942 ...	2,050	79	37	90	266	362	563	296	193	111	43	10
1943 ...	2,103	110	59	83	270	351	543	290	186	132	65	14
DEATHS OF MALES AND FEMALES.												
1938 ...	3,216	149	67	123	380	449	827	538	352	234	86	11
1939 ...	3,304	166	84	102	372	511	786	532	360	275	99	17
1940 ...	3,685	160	88	117	413	545	894	559	461	302	130	16
1941 ...	3,711	195	98	106	403	560	898	634	414	276	112	15
1942 ...	4,347	186	97	148	522	676	1,082	664	499	332	125	16
1943 ...	4,306	248	119	138	492	648	1,027	652	457	342	161	22
MALES—RATE PER 1,000.												
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.40	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
1942 ...	1.53	0.80	0.45	0.41	1.83	2.36	2.54	2.07	1.95	1.57	0.82	0.15
1943 ...	1.43	1.00	0.44	0.41	1.65	2.48	2.27	2.03	1.78	1.59	0.88	0.19
FEMALES—RATE PER 1,000.												
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.38	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.38	0.08
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
1942 ...	1.40	0.59	0.28	0.64	2.02	2.99	2.89	1.68	1.27	0.84	0.43	0.21
1943 ...	1.44	0.82	0.45	0.64	2.03	3.04	2.60	1.63	1.28	1.04	0.63	0.28
MALES AND FEMALES—RATE PER 1,000.												
1938 ...	1.09	0.56	0.25	0.44	1.43	1.78	2.09	1.53	1.15	0.86	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.43	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.62	1.22	0.65	0.18
1943 ...	1.46	0.91	0.45	0.52	1.84	2.75	2.43	1.83	1.53	1.32	0.76	0.24

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1943 the rate was 1.62, in Munster 1.41, in Connaught 1.24 and in Ulster (part of), 1.09. The corresponding rates for 1942 were in Leinster 1.67, in Munster 1.34, in Connaught 1.28, and in Ulster (part of) 1.18.

DIAGRAM No. 4. Mortality from Influenza, 1929 to 1943.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1943 for county or county borough areas were recorded for the following:—Limerick county borough 1·95, Waterford county borough 1·86, Dublin county borough 1·84, Westmeath county 1·82, Kildare county 1·78, and Wexford county 1·73. The counties having the lowest rates were—Kilkenny 0·92, Monaghan 0·99, Roscommon 1·06, and Cavan 1·07.

The deaths from tuberculosis in 1943 for the aggregate urban districts numbered 1,788, compared with 1,825 for the previous year. For the rural districts the number for 1943 was 2,518 compared with 2,522 for last year. The rate per 1,000 of the population for the urban areas fell from 1·89 in 1942 to 1·80 in 1943, while that for the rural areas was the same, viz., 1·23 per 1,000.

Influenza.—The number of deaths from this disease for 1943 was 461, compared with 388 for the preceding year and an average of 1,124 for the decennial period ended with 1942.

The rates per 1,000 of the population for the years 1943 and 1942 were 0·16 and 0·13 respectively.

In the aggregate urban areas the death rate for 1943 was 0·09 per 1,000, and in the rural areas 0·18, compared with 0·06 and 0·17 for 1942.

In the first quarter the mortality was 27 per cent. of the total and in each of the second, third and fourth quarters the proportion was 22, 9 and 42 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 32 deaths registered in 1943 compared with 79 in the year 1942, and an average for the period from 1933 to 1942 of 128. Of the deaths recorded, 6 were for Mayo county, 5 for Dublin county borough, 4 for Sligo county, and 3 for Leitrim county.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 58 (33 males and 25 females) compared with 75 (51 males and 24 females) in the previous year. The figure for 1943 includes 25 recorded for Clare county, 5 for Dublin county borough, 4 for Galway county, 3 for each of Wexford, Cork county, and Limerick county, 2 for each of Louth and Tipperary S.R., and one for each of Kildare, Kilkenny, Meath, Offaly, Westmeath, Limerick county borough, Tipperary N.R., Waterford county, Sligo, Cavan and Donegal.

Typhus.—Four deaths were classified under this heading in 1943 compared with 5 in the previous year. Three of the deaths were for Leitrim county, and one for Cork county.

Other Infective or Parasitic Diseases.—There were 28 deaths from Hodgkin's disease recorded during the year 1943.

Cancer.—The deaths due to cancer recorded for 1943 numbered 4,043—2,150 of males and 1,893 of females. The total figure is 12 below the number for 1942 and 390, above the average number for the decennial period ended with 1942. The number of deaths of males is 31 below, and that for females 19 above the corresponding figure for 1942.

The deaths from this disease constitute 9·3 per cent. of the deaths from all causes and are equivalent to a rate of 1·37 per 1,000 of the population. The rates for males and females were respectively 1·44 and 1·30 per 1,000. In Northern Ireland the respective rates were 1·45, 1·42 and 1·48 per 1,000. In Scotland the death rates were 1·73 for both sexes, 1·72 for males and 1·74 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given.

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1934	...	1·15	1·29	1·56	1·53
1935	...	1·19	1·24	1·59	1·57
1936	...	1·20	1·29	1·63	1·59
1937	...	1·26	1·30	1·63	1·57
1938	...	1·26	1·32	1·67	1·62
1939	...	1·27	1·33	1·66	1·61
1940	...	1·28	1·36	1·72	1·70
1941	...	1·27	1·37	1·78	1·69
1942	...	1·37	1·41	1·83	1·71
1943	...	1·37	1·45	1·90	1·73

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES											Total	
		AGES AT DEATH												
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75 and upwards
45	Lip	1	2	5	6	6	11	19	26	76
	Tongue	1	3	3	10	6	13	8	44
	Jaw ...	1	1	1	8	15	7	10	10	53
	Mouth	1	2	8	6	4	8	29
	Pharynx	1	.	2	.	4	1	3	11
	Tonsil	2	3	5	1	11	11
46	Esophagus	1	.	1	4	5	13	15	22	9	10	80
	Stomach ...	2	1	3	3	20	35	44	50	82	124	101	69	524
	Rectum	1	3	5	2	7	8	20	27	42	43	35	193
	Liver ...	2	.	1	3	2	1	4	14	20	22	33	13	115
	Pancreas ...	1	.	.	.	3	2	3	5	18	14	15	13	74
	Peritoneum	1	.	.	.	1	.	2	1	.	.	5
	Intestine	1	2	7	4	23	40	46	70	75	51	319
47	Larynx, Trachea	2	.	.	2	3	10	7	8	11	4	47
	Lung ...	1	.	.	4	2	10	11	12	13	6	8	5	72
	Mediastinum	1	.	1	2	1	2	4	1	.	12
48	Uterus
49	Ovary
	Vagina
	Vulva
50	Breast	2	.	.	1	3	
51	Scrotum	1	1	.	1	3
	Prostate	1	3	3	7	12	27	32	31	116
	Penis	1	.	1	.	2	1	5
	Testicle ...	1	3	.	.	1	1	.	1	1	.	1	.	9
52	Bladder	1	1	1	1	7	9	5	6	9	40
	Kidney ...	1	.	.	.	1	1	.	2	4	3	1	1	14
53	Ear	1	.	1	1	.	3	7	9	22
	Face	1	4	2	2	7	9	18	43
	Other Skin	1	.	.	.	1	.	1	.	3
54	Brain ...	2	.	1	1	.	.	3	1	1	1	2	.	12
	Spine	1	1	1	.	1	.	1	3	4	.	1	13
	Thyroid	1	.	.	1	.	1	3
	Nose ...	1	2	2	1	3	3	12
55	Abdomen ...	1	.	.	1	.	.	.	2	2	2	1	.	9
	Arm, Leg ...	4	1	.	.	2	.	.	1	3	7	4	10	32
	Axilla	1	.	6
	Eye ...	1	.	1	.	1	2	.	.	5
	Groin	1	1	.	.	1	1	.	2	.	6
	Neck ...	1	1	.	1	1	1	2	7	7	13	12	10	56
	Parotid	1	.	1	2
	Pelvis	2
	Spleen	1	2	.	.	3
	Thorax
	Throat	1	.	2	2	4	5	6	17	10	6	53
	Other and Unspecified ...	1	.	.	.	3	2	2	3	2	2	3	2	20
TOTAL ...		20	8	16	24	54	74	136	231	335	451	441	360	2,150
Deaths from Cancer per 100,000 living of the same age ...		3.0	11.2		43.7		137.8		428.3		820.1		856.7	144.3

registered during the year 1943 by Sexes, Ages, and parts affected.

FEMALES												TOTAL	Total Males and Females	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards			
.	1	.	.	4	4	5	81
1	.	.	.	1	.	1	1	1	4	.	3	12	55	} 45
.	.	.	1	1	1	1	2	1	1	2	.	4	33	
.	.	.	1	1	1	1	2	1	2	1	.	8	19	
.	.	.	1	1	1	1	1	1	1	3	1	7	18	
1	4	2	5	10	26	30	11	7	6	8	6	46	126	} 46
.	4	2	2	5	3	7	47	74	105	71	60	435	959	
.	1	2	1	3	9	6	23	13	19	21	17	101	294	
1	.	.	.	1	1	5	6	22	21	16	27	181	246	
.	.	.	.	1	1	1	6	7	8	7	3	38	112	} 47
.	1	2	8	10	16	20	20	1	1	2	1	9	14	
.	.	.	.	4	4	6	3	6	5	4	1	38	110	
.	.	.	4	6	4	6	3	1	1	.	.	3	15	
.	1	3	4	14	23	12	22	22	26	21	15	163	163	48
2	1	1	2	4	5	4	7	3	3	1	2	35	35	} 49
.	.	.	1	.	2	.	.	1	1	.	4	4	4	
.	1	1	2	1	.	10	10	
.	1	6	11	30	28	32	44	38	48	30	45	313	316	50
.	3	} 51
.	116	
.	5	
.	9	
.	1	3	2	2	.	8	48	} 52
.	3	.	.	.	3	17	
.	1	.	1	1	6	2	3	25	} 53
.	.	.	.	1	.	1	.	1	1	2	16	25	68	
.	1	1	.	1	.	1	.	2	.	2	4	12	15	
1	.	.	2	1	3	1	1	5	.	.	.	14	26	} 54
.	.	.	.	3	.	2	2	2	1	1	.	11	24	
.	1	.	.	1	1	.	2	2	.	.	2	8	11	
.	.	.	1	1	.	.	1	3	.	.	4	10	22	
3	.	.	3	3	1	1	2	2	3	2	1	15	24	} 55
.	.	.	.	1	.	.	.	4	6	6	16	43	75	
2	.	.	.	1	1	2	2	9	14	
.	1	1	2	2	6	6	
.	1	.	.	.	1	.	1	1	1	2	2	9	65	
.	.	1	1	1	.	2	3	5	
.	1	1	1	1	4	4	
.	1	.	.	.	1	4	
1	1	1	5	.	2	4	.	14	67	
1	1	.	.	.	3	.	.	4	1	3	2	15	35	
14	17	20	49	96	136	144	218	287	326	286	300	1,893	4,043	TOTAL
2.2	17.7		81.6		192.1		397.3		590.4		604.2	130.0	137.2	Rate per 100,000

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1943 numbered 1,358, equivalent to a rate of 1·37 per 1,000, and in the aggregate rural areas the number was 2,685 and the rate 1·34 per 1,000. In the year 1942 the numbers of deaths for the urban and rural areas were respectively 1,382 and 2,673, corresponding to rates of 1·43 and 1·33 per 1,000 of the population.

In Table J the deaths from cancer in 1943 are classified according to the site of the disease and the age at death. The mortality of females under 55 years of age is higher than that of males, but when the age of 60 years has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1943 the deaths in the first group amounted to 46 (17 of males and 29 of females) and those in the second to 98 (56 males and 42 females) compared with a total of 54 and 91 respectively, in the previous year.

The non-malignant tumours included 18 of the ovary, 8 of the bladder, 7 of the brain, and 3 of the uterus.

The deaths classified under the heading of tumours of undetermined nature included 57 of the brain, 7 of the lung, 6 of the intestine, and 4 each of the mediastinum and stomach.

Diabetes.—There were 232 deaths from this disease for 1943 compared with 267 in the previous year. The deaths for 1943 include 110 of males and 122 of females, compared with 133 and 134 for 1942.

In the year 1943 the rate per 100,000 of the population represented by the deaths from diabetes was 7·9. The rates for Northern Ireland and Scotland were, respectively, 7·1 and 12·9.

Other General Diseases.—During 1942 there were 20 deaths classified under this heading, including 6 from coeliac disease, 3 from toxæmia, and 2 from amyloid disease.

Heart Disease.—During 1943 there were 9,264 deaths from diseases of the heart, as compared with 8,550 deaths in the previous year, and an average number of 7,846 for the decennial period ended with 1942.

The deaths from this cause in 1943 represent 21·3 per cent. of the mortality from all causes and are equivalent to a rate of 3·1 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1943 there were 1,444 deaths in which the cause was stated to be bronchitis. Of the total, 730 were of males and 714 were of females. The total is equal to a rate of 0·49 per 1,000 of the population and constitutes 3·3 per cent. of the total deaths registered. The number of deaths recorded during 1942 was 1,473, and the average figure for the decennial period from 1933 to 1942 was 2,003.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,874, equivalent to a rate of 0·64 per 1,000 of the population. Of the deaths 1,065 were of males and 809 of females.

The average number during the ten years from 1933 to 1942 was 2,240, and during 1942 the number recorded was 1,707.

The deaths for 1943 include 910 from broncho-pneumonia, 306 from lobar pneumonia and 658 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 1,233 deaths of children under 2 years recorded, 721 being of males and 512 of females. The number recorded for 1942 was 1,000, and the average for the ten years ended with 1942 was 688. The urban mortality was equal to a rate of 34·1 per 1,000 births, and the rate for rural areas was 10·5 per 1,000 births registered, compared with respective rates of 26·6 and 8·4 in 1942.

The deaths recorded include 573 for the county borough of Dublin, and 49, 54 and 32 for the respective county boroughs of Cork, Limerick and Waterford.

DIAGRAM No. 5. Mortality from Cancer, 1929 to 1943.




TABLE K.—Deaths of women in 1943 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection	2	1	1	.
Abortion without Septic Condition ...	2	.	.	.	1	.	.	.
Ectopic Gestation	1	.	.	1
Hæmorrhage of Pregnancy	16	.	.	2	7	6	1	.
Toxæmia of Pregnancy	17	1	1	3	6	5	1	.
Other Diseases of Pregnancy	3	.	.	2	.	1	.	.
Hæmorrhage of Childbirth	33	.	2	7	13	8	2	1
Infection during Childbirth	34	.	2	10	9	11	1	1
Puerperal Toxæmia	14	.	2	5	3	3	1	.
Other Accidents of Childbirth	21	1	.	6	6	4	4	.
Other or unspecified Puerperal Conditions	2	2	.	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Rheumatic Fever	1	.	1
Anæmia	2	.	1	.	1	.	.	.
Heart Disease	5	.	.	2	2	1	.	.
Nephritis	2	.	.	1	1	.	.	.
Pneumonia	2	2	.	.
Other Causes	5	.	.	1	.	4	.	.
TOTAL	162	2	10	40	49	48	11	2

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1933-1943, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934 ...	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
Average, 1933-42 ...	65	1.13	160	2.77	225	3.90	29	0.50	254	4.40
1943 ...	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51

* The figures and rates under this heading for the years 1932-39 inclusive relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1943 the number in the first group was 36, in the second group, the figure was 109, and under the third heading there were 17 deaths; so that the total number of deaths from these causes was 162. The total represents a rate of 2·51 per 1,000 of the total births registered, as compared with 2·86 in the year 1942, and an average of 4·40 for the ten years 1933 to 1942. For the years 1940, 1941, 1942 and 1943, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1933 to 1943.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1943 was 961. This figure shows a decrease of 38 when compared with that for the year 1942. The average figure for the ten years 1933 to 1942 from this group of causes was 982.

Included in the total for 1943 there were 78 by suicide, 18 by homicide (including infanticide), 22 due to war operations, 3 to execution and 840 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 5 less and those by homicide 4 more than the corresponding figure for 1942.

Of the suicidal deaths, 56 were of males and 22 of females. In 18 cases poisoning was the means used to cause death, including lysol in 5 cases and strychnine in 4 cases. In the other 60 deaths by suicide the means adopted was hanging or strangulation in 26 instances, drowning in 14, cutting or piercing instruments in 12, firearms in 7, and in one instance other means were used to cause death.

There were 18 deaths by homicide, including 9 of males and 9 of females; 7 were cases of infanticide.

There were 19 accidental deaths from poisons or poisonous gases, 5 of which were due to carbon monoxide, 5 to smoke fumes, 4 to coal gas, and 2 to strychnine.

Deaths caused by accidental burns numbered 123 (49 males and 74 females), of which 47 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1942 was 48.

Deaths classified to accidental drowning numbered 122 (97 of males and 25 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 145 deaths included under the heading of transport accidents; of this figure 114 were of males and 31 of females. In 1942 the total under this heading was 196 (164 of males and 32 of females). Deaths from motor vehicles numbered 55, compared with 86 for 1942. There were 78 deaths recorded as due to other road transport accidents. This figure includes 36 caused by bicycles and 35 by horse-drawn vehicles, compared with 53 and 44 respectively, for 1942. There were 12 deaths caused by railway accidents compared with 10 for 1942.

Of the 55 deaths attributed to motor vehicles, 29 were stated to be caused by motor lorries or vans, 18 by motor cars, 5 by buses, and 3 by motor-cycles.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1943 numbered 6,641 compared with 5,826 for the previous year. The figure for 1943 is 15·27 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 16·54 per cent. of the male mortality, and the rate for females 13·88 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 21,919 in number, constituting 50·40 per cent. of the total number of deaths, and include 11,200 deaths of males, or 49·42 per cent. of the total deaths of males, and 10,719 of females, or 51·46 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 17,539, or 40·33 per cent. of the total deaths.

There were 172 deaths of persons aged 95 years or upwards (74 being males and 98 females), and of these 21 (8 males and 13 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1942 and 1943.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1942	1943	Increase or Decrease in 1943	1942	1943	Increase or Decrease in 1943	1942	1943	Increase or Decrease in 1943
Under 5 years ...	21.75	24.47	+2.72	24.50	27.17	+2.67	18.98	21.68	+2.70
5— ...	1.97	2.01	+0.04	2.32	2.00	-0.32	1.62	2.03	+0.41
10— ...	1.38	1.43	+0.05	1.36	1.33	-0.03	1.40	1.54	+0.14
15— ...	2.96	3.03	+0.07	2.95	2.94	-0.01	2.97	3.11	+0.14
20— ...	4.12	4.11	-0.01	4.01	4.02	+0.01	4.23	4.20	-0.03
25— ...	4.85	4.50	-0.35	4.54	4.33	-0.21	5.17	4.66	-0.51
35— ...	5.89	5.44	-0.45	5.96	5.42	-0.54	5.81	5.46	-0.35
45— ...	9.60	9.76	+0.16	9.92	10.11	+0.19	9.27	9.39	+0.12
55— ...	19.71	21.19	+1.48	20.66	22.33	+1.67	18.67	20.01	+1.34
65— ...	50.09	49.37	-0.72	54.71	52.39	-2.32	45.37	46.19	+0.82
75 and upwards	122.47	124.71	+2.24	132.53	130.92	-1.61	114.52	119.46	+4.94
All ages ...	14.05	14.76	+0.71	14.59	15.21	+0.62	13.51	14.31	+0.80

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864-70, for each of the decennial periods from 1871 to 1940, and for each year from 1933 to 1943 are given in Table 8.

INFANT MORTALITY.

During the year 1943 the deaths of 5,319 infants under one year of age were registered, compared with 4,591 in the preceding year. The figure for 1943 is equivalent to a rate of 83 per 1,000 births as compared with 69 for 1942, and an average of 69 for the ten years 1933 to 1942. The rate for each of the years 1933 to 1943 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 3,066 were those of males and 2,253 of females; the males were equal to a rate of 92 per 1,000 births of males, and the females to a rate of 72 per 1,000 births of females. The corresponding rates for 1942 were 78 and 60, respectively.

The infant mortality rates during the quarters of 1943 were, respectively, 97, 77, 73 and 84 compared with corresponding figures of 81, 63, 58 and 79 for the previous year.

The infant mortality rate for each of the years 1934 to 1943 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1934 ...	63	70	59	78
1935 ...	68	86	57	77
1936 ...	74	77	59	82
1937 ...	73	77	58	80
1938 ...	67	75	53	70
1939 ...	66	70	50	69
1940 ...	66	86	55	78
1941 ...	74	77	58	83
1942 ...	69	76	49	69
1943 ...	83	78	49	65

INFANT MORTALITY—continued.

During the year 1943 the following causes accounted for 84 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 69·65 per 1,000 births:—diarrhoea and enteritis 18·27 per 1,000 births, congenital debility 15·21, premature birth 11·59, pneumonia 8·92, congenital malformations 5·86, convulsions 3·99, bronchitis 2·94 and whooping cough 2·87.

The deaths of infants during the first month of life were 40·2 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 12·9 between 2 and 3 months 11·8, at 3 and under 6 months the rate was 20·0 and from 6 to 12 months old the rate was 15·1.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1933 to 1943 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1943.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1943.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	488	584	304	379	382	2,137	688	629	1,064	803	5,319
Scarlet Fever	3	3
Whooping Cough	2	2	4	19	24	62	76	185
Diphtheria	1	.	1	2	3	.	7	14	26
Tuberculosis of Nervous System	1	.	8	24	33
Tuberculosis of Intestines and Peritoneum	1	2	6	6	15
Other Tuberculous Diseases	1	1	.	2	9	19	31
Syphilis	2	.	4	.	6	1	2	5	4	18
Influenza	1	1	2	4	7	4	12	17	44
Measles	3	7	10
Meningitis	1	1	2	2	14	27	46
Convulsions	10	20	15	17	27	89	46	41	52	29	257
Bronchitis	1	3	4	5	5	18	22	33	67	49	189
Pneumonia	2	7	18	26	27	80	75	87	158	174	574
Diarrhoea and Enteritis	2	7	30	95	98	232	199	200	353	192	1,176
Congenital Malformations	30	80	40	45	27	222	40	36	49	30	377
Congenital Debility	91	139	43	73	107	453	171	140	160	55	979
Premature Birth	227	216	101	66	55	665	47	17	10	7	746
Injury at Birth	34	42	6	6	.	88	4	2	2	1	97
Other Diseases peculiar to first year of life	70	55	36	24	18	203	12	5	12	4	236
Mechanical suffocation (including Overlying)	1	5	.	2	.	8	3	4	6	.	21
Other Accidents (including Lack of Care)	13	5	1	.	.	19	.	1	1	.	21
Other Causes	6	3	8	13	12	42	33	27	68	65	235

DIAGRAM No. 6. Infant Mortality, 1929 to 1943.




TABLE C.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1933-43.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943
ALL CAUSES	85.23	83.28	68.44	74.15	72.95	66.65	65.83	66.42	73.53	69.44	82.63
Scarlet Fever	0.03	0.02	0.09	0.31	0.12	0.05	0.07	0.05	0.09	0.08	0.05
Whooping cough	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77	1.46	1.81	2.37
Diphtheria	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14	0.33	0.44	0.40
Tuberculosis of Nervous System	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27	0.33	0.33	0.51
Tuberculosis of Intestines and Peritoneum	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.28	0.09	0.17	0.23
Other Tuberculous Diseases	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.28	0.28	0.23	0.43
Syphilis	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27	0.23	0.23	0.28
Influenza	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06	0.92	0.56	0.68
Measles	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35	0.37	0.32	0.15
Meningitis	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83	0.79	0.56	0.71
Convulsions	5.61	5.41	4.50	5.32	4.99	4.43	4.48	3.55	4.23	4.05	3.99
Bronchitis	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62	2.34	2.51	2.94
Pneumonia	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70	7.93	7.11	8.92
Diarrhoea and Enteritis	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67	14.18	14.32	18.27
Congenital Malformations	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59	5.57	5.13	5.96
Congenital Debility	14.38	13.78	14.19	14.44	13.65	12.79	12.68	13.25	14.14	13.66	15.21
Premature Birth	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67	11.57	9.24	11.59
Injury at Birth	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.80	1.39	1.12	1.51
Other Diseases peculiar to first year of life	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86	3.17	3.32	3.67
Mechanical Suffocation (including Overlying)	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28	0.14	0.44	0.33
Other Accidents (including Lack of Care)	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46	0.26	0.32	0.33
Other Causes	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75	3.72	3.31	3.65

INFANT MORTALITY—continued.

During the year 1943 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,598, representing a rate of 110 per 1,000 births registered. In 1942 the corresponding number of deaths was 2,178, and the rate 90 per 1,000 births.

For the rural areas 2,721 deaths of infants were registered in 1943, compared with 2,413 in the previous year; the rate per 1,000 births for 1943 was 67, and for 1942 was 58.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 115 per 1,000 births, compared with 93 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 87 per 1,000 births, the rate for 1942 being 76.

The rates for the principal towns are as follows, ranging in order from the highest to the lowest :—

Sligo 128, Dublin 126, Kilkenny 124, Cork 113, Galway borough 112, Waterford 100, Bray 93, Wexford and Dun Laoghaire each 85, Tralee 82, Limerick 76, Drogheda 61, Dundalk 59.

The following statements show the infant mortality rate for each of the years 1934 to 1943 for urban and rural districts in Eire, and for each of the principal towns :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1934	63	81	67	78	55
1935	68	91	75	87	57
1936	74	103	81	99	59
1937	73	97	68	91	61
1938	67	88	66	84	55
1939	66	83	85	83	55
1940	66	88	70	85	55
1941	74	102	83	99	58
1942	69	93	76	90	58
1943	83	115	87	110	67

PRINCIPAL TOWNS	YEARS									
	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943
Dublin	80	94	114	102	96	90	91	114	98	126
Dun Laoghaire	88	65	89	118	81	87	97	79	85	85
Cork	78	78	79	103	71	72	92	82	91	113
Limerick	76	106	95	68	70	58	70	89	77	76
Waterford	92	126	90	97	99	73	111	86	91	100
Galway	92	63	88	66	83	88	95	68	78	112
Dundalk	93	72	91	57	79	58	54	55	44	59
Drogheda	38	71	77	73	38	53	65	55	79	61
Sligo	124	67	59	82	61	102	77	70	75	128
Wexford	70	103	76	102	64	77	66	74	127	85
Tralee	74	60	38	77	78	63	53	90	69	82
Kilkenny	107	110	79	61	58	73	93	94	70	124
Bray	64	69	95	67	91	55	61	116	93	93

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1943.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
	CITIES AND BOROUGHES.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Districts under 10,000 Population.	All Urban Districts.	All Rural Districts.	Ire
	Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
ALL CAUSES	125.78	85.21	113.39	76.36	100.00	91.40	114.65	87.17	109.57	66.91	82.63
Scarlet Fever	0.08	0.05	.	0.04	0.05	0.05
Whooping Cough	3.72	1.25	1.11	.	7.35	2.72	3.16	2.74	3.08	2.75	2.87
Diphtheria	1.13	1.17	0.88	0.46	0.80	0.17	0.40
Tuberculosis of Nervous System	0.65	.	1.11	1.82	2.94	0.39	0.78	1.37	0.89	0.30	0.51
Tuberculosis of Intestines and Peritoneum	0.91	0.17	0.27	0.23
Other Tuberculous Diseases	1.21	.	0.55	0.91	.	.	0.88	0.46	0.80	0.30	0.48
Syphilis	0.41	0.26	.	0.21	0.32	0.28
Influenza	0.24	.	0.55	0.91	.	0.39	0.31	0.46	0.34	0.89	0.68
Measles	0.24	0.39	0.21	.	0.17	0.15	0.15
Meningitis	1.05	2.51	0.55	0.91	.	.	0.88	1.14	0.93	0.59	0.71
Convulsions	3.56	5.01	4.42	4.54	2.94	3.89	3.78	6.62	4.30	3.81	3.99
Bronchitis	2.83	1.25	2.77	6.36	5.88	0.78	2.79	1.82	2.61	3.12	2.94
Pneumonia	13.18	7.52	12.17	5.45	1.47	10.11	11.59	11.64	11.60	7.35	8.92
Diarrhea and Enteritis	45.02	23.81	24.89	19.09	44.12	17.89	37.15	12.32	32.56	9.94	18.27
Congenital Malformations	7.19	10.02	5.53	7.27	5.88	5.45	6.88	5.93	6.70	5.36	5.86
Congenital Debility	12.61	6.27	19.36	14.55	8.83	16.72	13.50	21.22	14.93	15.37	15.21
Premature Birth	17.78	10.02	24.34	3.64	13.24	17.11	17.02	10.95	15.90	9.07	11.59
Injury at Birth	3.07	6.27	1.66	0.91	.	0.39	2.48	1.60	2.32	1.03	1.51
Other Diseases peculiar to first year of life	5.98	8.77	7.19	1.82	4.41	4.28	5.69	2.74	5.15	2.80	3.67
Mechanical suffocation (including Overlying)	0.68	0.13	0.44	0.33
Other Accidents (including Lack of Care)	0.41	0.26	0.23	0.25	0.37	0.33
Other Causes	5.42	2.51	7.19	8.13	2.94	9.72	6.10	3.88	5.69	2.46	3.65

PART II.



Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1943, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801 ...	4,154	2,085	2,069	1879 ...	3,939	1,944	1,995	1912 ...	3,120	1,581	1,539
1811 ...	4,746	2,363	2,383	1880 ...	3,891	1,920	1,971	1913 ...	3,103	1,572	1,531
1821 ...	5,421	2,676	2,745	1881 ...	3,847	1,901	1,946	1914 ...	3,092	1,568	1,524
1831 ...	6,194	3,033	3,161	1882 ...	3,808	1,882	1,926	1915 ...	3,068	1,546	1,522
1841 ...	6,545	3,235	3,310	1883 ...	3,745	1,853	1,892	1916 ...	3,068	1,549	1,519
1851 ...	5,079	2,486	2,593	1884 ...	3,703	1,834	1,869	1917 ...	3,065	1,551	1,514
1852 ...	4,927	2,413	2,514	1885 ...	3,671	1,820	1,851	1918 ...	3,066	1,553	1,513
1853 ...	4,807	2,358	2,449	1886 ...	3,642	1,808	1,834	1919 ...	3,102	1,598	1,504
1854 ...	4,704	2,311	2,393	1887 ...	3,600	1,788	1,812	1920 ...	3,103	1,598	1,505
1855 ...	4,638	2,281	2,357	1888 ...	3,554	1,766	1,788	1921 ...	3,096	1,599	1,497
1856 ...	4,594	2,261	2,333	1889 ...	3,516	1,748	1,768	1922 ...	3,022	1,529	1,493
1857 ...	4,540	2,234	2,306	1890 ...	3,482	1,733	1,749	1923 ...	3,014	1,526	1,488
1858 ...	4,506	2,217	2,289	1891 ...	3,449	1,718	1,731	1924 ...	3,005	1,521	1,484
1859 ...	4,471	2,199	2,272	1892 ...	3,408	1,697	1,711	1925 ...	2,985	1,512	1,473
1860 ...	4,428	2,179	2,240	1893 ...	3,382	1,684	1,698	1926 ...	2,971	1,507	1,464
1861 ...	4,393	2,164	2,229	1894 ...	3,362	1,675	1,687	1927 ...	2,957	1,502	1,455
1862 ...	4,377	2,158	2,219	1895 ...	3,333	1,662	1,671	1928 ...	2,944	1,498	1,446
1863 ...	4,328	2,134	2,194	1896 ...	3,314	1,653	1,661	1929 ...	2,937	1,496	1,441
1864 ...	4,263	2,103	2,160	1897 ...	3,298	1,646	1,652	1930 ...	2,927	1,493	1,434
1865 ...	4,223	2,084	2,139	1898 ...	3,283	1,640	1,643	1931 ...	2,933	1,497	1,436
1866 ...	4,163	2,051	2,112	1899 ...	3,265	1,631	1,634	1932 ...	2,949	1,505	1,444
1867 ...	4,130	2,033	2,097	1900 ...	3,234	1,616	1,618	1933 ...	2,962	1,512	1,450
1868 ...	4,109	2,022	2,087	1901 ...	3,213	1,607	1,606	1934 ...	2,971	1,518	1,453
1869 ...	4,090	2,012	2,078	1902 ...	3,200	1,603	1,597	1935 ...	2,971	1,520	1,451
1870 ...	4,082	1,996	2,066	1903 ...	3,185	1,599	1,586	1936 ...	2,967	1,520	1,447
1871 ...	4,042	1,986	2,056	1904 ...	3,175	1,597	1,578	1937 ...	2,948	1,510	1,438
1872 ...	4,023	1,975	2,048	1905 ...	3,165	1,594	1,571	1938 ...	2,937	1,505	1,432
1873 ...	2,989	1,955	2,034	1906 ...	3,160	1,593	1,567	1939 ...	2,934	1,503	1,431
1874 ...	3,966	1,944	2,022	1907 ...	3,151	1,589	1,562	1940 ...	2,958	1,515	1,443
1875 ...	3,951	1,940	2,011	1908 ...	3,145	1,588	1,557	1941 ...	2,993	1,533	1,460
1876 ...	3,949	1,942	2,007	1909 ...	3,142	1,589	1,553	1942 ...	2,963	1,499	1,464
1877 ...	3,956	1,947	2,009	1910 ...	3,139	1,588	1,551	1943 ...	2,946	1,490	1,456
1878 ...	3,952	1,948	2,004	1911 ...	3,132	1,586	1,546				

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1941 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for these years have been revised in accordance with the population according to the Census of 1936 and the Register of Population, 1941. The population for 1942 and 1943 has been based on the Register of Population, 1941, the numbers of births and deaths registered and the passenger movement figures.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*		
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards			
PERSONS.																	
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,345	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	236,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	55,391	222,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	53,606	214,660	269,345	282,783	263,326	254,513	400,069	355,325	309,290	273,319	198,941	76,238	10,899	606	2,968,420
1941	275,640	270,733	263,634	272,072	238,972	429,188	361,823	302,863	263,286	215,682		93,141			2,992,034
PROPORTION PER CENT.																	
1851	1.96	7.07	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1941	9.21		9.05	8.98	9.09	7.99	14.35	12.09	10.12	8.80	7.21		3.11		100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851	51,165	198,917	321,988	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	13,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,399	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	134,630	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1941	140,118	137,398	136,351	136,833	121,775	216,841	181,368	154,765	134,163	110,428	42,687				1,512,727
PROPORTION PER CENT.															
1851	2·05	7·98	12·91	14·52	12·80	9·66	12·55	10·67	8·26	5·41	2·30	0·75	0·12	0·02	100
1861	2·42	9·82	10·67	10·71	11·77	10·81	13·02	9·85	9·34	7·26	2·96	1·16	0·18	0·03	100
1871	2·52	9·91	12·11	12·21	9·65	8·20	13·11	9·82	8·56	7·99	4·20	1·42	0·26	0·04	100
1881	2·09	9·35	12·49	12·45	10·84	9·31	11·68	10·32	8·31	6·89	4·21	1·81	0·22	0·03	100
1891	1·92	8·16	11·17	12·23	12·11	9·82	12·20	9·65	9·36	7·06	3·99	1·92	0·37	0·04	100
1901	1·90	7·91	10·23	10·66	10·87	10·16	14·54	10·47	8·82	7·87	4·44	1·77	0·32	0·04	100
1911	1·88	7·93	9·91	9·70	9·78	8·89	14·39	12·48	8·99	6·30	6·87	2·53	0·32	0·03	100
1926	1·86	7·84	9·61	10·01	9·69	8·26	13·22	11·51	11·46	8·01	5·90	2·20	0·41	0·02	100
1936	1·79	7·18	8·97	9·45	9·08	8·86	13·64	11·87	10·47	9·42	6·64	2·31	0·31	0·01	100
1941	9·26	9·08	9·01	9·05	8·05	14·34	11·99	10·23	8·87	7·30	2·82				100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
FEMALES.															
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	80,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,535	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1941	135,522	133,335	132,283	135,239	117,107	212,347	180,455	148,098	129,123	105,254	50,454				1,479,307
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.65	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1941	9.16	9.01	8.94	9.14	7.92	14.36	12.20	10.01	8.73	7.12	3.41				100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1943.

PERIOD.	Mar-riages.	BIRTHS.							DEATHS.			Natural Increase.	
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.	Females		
		Total.	Males.	Females		Total.	Total.	Males.					Females
Average. 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	830	826	43,203	21,850	21,353	17,203
" 1931-40	...	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1933	...	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	...	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
Average, 1933-42	...	14,992	58,062	29,775	28,287	56,104	1,958	1,009	949	41,792	21,565	20,227	16,270
1943	...	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1943.

PERIOD.	MARRIAGES.	BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40 ...	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1933 ...	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68
1834 ...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
1941 ...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942 ...	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
Average, 1933-42	5.07	19.61	18.90	0.66	3.37	1,052	14.12	68.59	5.50
1943 ...	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1933-43 ; with the average annual rates for the ten years 1933-42 and the rate for 1943 per 1,000 of the population.

YEAR.	Marriages.															Births.					Deaths.				
	Catholic.					All Other.					Total.					Quarter ending the last day of					Quarter ending the last day of				
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.										
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.		
1933	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539
1934	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083
1935	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,187	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,339	10,947	8,795	10,412	41,543
1936	3,638	3,175	3,822	3,199	13,334	158	252	361	153	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
1940	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,658	11,312	8,679	9,153	43,797
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
Average for ten years, 1933-1942	3,459	3,390	3,955	3,261	14,065	161	246	329	191	927	3,620	3,637	4,283	3,452	14,992	14,113	15,254	15,075	13,620	58,062	12,904	10,550	8,535	9,803	41,792
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	139	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
Equivalent Annual Rate per 1,000 living Average, 1933-42	5.0	4.9	5.7	4.7	5.1	3.3	5.0	6.7	3.9	4.7	4.9	4.9	5.8	4.7	5.1	19.1	20.6	20.4	18.4	19.6	17.4	14.3	11.5	13.2	14.1
1943	6.4	5.4	7.0	5.0	6.0	3.5	5.3	6.7	3.9	4.8	6.2	5.4	7.0	4.9	5.9	22.3	23.0	22.1	20.1	21.9	17.1	14.9	12.2	14.9	14.8

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	} 2,973	660*	514	492	263	} 71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	398	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	} 775	10.9	1.4	0.8	2.1	} 24.4
Dysentery ...	404	198	} 986	942		9.7	5.0	} 26.9	28.3	
Diarrhoea ...	1,456	1,300		35.1		32.8				
Pulmonary tuberculosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	} 10,169	10,605	11,217	9,522	2,661†	} 244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334†					200.8‡
Puerperal sepsis...	234	274	244	199	150	5.7	6.0	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	} 1,650	1,531	80†	90	96	} 39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664.4	1446.9	1417.1
1	Typhoid fever ...	195	108	68	6.3	3.6	2.3
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	184	12.4	8.5	6.2
4	Scarlet fever ...	148	78	94	4.8	2.6	3.2
5	Whooping cough...	494	365	221	16.0	12.3	7.5
6	Diphtheria ...	225	282	397	7.3	9.4	11.4
7	Influenza ...	2,030	1,221	1,313	65.8	40.9	44.5
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	772	42.4	30.8	26.2
13	Cancer ...	2,591	2,933	3,503	83.8	98.4	118.7
14	Diabetes mellitus	245	227	257	7.9	7.6	8.7
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,359	45.8	69.6	79.9
16	Heart disease ...	5,148	4,981	7,092	166.5	167.1	240.2
*17	Other circulatory diseases	—	439	732	—	14.7	24.8
18	Bronchitis ...	4,324	2,750	2,201	139.8	92.0	74.6
19	Pneumonia, all forms	2,853	2,476	2,482	92.3	83.0	84.1
20	Other respiratory diseases	819	722	689	26.5	24.2	23.3
21	Gastric or duodenal ulcer	229	274	322	7.4	9.2	10.9
22	Diarrhoea and enteritis under 2 years	814	592	583	26.3	19.8	19.8
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	74	5.9	3.2	2.5
*25	Other diseases of Liver, etc.	—	138	163	—	4.6	5.4
*26	Other digestive diseases	—	1,172	939	—	39.2	31.8
27	Acute and chr. nephritis	1,150	1,132	1,197	37.2	38.0	40.6
28	Puerperal sepsis...	129	101	73	4.2	3.4	2.5
29	Other puerperal causes	212	190	172	6.9	6.4	5.8
*30	Congenital debility, etc.	2,101	1,738	1,843	68.0	59.9	62.4
*31	Senility ...	—	8,300	6,174	—	277.8	209.1
32	Suicide ...	82	89	97	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	871	37.7	34.1	29.5
34	Other defined causes	16,609	3,491	3,337	537.2	117.0	113.0
35	Causes ill-defined or unknown.	1,361	1,302	651	44.0	43.4	22.0

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1941 — 1943.

Nos.	CAUSES OF DEATH.	ÉIRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1941	1942	1943	1941	1942	1943	1941	1942	1943	1941	1942	1943
	ALL CAUSES	43,797	41,640	43,494	1463.3	1405.3	1476.1	19,640	17,256	17,437	1521.3	1328.4	1337.2
1	Typhoid fever (including paratyphoid)	38	58	52	1.3	2.0	1.8	8	7	12	0.6	0.5	0.9
2	Cerebro-spinal meningitis ...	41	40	39	1.4	1.3	1.3	105	70	44	8.1	5.4	3.4
3	Scarlet fever ...	32	35	34	1.1	1.2	1.2	12	2	11	0.9	0.2	0.8
4	Whooping cough ...	150	228	310	5.0	7.7	10.5	98	64	113	7.6	4.9	8.7
5	Diphtheria ...	185	267	310	5.5	9.0	10.5	133	91	72	10.3	7.0	5.5
6	Tuberculosis of respiratory system.	2,882	3,512	3,398	96.3	118.5	115.3	1,012	939	863	78.4	72.3	66.2
7	All other forms of tuberculosis.	829	835	908	27.7	28.2	30.8	327	320	327	25.3	24.6	25.1
8	Dysentery ...	4	3	3	0.1	0.1	0.1	1	—	2	0.1	—	0.2
9	Influenza ...	1,335	388	461	44.6	13.1	15.7	443	194	339	34.3	14.9	26.0
10	Measles ...	89	79	32	3.0	2.7	1.1	18	68	34	1.4	5.2	2.6
11	Acute infectious encephalitis	24	22	16	0.8	0.7	0.5	33	26	28	2.6	2.0	2.1
12	Typhus ...	6	5	4	0.2	0.2	0.1	—	1	—	—	0.1	—
13	Cancer ...	3,790	4,055	4,043	126.6	136.9	137.2	1,763	1,837	1,892	136.6	141.4	145.1
14	Diabetes mellitus ...	277	267	232	9.3	9.0	7.9	141	117	93	10.9	9.0	7.1
15	Intra-cranial lesions of vascular origin.	2,721	2,617	2,652	90.9	88.3	90.0	1,659	1,393	1,458	128.5	107.2	111.8
16	Diseases of the heart ...	9,338	8,550	9,264	312.0	288.6	314.4	4,076	3,616	3,826	315.7	278.4	293.4
17	Other diseases of the circulatory system.	777	674	652	26.0	22.7	22.1	341	390	350	26.4	30.0	26.8
18	Bronchitis ...	1,952	1,473	1,444	65.2	49.7	49.0	908	737	578	70.3	56.7	44.3
19	Pneumonia ...	1,881	1,707	1,874	62.8	57.6	63.6	913	859	988	70.7	66.1	75.8
20	Other diseases of the respiratory system.	671	595	602	22.4	20.1	20.4	281	250	261	21.8	19.2	20.0
21	Ulcer of the stomach or duodenum.	339	274	270	11.3	9.2	9.2	159	140	115	12.3	10.8	8.8
22	Diarrhoea and enteritis ...	1,020	1,167	1,391	34.1	39.4	47.2	403	350	489	31.2	26.9	37.5
23	Appendicitis ...	127	142	133	4.2	4.8	4.5	67	54	67	5.2	4.2	5.1
24	Cirrhosis of the liver ...	62	54	57	2.1	1.8	1.9	32	29	31	2.5	2.2	2.4
25	Diseases of the liver and biliary passages.	157	142	157	5.2	4.8	5.3	84	66	89	6.5	5.1	6.8
26	Other diseases of the digestive system.	680	610	614	22.7	20.6	20.8	240	219	205	18.6	16.9	15.7
27	Nephritis ...	1,184	1,063	1,115	39.6	35.9	37.9	419	397	362	32.5	30.6	27.8
28	Pureperal infection ...	43	43	36	1.4	1.5	1.2	19	20	22	1.5	1.5	1.7
29	Other diseases of childbirth	139	120	109	4.7	4.0	3.7	93	68	78	7.2	5.2	6.0
30	Congenital debility, etc. (Nos. 157-161).	2,094	2,214	2,501	70.0	74.7	84.9	1,073	1,222	1,199	83.1	94.1	91.9
31	Senility ...	6,440	5,774	6,097	215.2	194.9	206.9	1,571	1,565	1,487	121.7	120.5	114.0
32	Suicide ...	90	83	78	3.0	2.8	2.7	55	44	52	4.3	3.4	4.0
33	Other violence ...	863	916	883	28.8	30.9	30.0	1,554	609	513	120.4	46.9	39.3
34	Other causes ...	3,557	3,628	3,723	118.8	122.4	126.4	1,599	1,492	1,437	123.9	114.9	110.2

**TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1943.**

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	21
1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	27
1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,838	4,636	1,462	21
1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	27
1901-10 ...	27,031	5,444	566	398	680	934	1,954	1,740	2,050	3,258	4,541	3,827	1,379	23
1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	17
1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	13
1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	8
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	7
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,901	3,040	801	8
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	9
1936 ...	21,920	3,210	283	255	318	541	849	1,104	1,746	3,426	5,580	3,631	890	10
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	7
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	7
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	5
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	6
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	7
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	6
Average, 1933-42 ...	21,565	2,977	291	209	362	479	902	1,051	1,741	3,274	5,491	3,824	887	7
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	7

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.05
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.16
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	233.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.28
1921-30 ...	14.39	23.58	2.59	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1933 ...	13.63	20.28	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.32
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
Average, 1933-42 ...	14.25	21.43	2.10	1.43	2.58	3.66	4.41	5.91	10.69	24.15	56.51	110.88	183.66
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.39	130.92	

*During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1943.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	389
" 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
" 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
" 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	398
" 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
" 1911-20	25,322	3,996	565	466	705	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
" 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	183
" 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	993	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
1942	19,772	2,532	218	197	391	513	1,007	1,027	1,408	2,466	4,497	4,312	1,085	119
Average, 1933-42	20,227	2,367	278	222	371	479	960	1,054	1,529	2,785	4,899	4,072	1,097	114
1943	20,831	2,892	266	201	414	484	975	969	1,368	2,543	4,788	4,618	1,215	98

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	92.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.68
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.18	65.09	142.12	231.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.05	45.18	98.58	190.62
1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98
1936	...	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
1942	...	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.81	9.27	18.67	45.37	103.71	182.76
Average, 1933-42	...	13.98	17.66	2.06	1.54	2.80	4.05	4.95	6.10	10.05	22.59	50.73	99.85	174.55
1943	...	14.31	21.68	2.03	1.54	3.11	4.20	4.66	5.46	9.39	20.01	46.19	119.46	

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1943.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	606	447	665	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	186
1942 ...	41,640	5,826	530	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	184
Average, 1933-42 ...	41,792	5,344	569	431	733	958	1,862	2,105	3,270	6,059	10,390	7,896	1,984	191
1943 ...	43,494	6,641	536	379	811	966	1,901	1,938	2,909	5,494	10,487	9,079	2,181	172

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	23.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	23.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	23.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	23.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26
1942 ...	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.02
Average, 1933-42 ..	14.12	19.58	2.08	1.51	2.69	3.85	4.67	6.00	10.38	23.41	53.63	104.90	177.75
1943 ...	14.76	24.47	2.01	1.43	3.03	4.11	4.50	5.44	9.76	21.19	49.37	124.71	

*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1943.

PROVINCES AND COUNTIES.	MARRIAGES	BIRTHS		DEATHS FROM							Deaths of Infants under One Year of age.
		Total.	Illegitimate Births.	All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection		Other Diseases of Child-birth.	
								Sepsis	Other		
ÉIRE.	17,328	64,375	2,448	43,494	1,978	4,306	4,043	25	11	109	5,319
Carlow ...	161	842	50	482	13	45	33	.	1	1	63
Dublin Co. ...	787	2,555	90	1,528	90	166	152	.	1	1	216
City of Dublin ...	4,041	12,372	359	7,206	735	919	653	3	.	12	1,556
Kildare ...	348 ^a	1,624	84	911	36	113	78	.	.	4	123
Kilkenny ...	372	1,557	99	982	30	63	70	2	1	2	126
Laoighis ...	202	1,123	75	679	22	58	73	.	.	1	61
Longford ...	163	804	38	634	23	49	45	.	1	1	56
Louth ...	439	1,549	60	941	22	105	110	2	1	3	88
Meath ...	315	1,510	67	917	18	91	108	.	.	4	102
Offaly ...	307	1,154	46	749	31	73	80	.	.	3	79
Westmeath ...	341	1,246	48	811	19	103	98	.	.	2	99
Wexford ...	491	2,171	121	1,486	70	162	103	1	.	7	159
Wicklow ...	313	1,322	55	916	42	98	74	1	.	1	97
LEINSTER ...	8,281	29,829	1,192	18,242	1,151	2,045	1,677	9	5	42	2,824
Clare ...	424	1,702	72	1,416	43	144	139	.	2	2	110
Cork Co. ...	1,206	5,019	223	3,957	97	347	390	1	1	13	430
Cork Co. Borough ...	741	1,808	34	1,276	68	129	122	1	.	3	205
Kerry ...	727	2,739	66	1,801	88	174	168	1	.	3	162
Limerick Co. ...	433	2,196	151	1,418	88	135	128	1	.	4	227
Limerick Co. Borough	485	1,100	25	599	39	83	55	.	.	1	84
Tipperary N.E. ...	301	1,210	58	823	20	74	77	2	.	2	94
Tipperary S.E. ...	383	1,805	83	1,206	49	127	134	2	.	5	154
Waterford Co. ...	262	1,008	71	780	21	61	64	.	.	7	79
Waterford Co. Boro'	165	680	18	470	42	53	45	.	.	.	68
MUNSTER ...	5,127	19,267	801	13,746	555	1,327	1,322	8	3	40	1,613
Galway ...	916	3,535	92	2,244	80	201	201	1	.	4	236
Leitrim ...	214	829	22	792	10	62	57	.	1	.	41
Mayo ...	789	2,983	48	2,153	38	189	203	.	1	10	138
Roscommon ...	273	1,299	33	1,102	28	81	96	2	.	1	66
Sligo ...	332	1,116	29	1,043	26	101	104	1	.	4	84
CONNAUGHT ...	2,524	9,762	224	7,334	182	634	661	4	2	19	565
Cavan ...	335	1,370	70	1,213	21	79	126	1	.	1	99
Donegal ...	802	2,965	120	2,104	50	162	195	3	1	6	174
Monaghan ...	259	1,182	41	855	19	59	62	.	.	1	44
ULSTER (part of) ...	1,396	5,517	231	4,172	90	300	333	4	1	8	317

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1943.

PROVINCES AND COUNTIES.	Population according to the Register of Population, 1941.	MARRIAGES.	BIRTHS.			DEATHS.						
		Rates per 1,000 of Population.	Rates per 1,000 of Population.	Illegitimate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.			
					All Causes	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection	Other Diseases of Child-birth.	Death of Infant under One Year of age	
ÉIRE ...	2,992,034	5.88	21.85	3.80	14.76	0.67	1.46	1.37	0.56	1.69	83	
Carlow ...	34,179	4.71	24.64	5.94	14.10	0.38	1.32	0.97	1.19	1.19	75	
Dublin Co. ...	129,163	6.09	19.78	3.52	11.83	0.70	1.29	1.18	0.39	0.39	85	
City of Dublin ...	489,817	8.08	24.73	2.90	14.40	1.47	1.84	1.31	0.24	0.97	126	
Kildare ...	63,528	5.49	25.56	5.17	14.34	0.57	1.78	1.23		2.46	75	
Kilkenny ...	68,293	5.45	22.80	6.36	14.38	0.44	0.92	1.02	1.93	1.28	81	
Laoighis ...	49,937	4.05	22.49	6.68	13.60	0.44	1.16	1.46		0.89	54	
Longford ...	37,781	4.31	21.28	4.73	16.78	0.61	1.30	1.19	1.24	1.24	70	
Louth ...	65,739	6.68	23.56	3.87	14.31	0.33	1.60	1.67	1.94	1.94	57	
Meath ...	65,143	4.84	23.18	4.44	14.08	0.28	1.40	1.66		2.65	68	
Offaly ...	51,574	5.95	22.38	3.95	14.52	0.60	1.42	1.55		2.58	68	
Westmeath ...	56,724	6.01	21.97	3.85	14.30	0.33	1.82	1.73		1.61	79	
Wexford ...	93,807	5.23	23.14	5.57	15.84	0.75	1.73	1.10	0.46	3.22	73	
Wicklow ...	59,080	5.30	22.38	4.16	15.50	0.71	1.66	1.25	0.76	0.76	73	
LEINSTER ...	1,264,765	6.55	23.58	4.00	14.42	0.91	1.62	1.33	0.47	1.41	95	
Clare ...	88,350	4.80	19.26	4.23	16.03	0.49	1.63	1.57	1.18	1.18	65	
Cork Co. ...	275,404	4.38	18.22	4.44	14.37	0.35	1.26	1.42	0.40	2.59	86	
Cork Co. Borough ...	76,834	9.64	23.53	1.88	16.61	0.89	1.68	1.59	0.55	1.66	113	
Kerry ...	139,566	5.21	19.63	2.41	12.90	0.63	1.25	1.20	0.37	1.10	59	
Limerick Co. ...	100,926	4.29	21.76	6.88	14.05	0.87	1.34	1.27	0.46	1.82	103	
Limerick Co. Borough	42,518	11.41	25.87	2.27	14.09	0.92	1.95	1.29		0.91	76	
Tipperary, N. R.	59,337	5.07	20.39	4.79	13.87	0.34	1.25	1.30	1.65	1.65	78	
Tipperary, S. R.	78,101	4.90	23.11	4.60	15.44	0.63	1.63	1.72	1.11	2.77	85	
Waterford Co. ...	49,069	5.34	20.54	7.04	15.90	0.43	1.24	1.30		6.94	78	
Waterford Co. Boro'.	28,568	5.78	23.80	2.65	16.45	1.47	1.86	1.58			100	
MUNSTER ...	938,673	5.46	20.53	4.16	14.64	0.59	1.41	1.41	0.57	2.08	84	
Galway ...	168,765	5.43	20.95	2.60	13.30	0.47	1.19	1.19	0.28	1.13	67	
Leitrim ...	48,462	4.42	17.11	2.65	16.34	0.21	1.28	1.18	1.21		49	
Mayo ...	154,599	5.10	19.30	1.61	13.93	0.25	1.22	1.31	0.34	3.35	46	
Roscommon ...	76,243	3.58	17.04	2.54	14.45	0.37	1.06	1.26	1.54	0.77	51	
Sligo ...	64,728	5.13	17.24	2.60	16.11	0.40	1.56	1.61	0.90	3.58	75	
CONNAUGHT ...	512,797	4.92	19.04	2.29	14.30	0.35	1.24	1.29	0.61	1.95	58	
Cavan ...	73,829	4.54	18.56	5.11	16.43	0.28	1.07	1.71	0.73	0.73	72	
Donegal ...	142,650	5.62	20.79	4.05	14.75	0.35	1.14	1.37	1.35	2.02	59	
Monaghan ...	59,320	4.37	19.93	3.47	14.41	0.32	0.99	1.05		0.85	37	
ULSTER (part of)	275,799	5.06	20.00	4.19	15.13	0.33	1.09	1.39	0.91	1.45	57	

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1943.
*See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1943.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.		Other Diseases of Child-birth.	Infants under One Year of Age.
						Sepsis.	Other.		
ÉIRE	64,375	43,494	1,978	4,306	4,043	25	11	109	5,319
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	23,711	14,462	1,096	1,788	1,358	5	3	27	2,508
ALL RURAL DISTRICTS	40,664	29,032	882	2,518	2,685	20	8	82	2,721
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	19,329	11,538	985	1,425	1,075	5	2	20	2,216
CITY OF DUBLIN ...	12,372	7,206	735	919	653	3	.	12	1,556
Borough of Dun Laoghaire ...	798	587	25	46	62	.	1	1	68
Cork County Borough	1,808	1,276	68	129	122	1	.	3	205
Limerick County Borough ...	1,100	599	39	83	55	.	.	1	84
Waterford County Borough ...	680	470	42	53	45	.	.	.	68
Galway Borough ...	463	226	21	36	16	.	.	.	52
Dundalk U.D. ...	357	198	6	24	25	.	1	.	21
Drogheda U.D. ...	413	196	4	25	29	.	.	1	25
Sligo U.D. ...	257	172	11	32	19	.	.	1	33
Wexford U.D. ...	307	179	9	26	15	.	.	1	26
Tralee U.D. ...	245	126	6	21	13	1	.	.	20
Kilkenny U.D. ...	283	145	7	12	11	.	.	.	35
Bray U.D. ...	246	158	12	19	10	.	.	.	23
URBAN DISTRICTS, under 10,000 Population ...	4,382	2,924	111	363	283	.	1	7	382
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	16,334	9,633	831	1,211	887	3	2	18	1,876
Province of Munster	5,824	3,866	207	450	396	2	.	6	580
Province of Connaught	1,038	618	45	96	51	.	1	2	115
Province of Ulster (part of)	465	325	13	31	24	.	.	1	27
ALL RURAL DISTRICTS IN :—									
Province of Leinster	13,859	8,609.	320	834	790	6	3	24	948
Province of Munster	13,465	9,860	348	877	926	6	3	34	1,033
Province of Connaught	8,416	6,716	137	538	610	4	1	17	450
Province of Ulster (part of)	4,924	3,847	77	269	359	4	1	7	290

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1943.

URBAN AND RURAL AREAS.	Population according to the Register of Population, 1941.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puer-peral Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,992,034	21.85	14.75	0.67	1.46	1.37	0.56	1.69	83
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	991,772	23.91	14.58	1.11	1.80	1.37	0.34	1.14	110
ALL RURAL DISTRICTS	2,000,262	20.33	14.51	0.44	1.26	1.34	0.69	2.02	67
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	787,564	24.54	14.65	1.25	1.81	1.36	0.36	1.03	115
CITY OF DUBLIN ...	489,817	24.73	14.40	1.47	1.84	1.31	0.24	0.97	126
Borough of Dun Laoghaire ...	41,932	18.91	13.91	0.59	1.09	1.47	1.25	1.25	85
Cork County Borough	76,834	23.53	16.61	0.89	1.68	1.59	0.55	1.66	113
Limerick County Borough ...	42,518	25.87	14.09	0.92	1.95	1.29	.	0.91	76
Waterford County Borough ...	28,568	23.80	16.45	1.47	1.86	1.58	.	.	100
Galway Borough ...	19,950	23.21	11.33	1.05	1.80	0.80	.	.	112
Dundalk U.D. ...	15,310	23.32	12.93	0.39	1.57	1.63	2.80	.	59
Drogheda U.D. ...	15,216	27.14	12.88	0.26	1.64	1.91	.	2.42	61
Sligo U.D. ...	12,662	20.30	13.58	0.87	2.53	1.50	.	3.89	128
Wexford U.D. ...	12,492	24.58	14.33	0.72	2.08	1.20	.	3.26	85
Tralee U.D. ...	10,575	23.17	11.91	0.57	1.99	1.23	4.08	.	82
Kilkenny U.D. ...	10,861	26.06	13.35	0.64	1.10	1.01	.	.	124
Bray U.D. ...	10,829	22.72	14.59	1.11	1.75	0.92	.	.	93
URBAN DISTRICTS, under 10,000 Population ...	204,208	21.46	14.32	0.54	1.78	1.39	0.23	1.60	87
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	661,281	24.70	14.57	1.26	1.83	1.34	0.31	1.10	115
Province of Munster	253,814	22.95	13.31	0.82	1.77	1.56	0.34	1.03	100
Province of Connaught	52,509	20.72	11.77	0.86	1.83	0.97	0.92	1.84	106
Province of Ulster (part of)	24,168	19.24	13.45	0.54	1.28	0.99	.	2.15	58
ALL RURAL DISTRICTS IN :—									
Province of Leinster	603,484	22.96	14.27	0.53	1.38	1.31	0.65	1.73	68
Province of Munster	684,859	19.66	14.40	0.51	1.28	1.35	0.67	2.53	77
Province of Connaught	460,288	18.28	14.59	0.30	1.17	1.33	0.59	2.02	53
Province of Ulster (part of)	251,631	19.57	15.29	0.31	1.07	1.43	1.02	1.42	59

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1943.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1943.

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congen- ital Malfor- mations	Diar- rhoea and Enteritis	Convul- sions	Pneu- monia	Other Causes
ÉIRE ...	2,137	33	665	453	88	203	222	232	89	80	105
Carlow ...	25	30	9	5	.	.	3	1	5	1	1
Dublin ...	96	38	25	9	11	11	10	14	3	6	7
City of Dublin ...	604	49	202	61	35	70	54	127	14	21	20
Kildare ...	50	31	11	15	1	8	4	3	5	1	2
Kilkenny ...	64	41	24	17	1	3	10	1	1	6	1
Laoighis ...	30	27	9	6	1	3	5	4	1	1	1
Longford ...	26	32	5	10	1	2	2	3	1	1	1
Louth ...	49	32	17	11	.	3	4	5	2	6	1
Meath ...	52	34	15	16	1	2	7	1	2	4	4
Offaly ...	24	21	8	5	1	2	2	1	1	.	4
Westmeath ...	45	36	15	9	4	5	3	3	2	2	2
Wexford ...	63	29	18	29	2	2	5	5	.	1	1
Wicklow ...	35	26	16	4	2	3	4	4	1	1	.
LEINSTER ...	1,163	39	374	197	60	114	113	172	38	50	45
Clare ...	35	21	5	11	.	1	7	4	3	2	2
Cork ...	185	37	48	53	6	13	21	12	10	4	18
Cork Co. Borough ...	94	52	43	14	2	9	4	8	7	4	3
Kerry ...	69	25	15	9	4	4	16	7	3	6	5
Limerick ...	91	41	28	33	1	5	5	7	5	1	6
Limerick Co. Borough	21	19	4	7	.	2	4	2	.	.	2
Tipperary, N.R. ...	37	31	9	15	1	4	4	2	.	.	2
Tipperary, S.R. ...	46	25	16	15	2	1	3	3	1	2	3
Waterford ...	34	34	9	12	.	8	2	.	2	.	1
Waterford Co. Boro'	19	28	6	2	.	3	3	3	1	1	.
MUNSTER ...	631	33	183	171	16	50	69	48	32	20	42
Galway ...	99	28	32	17	6	15	8	6	7	3	5
Leitrim ...	19	23	7	7	1	.	2	.	1	1	.
Mayo ...	36	12	11	13	.	1	4	1	6	.	.
Roscommon ...	26	20	8	4	.	4	5	.	1	3	1
Sligo ...	28	25	5	9	1	3	7	2	.	.	1
CONNAUGHT ...	208	21	63	50	8	23	26	9	15	7	7
Cavan ...	44	32	22	9	1	3	3	.	3	.	3
Donegal ...	74	25	19	24	2	10	9	1	.	3	6
Monaghan ...	17	14	4	2	1	3	2	2	1	.	2
ULSTER (part of)	135	24	45	35	4	16	14	3	4	3	11

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1943, for the Thirteen Principal Towns and for each UKBAN DISTRICT.

AREA.	Population according to the Register of Population, 1941	Annual Rate per 1,000 persons represented by			BIRTHS. Total Number.	DEATHS.																					
		BIRTHS.	DEATHS			Total Number.	Total Number.	Under 1 year of age.	At 65 years and up-wards.	Caused by											Tuber- culosis.	Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.
			All Causes.	Principal epidemic diseases.						Principal Epidemic Diseases.																	
										Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & Enteritis (under 2 years).	Pulmonary.	Other Forma.							
ÉIRE	2,992,034	21·9	14·8	0·7	64,375	43,494	5,319	21,919	52	34	310	310	3	·	32	4	1,233	3,398	908	461	4,043	36	109	961	6,187		
Total Rural Districts ...	2,000,262	20·3	14·5	0·4	40,664	29,032	2,721	16,357	42	24	192	168	2	·	25	4	425	1,970	548	368	2,685	28	82	621	5,879		
Total Urban Districts ...	991,772	23·9	14·6	1·1	23,711	14,462	2,598	5,562	10	10	118	142	1	·	7	·	808	1,428	360	93	1,358	8	27	340	308		
Total 13 Principal Towns ...	787,564	24·5	14·7	1·3	19,329	11,538	2,216	4,281	5	8	91	124	·	·	6	·	751	1,148	277	63	1,075	7	20	251	178		
City of Dublin ...	489,817	24·7	14·4	1·5	12,372	7,206	1,556	2,501	3	7	64	83	·	·	5	·	573	739	180	37	653	3	12	152	114		
Borough of Dun Laoghaire	41,932	18·9	13·9	0·6	798	587	68	304	·	1	1	4	·	·	·	·	19	40	6	4	62	1	1	15	·		
Cork Co. Borough ...	76,834	23·5	16·6	0·9	1,808	1,276	205	512	·	·	4	15	·	·	·	·	49	106	23	7	122	1	3	24	11		
Limerick „ ...	42,518	25·9	14·1	0·9	1,100	599	84	233	1	·	1	11	·	·	·	·	26	64	19	5	55	·	1	9	14		
Waterford „ ...	28,568	23·8	16·5	1·5	680	470	68	202	1	·	8	1	·	·	·	·	32	42	11	4	45	·	·	23	·		
Galway Borough ...	19,950	23·2	11·3	1·1	463	226	52	86	·	·	3	2	·	·	1	·	15	29	7	·	16	·	·	8	3		
Dundalk ...	15,310	23·3	12·9	0·4	357	198	21	87	·	·	3	·	·	·	·	·	3	20	4	4	25	1	·	5	5		
Drogheda ...	15,216	27·1	12·9	0·3	413	196	25	76	·	·	1	1	·	·	·	·	2	21	4	·	29	·	1	4	1		
Sligo ...	12,662	20·3	13·6	0·9	257	172	33	58	·	·	3	1	·	·	·	·	7	26	6	·	19	·	1	·	1		
Wexford ...	12,492	24·6	14·3	0·7	307	179	26	57	·	·	1	·	·	·	·	·	8	21	5	·	15	·	1	2	5		
Tralee ...	10,575	23·2	11·9	0·6	245	126	20	48	·	·	1	1	·	·	·	·	4	18	3	1	13	1	·	2	10		
Kilkenny ...	10,861	26·1	13·4	0·6	283	145	35	52	·	·	1	·	·	·	·	·	6	10	2	1	11	·	·	3	10		
Bray ...	10,829	22·7	14·6	1·1	246	158	23	65	·	·	·	5	·	·	·	·	7	12	7	·	10	·	·	4	4		

Total Urban Districts under 10,000 Population ...	204,208	21.5	14.3	0.5	4,382	2,924	382	1,281	5	2	27	18	1		1		57	280	83	30	283	1	7	89	130	
I. LEINSTER.																										
An Uaimh ...	4,291	22.8	14.7	0.9	98	63	6	25			1	1					2	6	1		6			1		
Arklow ...	4,740	25.1	13.1	0.2	119	62	5	33									1	6	1		4			1	4	
Athlone ...	9,158	21.3	10.9	0.2	195	100	18	40									2	12	4	3	13			4	4	
Athy ...	3,683	23.6	16.6	0.3	87	61	5	26									1	10	3	2	4			1	1	
Birr ...	3,217	20.2	17.4	0.6	65	56	3	27		1							1	8	3		6		1	1		
Carlow ...	7,540	26.7	11.1	0.7	201	84	9	31			4						1	12	4	1	7				6	
Ceannanus Mór ...	2,151	27.0	17.2		58	37	3	18										6		1	4			1		
Enniscorthy ...	5,933	25.5	14.7	0.2	151	87	13	37									1	9	3	1	6		1	1	2	
Granard ...	1,276	21.2	18.0		27	23	2	11										4		1	1			1	1	
Longford ...	4,294	26.5	18.2	1.2	114	78	14	25	3		1						1	11			3			2	2	
Ngas ...	3,607	20.5	17.5	0.3	74	63	10	25									1	3	3	4	8			2		
New Ross ...	4,966	23.0	18.5	1.2	114	92	9	38				2			1		3	11	1	1	2			2		
Trim ...	1,367	30.7	16.1		42	22	7	11										1			3				1	
Tullamore ...	5,413	27.0	14.0	0.6	146	76	13	30				1					2	7	2	1	12		1		2	
Wicklow ...	3,188	21.0	18.8	0.6	67	60	5	27				1					1	6	3	3	3					

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1943.

TABLE 14.—URBAN DISTRICTS, 1943 (continued).

AREA.	Population according to the Register of Population, 1941	Annual Rate per 1,000 persons represented by			BIRTHS. Total Number.	DEATHS.														No. Uncertified.								
		BIRTHS. All Causes.	DEATHS			Total Number.	Total Number.	Under 1 year of Age.	At 65 years and upwards.	Caused by																		
			Principal epidemic diseases.	Principal Epidemic Diseases.						Tuberculosis	Influenza.	Cancer.	Eucperal Infection.	Other Diseases of Childbirth.	Violence.													
																							Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & Enteritis (under 2 years).
MUNSTER.																												
Carrick-on-Suir ...	4,835	27·9	18·0	1·4	135	87	14	32	.	.	1	6	14	6	.	.	11	.	.	.	1	3
Cashel ...	3,017	20·2	11·6	1·0	61	35	8	13	.	.	2	1	6	2	.	.	1	.	.	.	1	3
Clonakilty ...	3,055	14·4	11·8	.	44	36	3	20	2	.	.	6	.	.	.	1	3
Clonmel ...	9,729	23·2	14·2	0·3	226	138	19	54	.	.	3	11	4	1	19	.	.	1	2	3
Cobh ...	5,816	25·6	16·7	0·3	149	97	15	39	2	9	1	.	.	9	.	.	1	3	.
Dungarvan ...	5,335	19·3	15·0	0·6	103	80	13	33	.	.	1	2	5	4	1	3	.	.	.	2	4	.
Ennis ...	5,956	23·3	17·0	1·3	139	101	14	43	.	.	1	2	1	4	9	2	1	15	.	.	.	2	2	4
Fermoy ...	4,072	28·5	19·2	0·7	116	78	18	30	.	.	.	3	4	3	3	.	12	.	.	.	2	2
Killarney ...	5,846	17·8	12·5	1·5	104	73	27	27	.	.	2	7	3	3	.	13	1	3
Kilrush ...	3,427	17·8	19·6	0·6	61	67	8	32	1	.	.	1	4	5	1	6	1	5
Kinsale ...	2,386	11·7	18·0	.	28	43	2	23	4	4	.	4	5
Listowel ...	3,245	24·3	12·6	0·3	79	41	7	16	1	6	1	.	5	3	2
Macroom ...	2,264	17·2	15·5	.	39	35	4	13	4	.	.	5	2
Mallow ...	5,150	20·2	12·4	0·4	104	64	7	31	.	.	2	10	1	.	9	.	.	.	1	4	1
Middleton ...	2,808	19·9	13·2	0·4	56	37	4	22	1	2	1	.	4	.	.	1	4	1	3
Nenagh ...	4,538	19·6	16·7	0·2	89	76	9	48	1	7	2	.	7	1	12
Passage West ...	2,431	14·0	9·5	.	34	23	1	12	1	.	4	1	.

Skibbereen	2,480	18.1	21.0	0.8	45	52	4	32	2	1	.	.	3	.	.	1	3	
Templemore	2,546	22.4	9.4	.	57	24	3	11	2	1	.	3	.	.	1	1	
Thurles	6,020	20.1	10.5	.	121	63	7	31	4	1	.	7	.	.	4	2	
Tipperary	5,245	22.7	17.0	0.6	119	89	9	39	.	.	.	1	2	7	3	2	11	.	.	1	4
Youghal	5,118	16.0	14.8	0.4	82	76	7	41	2	7	.	.	4	.	.	2	4

III. CONNAUGHT.

Ballina	5,816	31.1	15.0	1.5	181	87	18	27	.	.	1	3	5	14	.	.	5	1	1	1	5
Ballinasloe	5,575	12.0	10.0	0.2	67	56	5	32	.	.	1	2	1	1	7	.	.	2	5
Castlebar	5,089	14.0	6.7	0.4	71	34	3	15	.	.	2	3	2	.	1	.	.	1	5
Westport	3,417	14.3	12.6	0.3	49	43	4	24	.	.	1	1	.	1	3	.	.	.	8

IV. ULSTER (part of).

Belturbet	1,254	10.4	12.0	1.6	13	15	3	7	.	.	1	1	.	.	1	
Buncrana	2,950	19.7	9.2	.	58	27	4	12	4	2	.	1	.	.	1	2
Bundoran	1,477	23.0	11.5	.	34	17	1	8	4	.	.	2	.	.	.	2
Carrickmacross	2,080	18.8	15.4	1.0	39	32	3	14	.	1	1	4	1	.	1	.	.	.	3
Castleblayney	1,682	19.6	17.2	.	33	29	.	19	2	.	1	3	.	1	.	.
Cavan	3,591	21.2	20.1	0.6	76	72	8	8	1	1	3	.	.	7	.	.	36	4
Clones	2,111	26.5	18.5	0.9	56	39	5	19	.	.	2	1	1	.	4	.	.	.	1
Cootehill	1,521	17.1	15.8	.	26	24	.	15	1	.	1	.	.	.	1
Letterkenny	2,717	21.3	10.3	0.7	58	28	1	17	.	.	1	1	1	.	3	2	.	.	1	5	
Monaghan	4,785	15.0	8.8	0.6	72	42	2	18	.	.	.	2	1	4	3	.	2	.	.	1	6

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1943.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	99	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	58
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	53
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	23.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.



Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1943, in each Province, County, and County Borough.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHS.	Area* in Statute Acres	Popula- tion Accord- ing to Register of Popula- tion, 1941.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)	
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number		
EIRE	17,024,485	2,992,034	17,328	64,375			64,375	2,448			2,448	43,494			43,494	20,861	
PROVINCES																	
I.—LEINSTER	4,851,340	1,264,765	8,281	30,193	623	259	29,829	1,256	178	114	1,192	18,438	300	104	18,242	11,587	
II.—MUNSTER	5,962,595	938,673	5,127	19,289	235	213	19,267	851	122	72	801	13,709	92	129	13,746	5,521	
III.—CONNUGHT	4,230,822	512,797	2,524	9,504	36	294	9,762	160	3	67	224	7,223	21	132	7,334	2,428	
IV.—ULSTER (part of)	1,979,728	275,799	1,366	5,389	29	157	5,517	181	3	53	231	4,124	14	62	4,172	1,345	

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,179	161	783	19	78	842	32	4	22	50	472	19	29	482	360
2. DUBLIN CO.	208,984	129,163	787	1,326	135	1,364	2,555	146	112	56	90	1,296	228	460	1,528	1,027
3. CITY OF DUBLIN	18,740	489,817	4,041	15,014	2,733	91	12,372	591	269	37	359	8,098	1,085	193	7,206	5,166
4. KILDARE	418,644	63,528	349	1,402	14	236	1,624	47	1	38	84	841	17	87	911	713
5. KILKENNY	509,470	68,293	372	1,440	21	138	1,557	44	1	56	99	929	6	59	982	575
6. LAOIGHIS	424,892	49,937	202	1,023	13	113	1,123	34	3	44	75	675	28	32	679	444
7. LONGFORD	257,935	37,781	163	768	32	68	804	20	1	19	38	584	6	56	634	170
8. LOUTH	202,814	65,739	439	1,561	107	95	1,549	53	7	60	900	16	57	941	608	
9. MEATH	577,824	65,143	315	1,277	17	250	1,510	33	2	36	67	867	9	59	917	593
10. OFFALY	493,636	51,574	307	1,079	13	88	1,154	22	24	46	695	7	61	749	405	
11. WESTMEATH	435,605	56,724	341	1,292	131	85	1,246	97	66	17	48	829	58	40	811	435
12. WEXFORD	581,061	93,807	491	2,115	26	82	2,171	97	3	27	121	1,455	12	43	1,486	635
13. WICKLOW	500,250	59,080	313	1,113	27	236	1,322	40	3	18	55	797	20	139	916	406

PROVINCE OF MUNSTER

14. CLARE	787,756	88,350	424	1,595	9	116	1,702	53	2	21	72	1,374	7	49	1,416	286
15. CORK CO.	1,840,908	275,404	1,206	4,541	214	692	5,019	268	67	22	223	4,171	558	344	3,957	1,062
16. CORK CO. BOROUGH ...	2,685	76,834	741	2,380	684	112	1,808	21	5	18	34	1,132	310	454	1,276	532
17. KERRY	1,161,705	139,566	727	2,711	27	55	2,739	53	4	17	66	1,762	18	57	1,801	938
18. LIMERICK CO.	661,585	100,926	433	1,251	53	298	2,196	141	16	26	151	1,490	212	140	1,418	778
19. LIMERICK CO. BOROUGH ...	2,386	42,518	455	1,369	310	41	1,100	12	3	16	25	514	121	206	599	501
20. TIPPERARY, N.R. ...	493,258	59,337	301	1,262	152	100	1,210	174	135	19	58	812	49	60	823	387
21. TIPPERARY, S.R. ...	558,034	78,101	383	1,795	65	75	1,805	57	3	29	83	1,219	52	39	1,206	599
22. WATERFORD CO. ...	452,840	49,069	262	858	17	167	1,008	46	2	27	71	662	18	136	780	228
23. WATERFORD CO. BOROUGH ...	1,438	28,568	165	827	164	17	680	26	12	4	18	573	120	17	470	210

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	168,765	916	3,495	61	101	3,535	86	19	25	92	2,274	82	52	2,244	1,291
25. LEITRIM	376,764	48,462	214	763		66	829	5		17	22	738	3	57	792	37
26. MAYO	1,333,941	154,599	789	2,904	23	102	2,983	20		28	48	2,094	5	64	2,153	830
27. ROSCOMMON	608,540	76,243	273	1,246	28	81	1,299	23		10	33	1,067	27	62	1,102	197
28. SLIGO	443,917	64,728	332	1,096	18	38	1,116	26	2	5	29	1,050	29	22	1,043	73

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	73,829	335	1,282	17	105	1,370	45	3	28	70	1,150	5	68	1,213	157
30. DONEGAL	1,193,581	142,650	802	2,950	17	32	2,965	109	1	12	120	2,094	11	21	2,104	861
31. MONAGHAN	318,985	59,320	259	1,157	15	40	1,182	27		14	41	880	42	17	855	327

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
ÉIRE	17,328	16,386	942	677	152	49	52	3	9	4,548	4,006	5,132	3,642
PROVINCES.													
LEINSTER	8,281	7,748	533	403	37	37	47	2	7	1,828	1,866	2,855	1,732
MUNSTER	5,127	4,996	131	114	8	2	4	1	2	1,500	1,199	1,370	1,058
CONNAUGHT	2,524	2,485	39	37	1	1	.	.	.	823	645	528	528
ULSTER (part of)	1,396	1,157	239	123	106	9	1	.	.	397	296	379	324

PROVINCE OF

CARLOW	161	151	10	10	41	38	44	38
DUBLIN CO.	787	722	65	55	6	4	.	.	.	152	172	308	155
CITY OF DUBLIN	4,041	3,737	304	196	27	26	46	2	7	802	915	1,541	783
KILDARE	349	334	15	12	1	1	1	.	.	73	76	96	104
KILKENNY	372	370	2	1	1	1	.	.	.	92	71	124	85
LAOIGHIS	202	177	25	22	.	3	.	.	.	53	47	64	38
LONGFORD	163	156	7	6	.	1	.	.	.	47	40	37	39
LOUTH	439	431	8	7	1	107	105	138	89
MEATH	315	312	3	2	1	78	74	98	65
OFFALY	307	293	14	14	74	77	85	71
WESTMEATH	341	335	6	6	93	71	87	90
WEXFORD	491	464	27	27	126	116	135	114
WICKLOW	313	266	47	45	1	1	.	.	.	90	64	98	61

PROVINCE OF

CLARE	424	423	1	1	146	82	93	103
CORK CO.	1,206	1,154	52	49	.	.	3	.	.	337	294	337	248
CORK CO. BOROUGH	741	720	21	14	5	.	.	.	2	153	175	263	150
KERRY	727	714	13	12	.	1	.	.	.	304	142	166	115
LIMERICK CO.	433	424	9	9	140	107	108	78
LIMERICK CO. BOROUGH	485	475	10	6	2	1	.	1	.	122	123	133	107
LIMERICK, N.R.	301	289	12	11	.	.	1	.	.	83	81	73	64
TIPPERARY, S.R.	383	379	4	3	1	106	97	88	92
WATERFORD CO.	262	257	5	5	68	52	78	64
WATERFORD CO. BOROUGH	165	161	4	4	41	46	41	37

PROVINCE OF

GALWAY	916	914	2	2	260	256	193	207
LEITRIM	214	203	11	11	66	52	59	37
MAYO	789	783	6	5	.	1	.	.	.	293	195	130	177
ROSCOMMON	273	272	1	1	108	53	61	57
SLIGO	332	313	19	18	1	96	89	85	67

PROVINCE OF

CAVAN	335	274	61	52	6	3	.	.	.	83	75	96	8
DONEGAL	802	672	130	49	75	5	1	.	.	249	167	208	17
MONAGHAN	259	211	48	22	25	1	.	.	.	65	54	75	6

REGISTERED IN THE YEAR 1943.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
16,471	190	558	109	667	299	270	1,296	ÉIRE.
7,825	100	297	59	356	159	165	760	PROVINCES.
4,875	51	170	31	201	82	83	322	LEINSTER.
2,437	26	48	13	61	39	15	110	MUNSTER.
1,334	13	43	6	49	19	7	104	CONNAUGHT.
								ULSTER (part of).

LEINSTER

150	5	6		6	5	1	17	CARLOW.
744	7	32	4	36	11	17	65	DUBLIN CO.
3,815	44	147	35	182	79	95	356	CITY OF DUBLIN.
337	3	6	3	9	6	4	35	KILDARE.
351	6	12	3	15	9	3	25	KILKENNY.
187	4	10	1	11	5	1	23	LAOIGHIS.
149	3	8	3	11	6	2	10	LONGFORD.
420	4	12	3	15	7	11	39	LOUTH.
294	4	16	1	17	5	4	34	MEATH.
297	6	4		4	6	3	23	OFFALY.
329	1	10	1	11	2	8	34	WESTMEATH.
457	6	25	3	28	9	8	67	WEXFORD.
295	7	9	2	11	9	8	32	WICKLOW.

MUNSTER

407	3	14		14	3	4	22	CLARE.
1,154	10	31	11	42	21	11	66	CORK CO.
708	3	28	2	30	5	20	49	CORK CO. BOROUGH.
709	1	14	3	17	4	1	16	KERRY.
401	6	21	5	26	11	5	23	LIMERICK CO.
455	5	22	3	25	8	19	44	LIMERICK CO. BOROUGH.
282	6	12	1	13	7	3	17	TIPPERARY, N.R.
356	10	15	2	17	12	7	27	TIPPERARY, S.R.
246	5	9	2	11	7	4	28	WATERFORD CO.
157	2	4	2	6	4	9	30	WATERFORD CO. BOROUGH.

CONNAUGHT

880	10	21	5	26	15	8	32	GALWAY.
207	1	3	3	6	4		5	LEITRIM.
767	7	13	2	15	9	5	37	MAYO.
260	5	6	2	8	7		11	ROSCOMMON.
323	3	5	1	6	4	2	25	SLIGO.

ULSTER (part of)

314	8	11	2	13	10	1	21	CAVAN.
777	4	19	2	21	6	5	72	DONEGAL.
243	1	13	2	15	3	1	11	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages registered in the year 1943—by Provinces and Counties.

Provinces and Counties.		TOTAL BIRTHS	AGES AT DEATH.																								
			TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	
ÉIRE	Persons	84,375	43,494	5,319	612	317	266	193	6,641	536	379	311	966	966	935	890	1,048	1,208	1,701	2,196	3,298	4,380	6,107	9,079	2,181	172	
	Males	33,241	22,663	3,066	318	152	116	103	3,749	270	178	337	482	441	485	427	542	604	937	1,293	1,748	2,410	3,289	4,461	966	74	
	Females	31,134	20,831	2,253	294	165	90	90	2,892	266	201	414	484	525	450	463	566	604	764	993	1,550	1,970	2,818	4,618	1,215	98	
LEINSTER	Persons	29,829	18,242	2,824	278	142	86	79	3,409	238	164	370	442	450	406	383	467	567	790	1,024	1,447	1,791	2,381	3,157	707	40	
	Males	15,352	9,372	1,608	140	71	45	48	1,912	138	87	178	207	195	199	188	253	284	437	564	758	971	1,238	1,467	288	8	
	Females	14,477	8,870	1,216	138	71	41	31	1,497	100	77	192	235	264	207	195	214	283	353	460	689	820	1,143	1,690	419	32	
MUNSTER	Persons	19,267	13,746	1,613	201	110	70	61	2,055	181	116	238	282	262	302	307	328	406	523	706	1,082	1,423	2,006	2,826	654	49	
	Males	10,022	7,217	950	104	54	38	29	1,175	93	55	116	144	120	158	150	163	203	290	381	569	790	1,087	1,418	281	24	
	Females	9,245	6,529	663	97	56	32	32	880	88	61	122	138	142	144	157	165	203	233	325	513	633	919	1,408	373	25	
CONNAUGHT	Persons	9,762	7,334	565	84	41	23	32	745	61	65	127	149	167	157	130	140	148	249	306	462	717	1,049	2,051	552	59	
	Males	5,033	3,875	328	48	15	13	16	420	24	24	64	83	80	93	69	67	74	131	172	266	405	574	1,055	257	30	
	Females	4,729	3,459	237	36	26	10	16	325	37	41	63	66	87	64	70	73	74	118	134	196	312	479	996	295	29	
ULSTER (part of)	Persons	5,517	4,172	317	49	24	21	21	432	56	32	76	93	78	70	70	113	87	139	160	367	449	671	1,045	268	24	
	Males	2,834	2,199	186	26	12	14	10	242	15	12	39	48	46	35	29	59	43	79	86	155	244	394	521	140	12	
	Females	2,683	1,973	137	23	12	7	11	190	41	22	37	46	32	35	41	54	44	60	74	132	205	277	324	128	12	
LEINSTER.																											
CARLOW	Persons	842	482	63	9	6	2	2	82	11	1	17	15	8	5	9	12	10	22	23	29	46	75	97	19	1	
	Males	437	258	34	5	2	1	1	43	7	1	11	4	3	3	4	5	6	12	12	19	29	41	32	6		
	Females	405	224	29	4	4	1	1	39	4		6	11	5	2	5	7	4	10	11	10	17	34	45	13	1	
DUBLIN CO.	Persons	2,555	1,528	216	17	10	9	13	263	31	26	31	29	38	35	32	51	49	65	82	122	143	206	251	69	3	
	Males	1,247	794	126	8	3	7	10	154	18	12	20	16	21	21	18	29	23	34	45	73	74	103	110	23		
	Females	1,308	734	90	9	7	2	3	111	13	14	11	13	17	14	14	22	26	31	37	49	69	103	141	46	3	
CITY OF DUBLIN	Persons	12,372	7,206	1,556	192	62	40	38	1,818	91	59	162	175	189	166	175	215	267	350	448	589	671	749	886	183	12	
	Males	6,351	3,541	871	60	28	21	22	1,002	47	32	71	80	74	80	94	119	144	187	251	292	336	339	334	57	2	
	Females	6,021	3,665	685	62	34	19	16	816	44	27	91	95	115	86	91	96	123	163	197	298	335	410	552	126	10	
KILDARE	Persons	1,624	911	122	15	9	3	5	154	13	11	21	28	22	20	17	24	17	33	57	77	104	109	162	41	1	
	Males	851	493	78	10	3	3	3	97	8	7	11	16	9	9	10	14	7	23	32	43	57	55	83	12		
	Females	773	418	44	5	6		2	57	5	4	10	12	13	11	7	10	10	10	25	34	47	54	79	29	1	
KILKENNY	Persons	1,537	982	126	18	3	3	2	152	15	7	10	25	22	16	15	21	35	54	79	92	160	223	39	2		
	Males	838	519	74	6		2		82	6	3	6	14	11	7	8	8	22	26	37	63	90	107	20			
	Females	719	463	52	12	3	1	2	70	9	4	4	11	11	9	7	13	13	28	42	29	70	116	19	2		
LAOIGHIS	Persons	1,123	679	61	9	1	2	1	74	10	6	12	14	12	17	15	23	19	37	51	82	119	131	137	37	2	
	Males	575	371	31	8				39	8	2	2	7	7	10	4	7	11	8	16	28	52	76	73	21		
	Females	548	308	30	1	1		1	35	2	4	10	7	5	7	11	8	12	11	21	23	30	43	61	16	2	
Persons	804	634	56	5	2	5		68	4	3	8	9	19	11	9	10	16	31	25	48	73	94	164	38	4		
	601	337	34	1		2		37	4	1	5	4	10	9	4	6	10	13	13	26	44	51	83	25	1		
																										3	

LOUTH	Persons	1,549	941	58	11	19	3	4	116	8	11	15	29	30	29	21	24	33	44	47	77	103	131	173	17	3	
	Males	861	496	51	5	8	2	2	68	7	8	5	14	11	15	10	15	17	26	32	41	55	68	82	22	5	
	Females	698	445	37	6	2	1	2	48	1	3	10	15	19	14	11	9	16	18	15	36	48	63	91	25	3	
MEATH	Persons	1,510	917	102	9	6	2	1	120	8	8	19	20	94	19	13	19	32	38	29	84	102	135	196	46	5	
	Males	792	519	52	7	5	1	1	65	5	5	11	7	15	10	8	10	17	28	18	47	60	87	105	18	3	
	Females	738	398	50	2	1	2	2	55	3	3	8	13	9	9	5	9	15	10	11	37	42	48	91	28	2	
OFFALY	Persons	1,154	749	79	13	6	3	1	101	10	10	15	13	15	19	19	24	16	32	46	47	71	110	158	39	4	
	Males	589	383	42	8	4	1	1	55	4	4	5	7	5	9	7	10	6	16	25	23	39	58	86	18	2	
	Females	565	366	37	5	2	2	2	46	2	6	10	6	10	10	12	14	10	16	21	24	32	52	72	21	2	
WEST-MEATH	Persons	1,246	811	99	5	3	5	1	112	7	4	19	24	28	16	12	12	25	31	50	53	74	109	183	50	2	
	Males	650	436	62	2	2	2	2	68	4	2	10	11	8	9	4	10	10	17	30	35	44	59	92	25	2	
	Females	596	375	37	3	1	3	3	44	3	2	9	13	20	7	8	2	15	14	20	20	30	50	91	25	2	
WEXFORD	Persons	2,171	1,486	159	31	15	6	6	217	20	12	26	31	34	37	27	35	56	54	69	107	133	252	335	60	1	
	Males	1,129	754	93	15	11	2	3	124	9	7	11	10	17	12	12	19	29	34	54	67	142	166	24	2		
	Females	1,042	732	66	16	4	4	3	93	11	5	15	21	17	25	15	16	19	25	35	53	66	110	169	36	1	
WICKLOW	Persons	1,322	916	97	14	9	3	7	130	10	6	15	30	18	16	19	11	22	36	57	83	97	132	195	39	1	
	Males	681	471	60	5	5	2	6	78	7	2	10	17	5	10	6	3	8	22	30	42	51	69	94	17	1	
	Females	641	445	37	9	4	1	1	52	3	4	5	13	13	6	13	8	14	14	27	41	46	63	101	22	1	
MUNSTER.																											
CLARE	Persons	1,702	1,416	110	18	11	12	7	158	21	18	29	33	23	34	26	29	30	60	66	108	131	210	340	95	5	
	Males	897	774	68	8	6	5	3	89	12	11	16	19	17	21	10	12	21	31	34	66	80	116	175	41	3	
	Females	805	642	42	10	6	7	4	69	9	7	13	14	6	13	16	17	9	29	32	42	51	94	165	54	2	
CORK CO.	Persons	5,019	3,957	430	37	16	12	17	512	43	23	61	80	75	76	107	99	107	151	206	306	412	588	880	210	21	
	Males	2,602	2,137	244	28	9	4	9	299	22	11	28	44	36	38	54	43	50	91	125	159	241	343	449	92	12	
	Females	2,417	1,820	186	9	7	8	8	213	21	12	33	36	39	38	53	56	57	60	81	147	171	245	431	118	9	
CORK CO. BOROUGH	Persons	1,808	1,276	205	22	10	6	10	253	13	14	18	25	21	26	42	35	38	62	95	122	134	177	176	25	1	
	Males	949	597	113	11	3	1	3	131	4	8	9	7	8	13	18	15	18	32	43	65	64	74	82	6	1	
	Females	859	679	92	11	7	5	7	122	9	6	9	18	13	13	24	20	20	30	52	57	70	103	94	19	1	
KERRY	Persons	2,739	1,801	162	32	17	14	5	230	25	13	37	38	33	48	33	43	59	64	75	127	203	271	396	95	11	
	Males	1,434	955	99	17	9	9	1	135	9	7	19	20	14	28	17	23	30	32	44	61	114	149	195	53	5	
	Females	1,305	846	63	15	8	5	4	95	16	6	18	18	19	20	16	20	29	32	31	66	89	122	201	42	6	
LIMERICK CO.	Persons	2,196	1,418	227	17	20	5	2	271	20	15	29	28	28	29	29	35	39	38	62	101	148	184	289	70	3	
	Males	1,135	742	139	6	9	2	1	157	14	5	15	17	12	11	17	18	23	25	34	54	74	93	149	24	1	
	Females	1,061	676	88	11	11	3	1	114	6	10	14	11	16	18	12	17	18	13	28	47	74	91	140	46	3	
LIMERICK CO. BOROUGH	Persons	1,100	599	84	22	4	6	3	119	10	5	17	13	17	14	14	18	27	30	27	55	62	84	80	7	1	
	Males	558	302	52	9	1	4	2	68	5	5	6	5	4	6	6	10	13	18	16	33	34	39	37	2	1	
	Females	542	297	32	13	3	2	1	51	5	5	11	8	13	8	8	8	14	12	11	22	28	45	43	5	1	
TIPPERARY N.R.	Persons	1,210	823	94	11	6	3	3	117	11	5	11	18	20	18	19	13	26	24	37	71	81	132	170	47	1	
	Males	633	446	61	7	5	3	1	77	9	3	6	10	10	10	10	9	16	11	16	41	45	71	79	23	1	
	Females	577	377	33	4	1	2	2	40	2	2	5	8	10	8	9	4	10	13	21	30	39	61	91	24	1	
TIPPERARY S.R.	Persons	1,805	1,206	154	25	11	5	9	204	21	10	14	20	19	32	18	25	31	46	60	111	136	185	226	44	4	
	Males	944	629	90	9	6	1	6	112	10	4	8	10	11	19	8	12	13	26	26	58	77	106	110	17	2	
	Females	861	577	64	16	5	4	3	92	11	6	6	10	8	13	10	13	18	20	34	53	59	79	116	27	2	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1943.

Provinces and Counties.	TOTAL BIRTHS.	TOTAL DEATHS.	AGES AT DEATH.																							
			Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	
WATERFORD CO.	Persons	1,008	780	79	6	9	4	3	101	9	4	7	16	18	16	8	16	30	34	47	53	72	113	183	48	5
	Females	490	392	37	2	3	2	1	45	4	2	4	9	14	10	7	5	19	15	26	21	33	52	87	29	3
WATERFORD CO. BOROUGH	Persons	680	470	68	11	6	3	2	90	8	9	15	11	8	9	11	15	19	14	31	28	41	62	86	13	
	Females	342	247	42	5	1	2	1	51	3	4	6	5	4	6	9	10	8	5	17	12	32	35	46	4	
		338	223	26	6	5	1	1	39	5	5	9	6	4	3	2	5	11	9	14	16	19	27	40	9	
CONNAUGHT.																										
GALWAY	Persons	3,535	2,241	236	26	16	10	14	302	28	22	34	50	45	44	36	46	41	76	88	142	209	279	592	198	12
	Females	1,751	1,032	98	6	9	4	6	123	17	13	19	20	27	19	17	23	21	36	41	54	87	127	272	110	6
LEITRIM	Persons	829	792	41	7		2	3	53	8	7	18	14	26	17	11	13	22	38	42	49	73	130	228	35	8
	Females	429	435	19	6		2	2	29	3	1	13	8	14	10	4	4	15	22	20	30	49	68	119	20	6
		400	357	22	1			1	24	5	6	5	6	12	7	7	9	7	16	22	19	24	62	109	15	2
MAYO	Persons	2,883	2,153	138	27	13	7	10	195	11	18	37	52	45	51	45	44	43	57	77	136	226	316	589	188	23
	Females	1,561	1,135	83	13	5	4	5	110	4	10	18	27	22	34	19	21	23	27	44	77	127	174	300	87	11
		1,422	1,018	55	14	8	3	5	85	7	8	19	25	23	17	26	23	20	30	33	59	99	142	289	101	12
ROSCOMMON	Persons	1,299	1,102	66	11	7	3	2	89	5	10	20	15	23	22	16	18	24	38	50	77	111	166	343	64	11
	Females	657	563	32	6	1		1	40	3	1	11	9	12	12	8	12	9	19	30	42	58	90	176	26	5
		642	539	34	5	6	3	1	49	2	9	9	6	11	10	8	6	15	19	20	35	53	76	167	38	6
SLIGO	Persons	1,116	1,043	84	13	5	1	3	106	9	8	18	18	28	23	22	19	18	40	49	58	98	158	299	67	5
	Females	602	530	56	3	2	1		62	3	3	7	9	14	12	10	7	7	23	31	29	49	86	140	36	2
		514	513	28	10	3		3	44	6	5	11	9	14	11	12	12	11	17	18	29	49	72	159	31	3
ULSTER (part of).																										
CAVAN	Persons	1,370	1,213	99	13	3	5	2	122	24	17	19	24	22	23	23	39	24	40	56	99	138	205	275	59	4
	Females	744	656	63	5	3	3	1	75	4	1	7	14	12	14	11	19	11	24	32	55	71	124	143	36	3
		626	557	36	8		2	1	47	20	16	12	10	10	9	12	20	13	16	24	44	67	81	132	23	1
DONEGAL	Persons	2,965	2,104	174	26	17	14	16	247	22	10	46	48	33	33	36	54	42	66	69	145	221	315	542	157	18
	Females	1,487	1,096	89	15	7	9	7	127	6	6	26	20	19	14	14	31	19	36	37	73	122	190	271	76	9
		1,478	1,008	85	11	10	5	9	120	16	4	20	28	14	19	22	23	23	30	32	72	99	125	271	81	9
MONAGHAN	Persons	1,182	855	44	10	4	2	3	63	10	7	11	21	23	14	11	20	21	33	35	63	90	151	228	52	2
	Females	603	447	28	6	2	2	2	40	5	5	6	14	15	7	4	9	13	19	17	27	51	80	107	28	2
		579	408	16	4	2		1	23	5	2	5	7	8	7	11	11	8	14	18	36	39	71	121	24	2

ABSTRACT IV.

Causes of Death.

ABSTRACT IV—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											Total under 1 year.	1—	2—	3—	4—	5—
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	1—	2—	3—	4—	5—						
		Total Deaths (All Causes)	M. 22,863 F. 20,831	1,246 891	395 291	382 267	597 467	466 337	3,086 2,253	318 294	152 165	110 90	103 90	3, 2,					
(1-17)	(1-44)	I. Infective And Parasitic Diseases.	M. 3,017 F. 2,878	19 7	16 20	19 17	70 57	100 76	224 177	104 103	47 75	40 39	45 46						
1	1	Typhoid Fever ...	M. 30 F. 22						
1	2	Paratyphoid Fevers ...	M. . F.						
2	3	Plague ...	M. . F.						
17	4	Cholera ...	M. . F.						
17	5	Undulant Fever (Brucellosis).	M. 1 F.						
17	6	Cerebro-spinal (Meningococcal) Meningitis	M. 25 F. 14	3	1	4	1	1	2						3
17	7	Malignant Pustule and Anthrax.	M. . F.						
3	8	Scarlet Fever ...	M. 19 F. 15	1	2	2	3	1						2
4	9	Whooping Cough ...	M. 142 F. 168	2	8	12	12	33	37	92	30	10	4						4
5	10	Diphtheria ...	M. 154 F. 156	2	2	1	.	5	9	18	16	11	11						16
17	11	Erysipelas ...	M. 7 F. 5	2	2	.	.	.						22
17	12	Tetanus ...	M. 14 F. 8	1	.						2
6-7	13-22	Tuberculosis (All Forms).	M. 2,203 F. 2,103	1	1	2	13	30	47	38	19	18	16						16
6	13	Tuberculosis of the Respiratory System.	M. 1,738 F. 1,660	1	.	1	4	6	9	6	2	3	4						2
7	14-22	Tuberculosis other than Respiratory.	M. 465 F. 443	.	1	2	11	24	38	32	17	15	12						12
7	14	Tuberculosis of the Meninges and Central Nervous System.	M. 198 F. 189	.	1	.	.	5	15	20	10	6	8						6
7	15	Tuberculosis of the Intestines and Peritoneum.	M. 83 F. 96	.	1	1	4	6	12	7	2	4	2						5
7	16	Tuberculosis of Vertebral Column.	M. 53 F. 39	1	.	.	.						
7	17	Tuberculosis of Other Bones and Joints	M. 35 F. 26	1	.	.						1
7	18	Tuberculosis of the Skin and Subcutaneous Cellular Tissues.	M. 2 F. 5						
7	19	Tuberculosis of the Lymphatic System.	M. 2 F. 5	1	1						
7	20.	Tuberculosis of the Genito-urinary System	M. 16 F. 12	1	.	.						

at different Periods of Life in the Year 1943.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International
270	178	397	482	441	485	427	542	604	937	1,203	1,748	2,410	3,289	4,461	966	74		
266	201	414	484	525	450	463	506	604	764	993	1,550	1,970	2,818	4,618	1,215	98		
143	77	243	316	266	254	207	184	147	170	145	128	117	83	66	11		(1-44)	(1-1)
120	108	294	373	319	249	169	152	113	108	98	87	79	77	80	10			
1	.	3	3	4	7	.	2	1	.	2	3	2	1	1	.		1	1
.	.	2	6	1	3	1	3	2	.	3	1		2	1
.		3	.
.		4	1
.	.	.	.	1		5	1
2	.	2	.	1	2	2	.	.	3		6	1
4	1	1	.	1	2		7	1
.		8	.
7	2	1	.	.	1	.	.	1		9	.
2	2	.	1	.	2		10	.
4	1		11	1
.	.	.	.	1	1	1	.	2	.	.		12	1
3	1	.	1	.	.	.	1	.	1	1	1	3	1	1	1		13	1
2	1	1	1	1	1	1	1		14	1
60	55	222	297	247	237	195	167	125	146	113	97	65	31	8	.		13-22	(6-
59	83	270	351	306	237	156	134	101	85	72	60	33	32	14	.			
9	22	162	255	214	198	173	147	115	137	105	87	60	23	7	.		13	.
20	49	204	297	276	206	143	117	87	81	57	51	26	23	6	.			
31	33	60	42	33	39	22	20	10	9	8	9	5	8	1	.		14-22	.
39	34	66	54	30	31	13	17	14	4	15	10	7	9	8	.			
33	19	26	16	6	11	5	7	3	3	1	1		14	.
29	20	35	23	11	5	5	1	3	1			
7	9	7	7	4	2	5	4	4	2	2	2	1	.	.	.		15	.
4	7	11	17	6	14	3	3	3	.	4	4	.	2	.	.			
3	.	4	6	10	11	3	4	4	2	2	3	1	3	1	.		16	.
.	3	2	4	3	2	.	9	3	1	6	1	2	1	1	.			
3	2	10	1	6	4	1	1	1	.	2	1	4	3	1	.		17	.
2	.	3	1	1	.	1	1	.	1	2	3	4	2	4	.			
.	1	1		18	.
.			
.	.	2	1	.	1	.	.		19	.
.	1	1	3	1	2	4	2	1			
.	1	1	2	3	2	.	1	.	.	1	.	.	.	1	.		20	.

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES A											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 1 ye
		Infective And Parasitic Diseases—continued.												
7	21	Tuberculosis of Other Organs. {M. F.	2 1
7	22	Disseminated Tubercu- losis. {M. F.	74 70	.	.	1	2	2	5	2	3	4	2	3
17	23	Leprosy ... {M. F.
8	24	Purulent Infection, and Septicaemia. {M. F.	60 59	2 2	4	1	3	1	7	.	1	.	.	.
17	25	Gonococcal Infections {M. F.	2	2	2
17	26	Other Bacterial Diseases (Dysentery excepted). {M. F.
9	27	Dysentery ... {M. F.	2 1
10	28	Malaria ... {M. F.	1
17	29	Other Diseases due to Parasitic Protozoa, except Spirochaetes {M. F.
11	30	Syphilis* ... {M. F.	40 16	6	1	2	3	1	12	1	1	.	.	.
17	31	Relapsing Fever {M. F.
17	32	Other Diseases due to Spirochaetes {M. F.	13 2	.	.	.	1	.	1
12	33	Influenza ... {M. F.	227 234	2	5	2	7	14	30	6	1	3	3	3
13	34	Smallpox ... {M. F.
14	35	Measles ... {M. F.	8 24	.	.	.	3	4	4	1	3	.	3	.
17	36	Acute Poliomyelitis and Polioencephalitis {M. F.	33 25	1	1	5	3	.	2	.
17	37	Acute Infectious En- cephalitis (Lethargic or Epidemic). {M. F.	10 6	.	.	.	2	1	2
17	38	Other Diseases due to Viruses. {M. F.	1 3
15	39	Typhus and Typhus-like Diseases (Rickettsi- oses). {M. F.	3 1
16	40	Ankylostomiasis ... {M. F.
16	41	Hydatid Disease ... {M. F.
16	42	Other Diseases due to Helminths. {M. F.	5	1	1	1	1	.	1	.
17	43	Mycoses ... {M. F.	2 2	1	1
17	44	Other Infective or Para- sitic Diseases. {M. F.	15 14

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1943.

DEATH.

5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	85--	95 & up-wards	Detailed International List Nos.	Intermediate International
		1	1														21	7
5	2	11	8	6	9	4	2	1	2	3	1	2	2				22	7
4	4	11	7	6	8	3	2	5	1	1		1	1	1			23	17
																	24	8
5	2	2	2	2	1	1	2	3	3	7	6	5	7	4			25	17
	2	5	3	2		2	2	4	3	5	3	3	6	5	1		26	17
																	27	9
			1							1	1						28	10
								1									29	17
				1	1	1	1	6	5	3	3	4	1	1			30	11
					2	1		1	1	2		1		1			31	17
					2		1			1	1	5	2				32	17
2			4	4	2	3	6	5	9	15	12	31	33	48	11		33	12
2	3	4	1	4	1	3	5	5	15	10	17	37	36	56	9		34	13
																	35	14
2				1						1							36	17
2	2	2		1			2			1							37	17
6	5	5	3	1		1	3	2		1							38	17
3	4	5	3		1		1	1			1		1				39	15
			1			2	3	1			1		1				40	16
						1											41	16
				1									1				42	16
																	43	17
						1				1	1						44	17
1	1		2	2		2		1	1	1	1	2	3	2				
		1	2	1							3	1	1	1				

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.	
(18-24)	(45-57)	II. Cancer And Other Tumours. { M. 2,223 F. 1,964		1	1	2	2	1	2	.	7
18-23	45-55*	Cancer and Other Malignant Tumours. { M. 2,150 F. 1,893		1	1	2	1	1	.	5
24	56	Non-malignant Tumours. { M. 17 F. 29		1	.	1
24	57	Tumours of Undetermined Nature. { M. 56 F. 42		1	1	1
									1	1	1
(25-30)	(58-71)	III. Rheumatism, Diseases Of Nutrition And Of the Endocrine Glands, Other General Diseases And Vitamin Deficiency Diseases. { M. 304 F. 409		2	3	2	1	1	7	4	4	2	5	22	
25	58	Rheumatic Fever ... { M. 43 F. 29		1	1	
26	59	Chronic Rheumatism and other Rheumatic Diseases. { M. 100 F. 170		
26	60	Gout ... { M. 1 F.	
27	61	Diabetes Mellitus ... { M. 110 F. 122		1	1	.	.	2	
29	62	Diseases of the Pituitary Gland. { M. . F. 3		
28	63	Diseases of the Thyroid and Parathyroid Glands. { M. 14 F. 44		1	1	.	.	.	1	1	.	1	2	3	
29	64	Diseases of the Thymus (including Status Lymphaticus). { M. 7 F. 4		1	2	1	1	.	4	.	.	1	.	5	
29	65	Diseases of the Adrenal Glands (not specified as Tuberculous). { M. 9 F. 13		1	.	.	.	1	
29	66	Other General Diseases { M. 7 F. 9		3	2	.	1	2	
30	67-71	Vitamin Deficiency Diseases. { M. 13 F. 15		.	.	1	1	1	2	3	2	1	1	9	
30	67	Scurvy ... { M. 3 F. 1		1	
30	68	Beri-beri ... { M. . F.	
30	69	Pellagra ... { M. . F.	
30	70	Rickets ... { M. 10 F. 13		.	.	1	1	1	2	3	2	1	1	6	
30	71	Other Vitamin Deficiency Diseases { M. . F.	4	4	.	2	11	

at different Periods of Life in the Year 1943.

ATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	85--				
1 6	5 4	5 12	10 3	12 21	26 25	27 52	60 104	77 142	143 150	236 220	342 292	457 335	452 294	332 271	31 29	1	(45-57)	(18-24)
2	3 4	4 5	8 1	8 17	16 20	24 49	54 96	74 136	136 144	291 218	335 287	451 326	441 286	329 270	31 29	1	45-55*	18-23
1	.	3	1 1	1 1	1 2	.	1 6	3	2	.	2 3	5 4	4 2	1	.	.	56	24
1 3	2 4	1 4	1 1	3 3	9 3	3 2	5 2	3 3	7 4	5 2	5 2	1 5	7 6	2 1	.	.	57	24
12 7	10 8	9 11	6 8	7 11	7 4	8 16	14 18	8 11	12 16	17 41	31 56	45 49	51 61	39 61	6 8	.	(58-71)	(25-30)
8 1	7 2	7 4	4 3	2 5	2 1	1 5	1 2	1	1 1	2	3 1	3	3	1	.	.	58	25
.	.	.	1 1	.	1 1	3	6	1 1	2 7	10 20	12 17	21 29	26 37	21 42	4 6	.	59	26
.	1	60	26
1 3	2 6	1	1 1	4 3	4 2	3 1	7 5	6 4	6 4	3 10	13 27	20 15	21 21	15 17	2 2	.	61	27
.	.	3	62	29
.	.	1 2	2	2	.	3 4	3 4	4	1 4	1 7	2 7	3	1	1	.	.	63	28
1	.	1 1	64	29
.	.	.	.	1	.	2	1 1	1 1	1	2 1	1 2	2	2	2	.	.	65	29
1 1	1	.	1	.	.	1	1	.	.	1	2	66	29
1 2	1	.	.	1	1	.	.	1	1	.	.	67-71	30
.	1	.	.	1	.	.	.	1	1	.	.	67	30
.	68	30
.	1	69	30
1 2	70	30
.	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT DEATH											
			All Ages.	Under 1 Month	1--2 Mths.	2--3 Mths.	3--6 Mths.	6--12 Mths.	Total under 1 year.	1--	2--	3--	4--	Tot und 5 year.
(31-32)	(72-76)	IV. Diseases Of The Blood And Blood-Forming Organs. { M. F.	180 265	1	1	.	5	1 3	8 3	4 2	3 1	1 2	2 4	1 1
32	72	Hæmorrhagic Conditions. { M. F.	19 17	1	1	.	3	1 2	6 2	1	1	.	.	.
31	73	Anaemias ... { M. F.	116 198	.	.	.	1	1	1 1	2 1	2	1	1 2	.
32	74	Leukæmias and Aleukæmias. { M. F.	36 34	.	.	.	1	.	1 1	1 1	1	.	1 1	.
32	75	Diseases of the Spleen { M. F.	7 15
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	2 1	1	.
(33-34)	(77-79)	V. Chronic Poisoning And Intoxication { M. F.	3
33	77	Alcoholism (Ethylism) { M. F.	3
34	78	Lead Poisoning ... { M. F.
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.
(35-41)	(80-89)	VI. Diseases Of The Nervous System And Sense Organs. { M. F.	1,733 1,985	56 34	32 18	26 19	38 32	44 21	196 124	35 27	19 11	8 7	9 5	26 17
	80	Encephalitis (non-epidemic). { M. F.	27 14	1	1	2 1	.	1	1	.
	81	Meningitis (non-meningococcal). { M. F.	110 75	1	1 1	2	8 6	17 10	29 17	6 5	7 5	3 3	1 4	.
	82	Diseases of the Medulla and Spinal Cord. { M. F.	51 32	1	.
	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,117 1,535	1 2	.	1 1	1 1	.
	84	Mental Disorders and Deficiency. { M. F.	55 63	.	.	1	.	1	2	1 3	1	1	.	.
	85	Epilepsy ... { M. F.	69 51	2 1	2 1	.	2	1	3	.
40	86	Convulsions (under 5 years). { M. F.	191 121	55 34	30 16	23 18	28 24	21 8	157 100	23 15	7 5	2 1	2 1	1 1
40	87	Other Diseases of the Nervous System. { M. F.	89 82	1
41	88	Diseases of the Organs of Vision. { M. F.	1 2	1	.	.
41	89	Diseases of the Ear and of the Mastoid Antrum. { M. F.	23 10	.	1 1	.	2 1	3 1	6 5	2	2 1	.	.	.

at different Periods of Life in the Year 1943.

DEATH.																95 & upwards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
3 6	2 2	5 2	5 6	2 5	2 8	9 12	11 13	8 15	16 24	11 24	20 44	27 34	28 37	12 20	1 1		(72-76)	(31-32)
1	2	1	1	1	1	2	1	1	2	2	2	1	2	1	1		72	32
3	1	3	4	4	7	4	7	5	8	10	16	21	22	11	1		73	31
1 2	1	2 1	3 1	1	1	3 3	2 6	2 1	6 4	1 1	4 3	2 4	4 1	2	1		74	32
1			1		1	1	1	2		4	1	3	1	1			75	32
1					1												76	32
							1			1	1						(77-79)	(33-34)
							1			1	1						77	33
																	78	34
																	79	34
18 20	13 9	22 19	27 15	29 26	32 16	25 44	34 40	45 52	72 107	100 147	187 221	230 298	299 352	292 389	40 56	1	(80-89)	(35-41)
1	1	2 1		2 1	3	1	5	1	5	1 1	3	3	2	1			80	40
11 9	8 3	9 8	7 5	5 7	4 1	5 2	4 3	5 1	1	2	1	1 1	1 1				81	35
	1	1	2 1	1 1	2 2	5 1	2 2	3	9 3	2 4	6 8	11 3	2 4	3 3			82	36
2	1 2	3 2	7 1	6 5	3 6	8 25	12 22	22 40	41 92	79 128	147 187	194 269	277 323	275 372	38 55	1	83	37
4	1	4	1	4 1	3 2	1 5	2 6	4 2	5 3	8 7	10 13	7 7	3 4	3			84	38
3 2	2 1	4 2	8 6	8 7	11 3	3 4	4 2	3 2	4 6	2 2	4 4	2 4	3 3	1 1			85	39
																	86	40
4 2		1 1	2 2	2 3	4 2	2 7	4 5	7 5	7 3	5 5	17 6	12 14	11 14	10 11	1 1		87	40
																	88	41
	1 1	2 1		1 1	2		1	1 1		1	1		2		1		89	41

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5 years	
(42-48)	(90-103)	VII. Diseases Of The Cir- culatory System. { M. 5,233 F. 4,683				1		3	4		3	1	2	2	3
42-46	90-95	Heart Diseases ... { M. 4,866 F. 4,398						2	2		3	1	2	2	2
42	90	Pericarditis ... { M. 25 F. 18													
46	91	Acute Endocarditis ... { M. 24 F. 32											1	1	
43	92	Chronic Affection of the Valves and Endocar- dium. { M. 801 F. 687										1	1		1
44	93	Diseases of the Myocar- dium. { M. 2,792 F. 2,694						2	2		3	1		1	1
45	94	Diseases of the Coronary Arteries : Angina { M. 520 F. 254													
46	95	Other Diseases of the Heart. { M. 704 F. 713										1			
48	96	Aneurysm (except of Hearts and Aorta). { M. 2 F. 2													
47	97	Arterio-sclerosis (ex- clud. Coron. or Renal Sclerosis or Cereb. Hæm.) { M. 177 F. 94													
47	98	Gangrene ... { M. 75 F. 55													
48	99	Other Diseases of the Arteries. { M. 6 F. 19													
48	100	Diseases of the Veins { M. 15 F. 11													
48	101	Diseases of the Lympha- tic System. { M. 6 F. 3				1		1	2				1		1
48	102	High Blood Pressure (Idiopathic). { M. 86 F. 102													
48	103	Other Diseases of the Circulatory System. { M. 1 F. 1													
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System. { M. 2,147 F. 1,773	60	59	73	138	124	454	96	32	26	17	62		
52	104	Diseases of the Nasal Fosse and Annæxa. { M. 5 F. 2	41	45	49	96	110	341	88	41	15	7	49		
52	105	Diseases of the Larynx { M. 16 F. 7			1	1	2	3	4	1	2	3	1		
49	106	Bronchitis ... { M. 730 F. 714	12	14	20	40	20	106	14	1	2	1	12		
50	107-9	Pneumonia, All Forms { M. 1,065 F. 809	37	41	52	92	98	330	73	30	20	10	46		
50	107	Broncho-pneumonia ... { M. 488 F. 422	33	34	35	66	76	244	70	30	9	7	36		
50	108	Lobar Pneumonia ... { M. 182 F. 124	5	1	1	5	8	20	4	4	3		3		
50	109	Pneumonia (un- specified). { M. 395 F. 263	12	15	19	27	19	92	22	9	4	1	12		
			9	9	14	9	17	58	16	6	1	3	8		

different Periods of Life in the Year 1943.

H.															95 & up-wards	Detailed International List Nos.	Intermediates International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
10 15	22 27	33 22	33 43	44 43	50 58	94 82	119 121	240 194	352 266	580 524	865 686	1,226 1,054	1,355 1,278	182 241	6 7	(90-103)	(42-48)
70 15	22 25	33 21	31 42	41 42	49 55	91 75	114 115	218 177	330 247	538 483	802 640	1,143 992	1,253 1,216	166 228	6 6	90-95	42-46
1 2	1 2	5 2	2 2	1 1	1 1	3 2	· 1	· 3	1 3	3 1	3 2	4 2	1 1	· ·	· ·	90	42
2 1	3 4	6 1	2 7	1 2	· 1	4 2	1 1	1 1	· 3	· 2	1 2	1 1	1 ·	· ·	· ·	91	46
2 10	13 11	14 17	10 17	16 17	14 16	19 23	21 34	44 33	58 50	109 85	147 98	171 123	150 119	6 27	· ·	92	43
4 2	3 6	4 ·	8 9	15 16	18 19	36 27	51 50	97 89	166 120	268 268	428 363	696 665	847 882	139 165	3 5	93	44
· ·	1 ·	1 ·	1 3	2 ·	10 3	19 7	26 11	46 17	61 20	84 37	101 59	87 43	77 48	4 6	· ·	94	45
1 ·	1 2	3 3	8 4	7 6	6 16	10 16	15 19	30 34	44 51	74 90	122 118	184 158	177 165	17 30	3 1	95	46
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	· ·	· ·	· ·	96	48
· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	8 ·	8 4	23 9	32 16	42 32	51 25	11 7	· 1	97	47
· ·	1 ·	· ·	· ·	· ·	1 1	· ·	2 1	· 2	2 3	5 6	12 3	16 14	33 20	4 4	· ·	98	47
· ·	· ·	· ·	· ·	· ·	1 2	· ·	1 3	· 2	2 2	1 3	· 4	· 3	3 ·	· ·	· ·	99	48
· ·	· ·	· ·	1 1	1 ·	· ·	· 2	1 1	1 1	· 2	2 4	1 1	4 ·	4 1	· ·	· ·	100	48
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· 1	· 1	· ·	· ·	· ·	· ·	· ·	101	48
· ·	1 ·	1 ·	1 1	2 1	1 1	3 3	· 4	12 11	10 8	10 18	17 22	19 13	11 16	1 2	· ·	102	48
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	103	48
16 15	21 19	14 14	21 19	37 24	26 30	49 26	65 43	100 50	123 60	148 124	219 195	294 243	306 309	59 79	3 6	(104-114)	(49-52)
1 1	· ·	· ·	2 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·	· 1	· ·	· ·	104	52
· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	105	52
3 4	4 2	3 1	4 5	4 3	10 5	10 9	21 15	30 20	38 30	56 45	89 99	142 130	161 183	28 48	2 4	106	49
7 9	11 13	8 8	10 9	20 11	10 18	27 15	27 15	47 18	55 16	56 46	67 87	94 79	103 83	20 18	1 2	107-9	50
4 4	4 3	1 2	2 5	6 1	2 4	5 4	7 2	7 5	8 4	11 18	31 27	39 32	39 37	7 9	1 1	107	50
1 2	3 2	1 2	2 2	5 3	1 5	11 5	6 6	15 4	19 8	20 12	21 15	18 15	26 14	1 ·	· ·	108	50
2 3	4 8	6 4	6 2	9 7	7 9	11 6	14 7	25 9	28 4	25 16	35 25	37 32	38 32	12 9	1 1	109	50

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES.											T u y			
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—				
		VIII. Diseases Of The Respiratory System—contd.															
51	110	Pleurisy ... {M. F.	61 38	1 1	.	.	1	.	.
52	111	Congestion, Oedema Haemorrhagic Infarc- tion and Thrombosis of the Lungs. {M. F.	117 127	1 2	4 2	1	3 3	3 3	12 10	4 1	2	.
52	112	Asthma ... {M. F.	125 65	.	.	.	1	.	1	.	.	1	1	.	1	1	.
52	113	Pulmonary Emphysema {M. F.	10 2
52	114	Other Diseases of the Respiratory System. {M. F.	18 9	1	1
(53- 80)	(115- 129)	IX. Diseases Of The Digestive System. {M. F.	1,505 1,117	148 100	125 84	124 91	220 154	121 85	738 514	33 33	17 10	13 4	9 8				
60	115	Diseases of the Buccal Cavity and Annexa and of the Pharynx and Tonsils. {M. F.	23 17	4 2	1 1	.	.	.	5 3	1 1	.	.	1 1	.	1	1	.
60	116	Diseases of the Oeso- phagus. {M. F.	3 1
53	117	Ulcer of the Stomach or Duodenum. {M. F.	193 77
60	118	Other Diseases of the Stomach. {M. F.	96 90	6 4	4 3	6 7	9 5	3 5	28 24	2 2	3 2	1 1	1	1	1	1	.
54- 55	119- 120	Diarrhoea and Enteritis {M. F.	800 591	138 94	119 80	117 83	208 145	112 80	694 482	27 30	9 7	2	3 6				
56	121	Appendicitis ... {M. F.	81 52	1	1	2 1	1 1	5 1	1	1	1	1	.
57	122	Hernia, Intestinal Obstruction. {M. F.	136 149	.	1	1	3 4	5	10 4	1 1	2	1 1	1 1	1	1	2	.
60	123	Other Diseases of the Intestines. {M. F.	19 20	1	.	.
58	124	Cirrhosis of the Liver {M. F.	40 17	.	.	1	.	.	1
59	125	Other Diseases of the Liver. {M. F.	35 18	1	1	.
59	126	Biliary Calculi ... {M. F.	18 40
59	127	Diseases of the Gall Bladder and Ducts. {M. F.	27 19	1	1	1	1	1	.
60	128	Diseases of the Pancreas (other than Diabetes). {M. F.	8 9
60	129	Peritonitis, without stated cause. {M. F.	26 17	1

at different Periods of Life in the Year 1943.

DEATH.																95 & upwards	Detailed International List Nos.	Intermediate Transnational	
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-				
.	.	2	2	2	3	7	3	3	6	8	3	5	6	6	3	.	.	} 110	5
.	.	2	2	2	3	3	3	2	2	.	2	10	4	3	5	1	.	} 111	5
1	1	1	2	2	2	1	2	5	3	9	7	9	25	25	7	.	.	} 112	5
2	1	1	2	1	3	3	1	4	5	5	17	14	19	19	9	.	.	} 113	5
.	.	1	.	.	3	2	5	4	10	14	19	24	21	12	4	.	.	} 114	5
.	.	3	1	2	3	.	1	7	5	6	6	10	10	7	3	.	.		
.	.	1	1	.	.	.	1	2	1	2	1	2	1	1	.	.	.		
.		
.	2	.	1	.	1	.	1	.	.	2	3	2	5	1	.	.	.		
.	.	.	.	1	1	1	1	.	.	2	1	1	1		
20	15	19	17	19	25	21	36	40	63	77	86	75	88	88	5	1	} (115	5)	
21	12	6	8	14	15	18	28	31	35	43	63	79	67	97	11	.	} -129	6	
3	.	1	.	1	.	1	.	.	1	2	3	.	2	1	.	.	} 115	6	
2	1	.	2	1	1	.	1	1	1	2	.	.	.		
.	1	1	1	.	.	.	} 116	6
1	.	.	.	6	9	7	19	18	23	29	26	17	25	12	1	.	.	} 117	5
.	1	.	1	1	1	7	6	6	5	10	8	10	13	8	1	.	.	} 118	6
.	1	4	2	10	8	12	10	13	1	.	.	} 119	5
1	1	.	1	4	3	6	10	13	11	12	1	.	.	} 120	5
2	2	3	1	2	1	3	1	2	5	11	5	8	12	12	.	1	.		
5	2	.	.	3	1	.	1	.	2	2	8	12	6	16	4	.	.		
5	7	13	8	4	5	2	5	4	1	4	4	2	6	2	.	.	.		
5	5	4	1	1	.	1	7	3	4	6	3	4	1	4	1	.	.	} 121	5
4	3	1	2	2	3	5	3	5	10	9	17	10	21	23	3	.	.	} 122	5
2	2	.	1	3	4	3	4	10	9	7	17	18	23	35	3	.	.		
1	1	.	1	4	2	4	.	5	.	.	.	} 123	6
1	.	1	.	1	.	.	.	2	1	1	1	4	7	2	.	.	.		
.	2	2	8	1	8	9	6	2	.	.	.	} 124	5
.	1	1	2	2	3	1	2	3	1	1	2	.	.		
2	2	1	1	3	2	2	2	4	4	2	3	1	3	3	.	.	.	} 125	5
1	1	1	1	.	1	.	2	1	1	1	4	3	2	10	1	.	.		
1	.	.	.	1	1	.	2	1	1	3	5	4	7	6	5	.	.	} 126	5
.	.	.	.	1	.	2	1	1	3	3	3	2	2	10	.	.	.		
1	.	.	1	.	.	1	1	2	3	3	3	2	1	6	6	.	.	} 127	5
.	1	.	1	2	.	1	1	.	.	1	1	2	1	1	.	.	.		
.	.	.	1	.	.	1	1	.	4	1	.	.	1	1	.	.	.		
1	.	.	4	1	3	1	2	1	2	.	3	5	.	2	.	.	.		
3	.	.	1	2	3	1	2	.	1	.	3	.	1		

at different Periods of Life in the Year 1943.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-				
53	35	84	1111	1416	1712	1717	2917	3639	6341	6051	12468	18756	21380	27197	433	1	(130-139)	(61-67)	
33	34	54	78	1214	1510	1412	2617	3435	5438	5047	7860	10950	9967	12372	162	1	} 130-132	61	
23	23	22	23	33	31	5	85	86	67	67	115	75	87	94	.	.	} 130	61	
1	1	2	23	54	53	45	96	915	2113	2317	3232	5326	4833	5831	61	1	} 131	61	
.	1	1	32	47	76	57	96	1714	2718	2123	3523	4919	4327	5637	101	.	} 132	61	
1	1	.	11	11	2	2	1	1	2	2	56	84	108	1012	41	.	} 133	63	
.	.	.	1	.	.	1	.	.	.	1	.	2	2	1	.	.	} 134	63	
.	.	1	1	.	1	1	2	2	2	1	9	14	17	27	4	.	} 135	64	
1	1	1	1	1	1	.	.	} 136	65	
.	5	6	32	53	84	109	19	.	137	66	
.	.	.	1	1	1	138	67	
.	.	.	2	1	.	4	.	3	3	1	1	1	2	4	.	.	139	67	
.	.	2	8	36	45	41	11	2	(140-150)	(68-72)	
.	1	1	140	70	
.	.	.	1	.	1	141	69	
.	.	.	.	1	142	68	
.	.	.	.	2	7	6	1	143	68	
.	.	1	1	3	6	5	1	144	68	
.	.	.	.	2	.	1	145	68	
.	.	.	2	7	13	8	2	1	146	72	
.	.	.	2	10	9	11	1	1	} 147	71	
.	.	.	2	8	6	6	1	1	
.	.	.	2	2	3	5	1	
.	.	.	2	5	3	3	1	148	72	
.	.	1	.	6	6	4	4	149	72	
.	2	150	72	

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 year	
		XVII. Deaths from Violence													
84	174	Accidents in Mines and Quarries. { M. F.
84	175	Agricultural and Forestry Accidents. { M. F.	15 1	1	.	.	1
84	176	Accidents caused by Machinery. { M. F.	5
84	177	Food Poisoning ... { M. F.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	6 8	1	1
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	4 1	1	1
84	180	Conflagration ... { M. F.	3 36	1	.	1
84	181	Accidental Burns (Conflagration excepted). { M. F.	49 74	.	.	.	1 1	1	2 1	5 7	8 3	7 6	1 7	23 24	
84	182	Accidental Mechanical Suffocation. { M. F.	12 12	2 6	1 2	2 2	4 2	.	9 12	9 12	
84	183	Accidental Drowning ... { M. F.	97 25	3 2	5	.	.	8 2	
84	184	Accidental Injury by Firearms. { M. F.	10	
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	89 27	2	1	.	1 2	
84	187	Cataclysm ... { M. F.	
84	188	Injury by Animals ... { M. F.	7 1	1	.	.	1	
84	189	Hunger or Thirst ... { M. F.	
84	190	Excessive Cold ... { M. F.	
84	191	Excessive Heat ... { M. F.	1	
84	192	Lightning ... { M. F.	1	
84	193	Other Accidents due to Electric Currents { M. F.	2	
84	194	Attack by Venomous Animals. { M. F.	
84	195	Other Accidents ... { M. F.	94 115	7 12	.	1	.	.	8 13	1	2	.	2	13 13	
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	3	
85	197	Deaths of Civilians due to Operations of War. { M. F.	19	
86	198	Legal Executions ... { M. F.	3	
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	244 250	.	.	1	.	1	2	12 11	2 6	3 2	2 2	19 23	
87	199	Sudden Death { M. F.	24 14	1	1	1	
87	200	Causes of Death Unstated or ill-defined. { M. F.	220 236	.	.	1	.	.	1	12 11	2 6	3 2	2 2	19 23	

at different Periods of Life in the Year 1943.

EATH.															Detailed International List Nos.	Intermediate International List Nos.		
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	85-	95 & up- wards		
.	174	84
.	.	1	3	.	.	1	.	2	1	1	2	2	2	.	.	.	175	84
1	1	.	.	1	1	.	.	.	1	176	84
.	177	84
.	.	.	.	1	1	1	1	.	.	.	1	2	1	1	3	.	178	84
.	.	.	.	1	.	1	.	.	2	179	84
.	.	1	1	1	180	84
16	13	5	1	1	.	1	.	181	84
7	.	1	2	3	1	2	1	2	1	5	2	4	2	3	8	1	182	84
9	.	.	.	3	2	1	2	2	5	2	4	4	3	5	7	.	183	84
.	.	1	.	1	1	184	84
3	3	11	12	8	3	5	3	7	6	5	10	11	1	1	.	1	185	84
1	.	2	4	4	1	1	2	3	3	2	1	1	2	.	.	.	186	84
.	.	.	1	1	3	.	.	2	2	187	84
.	188	84
1	4	1	4	4	4	5	5	11	6	6	7	10	9	7	4	.	189	84
2	.	1	1	1	1	.	4	3	3	9	.	.	190	84
9	191	84
.	.	1	1	2	.	.	1	.	.	.	192	84
.	193	84
.	194	84
.	195	84
3	1	1	4	1	4	.	4	5	3	6	8	11	10	15	5	.	196	85
.	.	1	1	.	3	.	.	1	1	1	5	8	29	38	14	.	197	85
.	2	198	86
.	(199	87
2	1	3	3	3	6	5	5	6	17	23	45	96	6	3	1	.	-200)	87
1	2	.	1	3	3	2	7	5	19	22	46	110	4	1	.	.	199	87
.	1	.	.	2	.	.	15	3	2	1	.	200	87
2	1	3	3	3	6	4	5	6	15	23	45	81	3	1	.	.	.	87
1	2	.	1	5	3	2	7	5	19	22	42	106	1	87

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. {	43,494	22,663	3,066	683	448	879	926	969	1,541	2,951	5,699	5,501	2,874	683	4,858	14,248	2,977
	... F. }		20,831	2,253	639	467	898	975	969	1,368	2,543	4,788	5,931	2,410	485	3,740	14,196	3,210
1	Typhoid Fever (including Para-typhoid). M. {	52	30	.	.	1	6	11	2	1	5	3	1	3	4	18	5	.
	... F. }		22	.	.	.	8	4	4	4	2	4	.	2	2	17	1	.
2	Cerebro-spinal Meningitis ... M. {	39	25	4	9	2	2	3	2	3	.	.	.	13	.	6	6	.
	... F. }		14	1	4	5	1	3	3	.	5	6	.
3	Scarlet Fever ... M. {	34	19	1	6	9	1	1	.	1	.	.	.	4	.	7	8	.
	... F. }		15	2	6	4	1	2	4	.	5	6	.
4	Whooping Cough ... M. {	310	142	92	48	2	18	.	17	107	13
	... F. }		168	98	70	5	17	.	17	134	21
5	Diphtheria ... M. {	310	154	18	54	62	11	2	3	3	.	.	1	53	.	78	23	2
	... F. }		186	8	76	52	10	2	2	4	2	.	.	52	.	85	19	.
6	Tuberculosis of the Respiratory System. M. {	3,398	1,738	9	15	31	417	412	320	252	192	83	7	413	160	425	740	25
	... F. }		1,660	9	8	69	501	482	260	168	108	49	6	387	114	352	807	24
7	All other forms of Tuberculosis ... M. {	908	465	38	76	84	102	72	42	19	18	13	1	117	14	173	161	5
	... F. }		443	23	70	73	120	61	30	18	24	16	8	106	17	158	162	5
8	Dysentery ... M. {	3	2	2	.	.	1	1	.	.
	... F. }		1	.	.	.	1	1	.	.
9	Influenza ... M. {	461	227	30	13	2	4	6	8	14	27	64	59	13	3	26	185	44
	... F. }		234	14	12	5	5	5	8	8	20	27	73	65	3	22	200	53
10	Measles ... M. {	32	8	4	1	2	.	1	2	.	2	4	1
	... F. }		24	6	10	4	.	1	2	.	1	.	.	1	.	4	19	8
11	Acute Infectious Encephalitis ... M. {	16	10	2	5	1	1	1	.	2	.	1	7	.
	... F. }		6	2	.	.	1	.	.	2	1	.	.	2	.	2	2	2
12	Typhus ... M. {	4	3	1	.	2	3	.	.
	... F. }		1	1	1
13	Cancer ... M. {	4,043	2,150	1	4	3	12	24	78	210	566	892	360	293	30	539	1,288	62
	... F. }		1,893	.	2	6	6	37	145	280	280	505	612	300	277	350	1,244	34
14	Diabetes Mellitus ... M. {	232	110	.	2	3	1	8	10	12	16	41	17	16	.	33	61	2
	... F. }		122	.	.	9	2	5	6	8	37	36	19	12	2	33	75	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. } 2,652	1,117 1,535	.	3 4	1 4	10 3	9 11	20 47	63 132	296 315	471 592	314 427	69 102	29 19	220 272	799 1,142	104 120
16	Diseases of the Heart	... M. F. } 9,264	4,866 4,398	2	3 9	24 25	55 46	72 84	140 130	332 292	868 730	1,945 1,632	1,425 1,450	286 220	227 167	1,062 802	3,291 3,209	284 223
17	Other Diseases of the Circulatory System.	M. F. } 652	367 285	2	1 1	1 2	3 3	5 2	4 10	27 23	64 60	146 108	118 76	43 31	16 6	118 75	190 173	7 15
18	Bronchitis M. F. } 1,444	730 714	106 83	18 28	4 4	7 3	8 8	20 14	51 35	94 75	231 229	191 235	41 26	9 5	120 80	560 603	74 89
19	Pneumonia M. F. } 1,874	1,065 809	330 244	133 116	26 31	19 21	30 20	37 33	74 33	111 62	181 146	124 103	123 66	9 18	196 117	743 608	50 37
20	Other Diseases of the Respiratory System.	M. F. } 602	352 250	18 14	20 7	7 5	9 9	20 15	18 9	40 25	66 47	101 63	53 56	45 33	9 7	62 35	236 175	20 19
21	Ulcer of the Stomach or Duodenum.	M. F. } 270	193 77	.	.	1 1	.	15 1	26 13	41 11	55 18	42 23	13 9	41 15	1 .	68 12	83 50	5 3
22	Diarrhœa and Enteritis	... M. F. } 1,391	800 591	694 482	41 43	4 7	4 4	3 4	.	5 3	16 10	20 18	13 20	295 231	10 2	144 134	351 224	23 16
23	Appendicitis M. F. } 133	81 52	1	9 3	12 10	21 5	9 .	7 8	7 7	5 9	8 5	2 5	20 17	.	51 28	10 7	.
24	Cirrhosis of the Liver	... M. F. } 57	40 17	1	.	.	.	1	4 3	10 3	9 3	15 4	2 2	7 3	.	12 4	21 10	.
25	Diseases of the Liver and Biliary Passages.	M. F. } 157	80 77	.	5 3	5 3	3 2	6 4	5 5	14 8	18 17	10 19	14 19	16 20	1 .	16 13	47 44	1 1
26	Other Diseases of the Digestive System.	M. F. } 614	311 303	43 31	17 9	13 12	8 6	11 18	15 13	26 34	60 49	68 78	50 53	79 72	6 2	98 79	128 150	9 12
27	Nephritis M. F. } 1,115	658 457	3 6	6 8	6 7	12 12	27 24	40 29	88 73	128 107	208 117	140 74	86 39	11 .	196 78	365 329	16 8
28	Puerperal Infection F. } 36	36	.	.	.	2	19	14	1	.	.	.	4	1	21	10	.
29	Other Diseases of Childbirth	... F. } 109	109	.	.	.	8	62	38	1	.	.	.	27	.	45	37	1
30	Congenital Debility, etc. (Nos. 157—161).	M. F. } 2,501	1,426 1,075	1,392 1,043	23 14	7 12	3 3	.	.	.	1	.	.	383 329	1	322 244	720 502	161 114
31	Senility M. F. } 6,097	2,798 3,299	523 509	2,275 2,790	19 32	61 39	228 230	2,490 2,998	1,729 2,073
32	Suicide M. F. } 78	56 22	.	.	.	2 3	7 3	7 5	11 3	15 6	10 4	4 3	4 3	1 2	2 2	49 17	1 1
33	Other Violence M. F. } 883	543 340	22 30	42 33	36 36	70 20	56 13	40 9	72 24	77 30	80 59	48 76	87 49	3 3	106 199	347 188	8 3
34	Other Causes M. F. } 3,723	2,047 1,626	254 161	134 106	101 66	100 95	107 83	116 124	162 159	311 296	543 398	269 138	283 199	77 56	514 318	1,223 1,053	331 329

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.
	ALL CAUSES ... M. } F. }	18,242	9,372 8,870	1,608 1,216	304 281	225 177	385 427	394 471	441 409	721 636	1,322 1,149	2,209 1,963	1,763 2,141	1,908 1,587	230 188	2,024 1,635	5,210 5,460	579 544
1	Typhoid Fever (including Para- typhoid). M. } F. }	17	7 10	.	.	1	3 3	.	1 1	.	1 4	1	.	3 1	.	3 9	1	.
2	Cerebro-spinal Meningitis ... M. } F. }	19	16 3	4	5 1	2 1	1	1 1	2	1	.	.	.	13 3	.	1	2	.
3	Scarlet Fever ... M. } F. }	14	7 7	1 1	1 3	3 1	1	1 1	.	1	.	.	.	4 4	.	3 1	2	.
4	Whooping Cough ... M. } F. }	165	86 79	62 44	24 33	15 14	.	9 7	62 58	3 3
5	Diphtheria ... M. } F. }	153	85 68	11 4	30 39	32 16	6 5	.	2 1	3 1	.	.	1	47 48	.	30 16	8 4	1
6	Tuberculosis of the Respiratory System. M. } F. }	1,619	818 801	7 6	7 5	15 28	204 261	188 240	144 115	122 80	94 46	32 18	5 2	224 190	34 31	204 167	356 413	10 3
7	All other forms of Tuberculosis ... M. } F. }	426	211 215	13 10	43 32	47 40	48 60	26 33	20 10	6 5	4 12	3 9	1 4	83 78	4 4	57 61	67 72	2
8	Dysentery ... M. } F. }	2	1 1	.	.	.	1	.	.	.	1	.	.	.	1	1	.	.
9	Influenza ... M. } F. }	130	73 57	12 2	3 2	1	1 2	4 3	2 3	5 9	8 4	21 15	16 17	10 4	1 1	3	5 52	5 11
10	Measles ... M. } F. }	9	3 6	2 1	1 3	.	.	.	1	2 1	.	1	1 4	.
11	Acute Infectious Encephalitis ... M. } F. }	9	6 3	2 1	2 1	1 1	.	1	.	1 1	.	1	5 1	.
12	Typhus ... M. } F. }																	
13	Cancer ... M. } F. }	1,677	880 797	1	2	1 4	7 2	12 15	38 61	109 127	250 240	355 243	105 105	184 175	7 11	231 127	458 484	12 6
14	Diabetes Mellitus ... M. }	84	45	.	.	1	.	7	3	7	7	15	5	12	.	12	21	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	1,176	469 707	.	.	1	3	4	2	6	9	24	104	206	116	41	9	102	317	19
16	Diseases of the Heart	... M. F. }	4,145	2,074 2,071	2	3	13	20	26	69	154	887	799	601	180	114	412	1,368	67		
17	Other Diseases of the Circulatory System.	M. F. }	314	174 140	1	1	.	1	2	4	5	14	36	64	50	26	5	65	78	5	
18	Bronchitis M. F. }	639	297 342	39 33	4 11	3 4	1 1	2 3	7 6	24 21	52 36	91 110	74 117	20 15	4 3	57 51	216 273	12 14		
19	Pneumonia M. F. }	901	508 393	180 141	53 52	12 13	12 10	13 11	18 16	38 15	51 31	73 60	58 44	89 56	3 10	88 67	328 260	13 11		
20	Other Diseases of the Respiratory System.	M. F. }	284	168 116	6 7	11 4	3 2	4 4	15 7	9 2	20 13	33 26	43 29	24 22	29 24	1 6	41 19	97 67	3 3		
21	Ulcer of the Stomach or Duodenum.	M. F. }	104	72 32	6 7	7 7	17 3	26 6	12 4	4 8	19 8	1	20 4	32 20	1 1		
22	Diarrhoea and Enteritis	... M. F. }	859	481 378	433 327	24 21	1 2	3	.	2	4	2	1	6 8	7 11	6	257 204	4	84 90	136 82	6
23	Appendicitis M. F. }	52	26 26	.	5	7	4	3	2	3	2	2	3	3	12	9	10	4		
24	Cirrhosis of the Liver	... M. F. }	23	13 10	4 1	4 2	1 1	4 3	.	2	.	9 1	2 7			
25	Diseases of the Liver and Biliary Passages.	M. F. }	62	30 32	.	1	2	2	3	3	4	9	1	5	9	.	5	16			
26	Other Diseases of the Digestive System.	M. F. }	228	126 102	15 7	12 3	8 3	2	5	7	10	18	29	20	48	2	36	40	1		
27	Nephritis M. F. }	502	286 216	1 2	2 4	1 1	6 4	9 9	13 15	44 40	70 56	77 46	63 39	62 42	4	92 32	128 142	1 1		
28	Puerperal Infection F. }	14	14	.	.	.	2	7	5	4	.	8	2			
29	Other Diseases of Childbirth ...	F. }	42	42	.	.	.	3	27	12	19	.	11	12			
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	1,262	705 557	690 543	9 5	5 6	1 2	283 216	1	140 115	281 226	51 29		
31	Senility M. F. }	1,476	646 830	142 121	504 709	11 11	9 4	83 86	543 729	265 320		
32	Suicide M. F. }	26	18 8	.	.	.	2 1	3 1	4 2	5 2	4 1	4 2	.	.	1	13 6	1			
33	Other Violence M. F. }	386	242 144	13 13	20 13	20 7	19 7	24 9	21 6	32 15	40 17	32 25	21 32	54 39	1 2	35 36	152 67	7 1		
34	Other Causes M. F. }	1,423	799 624	113 73	43 43	47 21	35 35	39 35	51 48	73 66	119 104	195 139	84 60	164 124	25 18	191 115	419 387	100 60		

ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	482	258 224	* 34 29	9 10	8 4	15 17	6 7	9 12	18 14	31 21	70 51	58 59	15 8	7 2	49 43	187 171	34 30
1	Typhoid Fever (including Para- M. } typhoid). F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	7	5 2	2 1	3 1	5 2
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	35	15 20	.	.	.	7 13	3 5	2 2	.	3	.	.	1 2	.	3 7	11 11	.
7	All other forms of Tuberculosis ... M. } ... F. }	10	5 5	1 1	.	2 1	2 2	2 3	3 2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	14	9 5	2	.	.	1	.	.	2 2	.	4 1	.	2	1 1	.	6 4	1 1
10	Measles ... M. } ... F. }	1	1	.	1
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1	1	.
12	Typhus ... M. } ... F. }
13	Cancer' ... M. } ... F. }	33	19 14	4 1	5 4	9 5	1 2	3	.	6 2	10 12	1
14	Diabetes Mellitus ... M. }	6	4	2	1	.	1	.	.	2	.	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	28 } 12 16	1	2	1	3	6	.	.	5	7
16	Diseases of the Heart	... M. } ... F. }	120 } 58 62	.	1	.	1	.	2	4	9	28	14	2	5	10	41	2
17	Other Diseases of the Circulatory System.	M. } F. }	5 } 4 1	2	2	1	.	1	2	2
18	Bronchitis M. } ... F. }	15 } 6 9	1	.	1	2	2	2	1	.	4	2	3
19	Pneumonia M. } ... F. }	19 } 12 7	2	1	1	1	.	1	1	1	3	1	.	.	2	10	1
20	Other Diseases of the Respiratory System.	M. } F. }	3 } 2 1	.	1	1	1	.	.	1	.	.	2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }
22	Diarrhoea and Enteritis	... M. } ... F. }	6 } 4 2	2	1	1	1	.	2	2	.
23	Appendicitis	... M. } ... F. }
24	Cirrhosis of the Liver	... M. } ... F. }
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3 } 3	2	.	.	.	1	1	.	.	2	.
26	Other Diseases of the Digestive System.	M. } F. }	8 } 3 5	.	1	1	1	1	3	.	1	1	2	4
27	Nephritis M. } ... F. }	8 } 4 4	1	1	3	1	1	.	.	.	4	4
28	Puerperal Infection	... F. }	1 } 1	.	.	.	1	1	.
29	Other Diseases of Childbirth	... F. }	1 } 1	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	37 } 18 19	18	.	1	1	1	1	2	15	5
31	Senility M. } ... F. }	65 } 38 27	7	31	.	.	.	38	21
32	Suicide M. } ... F. }	2 } 2	1	1	1	2	.
33	Other Violence	... M. } ... F. }	7 } 4 3	1	.	1	.	.	.	1	.	1	.	.	.	1	4	.
34	Other Causes	... M. } ... F. }	46 } 29 17	5	3	2	3	1	1	2	4	7	1	1	1	10	17	4
				3	3	1				4	1	4	1	2			15	4

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm aries.	Else-where.	
	ALL CAUSES ... M. F. }	1,528	794 734	126 90	28 21	30 27	36 24	42 31	47 36	57 57	113 86	177 172	133 190	191 178	22 20	142 102	439 434	1
1	Typhoid Fever (including Para-typhoid) ... M. F. }	1	1	.	.	1	1
2	Cerebro-spinal Meningitis ... M. F. }	5	5	.	2	1	.	1	1	4	.	.	1	.
3	Scarlet Fever ... M. F. }	1	1	1	1
4	Whooping Cough ... M. F. }	6	2 4	2 2	2	2 4
5	Diphtheria ... M. F. }	21	9 12	.	4 6	2 5	1 1	.	1	.	.	.	1	4 5	.	4 5	1 2	.
6	Tuberculosis of the Respiratory System ... M. F. }	137	74 63	.	1	5 1	11 16	22 18	16 14	9 7	9 3	1 4	.	15 16	5 2	16 11	38 34	.
7	All other forms of Tuberculosis ... M. F. }	29	17 12	.	4 2	4 5	3 3	2 1	3	1	.	1	.	9 7	.	1 1	7 4	.
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	8	4 4	.	1	.	.	.	1	.	.	.	3 2	.	.	.	4 3	.
10	Measles ... M. F. }	
11	Acute Infectious Encephalitis ... M. F. }	1	1	1	1	.
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	152	78 74	.	.	.	1 1	.	2 5	12 12	23 21	33 23	7 11	18 23	1 2	21 10	38 39	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	109	53 56	2	1	1	12	19	18	3	.	9	41
								2	.	2	2	8	26	16	6	.	5	45
16	Diseases of the Heart	... M. } ... F. }	396	198 198	.	1	3	7	3	11	10	35	76	52	23	10	28	137
						1	2	1	1	5	15	25	66	82	21	8	34	132
17	Other Diseases of the Circulatory System.	M. } F. }	31	17 14	1	1	4	4	7	2	.	8	7
						3	4	4	3	5	.	1	8
18	Bronchitis M. } ... F. }	50	19 31	4	1	.	.	.	1	3	5	4	2	.	2	2	15
					3	1	.	.	1	1	2	2	8	15	2	.	6	23
19	Pneumonia M. } ... F. }	78	44 34	16	5	1	2	1	2	3	2	3	9	9	.	4	31
					11	2	3	.	.	2	1	1	8	6	4	3	3	24
20	Other Diseases of the Respiratory System.	M. } F. }	36	19 17	1	1	1	2	1	1	1	3	6	2	2	.	2	15
					2	1	1	.	.	1	2	4	4	4	5	1	.	11
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	5 2	1	1	3	.	.	3	.	1	1
					2	.	.	.	2	2
22	Diarrhoea and Enteritis	... M. } ... F. }	69	32 37	28	.	1	1	.	.	.	2	.	1	16	.	9	7
					31	3	1	1	1	19	.	8	10
23	Appendicitis M. } ... F. }	7	4 3	.	2	2	2	.	1	1
					.	.	1	.	.	.	1	.	.	1	2	.	.	1
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	1	2
25	Diseases of the Liver and Biliary Passages.	M. } F. }	7	4 3	.	.	.	1	1	.	.	2	.	.	2	.	1	1
					1	1	1	2	.	.	1
26	Other Diseases of the Digestive System.	M. } F. }	24	13 11	1	.	1	.	1	.	1	3	2	4	8	.	1	4
					1	.	.	.	3	.	2	2	2	3	7	.	1	3
27	Nephritis M. } ... F. }	47	27 20	1	1	4	6	5	11	7	1	7	12
					.	1	.	.	1	1	6	5	3	3	8	.	.	12
28	Puerperal Infection F. }	1	1	1	1	.	.	.
29	Other Diseases of Childbirth F. }	1	1	1	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	97	62 35	60	1	1	30	.	7	25
					34	.	.	1	19	.	5	11
31	Senility M. } ... F. }	49	13 36	1	12	1	1	3	8
					6	30	3	.	3	30
32	Suicide M. } ... F. }	3	2 1	1	.	1	.	.	1	.	.	1
					1	1
33	Other Violence	... M. } ... F. }	35	20 15	3	.	5	2	4	.	1	4	1	.	6	.	3	11
					2	1	.	.	4	1	2	2	4	3	7	.	2	6
34	Other Causes	... M. } ... F. }	110	65 45	11	6	3	4	3	2	9	4	19	4	22	2	13	28
					4	2	5	1	1	4	4	7	10	7	10	4	6	25

ABSTRACT V—continued.—Causes of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	7,206	3,541 3,665	871 685	131 131	79 71	151 186	154 201	213 177	331 286	543 495	675 745	393 688	1,379 1,139	98 81	716 677	1,348 1,768	73 41
1	Typhoid Fever (including Para-typhoid). M. } F. }	3	2 1	.	.	.	1 1	.	1	2 1
2	Cerebro-spinal Meningitis ... M. } ... F. }	12	9 3	4	3 1	1	.	1	.	1	.	.	.	8 3	.	.	1	.
3	Scarlet Fever ... M. } ... F. }	7	3 4	1	2	1 1	1	.	.	1	.	.	.	3 3	.	.	1	.
4	Whooping Cough ... M. } ... F. }	64	30 34	24 22	6 11	14 14	.	2 3	14 17	.
5	Diphtheria ... M. } ... F. }	83	41 42	10 4	19 28	12 7	.	2 1	40 41	.	.	1 1	.
6	Tuberculosis of the Respiratory System. M. } F. }	739	388 351	7 5	5 3	5 15	92 117	82 102	77 50	66 32	39 16	13 9	2 2	137 109	21 15	103 68	127 159	1
7	All other forms of Tuberculosis ... M. } ... F. }	80	81 99	6 5	22 20	20 17	15 26	8 14	5 3	2 1	3 4	.	3 3	49 58	1 1	14 16	17 24	.
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	37	20 17	3	.	.	.	3 1	.	2 2	2 2	5 1	3 4	4 5	.	1	13 17	.
10	Measles ... M. } ... F. }	5	2 3	2 1	1	.	.	1	2 1	.	.	2	.
11	Acute Infectious Encephalitis ... M. } ... F. }	3	2 1	2	1	.	.	.	1 1	.	.	1	.
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	653	310 343	.	1	1	1 1	7 6	20 36	45 64	94 101	107 91	34 44	124 123	2 2	68 42	116 176	
14	Diabetes Mellitus ... M. }	33	15	.	.	1	.	2	.	3	3	4	2	8	.	3	4	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	407	134 273	.	1	1	1	.	6	9	42	53	23	33	.	28	73	.
										13	13	55	95	75	51	5	54	163	2
16	Diseases of the Heart	M. F. }	1,540	687 853	2	1	3	10	12	26	73	154	261	145	127	55	129	376	21
										21	28	54	149	306	281	98	191	524	7
17	Other Diseases of the Circulatory System.	M. F. }	145	75 70	1	1	9	18	27	19	17	1	34	23	4
										4	7	16	26	17	17	1	21	31	
18	Bronchitis	M. F. }	282	130 152	20 15	1	.	1	2	5	15	25	41	20	18	.	34	78	1
										1	17	20	43	48	11	.	31	110	
19	Pneumonia	M. F. }	389	200 189	85 78	22	5	5	3	6	20	22	18	14	64	1	34	101	2
										8	5	6	16	25	18	4	37	102	4
20	Other Diseases of the Respiratory System.	M. F. }	129	78 51	3 3	4	1	1	7	6	10	21	14	11	21	.	26	31	1
										5	1	6	14	9	15	4	14	18	
21	Ulcer of the Stomach or Duodenum.	M. F. }	35	25 10	2	4	2	8	8	1	13	.	5	7	.
										3	.	1	5	1	5	.	1	4	.
22	Diarrhoea and Enteritis	M. F. }	594	336 268	319 238	11	.	1	.	.	.	1	4	.	228	2	61	45	.
										.	.	1	4	5	167	1	63	27	.
23	Appendicitis	M. F. }	19	10 9	.	1	3	2	.	.	.	3	1	.	8	.	1	1	.
										.	.	2	3	1	9
24	Cirrhosis of the Liver	M. F. }	14	9 5	4	1	1	3	.	2	.	7	.	.
					1	1	1	.	2	1	2	.	1	2	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	22	11 11	.	.	1	.	2	1	2	4	.	2	4	.	2	5	.
										1	2	2	4	1	6	.	5	5	.
26	Other Diseases of the Digestive System.	M. F. }	107	61 46	11 4	7	4	2	1	3	7	8	12	6	36	.	13	12	.
										4	1	8	8	15	23	1	12	10	.
27	Nephritis	M. F. }	230	132 98	1 1	1	1	3	4	8	24	32	35	24	44	1	52	35	.
					1	2	.	2	4	7	13	35	17	17	28	.	17	53	.
28	Puerperal Infection	F. }		3	2	1	3
29	Other Diseases of Childbirth	F. }	12	12	.	.	.	1	9	2	10	.	.	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	568	315 273	309 268	4	2	210	.	39	66	6
										1	.	.	.	162	.	35	76	1	.
31	Senility	M. F. }	229	79 150	19	60	7	5	8	59	11
										.	.	.	23	127	6	1	23	120	3
32	Suicide	M. F. }	8	6 2	1	2	2	1	.	3	.	.	3	.
										1	.	1	1	.	2
33	Other Violence	M. F. }	144	84 60	5 4	7	6	8	7	11	8	15	8	9	42	.	5	37	.
										4	6	10	12	6	29	1	10	20	.
34	Other Causes	M. F. }	490	266 224	58 36	16	13	8	11	28	26	46	43	17	110	9	47	100	32
										11	12	32	37	20	91	5	34	94	18

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64		65-69	70 years and up.
	ALL CAUSES ... M. } ... F. }	911	493 418	78 44	19 13	15 9	27 22	18 24	24 17	30 20	75 59	112 101	95 109	52 42	5 5	136 76	300 295	22 21		
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	1	1	.		
2	Cerebro-spinal Meningitis ... M. } ... F. }		
3	Scarlet Fever ... M. } ... F. }		
4	Whooping Cough. ... M. } ... F. }	11	7 4	4 2	3 2	1	.	1	5 4	.		
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.	.		
6	Tuberculosis of the Respiratory M. } System. F. }	85	42 43	.	.	1 3	15 12	7 11	9 7	4 5	5 5	.	1	.	.	12 5	21 24	.		
7	All other forms of Tuberculosis ... M. } ... F. }	28	11 17	1	1	4 2	2 8	2	.	.	.	1 3	1	3	.	5 6	3 8	.		
8	Dysentery ... M. } ... F. }		
9	Influenza ... M. } ... F. }	8	6 2	1 1	1	1	.	1	2 1	1	.	1	4 2	.		
10	Measles ... M. } ... F. }	1	1	.	1	1	.		
11	Acute Infectious Encephalitis ... M. } ... F. }		
12	Typhus ... M. } ... F. }		
13	Cancer ... M. } ... F. }	78	49 29	.	.	.	1	.	1 3	8 3	15 6	17 10	7 3	6 2	.	9 4	34 22	1		
14	Diabetes Mellitus ... M. }	3	1	1	1	1	.		

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	56	22 36	1	2	3	10	6	.	.	7	15	1
										1	1	9	18	8	.	.	4	32	1
16	Diseases of the Heart	... M. F. }	210	115 98	.	.	.	1	2	3	4	27	40	38	6	3	37	69	3
							1	1	1	3	5	17	34	34	7	1	20	67	5
17	Other Diseases of the Circulatory System.	M. F. }	15	7 8	2	1	1	1	4	.	1	1	2	5	.
										1	1	2	1	2	.	.	2	4	.
18	Bronchitis	... M. F. }	39	12 27	2	.	1	.	.	.	1	2	3	3	.	.	2	10	1
					2	1	3	11	10	.	1	.	26	2	2
19	Pneumonia	... M. F. }	48	30 18	10	3	.	.	1	1	2	5	8	.	4	.	4	22	3
					8	.	.	.	1	1	1	5	3	.	.	1	17	17	
20	Other Diseases of the Respiratory System.	M. F. }	4	2 2	1	.	1	2	.
					2	.	.	.	1	.	.	.	1	.	.	.	2	.	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	2	2	1	1	1	1	.
22	Diarrhoea and Enteritis	... M. F. }	29	19 10	13	2	.	1	.	.	.	1	.	2	3	.	4	12	1
					6	2	.	1	.	1	.	.	.	1	2	1	1	6	.
23	Appendicitis	... M. F. }	3	2 1	.	1	.	.	.	1	.	1	2	.	.
					1	1	.	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	1	1	1	.
					1	1	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	1 3	1	.	1	1	1	1	.	1	2	.
					3	1	1	1	1	.	1	.	.
26	Other Diseases of the Digestive System.	M. F. }	10	6 4	.	1	.	1	.	.	.	2	1	2	1	.	4	1	.
					4	1	1	1	1	1	.	.	1	3	.
27	Nephritis	... M. F. }	20	12 8	.	.	1	1	1	.	.	2	5	2	3	.	1	8	.
					8	.	.	1	1	.	.	6	1	1	.	.	7	.	.
28	Puerperal Infection	... F.		
29	Other Diseases of Childbirth	... F.	4	4	.	.	.	4	3	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	65	42 23	42	8	1	11	22	1
					22	1	7	.	7	9	2	2
31	Senility	... M. F. }	69	34 35	8	26	.	.	12	22	6
					35	6	29	.	.	8	27	6
32	Suicide	... M. F. }	1	1	1	1	.
					1
33	Other Violence	... M. F. }	27	16 11	.	2	2	1	.	2	3	3	3	.	1	.	2	13	.
					11	1	.	.	.	1	1	1	.	8	.	4	7	.	.
34	Other Causes	... M. F. }	85	* 51 34	5	4	5	5	1	3	3	9	8	8	5	.	20	26	5
					3	4	1	1	1	2	2	8	5	7	.	10	23	5	5

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	982	519 463	74 52	8 18	10 12	20 15	18 20	16 14	30 26	63 70	153 99	127 137	47 37	16 9	114 86	342 331	48 50
1	Typhoid Fever (including Para-typhoid). M. F. }																	
2	Cerebro-spinal Meningitis ... M. F. }																	
3	Scarlet Fever ... M. F. }	1	1		1									1				
4	Whooping Cough ... M. F. }	8	5 3	4 2	1 1											1	4 3	
5	Diphtheria ... M. F. }	4	3 1		1		2	1						1		1	2	
6	Tuberculosis of the Respiratory System. M. F. }	50	31 19				11 5	10 6	2 1	2 3	5 3	1 1		11 7		1 2	19 9	
7	All other forms of Tuberculosis ... M. F. }	13	7 6			1 3	3	1	2	1			1	2 1	1	4 3	1 1	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	6	3 3	1 1	1					1				2 2		1	1	
10	Measles ... M. F. }																	
11	Acute Infectious Encephalitis ... M. F. }																	
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	70	38 32					2 1		1	3 5	8 16	23 9	2 5		9 4	26 21	1
14	Diabetes Mellitus ... M. F. }	3	2 1								1	1				1 1	1	

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	48	22	5	14	3	.	1	4	17	3
				26	1	2	6	8	9	2	.	5	19	3
16	Diseases of the Heart	... M. F. }	237	126	.	.	2	1	.	4	4	16	57	42	7	19	96	7
				111	.	.	2	1	3	2	27	36	40	4	4	9	98	5
17	Other Diseases of the Circulatory System.	M. F. }	30	15	2	7	6	1	1	10	3	.
				15	.	.	.	1	.	.	2	9	3	.	.	11	4	.
18	Bronchitis M. F. }	29	19	3	1	1	2	7	5	.	2	17	4
				10	1	1	1	2	3	2	1	2	7	.
19	Pneumonia M. F. }	44	26	11	2	1	.	1	2	.	2	2	5	4	1	21	.
				18	5	7	2	4	.	1	.	4	13	1
20	Other Diseases of the Respiratory System.	M. F. }	15	7	1	2	1	3	.	.	.	3	4	1
				9	1	1	.	.	1	.	2	1	2	1	.	1	7	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	14	9	5	3	.	1	1	5	2	.
				5	1	.	2	2	.	1	2	2	.
22	Diarrhoea and Enteritis	... M. F. }	20	11	9	1	1	.	1	1	9	.
				9	6	2	.	.	1	1	2	6	.
23	Appendicitis M. F. }	2	1	.	.	.	1	1	.	.	.
				1	.	.	1	1	.
24	Cirrhosis of the Liver	... M. F. }	
25	Diseases of the Liver and Biliary Passages.	M. F. }	2
				2	.	.	.	1	1	.	.	2	.	.
26	Other Diseases of the Digestive System.	M. F. }	9	4	1	.	2	1	.	.	1	2	1	.
				5	.	.	.	2	.	1	1	2	2	2	.	2	1	.
27	Nephritis M. F. }	32	17	.	.	1	.	.	3	5	5	3	2	.	5	10	.
				15	.	.	1	.	3	2	2	3	4	2	.	1	12	.
28	Puerperal Infection F. }	3	3	.	.	1	.	2	3	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	1	1	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	78	43	43	5	.	20	18	8
				35	33	1	.	1	3	.	12	20	7
31	Senility M. F. }	151	70	14	56	1	2	11	56	21
				81	12	69	1	2	4	74	32
32	Suicide M. F. }	2	1	1	1	.	.
				1	1	1	.
33	Other Violence	... M. F. }	30	21	.	2	2	3	2	2	6	4	.	.	.	2	19	.
				9	1	2	2	.	.	2	2	1	1	.	1	3	5	.
34	Other Causes	... M. F. }	78	38	2	.	2	.	1	3	4	7	15	4	6	11	16	3
				40	2	2	2	3	4	3	4	8	9	3	3	10	26	2

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	679	371 308	31 30	8 5	10 6	9 17	17 12	11 19	19 23	44 44	128 73	94 79	24 26	12 9	103 48	232 225	49 39
1	Typhoid Fever (including Para-typhoid). M. F. }	2	1 1	1 1	1 1	.	.
2	Cerebro-spinal Meningitis ... M. F. }
3	Scarlet Fever ... M. F. }
4	Whooping Cough ... M. F. }
5	Diphtheria ... M. F. }	10	9 1	.	2 6	1 1	8 1	1	.
6	Tuberculosis of the Respiratory System. M. F. }	49	26 23	.	1 6	10 10	4 5	2 3	4 3	4 4	.	.	.	14 11	2 1	3 4	7 7	1
7	All other forms of Tuberculosis ... M. F. }	9	4 5	.	1 3	1 1	1 1	1	1	2 3	2 2	1
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	5	2 3	2	1	.	.	.	2 3	1
10	Measles ... M. F. }
11	Acute Infectious Encephalitis ... M. F. }	2	1 1	1	1	1	1	.
12	Typhus ... M. F. }
13	Cancer ... M. F. }	73	40 33	.	.	.	2	.	4 4	4 4	8 11	22 11	4 3	3 1	.	9 1	28 30	2 1
14	Diabetes Mellitus ... M. F. }	6	4 2	1	.	.	.	3	1 1	.	.	3	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	40	15	1	13	.	.	.	4	11	1
				25	1	4	6	9	5	.	2	3	20
16	Diseases of the Heart	... M. F. }	167	97	.	.	2	.	2	2	4	18	39	32	1	4	38	54
				70	.	1	.	2	2	4	4	15	27	15	1	3	14	52
17	Other Diseases of the Circulatory System.	M. F. }	6	3	1	1	.	2	1	.	.	3
				3	1	1	.	1	.	.	1	2
18	Bronchitis	... M. F. }	25	14	1	1	7	5	.	1	1	12
				11	.	1	1	1	5	3	.	1	1	10
19	Pneumonia	... M. F. }	21	14	.	1	.	.	.	1	.	2	5	5	.	.	4	10
				7	2	1	.	.	.	1	.	2	1	1	.	.	1	6
20	Other Diseases of the Respiratory System.	M. F. }	14	9	.	.	.	1	1	.	1	2	4	1	.	1	1	7
				5	.	.	.	1	.	.	1	4	4	.	.	.	5	5
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	1	1	1	.
				4	1	.	1	2	1	.	.	3
22	Diarrhoea and Enteritis	... M. F. }	13	5	.	3	1	.	.	.	1	1	.	.	1	2	1	2
				8	6	1	.	.	1	3
23	Appendicitis	... M. F. }	2	1	1	1
				1	1	1	.
24	Cirrhosis of the Liver	... M. F. }	
25	Diseases of the Liver and Biliary Passages.	M. F. }	1	1	1	.	.	.	1	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	5	4	.	.	1	3	.	.	.	2	2
				1	1	.	.	.	1	.	.	.
27	Nephritis	... M. F. }	8	6	1	1	2	3	.	.	1	5
				2	1	1	2
28	Puerperal Infection	... F. }	
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	42	25	24	1	2	.	11	12
				17	17	6	.	3	8
31	Senility	... M. F. }	99	52	19	33	.	.	3	49
				47	5	42	.	.	1	46
32	Suicide	... M. F. }	1	1	1	1
33	Other Violence	... M. F. }	9	4	1	.	1	1	1	1	1	.	1	2
				5	2	1	1	4
34	Other Causes	... M. F. }	64	33	3	1	1	1	3	2	2	6	8	6	2	3	8	20
				31	2	1	1	3	3	3	1	7	8	2	2	2	7	20

ABSTRACT V—contd.—Causes of Death for the Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries	Else-where.	
	ALL CAUSES ... M. } ... F. }	634	337 297	34 22	3 9	5 2	9 8	13 17	7 12	23 24	39 34	95 72	109 97	15 8	11 11	88 59	223 219	80 93
1	Typhoid Fever (including Para- M. } typhoid). F. }	6	2 4	.	.	.	1	1	.	.	.	2 4	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	
3	Scarlet Fever ... M. } ... F. }	2	2	.	1	1	2	.	.
4	Whooping Cough ... M. } ... F. }	9	6 3	5	1 3	6 2	1
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	41	18 23	.	1	.	2 6	4 5	2 6	1 4	4 1	3	1	2 1	1	7 12	8 10	2 1
7	All other forms of Tuberculosis ... M. } ... F. }	8	3 5	.	.	.	2 1	1 1	1	2	.	.	1	1	1	2 3	1	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	12	4 8	2	1	4	2 3	.	.	.	4 8	3 8
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	45	27 18	.	.	.	2	1	1	1 1	4 7	16 5	3 4	1 1	.	9 6	17 11	4 3

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	59	32 27	2	.	1	7	18	4	1	1	13	17	5
16	Diseases of the Heart	... M. } ... F. }	137	80 57	1	1	9	10	31	28	2	5	21	52	5
17	Other Diseases of the Circulatory System.	M. } F. }	10	5 5	3	2	2	2	.	.	1	4	1
18	Bronchitis M. } ... F. }	11	7 4	1	1	1	1	4	.	.	.	7	2
19	Pneumonia M. } ... F. }	35	23 12	4	.	1	1	1	1	4	3	9	1	1	7	14	2	
20	Other Diseases of the Respiratory System.	M. } F. }	2	1 1	.	.	.	1	.	.	1	.	.	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	3	3	1	1	1	.	.	2	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	8	3 5	2	1	1	.	1	1	1	3	1	.	
23	Appendicitis M. } ... F. }	1	1	1	
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	1	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	4	2 2	1	.	1	.	1	.	.	1	1	
27	Nephritis M. } ... F. }	20	8 12	.	1	1	1	2	1	1	1	3	3	1	.	2	5	
28	Puerperal Infection F.	1	1	.	.	.	1	1	.	.	
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	1	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	30	17 13	17	4	5	8	4	
31	Senility M. } ... F. }	113	50 63	8	42	.	.	1	49	41	
32	Suicide M. } ... F. }	1	1	1	1	1	
33	Other Violence	... M. } ... F. }	13	11 2	1	.	1	2	.	3	.	2	2	.	1	4	6	2	
34	Other Causes	... M. } ... F. }	59	31 28	3	.	2	1	2	1	3	4	8	7	1	7	21	10	
					4	3	.	3	2	2	5	8	1	1	.	6	21	14	

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospi-tals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	941	496 445	51 37	17 11	15 4	19 25	26 33	25 20	43 34	73 51	123 111	104 119	33 28	11 12	102 100	350 307	29 27
1	Typhoid Fever (including Para- M. } typhoid). F. }
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	7	4 3	4 1	2	1 1	3 2	.
5	Diphtheria ... M. } ... F. }	3	3	.	3	1	.	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	83	40 43	1	1	.	11 15	13 15	6 4	7 5	2 2	1	.	6 3	1 6	14 9	19 25	.
7	All other forms of Tuberculosis ... M. } ... F. }	22	12 10	.	4 3	2 1	4 1	1 4	1 1	2 1	.	4 2	6 7	.
8	Dysentery ... M. } ... F. }	1	1	1	.	.	1
9	Influenza ... M. } ... F. }	7	3 4	1	1	1	.	.	1	1	.	.	3 3	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	110	50 60	.	.	1	1	.	3 4	4 8	18 14	21 23	3 9	3 8	.	16 12	31 40	1
14	Diabetes Mellitus ... M. }	7	6	3	1	2	.	.	.	2	4 1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	56 } 16 40	1	1	6	3	8	5	1	1	3	1	28	1
16	Diseases of the Heart	... M. } ... F. }	231 } 132 99	.	.	1	1	2	1	6	15	25	56	29	2	5	21	104	3	2
17	Other Diseases of the Circulatory System.	M. } F. }	7 } 4 3	2	1	1	.	1	1	2	.	.
18	Bronchitis M. } ... F. }	24 } 11 13	1	1	3	3	3	1	.	3	7	.	.	.
19	Pneumonia M. } ... F. }	44 } 26 18	10	3	1	1	1	2	1	4	2	1	1	1	4	21	.	1	.
20	Other Diseases of the Respiratory System.	M. } F. }	14 } 11 3	.	2	1	1	1	1	1	.	3	2	1	1	1	9	.	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7 } 5 2	1	2	1	.	1	1	.	1	4	.	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	13 } 10 3	7	2	1	.	.	2	.	8
23	Appendicitis M. } ... F. }	2 } 2	.	1	.	.	1	2
24	Cirrhosis of the Liver	... M. } ... F. }	}
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3 } 1 2	1	.	1	1	.	1	1
26	Other Diseases of the Digestive System.	M. } F. }	9 } 7 2	.	1	1	.	.	1	1	.	2	1	2	1	2	4	.	.	.
27	Nephritis M. } ... F. }	15 } 9 6	1	.	3	3	1	1	1	1	2	6	.	.	.
28	Puerperal Infection F.	3	3	.	.	.	2	1	3
29	Other Diseases of Childbirth ...	F.	3	3	.	.	.	2	1	1	.	1	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	47 } 24 23	24	4	.	5	15	4	.	.
31	Senility M. } ... F. }	127 } 62 65	11	51	.	8	54	18	.	.
32	Suicide M. } ... F. }	1 } 1	.	.	.	1	1	.	.	.
33	Other Violence M. } ... F. }	24 } 17 7	1	1	2	.	1	1	3	3	3	2	1	.	3	13	.	.	.
34	Other Causes M. } ... F. }	71 } 40 31	4	2	5	2	6	2	2	6	10	3	5	2	8	25	3	.	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	917	519 398	52 50	13 5	10 6	18 21	25 18	18 14	45 25	65 48	147 90	126 121	26 17	6 2	132 83	355 296	51 35
1	Typhoid Fever (including Paratyphoid). M. F. }	2	2	1	.	1	2	.	.
2	Cerebro-spinal Meningitis ... M. F. }
3	Scarlet Fever ... M. F. }
4	Whooping Cough ... M. F. }	5	2 3	1 3	1	1	2 2	.
5	Diphtheria ... M. F. }	4	3 1	.	1	.	1	.	1	1	.	.	.	1	.	2 1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	73	37 36	.	1	1	9 16	9 11	7 3	7 3	4	.	1	1 1	.	13 12	23 23	.
7	All other forms of Tuberculosis ... M. F. }	18	11 7	1	.	4 1	1 2	3 1	1 1	1	.	1	.	3	1	5 3	2 4	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	4	4	1	1	2	.	.	.	4	.
10	Measles ... M. F. }	1	1	.	.	1	1	.	.
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	108	60 48	.	.	.	1	.	2 2	9 7	16 14	23 13	9 12	6 6	.	21 11	33 31	.

15	Intra-cranial Lesions of Vascular M. Origin.	F.	65	30	8	11	11	.	1	6	23	.
				35	.	.	.	1	.	2	.	8	12	12	.		9	26	1
16	Diseases of the Heart	M. F.	215	124	.	.	.	3	3	8	17	44	49	49	3		21	96	7
				91	.	.	1	1	.	3	9	35	42	42	2	4	11	78	3
17	Other Diseases of the Circulatory System.	M. F.	11	8	.	.	.	1	.	.	.	2	2	3	.	.	2	6	.
				3	1	2	2	.	.	.	1	2	.
18	Bronchitis	M. F.	39	18	1	2	5	10	10	.	.	2	16	1
				21	1	.	4	5	11	11	.	.	4	17	
19	Pneumonia	M. F.	42	25	8	3	1	1	.	1	1	6	5	2	2	.	5	18	1
				17	9	2	.	.	.	1	1	2	2	2	.	4	11	11	1
20	Other Diseases of the Respiratory System.	M. F.	18	14	1	1	.	1	2	1	1	4	3	2	.	.	4	8	.
				4	1	1	1	4	.
21	Ulcer of the Stomach or Duodenum.	M. F.	4	3	2	1	.	.	1	.	.	.	2	.
				1	1	.	.	1	1	.
22	Diarrhoea and Enteritis	M. F.	8	1	1	1	.
				7	5	.	1	.	.	1	.	.	.	3	.	.	3	1	.
23	Appendicitis	M. F.
24	Cirrhosis of the Liver	M. F.	2	2	2	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F.
26	Other Diseases of the Digestive System.	M. F.	8	3	.	.	.	1	.	.	.	2	2	1	.
				5	1	1	2	2	.	.	.	2	3	.
27	Nephritis	M. F.	21	12	3	1	5	3	.	.	.	3	9	.
				9	4	1	2	2	1	.	.	.	8	.
28	Puerperal Infection	F.
29	Other Diseases of Childbirth	F.	4	4	.	.	.	2	2	2	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	58	34	34	2	.	10	22	2
				24	24	6	6	18	3
31	Senility	M. F.	82	41	14	27	.	.	.	7	34	21
				41	6	35	41	23
32	Suicide	M. F.
33	Other Violence	M. F.	22	17	.	3	.	1	2	2	1	3	4	1	1	.	5	11	2
				5	2	1	1	2	2	1	.	.	.	4	1
34	Other Causes	M. F.	99	69	6	5	4	3	4	1	10	9	25	2	4	.	23	42	17
				30	6	1	1	2	2	2	3	5	8	1	.	9	20	3	

ABSTRACT V--continued.--Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	749	383 366	42 37	13 9	12 8	12 16	14 20	17 26	22 26	48 45	97 84	106 95	20 11	10 12	69 77	284 266	63 58
1	Typhoid Fever (including Para-typhoid). M. F. }	
2	Cerebro-spinal Meningitis ... M. F. }	1	1	1	1
3	Scarlet Fever ... M. F. }	1	1	.	1	1	.	.
4	Whooping Cough ... M. F. }	7	1 6	2	1 4	1 1	5	3
5	Diphtheria ... M. F. }	8	5 3	.	1	3 2	1 1	5 3	.	.
6	Tuberculosis of the Respiratory System. M. F. }	57	24 33	.	.	1 1	5 7	1 11	2 8	7 3	3 3	5	.	4 4	1 1	6 4	13 24	1 2
7	All other forms of Tuberculosis ... M. F. }	16	9 7	2	1	1 1	1 4	.	4 1	.	.	.	1	3 1	1 1	2 3	5 2	1
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	6	3 3	1	1	1 1	1 1	3 3	.
10	Measles ... M. F. }	
11	Acute Infectious Encephalitis ... M. F. }	
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	89	40 49	1	.	1	.	1	1	5 3	11 15	13 15	9 3	2 1	.	12 10	26 29	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	57	27	2	.	.	3	2	15	5	1	2	3	21	4	
				30	1	.	.	3	6	12	8	.	1	5	24	5	
16	Diseases of the Heart	... M. F. }	149	77	.	.	1	.	2	3	2	15	25	29	29	2	2	4	8	63	4	
				72	.	.	2	1	3	5	4	10	26	21	21	1	1	3	9	59	4	
17	Other Diseases of the Circulatory System.	M. F. }	4	3	2	1	1	1	1	.	.	2	.	
				1	1	.	.	.	
18	Bronchitis M. F. }	29	15	3	.	1	2	6	3	6	3	.	.	1	14	2	
				14	2	.	1	.	.	1	1	.	8	1	1	1	.	1	2	11	1	
19	Pneumonia M. F. }	32	22	4	3	1	.	2	1	.	3	7	1	1	2	.	.	7	13	1	
				10	3	2	.	.	.	3	.	.	1	1	1	.	.	.	4	6	.	
20	Other Diseases of the Respiratory System.	M. F. }	7	5	2	2	1	1	4	.	
				2	1	1	.	.	1	.	.	.	1	1	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	4	2	.	2	1	3	.	
				1	1	1	.	.	
22	Diarrhoea and Enteritis	... M. F. }	20	12	8	3	1	1	.	.	.	2	10	3	
				8	4	1	1	.	.	1	1	.	.	.	4	4	.	
23	Appendicitis	... M. F. }	6	2	.	.	1	.	1	.	1	1	1	1	2	.	.	
				4	1	1	1	1	4	.	.	
24	Cirrhosis of the Liver	... M. F. }	
25	Diseases of the Liver and Biliary Passages.	M. F. }	6	3	.	.	1	1	1	1	3	.	
				3	1	1	.	.	1	1	2	.	
26	Other Diseases of the Digestive System.	M. F. }	3	2	1	1	1	2	.	
				1	
27	Nephritis M. F. }	12	5	1	1	2	1	1	5	.	
				7	3	2	2	2	1	6	.	
28	Puerperal Infection	... F. }	
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	3	2	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	38	19	18	1	3	.	5	11	6	
				19	19	1	.	8	10	1	
31	Senility M. F. }	120	57	10	47	.	.	.	1	7	49	33	
				63	8	55	6	57	41	
32	Suicide M. F. }	2	1	.	.	1	1	.	
				1	1	1	.	
33	Other Violence	... M. F. }	15	11	1	2	.	1	2	1	.	2	2	2	9	.	
				4	2	.	.	1	1	.	.	.	1	.	3	.	.	
34	Other Causes	... M. F. }	63	34	4	1	1	2	2	3	2	6	7	6	6	1	1	3	29	8		
				29	4	2	.	2	1	4	2	4	8	2	2	1	4	5	19	1	.	

ABSTRACT V—contd.—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5--	16--	25--	35--	45--	55--	65--	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	811	436 375	62 37	6 7	6 5	21 22	17 27	14 10	27 29	63 40	103 80	117 118	22 12	8 9	147 98	259 256	42 51
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	5	1 4	1 3	.	1	1	4	.
5	Diphtheria ... M. } ... F. }	2	1 1	1	.	.	1	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	78	35 43	.	.	.	10 11	10 17	7 4	5 7	3 4	.	.	2	1 1	19 21	13 21	1
7	All other forms of Tuberculosis ... M. } ... F. }	25	15 10	1	2 1	3	7 4	2 2	.	2	1	.	.	2 2	.	9 6	4 2	.
8	Dysentery ... M. } ... F. }	1	1	.	.	.	1	1	.	.
9	Influenza ... M. } ... F. }	11	8 3	2	1	1	3	1 3	1	.	.	7 3	1 1
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	98	69 29	.	1	.	.	1 1	2	5 4	24 9	24 12	12 3	3 1	1 2	29 10	36 16	4

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	62	26 36	1	1	1	3	8	10	7	.	1	19 10	15 26	3 4
16	Diseases of the Heart	... M. } ... F. }	161	83 78	.	.	.	3	.	4	7	31	38	38	29	1	3	29 16	50 56	3 6
17	Other Diseases of the Circulatory System.	M. } F. }	17	9 8	.	.	.	1	.	1	1	3	3	3	2	1	.	5 2	3 6	.
18	Bronchitis M. } ... F. }	19	7 12	3	1	1	1	4	4	.	.	.	1 1	6 11	.
19	Pneumonia M. } ... F. }	40	26 14	14	1	.	.	2	1	3	3	3	3	.	.	1	5 4	21 9	.
20	Other Diseases of the Respiratory System.	M. } F. }	5	3 2	.	1	.	.	.	1	1	1	.	1	.	2	.	1 1	1 1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	4 2	4	1	2 2	2 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	10	7 3	7 3	2	.	1 1	5 1	1
23	Appendicitis M. } ... F. }	6	2 4	.	1	1	1	1	1	.	.	.	1 3	1 1	.
24	Cirrhosis of the Liver.	... M. } ... F. }	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	1	1
26	Other Diseases of the Digestive System.	M. } F. }	12	7 5	2	1	1	1	.	.	.	4	1	2	.	1	.	3 4	3 4	.
27	Nephritis M. } ... F. }	17	13 4	.	.	1	1	.	1	5	3	3	2	1	2	.	4 4	6 4	.
28	Puerperal Infection F.	
29	Other Diseases of Childbirth F.	2	2	.	.	.	2	1	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	54	31 23	31 23	2	.	13 7	16 12	4 2
31	Senility M. } ... F. }	103	43 60	7	36	7	53	1	.	4 1	38 59	20 35
32	Suicide M. } ... F. }	2	1 1	.	.	1	1 1	.
33	Other Violence M. } ... F. }	15	9 6	1	1	1	.	.	1	1	2	2	2	.	.	.	2 3	7 3	1
34	Other Causes M. } ... F. }	57	35 22	3	2	1	1	.	1	4	6	11	8	3	.	.	8 9	24 12	4 1

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-3	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,486	754 732	93 66	31 27	16 16	21 36	29 42	31 31	46 44	88 88	209 176	190 206	27 32	10 9	147 124	570 567	63 72
1	Typhoid Fever (including Para-typhoid). M. } ... F. }																	
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1			1										1		
3	Scarlet Fever ... M. } ... F. }	1	1					1								1		
4	Whooping Cough ... M. } ... F. }	30	17 13	11 6	6 7											2	15 13	2
5	Diphtheria ... M. } ... F. }	6	3 3		2 1	1			1								3 3	
6	Tuberculosis of the Respiratory System. M. } ... F. }	128	54 74			1 5	12 24	12 25	11 6	6 6	7 5	4 3	1	12 13	1	4 9	37 52	4
7	All other forms of Tuberculosis ... M. } ... F. }	34	16 18	2 1	4 2	3 3	2 4	3 5	2		1 1	1		2 3	1	4 8	9 7	
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	4	2 2										1	1			2 2	
10	Measles ... M. } ... F. }	1	1		1												1	
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1							1							1	
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	103	62 41			1			3 1	7 8	11 14	32 12	9 5	3 1	2 1	15 8	42 31	
			4					1		1	1	1					4	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	99	39 60	.	.	.	2	.	1	1	3	20	12	.	1	2	36	1
16	Diseases of the Heart	... M. } ... F. }	375	194 181	.	.	1	2	2	3	12	32	78	66	1	1	40	152	7
17	Other Diseases of the Circulatory System.	M. } F. }	19	13 6	1	1	2	.	6	3	1	1	2	9	5
18	Bronchitis M. } ... F. }	57	29 28	3	1	1	5	6	13	1	1	1	26	1
19	Pneumonia M. } ... F. }	59	34 25	11	7	.	.	.	1	3	4	7	1	1	1	8	24	3
20	Other Diseases of the Respiratory System.	M. } F. }	13	6 7	.	1	.	.	1	.	2	2	2	1	.	.	2	4	2
21	Ulcer of the Stomach or Duodenum.	M. } F. }	11	7 4	2	1	3	3	7	1
22	Diarrhoea and Enteritis	... M. } ... F. }	37	26 11	23	2	1	.	.	1	2	.	2	22	1
23	Appendicitis M. } ... F. }	1	1	1	1	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	5 3	.	1	1	3	1	4	.
26	Other Diseases of the Digestive System.	M. } F. }	18	9 9	.	1	.	2	2	.	.	1	1	2	.	1	5	3	5
27	Nephritis M. } ... F. }	44	27 17	.	1	.	2	1	4	6	6	7	1	1	.	9	18	.
28	Puerperal Infection F.	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F.	7	7	.	.	.	2	3	2	3	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	83	43 40	39	2	2	2	.	5	36	8
31	Senility M. } ... F. }	192	74 118	17	57	.	1	17	57	29
32	Suicide M. } ... F. }	2	2	1	.	1	2	.
33	Other Violence M. } ... F. }	22	16 6	.	1	.	2	1	2	3	4	3	1	.	.	6	9	.
34	Other Causes M. } ... F. }	124	71 53	4	4	7	4	3	3	4	8	21	13	1	1	18	52	5
					4	3	1	2	4	4	4	8	14	9	3		5	44	5

ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else. where.	
	ALL CAUSES ... M. F. }	916	471 445	60 37	18 15	9 7	27 18	15 19	9 21	30 28	72 68	120 109	111 123	57 51	14 7	79 62	321 325	24 27
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis ... M. F. }
3	Scarlet Fever ... M. F. }	1	1	1	1	.
4	Whooping Cough ... M. F. }	6	6	4	2	6	.
5	Diphtheria ... M. F. }	9	6 3	.	2 2	1	2	.	.	1	4 1	2	1
6	Tuberculosis of the Respiratory System. M. F. }	64	34 30	.	.	1	13 9	5 10	1 5	4 2	6 4	4 4	.	10 9	1 4	3 3	20 14	.
7	All other forms of Tuberculosis ... M. F. }	34	20 14	1 1	4 2	3 3	5 4	3 2	1 1	2	.	1	.	8 1	.	3 4	9 9	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	8	5 3	4 1	1 1	.	.	.	5 3	.
10	Measles ... M. F. }
11	Acute Infectious Encephalitis... M. F. }	1	1	1	1	.
12	Typhus ... M. F. }
13	Cancer ... M. F. }	74	38 36	3 3	2 5	13 8	15 14	5 6	9 3	1	7 7	21 26	.
14	Diabetes Mellitus ... M. F. }	7	2 5	2 4	1 1	.	.	1	2 4	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	88	41 47	1	2	9 12	12 22	16 10	2 3	1	8 10	30 34	1 1
16	Diseases of the Heart	... M. F. }	207	103 104	.	1	1	1	1	2	5	4	22 21	33 30	39 46	3 7	11 3	11 6	78 88	1 3
17	Other Diseases of the Circulatory System.	M. F. }	14	11 3	1	1	3	4 2	2 1	1	.	1 1	9 2	.
18	Bronchitis M. F. }	20	16 10	1	1	1	.	.	.	1	.	2 1	5 4	2 1	.	.	4	6 10	1
19	Pneumonia M. F. }	50	26 24	5 5	3 5	1	1	1	.	3 3	2	2 3	6 5	4 5	1 3	.	3	22 21	.
20	Other Diseases of the Respiratory System.	M. F. }	23	11 12	1 1	3 1	4 5	3 5	.	.	.	1 1	10 11	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	5	4 1	1	.	1	2 1	.	.	.	1	.	1	2 1	1
22	Diarrhoea and Enteritis	... M. F. }	32	15 17	11 14	3 1	2	1 6	2 6	.	2 1	11 10	.
23	Appendicitis M. F. }	3	2 1	.	.	.	1	1	1	1	.	.	1 1	.
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	2 2	1 1	1 1	1 1	.	.	1 1	.
26	Other Diseases of the Digestive System.	M. F. }	11	5 6	.	1	1	.	.	.	2	.	1 2	.	3	1	.	1 2	4 3	1
27	Nephritis M. F. }	28	14 14	1 1	.	.	.	1	1	4	4	6 2	6 1	2 1	3 1	.	6 4	5 9	.
28	Puerperal Infection F. }	1	1	.	.	1	1	.
29	Other Diseases of Childbirth	... F. }	1	1	1	1	.
30	Congenital Debility etc. (Nos. 157--161).	M. F. }	45	32 13	31 12	.	1	10 6	.	7 3	15 4	1
31	Senility M. F. }	77	33 44	7 9	26 35	1 1	.	2 7	30 36	11 19
32	Suicide M. F. }	1	1	1	1	.
33	Other Violence	... M. F. }	23	12 11	.	1	.	3 1	2 1	.	3	1	1 3	1 5	1 1	1 1	.	2	11 8	2
34	Other Causes	... M. F. }	77	37 40	5 1	1 3	1 1	2 3	1 8	4 3	4 6	4 6	13 10	5 5	3 6	.	.	15 8	19 26	5 2

ABSTRACT V—*contd.*—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	13,746	7,217 6,529	950 663	225 217	148 149	260 260	278 286	313 322	493 436	950 838	1,377 1,552	1,723 1,806	825 702	262 170	1,659 1,227	4,471 4,430	824 971
1	Typhoid Fever (including Para-M. } typhoid). F. }	18	12 6	.	.	.	1 3	7 1	.	1 1	2 .	1 .	.	1 .	.	10 5	2 .	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	9	6 3	.	2 2	.	1 .	2 .	.	1	3 2	3 1	.
3	Scarlet Fever ... M. } ... F. }	12	8 4	.	3 2	5 .	.	1	4 2	4 2	.
4	Whooping Cough ... M. } ... F. }	80	28 52	12 27	15 23	1 2	1 .	.	4 4	24 47	4 8
5	Diphtheria ... M. } ... F. }	107	47 60	4 3	18 27	20 25	4 2	.	1 .	.	2 1	.	.	6 3	.	29 47	12 10	1 .
6	Tuberculosis of the Respiratory M. } System. F. }	1,055	554 501	1 1	4 19	12 131	129 143	124 88	84 57	56 37	20 20	2 4	138 148	81 42	130 92	215 219	9 5	
7	All other forms of Tuberculosis ... M. } ... F. }	272	140 132	21 10	24 26	22 28	16 13	9 10	6 9	8 7	8 3	.	23 3	5 8	58 52	54 51	1 .	
8	Dysentery ... M. } ... F. }	1	1	1	1 .	.	.
9	Influenza ... M. } ... F. }	96	47 49	5 3	2 3	2 2	1 1	2 .	5 2	8 9	12 19	11 9	3 5	2 1	6 3	36 40	2 6	
10	Measles ... M. } ... F. }	3	2 1	.	1 .	.	1	1 1	1 1	1 1	
11	Acute Infectious Encephalitis ... M. } ... F. }	5	2 3	1 .	.	.	1 .	.	2 1	1 1	.	1 1	.	
12	Typhus ... M. } ... F. }	1	1	1	1 .	.	
13	Cancer ... M. } ... F. }	1,322	687 635	.	.	2 2	6 11	17 49	59 99	175 161	296 203	132 108	95 94	13 7	179 133	400 401	11 8	
14	Diabetes Mellitus ... M. } ... F. }	82	35 47	.	1 2	1 .	1 1	6 2	3 6	7 2	13 16	3 5	4 7	.	7 10	24 28	1 .	

15	Intra-cranial Lesions of Vascular M. Origin.	M. F. }	817	355 462	.	1 3	1 .	2 1	.	4 10	25 36	77 104	135 186	110 119	27 35	12 6	73 84	243 337	28 26
16	Diseases of the Heart	... M. F. }	2,955	1,594 1,361	.	1 7	7 7	16 17	22 24	44 41	108 92	282 239	674 519	441 421	100 70	69 51	421 281	1,004 959	95 70
17	Other Diseases of the Circulatory System.	M. F. }	199	106 93	1 .	.	2 2	.	.	1 3	4 5	16 23	47 31	37 27	16 7	2 1	35 23	53 62	3 4
18	Bronchitis M. F. }	480	259 221	45 38	9 11	1 .	3 .	2 2	10 5	20 9	29 27	79 71	61 58	21 11	2 2	41 21	195 187	25 26
19	Pneumonia M. F. }	532	311 221	93 59	44 40	10 8	4 3	10 3	10 10	22 10	40 19	50 42	28 27	27 8	3 4	81 24	200 185	15 13
20	Other Diseases of the Respiratory System.	M. F. }	185	101 84	5 2	7 3	3 3	1 3	3 5	3 3	13 8	17 11	33 24	16 20	13 9	5 1	11 13	72 61	6 6
21	Ulcer of the Stomach or Duodenum.	M. F. }	105	78 27	.	.	1 1	.	6 1	12 3	13 3	25 8	13 7	8 4	21 7	.	29 4	28 16	1 1
22	Diarrhoea and Enteritis	... M. F. }	369	238 151	200 113	11 17	2 4	1 .	2 2	.	3 1	6 6	9 4	4 4	34 20	5 .	48 33	151 98	9 7
23	Appendicitis M. F. }	41	27 14	1 .	4 1	3 2	7 1	1 .	1 6	3 .	4 3	3 1	.	8 5	.	15 7	4 2	.
24	Cirrhosis of the Liver	... M. F. }	20	17 3	1 .	1 .	5 .	6 1	6 .	.	5 1	.	2 1	10 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	58	29 29	.	1 2	2 1	1 2	2 1	1 1	7 3	5 8	4 3	6 9	4 5	1 .	7 4	17 20	1 .
26	Other Diseases of the Digestive System.	M. F. }	221	106 115	23 21	4 4	5 5	3 3	1 4	2 7	9 11	25 19	19 27	15 14	29 31	3 1	30 27	44 36	2 4
27	Nephritis M. F. }	344	197 147	1 4	2 3	5 4	5 4	8 8	13 9	25 21	34 30	69 40	35 24	16 16	7 .	57 27	117 104	3 2
28	Puerperal Infection F. }	11	11	7 .	3 .	1	1 .	6 .	4 .	.	.
29	Other Diseases of Childbirth	... F. }	40	40	.	.	4	22	14	8	.	18	14	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	774	449 325	439 315	6 4	1 4	2 1	.	.	.	1 .	.	.	91 97	.	95 68	265 160	48 36
31	Senility M. F. }	1,964	877 1,087	162 187	715 900	7 21	19 20	80 84	771 962	482 642
32	Suicide M. F. }	24	17 7	.	.	.	2	1	3 2	2 .	3 1	2 1	2 .	.	.	1 1	17 5	1 .
33	Other Violence	... M. F. }	271	181 90	8 12	15 9	8 9	29 6	15 1	15 3	25 4	22 8	28 19	16 10	32 10	.	37 29	112 51	1 .
34	Other Causes	... M. F. }	1,253	705 548	91 52	52 36	37 23	29 43	37 27	34 44	50 60	100 103	194 129	81 31	104 59	33 23	175 121	393 345	75 104

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.													PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-wherep.			
	ALL CAUSES ... M. F. }	1,416	774 642	68 42	21 27	23 16	35 27	38 19	22 33	52 38	100 74	196 145	219 221	54 31	40 25	160 130	520 456	132 173		
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	1	1	.	.		
	Cerebro-spinal Meningitis ... M. F. }	2	1 1	.	1	1	1		
3	Scarlet Fever ... M. F. }	1	1	.	.	1	1	.	.		
4	Whooping Cough ... M. F. }	8	2 6	1 2	1 4	1	2 5	2		
5	Diphtheria ... M. F. }	11	3 8	.	1 3	.	2 1	.	.	1	.	.	.	1	.	2 8	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	108	64 44	.	.	2 2	14 12	19 9	6 13	9 5	10 2	4	.	18 12	10 7	13 8	23 17	2		
7	All other forms of Tuberculosis ... M. F. }	36	21 15	4 1	2 2	2 4	2 4	3 2	4 1	2 1	1	1	.	.	1	9 6	11 7	1		
8	Dysentery ... M. F. }	1	1	1	1	.	.		
9	Influenza ... M. F. }	15	6 9	2	1	1 1	2 3	1	.	.	5 9	4		
10	Measles ... M. F. }	1	1	.	1	1	1		
11	Acute Infectious Encephalitis ... M. F. }		
12	Typhus ... M. F. }		
13	Cancer ... M. F. }	139	71 68	.	.	.	1	.	2	5	2 6	22 16	33 23	13 16	4 3	3 1	16 19	43 45	2 1	
14	Diabetes Mellitus ... M. F. }	4	2 2	1	.	.	1	.	.	.	1	1	2		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	65	22 43	1 4	1 9	12 16	8 14	2 2	.	.	1 10	19 31	3 6
16	Diseases of the Heart	M. } F. }	239	150 89	.	.	4 2	1 1	6 11	9 24	26 29	61 22	43 22	4 3	15 7	.	.	31 20	100 59	9 9
17	Other Diseases of the Circulatory System.	M. } F. }	21	15 6	2 1	6 2	5 3	5 3	1 1	.	.	.	5 1	9 5	.
18	Bronchitis	M. } F. }	47	26 21	5 1	.	1 1	.	.	2 1	1 8	6 10	9 2	1 1	.	.	.	2 2	23 21	6 7
19	Pneumonia	M. } F. }	48	34 14	10 8	3 3	3 .	.	1 1	.	4 2	9 3	3 1	2	7 2	25 12	5 1
20	Other Diseases of the Respiratory System.	M. } F. }	25	15 10	1 .	.	1 .	.	1 1	1 2	8 2	1 5	.	.	2 .	.	.	2 10	11 16	1 1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	8	5 3	1 2	4	4 .	1 3	.
22	Diarrhoea and Enteritis	M. } F. }	25	14 11	10 9	1 .	1 1	.	.	1 .	1 .	1 1	1 1	1 1	1 .	1 .	.	2 7	10 3	2 .
23	Appendicitis	M. } F. }	4	3 1	.	.	1	1	3 1	.	.
24	Cirrhosis of the Liver	M. } F. }	3	2 1	1 .	.	2	1 .	2 .	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	2 2	.	.	1	1 1	2 2	.
26	Other Diseases of the Digestive System.	M. } F. }	22	9 13	.	.	1 1	1 1	1 1	1 2	2 6	3 1	3 .	1	1 2	4 11	2 2
27	Nephritis	M. } F. }	42	24 18	.	.	.	1 1	2 1	4 6	3 6	9 6	5 1	1 .	1 .	.	.	10 1	13 16	1 .
28	Puerperal Infection	F. }	2	2	.	.	.	1 .	1	1 .	.
29	Other Diseases of Childbirth	F. }	2	2	2	2 .	.
30	Congenital Debility etc. (Nos. 157-161).	M. } F. }	40	24 16	24 16	2 2	.	.	4 1	18 13	6 3
31	Senility	M. } F. }	310	139 171	15 33	124 138	.	2 .	3 .	.	15 19	124 147	91 124
32	Suicide	M. } F. }	2	1 1	.	.	1	1	1 1	.
33	Other Violence	M. } F. }	24	19 5	.	4 2	1 1	1 1	4 .	.	4 2	1 1	2 1	1 2	.	.	.	6 1	12 2	.
34	Other Causes	M. } F. }	156	97 59	11 3	6 9	12 5	7 5	5 3	1 7	4 6	15 5	27 13	9 3	13 2	6 6	.	23 21	55 30	6 8

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,957	2,137 1,820	244 186	55 27	33 33	72 69	74 77	97 109	141 117	234 228	584 416	553 558	317 237	87 47	460 338	1,273 1,198	248 265
1	Typhoid Fever (including Para-M. } typhoid). F. }	2	1 1	1	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	2	.	.	1	.	.	.	1	1	1	.
3	Scarlet Fever ... M. } ... F. }	2	2	.	1	1	2	.
4	Whooping Cough ... M. } ... F. }	10	7 3	2 2	5 1	2	5 3	.
5	Diphtheria ... M. } ... F. }	18	8 10	.	1 2	6 6	1	.	1	.	1	.	.	1	.	6 9	1 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	286	144 142	.	1 1	3 2	40 32	30 35	37 37	15 18	14 11	3 5	1 1	40 51	31 16	28 20	45 55	4 2
7	All other forms of Tuberculosis ... M. } ... F. }	61	31 30	6 1	7 5	7 4	4 7	3 5	3 3	2 3	1 1	2 1	.	9 7	.	13 11	9 12	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	18	11 7	1	.	.	1	.	1	1	3 1	1 4	3 1	.	.	2 1	9 6	.
10	Measles ... M. } ... F. }	1	1	1	1	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	2	1 1	1 1	1 1	.	.
12	Typhus ... M. } ... F. }	1	1	1	1	.	.
13	Cancer ... M. } ... F. }	390	219 171	.	.	1	1	.	4 11	21 24	65 45	82 54	46 34	46 28	3 3	59 36	111 104	4 3

15	Intra-cranial Lesions of Vascular Origin.	M. F. } 225	102 123	.	1	1	1	.	4	6	15 25	43 52	32 33	8 10	3 1	16 22	75 90	8 5
16	Diseases of the Heart	... M. F. } 369	477 392	.	2	2	4	6	29	83	219 56	132 138	35 28	26 20	113 73	303 271	30 16	
17	Other Diseases of the Circulatory System.	M. F. } 62	36 26	1	.	2	.	1	2	1	3 6	12 7	18 9	5 3	.	18 8	13 14	1
18	Bronchitis M. F. } 152	94 58	17 19	4	.	.	5	3	12 11	29 17	24 8	8 6	.	21 6	65 46	9 7	
19	Pneumonia M. F. } 150	90 60	21 15	11 5	1 3	4 1	3 2	7	14 4	16 14	13 10	8 2	1 2	29 8	52 48	3 5	
20	Other Diseases of the Respiratory System.	M. F. } 72	40 32	2 1	3	.	1	1	4	8	13 8	8 10	7 3	1	6 4	26 25	1 1	
21	Ulcer of the Stomach or Duodenum.	M. F. } 29	23 6	.	.	.	3	5	2	6 3	5	2	8 1	.	6 1	9 4	.	
22	Diarrhoea and Enteritis	... M. F. } 80	50 30	37 22	2	.	1	.	2	1 1	6 1	2	12 9	4	12 7	22 14	.	
23	Appendicitis	... M. F. } 14	8 6	1	2	1	1	1	1	1	.	.	2 3	.	3 2	3 1	.	
24	Cirrhosis of the Liver	... M. F. } 4	3 1	1	.	2	.	1	.	.	2 1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. } 21	9 12	.	1	.	1	1	3	2 1	1 3	1 2	3 2	.	3 3	3 7	.	
26	Other Diseases of the Digestive System.	M. F. } 75	40 35	7 11	1	1	1	2	4	12 6	10 5	4 4	15 10	2	9 12	14 13	1	
27	Nephritis M. F. } 79	43 36	1 1	.	1	2	4	8	3 7	16 7	8 7	4 3	1	14 9	24 24	1	
28	Puerperal Infection	... F. } 2	2	.	.	.	1	1	1	1	.	
29	Other Diseases of Childbirth	... F. } 13	13	.	.	3	5	5	5	5	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. } 225	126 99	123 95	2	1	1	43 39	.	18 21	65 39	12 8	
31	Senility M. F. } 606	280 326	50 42	230 284	4 5	4 1	25 23	247 297	143 186	
32	Suicide M. F. } 7	6 1	.	.	.	3	1	2	1	6	.	
33	Other Violence	... M. F. } 95	64 31	2 6	2	2	11	7	7	14 1	6 7	9 6	4 6	13 1	8 15	43 15	1	
34	Other Causes	... M. F. } 361	208 153	23 13	12 4	8 3	6 16	11 12	13 16	17 17	30 36	62 29	26 7	44 22	11 3	45 36	108 92	26 30

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	1,276	597 679	113 92	18 30	12 15	16 27	21 26	33 44	50 50	108 109	138 173	88 113	220 169	15 12	117 180	245 318	2 9
1	Typhoid Fever (including Paratyphoid). M. F. }																	
2	Cerebro-spinal Meningitis ... M. F. }																	
3	Scarlet Fever ... M. F. }																	
4	Whooping Cough ... M. F. }	4	2 2	1 1	1 1											2 1	1	
5	Diphtheria ... M. F. }	15	6 9		3 5	3 4								3 2		3 6	1	
6	Tuberculosis of the Respiratory System. M. F. }	196	60 46		1 2	1 15	4 11	14 8	15 2	12 6	7 2	6 2		33 28	3 3	7 4	17 11	
7	All other forms of Tuberculosis... M. F. }	23	12 11	3 6	3 2	4 1	1 1		1 1					5 4		4 4	3 3	
8	Dysentery ... M. F. }																	
9	Influenza ... M. F. }	7	1 6	1			1						1				1 4	
10	Measles ... M. F. }																	
11	Acute Infections Encephalitis... M. F. }																	
12	Typhus ... M. F. }																	
13	Cancer ... M. F. }	122	54 68					1 2	1 10	4 13	16 16	22 21	10 6	27 26		6 13	21 29	
14	Diabetes Mellitus ... M. F. }	2											1			1	1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	89	26 63	.	1	.	1	1	5	6	13 15	8 15	5 15	6 13	.	4 13	16 37	.
16	Diseases of the Heart	... M. } ... F. }	337	161 176	.	.	.	3 3	1 4	6 10	14 14	38 38	66 68	33 39	38 14	8 6	45 70	70 86	. 1
17	Other Diseases of the Circulatory System.	M. } F. }	20	9 11	1 5	8 3	.	7 3	.	.	2 5	.
18	Bronchitis M. } ... F. }	70	41 29	4 1	1	.	.	.	3 1	5 3	7 5	10 13	11 6	11	.	10 6	20 23	. 2
19	Pneumonia M. } ... F. }	59	34 25	14 8	3 6	1 2	1 1	.	2 2	2 4	3 3	6 5	1 1	13 2	1 1	6 2	44 20	. .
20	Other Diseases of the Respiratory System.	M. } F. }	17	11 6	1	1	1	.	1	.	2 3	2	3	2	5 2	1	.	5 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	15	12 3	1	3	3	4 2	1 1	.	7 3	.	2	3	.
22	Diarrhœa and Enteritis	... M. } ... F. }	52	29 23	28 17	.	5	1	1	13 6	.	8 10	8 7	.
23	Appendicitis M. } ... F. }	2	1 1	1 1	1 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	1	.	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	1 1	1 2	.
26	Other Diseases of the Digestive System.	M. } F. }	21	11 10	5 2	1	1	.	.	2	1	2 1	2 2	1	3 3	.	6 2	2 5	.
27	Nephritis M. } ... F. }	18	11 7	.	1	.	.	1	2	1	4 1	3 3	.	3 2	1	3	4 5	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.	.
29	Other Diseases of Childbirth	... F. }	3	3	.	.	.	2	1	1	.	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	106	52 54	52 53	27 27	.	4 10	21 17	1 1
31	Senility M. } ... F. }	68	19 49	2 12	17 37	1 11	1 1	3 13	14 24	1 3
32	Suicide M. } ... F. }	2	1 1	.	.	.	1	.	1	1 1	.
33	Other Violence M. } ... F. }	22	11 11	.	1	3	.	1	.	2	1	3 4	3 3	7 2	.	1 2	3 7	.
34	Other Causes	... M. } ... F. }	90	31 59	5 7	5 4	3 3	1 3	1 2	1 3	4 8	7 11	2 15	3 3	10 17	.	2 14	19 27	2 2

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,801	955 846	99 63	36 32	16 22	39 36	42 39	40 36	62 61	105 97	263 211	253 249	84 78	35 18	222 110	614 640	207 268
1	Typhoid Fever (including Para- M. } typhoid). F. }	4	4	3	.	.	1	4	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	1 1	.	1	.	.	1	1 1	.	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.
4	Whooping Cough ... M. } ... F. }	22	7 15	4 6	3 8	1	7 13	2 3
5	Diphtheria ... M. } ... F. }	23	11 12	1 1	7 4	2 7	1	1 1	.	7 8	3 3	1
6	Tuberculosis of the Respiratory M. } System. F. }	141	78 63	.	2 1	21 17	18 22	16 10	13 7	7 1	1 5	.	.	31 32	13 5	6 2	28 24	3
7	All other forms of Tuberculosis ... M. } ... F. }	33	17 16	1 2	3 4	2 1	5 5	1 1	1	4	2	.	.	5 1	1 1	6 7	5 7	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	16	10 6	1	.	1	1	.	1	1	1	5	1	1	.	1	9 5	3 1
10	Measles ... M. } ... F. }	1	1	.	1	1	1	1
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	168	84 84	3 1	2 9	4 19	16 14	44 28	15 11	6 10	2	28 16	48 58	4 2
14	Diabetes Mellitus ... M. } ... F. }	14	5 9	1 1	1 5	4 2	.	.	.	3 4	2 5	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	95	52 43	1	1	5	15	16	16	3	3	10	36	6
16	Diseases of the Heart	... M. F. }	307	178 129	.	1	1	2	3	2	7	16	24	85	40	6	4	60	108	17
17	Other Diseases of the Circulatory System.	M. F. }	32	10 22	1	2	2	5	3	3	1	.	3	6	3
18	Bronchitis	... M. F. }	36	14 22	.	1	2	1	5	7	.	.	1	2	11	1
19	Pneumonia	... M. F. }	75	45 30	19	7	.	2	1	2	1	2	5	8	1	1	.	16	28	5
20	Other Diseases of the Respiratory System.	M. F. }	22	10 12	.	2	.	.	1	1	1	1	3	2	.	.	.	1	9	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	11	7 4	2	1	2	2	3	.	.	.	2	5	1
22	Diarrhoea and Enteritis	... M. F. }	46	32 14	25	2	.	.	2	.	.	1	1	1	1	4	.	6	22	2
23	Appendicitis	... M. F. }	10	7 3	.	.	1	2	.	1	1	2	1	1	.	5	.	2	.	.
24	Cirrhosis of the Liver	... M. F. }	1	1	1	.	.	1
25	Diseases of the Liver and Biliary Passages.	M. F. }	6	3 3	.	.	1	2	.	3	.	.	.	3	2
26	Other Diseases of the Digestive System.	M. F. }	24	10 14	4	.	.	.	1	.	.	1	2	2	2	2	1	4	4	1
27	Nephritis	... M. F. }	53	38 15	.	2	1	1	.	1	2	3	10	3	10	11	3	10	25	2
28	Puerperal Infection	... F. }	1	1	1	1	.	.	.
29	Other Diseases of Childbirth	... F. }	3	3	2	1	2	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	66	38 28	37	1	3	.	13	22	9
31	Senility	... M. F. }	361	164 197	33	131	1	1	161	124	10
32	Suicide	... M. F. }	4	3 1	1	.	.	1	1	3	1
33	Other Violence	... M. F. }	24	15 9	1	2	1	1	2	.	.	1	1	4	2	.	.	5	10	.
34	Other Causes	... M. F. }	199	109 90	7	7	4	4	8	9	11	13	32	14	10	10	10	32	57	22
					5	6	4	8	5	4	7	19	30	2	7	5	11	67	37	37

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,418	742 676	139 88	18 26	19 16	32 25	23 34	35 29	48 29	88 75	167 165	173 189	45 40	34 20	146 98	517 518	78 103
1	Typhoid Fever (including Para- M. } typhoid). ... F. }	3	3	.	.	.	2	.	.	1	3	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	
3	Scarlet Fever ... M. } ... F. }	7	4 3	1	1	3	.	1	3 1	1 2	.
4	Whooping Cough ... M. } ... F. }	4	4	4	4	.
5	Diphtheria ... M. } ... F. }	20	10 10	2 1	1 6	6 2	1	.	.	.	1	5 5	5 5	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	113	54 59	.	.	6	13 12	12 21	16 6	6 5	5 3	1 5	1 1	2 6	13 3	15 17	24 33	.
7	All other forms of Tuberculosis ... M. } ... F. }	22	6 16	.	1 4	3 2	1 2	3	.	.	1 1	.	.	1 1	4	3 4	2 7	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	15	8 7	1	1 1	1	1 1	2 4	2 1	.	.	1 1	7 6	1
10	Measles ... M. } ... F. }	
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1	1
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	128	69 59	.	.	.	1	1	3 2	5 6	14 16	31 24	15 10	3 7	2 1	12 7	52 44	1 2
14	Diabetes Mellitus ... M. } ... F. }	9	4 5	1	1	1 2	1 2	1 1	3	.	2	2 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	69	36 23	7 1	5 7	12 18	12 7	1 1	2 1	5 2	28 29	2 2
16	Diseases of the Heart	... M. F. }	255	151 144	.	.	1	.	3	6	11	30 21	52 52	48 55	6 6	6 2	21 16	118 126	6 9	
17	Other Diseases of the Circulatory System.	M. F. }	20	12 8	1 1	3 2	3 3	5 2	.	.	5 3	7 5	.
18	Bronchitis	... M. F. }	38	16 22	4 2	3	.	1	.	1	1	1 1	6 6	2 10	1 6	1 2	.	1 2	14 20	4 2
19	Pneumonia	... M. F. }	61	35 26	10 7	6 7	1	3	1	2	3	2 1	5 4	4 3	2	.	8 2	25 24	1 1	
20	Other Diseases of the Respiratory System.	M. F. }	13	7 6	.	1	1	3 1	2 1	1 1	1 2	.	.	6 4	2	
21	Ulcer of the Stomach or Duodenum.	M. F. }	8	5 3	2	1	1	1 2	1 1	2 1	.	2	1 2	.	
22	Diarrhoea and Enteritis	... M. F. }	56	32 24	31 21	1 2	1	.	2	.	7 4	23 20	1 2	
23	Appendicitis	... M. F. }	2	1 1	1	.	.	.	1	.	1	.	.	
24	Cirrhosis of the Liver	... M. F. }	3	2 1	1	2	.	.	.	1 1	.	1	.	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	6	4 2	.	.	1	.	1	.	.	.	2 2	1 2	.	.	.	3 2	.	
26	Other Diseases of the Digestive System.	M. F. }	25	13 12	4 2	1 1	1	1	.	1	2	3 3	2 2	2 3	2 3	.	3 5	8 4	.	
27	Nephritis	... M. F. }	36	18 18	.	.	.	2	.	.	.	4 2	8 8	4 5	1 1	3	7 4	7 13	.	
28	Puerperal Infection	... F. }	1	1	.	.	.	1	1	.	.	
29	Other Diseases of Childbirth	... F. }	4	4	.	.	.	3	1	4	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	115	74 41	72 40	1	1	5 5	.	12 10	54 26	11 8	
31	Senility	... M. F. }	175	76 99	16 16	60 83	.	7 5	.	1	68 94	41 66	
32	Suicide	... M. F. }	2	2	1	.	1	.	.	2	.	.	
33	Other Violence	... M. F. }	29	21 8	3 1	2 1	.	3	.	2	1 1	3 1	4 2	3 2	3	.	6 1	12 7	.	
34	Other Causes	... M. F. }	138	81 57	12 6	4 3	4	5	4	3	6 4	10 13	22 14	11 4	9 3	1 4	23 11	48 39	8 10	

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	599	302 297	52 32	16 19	5 10	11 19	10 21	16 16	31 26	49 33	73 73	39 48	26 36	6 7	104 83	166 171	7 7
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	1	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	1	1	.	1	1	.
5	Diphtheria ... M. } ... F. }	11	4 7	.	2 6	2 1	3 7	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	64	35 29	.	.	1	9 10	5 11	8 3	11 4	1	1	.	3 5	2	14 15	18 9	1
7	All other forms of Tuberculosis ... M. } ... F. }	19	7 12	3	2 1	3	5	.	.	1	1	2 1	.	1 4	.	4 7	2 1	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	5	4 1	1	.	1	.	.	.	1	1	1	.	1	.	2	1 1	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }	2	2	1	.	.	1	1	.	.	1	.
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	55	24 31	1	4	4 5	6 8	11 10	3 3	3 4	.	13 11	8 16	.
14	Diabetes Mellitus ... M. } ... F. }	4	2 2	1	.	1	1	1	.	.	1	1 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	36	16 20	.	1	1	1	5	6 10	3 7	1	.	4	11	.	
16	Diseases of the Heart	... M. F. }	157	87 70	.	.	1 1	1	2 3	3 2	8 5	20 15	35 28	17 16	5 5	1 1	.	37 26	44 38	3 1	
17	Other Diseases of the Circulatory System.	M. F. }	3	4 4	1 1	1 1	2 2	1	.	1	.	3	1 3	.	
18	Bronchitis M. F. }	27	13 14	4 3	.	.	.	1 1	1 1	1 1	3 5	2 2	3 2	.	.	.	1 1	12 13	1 1	
19	Pneumonia M. F. }	25	11 14	3 3	3 3	1	.	1 1	2 1	1 1	1 3	1 1	1 1	.	.	.	3 2	8 12	1	
20	Other Diseases of the Respiratory System.	M. F. }	7	2 5	1 1	1 1	1 1	.	1 1	1 1	2	.	.	1 1	1 2	.	
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	4 3	1 1	1 1	.	1 2	1	1	.	.	2 1	1 1	.	
22	Diarrhoea and Enteritis	... M. F. }	28	15 13	12 9	1 4	1 1	1	.	1	.	.	2	13 12	.	
23	Appendicitis	... M. F. }	
24	Cirrhosis of the Liver	... M. F. }	1	1	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	2 1	1 1	1	1	.	.	1	.	1	1	.	
26	Other Diseases of the Digestive System.	M. F. }	8	3 5	2 3	1 1	1 1	1 1	1 2	.	.	1	2 2	.	
27	Nephritis M. F. }	19	8 11	.	1	.	.	1 1	1 1	2 1	3 2	1 2	4	3 5	.	.	1 1	4 5	.	
28	Puerperal Infection F. }	
29	Other Diseases of Childbirth	... F. }	1	1	1	1	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	33	23 10	.	21 10	1	1	.	.	5	.	.	2 3	16 7	1	
31	Senility M. F. }	25	8 17	3 5	5 12	.	1	2	2 1	5 13	2 3	
32	Suicide M. F. }	
33	Other Violence	... M. F. }	9	7 2	.	1	1	.	1	1	2	1 1	.	2	.	.	1 1	4 1	.	.	
34	Other Causes	... M. F. }	42	21 21	6 3	4 2	3	1 3	2	.	1 2	2 1	2 2	3 2	3 3	1 1	.	6 3	11 14	.	

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	823	446 377	61 33	16 7	12 4	16 13	20 18	19 13	27 23	57 51	116 100	102 115	24 34	11 12	108 56	303 275	61 60
1	Typhoid Fever (including Para- M. } typhoid). F. }	2	2	1	1	2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	4	4	3	1	4	2
5	Diphtheria ... M. } ... F. }	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	59	30 29	.	.	7 1	7 7	7 6	4 2	5 6	.	1	.	9 7	.	1 2	30 18	1 1
7	All other forms of Tuberculosis ... M. } ... F. }	15	10 5	1	1 2	1 1	4 1	1 1	2 1	.	1	.	.	1	.	6 2	4 2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	4	2 2	.	1	1	1	.	1	.	.	2 1	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	77	41 36	1	1	7 3	8 10	20 13	5 8	2 4	1	8 3	30 29	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	56 { 23 35	1	.	1	6	10	5	1	.	8	14	4
											10	14	10	1		9	24	
16	Diseases of the Heart	M. } F. }	173 { 88 85	.	.	1	1	3	3	8	11	33	28	.	3	27	58	6
						1	2	1	4	4	11	36	30	1	4	11	69	3
17	Other Diseases of the Circulatory System.	M. } F. }	9 { 6 3	1	4	1	.	2	.	4	1
						2	.	1	.	.	.	3	1
18	Bronchitis ...	M. } F. }	33 { 18 15	5	1	1	.	1	.	1	2	3	4	.	.	1	17	1
				4	3	4	4	4	1	.	3	11	2
19	Pneumonia ...	M. } F. }	27 { 13 14	5	2	.	.	1	.	.	3	1	1	1	.	2	10	.
				4	1	1	.	.	1	2	3	2	3	1	.	2	11	2
20	Other Diseases of the Respiratory System.	M. } F. }	6 { 4 2	.	1	1	2	.	.	1	.	3	.
				1	1	.	.	1	.	1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6 { 5 1	1	.	.	3	1	.	.	.	4	1	.
				1	1	.	.	.	1	.	.
22	Diarrhoea and Enteritis	M. } F. }	19 { 14 5	10	2	1	1	1	.	3	10	1
				2	1	.	1	1	.	1	.	4	.	.
23	Appendicitis	M. } F. }	3 { 3	.	.	1	2	3	.	.
			
24	Cirrhosis of the Liver	M. } F. }	2 { 2	2	1	1	.
			
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3 { 2 1	1	.	1	.	.	.	1	1	.
				.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	16 { 7 9	1	1	1	.	.	.	1	1	1	1	.	2	5	5	.
				1	.	.	1	1	1	2	1	1	1	5	1	3	3	.
27	Nephritis ...	M. } F. }	29 { 20 9	.	.	1	.	1	1	1	2	11	3	1	1	4	14	1
				1	1	1	1	5	1	.	2	7	.	.
28	Puerperal Infection	F.	2	2	.	.	.	1	1	1	1	.	.
29	Other Diseases of Childbirth	F.	2	2	.	.	.	1	1	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	50 { 31 19	31	2	11	18	6	.
				19	7	4	8	3	.
31	Senility ...	M. } F. }	119 { 58 61	10	48	.	10	48	31	.
				12	49	1	6	54	40	.
32	Suicide ...	M. } F. }	3 { 1 2	.	.	.	1	1	1	.	1	.	.
				.	.	.	1	1	1	.	.
33	Other Violence	M. } F. }	14 { 8 6	.	1	1	.	1	1	.	1	2	1	1	2	5	.	.
				1	1	1	1	3	.	1	5	.	.
34	Other Causes	M. } F. }	77 { 48 29	5	4	4	.	3	3	2	8	15	4	6	11	28	7	.
				2	2	.	1	3	4	6	4	7	3	2	7	19	8	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	1,206	629 577	90 64	22 28	14 17	18 16	30 21	20 23	39 38	84 87	183 138	129 145	25 27	10 11	168 109	426 430	49 44
1	Typhoid Fever (including Para- M. } typhoid). F. }	2	2	.	.	.	1	1	.	.	.	1	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	1	.
3	Scarlet Fever ... M. } ... F. }																	
4	Whooping Cough ... M. } ... F. }	16	2 14	8	2 5	1	1	.	.	2 13	2
5	Diphtheria ... M. } ... F. }	6	4 2	1	2 1	1 1	2 2	2	.
6	Tuberculosis of the Respiratory M. } System. F. }	92	53 39	1	1 3	7 1	17 9	9 5	8 6	6 4	2 2	1	3 4	4	24 10	22 25	.	
7	All other forms of Tuberculosis ... M. } ... F. }	35	21 14	1	5 5	7 3	1 1	5 2	.	2 1	1 1	1	2	1	7 8	11 6	.	
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	6	6	1	1	2	2	.	2	.	.	4	.
10	Measles ... M. } ... F. }																	
11	Acute Infectious Encephalitis ... M. } ... F. }																	
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	134	74 60	2 3	8 8	12 17	37 20	15 12	2 2	.	18 14	54 42	.
14	Diabetes Mellitus ... M. } ... F. }	7	4	1	1	1	1	1	.	.	3 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	107	49 58	.	.	1	2 4	12 16	18 24	17 13	1 1	2 2	20 14	26 41	3 4
16	Diseases of the Heart	... M. } ... F. }	238	123 115	.	.	1	1	4	1	4	5 6	20 23	59 48	33 29	1 4	1 3	41 23	80 85	15 3
17	Other Diseases of the Circulatory System.	M. } F. }	12	5 7	1 5	3 5	1 2	1 .	.	3 4	4 4	.
18	Bronchitis M. } ... F. }	38	19 19	2 3	.	4	.	.	1	.	2 1	1 2	7 5	7 3	.	2	1 1	18 16	1 1
19	Pneumonia M. } ... F. }	59	39 20	9 5	6 7	1	.	1	2	2 1	3 2	10 4	5 1	1 1	.	1	9 19	29 19	1 .
20	Other Diseases of the Respiratory System.	M. } F. }	12	6 6	1	.	.	2	1	.	.	1 .	.	3 3	1	.	.	2 4	6 4	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	11	8 3	.	.	1	.	1	.	1 1	3 1	1 1	2 1	1 1	.	.	4 2	3 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	29	18 11	16 9	.	.	1	.	.	.	2 1	.	.	1	.	.	2 2	15 9	2 1
23	Appendicitis M. } ... F. }	6	4 2	.	1	.	2	1	.	.	2	3 1	1 1	.
24	Cirrhosis of the Liver	... M. } ... F. }	3	3	3	.	.	1	.	.	2	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	5	3 2	1	1	1 1	.	1	.	.	.	2 1	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	16	7 9	.	1	.	.	.	1	1	2 1	1 2	1 2	1 3	2 1	.	2 2	3 6	.
27	Nephritis M. } ... F. }	37	15 22	.	1	1	1	.	.	4	2 3	4 5	5 4	2 2	.	2	2 4	13 16	.
28	Puerperal Infection F. }	2	2	1	.	1	1	1	.
29	Other Diseases of Childbirth	... F. }	5	5	2	3	2	3	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	68	44 24	43 23	1 1	2 2	.	14 6	28 16	2 2
31	Senility M. } ... F. }	134	54 80	17 11	37 69	.	3	2	54 75	22 37
32	Suicide M. } ... F. }	2	2	2	2	.
33	Other Violence	... M. } ... F. }	19	13 6	1 2	.	.	2 1	1	1	1 1	3 1	3 1	1 1	2 1	.	.	3 1	8 4	.
34	Other Causes	... M. } ... F. }	104	56 48	17 10	3 3	1 2	3 2	.	3 2	.	8 4	14 10	7 8	5 5	1 2	1 1	13 10	37 35	3 4

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths*
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	780	388 392	42 37	14 8	7 6	10 13	10 24	12 12	30 34	48 54	100 85	117 119	14 25	14 12	100 81	260 274	40 42
1	Typhoid Fever (including Para-typhoid). M. F. }	2	2	2	2	.	.
2	Cerebro-spinal Mening. M. F. }
3	Scarlet Fever ... M. F. }	1	1	1	1	.	.
4	Whooping Cough ... M. F. }	3	2 1	.	2 1	2 1	1
5	Diphtheria ... M. F. }	1	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	44	16 28	1	.	1	4 8	2 13	5 2	3 2	.	3	.	1 3	2 3	4 9	9 13	.
7	All other forms of Tuberculosis ... M. F. }	17	8 9	2 1	.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 3	6 4	.
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	6	4 2	1	1	1 1	1	.	2	1	1 2	.
10	Measles ... M. F. }
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	64	28 36	2 2	1 11	12 11	7 6	6 5	2 3	1	10 9	15 24	.
14	Diabetes Mellitus ... M. F. }	5	2 2	.	.	1	.	.	.	1	1	1 1	.	1	.	3	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	42	91 26	1	2	3	5	7	3	1	1	11	1
16	Diseases of the Heart	M. F. }	192	103 89	.	1	.	1	1	2	7	15	40	40	2	2	22	77	9
17	Other Diseases of the Circulatory System.	M. F. }	9	6 3	2	3	1	.	.	.	6	1
18	Bronchitis ...	M. F. }	28	13 15	1	2	1	.	1	2	2	7	1	6	1	2	2	10	2
19	Pneumonia ...	M. F. }	23	9 14	2	3	1	.	2	2	.	3	3	1	.	1	1	8	.
20	Other Diseases of the Respiratory System.	M. F. }	8	5 3	2	1	1	1	5	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	6 1	.	.	1	.	1	2	3	.	.	.	1	.	3	2	.
22	Diarrhoea and Enteritis	M. F. }	19	11 8	10	4	1	1	4	7	1
23	Appendicitis ...	M. F. }	
24	Cirrhosis of the Liver	M. F. }	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	3	1	1	1	.	.	.	1	.	2	.
26	Other Diseases of the Digestive System.	M. F. }	7	2 5	2	1	1	2	1	.	.	1	1	4
27	Nephritis ...	M. F. }	21	13 8	.	1	.	1	2	1	3	5	2	4	2	1	4	9	.
28	Puerperal Infection ...	F.	
29	Other Diseases of Childbirth ...	F.	7	7	.	.	1	6	1	.	4	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	48	24 24	23	.	1	.	1	1	.	7	16	1
31	Senility ...	M. F. }	141	68 73	12	56	1	3	20	44	22
													16	57	1	1	18	53	28
2	Suicide ...	M. F. }	2	1 1	1	1	.
33	Other Violence ...	M. F. }	12	5 7	1	2	1	3	1	1	1	.	1	.	2	.	2	3	.
34	Other Causes ...	M. F. }	67	49 27	3	6	1	2	2	1	5	5	14	1	2	.	15	23	3

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages..	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	470	247 223	42 26	9 13	7 10	11 15	10 7	19 7	13 20	29 30	57 46	50 49	16 25	10 6	74 42	147 150	.
1	Typhoid Fever (including Para-M. } typhoid). F. }	1	1	.	.	.	1	1
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }
4	Whooping Cough ... M. } ... F. }	8	2 6	1 4	2	1	2 6	.
5	Diphtheria ... M. } ... F. }	1	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	42	20 22	.	1	.	3	5	5	3	1	2	.	1	2	8	9	
7	All other forms of Tuberculosis ... M. } ... F. }	11	7 4	1 1	1	1	1	1	1	.	.	1	.	1	1	5	1	
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	4	1 3	.	.	1	1 2	.	1	.	1 2	.
10	Measles ... M. } ... F. }
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	45	23 22	.	.	1	.	1	2	3	4	9	4 3	.	1	9	13	
														7		5	10	

15	Intra-cranial Lesions of Vascular Origin. ...	M. } F. }	31 {	13 18	1 2	2 3	5 8	5 5	1 2	1 1	4 3	7 13
16	Diseases of the Heart ...	M. } F. }	148 {	76 72	.	.	1 2	1 2	1 2	6 9	1 9	15 12	24 24	27 21	3 2	3 1	24 18	46 51
17	Other Diseases of the Circulatory System. ...	M. } F. }	6 {	3 3	1 2	2 1	1 1	.	1 1	1 2
18	Bronchitis ...	M. } F. }	11 {	5 6	3 1	1 1	.	.	.	1 1	.	2 2	1 1	1 1	.	.	.	5 6
19	Pneumonia ...	M. } F. }	5 {	1 4	1 1	3 3	1 1	1 4
20	Other Diseases of the Respiratory System. ...	M. } F. }	3 {	1 2	.	1 1	.	.	.	1 1	.	.	1 1	.	.	.	1 2	
21	Ulcer of the Stomach or Duodenum. ...	M. } F. }	3 {	3	1 1	.	1 1	1 1	.	1 1	.	.	2 2	
22	Diarrhoea and Enteritis ...	M. } F. }	35 {	23 12	21 9	2 2	1 1	.	2 2	.	2 1	21 9
23	Appendicitis ...	M. } F. }	{
24	Cirrhosis of the Liver ...	M. } F. }	1 {	1	1 1	.	.	.	1 1	
25	Diseases of the Liver and Biliary Passages. ...	M. } F. }	3 {	3	.	1 1	1 1	.	.	1 1	.	.	3 3	
26	Other Diseases of the Digestive System. ...	M. } F. }	7 {	4 3	1 1	1 1	1 1	.	.	.	1 1	1 1	1 1	1 3	.	.	2 1	
27	Nephritis ...	M. } F. }	10 {	7 3	.	1 1	.	.	1 1	1 1	1 1	2 1	.	1 1	.	.	2 3	
28	Puerperal Infection ...	F. }	
29	Other Diseases of Childbirth ...	F. }	
30	Congenital Debility, etc. (Nos. 157-161). ...	M. } F. }	23 {	13 10	13 9	.	1 1	1 1	.	5 5	7 4
31	Senility ...	M. } F. }	25 {	11 14	4 2	7 12	.	2 2	3 12	
32	Suicide ...	M. } F. }	{	
33	Other Violence ...	M. } F. }	23 {	18 5	1 2	2 1	1 1	5 1	.	2 2	3 1	2 1	2 2	.	3 2	.	3 5	12 3
34	Other Causes ...	M. } F. }	19 {	14 5	2 1	1 1	.	.	1 1	1 2	.	2 2	4 1	3 1	.	.	5 2	7 2

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	7,334	3,875 3,459	328 237	92 86	48 78	147 129	173 151	127 143	205 192	438 330	975 791	1,342 1,320	104 90	124 99	798 594	2,849 2,676	1,063 1,164
1	Typhoid Fever (including Para- M. } typhoid). F. }	9	5 4	.	.	.	2 2	.	1 1	.	1 1	.	1 1	.	2 2	4 1	1 1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	4	1 3	.	1 1	2 2	.	1 1	1 1	2 2	.
3	Scarlet Fever ... M. } ... F. }	2	2	.	1 1	1 1	1 1	1 1	.
4	Whooping Cough ... M. } ... F. }	47	18 29	14 17	3 11	1 1	3 2	.	3 5	12 22	4 7
5	Diphtheria ... M. } ... F. }	26	11 15	3 1	3 6	5 6	1 1	.	.	1 1	.	.	.	1 1	.	10 13	1 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	489	252 237	1 2	2 1	3 18	65 66	68 72	34 35	35 24	26 14	18 5	.	41 39	26 29	72 51	113 118	5 10
7	All other forms of Tuberculosis ... M. } ... F. }	145	75 70	2 3	5 10	11 7	21 24	23 11	7 3	3 3	2 5	1 3	.	9 6	3 3	43 36	20 25	2 2
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	115	50 65	11 7	4 4	2 2	.	1 1	1 1	2 5	6 6	8 17	17 21	.	1 1	6 11	44 53	18 20
10	Measles ... M. } ... F. }	16	3 13	2 3	4 4	1 3	.	.	2 2	.	1 1	1 3	2 10	3 3
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1 1	1 1	.
12	Typhus ... M. } ... F. }	3	2 1	2 2	.	1 1	.	.	.	2 2	1 1	.
13	Cancer ... M. } ... F. }	661	374 287	.	2 2	2 2	2 1	2 5	11 22	28 33	100 63	149 110	78 51	9 7	5 4	92 63	268 213	27 9
14	Diabetes Mellitus ... M. } ... F. }	44	18 26	.	.	1 5	.	1 1	.	1 1	1 5	10 9	5 5	.	.	10 11	8 15	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	385	176 209	.	2	1	1	3	3	10	28	77	52	.	3	30	143	34
							1		2	7	19	32	84	64	2	3	33	171	37
16	Diseases of the Heart	... M. F. }	1,331	737 594	.	1	4	10	19	17	37	128	274	250	4	35	140	558	61
								6	10	18	54	86	220	195	1	24	87	482	61
17	Other Diseases of the Circulatory System.	M. F. }	81	51 30	1	4	7	23	17	1	5	14	31	1
										3	3	5	13	8	2	2	6	22	2
18	Bronchitis M. F. }	187	100 87	5	3	.	3	3	2	4	11	38	31	.	2	17	81	23
						1		1	3	2	5	7	30	32	.		6	81	30
19	Pneumonia M. F. }	280	160 120	34 24	23 16	3 8	2 6	6 5	6 3	9 6	8 5	41 29	28 18	4 2	2 2	18 20	136 96	14 9
20	Other Diseases of the Respiratory System.	M. F. }	65	48 17	4 2	2	.	4	2	4	5	11	11	5	3	3	8	34	6
								1	2	2	2	4	4	2	.		1	16	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	34	26 8	2	3	10	2	8	1	.	.	12	14	.
									2	1	3	3	3	1	.	.	2	6	.
22	Diarrhoea and Enteritis	... M. F. }	99	54 45	39 34	6 4	1 1	.	1	.	1	.	3	3	3	1	10	40	4
												1	1	4	5		9	31	4
23	Appendicitis	... M. F. }	24	19 5	.	1	1	6	5	1	1	1	1	2	.	.	17	2	.
												1	1	2	.		5		
24	Cirrhosis of the Liver	... M. F. }	3	5 3	2	2	1	.	.	.	5	.
										1	.	1	1	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	23	15 13	.	1	1	.	1	4	1	4	3	3	2	.	4	9	1
									1	1	1	3	6	2	2	.	4	7	.
26	Other Diseases of the Digestive System.	M. F. }	95	46 49	4	1	2	4	2	3	3	8	18	12	1	.	14	31	3
								1	2	2	4	7	17	12	1	.	22	26	6
27	Nephritis M. F. }	158	102 56	1	2	.	1	8	6	13	14	28	29	5	.	29	68	8
								2	5	3	8	11	19	7	.		14	42	1
28	Puerperal Infection	... F. }	6	6	3	3	4	2	.
29	Other Diseases of Childbirth	... F. }	19	19	.	.	1	10	8	12	7	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	295	178 117	170 111	7 4	1 1	8	.	70	100	33
										1	10	.	43	64	29
31	Senility M. F. }	1,859	879 980	145	734	1	25	39	814	709
													133	847	14	37	929	824	
32	Suicide M. F. }	25	19 7	.	.	.	2	1	1	4	6	4	2	.	.	1	18	.
								1	2	2	1	3			.		1	6	.
33	Other Violence	... M. F. }	110	65 45	2	4	4	7	9	2	10	8	13	8	1	2	25	37	.
						6		2	2		5	3	7	18	1	1	22	22	2
34	Other Causes	... M. F. }	682	385 297	38 25	22 15	10 14	22 13	16 15	23 26	22 16	64 64	105 79	63 30	9 12	12 14	106 68	258 203	111 105

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH,	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. F. }	2,244	1,212 1,032	138 98	41 25	20 30	45 39	43 46	42 40	60 57	135 95	274 214	414 388	37 29	45 22	296 207	834 774	300 311
1	Typhoid Fever (including Para-typhoid) ... M. F. }	3	2 1	.	.	.	1 1	1	.	.	1	1	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	.	1	1	.	.
3	Scarlet Fever ... M. F. }	
4	Whooping Cough ... M. F. }	20	10 10	8 7	1 2	1 1	1	.	2 4	8 5	2 2
5	Diphtheria ... M. F. }	19	10 9	8 1	2 2	5 6	9 9	1	.
6	Tuberculosis of the Respiratory System ... M. F. }	151	80 71	.	1	2 5	22 19	15 25	12 8	10 8	10 2	9 1	.	18 15	8 8	16 16	38 32	1 1
7	All other forms of Tuberculosis ... M. F. }	50	22 28	1 1	2 4	2 2	5 10	9 3	2	1 1	.	5 1	1 1	1 1	.	13 17	8 10	1
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	27	12 15	3 4	1 2	1	.	.	1	.	3 2	1 1	3 4	.	.	4 6	8 9	4 3
10	Measles ... M. F. }	2	1 1	1 1	1 1	.
11	Acute Infectious Encephalitis ... M. F. }	
12	Typhus ... M. F. }	
13	Cancer ... M. F. }	201	120 81	.	1	.	2	.	1	2	9 5	34 23	47 28	25 14	2 2	3 1	83 60	8 2
14	Diabetes Mellitus ... M. F. }	16	8 8	.	.	1 3	.	.	.	1 1	1 1	4 3	1	.	.	3 5	5 3	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	96	43 53	1	2	1	4	24	11	.	1	13	29	5
								6	23	22	1		8	44	7
16	Diseases of the Heart	... M. F. }	442	237 205	.	.	1	4	5	8	10	41	71	98	2	9	50	176	29
					.	.		2	3	4	20	26	67	82		7	29	169	15
17	Other Diseases of the Circulatory System.	M. F. }	28	19 9	2	3	9	5	1	6	8	
					1	5	3		4	2	7	1
18	Bronchitis M. F. }	53	31 22	2	1	2	3	12	11	.	10	21	7
					1	.	.	1	1	1	2	1	8	7	.	.	4	18	6
19	Pneumonia M. F. }	86	54 32	10	12	2	.	1	3	2	2	13	9	.	.	10	44	7
					8	4	2	1	1	2	1	.	6	7	.	.	9	23	2
20	Other Diseases of the Respiratory System.	M. F. }	23	14 9	1	.	.	2	1	.	.	3	5	1	1	1	5	8	2
					1	.	.	1	1	.	.	2	2	3	.	.	9	9	2
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	5 4	1	.	3	1	.	.	3	2	.
					3	1	.	.	.	2	2	.
22	Diarrhoea and Enteritis	... M. F. }	45	21 24	17	3	1	1	2	4	16	.
					17	2	1	1	.	3	.	.	7	15	1
23	Appendicitis	... M. F. }	3	3	.	.	.	1	.	1	.	.	.	1	.	.	3	.	.
24	Cirrhosis of the Liver	... M. F. }	3	3	1	.	1	1	.	.	.	2	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	11	7 4	.	1	.	.	.	1	1	2	2	1	1	.	2	4	.
					1	.	2	2	1	.	.	2	2	.
26	Other Diseases of the Digestive System.	M. F. }	38	17 21	.	.	.	1	2	1	.	3	6	6	1	.	7	9	1
					.	.	1	.	2	.	.	4	8	3	1	.	11	9	1
27	Nephritis M. F. }	46	36 10	1	3	4	3	12	14	.	.	15	21	1
					1	2	2	2	3	2	.	.	1	9	.
28	Puerperal Infection F. }	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F. }	4	4	2	2	2	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	124	79 45	76 43	3	1	1	6	.	39	34	10
									1	.	17	27	10	
31	Senility M. F. }	491	238 253	32	206	.	16	1	221	201
					33	220	3	3	2	248	230
32	Suicide M. F. }	6	5 1	3	.	1	1	.	.	.	5	.
					1	1	.
33	Other Violence	... M. F. }	42	27 15	.	3	1	4	3	2	6	1	5	2	.	.	11	16	.
					.	.	1	1	1	2	1	1	7	.	.	.	4	11	1
34	Other Causes	... M. F. }	203	110 93	16 12	10 5	5 6	4 4	7 4	4 14	5 4	20 14	22 18	17 12	3 5	4 2	36 29	67 57	30 28

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES ... M. F. }	792	435 357	19 22	10 2	4 11	21 11	24 19	8 16	37 23	50 41	117 86	145 126	8 11	13 10	76 53	338 283	140 134
1	Typhoid Fever (including Paratyphoid). M. F. }	
2	Cerebro-spinal Meningitis ... M. F. }	
3	Scarlet Fever ... M. F. }	
4	Whooping Cough ... M. F. }	
5	Diphtheria ... M. F. }	1	1
6	Tuberculosis of the Respiratory System. M. F. }	46	24 22	.	.	3	4	7 6	1 5	5 4	3	.	.	.	3 3	11 6	10 13	1 2
7	All other forms of Tuberculosis ... M. F. }	16	9 7	1	.	2 1	3 2	3 2	.	1	.	1	.	2 2	.	5 3	2 2	.
8	Dysentery ... M. F. }	
9	Influenza ... M. F. }	11	6 5	.	1	.	.	1	.	1	.	1	3 1	.	.	1	5 5	2 3
10	Measles ... M. F. }	3	1 2	1	.	1 1	1 1	1	1
11	Acute Infectious Encephalitis ... M. F. }	
12	Typhus ... M. F. }	3	2 1	2	.	1	.	.	.	2	1	.
13	Cancer ... M. F. }	57	33 24	2	3 2	14 6	11 9	5 5	2 1	.	7 2	24 21	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	51	27 24	1	1	2	7	8	8	.	.	3	24	6
					1	1	6	5	4	8	.	.	2	22	4
16	Diseases of the Heart	... M. } ... F. }	148	75 73	.	.	2	1	2	1	6	11	28	26	1	5	13	56	7
					.	.	.	1	2	3	9	13	23	20	.	3	14	56	16
17	Other Diseases of the Circulatory System.	M. } F. }	5	1 4	2	1	1	.	.	.	1	.
					4	.
18	Bronchitis M. } ... F. }	34	17 17	1	2	.	1	1	.	.	4	5	3	.	2	1	14	7
					2	.	.	.	2	.	.	1	5	7	.	.	.	17	7
19	Pneumonia M. } ... F. }	51	32 19	2	4	.	.	2	.	3	3	10	8	1	.	1	30	3
					2	2	2	.	2	.	.	2	7	2	2	1	.	16	2
20	Other Diseases of the Respiratory System.	M. } F. }	7	6 1	.	1	.	1	.	1	.	1	2	.	.	.	1	5	1
					1	.	.	.	1	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	5 1	.	.	.	1	.	1	4	5	.
					1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	7	3 4	2	1	.	.	.	3	1
					3	1	4	3
23	Appendicitis M. } ... F. }	5	5	.	.	.	2	1	.	1	1	5	.	.
				
24	Cirrhosis of the Liver	... M. } ... F. }		
				
25	Diseases of the Liver and Biliary Passages.	M. } F. }		
				
26	Other Diseases of the Digestive System.	M. } F. }	13	7 6	2	.	1	1	.	.	1	1	1	1	.	.	1	7	2
					3	2	.	.	.	5	4
27	Nephritis M. } ... F. }	22	12 10	.	.	.	1	2	3	.	3	3	3	.	.	3	9	1
					.	.	.	1	2	1	.	1	3	2	.	.	2	8	1
28	Puerperal Infection F. }	1	1	1	1	.
				
29	Other Diseases of Childbirth	... F. }		
				
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	22	11 11	10	1	1	.	1	9	5
					11	3	.	4	4	2
31	Senility M. } ... F. }	206	114 92	30	84	1	.	13	100	87
					19	73	.	2	10	80	77
32	Suicide M. } ... F. }	1	1	1	1	.
				
33	Other Violence M. } ... F. }	13	10 3	.	.	.	1	4	.	2	.	2	1	.	2	1	7	.
					.	.	.	1	.	.	1	.	1	.	.	.	1	2	.
34	Other Causes M. } ... F. }	58	34 24	4	1	1	3	.	2	3	4	14	2	.	1	7	26	16
					2	.	.	2	2	1	.	7	5	3	3	1	3	17	12

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospis.	County Homes and Hospis. District Hospis. and Co. Infirmary.	Elsewhere.	Un-certified Deaths.
	ALL CAUSES ... M. } ... F. }	2,153	1,135 1,018	83 55	27 30	14 15	45 44	56 40	40 49	50 50	121 92	301 241	398 402	34 17	31 35	212 159	858 807	340 385
1	Typhoid Fever (including Para- M. } typhoid). F. }	3	1 2	.	.	.	1	.	.	1	1 1	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	.	1	1	.	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	.	1	1	.	.
4	Whooping Cough ... M. } ... F. }	10	5 5	4 3	1 2	3 1	.	1 1	1 3	.
5	Diphtheria ... M. } ... F. }	3	.	.	3	3	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	139	74 65	1	1 4	1 19	17 15	24 14	10 14	10 6	4 6	6 1	.	14 11	7 10	18 8	35 36	2
7	All other forms of Tuberculosis ... M. } ... F. }	50	27 23	1 1	2 3	5 2	7 9	8 5	3 1	.	1 1	.	.	3 2	3 3	15 9	6 9	1
8	Dysentery ... M. } ... F. }	
9	Influenza, ... M. } ... F. }	38	16 22	5 3	2 1	.	1	.	1	2	1 2	3 5	4 7	.	1	1 3	15 18	10 6
10	Measles ... M. } ... F. }	6	1 5	1 1	2	1	.	.	1	1	1 4	2
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	203	119 84	.	1 2	1	.	1 3	7 8	6 7	24 17	52 31	27 15	4 2	1 1	28 20	86 61	11 4
14	Diabetes Mellitus ... M. }	9	3	2	1	.	.	2	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	126	{	63	.	.	1	.	1	1	.	4	10	25	21	.	.	2	10	51	13
					63	.	.	1	.	1	1	.	5	13	29	14	.	.	1	11	51	14
16	Diseases of the Heart	... M. F. }	325	{	190	2	2	.	8	7	41	72	58	.	10	36	144	16
					135	.	1	.	3	2	6	.	11	18	55	39	.	5	17	113	17	17
17	Other Diseases of the Circulatory System.	M. F. }	26	{	15	1	2	1	7	7	.	.	4	11	1
					11	2	1	5	2	.	2	1	8	1	1
18	Bronchitis M. F. }	51	{	25	2	.	.	1	1	.	.	1	2	13	5	.	.	.	3	22	6
					26	2	1	1	3	8	11	.	.	.	2	24	11
19	Pneumonia M. F. }	83	{	45	14	4	.	2	1	1	1	1	13	8	8	.	1	1	3	40	1
					38	10	2	.	3	1	1	3	3	10	6	6	.	1	1	3	34	2
20	Other Diseases of the Respiratory System.	M. F. }	16	{	12	1	1	.	1	.	2	1	.	4	2	.	1	1	1	1	9	2
					4	.	.	.	1	1	.	.	1	1	1	3	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	{	6	2	1.	3	3	3	.
					3	2	1	3	3	.
22	Diarrhoea and Enteritis	... M. F. }	19	{	12	7	1	.	.	1	.	.	1	.	1	1	.	1	1	3	8	1
					7	5	2	1	.	1	1	5	.
23	Appendicitis	... M. F. }	11	{	10	.	.	2	3	4	1	8	2	.
					1	1	1	.	.
24	Cirrhosis of the Liver	... M. F. }	1	{	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	8	{	5	.	.	1	.	.	.	1	.	1	3	2	.	.	.	1	4	1
					3	3	2	1	.
26	Other Diseases of the Digestive System.	M. F. }	30	{	13	1	.	.	1	.	1	2	2	3	5	3	10	.
					17	.	1	.	1	1	2	1	2	5	4	9	8	1
27	Nephritis M. F. }	50	{	30	.	.	.	1	4	1	2	8	7	7	.	3	.	.	6	21	5
					20	.	.	.	1	1	1	3	6	6	2	8	12	.
28	Puerperal Infection	... F. }	1	{	1	1	1	.	.
29	Other Diseases of Childbirth	... F. }	10	{	10	.	.	.	5	5	6	4	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	57	{	33	30	3	1	.	12	20	11
					24	24	11	13	5
31	Senility M. F. }	593	{	262	41	221	.	.	.	7	253	216
					331	44	287	.	2	5	5	321	283
32	Suicide M. F. }	8	{	6	1	.	.	.	2	2	1	.	.	.	1	5	.
					2	2	2	1	.	.	.	1	1	.
33	Other Violence	... M. F. }	34	{	18	.	1	2	1	1	.	2	4	4	3	.	1	.	.	9	8	.
					16	.	3	.	1	1	.	3	1	2	6	11	5	.
34	Other Causes	... M. F. }	232	{	143	16	9	2	8	6	8	10	19	41	24	.	3	.	3	36	101	42
					89	6	7	5	5	5	6	4	16	28	7	.	6	.	6	19	64	37

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,102	563 539	32 34	8 15	4 11	20 15	24 21	20 14	28 34	72 55	148 129	207 211	13 10	20 15	97 77	433 437	166 199
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	3	2 1	.	.	.	1	.	1	.	1	2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	1	.	1	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	1	1	.
4	Whooping Cough ... M. } ... F. }	10	2 8	1 5	1 3	2 8	1 3
5	Diphtheria ... M. } ... F. }
6	Tuberculosis of the Respiratory System. M. } ... F. }	70	37 33	.	.	2	8 8	10 12	6 2	5 3	5 3	3 3	.	3 2	7 4	13 5	14 22	1 5
7	All other forms of Tuberculosis ... M. } ... F. }	11	5 6	.	1	1 2	4 1	.	1	1	.	.	.	2 1	.	1 3	2 2	.
8	Dysentery ... M. } ... F. }
9	Influenza ... M. } ... F. }	23	11 12	3	1	.	1	.	.	2	1 1	4 6	3 1	.	.	2	11 10	1 3
10	Measles ... M. } ... F. }	1	1	1	1	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }
12	Typhus ... M. } ... F. }
13	Cancer ... M. } ... F. }	96	54 42	1	1 2	5 5	17 7	19 18	12 9	1 1	.	13 6	40 34	6 2
14	Diabetes Mellitus ... M. }	8	4	2	2	.	.	2	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	52	19 33	.	1	.	.	.	2	1	2 3	6 13	10 13	4 8	.	.	1	2 6	17 26	4 9
16	Diseases of the Heart	... M. } ... F. }	230	129 101	.	.	1	2	7 1	4	5 9	18 16	56 42	40 29	1	.	5 2	17 13	106 86	11 9	
17	Other Diseases of the Circulatory System.	M. } F. }	11	7 4	1 1	1	3 2	2 1	.	.	1	2 2	4 2	.	
18	Bronchitis M. } ... F. }	26	16 10	.	.	1	1	1 1	1 1	1 1	5 3	6 4	.	.	.	2	14 10	3 3		
19	Pneumonia M. } ... F. }	31	14 17	1 4	2 4	3	1	2 1	1 1	2 1	1 2	3 2	2 2	2	.	.	2 5	10 12	2 1	
20	Other Diseases of the Respiratory System.	M. } F. }	7	6 1	.	.	.	1	.	.	1 1	2 1	1 1	1	5 1	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	5	3	1	.	1	4	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	14	8 6	7 5	1	1	.	.	1 1	6 5	1		
23	Appendicitis M. } ... F. }	3	3	.	1	1	1	3	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	2	2	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	3	1	1	.	1	1	.	.	.	2	.	
26	Other Diseases of the Digestive System.	M. } F. }	6	3 3	1	.	1	1	1 2	1 1	2 2	.	
27	Nephritis M. } ... F. }	16	7 9	.	2	.	1	.	1	2 2	1 1	1 4	1	2	.	.	2	5 7	1	
28	Puerperal Infection P. }	2	2	.	.	.	1	1	1	1	.	
29	Other Diseases of Childbirth	... F. }	1	1	.	.	.	1	1	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	36	19 17	19 16	1	3	.	.	7 4	12 10	5 5	
31	Senility M. } ... F. }	305	145 160	24 19	121 141	.	.	6 4	5 3	134 153	116 143	
32	Suicide M. } ... F. }	4	3 1	1	.	.	2	1	3 1	.	
33	Other Violence M. } ... F. }	13	7 6	.	1	1	1	.	.	2	.	2 4	4 5	3 1	.	
34	Other Causes M. } ... F. }	111	58 53	1 2	1 2	3	4 2	2 1	6 1	3 6	15 15	15 17	10 4	1	1	2	17 14	39 35	14 16	

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.		
	ALL CAUSES ... M. } ... F. }	1,043	530 513	56 28	6 16	6 11	16 20	26 25	17 24	30 28	60 47	135 121	178 193	12 23	15 17	117 98	386 375	117 135	
1	Typhoid Fever (including Para- M. } typhoid). ... F. }																		
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1			1											1		
3	Scarlet Fever ... M. } ... F. }																		
4	Whooping Cough ... M. } ... F. }	7	1 6	1 2		4												1 6	1 2
5	Diphtheria ... M. } ... F. }	3	1 2		1						1					1		1	
6	Tuberculosis of the Respiratory M. } System. ... F. }	83	37 46		1		10 16	12 14	5 6	5 3	4 3			6 11	1 4	14 16	16 15		2
7	All other forms of Tuberculosis ... M. } ... F. }	18	12 6		1 2	1	2 2	3 1	2 1	1	1	1		1		9 4	2 2		
8	Dysentery ... M. } ... F. }																		
9	Influenza ... M. } ... F. }	16	5 11			1					1		4 8					5 11	1 5
10	Measles ... M. } ... F. }	4	4		2	1				1								4	
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1							1								1	
12	Typhus ... M. } ... F. }																		
13	Cancer ... M. } ... F. }	104	48 56			1		1	1 5	5 9	11 10	20 24	9 8		1 1	12 17	35 37	1 1	
14	Diabetes Mellitus ... M. }	6	3									2	1 1			2 2	1 1		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	60	24 36	1 5	5 2	10 15	8 12	.	1 1	.	2 6	22 28	4 3
16	Diseases of the Heart	... M. } ... F. }	186	106 80	.	.	1 1	1 1	3 2	1 1	9 5	17 13	47 33	28 25	.	1 7	6 7	24 14	76 58	7 4
17	Other Diseases of the Circulatory System.	M. } F. }	11	9 2	1 1	2 1	3 1	3 1	.	.	.	2 1	7 1	.
18	Bronchitis M. } ... F. }	23	11 12	1 1	.	1 1	3 6	6 3	.	.	.	1 1	10 12	3
19	Pneumonia M. } ... F. }	29	15 14	7	1 4	1 1	1 1	1 1	1 2	1 2	1 4	3 1	1 1	.	1 1	.	2 3	12 11	1 2
20	Other Diseases of the Respiratory System.	M. } F. }	12	10 2	2 1	1 .	.	3 .	3 1	1 1	.	1 2	.	.	7 2	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	5	1	.	2	1	1	2	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	14	10 4	8 4	1	1 1	.	1 2	.	2	7 2	1
23	Appendicitis M. } ... F. }	2	1 1	1 1	.	.	.	1 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	2	2	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	3 3	.	.	.	1	.	.	.	2 2	1	.	.	1 1	.	1	1 2	.
26	Other Diseases of the Digestive System.	M. } F. }	8	6 2	1	.	.	.	1	1	1	1 1	2 1	1	.	.	.	3	3 2	.
27	Nephritis M. } ... F. }	24	17 7	1	.	.	3 1	.	2 1	2 1	5 3	4 1	5 1	12 6	.
28	Puerperal Infection F. }	1	1	.	.	.	1	1	.	.
29	Other Diseases of Childbirth ...	F. }	4	4	.	.	1	2	1	4	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	56	36 20	35 17	1 2	.	.	.	1	11 7	25 10	2 7
31	Senility M. } ... F. }	264	120 144	18 18	102 126	.	1 3	.	13 17	106 127	89 91
32	Suicide M. } ... F. }	7	4 3	.	.	.	1	1	1	1	1	4 3	.
33	Other Violence M. } ... F. }	8	3 5	.	1	1 1	2 3	.	.	1	.	1	3 3	1
34	Other Causes M. } ... F. }	78	40 38	1 3	1 1	1 .	3 .	1 3	1 1	6 12	13 11	10 4	.	2 2	3 3	10 3	25 30	9 14	

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	4,172	2,199 1,973	180 137	62 53	27 63	87 82	81 67	88 95	122 104	241 226	638 482	673 664	37 31	67 28	377 284	1,718 1,630	511 531
1	Typhoid Fever (including Para- M. } typhoid). F. }	8	6 2	4 1	.	.	1	1	.	.	4	1 2	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	7	2 5	.	1 1	.	2 1	1	.	.	1	1 2	1 3	.
3	Scarlet Fever ... M. } ... F. }	6	4 2	.	2 2	1 2	1	1	4 1	.
4	Whooping Cough ... M. } ... F. }	18	10 8	4 5	6 3	1 1	9 7	2 3
5	Diphtheria ... M. } ... F. }	24	11 13	.	3 4	5 5	1 2	2 1	1	9 9	2 4	.
6	Tuberculosis of the Respiratory M. } System. F. }	235	114 121	.	2 1	4 43	26 27	27 22	18 7	11 11	16 11	13 6	.	10 10	19 12	29 42	56 57	1 6
7	All other forms of Tuberculosis ... M. } ... F. }	65	39 26	2	4 2	4 3	9 8	7 4	6 7	4 1	3	1 1	.	2 1	2 2	15 9	20 14	2 3
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	120	57 63	2 2	4 3	1 1	1 1	3 1	2 4	5 4	23 22	15 18	.	.	.	11 8	46 55	18 16
10	Measles ... M. } ... F. }	4	4	2	2	4	4
11	Acute Infectious Encephalitis... M. } ... F. }	1	1	1	1	.
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	383	209 174	.	.	.	1 1	4 6	12 13	14 21	41 41	92 56	45 36	5 1	5	37 27	162 146	12 11
14	Diabetes Mellitus ... M. } ... F. }	22	12 10	.	1	.	1	.	1	1	1	3 4	4 2	.	.	4	8 10	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	274	117 157	.	.	.	3	.	4	4	17	53	36	1	5	15	96	23
16	Diseases of the Heart	... M. } ... F. }	833	461 372	.	2	9	5	10	33	71	198	133	47	2	9	89	361	61
17	Other Diseases of the Circulatory System.	M. } F. }	58	36 22	.	1	.	.	1	5	5	12	14	8	4	4	28	3	
18	Bronchitis M. } ... F. }	138	74 64	17	2	.	1	1	3	2	23	25	.	1	5	68	14	
19	Pneumonia M. } ... F. }	161	86 75	23	13	1	1	3	5	12	17	10	3	1	3	79	8	
20	Other Diseases of the Respiratory System.	M. } F. }	68	35 33	3	.	1	1	2	2	5	14	8	.	.	2	33	5	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	27	17 10	.	.	1	1	4	1	2	9	.	1	.	7	9	3	
22	Diarrhoea and Enteritis	... M. } ... F. }	44	27 17	22	8	1	.	.	.	4	1	.	1	.	2	24	4	
23	Appendicitis M. } ... F. }	16	9 7	.	.	2	4	3	.	3	2	.	.	.	9	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	6	5 1	1	.	3	1	.	.	1	4	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	9	6 3	.	2	.	1	.	2	.	2	2	1	1	.	5	.	
26	Other Diseases of the Digestive System.	M. } F. }	70	33 37	1	1	2	2	3	3	4	9	7	3	1	1	18	13	3
27	Nephritis M. } ... F. }	111	72 38	.	1	1	2	2	8	6	10	34	13	3	18	52	4	
28	Puerperal Infection F. }	5	5	.	.	.	2	3	3	2	.	
29	Other Diseases of Childbirth	... F. }	8	8	.	.	.	3	4	1	4	4	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	170	94 76	93	1	1	19	74	29	
31	Senility M. } ... F. }	793	396 402	74	322	.	8	26	362	273	
32	Suicide M. } ... F. }	2	2	1	1	.	.	.	1	.	1	.	
33	Other Violence	M. } F. }	116	55 61	1	3	4	15	8	2	5	7	7	3	.	9	46	.	
34	Other Causes	... M. } ... F. }	365	208 157	12	17	7	14	15	8	17	28	49	41	6	7	42	153	45
					11	12	8	4	6	6	17	25	51	17	4	1	14	138	60

K

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Eise-where.	
	ALL CAUSES ... M. } ... F. }	1,213	656 557	63 36	12 11	5 36	21 22	26 19	30 32	35 29	87 68	195 148	182 156	17 9	24 9	158 106	457 433	116 125
1	Typhoid Fever (including Para- M. } typhoid). F. }	7	5 2	4 1	1	.	.	1	.	.	4	1 2	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	1 2	.	1	.	1	.	.	1	1 1	1	.
3	Scarlet Fever ... M. } ... F. }	1	1	.	.	1	1	.
4	Whooping Cough ... M. } ... F. }	3	2 1	1 1	1	1	2	.
5	Diphtheria ... M. } ... F. }	1	1	.	.	.	1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	63	36 27	.	1	1	6 6	10 6	7 4	2 2	5 4	5 3	.	2 2	6 4	16 14	12 7	.
7	All other forms of Tuberculosis ... M. } ... F. }	16	8 8	.	.	1	2 3	2 2	2 2	1	1	.	.	2	1	4 4	2 3	.
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	13	8 5	1	.	1	.	.	1	.	2	3 2	1 2	.	.	1 1	7 4	5 1
10	Measles ... M. } ... F. }	1	1	.	1	1	1
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	1	1	.
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	126	73 53	.	.	.	1	1	4 6	4 8	17 14	28 16	19 8	4	1	17 14	51 39	3 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	71	25 46	1 5	2 6	4 11	9 16	9 8	.	.	4 10	19 36	1 3
16	Diseases of the Heart	... M. F. }	257	158 99	.	.	.	5 1	3 3	5 3	13 7	25 18	70 42	37 25	1	2 1	47 26	109 71	13 7
17	Other Diseases of the Circulatory System.	M. F. }	9	7	1 1	1 1	2 3	.	.	2 2	5 2	1 1	
18	Bronchitis M. F. }	68	40 28	7 3	1 2	.	.	.	1 1	3 3	12 7	15 12	.	1	1	38 28	7 6	
19	Pneumonia M. F. }	38	25 13	4 4	4	.	1 2	.	2 2	1 4	6 3	3 3	1	2	1 1	23 10	1	
20	Other Diseases of the Respiratory System.	M. F. }	10	4 6	1	.	.	1 2	2 2	.	1	.	4 6	.	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	8 1	2	1	2	4	.	1	.	3 4	1	.
22	Diarrhoea and Enteritis	... M. F. }	11	7 4	7 2	2	.	.	2 1	5 3	.	.
23	Appendicitis M. F. }	5	2 3	.	.	2	2	.	.	1	2 3	.	.	.
24	Cirrhosis of the Liver	... M. F. }	1	1	1	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	2 1	.	1	.	1	.	.	1	.	.	.	1	.	1 1	.	.
26	Other Diseases of the Digestive System.	M. F. }	23	10 13	1	1	.	4 1	4 4	1 3	1 1	.	3 2	6 10	1
27	Nephritis M. F. }	37	19 18	.	.	1	1	1	1	2 1	5 3	10 7	2 3	1 1	.	2 15	16 1	2 1
28	Puerperal Infection F.	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F.	1	1	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	61	37 24	37 23	.	1	1 2	.	15 10	21 12	8 3
31	Senility M. F. }	211	101 110	21 25	80 85	.	2	17 5	82 105	58 84
32	Suicide M. F. }	1	1	1	1	.	.	.
33	Other Violence M. F. }	53	9 44	.	1 2	.	1 5	2 1	2	.	1 1	2 2	.	.	2 4	7 40	.	.
34	Other Causes M. F. }	102	63 39	6	3 4	2 1	3 1	5 2	2 3	4 1	13 10	14 15	11 2	3 2	5 1	16 33	39 16	15 16

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	2,104	1,096 1,008	89 85	38 35	12 20	46 48	33 33	45 45	55 53	110 104	312 224	356 361	12 11	29 14	128 114	927 869	327 334
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	1	1	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	.	1	1	.
3	Scarlet Fever ... M. F. }	1	1	.	1	1	.
4	Whooping Cough ... M. F. }	13	7 6	3 4	4 2	7 6	2 3
5	Diphtheria ... M. F. }	20	8 12	.	3 4	3 5	1	2 1	.	1	6 9	2 3	.
6	Tuberculosis of the Respiratory System. M. F. }	130	55 75	.	2	3	14 29	9 17	10 14	8 5	8 5	4 2	.	3 2	10 6	12 28	30 39	1 6
7	All other forms of Tuberculosis ... M. F. }	32	18 14	2	4 1	1 2	3 5	4 2	2 3	.	1	1 1	.	1	1	7 4	10 9	1
8	Dysentery ... M. F. }
9	Influenza ... M. F. }	86	41 45	1 2	3 1	1	1	.	3 1	2 3	3 7	17 17	11 13	.	.	10 6	31 39	12 14
10	Measles ... M. F. }	2	2	1	1	2	2
11	Acute Infectious Encephalitis ... M. F. }
12	Typhus ... M. F. }
13	Cancer ... M. F. }	195	102 93	.	.	.	1	2 3	6 5	8 10	19 17	46 32	21 25	1 1	4	14 7	83 85	8 9
14	Diabetes Mellitus ... M. F. }	7	3 4	1	.	1 2	1 1	1	.	.	1	2 4	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	124	51 70	3	.	3 1	.	4 14	9 25 26	14 25	.	.	4 6	50 64	15 18
16	Diseases of the Heart	... M. F. }	389	215 174	.	1 2	.	2 3	2 4	4 5	13 9	31 29	88 57	74 65	1 1	7 7	29 18	178 148	39 32	
17	Other Diseases of the Circulatory System.	M. F. }	30	21 9	.	1	.	.	.	1	2	3 1	7 4	9 2	.	4 1	.	17 8	2 2	
18	Bronchitis M. F. }	40	21 19	8 3	1 3	.	.	1	.	.	1 1	6 5	4 7	.	.	2	19 19	4 10	
19	Pneumonia M. F. }	100	50 50	13 15	7 6	1 2	.	1 1	1 1	2 2	8 7	10 9	7 7	2	1	1 5	46 45	7 4	
20	Other Diseases of the Respiratory System.	M. F. }	43	23 20	2 3	.	.	1	.	1 1	1 1	3 3	11 3	5 8	.	.	2 1	21 19	5 7	
21	Ulcer of the Stomach or Duodenum.	M. F. }	14	7	.	.	.	1	.	2 1	1 3	1 1	4 1	.	.	.	3 2	4 5	3 1	
22	Diarrhoea and Enteritis	... M. F. }	18	11 7	8 5	1	2	1	.	1	1	.	10 6	4 3	
23	Appendicitis	... M. F. }	8	4 4	.	.	.	2 3	.	2	1	4 4	.	.	
24	Cirrhosis of the Liver	... M. F. }	3	3	1	.	1	1	.	.	1	2	.	
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	3 1	.	1	1	.	1	1	.	.	.	3 1	.	
26	Other Diseases of the Digestive System.	M. F. }	29	10 19	1 1	1 1	.	2	1	1 2	1 1	3 6	1 4	1 4	.	.	4 3	6 16	2 2	
27	Nephritis M. F. }	56	43 13	.	1	.	.	2	5 1	4 6	4 6	20 4	8 1	2	.	12 3	29 10	2 2	
28	Puerperal Infection F. }	4	4	2	2	2	2	.	
29	Other Diseases of Childbirth	... F. }	6	6	2	3	1	3	3	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	89	46 43	46 42	1	4	.	4 5	42 34	17 17	
31	Senility M. F. }	433	217 216	36 29	181 187	.	1	1	216 215	177 164	
32	Suicide M. F. }	1	1	1	1	.	
33	Other Violence	... M. F. }	54	41 13	1 2	1 3	4 1	14	5	.	5	4 1	5 4	2	.	.	6 5	35 8	.	
34	Other Causes	... M. F. }	171	89 82	4 7	9 7	2 5	7 2	4 1	4 3	6 13	8 9	27 23	18 12	2 1	1	6 2	80 79	27 37	

ABSTRACT V—contd.—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1943.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	355	447 408	28 16	12 7	10 7	20 12	22 15	13 18	32 22	44 54	131 110	135 147	8 11	14 5	91 64	334 328	68 72
1	Typhoid Fever (including Para-M. } typhoid). F. }	
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	3	.	.	2	.	1	1	2	.
3	Scarlet Fever ... M. } ... F. }	4	3 1	.	1 1	1	1	3	.
4	Whooping Cough ... M. } ... F. }	2	1 1	.	1 1	1	1	.
5	Diphtheria ... M. } ... F. }	3	3	.	.	2	1	3	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	42	23 19	.	.	.	6 8	8 4	1 4	1	3 2	4 1	.	5 6	3 2	1	14 11	.
7	All other forms of Tuberculosis ... M. } ... F. }	17	13 4	.	1 1	2	3	1	2 2	4	1	.	.	.	1 1	4 1	8 2	2 2
8	Dysentery ... M. } ... F. }	
9	Influenza ... M. } ... F. }	21	8 13	.	1 2	.	.	1 1	.	2	1	3 3	3 3	.	.	1	8 12	1 1
10	Measles ... M. } ... F. }	1	1	1	1	1
11	Acute Infectious Encephalitis ... M. } ... F. }	
12	Typhus ... M. } ... F. }	
13	Cancer ... M. } ... F. }	62	34 28	2 2	2 2	2 3	5 10	18 8	5 3	.	.	6 6	28 22	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	79	38 41	2 1	4 11	19 15	13 14	1	3	7 4	27 37	7 5
16	Diseases of the Heart	... M. } ... F. }	137	88 99	.	1	2	.	1	7 7	15 16	40 34	22 34	1 1	1	13 8	74 89	9 9
17	Other Diseases of the Circulatory System.	M. } F. }	19	8 11	2 1	1	3 3	2 7	.	.	2 3	6 8	1
18	Bronchitis M. } ... F. }	30	13 17	2	5 6	6 9	.	.	2 2	11 15	3 3
19	Pneumonia M. } ... F. }	23	11 12	6 1	2 2	.	.	1	2	.	1 4	.	.	.	1	10 12	.
20	Other Diseases of the Respiratory System.	M. } F. }	15	8 7	1	.	1	.	.	1 1	1 1	1 1	3 3	.	.	1	8 6	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	2 2	.	.	.	1	.	1 1	.	1	.	.	.	1	1 2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	15	9 6	7 1	2 2	3	.	1	.	1	9 4	2
23	Appendicitis M. } ... F. }	3	3	1	.	.	2	.	.	.	3	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	1 1	1	.	1	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	1	1	1	.	.	1	.
26	Other Diseases of the Digestive System.	M. } F. }	13	13 5	.	1	2	2	1	3 1	2 1	2 1	1 2	1	1	11 2	1 2	.
27	Nephritis M. } ... F. }	18	11 7	.	.	1	1	3	3 1	1 1	4 1	3	.	.	4 7	7 7	1
28	Puerperal Infection F.	
29	Other Diseases of Childbirth	... F.	1	1	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	20	11 9	10 9	1	3	11 6	4
31	Senility M. } ... F. }	154	78 76	17 14	61 62	.	5 1	9 17	64 58	38 39
32	Suicide M. } ... F. }	
33	Other Violence	... M. } ... F. }	9	5 4	.	1	.	1	.	.	2	.	1 2	.	.	1 4	4	.
34	Other Causes	... M. } ... F. }	92	56 36	2 4	5 1	3 2	4 1	6 3	2 3	7 6	7 13	8 3	1 1	1	20 9	34 26	3 7

ABSTRACT VI.—CAUSES OF DEATH for each of the Thirteen Principal Towns during the year 1943.

No.	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Ennis
	All Causes M. } F. }	5,680 5,858	3,541 3,665	285 302	597 679	302 297	247 223	119 107	101 97	107 89	87 85	93 86	84 82	66 79	71 87
1	Typhoid Fever (including Paratyphoid). M. } F. }	2 3	2 1	.	.	1	1
2	Cerebro-spinal Meningitis ... M. } F. }	10 5	9 3	.	.	1	1	.	.	.	1
3	Scarlet Fever M. } F. }	4 4	3 4	1
4	Whooping Cough M. } F. }	40 51	30 34	1	2	.	2	2	1	.	.	1	.	1	.
5	Diphtheria M. } F. }	60 64	41 42	3	6	4	.	1	.	1	1	.	1	.	3
6	Tuberculosis of the Respiratory System. M. } F. }	603 545	388 351	21 19	60 46	35 29	20 22	15 14	10 10	12 9	15 11	8 13	9 9	3 7	7 5
7	All other forms of Tuberculosis ... M. } F. }	129 148	81 99	3	12	7	7	2	3	3	3	2	.	1	3
8	Dysentery M. } F. }
9	Influenza M. } F. }	29 34	20 17	1	1	4	1	.	1	.	.	.	1	.	.
10	Measles M. } F. }	3 3	2 3	1
11	Acute Infectious Encephalitis ... M. } F. }	4 3	2 1	1	.	2	1
12	Typhus M. } F. }
13	Cancer M. } F. }	503 572	310 343	29 33	54 68	24 31	23 22	7 9	11 14	16 13	7 12	9 6	5 8	6 5	2 8
14	Diabetes Mellitus M. } F. }	22 30	15 18	1	2	2	1	1	1	1	.	.	.	1	2

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	234 452	134 273	24 28	26 63	16 20	18 18	6 8	7 9	2 10	1 8	5 4	2 2	2 5	3 6
16	Diseases of the Heart	... M. } ... F. }	1,252 1,404	687 853	84 85	161 176	87 70	76 72	17 28	29 20	31 22	18 9	21 21	18 3	10 21	13 24
17	Other Diseases of the Circulatory System.	M. } F. }	108 103	75 70	6 6	9 11	4 4	3 3	2 2	.	1 1	1 1	1 1	2 4	1 2	3 1
18	Bronchitis M. } ... F. }	208 231	180 152	6 13	41 29	13 14	5 6	2 2	2 6	1 3	1 1	3 1	1 4	3 .	1 1
19	Pneumonia M. } ... F. }	305 274	200 189	10 12	34 25	11 14	1 4	7 2	8 5	10 3	7 5	5 4	4 1	6 5	2 5
20	Other Diseases of the Respiratory System.	M. } F. }	117 84	78 51	5 8	11 6	2 5	1 2	1 .	1 1	5 1	2 1	1 .	1 .	2 2	7 8
21	Ulcer of the Stomach or Duodenum.	M. } F. }	55 21	25 10	2 1	12 3	4 3	3 .	1 .	1 1	.	1 1	3 .	1 .	3 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	453 335	336 258	13 9	29 23	15 13	23 12	11 6	2 1	2 .	4 3	6 2	4 2	4 2	4 4
23	Appendicitis M. } ... F. }	16 13	10 9	1 3	1 1	.	.	1 .	.	1 .	1 .	.	1 .	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	12 6	9 5	.	1 1	1 .	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	15 24	11 11	.	1 3	2 1	.	.	1 .	1 1	1	1 .
26	Other Diseases of the Digestive System.	M. } F. }	97 75	61 46	9 6	11 10	3 5	4 3	4 2	3 .	.	.	2 .	1 .	1 .	1 .
27	Nephritis M. } ... F. }	176 133	132 98	9 5	11 7	8 11	7 3	2 .	2 1	1 1	2 2	1 2	1 1	3 .	1 1
28	Puerperal Infection F. }	7	3	1	1	.	.	.	1	.	.	.	1	.	.
29	Other Diseases of Childbirth	... F. }	20	12	1	3	1	.	.	.	1	1	1	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	500 410	315 273	23 11	52 54	23 10	13 10	17 9	6 6	8 7	11 6	9 5	6 4	11 9	6 6
31	Senility M. } ... F. }	166 312	79 150	6 20	19 49	8 17	11 14	4 3	11 10	4 9	6 16	9 14	2 1	6 5	2 3
32	Suicide M. } ... F. }	8 3	6 2	.	1 1	.	.	1
33	Other Violence M. } ... F. }	143 97	84 60	7 8	11 11	7 2	18 5	5 2	3 2	2 2	.	1 1	.	2 1	3 1
34	Other Causes M. } ... F. }	406 392	266 224	20 21	31 59	21 21	14 5	9 12	6 5	6 6	5 3	9 7	7 13	4 8	8 8

APPENDIX I.

ALTERATIONS IN REGISTRARS' DISTRICTS, 1943.

- (1) On the 1st April, 1943, the boundaries of the Registrars' Districts of Waterford Urban Nos. 1 and 2 were altered.
- (2) On the 1st July, 1943, the boundaries of the Registrars' Districts of Dublin North City, Nos. 1 East and 1 West, were altered.

APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 80 years 1864-1943.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	0	1904	5,183	3,958	769	19	7
1865	41	20	4	12	0	1905	5,110	3,954	759	8	5
1866	55	34	7	0	0	1906	5,714	4,409	849	6	0
1867	46	26	5	12	0	1907	5,877	4,544	875	0	2
1868	69	42	9	13	0	1908	5,984	4,670	894	19	7
1869	80	34	8	15	0	1909	6,220	4,761	920	8	0
1870	93	54	11	10	0	1910	6,387	4,903	944	18	4
1871	112	67	14	6	6	1911	6,128	4,778	914	9	11
1872	120	76	15	14	0	1912	6,811	5,160	998	7	2
1873	100	106	21	14	0	1913	6,462	4,972	957	9	0
1874	166	107	22	6	6	1914	7,552	6,140	1,157	10	0
1875	244	166	33	15	0	1915	7,398	5,898	1,118	7	0
1876	270	185	36	16	0	1916	7,729	6,198	1,172	1	2
1877	312	202	42	14	0	1917	8,151	6,475	1,225	13	6
1878	391	286	55	15	0	1918	10,702	8,499	1,611	11	6
1879	522	399	78	0	0	1919	11,513	8,998	1,712	16	0
1880	753	596	114	7	0	1920	11,484	8,810	1,688	2	0
1881	743	583	111	8	6	1921	11,419	8,499	1,646	0	6
1882	852	688	129	11	0	1922	18,413	7,675	1,892	9	6
1883	1,036	773	149	1	6	1923	19,377	8,808	2,076	0	0
1884	1,254	966	185	3	0	1924	23,947	14,367	3,003	0	6
1885	1,412	1,116	212	8	0	1925	33,945	45,435	8,940	12	0
1886	1,527	1,173	225	7	4	1926	43,193	77,347	13,493	3	6
1887	1,698	1,307	251	7	0	1927	45,802	72,665	12,391	17	6
1888	1,778	1,404	266	9	0	1928	37,462	56,965	9,804	0	6
1889	1,986	1,561	297	4	6	1929	39,650	61,182	10,412	2	6
1890	2,448	2,042	583	2	9	1930	29,901	41,744	7,384	14	6
1891	2,815	2,297	433	1	6	1931	16,540	14,548	3,162	2	6
1892	3,209	2,534	489	17	0	1932	19,265	12,031	2,951	16	0
1893	3,559	2,733	532	2	2	1933	23,360	11,477	3,652	16	6
1894	3,492	2,678	512	7	0	1934	25,611	12,445	3,329	5	0
1895	3,482	2,618	508	8	0	1935	29,463	13,024	3,649	4	6
1896	4,046	3,103	596	10	6	1936	27,778	13,552	3,673	0	0
1897	3,917	2,960	572	3	0	1937	32,502	16,191	4,376	2	0
1898	4,132	3,207	613	1	2	1938	32,595	17,327	4,529	4	0
1899	4,133	3,201	616	13	6	1939	34,803	20,876	5,181	12	6
1900	4,558	3,481	672	7	6	1940	33,704	18,570	4,818	11	0
1901	4,843	3,733	718	18	0	1941	29,601	16,227	4,243	4	6
1902	4,871	3,719	716	16	6	1942	30,587	18,639	4,529	7	0
1903	4,944	3,796	731	12	6	1943	32,061	20,562	4,851	11	0

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX III.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1943.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Primary	Influenzal	
Cork	326	76	6	36	2	33	1	B. 4. D. 92. H. 45. K. 1. U. 567.
Dublin	22	1,351	658	419	586	15	315	31	A. 7. B. 38. C. 2. D. 2,031. F. 1. G. 64. H. 163. J. 7. K. 1. N. 2. U. 746.
Limerick	15	66	27	.	5	.	7	.	A. 5. B. 1. D. 16. H. 12. M. 1. U. 101.
Waterford	2	26	49	2	156	2	16	1	B. 1. D. 43. H. 6. J. 1. N. 3. U. 116.
TOTAL	39	1,769	810	427	783	19	371	33	A. 12. B. 44. C. 2. D. 2,182. F. 1. G. 64. H. 226. J. 8. K. 2. M. 1. N. 5. U. 1,530.

URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Primary	Influenzal	
Carlow ...	Carlow	1	14	3	1	B. 1.
Cavan ...	Belturbet	1	.	2	1	8	.	2	.	B. 2. H. 1.
	Cavan	5	18	.	.	1	.	
	Cootehill	1	1	
Clare ...	Ennis	59	4	1	5	1	.	.	H. 3.
	Kilrush	5	10	.	.	16	.	.	.	G. 1.
Cork ...	Clonakilty	1	3	A. 1. B. 1. H. 2.
	Cobh	1	.	
	Fermoy	23	3	.	1	.	.	.	
	Kinsale	
	Macroom	
	Mallow	8	2	C. 2.
	Midleton	9	
	Skibbereen	1	10	.	
Youghal	4	.	.	.	1	.	.		
Donegal ...	Buncrana	7	.	1	H. 1.
	Bundoran	
	Letterkenny	8	3	

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Dublin ...	Dun Laoghaire	.	2	123	77	7	27	1	3	3	B. 1. D. 38. H. 7. P. 1.
Galway ...	Ballinasloe	14	6	6	.	.	.	2	.	H. 1.
	Galway	7	19	7	14	23	.	.	.	A. 2. B. 1. D. 3. H. 3. U. 35.
Kerry ...	Killarney	2	5	4	.	7	.	2	.	B. 1. H. 1.
	Listowel	4	29	1	B. 1.
	Tralee	4	20	30	.	1
Kildare ...	Athy	2	1	.
	Naas	2	1	1	10	.	.	9	.	F. 1.
Kilkenny ...	Kilkenny	30	29	1	.	.	.	1	D. 2. J. 1.
	Longford
Longford ...	Granard
	Longford	1	1	2	1	1	2	.	7	B. 1. D. 1.
Louth ...	Drogheda	52	6	.	2	.	.	.	B. 1.
	Dundalk	6	9	16	.	.	1	.	2	A. 1. B. 1.
Mayo ...	Ballina	2	10	6	12	.	.	8	.	B. 4. H. 2.
	Castlebar	3	1	1	.	.	.	1	.	.
	Westport	5	.	.	.	1	.	.
Meath ...	An Uaimh	10	1	A. 1.
	Ceannanus Mor
	Trim	1
Monaghan	Carrickmacross	1	1	H. 1.
	Castleblayney
	Clones	1	28	.	.	2	.	4	.	H. 2.
Offaly ...	Monaghan	7	34	16	1	.	.	.	2	H. 3.
	Birr
Offaly ...	Tullamore	1	8	2	.	.	.	3	.	.
	Tullamore
Sligo ...	Sligo	45	2	4	1	1	.	.	D. 1., H. 2.
Tipperary N.R.	Nenagh	30	1	.	8	2	1	.	G. 1.
	Templemore	1	.	.	.
	Thurles	2	.	.	.	20	.	A. 1.
Tipperary S.R.	Carrick-on-Suir	3	.	2
	Cashel	4	.	.	1	1	.	.	A. 2. B. 2. H. 1.
	Clonmel	5	6	G. 1. J. 1.
	Tipperary	3	.	.	10	.	.	11	.
Waterford	Dungarvan	3	.	.	.	B. 1., G. 3.
Westmeath	Athlone	2	2	2
Wexford ...	Enniscorthy	1
	New Ross	15	30	5	.	.	1	1	A. 1. B. 1. H. 5.
	Wexford	14	4	1	8	1	12	.	D. 8. H. 2. N. 1.
Wicklow ...	Arklow	2	1	B. 2.
	Bray	69	10	7	44	.	17	13	D. 20. H. 6.
	Wicklow	9
	TOTAL	68	704	325	86	168	12	98	42	A. 9. B. 21. C. 2. D. 73. F. 1. G. 6. H. 43. J. 2. N. 1. P. 1. U. 35.

CASES OF INFECTIOUS DISEASES—continued.

RURAL DISTRICTS.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Primary	Influenzal	
Carlow ...	Carlow	15	5	8	24	.	.	.	A. 1. C. 1. G. 2. H. 1.
	Carlow No. 2	.	.	2	2	8	.	.	2	1	.
	Idrone	2	1
Cavan ...	Ballieboro'	1	2	7	.	.	.	4	1	A. 1. B. 3. B. 1., H. 2.
	Bawnboy	1	43	3	1	8	.	A. 4. B. 2. H. 1.
	Castlerahan	4	.	.	.	2	.	A. 1. B. 5. H. 3. J. 1.
	Cavan	22	5	17	20	9	.	15	.	.
	Enniskillen No. 2 Mullaghoran	1	.
Clare ...	Ballyvaughan	1	.	A. 1.
	Corofin	10	1	.	25	.	17	4	A. 1.
	Ennis	2	53	4	2	59	.	13	1	A. 5. G. 1. H. 2.
	Ennistymon	2	2	6	.	.	1	21	.	H. 1.
	Killadysert
	Kilrush	3	.	7	11	.	30	.	4	A. 6. B. 1.
	Meelick	5	1	.	2	.	.	A. 1.
	Scariff	1	2	.	32	1	.	A. 1. B. 1. G. 1.
Tulla	2	.	2	.	4	1	.	2	A. 2. B. 1. H. 2.	
Cork ...	Bandon	1	9	3	1	.	1	.	.	H. 1.
	Bantry	16	2	3	.	.	1	1	A. 1. H. 3.
	Castletown	5	.	6	.	.	.	2	16	B. 1. H. 1.
	Clonakilty	4	9
	Cork	3	135	61	1	100	1	20	14	A. 2. D. 25. H. 20.
	Dunmanway	13	7	.	.	.	1	.	A. 1. H. 1.
	Fermoy ...	1	.	18	5	.	4	.	4	.	H. 3.
	Kanturk	5	6	12	.	.	.	2	.	.
	Kinsale	5	2	.	.	1	1	1	H. 1.
	Macroom	26	25	.	2	2	6	4	.
	Mallow	3	2	2	.	.	1	1	A. 4. H. 3.
	Midleton	27	6	.	17	.	1	.	H. 1.
	Millstreet	4	20	.	1	.	3	.	H. 1.
	Mitchelstown No. 1	3	.	1	30	.	10	5	H. 3. J. 1.
	Rathluirc	5	1	.	.	5	2	H. 1.
	Skibbereen	3	1	.	H. 1.
	Skull	A. 1.
Youghal No. 1	.	.	4	4	
Donegal ...	Ballyshannon	9	2	.	A. 2.
	Donegal	1	7	1	A. 1.
	Dunfanaghy	7	.	1	.	.	.	B. 1.
	Gleneties	9	9	14	3	.	3	.	B. 2.
	Inishowen	1	93	5	2	12	1	10	.	B. 1. H. 1.
	Letterkenny	1	30	2	B. 2. H. 1.
	Milford	3	32	3
	Stranorlar	30	7	A. 1. B. 2. H. 1.
Dublin ...	Balrothery	2	48	36	9	5	2	5	11	B. 5. D. 10. G. 1. H. 2.
	Cill Droichead, No. 2	1	33	9	38	3	.	1	.	D. 5.
	Dublin, Nth.	39	12	.	3	.	6	.	B. 1. D. 4. G. 2.
	Dublin, Sth.	43	9	42	17	.	5	3	B. 4. D. 12. H. 8.
	Rathdown No. 1	.	.	69	25	2	10	.	5	.	A. 1. D. 10. H. 3. J. 1.
Galway ...	Ballinasloe	4	12	.	15	1	.	.	.
	Clifden	3	.	5	.	.	3	.	H. 1.
	Galway	6	24	.	.	6	1	.	1	.
	Glenamaddy	3	.	1	.	.
	Gort	2	1	87	1	2	.	.	.
	Loughrea	4	4	9	.	.	1	.	.	.
	Mountbellew	4	24	3	.	2	.	1	.	A. 2. H. 1.
	Oughterard	2	24	.	.	34	.	.	3	A. 1. H. 1.
Portumna	5	1	.	.	.	1	.	.	
Tuam	3	42	2	.	.	.	1	1	A. 3. B. 1. H. 1.	
Kerry ...	Caherciveen	1	8	1	.	63	.	8	.	H. 3.
	Dingle	13	4	3	.	4	.	.	.	A. 1. H. 1.
	Kenmare	1	.	.	H. 1.
	Killarney	7	14	3	.	16	.	7	.	B. 3. H. 1.
	Listowel	10	41	20	3	14	2	10	11	B. 1. H. 1.
	Tralee	22	46	26	.	12	.	.	7	A. 2. B. 5. G. 1. H. 1.
Kildare ...	Athy No. 1	14	4	.	33	1	.	13	9	H. 1.
	Cill Droichead No. 1	23	9	2	.	.	3	.	.
	Edenderry No. 2	2	5	12	17	.	6	.	B. 1. H. 1.
	Nas na Riogh No. 1.	1	66	20	36	5	2	12	.	H. 4.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influen-zal	
Kilkenny ...	Callan	7	1	.	1	.	.	.	H. 1. J. 1.
	Carrick-on-Suir No. 3	1	A. 1.
	Castlecomer	2	16	.	.	.	1	.	H. 1. J. 1.
	Ida	4	20	9	.	1	.	.	H. 1.
	Kilkenny	13	23	1	3
	Thomastown	* 4	12	57
	Uringford No. 1 Waterford No. 2	.	.	2	2	.	.	1	.	.	.
Laoighis ...	Abbeyleix	31	43	1	1	.	12	1	H. 1.
	Athy No. 2	1	4	.	.	2	.	10	1	A. 1. H. 1.
	Mountmellick	1	108	22	.	1	.	4	1	A. 1. H. 3.
	Roscrea No. 3	1	16	1	1	.	1	2	.
	Slievemary	3
Leitrim ...	Ballinamore	3	2	.	.
	Carrick-on-Shannon No. 1	17	2	.	3	B. 1. C. 1.
	Kinlough	2
	Manorhamilton	1	.	.	.	3	.
	Mohill ...	2	4	1	.	1	B. 1. H. 1.
Limerick ...	Croom	24	11	A. 2.
	Glin	2	18	.	A. 2.
	Kilmallock	24	24	A. 4. H. 1.
	Limerick No. 1	.	10	39	13	1	A. 1. H. 5.
	Mitchelstown No. 2	.	.	2	1	.	.	1	1	.	.
	Newcastle	7	34	47	1	1	.	4	12	A. 2.
	Rathkeale	6	77	5	.	5	.	.	1	.
Tipperary No. 2	.	.	20	3	.	.	.	2	.	A. 5. H. 1.	
Longford ...	Ballymahon	1	2	4	1	.
	Granard No. 1	.	1	27	.	1	A. 1. H. 1.
	Longford	14	1	2	.	.	1	.	4	.
Louth ...	Ardee No. 1	14	.	.	.	2	.	.	N. 2.
	Dundalk	4	34	14	.	1	3	.	3	A. 4.
	Louth	3	.	2
Mayo ...	Ballina	6	8	7	13	.	.	10	10	B. 5. H. 2.
	Ballinrobe	4	1	2	.
	Belmullet	1	.	.	1	.	.	.	1	B. 3. K. 1.
	Castlebar	3	1	.	1	.	.	3	1	.
	Claremorris	3	2	11	21	20	.	4	2	.
	Swineford	2	1	9	24	.	.	17	8	B. 1. C. 1. H. 3.
	Westport	1	.	5	4	.	1	32	6	B. 4. H. 2.
Meath ...	Ardee No. 2	3	A. 1.
	Ceannanus Mor	.	.	3	2	A. 1.
	Dunshaughlin	.	.	13	10	3	16	.	1	.	A. 3.
	Meath	6	.	13	.	1	2	.	H. 1.
	Navan	2	8	.	.	.	1	.	.	.
	Oldcastle	1	5	.	4	.	2	.	A. 2.
	Trim	2	3	3	.	10
Monaghan	Carrickmacross	.	.	4	24	.	.	.	6	1	B. 3.
	Castleblayney	.	5	2	9	1	.	.	7	.	B. 3. H. 1.
	Clones No. 1	.	2	17	2	.	1	.	1	.	.
	Monaghan	48	19	2	.	.	5	.	B. 1. H. 3.
Offaly ...	Birr	1	7	5	.	3	.	2	10	.
	Edenderry No. 1	.	.	9	13	.	2
	Roscrea No. 2	.	.	4	3	.	.	.	3	.	H. 1.
	Tullamore	1	34	12	.	.	2	3	.	H. 1.
Roscommon.	Athlone No. 2	.	3	11	6	2	.	1	1	1	A. 1.
	Boyle No. 1	5	6	.	2	16	.	1	3	A. 1. G. 2. J. 1.
	Carrick-on-Shannon No. 2	.	1
	Castlerea	5	4	5	.	.	.	14	20	H. 4.
	Roscommon	1	1	2	3	.	1	6	2	H. 2.
Sligo ...	Coolavin	4	3	.	.	11	.	1	1	.
	Dromore West	.	.	11	.	5
	Sligo	15	6	4	3	42	.	.	.	A. 1. H. 2.
	Tobercurry	4	1	.	1	3	.
Tipperary N.R.	Borrisokane	.	1	5	2	.	.
	Nenagh	2	24	1	.	3	1	2	.	A. 2. H. 2.
	Roscrea No. 1.	.	1	25	64	.	3	1	1	.	H. 2.
	Thurles	2	7	.	.	1	.	3	.	A. 2.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Prim-ary	Influ-enzal	
Tipperary S.R.	Carrick-on-Suir No. 1	A. 1.
	Cashel	1	15	2
	Clogheen	4	1	2	.	.	1	1	.	.
	Clonmel No. 1	2	.	.	4	2	.	.	.
	Slievardagh	2	18	2	.	.	.	12	3	A. 1.
Tipperary No. 1	.	1	11	2	.	4	2	.	1	A. 1. H. 1.	
Waterford	Carrick-on-Suir No. 2	1	7	40	.	1	.	2	.	.
	Clonmel No. 2	2	.	1	.	4	.	.	.	H. 1.
	Dungarvan	1	.	1	.	.
	Kilmacthomas	1	.	5	.	.
	Lismore	1	3	1	.	.	.	1	1	F. 1. H. 2.
	Waterford No. 1	.	.	1	12	.	5	.	.	.	A. 1.
Youghal No. 2	
Westmeath	Athlone No. 1	9	1	1	3	3	.	2	.	H. 1.
	Ballymore	1
	Coole	1	.	43	22	.	1	.	.
	Delvin	4	4	J. 1.
	Mullingar	2	30	18	.	7	.	9	.	B. 2. H. 4.
Wexford ...	Enniscorthy	2	2	21	92	.	8	.	A. 5. B. 1. C. 1. H. 1. N. 5.
	Gorey	5	13	.	23	1	2	.	A. 1. B. 3. C. 1. J. 1.
	New Ross	2	25	9	2	.	1	1	.	A. 4. H. 3.
	Wexford	19	1	4	25	.	10	1	A. 4. H. 2.
Wicklow ...	Baltinglass	22	6	.	1	2	9	.	F. 2. H. 1.
	Rathdown No. 2	3	3	3	2	.	.	1	.	A. 1.
	Rathdrum	1	11	15	.	.	1	8	2	A. 1. B. 1. H. 1.
	Shillelagh	1	4	2	B. 1.
	TOTAL ...	20	301	2,112	1,121	633	930	49	509	207	A. 105. B. 74. C. 5. D. 66. F. 3. G. 10. H. 146. J. 8. K. 1. N. 7.

TOTAL.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Prim-ary	Influ-enzal	
County Boroughs	.	39	1,769	810	427	783	19	371	33	A. 12. B. 44. C. 2. D. 2,182. F. 1. G. 64. H. 226. J. 8. K. 2. M. 1. N. 5. U. 1,530.
Urban Districts	68	704	325	86	168	12	98	42	A. 9. B. 21. C. 2. D. 73. F. 1. G. 6. H. 43. J. 2. N. 1. P. 1. U. 35.
Rural Districts ...	20	301	2,112	1,121	633	930	49	509	207	A. 105. B. 74. C. 5. D. 66. F. 3. G. 10. H. 146. J. 8. K. 1. N. 7.
TOTAL ...	20	408	4,585	2,256	1,146	1,881	80	978	282	A. 126. B. 139. C. 9. D. 2,321. F. 5. G. 80. H. 415. J. 18. K. 3. M. 1. N. 13. P. 1. U. 1,565.