

**Note:**

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

ÉIRE

AN ROINN SLÁINTE

(Department of Health.)

---

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

---

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1945.

DUBLIN:  
PUBLISHED BY THE STATIONERY OFFICE.

---

To be purchased directly through the  
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN  
or through any bookseller.

---

1946

*Price : Two Shillings and Sixpence.*

(P. No. 7826.)



# CONTENTS.

## PART I.—TEXT.

### REPORT :—

INTRODUCTORY REMARKS	...	...	...	...	...	...	Page
							vii
GENERAL SUMMARY	...	...	...	...	...	...	vii

### POPULATION :

Estimated population, natural increase, passenger movement	...	...	...	...	...	...	ix
--	-----	-----	-----	-----	-----	-----	----

### MARRIAGES :

Number and rate	...	...	...	...	...	...	ix
Rate in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	ix
Modes of celebration	...	...	...	...	...	...	x
Conjugal condition of persons married	...	...	...	...	...	...	xi
Rate for counties, etc.	...	...	...	...	...	...	xi
Marriage rate by quarters	...	...	...	...	...	...	xi
Marriage of Minors	...	...	...	...	...	...	xii
Re-marrriages	...	...	...	...	...	...	xii
Licences for marriage	...	...	...	...	...	...	xii
Buildings registered for the solemnisation of marriage	...	...	...	...	...	...	xii

### BIRTHS:

Number and rate	...	...	...	...	...	...	xiii
Rate in Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	...	xiii
Rate for counties, etc.	...	...	...	...	...	...	xiii
Illegitimate births	...	...	...	...	...	...	xiii
Registration of births under Legitimacy Act (1931)	...	...	...	...	...	...	xiv
Proportion of male to female births	...	...	...	...	...	...	xiv
Births by quarters	...	...	...	...	...	...	xiv
Multiple births	...	...	...	...	...	...	xiv



REPORT—*continued.*

	Pag
<b>DEATHS :</b>	
Number and rate ... ..	x'
Rate in Northern Ireland, England and Wales, and Scotland ... ..	x'
Rate for counties, etc. ....	x'
Deaths by quarters ... ..	xv
Deaths in institutions ... ..	xv
Uncertified deaths ... ..	xv
Inquests ... ..	xv
 <b>Causes of Death :</b>	
General observations ... ..	xv
Proportion from principal causes ... ..	xvi
Epidemic Diseases ... ..	xvii
Tuberculosis ... ..	xx
Influenza ... ..	xxv
Cancer ... ..	xxv
Heart disease ... ..	xxvii
Bronchitis ... ..	xxvii
Pneumonia ... ..	xxviii
Diarrhoea and Enteritis ... ..	xxviii
Childbirth ... ..	xxx
Violence ... ..	xxxi
<b>Ages at death</b> ... ..	xxxi
<b>Infant mortality</b> ... ..	xxxii
Rate for Northern Ireland, England and Wales, and Scotland ... ..	xxxii
Causes and ages, ... ..	xxxiii
Principal causes, ... ..	xxxv
Causes in urban districts ... ..	xxxvi

## DIAGRAMS.

No. 1. Birth, death and marriage rates ... ..	vi
No. 2. Death rates from diphtheria ... ..	xix
No. 3. Death rates from tuberculosis ... ..	xxii
No. 4. Death rates from influenza ... ..	xxiv
No. 5. Death rates from cancer ... ..	xxix
No. 6. Infant mortality ... ..	xxxiv

## PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1945 ... ..	2
„ 2. Ages of the population, by sexes, number and proportion per cent. ... ..	3-5
„ 3. Number of marriages, births and deaths, and natural increase, 1864-1945 ... ..	6
„ 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1945 ... ..	7
„ 5. Marriages, births, and deaths, by quarters, 1934-1945 ... ..	8
„ 6. Deaths (numbers and rates) by causes, 1864-1919 ... ..	9

PART II.—TABLES—*continued.*

TABLE NO.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939 ... ..	10
7.	"      "      "      in Éire and Northern Ireland, 1943-1945	11
8.	"      "      "      by sexes and ages, 1864-1945 ...	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs	16
11.	Births and deaths for principal towns and aggregate urban and rural areas ... ..	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas ... ..	18
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs ... ..	19
14.	Births and deaths for each urban area ... ..	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1945 ... ..	24

## PART III.—ABSTRACTS.





ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties ... ..	26-27
II.	Marriages registered by counties ... ..	28-29
III.	Births and deaths by sexes, and ages at death, by counties ...	30-32
IV.	Causes of death (intermediate and detailed international lists), by sexes and ages ... ..	34-51
V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under) :—	54-125


	Page		Page		Page
Éire	... 54	Dublin Co.	... 60	Meath	... 74
		Dublin City	... 62	Monaghan	... 124
Leinster	... 56	Galway	... 108	Offaly	... 76
Munster	... 84	Kerry	... 92	Roscommon	... 114
Connaught	... 106	Kildare	... 64	Sligo	... 116
Ulster (part of)	... 118	Kilkenny	... 66	Tipperary N.R.	98
		Leitrim	... 110	Tipperary S.R.	100
Carlow	... 58	Laoighis	... 68	Waterford Co. ...	102
Cavan	... 120	Limerick Co.	... 94	Waterford Co. Boro'	... 104
Clare	... 86	Limerick Co. Boro	96	Westmeath	... 78
Cork Co.	... 88	Longford	... 70	Wexford	... 80
Cork Co. Boro'	... 90	Louth	... 72	Wicklow	... 82
Donegal	... 122	Mayo	... 112		

ABSTRACT VI.	Causes of death for fourteen principal towns ... ..	126-127
--------------	---	---------

APPENDIX I.	Alterations in registrars' districts ... ..	128
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1945, with the amount of fees received ...	129
APPENDIX III.	Cases of infectious diseases notified to Department of Local Government and Public Health ... ..	130-134

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1931 to 1945.

IRE		ENGLAND AND WALES	
NORTHERN IRELAND		SCOTLAND	







## REPORT OF THE REGISTRAR GENERAL FOR THE YEAR 1945.

AN DOCHTUIR SÉAMUS O RIAIN,  
AIRE SLÁINTE.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarascáil ar Beireatasáí, Básanna agus Pósanna clárúighthe san mBliadain, 1945.

TOMÁS MACARDGHAIL,  
Ard-Chláraitheoir.

NOTE.—*In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1945 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1945 is exclusive of that of non-residents of Eire.*

### GENERAL SUMMARY.

During the year 1945 the number of marriages recorded was 529 more than that for 1944; the number of births registered increased by 1,436 and the number of deaths decreased by 2,366 when compared with the corresponding figures for the preceding year.

**Marriages.**—The marriages registered during the year 1945 numbered 17,301, compared with 16,772 for the previous year, and an annual average figure of 15,578 for the decennial period ended with 1944. The rates per 1,000 of the population for the years 1945 and 1944 were 5·8 and 5·7 respectively, while the annual average rate for the period 1935 to 1944 was 5·3.

In Northern Ireland the rate per 1,000 for 1945 was 7·9; in England and Wales it was 9·3; and in Scotland 9·5.

**Births.**—The births registered during the year 1945 amounted to 66,861, an increase of 1,436 when compared with the figure for the year 1944. The average annual number for the decennial period 1935 to 1944 was 59,515. The rate for 1945 was 22·4; for 1944 it was 22·2; and for the period 1935 to 1944 the average rate was 20·1.

The rate in Northern Ireland for 1945 was 22·0; in England and Wales it was 16·0; and in Scotland, 16·9.

The number of illegitimate births recorded was 2,626, equivalent to a rate of 3·9 per cent. of the total births, as compared with 3·9 for 1944. The corresponding percentage for 1945 in Northern Ireland was 5·4; and in Scotland, 8·6. *England ?*

**Deaths.**—During the year 1945 the number of deaths registered was 42,762, a figure which is 2,366 less than the number for 1944, and 70 more than the average annual number for the years 1935 to 1944. The rate per 1,000 of the population for the year 1945 was 14·3, compared with 15·3 for 1944 and 14·4 for the decennial period ended with the year 1944.

In Northern Ireland the death rate for 1945 was 12·3; in England and Wales it was 11·4, and in Scotland the rate was 13·2.

Of the deaths registered, 23·7 per cent. were stated to be due to heart disease, 9·2 to cancer, 8·6 to tuberculosis (all forms), 6·3 to intra-cranial lesions, 4·0 to pneumonia, and 3·2 to bronchitis.

There were 3,694 deaths from all forms of tuberculosis recorded during the year 1945. This figure is 145 less than that for 1944 and 36 less than the average number of deaths for the decennial period from 1935 to 1944. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1945 was 1·24; for 1944 the rate was 1·30, and for the decennial period 1935 to 1944 the rate was 1·26.

Deaths from cancer (all forms) numbered 3,954; this figure is 222 less than the figure for 1944 and 146 above the annual average number for the period from 1935 to 1944. The rate per 1,000 of the population for the year 1945 was 1.33, being 0.09 less than that for the preceding year.

During the year 1945 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 159. This figure is equivalent to a rate of 2.37 per 1,000 births, compared with an average of 3.45 in the preceding ten years. The corresponding rate for urban areas for 1945 was 1.98 per 1,000 births, and for rural areas 2.60, as compared with 1.89 and 2.67 respectively, for the year 1944.

There were 4,739 deaths of infants under one year of age registered during the year. This figure is 459 less than for the year 1944, and is equivalent to a rate of 71 per 1,000 births, compared with a rate of 79 for the preceding year. The rates per 1,000 births for urban and rural areas were 93 and 58 respectively in 1945, and 105 and 65 in 1944.

The infant mortality rate in Northern Ireland was 68; in England and Wales it was 46, and in Scotland the rate was 56.

Among legitimate infants the rate of mortality was 66 per 1,000 births, and among illegitimate it was 194. The legitimate infant mortality rate for Northern Ireland was 64 and the illegitimate, 137; and for Scotland 53 and 88 respectively.

The number of deaths registered as caused by violence was 878. Included in this figure are 71 due to suicide, 19 to homicide, and 788 to accidental or unspecified violent causes. During the previous year there were 77 suicidal, 12 homicidal and 812 other violent deaths. The number of accidental deaths registered during 1945 as attributable to road traffic was 124 compared with 134 for the previous year.

**Issue of Authority for Registration.**—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1945 authority was issued for the registration of 1,554 births and 204 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 1,482.

**Vaccinations.**—The number of successful primary vaccinations for the year 1945 recorded by the registrars was 26,921, equivalent to 40.3 per cent. of the total births registered. The number for 1944 was 27,367 or 41.8 per cent.

**Searches and Certificates.**—During the year 1945 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 38,311, the certificates issued numbered 25,475, and the amount of fees received was £6,048. In the year 1944 the corresponding figures were as follows:—searches, 32,777, certificates, 18,918, and fees £4,639.

**TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1935 to 1945, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1945.**

YEARS.	Estimated Population	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages	Births	Deaths	Marriages	Births	Deaths
1935 ...	2,971,000	14,336	58,266	41,543	4.83	19.61	13.98
1936 ...	2,967,000	14,763	58,115	42,586	4.98	19.59	14.35
1937 ...	2,948,000	14,780	56,488	45,086	5.01	19.16	15.29
1938 ...	2,937,000	14,893	56,925	40,041	5.07	19.38	13.63
1939 ...	2,934,000	15,204	56,070	41,717	5.18	19.11	14.22
1940 ...	2,958,000	15,212	56,594	41,885	5.14	19.13	14.16
1941 ...	2,993,000	15,021	56,780	43,797	5.02	18.97	14.63
1942 ...	2,963,000	17,470	66,117	41,640	5.90	22.31	14.05
1943 ...	2,946,000	17,328	64,375	43,494	5.88	21.85	14.76
1944 ...	2,944,000	16,772	65,425	45,128	5.70	22.22	15.33
Yearly Average, 1935—1944 ...	2,956,000	15,578	59,516	42,692	5.27	20.13	14.44
<b>1945 ...</b>	<b>2,933,000</b>	<b>17,301</b>	<b>66,361</b>	<b>42,762</b>	<b>5.80</b>	<b>22.41</b>	<b>14.34</b>
NORTHERN IRELAND, 1945.							
1945 ...	1,320,000	10,452	29,007	16,264	7.92	21.97	12.32

## POPULATION.

It is estimated that the population of Eire at the middle of the year 1945 was 2,983,000. The number of males was estimated to be 1,506,200, and the number of females 1,476,900. These figures are based on the result of the Register of Population taken in 1943, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966; according to the Register of Population taken in November 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females, and according to the Register of Population taken in December, 1943, it was 2,949,713—males, 1,489,585 and females, 1,460,128.

In Table I, the estimated population for each of the years 1851 to 1945 is given.

**TABLE B.**—The average excess of births over deaths during the period 1864 to 1870, during each intercensal period between 1871 and 1936, and for each of the years 1936-1945, with the rate per 1,000 of the population, and the balance of the passenger movement from 1936 to 1945.

PERIOD	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-70	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
1926-36	16,264	5.5	—	—
Year 1936	15,529	5.2	-21,539	- 7.3
" 1937	11,402	3.9	-25,936	- 8.8
" 1938	16,884	5.7	-17,555	- 6.0
" 1939	14,353	4.9	+13,965	+ 4.8
" 1940	14,709	5.0	+17,168	+ 5.8
" 1941	12,983	4.3	-23,395	- 7.8
" 1942	24,477	8.3	-53,335	-15.0
" 1943	20,881	7.1	-37,396	-12.7
" 1944	20,297	6.9	+ 6,562	+ 2.2
" 1945	24,099	8.1	- 2,345	- 0.8

## MARRIAGES.

**Number and Rate.**—There were 17,301 marriages registered during the year 1945 compared with a figure of 14,336 in 1935. The figure for 1945 is 529 more than that for the year 1944 and 1,723 above the average for the decennial period 1935 to 1944.

During each of the years from 1936 to 1945 there has been an increase annually (with the exception of 1941, 1943 and 1944) in the number of marriages recorded, the number rising from 14,251 in 1934 to 15,204 in 1939, and to 15,212 in 1940. The number fell to 15,021 in 1941, rose to 17,470 in 1942, fell to 17,328 in 1943, and to 16,772 in 1944.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1936 to 1945 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1936 ...	5.0	7.2	8.7	7.6
1937 ...	5.0	6.7	8.7	7.7
1938 ...	5.1	6.7	8.8	7.8
1939 ...	5.2	7.1	10.6	9.2
1940 ...	5.1	7.6	11.3	10.7
1941 ...	5.0	9.3	9.4	9.5
1942 ...	5.9	9.0	8.9	9.5
1943 ...	5.9	7.8	7.2	7.6
1944 ...	5.7	7.2	7.1	7.2
1945 ...	5.8	7.9	9.3	9.5

**MARRIAGES**—continued.

The annual rate per 1,000 of the population for the year 1945 was 5.80 compared with a figure of 4.83 in 1935. The rate for 1936 was 4.98 per 1,000 rising to 5.01 in 1937, to 5.07 in 1938, and to 5.18 in 1939. In 1941, 1942, 1943 and 1944 the rates were respectively 5.02, 5.90, 5.88, per 1,000. The figures and rates for each of the years 1935 to 1945 are shown in Table C below, and a summary of the figures since 1864 in Tables 3 and 4 of Part II of this report.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the modes of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

**Modes of Celebration.**—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1945 amounted to 16,425 (equal to 94.9 per cent. of the total), and other marriages numbered 876. The number of Catholic marriages is 543 more than that for 1944, and the number of all other marriages is 14 less than the figure for the preceding year. In the year 1945 the number of marriages other than Catholic recorded include 632 according to the rites and ceremonies of the Protestant Episcopal Church; 124 in Presbyterian meeting-houses; 51 in registered buildings belonging to various other religious denominations; 57 by civil contract in the registrars' offices; 4 according to the usages of the Society of Friends, and 8 according to Jewish rites. Comparing these figures with those for 1944, the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 13; in Presbyterian meeting-houses a decrease of 4; in registered buildings an increase of 2; in the registrars' offices a decrease of 6; and an increase of 5 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1945 is equal to a rate of 5.90 per 1,000 of the estimated Catholic population, a rate which is 0.59 above the average rate for the preceding ten years, and the rate for all other marriages was 4.45 per 1,000 of all persons other than Catholics in the population, or 0.31 below the average. Corresponding rates for each year from 1935 to 1944 are shown in Table C below. It must be borne in mind that the rates for the year 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1945 on the proportion according to the Census of 1936.

**TABLE C.—MARRIAGES** registered in 1945 and in each of the previous ten years, according to the **MODES OF CELEBRATION**; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4.99	4.74	4.98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
Yearly Average 1935-44	675	139	57	57	3	8	939	14,639	15,578	5.31	4.76	5.27
1945 ...	632	124	51	57	4	8	876	16,425	17,301	5.90	4.45	5.80

## MARRIAGES—continued.

**Conjugal Condition.**—The figures show that marriages between bachelors and spinsters constitute 95·8 per cent. of the total marriages; those of widowers and spinsters, 2·6 per cent.; bachelors and widows, 1·0 per cent.; and those of widowers and widows, 0·6 per cent. Of the men married, 3·2 per cent. were widowers, and of the women, 1·6 per cent. were widows, or in 49 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1944 were:—widowers, 4·0 per cent., and widows 1·8 per cent. In Table E similar figures from the year 1935 are shown.

**TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1945, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.**

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1945		Annual Average 1925-7	Annual Average 1935-7	Year 1945
<b>ÉIRE</b> ... ..	4·6	4·9	5·8	Kerry ... ..	4·2	3·9	5·2
Carlow ... ..	4·3	5·0	4·6	Limerick ... ..	3·6	3·7	4·3
Dublin ... ..	5·4	6·7	6·4	Limerick Co. Borough ... ..	9·4	8·5	11·5
City of Dublin ... ..	7·6	7·4	8·1	Tipperary N.R. ... ..	4·5	4·6	4·7
Kildare ... ..	3·9	4·7	4·8	Tipperary S.R. ... ..	3·8	4·0	5·1
Kilkenny ... ..	3·9	4·3	5·4	Waterford ... ..	4·1	4·4	6·0
Laoighis ... ..	3·4	3·2	4·3	Waterford Co. Borough ... ..	4·9	5·3	6·6
Longford ... ..	4·4	3·8	5·1	<b>Munster</b> ... ..	4·4	4·5	5·7
Louth ... ..	4·0	5·2	6·4	Galway ... ..	3·7	4·0	4·5
Meath ... ..	3·5	5·2	4·7	Leitrim ... ..	4·4	4·0	4·2
Offaly ... ..	4·3	4·4	5·4	Mayo ... ..	3·8	3·5	5·1
Westmeath ... ..	4·0	4·0	6·2	Roscommon ... ..	4·0	3·8	5·7
Wexford ... ..	4·4	4·7	5·2	Sligo ... ..	4·3	4·3	5·0
Wicklow ... ..	4·0	4·6	5·5	<b>Connaught</b> ... ..	3·9	3·9	4·9
<b>Leinster</b> ... ..	5·2	5·8	6·5	Cavan ... ..	4·3	4·2	4·5
Clare ... ..	3·6	3·7	4·3	Donegal ... ..	3·7	4·7	5·3
Cork ... ..	3·5	3·6	4·7	Monaghan ... ..	3·9	4·0	4·9
Cork Co. Borough ... ..	8·2	8·7	11·6	<b>Ulster (part of)</b> ... ..	3·9	4·4	5·0

**Rates for Counties, etc.**—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Cork county borough the rate was 11·6 per 1,000; in Limerick 11·5; in Dublin 8·1; and in Waterford 6·6. The highest rates for the remaining areas were Louth 6·4, Dublin (exclusive of the county borough) 6·4; Westmeath 6·2; Waterford 6·0; Roscommon 5·7. The lowest rates were recorded in Leitrim 4·2; Limerick 4·3, Clare 4·3, Laoighis 4·3, and Galway and Cavan 4·5 each.

In the provinces the highest rate was 6·5 for Leinster, followed by 5·7 for Munster, 5·0 for Ulster (part of), and 4·9 for Connaught. The corresponding rates for 1944 were 6·4 for Leinster; 5·5 for Munster; 5·0 for Ulster (part of); and 4·7 for Connaught. The rate for Leinster for 1945 is 0·7 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 1·2 more than the average, in Connaught the increase was 1·0 and in Ulster (part of) it was 0·6 per 1,000 of the population.

**Marriages in each Quarter.**—The number of marriages is shown in Table 5 by quarters for each of the years 1935-1945, and also the average number and rate for the ten years 1935 to 1944, and the rate for the year 1945. In the first quarter of 1945 the rate per 1,000 of the population was 5·0, in the second 6·2, in the third 6·6, and in the fourth 5·5. The corresponding rates for the year 1944 were 5·7 for the first quarter, 5·5 for the second, 6·2 for the third, and 5·3 for the fourth quarter; and the average rates for the decennial period from 1935 to 1944 were 5·2, 5·1, 6·1 and 4·8 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1945 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1935 to 1944.

In the case of Catholic marriages, 21 per cent. were recorded in the first quarter of 1945, 27 per cent. in the second, 28 per cent. in the third, and 24 per cent. in the last quarter. For other marriages the percentages were 22, 24, 35 and 19 in the corresponding quarters of the year.

## MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1935 to 1945.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72
1944	16,772	2.07	8.49	3.98	1.78
1945	17,301	1.51	7.69	3.24	1.64

**Age at Marriage.**—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1945 who were stated to have married under age was 2.0 per cent.; in Munster 1.4; in Connaught 0.5, and in Ulster (part of) 0.9 per cent. In the case of females married the proportion who were minors in Leinster was 9.1, in Munster 7.5, in Connaught 4.4, and in Ulster (part of) 6.1 per cent. The corresponding percentages for the country as a whole were 1.5 for husbands and 7.7 for wives.

The proportion per cent. of males married in Northern Ireland in 1945 who were under age was 4.7 and of females 17.8.

**Licences for Marriage.**—During the year 1945 the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 100. On 31st December, 1945, the number of such registrars of marriages authorised to grant licences for marriage was 69.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 569. The number of licensing officers on the 31st December, 1945, was 144.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies during the year 1945 was 119. The number of licensing ministers on the 31st December, 1945, was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

**Buildings in which Marriages may be solemnised.**—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,038 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1945, licensed for the solemnisation of marriages, 146 Presbyterian meeting-houses (141 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 160 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 160 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists ... ..	127	Salvation Army ... ..	2
Reformed Presbyterians ... ..	2	Seceders ... ..	2
Baptists ... ..	8	“Udenominational” ... ..	6
Independents or Congregationalists	3		
Christian Brethren ... ..	9		
Moravians or United Brethren	1	TOTAL ... ..	160

## BIRTHS.

The births for the year 1945 numbered 66,861, a figure which is 1,436 more than that for the year 1944 and 7,346 more than the number recorded during the decennial period from 1935 to 1944. The numbers recorded for each of the years 1939 to 1944 were 56,070 56,594, 56,780, 66,117, 64,375 and 65,425 respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1945 was 22.41 and in 1944 the corresponding rate was 22.22 per 1,000. In the years 1939, 1940, 1941, 1942 and 1943 the rates were 19.11, 19.13, 18.97, 22.31 and 21.85 respectively.

In Tables 3 and 4 the number of births and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and for each year since 1935 are shown. In the period from 1864 to 1870 the rate was 25.79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26.31, falling gradually to 19.34 for the decennial period 1931 to 1940. During the period 1935 to 1944 the highest rate recorded was 22.31 for 1942 and the lowest 18.97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1936 to 1945:—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1936	...	19.6	20.2	14.8	17.9
1937	...	19.2	19.8	14.9	17.6
1938	...	19.4	20.0	15.1	17.7
1939	...	19.1	19.5	14.9	17.4
1940	...	19.1	19.6	14.6	17.1
1941	...	19.0	20.8	14.2	17.9
1942	...	22.3	22.8	15.8	18.1
1943	...	21.9	24.2	16.5	18.9
1944	...	22.2	23.5	17.6	18.5
1945	...	22.4	22.0	16.0	16.9

**Rates for Counties, etc.**—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1945 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 24.2, for Munster 22.1, for Connaught 20.6, and for Ulster (part of) 21.3, as compared with 23.9, 21.3, 20.0 and 21.2 respectively, for 1944. Comparing the rates for the years 1944 and 1945, it will be seen that the rate for Leinster has increased by 0.3, for Munster by 0.8, and for Connaught and Ulster by 0.6 and 0.1 respectively.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 24.8, Cork 24.3, Limerick 27.5, and Waterford 25.3 per 1,000. The highest rates in the counties were Kildare 27.1, Carlow 25.5, Offaly 25.0, Tipperary S.R. 24.8, Louth 24.7. On the other hand, the lowest rates recorded were Leitrim 17.8, Roscommon 18.3, Monaghan 19.6, Sligo 19.7, and Waterford and Cork each 19.9.

The birth-rates for the total urban areas were 24.4 and 24.1, respectively, in the years 1945 and 1944, an increase of 0.3 per 1,000, while the corresponding rural rates were 21.8 and 21.2, respectively, an increase of 0.6 per 1,000. In Table 15 the birth-rates for the urban and rural areas are shown for a number of years.

**Illegitimate Births.**—The births registered during 1945 include 2,626 of illegitimate children, a figure which is 59 more than that for 1944. The number for 1945 is equivalent to a rate of 0.9 per 1,000 of the population, and a rate of 3.9 per cent. of the total births recorded. The respective rates for the previous year were also 0.9 per 1,000 and 3.9 per cent.

In Northern Ireland for 1945 the rate per cent. of the total births was 5.4, and for Scotland 8.6.

The percentages are shown for each of the provinces for the years 1938 to 1945 in the following statement:—

AREA	Illegitimate births—per cent. of total births.							
	1938	1939	1940	1941	1942	1943	1944	1945
Eire	3.30	3.18	3.22	3.48	3.66	3.80	3.92	3.93
Leinster ...	3.44	3.39	3.40	3.62	3.77	4.00	4.15	4.17
Munster ...	3.41	3.18	3.44	3.59	3.80	4.16	4.01	4.13
Connaught ...	2.16	1.93	1.93	2.32	2.53	2.23	2.44	2.39
Ulster (part of) ...	4.34	4.32	3.90	4.43	4.59	4.19	5.04	4.65



## BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs for the year 1945 are given. The highest percentages were in the following counties: Carlow 7·6, Laoighis 6·9, Wexford 6·8, Kilkenny 6·5, Waterford 6·0, Limerick 5·8. The counties with the lowest ratios were Cork C.B. 1·7, Mayo 1·7, Galway 2·3, Limerick county borough, 2·5, Leitrim 3·0, Dublin C.B. 3·0.

**Legitimacy Act (1931).**—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 106 cases during the year 1945. This figure is 13 less than the corresponding figure for the year 1944.

**Proportion of Males to Females.**—The number of male births registered in 1945 was 34,336 and of female births 32,525. The proportion between the sexes was 1,056 males per 1,000 females, a ratio which is 2 above the average for 1935 to 1944. In Northern Ireland for the year 1945 the proportion of males born alive to 1,000 females was 1,063, and in Scotland 1,062.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1935, and also the average rates since the year 1864.

The male children born in wedlock in 1945 numbered 33,014, and the female 31,221, or 1,057 males to every 1,000 females, and of the illegitimate children 1,322 were males and 1,304 females, or 1,014 boys to every 1,000 girls.

**Births in each Quarter.**—The number of births by sexes recorded during each quarter of 1945 is shown in the following table:—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	8,260	9,200	8,787	8,089	34,336
Females ...	7,813	8,740	8,457	7,515	32,525
TOTAL ...	16,073	17,940	17,244	15,604	66,861

In Table 5 the number of births registered in each quarter of the years 1935 to 1945 is given, together with the rates for the year 1945, and the average rates for the previous decennial period. The rates for each of the quarters were 21·6, 24·1, 23·1 and 20·9 per 1,000, showing increases of respectively, 1·8, 2·8, 2·4 and 2·1 when compared with the average rates.

**Multiple Births.**—The number of infants born alive in multiple births registered during 1945 was 1,820, consisting of 893 pairs of twins, and 10 sets of triplets, and one set of quadruplets, as compared with 1,771 (875 pairs of twins and 7 sets of triplets) for the previous year. The twin children whose births were recorded during 1945 were 2·7 per cent. of the total number of infants whose births were registered. In 1944 the corresponding percentage was also 2·7.

The number of mothers of living children whose births were recorded during the year was 65,945. Of these, 65,041, or 98·6 per cent., gave birth to single infants, and 904 or 1·4 per cent. to two or more infants at a birth.

The infants born in wedlock (64,235) included 62,457 single infants, 1,744 twins, 30 triplets, and 4 quadruplets, equivalent to, respectively, the ratios of 97·23 per cent., 2·71 per cent., 0·05 per cent., 0·01 per cent. of the total number of legitimate births.

Illegitimate infants included 2,584 single infants, and 42 twin infants, equivalent, respectively, to 98·40 per cent. and 1·60 per cent., of the 2,626 illegitimate infants registered. In the year 1944 the illegitimate infants recorded included 2,501 single infants, and 66 twin infants.

In the year 1945 the infants born alive in multiple births comprised 921 males and 899 females. Of the twin infants, 906 were males and 880 females, the triplet infants included 12 males and 18 females, the quadruplets 3 males and one female.

*It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.*

## DEATHS.

**Number and Rate.**—The number of deaths recorded during the year 1945 was 42,762, the males numbering 22,266 and the females 20,496. The total is 2,366 less than the number for 1944, and is 70 more than the average for the decennial period 1935 to 1944. In the year 1945 the deaths of males were 1,211 less, and the deaths of females 1,155 less than in the previous year.

The deaths registered in 1945 represent a rate of 14·34 per 1,000 of the population, compared with 15·33 for 1944 and an average of 14·44 for the ten years 1935 to 1944. The rate for males during each of the past three years was 15·21, 15·79, and 14·78, the corresponding ratio for females being 14·31, 14·86 and 13·88 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1936 to 1945 are as follows :—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1936	...	14·4	14·4	12·1	13·4
1937	...	15·3	15·1	12·4	13·9
1938	...	13·6	13·7	11·6	12·6
1939	...	14·2	13·5	12·1	12·9
1940	...	14·2	14·6	14·0	14·9
1941	...	14·6	15·2	12·9	14·5
1942	...	14·1	13·3	11·6	13·0
1943	...	14·8	13·4	12·1	13·3
1944	...	15·3	12·8	12·7	13·6
1945	...	14·3	12·3	11·4	13·2

**Rates for Counties, etc.**—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows :—Dublin 13·9, Cork 15·0, Limerick 15·5, and Waterford 14·3. The counties with the highest rates were Wexford 16·8, Cavan 16·6, Sligo 16·4, Leitrim 16·0, Clare 15·6, Offaly 15·5, Carlow 15·4, and Waterford (exclusive of the county borough) 15·1. The lowest rates were recorded for Kildare 12·9, Dublin (exclusive of the county borough) 13·0, Louth 13·2, Meath 13·7, Kerry 13·8, Limerick (exclusive of the county borough) 13·8, and Mayo 14·0.

The rate for the province of Leinster was 14·3 per 1,000, for Munster 14·5, for Connaught 14·7 and for Ulster (part of) 15·1, compared with 14·8, 15·7, 15·3 and 16·2 for the preceding year.

During the year 1945 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·0 and 14·7 per 1,000 compared with 14·7 and 15·6 for the preceding year. The figure for the urban areas in 1945 is 0·7 less, and that for the rural areas 0·9 less than the respective rates for the year 1944. A comparative statement of the rates for these areas for a series of years is given in Table 15.

**Deaths in each Quarter.**—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1945 :—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	7,225	5,557	4,632	4,852	22,266
Females	...	6,490	5,197	4,260	4,549	20,496
TOTAL	...	13,715	10,754	8,892	9,401	42,762

## DEATHS—continued.

Of the total deaths, 24,469, or 57·2 per cent., were registered during the first six months and 18,293, or 42·8 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 57·4 and 42·6.

During the year 1945 the mortality was highest in the first quarter, in which the rate was 18·4 per 1,000 of the population. In the second quarter the rate was 14·4, in the third 11·9, and in the last quarter it was 12·6. In the preceding year the rates for the quarters were as follows:—first 20·1, second 15·0, third 11·9, and fourth 14·2.

The rates for each quarter of 1945 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1945 and the average figure shows that in the first quarter there was an increase of 0·5 per 1,000; the rate for the second quarter shows a decrease of 0·2; the third an increase of 0·2, and in the fourth quarter there was a decrease of 1·0 per 1,000, compared with the average for the previous ten years.

**Deaths in Institutions.**—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,814, in mental hospitals, 1,021, in county homes and hospitals, etc., 7,852; and 28,075 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 13·6, 2·4, 18·4, and 65·6 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1933 the percentages of deaths in the three classes of institutions were 9·9, 2·6 and 16·7, respectively, 70·8 per cent. dying at their own homes.

**Uncertified Causes.**—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 5,602. This figure is equivalent to a rate of 13·1 per cent. of the total deaths registered during the year. The proportion for the previous year was 13·9 and the average percentage for the ten years from 1935 to 1944 was 15·8.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1945 being 18·5. In the urban areas the percentage was only 1·8.

**Inquests.**—The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1945 was 1,200, or one in every 36 deaths registered. The number of such deaths for the year 1945 include 823 cases in which inquests were held, and 377 cases in which the death was registered on a certificate of the result of a post-mortem examination.

## CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1945, classified in accordance with the list adopted at the International Conference held in Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs, and in Abstract VI the causes of the deaths for each of the principal towns are given.

The proportion of the deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 237 in every 1,000 deaths; the next in order are senility 147, cancer 92, tuberculosis (all forms) 86, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 63, pneumonia 40, and bronchitis 32 in every 1,000 deaths. These causes account for 70 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 482 in every 1,000 deaths compared with 471 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (220 in every 1,000), pneumonia (120), whooping cough (19 in every 1,000 deaths) and bronchitis (23 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 164 in every 1,000 deaths, tuberculosis (other than that of the respiratory system) in 145 instances, diphtheria in 83, diarrhoea and enteritis in 70, whooping cough in 43, bronchitis in 35 and measles in 19 cases. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (288 in every 1,000), diphtheria 109, and pneumonia (43 in every 1,000). The cause of the majority of the deaths of persons

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1945.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD									
		All Ages	Under 1	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65 & up
	ALL CAUSES . . . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	3	4	2	1	2	1	.
2	Cerebro-spinal meningitis	1	1	8	11	1	1	1	.	.	.
3	Scarlet fever . . . . .	.	.	1	1	1	.	.	.	.	.
4	Whooping cough . . . . .	3	19	43	10	1	.	.	.	.	.
5	Diphtheria . . . . .	5	4	83	109	14	3	3	2	1	.
6	Tuberculosis of respiratory system.	65	3	19	85	464	427	281	125	51	12
7	All other forms of tuberculosis.	21	10	145	203	146	81	41	20	9	3
8	Dysentery . . . . .	.	1	1	.	.	1	.	.	.	.
9	Influenza . . . . .	7	4	11	8	5	3	4	6	7	9
10	Measles . . . . .	1	2	19	6	3	1	1	.	.	.
11	Acute infectious encephalitis	1	.	5	3	2	1	1	1	.	.
12	Typhus . . . . .	.	.	.	.	.	.	.	.	.	.
13	Cancer . . . . .	92	.	14	18	11	46	105	175	183	140
14	Diabetes mellitus . . . . .	5	.	1	6	6	6	7	8	9	7
15	Intra-cranial lesions of vascular origin.	63	.	5	3	9	12	37	64	96	102
16	Diseases of the heart . . . . .	237	1	6	62	61	85	140	235	308	368
17	Other diseases of the circulatory system.	20	.	.	6	2	3	10	21	27	31
18	Bronchitis . . . . .	32	23	35	14	6	9	23	35	36	41
19	Pneumonia . . . . .	40	120	164	43	18	23	27	33	29	27
20	Other diseases of the respiratory system.	15	5	12	10	14	18	24	23	24	16
21	Ulcer of the stomach or duodenum.	5	.	1	.	1	7	12	17	12	5
22	Diarrhoea and enteritis . . . . .	30	220	70	10	5	4	4	8	4	5
23	Appendicitis . . . . .	3	.	12	22	9	8	7	4	3	1
24	Cirrhosis of the liver . . . . .	1	.	.	3	.	1	3	3	4	2
25	Diseases of liver and biliary passages.	4	.	3	7	4	5	7	8	5	5
26	Other diseases of the digestive system.	13	16	24	27	11	14	22	16	12	13
27	Nephritis . . . . .	26	1	6	21	22	29	46	41	42	35
28	Puerperal infection . . . . .	1	.	.	.	3	10	8	.	.	.
29	Other diseases of childbirth	3	.	.	.	8	40	26	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	56	482	47	21	7	4	2	1	.	.
31	Senility . . . . .	147	.	.	.	.	.	.	.	89	426
32	Suicide . . . . .	2	.	.	.	3	9	7	5	3	1
33	Other violence . . . . .	19	12	64	85	50	40	28	20	19	13
34	Other causes . . . . .	81	76	201	206	110	105	121	128	114	76

## CAUSES OF DEATH—continued.

aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intra-cranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years, 1943, 1944 and 1945 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	Number of Deaths Registered			CAUSES	Number of Deaths Registered		
	Years				Years		
	1943	1944	1945		1943	1944	1945
Typhoid Fever ...	52	58	32	Heart Disease ...	9,264	10,111	10,139
Cerebro-Spinal Meningitis ...	39	37	31	Bronchitis ...	1,444	1,591	1,370
Scarlet Fever ...	34	10	4	Pneumonia ...	1,874	1,916	1,715
Whooping Cough ...	310	242	146	Diarrhoea and Enteritis (under 2 years) ...	1,233	1,088	1,092
Diphtheria ...	310	293	236	Nephritis ...	1,115	1,144	1,110
Tuberculous Disease	4,306	3,839	3,694	Puerperal Infection	36	32	35
Dysentery ...	3	3	10	Other Puerperal Causes ...	109	124	124
Influenza ...	461	812	306	Congenital Debility, Malformation, Premature Birth, etc. ...	2,501	2,514	2,375
Measles ...	32	144	42	Senility ...	6,097	6,621	6,298
Acute Infectious Encephalitis ...	16	11	22	Violence ...	961	901	878
Typhus ...	4	1	—				
Cancer ...	4,043	4,176	3,954				
Intra-Cranial Lesions of vascular origin	2,652	2,770	2,689				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases\* are given by provinces, counties and county boroughs. The rate for Eire was 0·5 compared with 0·6 for the year 1944. The rates for the county boroughs are as follows:—Dublin 1·2, Cork 0·6, Limerick 0·5, and Waterford 0·6 per 1,000. The highest county rates are:—Dublin 0·8, Kildare 0·7, Wicklow 0·6, and Louth, Offaly, Wexford, Tipperary S.R. and Sligo each 0·5. The counties in which the rates were lowest are:—Longford, Meath, Westmeath, Waterford, Leitrim, Mayo and Roscommon each 0·2, and Kilkenny, Clare, Cork, Kerry, Galway, Cavan and Donegal each 0·3.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·9 per 1,000 of the population, compared with 0·3 for the rural districts. The corresponding rates for 1944 were 1·0 and 0·4, respectively.

**Typhoid and Paratyphoid Fevers.**—The number of deaths recorded was 32, including 18 of males and 14 of females. The corresponding figure for 1944 was 58, including 25 of males and 33 of females. The average number for the decennial period from 1935 to 1944 was 53. During 1945 there were 6 deaths for urban areas and 26 for rural areas. There were 3 deaths for Dublin county borough.

**Scarlet Fever.**—There were 4 deaths from this disease registered during the year 1945 compared with 10 in the previous year. The average figure for the ten years 1935 to 1944 was 66.

**Whooping Cough.**—The number of deaths recorded under this heading was 146, compared with 242 for the year 1944, and an average figure of 208 for the decennial period ended with the latter year. The total for 1945 includes 67 of males and 79 of females, compared with 105 and 137 respectively, in the previous year.

The figure for 1945 includes 91 of infants under one year of age and 29 of children aged between one and two years. In 1944 the corresponding figures were 143 and 54.

There were 28 deaths recorded for Dublin county borough, 20 for Wicklow county, 14 for Sligo county, and 12 each for Wexford and Mayo counties.


**Diphtheria.**—The number of deaths was 236, compared with a figure of 293 for 1944, and an average of 279 for the years 1935 to 1944. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1935 to 1943 were 378, 345, 293, 314, 245, 178, 165, 267, and 310.

The figure for 1945 includes 113 males and 123 females, the corresponding figures for the previous year being 152 and 141 respectively.

\* Typhoid fever, scarlet and enteritis (under 2 years).

whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea

DIAGRAM No. 2. Mortality from Diphtheria, 1931 to 1945.



## CAUSES OF DEATH—continued.

**Diphtheria**—continued.

Included in the figure for 1945 were 91 of children aged between one and five years, 59 between the ages of five and ten years, and 19 of children aged 10 and under 15 years.

The death rate per 100,000 of the population was 7.9 compared with 10.0 for the previous year. In the urban areas as a whole the rate for 1945 was 8.1 compared with 13.0 in the previous year, and in the rural areas the corresponding rates were 8.0 and 8.4 per 100,000 of the population.

For Leinster the rates for 1945 and 1944 were 9.4 and 12.1, for Munster 6.7 and 7.7, for Connaught 4.0 and 7.2, and for Ulster (part of) 13.6 and 12.8 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1936 to 1945 :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1936 ...	11.6	19.1	11.2	17.2	9.0
1937 ...	9.9	16.3	7.3	14.4	7.7
1938 ...	10.7	17.8	8.8	15.9	8.1
1939 ...	8.3	14.1	11.7	13.6	5.7
1940 ...	6.0	9.9	6.4	9.1	4.5
1941 ...	5.5	9.0	4.9	8.4	4.2
1942 ...	9.0	13.8	5.4	12.3	7.4
1943 ...	10.5	15.7	8.8	14.3	8.4
1944 ...	10.0	13.2	12.0	13.0	8.4
1945 ...	7.9	7.6	9.9	8.1	8.0

The counties and county boroughs in which the highest death rates from this disease were recorded in 1945 are as follows :—Louth 26.1, per 100,000 of the population, Offaly 19.2, Carlow 17.7, Monaghan 17.3, Donegal 16.9 and Tipperary N.R. 15.3. There was no death recorded for Waterford county borough, and the lowest rates for the remaining counties were :—Mayo 2.0, Leitrim 2.2, Limerick county borough 2.4, Longford 2.7, and Limerick 3.0 per 100,000.

**Tuberculosis.**—The number of deaths registered during 1945 from all forms of tuberculosis was 3,694—1,901 of males and 1,793 of females. When compared with the number recorded in 1944 the total shows a decrease of 145—a decrease in the case of males of 97, and in the case of females of 48. The figure for 1945 is 36 below the average for the decennial period from 1935 to 1944—a decrease in male deaths of 29 and of 7 in the case of female deaths.

The deaths recorded during 1945 are equivalent to a rate of 1.24 per 1,000 of the estimated population. For 1944 the rate was 1.30 per 1,000, and during the ten years from 1935 to 1944, the average rate was 1.26 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1936 to 1945 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1936 ...	1.17	1.02	0.69	0.74
1937 ...	1.23	0.98	0.70	0.74
1938 ...	1.09	0.92	0.64	0.69
1939 ...	1.13	0.84	0.63	0.70
1940 ...	1.25	0.98	0.70	0.82
1941 ...	1.24	1.04	0.73	0.83
1942 ...	1.47	0.97	0.66	0.80
1943 ...	1.46	0.91	0.67	0.79
1944 ...	1.30	0.89	0.63	0.82
1945 ...	1.24	0.80	0.56	0.79

## CAUSES OF DEATH—continued.

## Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate 1.53 was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1943, viz., 1.44, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1935–1945.

YEAR	MALES		FEMALES		TOTAL		Annual Increase or Decrease	
	Number of Deaths	Rate per 1,000 of the Male population	Number of Deaths	Rate per 1,000 of the Female population	Number of Deaths	Rate per 1,000 of the population	Number	Per cent.
1935 ...	1,983	1.30	1,787	1.23	3,770	1.27	+ 266	+ 7.3
1936 ...	1,791	1.18	1,689	1.17	3,480	1.17	— 290	— 7.7
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 169	+ 4.6
1938 ...	1,651	1.10	1,665	1.09	3,216	1.09	— 423	—11.6
1939 ...	1,707	1.14	1,697	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+17.1
1943 ...	2,203	1.48	2,103	1.44	4,306	1.46	— 41	— 0.9
1944 ...	1,998	1.34	1,841	1.26	3,839	1.30	— 467	—10.8
Average, 1935–44	1,930	1.28	1,800	1.24	3,730	1.26	—	—
1945 ...	1,901	1.26	1,793	1.21	3,694	1.24	— 145	— 3.8

There were 2,777 deaths from tuberculosis of the respiratory system recorded in 1945 compared with 2,935 in 1944, a decrease of 158. The figure for 1945 includes 1,415 of males and 1,362 of females—the figure for males shows a decrease of 116 and that for females a decrease of 42 when compared with the corresponding figures for the previous year. During 1945 there were 917 deaths (486 males and 431 females) from tuberculosis other than that of the respiratory system. The respective figures for 1944 were 904 (467 males and 437 females). The figures for 1945 are 13 (an increase of 19 males and a decrease of 6 females) more than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 392 deaths (223 males and 169 females) due to tuberculosis of the meninges and central nervous system, 164 deaths (71 males and 93 females) to tuberculosis of the intestines and peritoneum, 78 (39 males and 39 females) to tuberculosis of the vertebral column, 51 (24 males and 27 females) to this disease of other bones and joints, 6 (one male and 5 females) to tuberculosis of the skin, 18 (10 males and 8 females) of the lymphatic system, 32 (19 males and 13 females) in organs of the genito-urinary system, 3 (one male and 2 females), to tuberculosis of other organs, and 173 (98 males and 75 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of tuberculosis for each of the years 1941 to 1945 inclusive, together with the rate per 1,000 of the population.

CAUSE		YEARS				
		1941	1942	1943	1944	1945
Tuberculosis of the respiratory system	No.	2,882	3,512	3,398	2,935	2,777
	Rate	0.96	1.19	1.15	1.00	0.93
Other forms of tuberculosis.	No.	829	835	908	904	917
	Rate	0.28	0.28	0.31	0.30	0.31

The mortality from tuberculosis at different age-periods for each of the years 1940 to 1945 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1945 and 1944 were respectively 1.46 and 1.48 per 1,000, the figures for males being 1.38 and 1.29 and for females 1.55 and 1.66 per 1,000. In the age-group from 20 to 24 years the rates in 1945 were—for persons 2.27, males 2.01 and females 2.55, and for 1944, respectively, 2.26, 2.05 and 2.48. At the age period 25 and below 35 years the figure for all persons in 1945 was 1.90 per 1,000, and in 1944 it was 2.07, the corresponding rates for males being 1.81 and 1.92 and for females 2.00 and 2.22 per 1,000.



DIAGRAM No. 3. Mortality from Tuberculosis, 1931 to 1945.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1940 to 1945.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1940 ...	1,944	94	49	39	167	263	443	322	292	190	73	12
1941 ...	1,855	102	45	41	166	225	440	343	246	176	63	8
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
1943 ...	2,203	138	60	55	222	297	484	362	271	210	96	8
1944 ...	1,998	126	57	49	174	245	409	359	271	189	105	14
1945 ...	1,901	124	46	50	188	244	391	303	250	193	99	13
DEATHS OF FEMALES.												
1940 ...	1,741	66	39	78	246	282	451	237	169	112	57	4
1941 ...	1,856	93	53	65	237	335	458	291	168	100	49	7
1942 ...	2,050	79	37	90	266	362	563	296	193	111	43	10
1943 ...	2,103	110	59	83	270	351	543	290	186	132	65	14
1944 ...	1,841	102	57	71	221	286	465	266	189	113	56	15
1945 ...	1,793	116	44	66	209	298	423	274	166	123	62	12
DEATHS OF MALES AND FEMALES.												
1940 ...	3,685	160	88	117	413	545	894	559	461	302	130	16
1941 ...	3,711	195	98	106	403	560	898	634	414	276	112	15
1942 ...	4,347	188	97	148	522	676	1,082	664	490	332	135	16
1943 ...	4,306	248	119	138	492	648	1,027	652	457	342	161	22
1944 ...	3,839	228	114	120	395	531	874	625	460	302	161	29
1945 ...	3,694	240	90	116	397	542	814	577	416	316	161	25
MALES—RATE PER 1,000.												
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
1942 ...	1.53	0.80	0.45	0.41	1.88	2.36	2.54	2.07	1.95	1.57	0.82	0.15
1943 ...	1.48	1.00	0.44	0.41	1.65	2.48	2.27	2.03	1.78	1.59	0.88	0.19
1944 ...	1.34	0.92	0.42	0.37	1.29	2.05	1.92	2.01	1.78	1.43	0.97	0.33
1945 ...	1.26	0.89	0.34	0.37	1.38	2.01	1.81	1.68	1.62	1.44	0.90	0.31
FEMALES—RATE PER 1,000.												
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.38	1.13	0.88	0.55	0.03
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.78	0.50	0.15
1942 ...	1.40	0.59	0.28	0.64	2.02	2.99	2.89	1.68	1.27	0.84	0.43	0.21
1943 ...	1.44	0.82	0.45	0.64	2.03	3.04	2.60	1.63	1.28	1.04	0.63	0.28
1944 ...	1.26	0.76	0.43	0.54	1.66	2.48	2.22	1.80	1.30	0.89	0.54	0.30
1945 ...	1.21	0.86	0.33	0.50	1.55	2.55	2.00	1.62	1.12	0.95	0.59	0.24
MALES AND FEMALES—RATE PER 1,000.												
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.88	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.62	1.22	0.63	0.18
1943 ...	1.46	0.91	0.45	0.52	1.84	2.75	2.43	1.83	1.53	1.32	0.76	0.24
1944 ...	1.30	0.84	0.45	0.45	1.43	2.26	2.07	1.76	1.54	1.17	0.76	0.32
1945 ...	1.24	0.87	0.33	0.43	1.46	2.27	1.90	1.60	1.38	1.20	0.75	0.27

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1945 the rate was 1.4, in Munster 1.2, in Connaught 1.1, and in Ulster (part of), 1.0. The corresponding rates for 1944 were in Leinster 1.5, in Munster 1.2, in Connaught 1.2, and in Ulster (part of) 1.1.

DIAGRAM No. 4. Mortality from Influenza, 1931 to 1945.



## CAUSES OF DEATH—continued.

**Tuberculosis—continued.**

The highest mortality rates from tuberculosis in 1945 for county or county borough areas were recorded for the following:—Limerick county borough and Waterford county borough each 1·8 per 1,000 of the population, Cork county borough 1·7 and Dublin county borough, Kildare and Westmeath each 1·6. The counties having the lowest rates were—Roscommon 0·7, Longford and Cork each 0·8, and Limerick and Cavan each 0·9 per 1,000.

The deaths from tuberculosis in 1945 for the aggregate urban districts numbered 1,576, compared with 1,633 for the previous year. For the rural districts the number for 1945 was 2,118 compared with 2,206 for last year. The rate per 1,000 of the population for the urban areas fell from 1·64 in 1944 to 1·59 in 1945, while that for the rural areas decreased from 1·13 to 1·08 per 1,000.

**Influenza.**—The number of deaths from this disease for 1945 was 306, compared with 812 for the preceding year and an average of 1,004 for the decennial period ended with 1944.

The rates per 1,000 of the population for the years 1945 and 1944 were 0·10 and 0·28 respectively.

In the aggregate urban areas the death rate for 1945 was 0·04 per 1,000, and in the rural areas 0·14, compared with 0·09 and 0·37 for 1944.

In the first quarter the mortality was 45 per cent. of the total and in each of the second, third and fourth quarters the proportion was 25, 12 and 18 respectively.

**Smallpox.**—Since the year 1907 no death from this disease has been recorded.

**Measles.**—There were 42 deaths registered in 1945 compared with 144 in the year 1944, and an average for the period from 1935 to 1944 of 128. Of the deaths recorded, 8 were for Galway county, 7 for Kerry county and 5 for Dublin county borough.

**Acute Poliomyelitis and Polioencephalitis.**—The deaths under this heading numbered 16 (10 males and 6 females) compared with 12 (8 males and 4 females) in the previous year. The figure for 1945 includes 3 for Dublin county borough, 2 for each of the counties Dublin, Cork, Galway and Donegal, and one for each of Meath, Offaly, Tipperary S.R., Leitrim and Mayo counties.

**Typhus.**—There was no death registered under this heading in 1945.

**Other Infective or Parasitic Diseases.**—There were 28 deaths from Hodgkin's disease recorded during the year 1945.

**Cancer.**—The deaths due to cancer recorded for 1945 numbered 3,954—2,091 of males and 1,863 of females. The total figure is 222 below the number for 1944 and 146 above the average number for the decennial period ended with 1944. The number of deaths of males is 129 below, and that for females 93 below the corresponding figure for 1944.

The deaths from this disease constitute 9·2 per cent. of the deaths from all causes and are equivalent to a rate of 1·33 per 1,000 of the population. The rates for males and females were respectively 1·39 and 1·26 per 1,000. In Northern Ireland the rates for persons, males and females were 1·44, 1·45 and 1·43 per 1,000, in England and Wales 1·74, 1·79 and 1·70 and in Scotland the death rates were 1·92 for both sexes, 2·09 for males and 1·79 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given:—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1936 ...	1·20	1·29	1·63	1·59
1937 ...	1·26	1·30	1·63	1·57
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	1·72	1·70
1941 ...	1·27	1·37	1·78	1·69
1942 ...	1·37	1·41	1·83	1·71
1943 ...	1·37	1·45	1·90	1·73
1944 ...	1·42	1·41	1·90	1·86
1945 ...	1·33	1·44	1·74	1·92

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES													Total		
		AGES AT DEATH															
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards				
45	Lip ...	.	.	.	.	.	.	1	4	9	9	9	17	49			
	Tongue ...	.	.	.	1	.	.	2	2	13	8	16	12	54			
	Jaw ...	.	.	1	1	1	3	.	5	6	13	11	18	59			
	Mouth ...	.	.	.	.	1	1	3	1	3	5	6	6	26			
	Pharynx ...	.	.	.	.	.	.	2	1	1	6	6	7	23			
	Tonsil ...	.	.	.	.	.	.	.	1	1	6	3	2	13			
46	Oesophagus ...	.	.	.	.	2	2	7	9	9	19	13	8	69			
	Stomach ...	1	1	3	9	14	26	37	47	94	141	99	63	535			
	Rectum ...	.	2	5	2	3	5	11	12	27	46	36	31	180			
	Liver ...	3	1	.	1	2	2	11	6	17	17	20	23	103			
	Pancreas ...	.	1	1	1	.	1	5	10	9	11	13	9	61			
	Peritoneum ...	1	.	.	.	.	.	3	2	.	.	.	.	6			
	Intestine ...	2	2	3	4	7	11	8	21	33	70	59	81	301			
47	Larynx, Trachea ...	.	.	.	.	3	.	4	6	10	8	9	4	45			
	Lung ...	.	.	2	4	4	9	14	17	14	13	9	4	90			
	Mediastinum ...	1	1	.	.	.	.	.	2	.	1	.	1	6			
48	Uterus ...	.	.	.	.	.	.	.	.	.	.	.	.	.			
49	Ovary ...	.	.	.	.	.	.	.	.	.	.	.	.	.			
	Vagina ...	.	.	.	.	.	.	.	.	.	.	.	.	.			
	Vulva ...	.	.	.	.	.	.	.	.	.	.	.	.	.			
50	Breast ...	.	.	.	.	.	.	.	1	.	.	.	1				
51	Scrotum ...	.	.	.	.	1	.	.	.	.	.	.	.	1			
	Prostate ...	.	.	.	.	.	1	4	7	19	36	37	29	133			
	Penis ...	.	.	.	.	.	.	.	.	.	2	1	4	8			
	Testicle ...	1	1	.	1	.	.	.	.	.	1	.	.	4			
52	Bladder ...	.	.	1	.	2	.	3	7	7	6	2	7	35			
	Kidney ...	3	.	2	.	1	1	1	1	4	3	3	.	19			
	Bar ...	.	.	.	.	.	.	1	.	2	3	3	14	23			
53	Face ...	.	.	.	.	.	1	3	2	4	4	5	20	39			
	Other Skin ...	1	.	1	.	.	2	3	5	2	1	.	2	12			
	Brain ...	6	2	1	1	.	1	3	2	1	3	.	.	20			
54	Spine ...	1	.	.	.	.	.	1	1	1	1	1	.	6			
	Thyroid ...	.	.	.	.	.	.	.	4	.	.	2	.	6			
	Nose ...	.	.	.	.	.	1	1	.	1	2	.	1	6			
	Abdomen ...	.	.	.	.	.	.	1	.	2	2	1	.	6			
55	Arm, Leg ...	3	.	.	1	.	.	2	3	1	3	6	9	28			
	Axilla ...	.	.	.	.	.	.	.	.	.	.	1	.	1			
	Eye ...	.	.	.	.	.	.	.	1	.	2	1	2	6			
	Groin ...	.	.	.	.	1	.	.	.	.	.	.	1	2			
	Neck ...	1	1	1	.	1	1	2	3	8	7	15	13	53			
	Parotid ...	.	.	.	.	.	.	.	.	1	.	1	2	4			
	Pelvis ...	.	.	.	.	.	.	.	.	2	.	1	.	3			
	Spleen ...	.	.	.	.	.	.	.	.	.	.	.	.	.			
	Thorax ...	.	.	.	1	.	.	1	.	.	1	2	.	5			
	Throat ...	.	.	.	.	1	.	.	2	9	10	8	8	38			
	Other and Unspecified ...	2	.	.	1	.	2	.	.	3	.	2	2	12			
	TOTAL ...	26	12	21	28	44	74	128	181	310	462	400	405	2,091			
	Deaths from Cancer per 100,000 living of the same age ...	3.9	15.3			39.9			131.1			367.5			783.9		953.0

registered during the year 1945 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Females	International List Nos.	
AGES AT DEATH															
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	TOTAL			
.	.	.	.	.	.	.	.	.	2	.	3	5	54	45	
1	.	1	.	.	1	.	2	1	1	2	7	61			
.	.	.	.	.	.	1	7	.	.	2	9	76			
.	.	.	.	.	1	4	1	.	.	1	1	30			
.	.	.	.	.	.	1	2	.	3	1	1	35			
.	.	.	.	.	.	.	.	.	1	.	.	14			
.	1	.	3	1	4	2	7	8	7	9	3	45	46		
.	1	4	4	11	18	31	40	64	78	73	61	385			
.	1	.	4	5	3	7	5	16	21	22	14	96			
2	.	.	3	3	6	9	9	13	18	19	24	106			
.	2	.	.	.	2	6	6	10	8	9	9	52			
.	.	.	.	.	1	2	2	1	.	.	1	7	13		
1	2	.	4	7	19	13	31	48	64	62	60	301	602		
.	.	1	.	1	.	3	6	3	4	3	1	22	67	47	
.	.	1	3	4	5	6	5	4	6	8	2	43	133		
.	.	.	1	.	.	.	.	.	.	1	.	3	9		
.	2	8	5	12	28	29	22	25	31	23	16	201	201	48	
1	1	1	2	5	3	10	8	11	6	6	3	57	57	49	
.	.	.	.	.	1	.	2	2	.	.	1	5	5		
.	.	.	.	.	.	.	.	.	3	1	3	8	8		
.	.	4	9	22	22	36	34	39	29	38	35	268	269	50	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	51	
.	.	.	.	.	.	.	.	.	.	.	.	.	133		
.	.	.	.	.	.	.	.	.	.	.	.	.	8		
.	.	.	.	.	.	.	.	.	.	.	.	.	4		
3	.	1	1	.	.	4	1	2	5	1	6	19	54	52	
.	.	.	.	.	.	.	1	3	1	2	.	12	31		
.	.	.	.	.	.	.	.	.	.	.	.	4	27	53	
1	.	.	1	1	1	1	.	1	2	6	7	19	58		
.	.	.	.	.	.	.	1	1	1	2	1	8	20		
5	1	2	1	1	1	1	.	.	.	.	1	12	32	54	
.	.	.	1	1	1	1	.	.	2	2	.	7	13		
.	.	1	.	.	.	.	1	1	3	3	.	8	14		
.	.	.	.	1	.	.	1	.	.	.	1	4	10		
1	.	1	.	.	.	.	2	1	2	1	3	12	18	55	
3	1	1	.	.	.	.	2	6	7	7	12	49	77		
1	.	.	2	.	.	.	.	.	1	3	1	7	1		
.	.	.	.	.	.	.	.	1	1	1	1	3	13		
.	.	.	.	.	.	.	.	3	2	2	4	7	6		
.	.	.	.	.	.	.	.	.	.	.	1	14	67		
.	.	.	.	.	.	.	1	.	.	.	1	1	5		
.	.	.	.	.	.	.	.	.	.	.	.	1	4		
.	.	.	.	1	.	.	.	.	.	.	.	3	8		
.	.	.	.	.	1	1	1	3	1	1	3	10	48		
.	2	2	.	.	3	2	2	7	5	.	2	25	37		
19	14	28	44	73	126	175	196	275	307	310	296	1,863	3,954		TOTAL
2.9	19.8		64.9			203.6		365.3		587.1		587.7	126.1		132.5

## CAUSES OF DEATH—continued.

**Cancer—continued.**

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1945 numbered 1,348, equivalent to a rate of 1.35 per 1,000, and in the aggregate rural areas the number was 2,606 and the rate 1.33 per 1,000. In the year 1944 the numbers of deaths for the urban and rural areas were respectively 1,361 and 2,815, corresponding to rates of 1.37 and 1.44 per 1,000 of the population.

In Table J the deaths from cancer in 1945 are classified according to the site of the disease and the age at death. The mortality of females under 55 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

**Tumours.**—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1945 the deaths in the first group amounted to 45 (16 of males and 29 of females) and those in the second to 106 (55 males and 51 females) compared with a total of 51 and 105 respectively, in the previous year.

The non-malignant tumours included 11 of the ovary, 5 of bladder, 7 of the brain, and 5 of the uterus.

The deaths classified under the heading of tumours of undetermined nature included 51 of the brain, 9 of the lung, 2 of intestine and 6 of spine, 3 of mediastinum, 3 of bladder, 5 of abdomen, and 4 of stomach.

**Diabetes.**—There were 221 deaths from this disease for 1945 compared with 249 for the previous year. The deaths for 1945 include 110 of males and 111 of females, compared with 117 and 132 for 1944.

In the year 1945 the rate per 100,000 of the population represented by the deaths from diabetes was 7.4. The rates for Northern Ireland, England and Wales, and Scotland were, respectively 8.2, 9.4 and 13.5.

**Other General Diseases.**—During 1945 there were 30 deaths classified under this heading, including 15 from coeliac disease, 3 to pituitary cachexia, and 2 from each of toxæmia, gout and acidosis.

**Heart Disease.**—During 1945 there were 10,139 deaths from diseases of the heart, as compared with 10,111 deaths in the previous year, and an average number of 8,502 for the decennial period ended with 1944.

The deaths from this cause in 1945 represent 23.7 per cent. of the mortality from all causes and are equivalent to a rate of 3.4 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

**Bronchitis.**—During the year 1945 there were 1,370 deaths in which the cause was stated to be bronchitis. Of the total, 756 were of males and 614 were of females. The total is equal to a rate of 0.46 per 1,000 of the population and constitutes 3.2 per cent. of the total deaths registered. The number of deaths recorded during 1944 was 1,591, and the average figure for the decennial period from 1935 to 1944 was 1,895.

**Pneumonia.**—The number of deaths recorded from pneumonia (all forms) was 1,715, equivalent to a rate of 0.58 per 1,000 of the population. Of the deaths 957 were of males and 758 of females.


The average number during the ten years from 1935 to 1944 was 2,119, and during 1944 the number recorded was 1,916.

The deaths for 1945 include 885 from broncho-pneumonia, 258 from lobar pneumonia and 572 from pneumonia (unspecified).

**Diarrhoea and Enteritis.**—There were 1,092 deaths of children under 2 years recorded, 597 being of males and 495 of females. The number recorded for 1944 was 1,088, and the average for the ten years ended with 1944 was 789. The urban mortality was equal to a rate of 30.04 per 1,000 births, and the rate for rural areas was 8.54 per 1,000 births registered, compared with respective rates of 29.85 and 9.04 in 1944.

The deaths recorded include 532 for the county borough of Dublin, and 44, 18 and 16 for the respective county boroughs of Cork, Limerick and Waterford.

DIAGRAM No. 5. Mortality from Cancer, 1931 to 1945.





**TABLE K.—Deaths of women in 1945 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.**

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
<b>Diseases of Pregnancy, Childbirth, and the Puerperal State.</b>								
Post Abortive Infection ... ..	.	.	.	.	.	.	.	.
Abortion without Septic Condition ...	3	.	.	.	.	2	1	.
Ectopic Gestation ... ..	6	.	.	.	3	1	2	.
Hæmorrhage of Pregnancy ... ..	6	.	.	2	1	2	1	.
Toxæmia of Pregnancy ... ..	26	1	6	6	7	3	3	.
Other Diseases of Pregnancy ... ..	2	.	.	.	.	1	1	.
Hæmorrhage of Childbirth ... ..	39	.	4	6	14	11	3	1
Infection during Childbirth ... ..	35	1	3	6	10	10	4	1
Puerperal Toxæmias ... ..	15	.	.	1	10	2	2	.
Other Accidents of Childbirth ... ..	25	.	1	4	10	9	1	.
Other or unspecified Puerperal Conditions	2	.	.	.	1	1	.	.
<b>Causes associated with Pregnancy, Childbirth, and the Puerperal State.</b>								
Scarlet Fever ... ..	1	.	1	.	.	.	.	.
Pulmonary Tuberculosis ... ..	2	.	.	2	.	.	.	.
Rheumatic Fever ... ..	1	.	.	.	1	.	.	.
Anæmia ... ..	1	.	.	1	.	.	.	.
Heart Disease ... ..	7	.	.	.	2	3	2	.
Nephritis ... ..	2	.	.	.	.	1	1	.
Other Causes ... ..	3	.	.	1	2	.	.	.
<b>TOTAL ... ..</b>	<b>176</b>	<b>2</b>	<b>15</b>	<b>29</b>	<b>61</b>	<b>46</b>	<b>21</b>	<b>2</b>

**TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1935–1945, and the rate per 1,000 births registered during each of those years.**

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
1943 ...	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51
1944 ...	32	0.49	124	1.89	156	2.38	20	0.31	176	2.69
Average, 1935–44	54	0.92	149	2.53	203	3.45	25	0.43	228	3.88
1945 ...	35	0.52	124	1.85	159	2.37	17	0.26	176	2.63

\* The figures and rates under this heading for the years 1935–39 inclusive relate only to deaths classified to puerperal sepsis.

## CAUSES OF DEATH—continued.

**Pregnancy, Childbirth and the Puerperal State.**—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1945 the number in the first group was 35, in the second group the figure was 124, and under the third heading there were 17 deaths; so that the total number of deaths from these causes was 176. The total represents a rate of 2·63 per 1,000 of the total births registered, as compared with 2·69 in the year 1944, and an average of 3·88 for the ten years 1935 to 1944. For the years 1940, to 1945, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombophlebitis, and puerperal embolism and sudden death after delivery.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1935 to 1945.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

**Violence.**—The number of deaths classified under this heading in 1945 was 878. This figure shows a decrease of 23 when compared with that for the year 1944. The average figure for the ten years 1935 to 1944 from this group of causes was 969.

Included in the total for 1945 there were 71 by suicide, 19 by homicide (including infanticide), 3 due to war operations and 785 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 6 less and those by homicide 7 more than the corresponding figure for 1944.

Of the suicidal deaths, 55 were of males and 16 of females. In 12 cases poisoning was the means used to cause death, including strychnine in 5 cases and carbon monoxide in 3 cases. In the other 59 deaths by suicide the means adopted was hanging or strangulation in 24 instances, drowning in 18, cutting or piercing instruments in 10, firearms in 4, and in 3 instances other means were used to cause death.

There were 19 deaths by homicide, including 12 of males and 7 of females and there were 8 cases of infanticide.

There were 19 accidental deaths from poisons or poisonous gases, 5 of which were due to carbon monoxide, 2 to coal gas and 2 to strychnine.

Deaths caused by accidental burns numbered 109 (39 males and 70 females), of which 45 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1944 was 37.

Deaths classified to accidental drowning numbered 138 (109 of males and 29 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 124 deaths included under the heading of transport accidents; of this figure 103 were of males and 21 of females. In 1944 the total under this heading was 153 (115 of males and 38 of females). Deaths from motor vehicles numbered 55, compared with 51 for 1944. There were 58 deaths recorded as due to other road transport accidents. This figure includes 32 caused by bicycles and 24 by horse-drawn vehicles, compared with 41 and 38 respectively, for 1944. There were 11 deaths caused by railway accidents compared with 18 for 1944.

Of the 55 deaths attributed to motor vehicles, 22 were stated to be caused by motor lorries or vans, 19 by motor cars and 7 by buses.

## AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1945 numbered 5,842 compared with 6,484 for the previous year. The figure for 1945 is 13·7 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 14·5 per cent. of the male mortality, and the rate for females 12·7 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 23,140 in number, constituting 54·1 per cent. of the total number of deaths, and include 11,947 deaths of males, or 53·7 per cent. of the total deaths of males, and 11,193 of females, or 54·6 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 18,832, or 44·0 per cent. of the total deaths.

There were 202 deaths of persons aged 95 years or upwards (71 being males and 131 females), and of these 28 (11 males and 17 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

## AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1944 and 1945.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1944	1945	Increase or Decrease in 1945	1944	1945	Increase or Decrease in 1945	1944	1945	Increase or Decrease in 1945
Under 5 years	23.91	21.26	-2.65	26.19	23.16	-3.03	21.55	19.30	-2.25
5— ...	1.98	1.46	-0.52	2.02	1.48	-0.54	1.93	1.45	-0.48
10— ...	1.29	1.19	-0.10	1.19	1.15	-0.04	1.40	1.23	-0.17
15— ...	2.59	2.44	-0.15	2.42	2.52	+0.10	2.75	2.35	-0.40
20— ...	3.65	3.68	+0.03	3.54	3.44	-0.10	3.77	3.94	+0.17
25— ...	4.00	3.74	-0.26	3.68	3.43	-0.25	4.33	4.06	-0.27
35— ...	5.31	4.97	-0.34	5.34	4.78	-0.56	5.28	5.16	-0.12
45— ...	9.95	9.54	-0.41	10.45	9.86	-0.59	9.44	9.21	-0.23
55— ...	21.64	20.00	-1.64	23.14	21.30	-1.84	20.09	18.66	-1.43
65— ...	52.61	49.18	-3.43	55.89	52.00	-3.89	49.18	46.23	-2.95
75 and upwards	140.82	135.29	-5.53	148.88	146.57	-2.31	134.01	125.78	-8.23
All ages	15.33	14.34	-0.99	15.79	14.78	-1.01	14.86	13.88	-0.98

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1935 to 1945 are given in Table 8.

## INFANT MORTALITY.

During the year 1945 the deaths of 4,739 infants under one year of age were registered, compared with 5,198 in the preceding year. The figure for 1945 is equivalent to a rate of 71 per 1,000 births as compared with 79 for 1944, and an average of 72 for the ten years 1935 to 1944. The rate for each of the years 1935 to 1945 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,664 were those of males and 2,075 of females; the males were equal to a rate of 78 per 1,000 births of males, and the females to a rate of 64 per 1,000 births of females. The corresponding rates for 1944 were 88 and 71, respectively.

The infant mortality rates during the quarters of 1945 were, respectively, 92, 61, 60 and 72 compared with corresponding figures of 101, 70, 63 and 81 for the previous year.

The infant mortality rate for each of the years 1936 to 1945 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1936	...	74	77	59	82
1937	...	73	77	58	80
1938	...	67	75	53	70
1939	...	66	70	50	69
1940	...	66	86	55	78
1941	...	74	77	58	83
1942	...	69	76	49	69
1943	...	83	78	49	65
1944	...	79	67	46	65
1945	...	71	68	46	56

## INFANT MORTALITY—continued.

During the year 1945 the following causes accounted for 84 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 59·41 per 1,000 births:—diarrhoea and enteritis 15·58 per 1,000 births, congenital debility 10·89, premature birth 11·32, pneumonia 8·44, congenital malformations 6·67, convulsions 3·53, bronchitis 1·62 and whooping cough 1·36.

The deaths of infants during the first month of life were 44·5 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 14·4, between 2 and 3 months 10·7, at 3 and under 6 months the rate was 17·4 and from 6 to 12 months old the rate was 13·0.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1935 to 1945 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1945.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1945.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	461	602	345	340	362	2,110	685	506	324	614	4,739
Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough	.	.	.	1	2	3	9	7	29	43	91
Diphtheria	.	.	1	.	4	5	1	.	2	12	20
Tuberculosis of Nervous System	.	.	.	.	1	1	.	2	7	18	28
Tuberculosis of Intestines and Peritoneum	.	.	.	.	.	.	.	.	4	4	8
Other Tuberculous Diseases	.	.	.	.	.	.	.	2	8	13	23
Syphilis	.	2	1	.	3	6	4	2	3	3	18
Influenza	.	1	.	.	.	1	4	2	6	6	19
Measles	.	.	.	.	.	.	1	.	2	8	11
Meningitis	.	.	.	1	1	2	3	1	11	14	31
Convulsions	6	14	24	13	27	84	40	28	55	29	236
Bronchitis	1	2	4	5	5	17	18	15	34	24	108
Pneumonia	1	9	23	24	26	83	83	67	154	177	564
Diarrhoea and Enteritis	.	2	21	77	102	202	237	201	279	123	1,042
Congenital Malformations	39	60	32	24	30	185	50	35	50	35	355
Congenital Debility	73	119	58	49	66	365	120	102	103	38	728
Premature Birth	236	252	96	76	37	697	42	8	9	1	757
Injury at Birth	45	52	19	13	4	133	7	.	2	3	145
Other Diseases peculiar to first year of life	43	75	60	40	36	254	23	6	10	6	299
Mechanical suffocation (including Overlying)	1	1	1	.	2	5	6	4	1	2	18
Other Accidents (including Lack of Care)	11	7	.	.	.	18	.	.	.	1	19
Other Causes	5	6	5	17	16	49	37	24	55	54	219

DIAGRAM No. 6. Infant Mortality, 1931 to 1945




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1935-1945.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
<b>ALL CAUSES</b> ... ..	<b>68.44</b>	<b>74.15</b>	<b>72.95</b>	<b>66.65</b>	<b>65.83</b>	<b>66.42</b>	<b>73.53</b>	<b>69.44</b>	<b>82.63</b>	<b>79.45</b>	<b>70.88</b>
Scarlet Fever ... ..	0.09	0.31	0.12	0.05	0.07	0.05	0.09	0.06	0.05	0.02	.
Whooping cough ... ..	1.05	2.20	2.46	1.74	1.37	1.77	1.46	1.81	2.87	2.19	1.36
Diphtheria ... ..	0.37	0.55	0.42	0.23	0.16	0.14	0.33	0.44	0.40	0.69	0.30
Tuberculosis of Nervous System	0.53	0.50	0.35	0.32	0.29	0.27	0.33	0.33	0.51	0.47	0.42
Tuberculosis of Intestines and Peritoneum	0.33	0.17	0.25	0.19	0.27	0.20	0.09	0.17	0.23	0.11	0.12
Other Tuberculous Diseases	0.48	0.60	0.50	0.12	0.43	0.28	0.28	0.23	0.48	0.31	0.34
Syphilis ... ..	0.14	0.21	0.25	0.26	0.14	0.27	0.23	0.23	0.28	0.70	0.27
Influenza ... ..	0.55	0.48	1.59	0.42	0.93	1.06	0.92	0.56	0.68	0.89	0.28
Measles ... ..	0.96	0.93	0.56	0.35	0.39	0.35	0.37	0.32	0.15	0.69	0.17
Meningitis ... ..	0.64	0.69	0.94	1.00	0.78	0.83	0.79	0.56	0.71	0.67	0.46
Convulsions ... ..	4.50	5.32	4.99	4.43	4.48	3.55	4.23	4.05	3.99	4.40	3.53
Bronchitis ... ..	3.40	2.96	2.92	2.71	2.35	2.62	2.34	2.51	2.94	2.16	1.62
Pneumonia ... ..	8.08	8.96	8.34	8.43	7.67	7.70	7.93	7.11	8.92	8.60	8.44
Diarrhoea and Enteritis	10.65	10.38	9.95	9.12	9.33	9.67	14.18	14.32	18.27	15.82	15.58
Congenital Malformations	3.90	4.44	4.39	4.38	4.82	4.59	5.57	5.13	5.86	5.30	5.31
Congenital Debility ... ..	14.19	14.44	13.65	12.79	12.68	13.25	14.14	13.66	15.21	14.55	10.89
Premature Birth ... ..	9.76	11.31	12.16	10.96	11.02	10.67	11.57	9.24	11.59	11.72	11.32
Injury at Birth ... ..	0.86	1.19	1.31	1.21	1.46	1.80	1.30	1.12	1.51	1.57	2.17
Other Diseases peculiar to first year of life ... ..	2.30	2.70	2.46	3.14	2.68	2.86	3.17	3.52	3.67	4.25	4.47
Mechanical Suffocation (including Overlying)	0.14	0.27	0.19	0.12	0.18	0.28	0.14	0.44	0.33	0.21	0.27
Other Accidents (including Lack of Care)	0.38	0.53	0.28	0.30	0.36	0.46	0.26	0.32	0.33	0.23	0.28
Other Causes ... ..	5.14	5.01	4.87	4.38	3.97	3.75	3.72	3.31	3.65	3.90	3.28

## INFANT MORTALITY—continued.

During the year 1945 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,246, representing a rate of 93 per 1,000 births registered. In 1944 the corresponding number of deaths was 2,495, and the rate 105 per 1,000 births.

For the rural areas 2,493 deaths of infants were registered in 1945, compared with 2,703 in the previous year; the rate per 1,000 births for 1945 was 58, and for 1944 was 65.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (fourteen principal towns). For these areas in the aggregate the rate was 98 per 1,000 births, compared with 109 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 67 per 1,000 births, the rate for 1944 being 83.

In the principal towns deaths from diarrhoea and enteritis of infants under one year of age was equal to a rate of 32 per 1,000 births (nearly one-third of the rate from all causes) compared with 9 per 1,000 in the smaller urban areas and 8 per 1,000 in rural areas.

The rates for the principal towns are as follows, ranging in order from the highest to the lowest :—

Sligo 132, Dublin 111, Dun Laoghaire 108, Bray 93, Limerick 88, Wexford 85, Cork 82, Waterford 74, Clonmel 55, Dundalk and Tralee each 47, Drogheda 46, Galway 45 and Kilkenny 32.

The following statements show the infant mortality rate for each of the years 1936 to 1945 for urban and rural districts in Eire, and for each of the principal towns :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1936 ...	74	103	81	99	59
1937 ...	73	97	68	91	61
1938 ...	67	88	66	84	55
1939 ...	66	83	85	83	55
1940 ...	66	88	70	85	55
1941 ...	74	102	83	99	58
1942 ...	69	93	76	90	58
1943 ...	83	115	87	110	67
1944 ...	79	109	83	105	65
1945 ...	71	98	67	93	58

## Infant Mortality Rate—Principal Towns.

PRINCIPAL TOWNS	YEARS									
	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945
Dublin ...	114	102	96	90	91	114	98	126	117	111
Dun Laoghaire ...	89	118	81	87	97	79	85	85	94	108
Cork ...	79	103	71	72	92	82	91	113	108	82
Limerick ...	95	68	70	58	70	89	77	76	123	88
Waterford ...	90	97	99	73	111	86	91	100	80	74
Galway ...	88	66	83	88	95	68	78	112	85	45
Dundalk ...	91	57	79	58	54	55	44	59	112	47
Drogheda ...	77	73	38	53	65	55	79	61	65	46
Sligo ...	59	82	61	102	77	70	75	128	85	132
Wexford ...	76	102	64	77	66	74	127	85	90	85
Kilkenny ...	79	61	58	73	93	94	70	124	74	32
Bray ...	95	67	91	55	61	116	93	93	100	93
Tralee ...	38	77	78	63	53	90	69	82	47	47
Clonmel ...	49	67	14	36	75	47	53	84	75	55

**TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1945.**

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
	CITIES AND BOROUGHES.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Districts under 10,000 Population.	All Urban Districts.	All Rural Districts.	Ire
	Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
<b>ALL CAUSES</b> ... ..	<b>111·05</b>	<b>108·27</b>	<b>82·38</b>	<b>88·16</b>	<b>73·86</b>	<b>60·97</b>	<b>98·27</b>	<b>66·91</b>	<b>92·68</b>	<b>58·48</b>	<b>70·88</b>
Scarlet Fever ... ..	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough ... ..	1·69	1·22	.	.	.	3·75	1·66	2·08	1·73	1·16	<b>1·36</b>
Diphtheria ... ..	0·48	1·22	.	.	.	.	0·35	0·47	0·37	0·26	<b>0·30</b>
Tuberculosis of Nervous System ... ..	1·04	.	0·55	.	.	.	0·70	0·69	0·70	0·26	<b>0·42</b>
Tuberculosis of Intestines and Peritoneum ... ..	.	.	0·55	.	.	0·34	0·10	.	0·08	0·14	<b>0·12</b>
Other Tuberculous Diseases	0·88	.	.	.	1·42	.	0·60	0·69	0·62	0·19	<b>0·34</b>
Syphilis ... ..	0·56	.	1·64	.	.	.	0·50	0·23	0·45	0·16	<b>0·27</b>
Influenza ... ..	0·24	.	.	.	.	0·68	0·25	0·23	0·25	0·30	<b>0·28</b>
Measles ... ..	0·16	.	.	.	.	1·62	0·25	.	0·21	0·14	<b>0·17</b>
Meningitis ... ..	0·40	.	1·09	.	.	1·70	0·60	0·69	0·62	0·37	<b>0·46</b>
Convulsions ... ..	2·01	1·22	2·18	11·24	4·26	3·07	2·76	5·33	3·22	3·71	<b>3·53</b>
Bronchitis ... ..	1·44	.	2·18	2·59	7·10	0·34	1·56	1·16	1·49	1·69	<b>1·62</b>
Pneumonia ... ..	13·56	10·95	7·09	5·19	5·68	6·81	11·10	7·87	10·52	7·25	<b>8·44</b>
Diarrhoea and Enteritis ... ..	41·72	41·36	22·91	14·69	19·89	6·13	32·39	9·03	28·22	8·40	<b>15·58</b>
Congenital Malformations ... ..	5·78	8·51	4·91	7·78	5·68	5·79	5·93	7·18	6·15	4·83	<b>5·31</b>
Congenital Debility ... ..	5·38	6·08	7·64	25·93	5·68	9·88	7·48	11·81	8·25	12·39	<b>10·89</b>
Premature Birth ... ..	18·86	14·60	15·82	7·78	14·21	13·97	16·87	11·11	15·85	8·75	<b>11·32</b>
Injury at Birth ... ..	4·33	6·08	3·27	0·86	.	2·04	3·62	1·39	3·22	1·57	<b>2·17</b>
Other Diseases peculiar to first year of life	8·35	9·73	6·00	5·19	5·68	3·41	7·18	1·63	6·19	3·50	<b>4·47</b>
Mechanical suffocation (including Overlying)	0·40	1·22	.	.	1·42	.	0·35	0·23	0·33	0·23	<b>0·27</b>
Other Accidents (including Lack of Care)	0·24	3·65	.	.	.	.	0·30	.	0·25	0·30	<b>0·28</b>
Other Causes ... ..	3·53	2·43	6·55	6·91	2·84	2·04	3·72	5·09	3·96	2·88	<b>3·28</b>





## PART II.

---

### Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1945, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.			
1801	...	4,154	2,085	2,069	1880	...	3,891	1,920	1,971	1913	...	3,103	1,572	1,531
1811	...	4,746	2,363	2,383	1881	...	3,847	1,901	1,946	1914	...	3,092	1,568	1,524
1821	...	5,421	2,676	2,745	1882	...	3,808	1,882	1,926	1915	...	3,068	1,546	1,522
1831	...	6,194	3,033	3,161	1883	...	3,745	1,853	1,892	1916	...	3,068	1,549	1,519
1841	...	6,545	3,235	3,310	1884	...	3,703	1,834	1,869	1917	...	3,065	1,551	1,514
1851	...	5,079	2,486	2,593	1885	...	3,671	1,820	1,851	1918	...	3,066	1,553	1,513
1852	...	4,927	2,413	2,514	1886	...	3,642	1,808	1,834	1919	...	3,102	1,598	1,504
1853	...	4,807	2,358	2,449	1887	...	3,600	1,788	1,812	1920	...	3,103	1,598	1,505
1854	...	4,704	2,311	2,393	1888	...	3,554	1,766	1,788	1921	...	3,096	1,599	1,497
1855	...	4,638	2,281	2,357	1889	...	3,516	1,748	1,768	1922	...	3,022	1,529	1,493
1856	...	4,594	2,261	2,333	1890	...	3,482	1,733	1,749	1923	...	3,014	1,526	1,488
1857	...	4,540	2,234	2,306	1891	...	3,449	1,718	1,731	1924	...	3,005	1,521	1,484
1858	...	4,506	2,217	2,289	1892	...	3,408	1,697	1,711	1925	...	2,985	1,512	1,473
1859	...	4,471	2,199	2,272	1893	...	3,382	1,684	1,698	1926	...	2,971	1,507	1,464
1860	...	4,428	2,179	2,249	1894	...	3,362	1,675	1,687	1927	...	2,957	1,502	1,455
1861	...	4,393	2,164	2,229	1895	...	3,333	1,662	1,671	1928	...	2,944	1,498	1,446
1862	...	4,377	2,158	2,219	1896	...	3,314	1,653	1,661	1929	...	2,937	1,496	1,441
1863	...	4,328	2,134	2,194	1897	...	3,298	1,646	1,652	1930	...	2,927	1,493	1,434
1864	...	4,263	2,103	2,160	1898	...	3,283	1,640	1,643	1931	...	2,933	1,497	1,436
1865	...	4,223	2,084	2,139	1899	...	3,265	1,631	1,634	1932	...	2,949	1,505	1,444
1866	...	4,163	2,051	2,112	1900	...	3,234	1,616	1,618	1933	...	2,962	1,512	1,450
1867	...	4,130	2,033	2,097	1901	...	3,213	1,607	1,606	1934	...	2,971	1,518	1,453
1868	...	4,109	2,022	2,087	1902	...	3,200	1,603	1,597	1935	...	2,971	1,520	1,451
1869	...	4,090	2,012	2,078	1903	...	3,185	1,599	1,586	1936	...	2,967	1,520	1,447
1870	...	4,062	1,996	2,066	1904	...	3,175	1,597	1,578	1937	...	2,948	1,510	1,438
1871	...	4,042	1,986	2,056	1905	...	3,165	1,594	1,571	1938	...	2,937	1,505	1,432
1872	...	4,023	1,975	2,048	1906	...	3,160	1,593	1,567	1939	...	2,934	1,503	1,431
1873	...	3,989	1,955	2,034	1907	...	3,151	1,589	1,562	1940	...	2,958	1,515	1,443
1874	...	3,966	1,944	2,022	1908	...	3,145	1,588	1,557	1941	...	2,993	1,533	1,460
1875	...	3,951	1,940	2,011	1909	...	3,142	1,589	1,553	1942	...	2,963	1,499	1,464
1876	...	3,949	1,942	2,007	1910	...	3,139	1,588	1,551	1943	...	2,946	1,490	1,456
1877	...	3,956	1,947	2,009	1911	...	3,132	1,586	1,546	1944	...	2,944	1,487	1,457
1878	...	3,952	1,948	2,004	1912	...	3,120	1,581	1,539	1945	...	2,983	1,506	1,477
1879	...	3,939	1,944	1,995										

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1945 the estimate has been based on the population according to the Census of 1926, and that taken in 1936 and the Register of Population taken in 1941 and 1943, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
	PERSONS.														
1851 ... ..	100,400	391,370	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861 ... ..	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871 ... ..	99,807	388,428	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881 ... ..	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891 ... ..	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901 ... ..	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911 ... ..	59,057	248,108	310,163	303,149	303,443	269,058	454,276	330,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926 .. ..	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936 ... ..	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
1941 ... ..	275,640	270,733	268,634	272,072	238,972	429,188	361,823	302,863	263,286	215,682	93,141				2,992,034
	PROPORTION PER CENT.														
1851 ... ..	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861 ... ..	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871 ... ..	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881 ... ..	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891 ... ..	1.87	8.01	10.96	11.97	11.92	9.33	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901 ... ..	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911 ... ..	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926 ... ..	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936 ... ..	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1941 ... ..	9.21	9.05	8.98	9.09	7.99	14.35	12.09	10.12	8.80	7.21	3.11				100

\*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,133 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
<b>MALES.</b>															
1851 ... ..	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861 ... ..	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871 ... ..	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,465	159,104	83,619	28,257	5,140	776	1,992,468
1881 ... ..	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ... ..	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,723,601
1901 ... ..	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911 ... ..	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926 ... ..	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936 ... ..	27,152	109,213	136,348	143,720	138,112	134,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1941 ... ..	140,118	137,898	136,351	136,833	121,775	216,841	181,368	154,765	134,163	110,428	42,687				1,512,727
<b>PROPORTION PER CENT.</b>															
1851 ... ..	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861 ... ..	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871 ... ..	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881 ... ..	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891 ... ..	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901 ... ..	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911 ... ..	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926 ... ..	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936 ... ..	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100
1941 ... ..	9.26	9.08	9.01	9.05	8.05	14.34	11.99	10.23	8.87	7.30	2.82				100

\* See note (\*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
<b>FEMALES.</b>															
1851 ...	49,285	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861 ...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871 ...	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881 ...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891 ...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901 ...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911 ...	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926 ...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,907	467	1,465,103
1936 ...	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1941 ...	135,522		133,335	132,283	135,239	117,197	212,347	180,455	148,098	129,123	105,254	50,454		1,479,307	
<b>PROPORTION PER CENT.</b>															
1851 ...	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861 ...	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871 ...	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881 ...	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891 ...	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901 ...	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911 ...	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926 ...	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936 ...	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1941 ...	9.16		9.01	8.94	9.14	7.92	14.36	12.20	10.01	8.73	7.12	3.41		100	

\* See note (\*) on page 3.

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1945.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.	
				Per 1,000 Population.	Per Cent. Total Births.				
1864-70 ...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80 ...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90 ...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900 ...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10 ...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20 ...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30 ...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40 ...	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1935 ...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936 ...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937 ...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938 ...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939 ...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940 ...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
1941 ...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942 ...	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943 ...	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944 ...	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
Average, 1935-44	5.27	20.13	19.44	0.69	3.44	1,054	14.44	71.95	5.69
1945 ...	5.80	22.41	21.53	0.88	3.93	1,056	14.34	70.88	8.08

**TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1935-45 ; with the average annual rates for the ten years 1935-44 and the rate for 1945 per 1,000 of the population.**

YEAR.	Marriages.												Births.					Deaths.							
	Catholic.					All Other.					Total.					Quarter ending the last day of									
	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.	Quarter ending the last day of				Total.										
	Mar.	June.	Sept.	Dec.		Mar.	June.	Sept.	Dec.		Total.	Mar.	June.	Sept.		Dec.	Total.	March.	June.	Sept.	Dec.	Total.			
1935 ... ..	3,692	2,936	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,157	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543
1936 ... ..	3,638	3,175	3,822	3,199	13,834	158	252	361	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586
1937 ... ..	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086
1938 ... ..	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041
1939 ... ..	3,359	3,411	4,176	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717
1940 ... ..	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885
1941 ... ..	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942 .. ..	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	13,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943 ... ..	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944 ... ..	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
Average for ten years, 1935-1944	3,641	3,493	4,163	3,342	14,639	167	250	335	187	939	3,307	3,743	4,498	3,530	15,578	14,638	15,709	15,309	13,859	59,515	13,196	10,782	8,661	10,053	42,692
1945 ... ..	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
Equivalent Annual Rate per 1,000 living — Average, 1935-44	5.3	5.1	6.0	4.8	5.3	3.4	5.1	6.9	3.8	4.8	5.2	5.1	6.1	4.8	5.3	19.8	21.3	20.7	18.8	20.1	17.9	14.6	11.7	13.6	14.4
1945 ... ..	5.0	6.3	6.6	5.6	5.9	3.9	4.2	6.3	3.5	4.5	5.0	6.2	6.6	5.5	5.8	21.6	24.1	23.1	20.9	22.4	18.4	14.4	11.9	12.6	14.3



TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1922).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	} 2,973	660*	514	492	263	} 71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...		150	628	7	21		5	3.5	15.8	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough ...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	} 775	10.9	1.4	0.8	2.1	} 24.4
Dysentery ...	404	198	} 986	942		9.7	5.0	} 26.9	28.3	
Diarrhoea ...	1,456	1,300		35.1		32.8				
Pulmonary tuberculosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	} 10,169	10,605	11,217	9,522	2,661†	} 244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334†					200.8‡
Puerperal sepsis ...	234	274	244	199	150	5.7	6.9	6.7	6.0*	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	} 1,650	1,531	80†	90	96	} 39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

\* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-40	1911-20	1921-30	1931-40
	ALL CAUSES ...	51,453	43,203	41,841	1,664.4	1,446.9	1,411.2
1	Typhoid fever ...	195	108	64	6.3	3.6	2.2
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	173	12.4	8.5	5.8
4	Scarlet fever ...	148	78	88	4.8	2.6	3.0
5	Whooping cough ...	494	365	215	16.0	12.3	7.3
6	Diphtheria ...	225	282	321	7.3	9.4	10.8
7	Influenza ...	2,030	1,221	1,265	65.8	40.9	42.6
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,797	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	773	42.4	30.8	26.1
13	Cancer ...	2,591	2,933	3,529	83.8	98.4	119.0
14	Diabetes mellitus	245	227	260	7.9	7.6	8.8
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,392	45.8	69.6	80.7
16	Heart disease ...	5,148	4,981	7,273	166.5	167.1	245.2
*17	Other circulatory diseases	—	439	734	—	14.7	24.7
18	Bronchitis ...	4,324	2,750	2,182	139.8	92.0	73.6
19	Pneumonia, all forms	2,853	2,476	2,420	92.3	83.0	81.6
20	Other respiratory diseases	819	722	688	26.5	24.2	23.2
21	Gastric or duodenal ulcer	229	274	327	7.4	9.2	11.0
22	Diarrhoea and enteritis under 2 years	814	592	584	26.3	19.8	19.7
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
*24	Cirrhosis of Liver ...	183	95	72	5.9	3.2	2.4
*25	Other diseases of Liver, etc.	—	138	162	—	4.6	5.5
*26	Other digestive diseases	—	1,172	909	—	39.2	30.7
27	Acute and chr. nephritis	1,150	1,132	1,195	37.2	38.0	40.3
28	Puerperal sepsis ...	129	101	71	4.2	3.4	2.4
29	Other puerperal causes	212	190	170	6.9	6.4	5.7
*30	Congenital debility, etc.	2,101	1,788	1,852	68.0	59.9	62.5
*31	Senility ...	—	8,300	6,135	—	277.8	206.9
32	Suicide ...	82	89	98	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	881	37.7	34.1	29.7
34	Other defined causes	16,609	3,491	3,323	537.2	117.0	112.1
35	Causes ill-defined or unknown.	1,361	1,302	636	44.0	43.4	21.5

\* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1943 to 1945.

Nos.	CAUSES OF DEATH.	ÉIRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1943	1944	1945	1943	1944	1945	1943	1944	1945	1943	1944	1945
	ALL CAUSES	43,404	45,128	42,762	1476.1	1532.9	1433.5	17,437	16,791	16,204	1337.2	1277.9	1232.1
1	Typhoid fever (including paratyphoid)	52	58	32	1.8	2.0	1.1	12	19	6	0.9	1.4	0.5
2	Cerebro-spinal meningitis ...	39	37	31	1.3	1.3	1.0	44	25	28	3.4	1.9	2.1
3	Scarlet fever ...	34	10	4	1.2	0.3	0.1	11	5	8	0.8	0.4	0.6
4	Whooping cough ...	310	242	146	10.5	8.2	4.9	113	95	76	8.7	7.2	5.8
5	Diphtheria ...	310	293	236	10.5	10.0	7.9	72	64	35	5.5	4.9	2.7
6	Tuberculosis of respiratory system.	3,398	2,935	2,777	115.3	99.7	93.1	863	862	799	66.2	65.6	60.5
7	All other forms of tuberculosis.	908	904	917	30.8	30.7	30.7	327	302	259	25.1	23.0	19.6
8	Dysentery ...	3	3	10	0.1	0.1	0.3	2	3	4	0.2	0.2	0.3
9	Influenza ...	461	812	306	15.7	27.6	10.3	339	213	139	26.0	16.2	10.5
10	Measles ...	32	144	42	1.1	4.9	1.4	34	8	24	2.6	0.6	1.8
11	Acute infectious encephalitis	16	11	22	0.5	0.4	0.7	28	18	25	2.1	1.4	1.9
12	Typhus ...	4	1	—	0.1	0.0	—	—	—	—	—	—	—
13	Cancer ...	4,043	4,176	3,954	137.2	141.8	132.6	1,892	1,852	1,898	145.1	140.9	143.8
14	Diabetes mellitus ...	232	249	221	7.9	8.5	7.4	93	108	109	7.1	8.2	8.2
15	Intra-cranial lesions of vascular origin.	2,652	2,770	2,689	90.0	94.1	90.1	1,458	1,603	1,537	111.8	122.0	116.4
16	Diseases of the heart ...	6,264	10,111	10,139	314.4	343.4	339.9	3,826	3,860	4,025	293.4	293.8	304.9
17	Other diseases of the circulatory system.	652	808	869	22.1	27.4	29.1	350	356	322	26.8	27.1	24.4
18	Bronchitis ...	1,444	1,591	1,370	49.0	54.0	45.9	578	574	572	44.3	43.7	43.3
19	Pneumonia ...	1,874	1,916	1,715	63.6	65.1	57.5	988	786	765	75.8	59.8	58.0
20	Other diseases of the respiratory system.	602	657	621	20.4	22.3	20.8	261	239	244	20.0	18.2	18.5
21	Ulcer of the stomach or duodenum.	270	271	221	9.2	9.2	7.4	115	132	107	8.8	10.0	8.1
22	Diarrhoea and enteritis ...	1,391	1,242	1,284	47.2	42.2	43.0	489	374	309	37.5	28.5	23.4
23	Appendicitis ...	133	137	114	4.5	4.7	3.8	67	70	55	5.1	5.3	4.2
24	Cirrhosis of the liver ...	57	55	84	1.9	1.9	2.1	31	22	26	2.4	1.7	2.0
25	Diseases of the liver and biliary passages.	157	118	166	5.3	4.0	5.6	89	84	65	6.8	6.4	4.9
26	Other diseases of the digestive system.	614	596	539	20.8	20.2	18.1	205	200	241	15.7	15.2	18.3
27	Nephritis ...	1,115	1,144	1,110	37.9	38.9	37.2	362	360	316	27.8	27.4	23.9
28	Puerperal infection ...	36	32	35	1.2	1.1	1.2	22	21	19	1.7	1.6	1.4
29	Other diseases of childbirth	109	124	124	3.7	4.2	4.2	78	74	59	6.0	5.6	4.5
30	Congenital debility, etc. (Nos. 157-161).	2,501	2,514	2,375	84.9	85.4	79.6	1,199	1,127	1,032	91.9	85.8	78.2
31	Senility ...	6,097	6,621	6,298	206.9	224.9	211.2	1,487	1,494	1,378	114.0	113.7	104.4
32	Suicide ...	78	77	71	2.7	2.6	2.4	52	48	28	4.0	3.7	2.1
33	Other violence ...	883	824	807	30.0	28.0	27.1	513	490	440	39.3	37.3	33.3
34	Other causes ...	3,723	3,645	3,453	126.4	123.8	115.8	1,437	1,303	1,314	110.2	99.2	99.5

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,  
registered during the years 1864-1945.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
" 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,469	4,556	1,326	272
" 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,801	2,495	3,660	4,388	4,636	1,462	218
" 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
" 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
" 1911-20 ...	26,131	4,703	514	275	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
" 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
" 1931-40 ...	21,469	2,986	308	221	370	490	808	1,063	1,810	3,320	5,412	3,602	896	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	313	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	473	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	74
1944 ...	23,477	3,607	273	160	326	424	784	951	1,589	3,051	6,066	4,992	1,180	74
Average, 1935-44 ...	22,126	3,141	279	196	359	464	888	1,030	1,695	3,237	5,678	4,150	932	77
1945 ...	22,266	3,231	202	156	344	417	740	864	1,520	2,845	5,718	5,046	1,112	71

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.39	130.92	211.59
1944 ...	15.79	26.19	2.02	1.19	2.42	3.54	3.68	5.34	10.45	23.14	55.89	148.88	211.59
Average, 1935-44 ...	14.57	22.89	2.05	1.38	2.61	3.57	4.29	5.76	10.68	23.45	56.33	130.92	211.59
1945 ...	14.73	23.16	1.48	1.15	2.52	3.44	3.43	4.78	9.86	21.30	52.00	146.57	211.59

\* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

**TABLE 3 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1945.**

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	398
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	269
„ 1911-20	25,322	3,996	585	466	705	737	1,570	1,632	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,234	1,749	2,620	4,420	3,992	1,369	153
„ 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,138	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,732	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	337	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
1942	19,772	2,532	218	197	391	513	1,007	1,027	1,408	2,466	4,497	4,312	1,035	119
1943	20,831	2,892	266	201	414	484	975	969	1,368	2,543	4,788	4,618	1,215	98
1944	21,651	2,877	254	182	367	435	905	939	1,377	2,555	5,099	5,133	1,384	144
Average, 1935-44	20,566	2,481	257	212	372	473	948	1,023	1,476	2,767	4,939	4,355	1,146	117
1945	20,496	2,611	193	163	317	461	861	929	1,362	2,406	4,858	4,850	1,354	131

**Rates per 1,000 of corresponding population.**

1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	223.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.68
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.52	20.08	3.67	2.13	3.71	4.84	5.61	7.45	11.24	24.05	45.18	98.58	190.62
1931-40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1935	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98
1936	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	137.10
1937	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
1942	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.81	9.27	18.67	45.37	103.71	182.76
1943	14.31	21.68	2.03	1.54	3.11	4.20	4.66	5.46	9.39	20.01	46.19	119.46	
1944	14.86	21.55	1.93	1.40	2.75	3.77	4.33	5.28	9.44	20.09	49.18	134.01	
Average, 1935-44	14.20	18.67	1.93	1.54	2.83	4.00	4.84	5.86	9.85	21.75	50.14		
1945	13.88	19.30	1.45	1.23	2.35	3.94	4.06	5.16	9.21	18.66	46.23	125.78	

\* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1945.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	50
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	62
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	48
„ 1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	56
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,082	6,681	9,214	7,673	2,759	48
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	36
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	29
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	20
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	21
1936 ...	42,586	5,836	606	447	665	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	21
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	19
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	18
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	17
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	17
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	18
1942 ...	41,640	5,826	530	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	18
1943 ...	43,494	6,641	536	379	811	966	1,901	1,938	2,909	5,494	10,487	9,079	2,181	17
1944 ...	45,128	6,484	527	342	693	859	1,689	1,890	2,966	5,606	11,165	10,125	2,564	21
Average, 1935-44 ...	42,692	5,623	537	408	731	937	1,836	2,053	3,171	6,003	10,617	8,505	2,078	19
1945 ...	42,762	5,842	395	319	661	878	1,601	1,793	2,822	5,251	10,576	9,896	2,466	20

## Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26
1942 ...	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.02
1943 ...	14.76	24.47	2.01	1.43	3.03	4.11	4.50	5.44	9.76	21.19	49.37	124.71	208.26
1944 ...	15.33	23.91	1.98	1.29	2.59	3.65	4.00	5.31	9.95	21.64	52.61	140.82	208.26
Average, 1935-44 ...	14.44	20.81	1.99	1.46	2.72	3.78	4.56	5.81	10.28	22.63	53.24	—	—
1945 ...	14.34	21.26	1.46	1.19	2.44	3.68	3.74	4.97	9.54	20.00	49.18	—	135.29

\*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

**TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1945.**

PROVINCES AND COUNTIES.	MARRIAGES	BIRTHS			DEATHS FROM						Deaths of Infants under One Year of age.
		Total.	Illegitimate Births.	All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection		Other Diseases of Child-birth.	
								Sepsis	Other		
<b>ÉIRE.</b>	<b>17,301</b>	<b>66,861</b>	<b>2,626</b>	<b>42,762</b>	<b>1,562</b>	<b>3,094</b>	<b>3,954</b>	<b>15</b>	<b>20</b>	<b>124</b>	<b>4,739</b>
Carlow ...	156	863	66	521	15	47	46	.	.	1	60
Dublin Co. ...	799	2,537	80	1,608	100	179	180	.	1	1	239
City of Dublin ...	4,068	12,463	374	6,986	608	827	656	2	2	13	1,384
Kildare ...	307	1,751	88	835	42	103	61	.	1	4	130
Kilkenny ...	367	1,548	100	974	21	65	74	.	.	6	90
Laoighis ...	214	1,085	75	709	20	51	65	.	1	.	82
Longford ...	190	812	38	548	7	30	45	.	.	.	49
Louth ...	417	1,608	62	861	35	92	102	.	.	3	89
Meath ...	307	1,495	56	894	16	72	94	.	.	6	77
Offaly ...	281	1,301	48	804	28	68	84	.	1	5	83
Westmeath ...	347	1,372	65	815	10	92	77	.	.	5	87
Wexford ...	476	2,232	152	1,531	45	100	138	.	1	5	144
Wicklow ...	318	1,364	66	868	37	70	77	1	2	1	94
<b>LEINSTER</b>	<b>8,247</b>	<b>30,431</b>	<b>1,270</b>	<b>17,954</b>	<b>984</b>	<b>1,796</b>	<b>1,699</b>	<b>3</b>	<b>9</b>	<b>50</b>	<b>2,608</b>
Clare ...	374	1,811	83	1,347	28	125	125	1	.	6	107
Cork Co. ...	1,268	5,391	207	3,899	75	230	392	.	1	10	327
Cork Co. Borough ...	874	1,833	32	1,130	47	128	112	.	.	4	151
Kerry ...	705	2,974	114	1,834	46	162	177	2	5	8	162
Limerick Co. ...	431	2,360	137	1,377	43	87	123	.	.	2	159
Limerick Co. Borough	483	1,157	29	651	21	74	75	.	1	3	102
Tipperary N.R. ...	278	1,312	64	867	25	62	68	2	.	2	84
Tipperary S.R. ...	396	1,934	92	1,140	36	94	115	1	.	4	125
Waterford Co. ...	290	959	58	729	9	58	73	.	1	2	56
Waterford Co. Boro'	185	704	29	398	17	51	28	1	.	.	52
<b>MUNSTER</b>	<b>5,284</b>	<b>20,435</b>	<b>845</b>	<b>13,422</b>	<b>347</b>	<b>1,071</b>	<b>1,288</b>	<b>7</b>	<b>8</b>	<b>41</b>	<b>1,325</b>
Galway ...	754	3,687	86	2,380	56	210	173	1	.	8	183
Leitrim ...	194	824	25	740	9	57	50	.	.	3	40
Mayo ...	768	3,217	54	2,112	32	150	200	.	1	1	129
Roscommon ...	423	1,356	43	1,086	14	55	91	.	1	1	67
Sligo ...	312	1,241	39	1,036	30	79	106	1	.	5	82
<b>CONNAUGHT</b>	<b>2,451</b>	<b>10,325</b>	<b>247</b>	<b>7,354</b>	<b>141</b>	<b>551</b>	<b>620</b>	<b>2</b>	<b>2</b>	<b>18</b>	<b>501</b>
Cavan ...	319	1,435	71	1,191	22	68	99	.	.	7	88
Donegal ...	715	3,101	141	1,976	45	145	182	3	1	5	154
Monaghan ...	285	1,134	52	865	23	63	66	.	.	3	63
<b>ULSTER (part of) ...</b>	<b>1,319</b>	<b>5,670</b>	<b>264</b>	<b>4,032</b>	<b>90</b>	<b>276</b>	<b>347</b>	<b>3</b>	<b>1</b>	<b>15</b>	<b>305</b>

\* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1945.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Register of Popu- lation, 1943.	MARRI- AGES.			BIRTHS.			DEATHS.				
		Rates per 1,000 of Popu- lation.	Rates per 1,000 of Popu- lation.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.			
					All Causes	Prin- cipal Epid- emic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.	
<b>ÉIRE</b> ...	<b>2,949,713</b>	<b>5·8</b>	<b>22·4</b>	<b>3·9</b>	<b>14·3</b>	<b>0·5</b>	<b>1·2</b>	<b>1·3</b>	<b>0·5</b>	<b>1·9</b>	<b>7½</b>	
Carlow ...	33,862	4·6	25·5	7·6	15·4	0·4	1·4	1·4	·	1·2	70	
Dublin Co. ...	123,923	6·4	20·5	3·2	13·0	0·8	1·4	1·5	0·4	0·4	94	
City of Dublin ...	495,074	8·1	24·8	3·0	13·9	1·2	1·6	1·3	0·3	1·0	111	
Kildare ...	64,559	4·8	27·1	5·0	12·9	0·7	1·6	0·9	0·6	2·3	74	
Kilkenny ...	68,006	5·4	22·8	6·5	14·3	0·3	1·0	1·1	·	3·9	58	
Laoighis ...	49,260	4·3	22·0	6·9	14·4	0·4	1·0	1·3	0·9	·	76	
Longford ...	37,107	5·1	21·9	4·7	14·8	0·2	0·8	1·2	·	·	60	
Louth ...	65,108	6·4	24·7	3·9	13·2	0·5	1·4	1·6	·	1·9	55	
Meath ...	65,298	4·7	22·9	3·7	13·7	0·2	1·1	1·4	·	4·0	52	
Offaly ...	52,029	5·4	25·0	3·7	15·5	0·5	1·3	1·6	0·8	3·8	64	
Westmeath ...	56,133	6·2	24·4	4·7	14·5	0·2	1·6	1·4	·	3·6	63	
Wexford ...	91,136	5·2	24·5	6·8	16·8	0·5	1·1	1·5	0·4	2·2	65	
Wicklow ...	58,295	5·5	23·4	4·8	14·9	0·6	1·2	1·3	2·2	0·7	69	
<b>LEINSTER</b> ...	<b>1,259,790</b>	<b>6·5</b>	<b>24·2</b>	<b>4·2</b>	<b>14·3</b>	<b>0·8</b>	<b>1·4</b>	<b>1·3</b>	<b>0·4</b>	<b>1·6</b>	<b>86</b>	
Clare ...	86,192	4·3	21·0	4·6	15·6	0·3	1·5	1·5	0·6	3·3	59	
Cork Co. ...	271,064	4·7	19·9	3·8	14·4	0·3	0·8	1·4	0·2	1·9	61	
Cork Co. Borough ...	75,484	11·6	24·3	1·7	15·0	0·6	1·7	1·5	·	2·2	82	
Kerry ...	136,072	5·2	21·9	3·8	13·8	0·3	1·2	1·3	2·4	2·7	54	
Limerick Co. ...	100,141	4·3	23·6	5·8	13·8	0·4	0·9	1·2	·	0·8	67	
Limerick Co. Borough	42,070	11·5	27·5	2·5	15·5	0·5	1·3	1·8	0·9	2·6	88	
Tipperary, N. R.	58,929	4·7	22·3	4·9	14·7	0·4	1·1	1·2	1·5	1·5	64	
Tipperary, S. R.	78,010	5·1	24·8	4·8	14·6	0·5	1·2	1·5	0·5	2·1	65	
Waterford Co. ...	48,143	6·0	19·9	6·0	15·1	0·2	1·2	1·5	1·0	2·1	58	
Waterford Co. Boro'.	27,825	6·6	25·3	4·1	14·3	0·6	1·8	1·0	1·4	·	74	
<b>MUNSTER</b> ...	<b>923,930</b>	<b>5·7</b>	<b>22·1</b>	<b>4·1</b>	<b>14·5</b>	<b>0·4</b>	<b>1·2</b>	<b>1·4</b>	<b>0·7</b>	<b>2·0</b>	<b>65</b>	
Galway ...	166,231	4·5	22·2	2·3	14·3	0·3	1·3	1·0	0·3	2·2	50	
Leitrim ...	46,219	4·2	17·8	3·0	16·0	0·2	1·2	1·1	·	3·6	49	
Mayo ...	150,935	5·1	21·3	1·7	14·0	0·2	1·0	1·3	0·3	0·3	40	
Roscommon ...	74,062	5·7	18·3	3·2	14·7	0·2	0·7	1·2	0·7	0·7	49	
Sligo ...	62,342	5·0	19·7	3·1	16·4	0·5	1·3	1·7	0·8	4·0	66	
<b>CONNAUGHT</b> ...	<b>500,339</b>	<b>4·9</b>	<b>20·6</b>	<b>2·4</b>	<b>14·7</b>	<b>0·3</b>	<b>1·1</b>	<b>1·2</b>	<b>0·4</b>	<b>1·7</b>	<b>49</b>	
Cavan ...	71,660	4·5	20·0	4·9	16·6	0·3	0·9	1·4	·	4·9	61	
Donegal ...	136,035	5·3	22·8	4·5	14·5	0·3	1·1	1·3	1·3	1·6	50	
Monaghan ...	57,959	4·9	19·6	4·6	14·9	0·4	1·1	1·1	·	2·6	56	
<b>ULSTER (part of)</b>	<b>265,654</b>	<b>5·0</b>	<b>21·3</b>	<b>4·7</b>	<b>15·1</b>	<b>0·3</b>	<b>1·0</b>	<b>1·3</b>	<b>0·7</b>	<b>2·6</b>	<b>54</b>	

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1945.

\*See note page 15.



TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1945.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Infection.		Other Diseases of Child- birth.	Infants under One Year of Age.
						Sepsis.	Other.		
<b>ÉIRE ... ..</b>	<b>66,861</b>	<b>42,762</b>	<b>1,562</b>	<b>3,694</b>	<b>3,954</b>	<b>15</b>	<b>20</b>	<b>124</b>	<b>4,739</b>
ALL COUNTY BOR- OUGHES AND URBAN DISTRICTS ...	24,234	13,891	884	1,576	1,348	5	4	39	2,246
ALL RURAL DISTRICTS	42,627	28,871	678	2,118	2,606	10	16	85	2,493
COUNTY BOROUGHES AND URBAN DIS- TRICTS, over 10,000 Population ...	19,915	11,315	798	1,300	1,103	4	4	26	1,957
CITY OF DUBLIN ...	12,463	6,986	608	827	656	2	2	13	1,384
Borough of Dun Laoghaire ...	822	619	39	40	80	.	.	.	89
Cork County Borough	1,833	1,130	47	128	112	.	.	4	151
Limerick County Borough ...	1,157	651	21	74	75	.	1	3	102
Waterford County Borough ...	704	398	17	51	28	1	.	.	52
Galway Borough ...	464	225	12	36	16	.	.	1	21
Dundalk U.D. ...	406	191	20	22	26	.	.	.	19
Drogheda U.D. ...	437	172	2	26	21	.	.	.	20
Sligo U.D. ...	257	195	13	20	15	1	.	1	34
Wexford U.D. ...	283	207	6	15	15	.	1	.	24
Kilkenny U.D. ...	285	131	2	14	12	.	.	1	9
Bray U.D. ...	257	153	1	18	20	.	.	.	24
Tralee U.D. ...	275	129	7	15	16	.	.	2	13
Clonmel U.D. ...	272	128	3	14	11	.	.	1	15
URBAN DISTRICTS, under 10,000 Popu- lation ... ..	4,319	2,576	86	276	245	1	.	13	289
ALL COUNTY BOR- OUGHES AND URBAN DISTRICTS IN :—									
Province of Leinster	16,509	9,346	709	1,071	904	2	3	23	1,687
Province of Munster	6,122	3,602	122	384	374	2	1	13	449
Province of Connaught	1,127	650	38	80	50	1	.	2	83
Province of Ulster (part of)	476	293	15	41	20	.	.	1	27
ALL RURAL DISTRICTS IN :—									
Province of Leinster	13,922	8,608	275	725	795	1	6	27	921
Province of Munster	14,313	9,820	225	687	914	5	7	28	876
Province of Connaught	9,198	6,704	103	471	570	1	2	16	418
Province of Ulster (part of)	5,194	3,789	75	235	327	3	1	14	278

\* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1945.

URBAN AND RURAL AREAS.	Population according to the Register of Population, 1945.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,949,713	22.4	14.3	0.5	1.2	1.3	0.5	1.9	71
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	991,454	24.4	14.0	0.9	1.6	1.4	0.4	1.6	93
ALL RURAL DISTRICTS	1,958,259	21.8	14.7	0.3	1.1	1.3	0.6	2.0	58
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	800,133	24.9	14.1	1.0	1.6	1.4	0.4	1.3	98
CITY OF DUBLIN ...	495,074	24.8	13.9	1.2	1.6	1.3	0.3	1.0	111
Borough of Dun Laoghaire ...	42,105	19.3	14.6	0.9	0.9	1.9	.	.	108
Cork County Borough	75,484	24.3	15.0	0.6	1.7	1.5	.	2.2	82
Limerick County Borough ...	42,070	27.5	15.5	0.5	1.8	1.8	0.9	2.6	88
Waterford County Borough ...	27,825	25.3	14.3	0.6	1.8	1.0	1.4	.	74
Galway Borough ...	19,972	23.2	11.3	0.6	1.8	0.8	.	2.2	45
Dundalk U.D. ...	15,466	26.3	12.3	1.3	1.4	1.7	.	.	47
Drogheda U.D. ...	15,180	28.8	11.3	0.1	1.7	1.4	.	.	46
Sligo U.D. ...	12,657	20.3	15.4	1.0	1.6	1.2	3.9	3.9	132
Wexford U.D. ...	12,051	23.5	17.2	0.5	1.2	1.2	3.5	.	85
Kilkenny U.D. ...	11,192	25.5	11.7	0.2	1.3	1.1	.	3.5	32
Bray U.D. ...	10,680	24.1	14.3	0.1	1.7	1.9	.	.	93
Tralee U.D. ...	10,350	26.6	12.5	0.7	1.4	1.5	.	7.3	47
Clonmel U.D. ...	10,027	27.1	12.8	0.3	1.4	1.1	.	3.7	55
URBAN DISTRICTS, under 10,000 Population ...	191,321	22.6	13.5	0.4	1.4	1.3	0.2	3.0	67
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	665,990	24.8	14.0	1.1	1.6	1.4	0.3	1.4	102
Province of Munster	249,826	24.5	14.4	0.6	1.5	1.5	0.5	2.1	73
Province of Connaught	51,981	21.7	12.5	0.7	1.5	1.0	0.9	1.8	74
Province of Ulster (part of)	23,657	20.0	12.4	0.6	1.7	0.8	.	2.1	57
ALL RURAL DISTRICTS IN :—									
Province of Leinster	593,300	23.4	14.5	0.5	1.2	1.3	0.5	1.9	66
Province of Munster	674,104	21.2	14.6	0.3	1.0	1.4	0.8	2.0	61
Province of Connaught	448,358	20.5	15.0	0.2	1.1	1.3	0.3	1.7	45
Province of Ulster (part of)	241,997	21.5	15.5	0.3	1.0	1.4	0.3	2.7	54

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1945.

\*See note, page 15.

**TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1945.**

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congeni- tal Malfor- mations	Diar- rhoea and Enteritis	Convul- sions	Pneu- monia	Other Causes
<b>ÉIRE</b> ...	<b>2,110</b>	<b>32</b>	<b>697</b>	<b>365</b>	<b>133</b>	<b>254</b>	<b>185</b>	<b>202</b>	<b>84</b>	<b>83</b>	<b>107</b>
Carlow ...	31	36	8	10	5	1	5	1	1	.	.
Dublin ...	125	49	37	10	10	14	11	22	1	11	9
City of Dublin ...	612	49	221	34	51	89	47	108	7	27	28
Kildare ...	58	33	17	12	3	5	7	4	2	2	6
Kilkenny ...	42	27	9	13	2	2	4	3	6	2	1
Laoighis ...	35	32	10	10	2	4	3	2	1	1	2
Longford ...	21	26	8	6	.	1	3	.	2	.	1
Louth ...	46	29	23	7	3	3	2	4	2	1	1
Meath ...	39	26	8	17	2	1	3	5	1	.	2
Offaly ...	38	29	11	12	3	4	3	4	.	.	1
Westmeath ...	39	28	14	10	2	4	5	.	1	1	2
Wexford ...	56	25	21	16	2	6	3	1	3	2	2
Wicklow ...	44	32	12	5	6	8	5	1	1	4	2
<b>LEINSTER</b> ...	<b>1,186</b>	<b>39</b>	<b>399</b>	<b>162</b>	<b>91</b>	<b>142</b>	<b>101</b>	<b>155</b>	<b>28</b>	<b>51</b>	<b>57</b>
Clare ...	37	20	11	9	.	3	5	4	2	2	1
Cork ...	159	29	63	30	6	20	10	4	10	7	9
Cork Co. Borough ...	61	33	27	6	6	9	6	3	.	3	1
Kerry ...	70	24	26	17	2	5	6	2	3	2	7
Limerick ...	74	31	25	15	2	7	8	9	1	5	2
Limerick Co. Borough	30	26	7	7	1	5	4	.	4	.	2
Tipperary, N.R. ...	41	31	13	15	1	4	3	1	.	2	2
Tipperary, S.R. ...	55	28	22	11	.	7	4	7	2	.	2
Waterford ...	32	33	5	12	2	3	4	1	3	1	1
Waterford Co. Boro'	23	33	9	1	.	4	2	3	3	.	1
<b>MUNSTER</b> ...	<b>582</b>	<b>28</b>	<b>208</b>	<b>123</b>	<b>20</b>	<b>67</b>	<b>52</b>	<b>34</b>	<b>28</b>	<b>22</b>	<b>28</b>
Galway ...	68	18	19	16	3	10	8	2	6	.	4
Leitrim ...	17	21	4	5	.	2	3	.	1	1	1
Mayo ...	63	20	18	7	5	10	7	1	8	3	4
Rosecommon ...	33	24	7	13	.	4	3	3	2	.	1
Sligo ...	31	25	9	10	2	3	2	2	2	.	1
<b>CONNAUGHT</b> ...	<b>212</b>	<b>21</b>	<b>57</b>	<b>51</b>	<b>10</b>	<b>29</b>	<b>23</b>	<b>8</b>	<b>19</b>	<b>4</b>	<b>11</b>
Cavan ...	34	24	16	6	2	4	1	3	.	2	.
Donegal ...	70	23	12	18	10	8	5	2	6	2	7
Monaghan ...	26	23	5	5	.	4	3	.	3	2	4
<b>ULSTER (part of)</b>	<b>130</b>	<b>23</b>	<b>33</b>	<b>29</b>	<b>12</b>	<b>16</b>	<b>9</b>	<b>5</b>	<b>9</b>		<b>11</b>

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1945, for the Fourteen Principal Towns and for each URBAN DISTRICT.

AREA.	Population according to the Register of Population, 1943	Annual Rate per 1,000 persons represented by				DEATHS.																					
		BIRTHS.				Total Number.	Under 1 year of age.	At 65 years and upwards.	Caused by												Tuberculosis.	Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.
		All Causes.	Principal epidemic diseases.	Total Number.	Principal Epidemic Diseases.																						
					Typhoid fever				Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & Enteritis (under 2 years).	Pulmonary.	Other Forms.									
<b>IRE ... ..</b>	<b>2,949,713</b>	<b>22.4</b>	<b>14.3</b>	<b>0.5</b>	<b>66,861</b>	<b>42,762</b>	<b>4,739</b>	<b>23,140</b>	<b>32</b>	<b>4</b>	<b>146</b>	<b>236</b>	<b>10</b>	<b>42</b>	<b>1,092</b>	<b>2,777</b>	<b>917</b>	<b>306</b>	<b>3,954</b>	<b>35</b>	<b>124</b>	<b>878</b>	<b>5,602</b>				
Total Rural Districts ...	1,958,259	21.8	14.7	0.3	42,627	28,871	2,493	17,320	26	4	77	156	4	27	384	1,577	541	267	2,606	26	85	593	5,347				
Total Urban Districts ...	991,454	24.4	14.0	0.9	24,234	13,891	2,246	5,820	6	69	80	6	15	708	1,200	376	39	1,348	9	39	285	255					
Total 14 Principal Towns ...	800,133	24.9	14.1	1.0	19,915	11,315	1,957	4,562	4	50	61	5	13	665	995	305	25	1,103	8	26	280	141					
City of Dublin ...	495,074	24.8	13.9	1.2	12,463	6,986	1,384	2,647	3	28	35	5	5	532	651	176	18	656	4	13	150	93					
Borough of Dun Laoghaire	42,105	19.3	14.6	0.9	822	619	89	307	1	1	3	1	1	35	26	14	1	80	1	13	1	1					
Cork Co. Borough ...	75,484	24.3	15.0	0.6	1,833	1,130	151	507	1	1	3	1	1	44	88	40	1	112	1	4	18	5					
Limerick „ ...	42,070	27.5	15.5	0.5	1,157	651	102	251	1	1	1	1	1	18	56	18	1	75	1	3	14	8					
Waterford „ ...	27,825	25.3	14.3	0.6	704	398	52	176	1	1	1	1	1	16	38	13	1	28	1	1	11	3					
Galway Borough ...	19,972	23.2	11.3	0.6	464	225	21	100	1	5	1	1	3	3	26	10	1	16	1	1	3	2					
Dundalk ...	15,466	26.3	12.3	1.3	406	191	19	63	1	1	14	1	1	4	18	4	1	26	1	1	1	2					
Drogheda ...	15,180	28.8	11.3	0.1	437	172	20	74	1	1	1	1	1	1	25	1	1	21	1	1	8	2					
Sligo ...	12,657	20.3	15.4	1.0	257	195	34	89	1	10	1	1	1	3	12	8	1	15	1	1	4	4					
Wexford ...	12,051	23.5	17.2	0.5	283	207	24	98	1	2	2	1	1	1	9	6	1	15	1	1	2	1					
Kilkenny ...	11,192	25.5	11.7	0.2	285	131	9	67	1	1	1	1	1	2	9	5	1	12	1	1	2	8					
Bray ...	10,680	24.1	14.3	0.1	257	153	24	71	1	1	1	1	1	1	15	3	2	20	1	1	2	1					
Tralee ...	10,350	26.6	12.5	0.7	275	129	13	53	1	1	1	1	3	3	11	4	1	16	1	2	1	10					
Clonmel ...	10,027	27.1	12.8	0.3	272	128	15	59	1	1	1	1	1	2	11	3	1	11	1	1	1	3					

otal Urban Districts under  
10,000 Population ...

191,321	22.6	13.5	0.4	4,319	2,576	289	1,258	2	.	.	19	19	1	.	2	.	43	205	71	14	245	1	13	55	114
<b>I. LEINSTER.</b>																									
An Uaimh ...	4,168	20.6	13.0	0.5	86	54	5	22	.	.	.	.	.	.	.	.	2	5	1	.	5	.	2	1	1
Arklow ...	4,780	25.1	14.6	0.4	120	70	5	36	.	.	2	.	.	.	.	.	.	10	1	.	5	.	.	3	1
Athlone ...	8,830	26.0	11.2	.	230	100	11	43	.	.	.	.	.	.	.	.	.	7	1	.	9	.	1	3	2
Athy ...	3,614	23.8	12.7	0.3	86	46	5	20	.	.	1	.	.	.	.	.	.	3	4	.	1	.	1	2	.
Birr ...	3,229	18.3	16.1	0.3	59	52	4	30	.	.	.	.	.	.	.	.	.	1	5	.	2	.	.	.	4
Carlow ...	7,518	23.4	11.3	0.1	176	85	11	47	.	.	.	.	.	.	.	.	.	1	3	5	.	7	.	.	7
Ceannanus Mór ...	2,095	27.7	14.8	.	58	31	2	15	.	.	.	.	.	.	.	.	.	.	2	1	.	2	.	1	.
Enniscorthy ...	5,970	25.6	14.4	0.7	153	86	11	35	.	.	.	.	.	.	.	.	.	4	6	2	.	7	.	1	2
Granard ...	1,147	29.6	13.1	.	34	15	1	7	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2
Longford ...	4,524	26.3	15.9	0.4	119	72	20	26	.	.	.	.	.	.	.	.	.	2	9	3	1	5	.	.	4
Naas ...	3,464	25.7	15.9	1.2	89	55	15	16	.	.	.	.	.	.	.	.	.	4	11	5	.	2	.	1	1
New Ross ..	4,826	26.1	16.0	0.8	126	77	8	32	.	.	1	3	.	.	.	.	.	7	3	.	11	.	.	1	.
Trim ...	1,355	26.6	17.0	0.7	36	23	5	12	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	.	1
Tullamore ...	5,637	23.8	12.8	1.1	134	72	10	31	.	.	.	4	.	.	.	.	.	2	8	2	.	6	.	2	3
Wicklow ...	3,085	16.2	15.9	1.0	50	49	5	27	.	.	2	1	.	.	.	.	.	1	2	.	6	.	.	1	.

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1945.

TABLE 14.—URBAN DISTRICTS, 1945 (continued).

AREA.	Popu- lation according to the Register of Popu- lation, 1943	Annual Rate per 1,000 persons represented by			BIRTHS.	DEATHS.																					
		BIRTHS.	DEATHS			Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by													No. Uncertified.				
			All Causes.	Principal epidemic diseases.						Principal Epidemic Diseases.											Tuber- culosis			Influenza.	Cancer	Puerperal Infection.	Other Diseases of Childbirth.
Typhoid fever	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years)	Pulmonary.	Other Forms.																	
MUNSTER.																											
Carrick-on-Suir ..	4,773	30·6	14·0	0·8	146	67	7	35	.	.	.	.	.	.	.	.	.	4	3	4	.	9	.	1	2	4	
Cashel ... ..	3,028	18·2	15·2	0·7	55	46	6	27	.	.	.	.	.	.	.	.	.	2	2	1	.	8	.	1	.	1	
Clonakilty ... ..	2,846	17·9	14·8	.	51	42	.	26	.	.	.	.	.	.	.	.	.	.	3	1	.	7	.	.	.	1	2
Qobh ... ..	5,503	23·6	14·7	0·4	130	81	9	47	.	.	1	.	.	.	.	.	.	1	3	1	.	5	.	.	.	2	.
Dungarvan ... ..	5,270	20·3	14·8	.	107	78	5	38	.	.	.	.	.	.	.	.	.	.	10	3	1	9	.	.	.	2	.
Ennis ... ..	5,868	27·4	12·8	0·3	161	75	8	43	.	.	.	1	.	1	.	.	.	.	4	1	.	10	.	.	2	1	
Fernoy ... ..	4,125	27·2	11·6	.	112	48	9	22	.	.	.	.	.	.	.	.	.	.	2	1	.	5	.	.	.	2	1
Killarney ... ..	5,790	15·0	15·2	0·7	87	88	14	38	.	.	2	.	.	.	.	.	.	2	7	2	2	11	.	.	.	2	3
Kilrush ... ..	3,252	20·9	17·2	0·3	68	56	4	25	.	.	1	.	.	.	.	.	.	.	5	3	1	3	.	.	.	1	4
Kinsale ... ..	2,174	22·1	14·7	0·5	48	32	6	16	.	.	.	.	.	.	.	.	.	1	1	1	2	4	.	.	1	.	
Listowel ... ..	3,220	27·6	12·7	0·3	89	41	2	23	.	.	1	.	.	.	.	.	.	.	4	.	.	9	.	.	1	3	
Macroom ... ..	2,284	19·3	13·6	.	44	31	2	18	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	1	3	
Mallow ... ..	5,220	21·1	10·2	0·2	110	53	4	30	.	.	.	.	.	.	.	.	.	1	.	2	.	9	.	.	1	.	
Midleton ... ..	2,712	28·4	17·0	0·4	77	46	4	20	.	.	1	.	.	.	.	.	.	.	3	.	.	4	.	.	1	4	
Nenagh ... ..	4,363	22·0	20·9	0·2	96	91	10	53	.	.	.	.	.	.	.	.	.	1	4	1	.	5	.	.	3	15	
Passage West ... ..	2,279	16·7	10·5	.	38	24	1	12	.	.	.	.	.	.	.	.	.	.	2	2	.	2	.	.	1	1	

Sibbireen ...	...	2,325	14.2	18.5	.	33	43	1	31	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.	.	1	1	
Templemore ...	...	2,748	21.1	10.2	.	58	28	1	19	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	1	2
Thurles ...	...	6,042	21.8	10.6	0.3	132	64	7	33	.	.	.	.	.	.	.	.	.	.	2	9	2	.	5	1	1	2	2
Tipperary ...	...	5,201	26.7	12.1	0.6	139	63	12	26	.	.	.	.	.	.	.	.	.	.	3	2	2	1	9	.	.	4	.
Youghal ...	...	5,047	19.8	13.7	0.4	100	69	4	44	.	.	.	.	.	.	1	.	.	.	1	4	2	.	7	.	.	.	3

III. CONNAUGHT.

Ballina ...	...	5,854	29.4	15.4	1.9	172	90	12	35	.	.	8	1	.	.	.	.	.	.	2	9	4	1	6	.	.	2	6
Ballinasloe ...	...	5,315	15.6	10.0	.	83	53	10	24	.	.	.	.	.	.	.	.	.	.	.	6	1	.	4	.	.	1	3
Castlebar ...	...	4,918	17.5	10.0	0.4	86	49	2	24	1	.	.	.	.	.	.	.	.	.	1	2	2	1	3	.	.	1	7
Westport ...	...	3,265	19.9	11.6	.	65	38	4	15	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	2	1	

IV. ULSTER (part of).

Belturbet ...	...	1,185	16.9	22.8	.	20	27	2	18	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	4	
Buncrana ...	...	2,717	29.1	8.5	0.4	79	23	3	13	.	.	.	1	.	.	.	.	.	.	.	2	.	1	2	.	.	1	1	
Bundoran ...	...	1,466	20.5	17.7	.	30	26	.	13	.	.	.	.	.	.	.	.	.	.	.	6	1	.	1	.	.	.	2	
Carrickmacross ...	...	2,125	13.6	10.4	.	29	22	3	7	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	
Castleblayney ...	...	1,740	20.7	13.2	1.1	36	23	4	9	.	.	.	2	.	.	.	.	.	.	.	5	1	1	.	.	.	1	.	
Oavan ...	...	3,437	30.8	14.8	1.7	106	51	6	22	.	.	2	.	.	.	.	.	.	.	.	4	1	1	.	2	.	2	6	
Clones ...	...	2,131	19.7	14.1	.	42	30	2	11	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	2	.	1	1	3
Cootahill ...	...	1,502	18.6	9.3	.	28	14	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.
Letterkenny ...	...	2,682	26.1	10.4	1.1	70	28	4	16	.	.	.	2	.	.	.	.	.	.	.	1	1	.	2	5	.	1	4	
Monaghan ...	...	4,672	7.7	10.5	0.6	36	49	2	24	1	.	1	1	.	.	.	.	.	.	.	.	12	.	.	5	.	2	.	

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1945.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.46	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	68
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	23.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67
1944 ...	24.06	21.23	14.66	15.62	1.04	0.41	1.64	1.13	105	65
1945 ...	24.37	21.77	14.01	14.74	0.91	0.34	1.59	1.08	93	58

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.



**PART III.**

---

**Abstracts.**

**ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1945, in each Province, County, and County Borough.**

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHS.	Area* in Statute Acres	Popula- tion accord- ing to Register of Popula- tion, 1943.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
<b>IRE</b> ... ..	<b>17,024,485</b>	<b>2,949,713</b>	<b>17,301</b>	<b>66,861</b>	—	—	<b>66,861</b>	<b>2,626</b>	—	—	<b>2,626</b>	<b>42,762</b>	—	—	<b>42,762</b>	<b>24,099</b>
<b>PROVINCES</b>																
<b>I.—LEINSTER</b> ... ..	4,851,540	1,259,790	8,247	30,803	606	234	30,431	1,361	199	108	1,270	18,200	349	103	17,954	12,477
<b>II.—MUNSTER</b> ... ..	5,962,595	923,930	5,284	20,466	226	195	20,435	909	115	51	845	13,364	94	152	13,422	7,013
<b>III.—CONNUGHT</b> ... ..	4,230,822	500,339	2,451	10,088	38	275	10,325	162	6	91	247	7,238	13	129	7,354	2,971
<b>IV.—ULSTER (part of)</b> ... ..	1,979,728	265,654	1,319	5,504	27	193	5,670	194	1	71	264	3,960	17	89	4,032	1,638

**PROVINCE OF LEINSTER.**

1. CARLOW ... ..	221,485	33,362	156	789	13	87	863	31	—	35	66	489	14	46	521	342
2. DUBLIN CO. ... ..	208,984	123,923	799	1,193	123	1,468	2,537	134	104	50	80	1,263	200	545	1,608	929
3. CITY OF DUBLIN ... ..	18,740	495,074	4,068	15,479	3,111	95	12,463	626	296	44	374	8,099	1,268	155	6,986	5,477
4. KILDARE ... ..	418,644	64,559	307	1,450	19	320	1,751	59	2	31	88	770	25	90	835	916
5. KILKENNY ... ..	509,470	68,006	367	1,450	37	135	1,548	57	7	50	100	936	20	58	974	574
6. LAOIGHIS ... ..	424,892	49,260	214	1,002	16	99	1,085	36	2	41	75	685	34	58	709	376
7. LONGFORD ... ..	257,935	37,107	190	764	31	79	812	23	2	17	38	511	2	39	548	264
8. LOUTH ... ..	202,814	65,108	417	1,640	209	177	1,608	58	7	11	62	819	34	76	861	747
9. MEATH ... ..	577,824	65,293	307	1,220	15	290	1,495	27	—	29	56	835	22	81	894	601
10. OFFALY ... ..	493,636	52,029	281	1,208	13	106	1,301	24	1	25	48	736	11	79	804	497
11. WESTMEATH ... ..	435,605	56,133	347	1,376	128	124	1,372	139	99	25	65	819	73	69	815	557
12. WEXFORD ... ..	581,061	91,136	476	2,160	33	105	2,232	107	4	49	152	1,492	39	78	1,531	701
13. WICKLOW ... ..	500,250	58,295	318	1,073	21	312	1,364	40	2	28	66	746	42	164	868	496

PROVINCE OF MUNSTER

14. CLARE ... ..	787,756	86,192	374	1,648	3	166	1,811	36	1	48	83	1,288	8	67	1,347	464
15. CORK CO. ... ..	1,840,908	271,064	1,268	4,787	198	802	5,391	242	61	26	207	4,009	487	377	3,899	1,492
16. CORK CO. BOROUGH ...	2,685	75,484	874	2,521	804	116	1,833	34	13	11	32	1,068	296	358	1,130	705
17. KERRY ... ..	1,161,705	136,072	705	2,930	26	70	2,974	89	—	25	114	1,835	39	88	1,884	1,090
18. LIMERICK CO. ... ..	661,585	100,141	431	2,073	43	330	2,360	134	21	24	137	1,470	224	131	1,377	983
19. LIMERICK CO. ... .. BOROUGH	2,386	42,070	483	1,507	390	40	1,157	17	7	19	29	562	135	224	651	506
20. TIPPERARY, N.R. ...	493,258	58,929	273	1,437	201	76	1,312	218	162	8	64	894	83	56	867	445
21. TIPPERARY, S.R. ...	558,034	78,010	396	1,896	47	85	1,934	72	6	26	92	1,129	45	56	1,140	794
22. WATERFORD CO. ...	452,840	48,143	290	813	18	164	959	43	6	21	53	640	23	112	729	230
23. WATERFORD CO. ... BOROUGH	1,438	27,825	185	854	178	28	704	24	6	11	29	469	99	28	398	306

PROVINCE OF CONNAUGHT.

24. GALWAY ... ..	1,467,660	166,231	754	3,677	67	77	3,687	86	26	26	86	2,306	85	69	2,380	1,307
25. LEITRIM ... ..	376,764	46,219	194	752	4	76	824	9	—	16	25	686	3	57	740	84
26. MAYO ... ..	1,333,941	150,985	768	3,126	20	111	3,217	14	—	40	54	2,056	21	77	2,112	1,105
27. ROSCOMMON ... ..	608,540	74,062	423	1,314	21	63	1,356	23	1	21	43	1,065	30	51	1,086	270
28. SLIGO ... ..	443,917	62,842	312	1,219	21	43	1,241	30	3	12	39	1,035	18	19	1,036	205

PROVINCE OF ULSTER (Part of).

29. CAVAN ... ..	467,162	71,660	319	1,326	22	131	1,435	32	3	42	71	1,135	16	72	1,191	244
30. DONEGAL ... ..	1,193,581	136,035	715	3,089	17	29	3,101	129	2	14	141	1,971	30	35	1,976	1,125
31. MONAGHAN ... ..	318,985	57,959	285	1,089	21	66	1,134	33	—	19	52	854	31	42	865	269

\* Exclusive of the larger rivers, lakes and tideways.

## ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
ÉIRE ... ..	17,301	16,425	876	633	125	49	57	4	8	3,697	4,594	4,928	4,082
PROVINCES.													
LEINSTER ... ..	8,247	7,745	502	380	26	32	54	4	6	1,419	2,105	2,650	2,073
MUNSTER ... ..	5,284	5,182	102	91	1	7	1	—	2	1,318	1,398	1,385	1,183
CONNAUGHT ... ..	2,451	2,405	46	40	1	4	1	—	—	660	727	558	506
ULSTER (part of) ... ..	1,319	1,093	226	122	97	6	1	—	—	300	364	335	320

## PROVINCE OF

CARLOW ... ..	156	142	14	13	.	1	.	.	.	29	44	43	40
DUBLIN CO. ... ..	799	733	66	59	3	2	.	1	.	107	221	293	178
CITY OF DUBLIN ... ..	4,068	3,795	273	175	17	22	50	3	6	630	985	1,415	1,038
KILDARE ... ..	307	299	8	8	.	.	.	.	.	48	92	90	77
KILKENNY ... ..	367	354	13	12	.	.	1	.	.	66	94	114	93
LAOIGHIS ... ..	214	198	16	16	.	.	.	.	.	39	52	47	76
LONGFORD ... ..	190	187	3	3	.	.	.	.	.	53	46	44	47
LOUTH ... ..	417	410	7	4	3	.	.	.	.	54	104	142	117
MEATH ... ..	307	300	7	4	1	.	.	.	.	69	82	75	81
OFFALY ... ..	281	267	14	14	.	.	.	.	.	67	78	75	61
WESTMEATH ... ..	347	340	7	4	1	2	.	.	.	66	103	90	88
WEXFORD ... ..	476	449	27	27	.	.	.	.	.	128	110	130	108
WICKLOW ... ..	318	271	47	39	1	4	3	.	.	63	94	92	69

## PROVINCE OF

CLARE ... ..	374	372	2	2	.	.	.	.	.	87	120	83	84
CORK CO. ... ..	1,268	1,222	46	43	.	2	1	.	.	316	345	314	293
CORK CO. BOROUGH ... ..	874	857	17	12	1	2	.	.	2	157	218	331	168
KERRY ... ..	705	702	3	3	.	.	.	.	.	269	171	110	155
LIMERICK CO. ... ..	431	428	3	3	.	.	.	.	.	138	106	103	84
LIMERICK CO. BOROUGH ... ..	483	476	7	6	.	1	.	.	.	92	151	125	115
TIPPERARY, N.R. ... ..	278	263	15	13	.	2	.	.	.	69	65	78	66
TIPPERARY, S.R. ... ..	396	392	4	4	.	.	.	.	.	94	92	109	101
WATERFORD CO. ... ..	290	287	3	3	.	.	.	.	.	50	84	83	73
WATERFORD CO. BOROUGH ... ..	185	183	2	2	.	.	.	.	.	46	46	49	44

## PROVINCE OF

GALWAY ... ..	754	749	5	5	.	.	.	.	.	182	250	174	148
LEITRIM ... ..	194	178	16	14	.	2	.	.	.	45	71	42	36
MAYO ... ..	768	765	3	3	.	.	.	.	.	235	223	188	122
ROSOOMMON ... ..	423	418	5	5	.	.	.	.	.	102	110	93	118
SLIGO ... ..	312	295	17	13	1	2	1	.	.	96	73	61	82

## PROVINCE OF

CAVAN ... ..	319	258	61	47	11	3	.	.	.	70	92	77	80
DONEGAL ... ..	715	606	109	55	52	2	.	.	.	184	191	131	159
MONAGHAN ... ..	285	229	56	20	34	1	1	.	.	46	81	77	81

## REGISTERED IN THE YEAR 1945.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
<b>16,562</b>	<b>178</b>	<b>455</b>	<b>106</b>	<b>561</b>	<b>284</b>	<b>261</b>	<b>1,330</b>	<b>ÉIRE</b>
7,820	92	270	65	335	157	165	747	PROVINCES.
5,106	45	108	25	133	70	72	394	<b>LEINSTER.</b>
2,377	24	39	11	50	35	12	108	<b>MUNSTER.</b>
1,259	17	38	5	43	22	12	81	<b>CONNAUGHT.</b>
								<b>ULSTER (part of).</b>

## LEINSTER

146	3	4	3	7	6	2	16	CARLOW.
764	5	25	5	30	10	22	68	DUBLIN CO.
3,847	46	137	38	175	84	94	334	CITY OF DUBLIN.
293	3	7	4	11	7	6	34	KILDARE.
352	4	9	2	11	6	8	36	KILKENNY.
202	5	6	1	7	6	1	16	LAOIGHIS.
185	2	3	.	3	2	.	4	LONGFORD.
398	2	15	2	17	4	6	41	LOUTH.
296	1	10	.	10	1	3	35	MEATH.
263	5	11	2	13	7	1	19	OFFALY.
332	7	8	.	8	7	4	26	WESTMEATH.
443	6	24	3	27	9	12	60	WEXFORD.
299	3	11	5	16	8	6	58	WICKLOW.

## MUNSTER

358	6	7	3	10	9	6	25	CLARE.
1,234	7	22	5	27	12	9	67	CORK CO.
843	10	17	4	21	14	18	58	CORK CO. BOROUGH.
694	5	6	.	6	5	5	30	KERRY.
419	1	10	1	11	2	10	47	LIMERICK CO.
468	3	8	4	12	7	6	56	LIMERICK CO. BOROUGH.
264	4	7	3	10	7	2	24	TIPPERARY, N.R.
378	4	11	3	14	7	9	31	TIPPERARY, S.R.
273	2	14	1	15	3	4	37	WATERFORD CO.
175	3	6	1	7	4	3	19	WATERFORD CO. BOROUGH.

## CONNAUGHT

738	3	9	4	13	7	.	39	GALWAY.
185	5	3	1	4	6	.	4	LEITRIM.
741	8	15	4	19	12	7	34	MAYO.
409	4	8	2	10	6	1	14	ROSCOMMON.
304	4	4	.	4	4	4	17	SLIGO.

## ULSTER (part of)

298	5	14	2	16	7	2	19	CAVAN.
686	9	17	3	20	12	6	46	DONEGAL.
275	3	7	.	7	3	4	16	MONAGHAN.

**ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1945—by Provinces and Counties.**

Provinces and Counties.	TOTAL BIRTHS	AGES AT DEATH.																				95 & up-wards			
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—		70—	75—	85—
ÉIRE	Persons	66,861	4,739	493	280	192	138	5,842	395	319	661	878	778	823	864	929	1,200	1,682	2,020	3,231	4,308	6,268	9,896	2,466	202
	Males	34,336	2,664	248	153	99	67	3,231	202	156	344	417	367	373	416	448	609	911	1,122	1,723	2,443	3,275	5,046	1,112	71
	Females	32,525	2,075	245	127	93	71	2,611	193	163	317	461	411	450	448	481	591	771	898	1,508	1,865	2,993	4,850	1,354	131
LEINSTER	Persons	30,431	2,608	248	121	97	67	3,141	181	145	314	422	371	362	398	425	546	756	965	1,458	1,832	2,460	3,356	777	45
	Males	15,583	1,482	127	57	43	33	1,742	93	82	166	197	179	168	196	204	279	422	523	776	1,013	1,228	1,613	322	13
	Females	14,848	1,126	121	64	54	34	1,399	88	63	148	225	192	194	202	221	267	334	442	682	819	1,232	1,743	455	32
MUNSTER	Persons	20,435	1,325	137	87	41	38	1,628	118	95	180	254	231	250	235	292	382	523	614	1,040	1,384	2,111	3,242	780	63
	Males	10,426	728	71	57	23	20	899	60	44	90	126	100	111	102	152	204	264	356	551	786	1,152	1,664	371	22
	Females	10,009	597	66	30	18	18	729	58	51	90	128	131	139	133	140	178	259	258	489	598	959	1,578	409	41
CONNAUGHT	Persons	10,325	501	69	49	36	20	675	58	61	119	139	114	126	149	138	167	239	275	443	676	1,062	2,202	635	76
	Males	5,364	3,899	276	30	26	22	361	29	22	64	70	59	58	82	59	81	139	159	248	405	562	1,172	301	28
	Females	4,961	3,455	225	39	23	14	314	29	39	55	69	55	68	67	79	86	100	116	195	271	500	1,030	334	48
ULSTER (part of)	Persons	5,670	305	39	23	18	13	398	38	18	48	63	62	85	82	74	105	164	166	290	416	635	1,096	274	18
	Males	2,963	178	20	13	11	7	229	20	8	24	24	29	36	36	33	45	86	84	148	239	333	597	118	8
	Females	2,707	127	19	10	7	6	169	18	10	24	39	33	49	46	41	60	78	82	142	177	302	499	156	10
LEINSTER.																									
CARLOW	Persons	863	60	8	6	5	2	81	4	1	11	14	7	13	10	5	13	21	20	43	62	65	122	29	.
	Males	440	33	3	3	1	1	41	.	1	6	7	2	6	5	4	7	10	8	25	38	30	64	19	.
	Females	423	27	5	3	4	1	40	4	.	5	7	5	7	5	1	6	11	12	18	24	35	58	10	.
DUBLIN CO.	Persons	2,537	239	15	6	9	11	280	17	13	23	46	37	28	36	43	52	75	80	152	177	198	285	57	9
	Males	1,332	140	7	3	5	6	161	8	10	13	16	22	17	18	19	23	42	38	74	104	95	118	20	4
	Females	1,205	99	8	3	4	5	119	9	3	10	30	15	11	18	24	29	33	42	78	73	103	167	37	5
CITY OF DUBLIN	Persons	12,463	1,384	99	37	36	26	1,582	72	71	129	189	152	136	193	190	276	341	427	581	644	805	954	232	12
	Males	6,393	786	44	18	19	11	878	42	34	66	89	61	64	95	91	144	202	253	327	350	359	378	63	3
	Females	6,070	598	55	19	17	15	704	30	37	63	100	91	72	98	99	132	139	174	254	294	446	576	169	9
KILDARE	Persons	1,751	130	9	10	4	2	155	10	5	15	33	23	16	18	24	11	29	42	64	88	117	154	31	.
	Males	884	69	4	7	2	1	83	6	2	7	22	9	7	8	15	7	16	20	29	52	58	82	12	.
	Females	867	61	5	3	2	1	72	4	3	8	11	14	9	10	9	4	13	22	35	36	59	72	19	.
KILKENNY	Persons	1,548	90	12	4	5	2	113	8	5	16	17	16	23	16	21	27	43	33	65	117	171	229	58	3
	Males	758	51	7	2	1	1	61	5	3	7	9	9	8	7	11	14	16	15	28	54	94	119	28	.
	Females	790	39	5	2	4	2	52	3	2	9	8	7	15	9	10	13	27	18	37	63	77	103	30	3
LAOIGHIS	Persons	1,085	82	10	4	4	.	100	6	.	16	11	15	7	12	13	18	29	30	45	73	125	163	44	2
	Males	575	53	6	1	2	.	62	4	.	10	4	9	4	6	5	11	13	15	25	41	75	89	21	1
	Females	510	29	4	3	2	.	38	2	.	6	7	6	3	6	8	7	16	15	20	32	50	74	23	1
LONGFORD	Persons	812	49	6	5	2	2	64	3	3	8	6	12	8	5	7	11	20	22	47	26	44	168	26	4
	Males	432	34	5	2	1	2	44	1	1	6	6	8	4	1	5	7	10	16	27	26	44	78	14	2
	Females	380	15	1	3	1	1	20	2	2	2	2	4	4	4	2	4	10	6	20	20	39	90	12	2

LOUTH	Persons	1,608	861	89	21	6	2	4	122	11	10	23	15	15	34	17	18	34	33	44	79	79	176	38	2	
	Males	855	470	51	15	5	2	2	75	4	6	12	5	7	16	11	8	15	14	24	43	44	100	22		
	Females	753	391	38	6	1		2	47	7	4	11	10	8	18	6	10	19	19	20	36	35	76	16	2	
MEATH	Persons	1,495	894	77	7	6	5	4	99	10	4	8	13	16	13	19	28	22	33	51	79	113	148	197	38	3
	Males	744	454	38	3	3	2	2	48	3	3	3	5	8	5	8	13	13	26	47	69	71	103	16		
	Females	751	440	39	4	3	3	2	51	7	1	5	8	8	8	11	15	9	20	25	32	44	77	94	22	3
OFFALY	Persons	1,301	804	83	10	12	3	1	109	9	7	12	21	14	14	16	21	21	26	44	40	97	113	191	43	6
	Males	677	431	48	6	4	2		60	5	4	6	9	7	6	8	8	11	19	27	17	55	66	105	18	
	Females	624	373	35	4	8	1	1	49	4	3	6	12	7	8	8	13	10	7	17	23	42	47	86	25	6
WEST-MEATH	Persons	1,372	815	87	7	5	3	6	108	6	9	19	19	25	19	20	19	18	21	38	71	84	114	176	47	2
	Males	710	426	48	4	1	1	4	58	3	7	8	12	11	9	12	8	10	11	20	39	41	57	94	24	2
	Females	662	389	39	3	4	2	2	50	3	2	11	7	14	10	8	11	8	10	18	32	43	57	82	23	
WEXFORD	Persons	2,232	1,531	144	31	15	15	5	210	15	15	20	26	23	35	26	16	24	54	81	128	153	264	353	87	1
	Males	1,099	787	86	15	8	4	3	116	6	10	13	12	15	14	12	9	8	37	34	61	85	131	181	42	1
	Females	1,133	744	58	16	7	11	2	94	9	5	7	14	8	21	14	7	16	17	47	67	68	133	172	45	
WICKLOW	Persons	1,364	868	94	13	5	4	2	118	10	2	14	12	16	16	10	20	19	31	53	64	94	146	195	47	1
	Males	684	462	45	8		1	1	55	6	1	9	7	11	8	5	8	9	19	27	34	54	84	102	23	
	Females	680	406	49	5	5	3	1	63	4	1	5	5	5	8	5	12	10	12	26	30	40	62	93	24	1
<b>MUNSTER.</b>																										
CLARE	Persons	1,811	1,347	107	9	10	3	3	132	6	6	18	31	19	25	22	39	23	38	49	88	134	230	385	92	10
	Males	882	702	45	5	9		3	65	2	4	8	18	8	12	8	22	14	23	19	51	88	116	199	42	3
	Females	929	645	62	4	1			67	4	2	10	13	11	13	14	17	9	15	30	37	46	114	186	50	7
CORK CO.	Persons	5,391	3,899	327	28	18	9	17	399	25	27	38	62	68	62	60	65	111	153	176	299	451	638	1,024	224	17
	Males	2,762	2,096	187	17	11	5	9	229	12	14	23	26	36	28	38	29	65	67	104	149	271	370	509	119	7
	Females	2,629	1,803	140	11	7	4	8	170	13	13	15	36	32	34	22	36	46	86	73	150	180	268	515	105	10
CORK CO. BOROUGH	Persons	1,833	1,130	151	14	4			173	13	14	17	19	17	28	19	29	41	65	83	105	129	159	177	39	3
	Males	942	546	87	8	2	2		99	8	3	9	8	7	12	8	16	19	34	52	62	71	67	17	2	
	Females	891	584	64	6	2	2		74	5	11	8	11	10	16	11	13	22	31	31	53	67	88	110	22	1
KERRY	Persons	2,974	1,884	162	12	7	6	7	194	15	13	26	32	31	38	50	40	51	77	77	133	187	295	493	123	9
	Males	1,671	1,009	91	5	3	4	2	105	7	6	9	14	9	14	17	20	28	32	54	86	113	165	267	59	4
	Females	1,403	875	71	7	4	2	5	89	8	7	17	18	22	24	33	20	23	45	23	47	74	130	226	64	5
LIMERICK CO.	Persons	2,360	1,377	159	18	19	4	1	201	11	4	19	23	29	23	16	32	42	43	46	105	140	204	325	110	4
	Males	1,196	736	95	5	12	2		114	6	3	12	12	9	8	17	21	24	21	56	69	118	187	45	2	
	Females	1,164	641	64	13	7	2	1	87	5	1	7	11	17	14	8	15	21	19	25	49	71	86	138	65	2
LIMERICK CO. BOROUGH	Persons	1,157	651	102	12	10	3	3	180	11	6	14	19	15	19	19	17	23	33	38	56	58	86	88	17	2
	Males	611	309	48	4	5	1	1	59	6	3	7	9	4	10	8	9	11	13	21	26	26	45	39	7	1
	Females	546	342	54	8	5	2	2	71	5	3	7	10	11	9	11	8	12	15	17	30	32	41	49	10	1
TIPPERARY, N.R.	Persons	1,312	867	84	11	3	6	2	106	16	3	9	22	13	13	10	19	23	34	32	64	73	137	220	66	7
	Males	675	442	40	8	2	5	2	57	7	3	3	14	6	6	3	8	9	20	19	33	43	72	104	33	2
	Females	637	425	44	3	1			49	9	9	6	8	7	7	7	11	14	14	13	31	30	65	116	33	5
TIPPERARY, S.R.	Persons	1,934	1,140	125	13	10	1	3	152	13	11	11	23	23	22	20	22	28	44	59	99	107	199	251	52	4
	Males	963	612	76	7	8		2	95	6	4	7	12	9	9	4	15	12	25	37	53	55	109	137	25	
	Females	971	528	49	6	2	1	1	59	7	7	4	11	14	13	16	7	16	19	22	46	52	90	114	27	4

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1945.

Provinces and Counties.	TOTAL BIRTHS.	AGES AT DEATH.																								
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	
WATERFORD CO.	Persons	959	729	56	8	5	2	2	73	3	5	15	15	10	12	7	14	21	20	36	63	75	117	194	43	6
	Males	481	392	34	4	5	1	1	45	2	5	5	8	5	8	4	8	12	13	21	30	42	63	107	18	1
	Females	478	337	22	4	1	1	1	28	1	5	10	7	5	4	3	6	9	7	15	33	33	54	87	25	5
WATERFORD CO. BOROUGH	Persons	704	398	52	12	1	3	•	68	5	6	13	8	6	8	12	15	19	16	18	28	30	46	85	14	1
	Males	343	210	25	8	•	•	•	33	4	4	7	5	4	3	4	8	13	8	15	17	23	48	6	•	
	Females	361	188	27	4	1	3	•	35	1	2	6	3	2	5	8	7	6	8	10	13	13	23	37	8	1
CONNAUGHT.																										
GALWAY	Persons	3,687	2,380	183	26	22	14	5	250	18	27	47	55	44	41	48	46	57	75	93	135	206	312	683	216	27
	Males	1,906	1,256	101	9	14	9	1	134	9	10	29	28	25	21	27	21	23	47	56	74	128	151	351	111	11
	Females	1,781	1,124	82	17	8	5	4	116	9	17	18	27	19	20	21	25	34	28	37	61	78	161	332	105	16
LEITRIM	Persons	824	740	40	1	4	2	2	49	6	5	10	13	9	11	20	9	26	34	40	42	75	117	217	49	3
	Males	466	407	24	1	2	2	•	29	3	1	8	7	5	4	11	5	15	16	26	25	44	64	110	31	8
	Females	358	333	16	•	2	•	2	20	3	4	2	6	4	7	9	4	11	18	14	17	31	53	107	18	5
MAYO	Persons	3,217	2,112	129	23	13	11	5	181	18	15	29	43	31	39	48	35	45	59	64	125	218	300	652	181	29
	Males	1,664	1,093	70	11	4	5	1	91	10	5	11	22	15	20	24	13	24	32	31	68	123	161	355	77	11
	Females	1,553	1,019	59	12	9	6	4	90	8	10	18	21	16	19	24	22	21	27	33	57	95	139	297	104	18
ROSCOMMON	Persons	1,356	1,086	67	8	4	6	5	90	6	3	21	10	13	14	15	21	22	36	37	80	87	189	335	100	7
	Males	706	534	34	5	1	4	4	48	3	1	10	7	4	6	8	5	12	20	18	41	52	110	188	50	1
	Females	650	552	33	3	3	2	1	42	3	2	11	3	9	8	7	16	10	16	19	39	35	79	147	50	6
SLIGO	Persons	1,241	1,036	82	11	6	3	3	105	10	11	12	18	17	21	18	27	17	35	41	61	90	144	315	89	5
	Males	622	559	47	4	5	2	1	59	4	5	6	6	6	10	7	12	15	7	24	28	40	58	168	32	2
	Females	619	477	35	7	1	1	2	46	6	6	6	12	7	14	6	12	10	11	13	21	32	68	147	57	3
ULSTER (part of).																										
CAVAN	Persons	1,435	1,191	88	9	11	3	2	113	9	2	15	18	15	20	19	26	29	59	61	76	121	212	326	67	3
	Males	749	609	51	7	8	2	1	69	2	•	10	8	6	9	5	14	13	25	35	40	69	107	169	26	2
	Females	686	582	37	2	3	1	1	44	7	2	5	10	9	11	14	12	16	34	26	36	52	105	157	41	1
DONEGAL	Persons	3,101	1,976	154	23	6	13	6	202	23	12	25	35	33	49	39	32	45	79	67	157	201	268	545	155	9
	Males	1,633	1,047	89	10	3	7	5	114	15	6	11	14	16	24	17	12	21	46	32	80	123	136	304	72	4
	Females	1,468	929	65	13	3	6	1	88	8	6	14	21	17	25	22	20	24	33	35	77	78	132	241	83	5
MONAGHAN	Persons	1,134	865	63	7	6	2	5	82	6	4	8	10	14	16	24	16	31	26	38	57	94	155	225	52	6
	Males	581	441	38	3	2	2	1	46	3	2	3	2	7	3	14	7	11	15	17	28	47	90	124	20	2
	Females	553	424	25	4	4	•	4	37	3	2	5	8	7	13	10	9	20	11	21	29	47	65	101	32	4



**ABSTRACT IV.**

---

**Causes of Death.**



at different Periods of Life in the Year 1945.

DEATH.														95 & upwards	Detailed International List Nos.	Intermediate International List No.		
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—				75—	85—
202 193	156 163	344 317	417 461	367 411	373 450	416 448	448 481	609 591	911 771	1,122 898	1,723 1,508	2,443 1,865	3,275 2,993	5,046 4,850	1,112 1,354	71 131		
82 95	70 84	212 222	259 309	207 247	201 195	190 160	144 137	139 94	149 95	119 66	122 86	96 61	80 67	67 61	4 7			(1-44)
.	.	2	2	1	.	2	1	1	1	3	1	1	2	1	.	.	.	1
.	.	.	.	2	3	.	1	.	1	2	2	2	1	.	.	.	.	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	6
1 4	1 2	1	1	.	1	1	1	.	.	2	.	.	.	.	.	.	.	7
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	9
2 5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
28 31	11 8	6 9	3 3	2 1	1 1	1 1	2 2	1 1	4	2	3	3	1	.	.	.	.	11
.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	12
2 1	1	1	.	1	.	2	1	2	.	1	2	1	2	1	.	.	.	13
46 44	50 66	188 209	244 298	199 237	192 186	179 146	124 128	121 87	129 79	97 57	96 66	56 39	43 23	13 12	.	.	.	13-22
4	17	117	186	164	161	153	111	110	108	89	81	50	35	10	.	.	.	13
11	29	164	247	194	165	128	112	78	63	43	57	27	18	11	.	.	.	14
42 33	33 37	71 45	58 51	35 43	31 21	26 18	13 16	11 9	21 16	8 14	15 9	6 12	8 5	3 1	.	.	.	14-22
27 20	15 22	38 25	26 20	10 11	12 3	8 3	2 1	4 1	5	.	1	.	.	.	.	.	.	14
10 7	6 5	11 13	5 6	2 12	4 9	3 3	3 2	1	7 6	2 4	2 1	1 1	1 2	.	.	.	.	15
3	1 1	2 1	2 8	8 5	3 1	6 4	1 5	1 2	4 3	1 3	3 2	2 1	1 1	1	.	.	.	16
.	3 2	3 1	3 4	2 1	2 3	.	2 1	1 1	1 2	2 2	2 3	4	3 2	1	.	.	.	17
.	.	.	1	.	.	1	.	1	.	.	1	2	.	.	.	.	.	18
2	1 1	1	1	1 1	1	.	.	1	1	1	2	1 1	.	1	.	.	.	19
.	.	1	4	4 3	3 1	1 2	.	1 1	1	1	2	1	1	.	.	.	.	20

## ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4	Tot und 5 year
		<b>Infective and Parasitic Diseases—continued.</b>												
7	21	Tuberculosis of Other Organs. {M. F.	1 2	.	.	.	.	.	.	.	.	.	.	.
7	22	Disseminated Tuberculosis. {M. F.	98 75	.	.	.	1 1	5 3	6 4	3 4	3 3	2 2	3 .	17 13
17	23	Leprosy ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
8	24	Purulent Infection, and Septicaemia. {M. F.	48 37	2	2 1	.	3 1	1	8 2	2 1	1	1	.	12 3
17	25	Gonococcal Infections {M. F.	1	.	1	.	.	.	1	.	.	.	.	1
17	26	Other Bacterial Diseases (Dysentery excepted). {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
9	27	Dysentery ... {M. F.	8 2	.	1	2	3	1	7	1	.	.	.	7 1
10	28	Malaria ... {M. F.	3	.	.	.	.	.	.	.	.	.	.	.
17	29	Other Diseases due to Parasitic Protozoa, except Spirochaetes {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
11	30	Syphilis* ... {M. F.	40 19	3 3	4	1 1	3	2 1	10 8	2 1	1	.	.	12 10
17	31	Relapsing Fever ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
17	32	Other Diseases due to Spirochaetes {M. F.	6	.	.	.	.	.	.	.	.	.	.	.
12	33	Influenza ... {M. F.	162 144	1	3 1	1 1	3 3	4 2	12 7	3 3	2	2 1	1	19 12
13	34	Smallpox ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
14	35	Measles ... {M. F.	19 23	.	1	.	1 1	2 6	3 8	7 6	4 1	1 1	1	15 17
17	36	Acute Poliomyelitis and Polioencephalitis {M. F.	10 6	.	.	.	.	.	.	1	.	.	.	1 .
17	37	Acute Infectious Encephalitis (Lethargic or Epidemic). {M. F.	10 12	.	.	.	1	.	1	1	1	2	1	1 6
17	38	Other Diseases due to Viruses. {M. F.	1 2	.	.	.	.	.	.	.	.	.	.	.
15	39	Typhus and Typhus-like Diseases (Rickettsioses). {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
16	40	Ankylostomiasis ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
16	41	Hydatid Disease ... {M. F.	.	.	.	.	.	.	.	.	.	.	.	.
16	42	Other Diseases due to Helminths. {M. F.	2	.	.	.	.	.	.	.	.	.	.	.
17	43	Mycoses ... {M. F.	2 1	.	1	.	.	.	1	.	.	.	.	1
17	44	Other Infective or Parasitic Diseases. {M. F.	18 10	.	.	.	.	.	.	.	.	.	.	.

\* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1945.

DEATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--				85--
.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	21	7
2	7	15	16	8	6	8	5	2	2	1	5	2	1	1	.	.	22	7
4	6	4	10	10	3	5	5	3	5	5	.	2	.	.	.	.	23	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	24	8
1	2	2	2	1	2	1	4	3	2	2	.	4	3	6	1	.	25	17
2	1	2	3	2	.	.	2	1	4	2	2	1	6	4	1	.	26	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	27	9
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	28	10
.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	29	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	30	11
.	.	.	.	1	.	2	3	4	2	5	2	5	3	1	.	.	31	17
.	.	.	.	.	.	.	2	2	.	1	.	.	.	.	.	.	32	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	33	12
1	2	4	2	.	1	1	3	5	6	5	19	23	26	42	3	.	34	13
2	1	1	2	3	1	4	.	1	6	4	11	18	31	42	5	.	35	14
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	36	17
.	.	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	37	17
1	1	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	38	17
1	1	.	1	1	.	2	1	.	.	.	.	.	.	.	.	.	39	15
.	.	.	2	.	1	1	.	1	2	.	1	2	.	.	.	.	40	16
.	2	.	1	.	1	1	.	1	.	.	.	.	.	.	.	.	41	16
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42	16
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	43	17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	44	17
.	2	4	1	.	1	1	3	1	1	2	.	1	.	2	.	.		
.	1	.	.	1	2	2	1	.	1	.	1	1	.	.	.	.		



at different Periods of Life in the Year 1945.

DEATH.																95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—			
7 5	2 6	10 2	7 6	16 14	22 29	33 49	48 75	79 134	135 182	187 208	321 287	471 313	404 318	370 277	40 28	2	} (45-57)	(18-24)
4 4	2 3	8 1	5 3	12 14	21 28	28 44	44 73	74 126	128 175	181 196	310 275	462 307	400 310	365 268	40 26	2		
1 .	. 1	. 1	. .	. 1	. 1	. 1	2 1	. 3	1 3	. 6	2 3	2 2	. 1	4 5	. 2	. .	} 57	24
2 1	. 2	1 1	2 3	. .	1 .	5 4	2 1	5 5	6 4	6 4	9 9	7 4	4 7	1 4	. .	. .		
5 7	6 9	9 5	13 18	5 9	3 14	10 9	6 19	6 27	18 25	18 42	38 48	38 56	56 67	56 65	4 11	1 1	} 58	25
3 3	5 6	3 3	6 8	. 2	3 3	. 1	1 2	. 2	1 1	. 2	3 2	2 1	. 1	. .	. .	. .		
. .	. .	. .	. 2	2 1	1 4	2 1	1 2	2 7	6 14	6 22	12 24	19 28	35 36	34 44	1 10	1 1	} 60	26
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. 1	. .	. .	. .		
1 1	1 1	4 1	2 3	. 5	2 2	6 2	1 4	3 6	8 5	8 9	18 13	14 18	17 23	20 18	3 .	. .	} 62	29
. .	. .	. 1	. 1	. .	. .	. .	. .	. .	. .	. 2	. .	. .	. .	. .	. .	. .		
1 1	. .	. 1	3 3	2 .	. 5	1 4	1 10	. 9	1 4	2 6	2 6	1 7	. 7	3 .	. .	. .	} 64	29
. .	. 1	. .	. 1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .	. .	. .		
. .	. .	. .	. 1	. .	. .	1 1	2 1	. 3	1 .	1 1	1 2	2 1	. .	2 .	. .	. .	} 66	29
. 1	. 1	. .	. .	1 1	. .	. .	. .	. .	1 .	. .	. .	. 1	. 1	. .	. .	. .		
. 1	. .	. .	. 1	. .	. .	. .	. .	. .	. .	1 .	. 1	. .	. .	. .	. .	. .	} 67	30
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .		
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	} 69	80
. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	. .	. .	. .	. .	. .		
1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	} 71	30

## ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5 years	
(31-32)	(72-78)	<b>IV. Diseases of the Blood and Blood Forming Organs.</b> { M. F.	201 257	1 2	. 1	. .	. .	2 2	. 2	3 5	5 1	2 5	2 2	2 1	
32	72	Hæmorrhagic Con- ditions. { M. F.	22 18	1 1	. .	. .	. .	1 .	. .	2 1	2 .	. .	. .	. .	
31	78	Anaemias ... { M. F.	141 207	. 1	. 1	. .	. .	. .	. 1	. 3	2 5	1 1	. 1	2 1	
32	74	Leukæmias and Aleukæmias. { M. F.	29 19	. .	. .	. .	. .	1 .	. .	1 .	1 1	1 .	2 1	. .	
32	75	Diseases of the Spleen { M. F.	8 9	. .	. .	. .	. .	. .	. 1	1 .	. .	. .	. .	. .	
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	1 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
(33-34)	(77-79)	<b>V. Chronic Poisoning and intoxication</b> { M. F.	6	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
33	77	Alcoholism (Ethylism) { M. F.	5 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
34	78	Lead Poisoning ... { M. F.	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
(35-41)	(80-89)	<b>VI. Diseases of the Nervous System and Sense Organs.</b> { M. F.	1,703 1,999	53 36	24 21	17 14	36 35	26 22	155 128	32 25	15 14	9 13	3 6	21 18	
40	80	Encephalitis (non-epidemic). { M. F.	23 18	. .	. .	. .	. .	. .	. .	. 2	. .	. .	. .	1 .	
36	81	Meningitis (non-meningococcal). { M. F.	88 74	1 1	1 2	1 .	6 5	9 5	18 13	9 8	7 4	1 5	2 4	3 3	
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	54 44	. .	. .	. .	1 .	. 1	1 1	1 .	. .	. .	. .	2 1	
27	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,165 1,524	. .	. .	. .	. 1	. .	. 1	. .	. 2	. 2	. .	. .	
38	84	Mental Disorders and Deficiency. { M. F.	48 62	. .	. .	. .	. .	1 .	1 .	1 1	1 .	1 .	. .	. .	
39	85	Epilepsy ... { M. F.	46 58	. .	. .	. .	. .	1 .	1 .	1 .	1 1	1 .	1 .	1 .	
40	86	Convulsions (under 5 years). { M. F.	160 131	50 34	22 18	15 13	28 27	14 15	129 107	20 14	5 6	6 4	. .	16 13	
40	87	Other Diseases of the Nervous System. { M. F.	102 76	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
41	88	Diseases of the Organs of Vision. { M. F.	2 2	. .	. .	. .	. .	. 1	. 1	. 2	. .	. .	1 .	. .	
41	89	Diseases of the Ear and of the Mastoid An- trum. { M. F.	15 10	2 1	1 1	1 1	1 .	1 .	5 4	. .	1 .	1 .	1 .	. .	



at different Periods of Life in the Year 1945.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--	85--				
83	24	54	47	27	37	58	711	1416	1230	2319	2742	2524	2529	2529	23	.	(72-76)	(31-32)	
31	.	12	.	.	1	1	2	32	21	1	22	1	11	23	1	.	72	32	
22	2	11	45	7	26	25	38	712	921	1817	2034	2222	2428	2125	12	.	73	31	
1	1	3	2	.	1	1	41	32	15	32	32	21	.	2	.	.	74	32	
.	11	.	.	2	.	1	.	1	.	1	11	1	.	.	.	.	75	32	
.	.	.	.	.	.	1	.	.	1	.	2	.	.	1	1	.	76	32	
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	76	32
.	.	.	.	1	1	1	.	1	1	1	.	.	.	.	.	.	77	(33-34)	
.	.	.	.	.	1	1	.	1	1	1	.	.	.	.	.	.	77	33	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	78	34	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	79	34	
2116	1012	1919	2418	2813	2032	2934	2748	4563	8484	103134	161214	225287	313360	332417	4860	2	(80-98)	(35-41)	
.	12	22	21	41	21	61	11	22	11	.	1	1	.	.	.	.	80	40	
139	76	37	64	44	46	1	31	21	35	2	1	11	11	.	.	.	81	35	
1	.	1	11	1	24	13	28	35	82	83	79	64	73	41	.	.	82	36	
1	1	52	43	34	57	1117	1425	2541	5960	71116	128190	198254	279341	311398	4859	2	83	37	
1	.	3	11	63	14	5	5	64	54	66	67	412	31	25	1	.	84	38	
23	12	45	57	43	36	22	26	13	23	23	53	35	31	44	.	.	85	39	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	86	40
23	1	1	31	62	33	76	32	47	68	146	125	1010	2013	119	.	.	87	40	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	88	41
.	1	3	1	.	1	1	.	2	1	.	1	2	.	.	.	.	89	41	

## ABSTRACT IV.—continued—CAUSES OF DEATH

List No.	Detailed International List Nos.	Causes of Death.	AGE											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	5—
(42-48)	(90-103)	VII. Diseases of the Circulatory System. { M. 5,808 F. 5,200	.	.	.	.	2	2	.	4	1	1	1	.
42-46	90-95	Heart Diseases ... { M. 5,341 F. 4,798	.	.	.	.	2	1	.	3	1	1	1	1
42	90	Pericarditis ... { M. 20 F. 19	.	.	.	.	.	1	.	.	1	1	.	1
46	91	Acute Endocarditis ... { M. 21 F. 11	.	.	.	.	.	.	.	.	.	.	.	.
48	92	Chronic Affection of the Valves and Endocardium. { M. 780 F. 755	.	.	.	.	.	.	.	.	1	.	1	.
44	93	Diseases of the Myocardium. { M. 3,157 F. 3,000	.	.	.	.	.	.	.	.	.	.	.	.
45	94	Diseases of the Coronary Arteries: Angina Pectoris. { M. 705 F. 350	.	.	.	.	.	.	.	.	.	.	.	.
46	95	Other Diseases of the Heart. { M. 658 F. 663	.	.	.	.	1	1	.	2	.	.	1	.
48	96	Aneurysm (except of Heart and Aorta). { M. 2 F. 1	.	.	.	.	.	.	.	.	.	.	.	.
47	97	Arterio-sclerosis (excl. Coron. or Renal scleros. or Cereb. Hem.) { M. 218 F. 165	.	.	.	.	.	.	.	.	.	.	.	.
47	98	Gangrene ... { M. 84 F. 61	.	.	.	.	.	.	.	.	.	.	.	.
48	99	Other Diseases of the Arteries. { M. 24 F. 14	.	.	.	.	.	.	.	.	.	.	.	.
48	100	Diseases of the Veins { M. 19 F. 19	.	.	.	.	.	.	1	1	.	.	.	.
48	101	Diseases of the Lymphatic System. { M. 4 F. 3	.	.	.	.	.	.	.	.	.	.	.	.
48	102	High Blood Pressure (Idiopathic). { M. 115 F. 138	.	.	.	.	.	.	.	.	.	.	.	.
48	103	Other Diseases of the Circulatory System. { M. 1 F. 1	.	.	.	.	.	.	.	.	.	.	.	.
(48-52)	(104-114)	VIII. Diseases of the Respiratory System. { M. 2,091 F. 1,615	51	62	50	121	114	398	67	24	15	10	.	
52	104	Diseases of the Nasal Passes and Annexa. { M. 3 F. .	.	.	1	.	.	1	.	.	.	.	.	
52	105	Diseases of the Larynx { M. 20 F. 6	2	.	1	2	5	10	1	2	3	.		
49	106	Bronchitis ... { M. 756 F. 614	5	9	10	19	9	52	13	2	3	4		
50	107-9	Pneumonia, All Forms { M. 957 F. 758	41	52	37	99	100	329	50	20	9	6		
50	107	Broncho-pneumonia ... { M. 468 F. 417	23	40	28	69	67	227	37	12	5	5		
50	108	Lobar Pneumonia ... { M. 153 F. 105	5	2	1	9	11	28	3	1	.	.		
50	109	Pneumonia (un-specified). { M. 336 F. 236	13	10	8	21	22	74	10	7	4	1		
			11	7	8	14	17	57	14	4	.	4		

at different Periods of Life in the Year 1945.

DEATH.															95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
5--	10--	15--	20--	25--	30--	35--	40--	45--	50--	55--	60--	65--	70--	75--				85--
10	15	13	26	35	35	47	91	131	267	367	608	947	1,325	1,645	241	12	} (30-103)	(42-48)
10	13	25	34	29	42	62	79	131	210	268	517	716	1,224	1,510	305	17		
9	14	12	25	34	34	44	76	123	244	333	568	872	1,222	1,495	224	9	} 60-95	42-46
	12	25	33	26	42	59	72	122	189	242	475	671	1,124	1,393	280	17		
2		1		2	1	1	1		1	1	1	1	1	2	1		} 90	42
1	1		2	2				2	2	1	1	1	2	3				
2	2	1	1	2	1		1	1	4	2		3	2	1			} 91	46
	1			1	3							2			1			
3	7	8	16	19	15	20	18	29	51	46	94	147	147	145	13		} 92	43
5	8	17	19	15	21	30	22	34	47	44	88	112	148	124	20			
1	1	2	2	5	10	9	28	41	101	160	283	469	795	1,072	172	6	} 93	44
1	2	5	4	6	12	21	28	55	90	121	275	402	718	1,032	219	14		
			1	1	3	6	21	36	68	88	110	138	118	107	12	1	} 94	45
				1	3	2	6	10	15	33	48	59	93	66	14			
1	4		3	6	4	8	7	16	19	36	80	114	165	167	26	2	} 95	46
2		3	8	1	3	6	14	21	35	43	63	95	167	170	26	3		
						1				1				1			} 96	48
					1	1			7	13	15	42	55	74	9	1	} 97	47
									4	10	11	20	48	68	14			
								1	1	2	4	7	18	43	7	1	} 98	47
							1		3	2	5	4	17	20	9			
		1						2	1	3	2	2	7	6			} 99	43
							4				2	1	3	2				
	1						1	1	1	4	8	5	2	1			} 100	45
	1							1	2		5	1	3	4				
1			1	1										1			} 101	48
1														1				
						2	4	4	13	11	16	19	20	24	1	1	} 102	46
			1	1		1	2	8	11	14	19	19	33	27	2			
													1				} 103	46
													1					
13	13	11	20	20	24	33	45	74	92	132	166	213	290	369	67		} (104-114)	(48-52)
13	9	10	18	19	17	21	29	46	50	59	114	157	235	327	70	5		
							1			1							} 104	51
1		1		1								1					} 105	52
					1				1			1	1					
4	5	1	3	4	7	9	17	22	38	53	61	79	159	182	28		} 106	49
1			6		3	7	8	19	23	28	46	84	112	175	38	2		
7	7	6	10	9	11	13	17	29	33	48	41	65	87	134	26		} 107-9	50
11	6	6	6	11	6	9	10	17	15	20	41	55	80	113	19	2		
5	4		4	2	4	2	4	7	9	17	13	19	30	53	9		} 107	50
6	1	3	2	3	2	4	2	6	5	11	17	26	35	60	14	2		
2	2	3	2	3	3		4	7	10	11	9	14	21	25	5		} 108	55
	1	1	1	2		1	1	6	4	2	8	9	21	13	1			
	1	3	4	4	4	11	9	15	14	20	19	32	36	56	12		} 109	59
5	4	2	3	6	4	4	7	5	6	7	16	20	24	40	4			

## ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediete International List Nos.	Detailed International List Nos.	Causes of Death.	AGES												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5 year	
		<b>VIII. Diseases of the Respiratory System—contd.</b>													
51	110	Pleurisy ... {M. F.	66 31	. .	. .	1 .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .
53	111	Congestion, Oedema {M. Haemorrhagic Infarc- F. tion and Thrombosis of the Lungs.	118 130	3 2	1 1	. 3	1 2	. .	. .	5 8	1 1	. .	. .	. .	. .
52	112	Asthma ... {M. F.	130 60	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .
52	113	Pulmonary Emphysema {M. F.	13 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
52	114	Other Diseases of the {M. Respiratory System. F.	28 13	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. 1	. .	. .
(53- 60)	(115- 129)	<b>IX. Diseases of the Digestive System.</b> {M. F.	<b>1,306 1,082</b>	<b>136 85</b>	<b>148 105</b>	<b>109 100</b>	<b>157 138</b>	<b>68 69</b>	<b>618 497</b>	<b>25 33</b>	<b>23 11</b>	<b>7 7</b>	<b>6 9</b>	<b>67 55</b>	
60	115	Diseases of the Buccal {M. Cavity and Annexa F. and of the Pharynx and Tonsils.	13 18	. 1	. 1	. .	. .	1 .	1 2	. .	1 .	. .	. 2	. .	
60	116	Diseases of the Oeso- {M. phagus. F.	5 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
53	117	Ulcer of the Stomach {M. or Duodenum. F.	174 47	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	
60	118	Other Diseases of the {M. Stomach. F.	81 79	9 7	8 4	3 3	8 5	1 .	29 19	1 1	3 1	2 .	. .	3 2	
51- 55	119- 120	Diarrhoea and Enteritis {M. F.	683 601	127 75	140 97	105 96	146 133	59 64	577 465	20 30	12 6	1 3	2 3	61 50	
56	121	Appendicitis ... {M. F.	57 57	. .	. .	. .	. .	. .	. .	1 1	2 .	3 2	2 2	. .	
57	122	Hernia, Intestinal {M. Obstruction. F.	133 122	. 2	. 3	1 1	2 .	7 4	10 10	3 1	3 2	. 1	2 .	1 1	
60	123	Other Diseases of the {M. Intestines. F.	18 17	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
58	124	Cirrhosis of the Liver {M. F.	46 18	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
59	125	Other Diseases of the {M. Liver. F.	28 21	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	
59	126	Biliary Calculi ... {M. F.	22 47	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
59	127	Diseases of the Gall {M. Bladder and Ducts. F.	17 31	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	. .	
60	128	Diseases of the Pancreas {M. (other than Diabetes). F.	7 8	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	
60	129	Peritonitis, without {M. stated cause. F.	22 16	. .	. .	. .	1 .	. 1	1 1	. .	. 2	. 1	. 1	. .	

at different Periods of Life in the Year 1945.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	2	5	1	1	5	2	5	6	6	5	11	4	9	3	.	} 110	51	
.	1	2	2	2	2	1	4	2	1	2	3	3	2	2	1	.			
1	1	1	.	2	.	1	3	5	2	7	15	21	22	26	5	.	} 111	52	
1	.	.	2	2	2	3	3	4	5	6	9	19	25	28	11	1			
.	.	1	1	2	4	6	5	9	7	15	29	22	12	16	4	.	} 112	52	
.	.	.	.	.	2	1	4	2	5	2	13	5	13	8	1	.			
.	.	.	.	.	1	1	.	.	1	.	1	3	3	2	1	.	} 113	52	
.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.	.			
.	2	1	1	3	.	3	.	4	5	2	4	1	3	.	.	.	} 114	52	
.	.	.	.	2	.	.	.	2	.	.	2	.	1	1	.	.			
17	11	12	15	7	18	21	33	39	80	49	76	83	86	82	8	.	} (115-128)	(53-60)	
13	8	10	9	16	21	26	18	27	36	33	52	68	84	94	10	.			
2	1	2	.	.	1	2	.	1	.	1	.	.	1	.	.	.	} 115	60	
.	2	2	.	1	.	1	1	2	.	1	2	1	1	.	.	.			
.	.	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	} 116	60	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	2	1	8	6	9	20	20	18	33	24	17	14	.	.	} 117	53	
.	.	.	2	2	8	2	4	1	7	3	8	11	1	7	1	1			
1	.	.	1	.	1	.	4	1	4	6	3	8	7	10	.	.	} 118	60	
.	1	.	.	1	4	4	3	2	2	5	2	5	16	13	.	.			
2	.	2	3	1	2	1	3	2	7	3	5	6	20	13	1	.	} 119-120	54	
5	.	.	2	3	1	2	1	3	7	8	9	8	22	20	2	.			
4	5	3	4	3	2	2	3	1	4	2	5	5	3	2	.	.	} 121	56	
4	2	5	2	3	5	5	3	3	3	4	5	4	2	2	.	.			
3	3	3	1	.	3	5	5	4	10	5	5	11	27	28	2	.	} 122	57	
1	.	.	1	3	4	3	2	3	5	6	15	12	19	30	4	.			
1	.	.	.	1	.	.	.	1	3	2	1	2	4	3	.	.	} 123	60	
.	.	.	.	.	1	1	1	1	3	1	2	2	4	1	.	.			
1	.	.	.	.	1	1	1	4	5	5	12	7	5	4	1	.	} 124	58	
.	1	.	.	.	1	2	1	.	1	3	.	3	4	2	.	.			
.	.	1	1	.	1	1	3	3	3	4	4	1	3	2	.	.	} 125	58	
2	1	.	2	1	2	.	.	5	.	.	3	1	1	3	.	.			
.	.	.	.	1	1	.	1	2	2	1	3	5	5	2	1	.	} 126	58	
.	.	.	.	.	1	3	1	1	2	5	3	12	9	9	1	.			
1	.	.	.	1	.	.	2	.	.	1	.	5	1	3	2	.	} 127	59	
.	1	1	1	.	1	1	1	2	3	1	2	5	3	6	2	.			
.	.	.	.	.	1	.	.	.	.	1	1	3	1	.	.	.	} 128	60	
.	.	.	.	.	1	1	.	.	.	1	1	3	3	.	.	.			
1	2	1	3	.	.	2	1	.	2	.	3	4	1	1	.	.	} 129	60	
1	.	2	1	1	.	1	1	.	.	.	.	1	2	1	.	.			



at different Periods of Life in the Year 1945.

DEATH.																	95 & up-wards	Detailed International List Nos.	Intermediate International
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
6 3	4 6	8 9	8 17	12 16	11 22	17 22	19 39	35 33	40 37	55 35	116 61	183 63	209 75	250 69	44 9	.	(130-139)	(61-67)	
6 2	2 5	7 8	8 11	9 13	8 16	16 14	19 33	30 26	31 30	41 32	91 55	129 54	125 65	127 60	18 7	.	(130-132)	61	
3 1	1 4	3 2	2 3	3	1 2	3 2	5	3 4	7 6	3 3	5 7	9 4	14 4	11 7	.	.	(130)	61	
3 1	1	2	2 5	5 5	3 4	3 3	6 11	12 8	9 15	12 8	28 22	62 24	42 29	52 19	6 3	.	(131)	61	
.	1	4 4	4 3	1 8	4 10	10 9	13 17	15 14	15 9	26 21	58 26	58 26	69 32	64 34	12 4	.	(132)	61	
1	1	1 1	.	1 1	2 3	1 2	3	3 4	4 2	5 2	3 2	8 5	4 5	8 5	1	.	(133)	62	
.	.	.	1	1 1	.	.	.	.	1	.	2 1	2	.	.	.	.	(134)	63	
.	1	.	.	.	1	.	.	.	2 2	1	4	4 4	17 4	29 4	7 1	.	(135)	64	
.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	(136)	65	
.	.	.	.	1	.	.	.	2	3	6	16	40	62	84	18	.	137	66	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	138	67	
.	1	.	5	1	3	6	3	2	3	1	3	.	1	.	1	.	139	67	
.	.	2	14	25	56	42	18	2	.	.	.	.	.	.	.	.	(140-150)	(68-70)	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	141	61
.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	142	61
.	.	.	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	143	61
.	.	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	144	61
.	.	1	6	6	7	3	3	.	.	.	.	.	.	.	.	.	.	145	61
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	146	71
.	.	.	4	6	14	11	3	1	.	.	.	.	.	.	.	.	.	147	71
.	.	1	3 1 2	6 4 2	10 5 5	10 2 8	4 2 2	1 1	.	.	.	.	.	.	.	.	.	148	71
.	.	.	.	1	10	2	2	.	.	.	.	.	.	.	.	.	.	149	71
.	.	.	1	4	10	9	1	.	.	.	.	.	.	.	.	.	.	150	71







## ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT												
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years	
		<b>XVII. Deaths from Violence</b>													
		<i>—contd.</i>													
84	174	Accidents in Mines and Quarries. { M. F.	3	.	.	.	.	.	.	.	.	.	.	.	.
84	175	Agricultural and Forestry Accidents. { M. F.	18	1	.	.	.	.	.	.	.	.	.	.	.
84	176	Accidents caused by Machinery. { M. F.	10	.	.	.	.	.	.	.	.	.	.	.	.
84	177	Food Poisoning ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5	2	.	.	.	.	.	.	.	.	.	.	.
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	9	3	.	.	.	.	.	1	.	.	.	.	1
84	180	Conflagration ... { M. F.	4	.	.	.	.	.	.	1	.	1	.	.	2
84	181	Accidental Burns (Conflagration excepted). { M. F.	39	70	1	.	.	3	1	4	7	9	1	4	22
										8	1	5	4	5	23
84	182	Accidental Mechanical Suffocation. { M. F.	16	7	3	2	3	4	.	2	1	.	.	.	13
										6	.	1	.	.	7
84	183	Accidental Drowning ... { M. F.	109	29	2	.	.	.	.	.	2	5	5	2	12
												2	.	1	5
84	184	Accidental Injury by Firearms. { M. F.	9	1	.	.	.	.	.	.	.	.	.	.	.
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	1	.	.	.	.	.	.	.	.	.	.	.	.
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	73	24	.	.	.	.	.	.	.	.	2	.	2
													1	.	3
84	187	Cataclysm ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
84	188	Injury by Animals ... { M. F.	13	.	.	.	.	.	.	.	.	.	.	.	.
84	189	Hunger or Thirst ... { M. F.	1	.	.	.	.	.	.	.	.	.	.	.	.
84	190	Excessive Cold ... { M. F.	1	.	.	.	.	.	.	.	.	.	.	.	.
84	191	Excessive Heat ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
84	192	Lightning ... { M. F.	1	.	.	.	.	.	.	.	1	.	.	.	1
84	193	Other Accidents due to Electric Currents { M. F.	4	1	.	.	.	.	.	.	.	.	.	.	.
84	194	Attack by Venomous Animals. { M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
84	195	Other Accidents ... { M. F.	90	117	7	11	.	.	.	1	8	.	.	1	9
85	196	Deaths of Persons in Military Service during Operations at War. { M. F.	2	.	.	.	.	.	.	.	.	.	.	.	.
85	197	Deaths of Civilians due to Operations of War. { M. F.	1	.	.	.	.	.	.	.	.	.	.	.	.
86	198	Legal Executions ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.
87	(189-200)	<b>XVIII. Ill-defined Causes of Death.</b> { M. F.	<b>238</b>		<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>1</b>
			<b>210</b>								<b>6</b>	<b>8</b>	<b>3</b>		<b>20</b>
87	199	Sudden Death { M. F.	19	17	.	.	.	.	.	.	.	.	.	.	.
87	200	Causes of Death Unstated or Ill-defined. { M. F.	219	193	1	1	2	1	2	1	5	8	4	5	20
											6	8	6	1	20

at different Periods of Life in the Year 1945.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	
.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	171	84	
.	.	1	3	1	3	2	1	3	1	1	2	.	.	.	.	.	175	84	
.	.	1	.	3	1	1	1	.	.	1	1	.	1	.	.	.	176	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	177	84	
.	.	.	.	1	2	.	1	.	.	1	1	.	.	.	.	.	178	84	
1	.	.	1	.	.	2	1	2	.	1	1	.	1	.	.	.	179	84	
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	180	84	
3	.	.	1	.	1	1	2	3	1	3	2	1	5	5	.	.	181	84	
5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	182	84	
5	5	17	8	10	6	2	5	2	4	7	9	6	5	5	1	.	183	84	
5	1	1	6	3	2	2	2	2	1	.	.	2	2	.	1	.	184	84	
.	.	2	.	1	3	.	.	1	.	.	2	.	.	.	.	.	185	84	
2	4	3	4	3	3	4	3	3	8	11	2	5	4	12	.	.	186	84	
2	.	.	.	.	.	.	1	1	1	3	4	.	3	5	2	.	187	84	
.	.	.	.	.	1	.	.	4	1	.	.	.	.	.	.	.	188	84	
.	.	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	189	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	190	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	191	84	
.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	192	84	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	193	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194	84	
1	1	3	2	3	1	.	2	2	4	5	7	10	15	17	8	1	195	84	
.	.	.	.	.	.	1	1	1	2	1	5	10	25	45	11	.	196	85	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	197	85
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	198	86	
3	.	2	2	2	2	4	5	12	18	23	45	99	1	.	.	.	(199-200)	87	
2	.	3	2	3	5	5	2	6	13	19	58	72	2	.	.	.	199	87	
.	.	1	.	.	.	.	1	.	4	4	5	5	.	.	.	.	200	87	
3	.	2	2	2	2	4	4	12	14	19	40	94	1	.	.	.	.	.	
2	.	2	2	1	5	5	2	6	12	15	54	65	2	.	.	.	.	.	

**ABSTRACT V.**

---

**ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1945.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5--	15--	25--	35--	45--	55--	65--	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.	
	<b>ALL CAUSES</b> ... M. } ... F. }	<b>42,762</b>	<b>22,266</b> <b>20,496</b>	<b>2,664</b> <b>2,075</b>	<b>567</b> <b>536</b>	<b>353</b> <b>356</b>	<b>761</b> <b>778</b>	<b>740</b> <b>861</b>	<b>864</b> <b>929</b>	<b>1,520</b> <b>1,362</b>	<b>2,845</b> <b>2,406</b>	<b>5,718</b> <b>4,858</b>	<b>5,229</b> <b>6,335</b>	<b>3,240</b> <b>2,574</b>	<b>477</b> <b>584</b>	<b>4,462</b> <b>3,390</b>	<b>14,087</b> <b>13,988</b>	<b>2,783</b> <b>2,819</b>
1	Typhoid Fever (including Para- M. } typhoid). F. }	32	18 14	.	.	.	4	1 5	3 1	2 1	4 4	3 3	1	5 3	5 4	8 6	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	31	19 12	4 3	7 2	2 6	2	1	1	.	2	.	.	4 3	.	11 4	4 5	.
3	Scarlet Fever ... M. } ... F. }	4	2 2	.	1	.	1	.	.	1	.	.	.	.	.	1 1	1 1	.
4	Whooping Cough ... M. } ... F. }	146	67 79	42 49	23 24	2 5	.	.	.	.	.	.	.	11 10	.	6 3	50 66	5 2
5	Diphtheria ... M. } ... F. }	236	113 123	9 11	44 47	39 39	9 12	3 2	3 3	1 5	2 3	3 1	.	35 26	.	57 74	21 23	1 3
6	Tuberculosis of the Respiratory M. } System. F. }	2,777	1,415 1,362	9 4	10 11	21 40	303 411	325 359	264 240	218 141	170 100	85 45	10 11	481 494	82 67	263 198	589 603	17 19
7	All other forms of Tuberculosis ... M. } ... F. }	917	486 431	23 23	82 78	75 70	129 96	66 64	39 34	32 25	23 23	14 17	3 1	156 140	23 16	157 131	150 144	.
8	Dysentery ... M. } ... F. }	10	8 2	7	.	.	.	1	.	.	.	.	.	5	.	2	1	.
9	Influenza ... M. } ... F. }	306	162 144	12 7	7 5	3 3	6 3	1 4	4 4	11 7	24 15	49 49	45 47	8 5	1	15 12	138 127	38 35
10	Measles ... M. } ... F. }	42	19 23	3 8	12 9	.	4	4	1	.	.	.	.	2 3	.	1 1	16 19	2 6
11	Acute Infectious Encephalitis ... M. } ... F. }	22	10 12	.	1 5	.	2 1	1 1	1 1	2 1	1	2	.	2 5	.	4	4 6	.
12	Typhus ... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	3,954	2,091 1,863	.	7 8	6 7	13 4	33 42	72 117	202 301	491 471	862 617	405 296	345 263	28 22	511 336	1,207 1,242	39 28
14	Diabetes Mellitus ... M. } ... F. }	221	110 111	1	1	2	6	2	7	11	26	31	23	17	3	32	58 66	3 4

84

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	2,665 } 1,165 } 1,524 }	.	2	2	9	8	25	84	199	477	359	86	22	235	822	109
				1	4	.	5	11	42	101	306	595	459	129	25	246	1,124	111
16	Diseases of the Heart	... M. } ... F. }	10,139 } 5,341 } 4,798 }	.	3	23	37	68	120	367	901	2,094	1,728	311	161	1,107	3,762	237
				3	4	23	58	68	131	311	717	1,795	1,690	259	156	794	3,589	227
17	Other Diseases of the Circulatory System.	M. } F. }	869 } 467 } 402 }	.	.	2	2	2	8	31	74	178	170	52	13	135	267	6
				1	.	2	1	3	10	30	68	145	142	41	8	73	280	14
18	Bronchitis ...	... M. } ... F. }	1,370 } 756 } 611 }	52	22	9	4	11	26	60	114	248	210	53	2	168	533	57
				56	16	1	6	3	15	42	74	186	215	28	5	73	508	54
19	Pneumonia ...	... M. } ... F. }	1,715 } 957 } 758 }	329	85	14	16	20	30	62	89	152	160	126	9	168	654	47
				235	96	17	12	17	19	32	61	135	134	91	20	102	545	19
20	Other Diseases of the Respiratory System.	M. } F. }	621 } 378 } 243 }	17	9	3	11	13	27	44	85	103	66	52	7	92	227	17
				9	4	4	10	16	16	22	38	71	53	26	5	36	176	12
21	Ulcer of the Stomach or Duodenum.	M. } F. }	221 } 174 } 47 }	.	1	.	2	9	15	40	51	41	15	56	1	50	67	2
				.	.	.	.	2	6	8	11	12	8	12	.	6	29	3
22	Diarrhoea and Enteritis	... M. } ... F. }	1,284 } 683 } 601 }	577	35	2	5	3	4	9	8	26	14	357	3	83	240	11
				465	42	5	2	4	4	15	12	30	22	161	75	129	236	10
23	Appendicitis ...	... M. } ... F. }	114 } 57 } 57 }	.	8	10	7	5	5	7	8	2	31	.	20	6	.	.
				.	5	6	7	8	8	6	9	6	2	23	2	21	11	1
24	Cirrhosis of the Liver	... M. } ... F. }	64 } 46 } 18 }	.	.	1	.	.	2	9	17	12	5	1	1	11	33	1
				.	.	1	.	1	3	1	3	7	2	3	3	12	12	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	166 } 67 } 99 }	.	2	1	2	2	7	10	13	20	10	17	.	14	36	1
				.	1	4	4	6	5	13	14	31	21	23	1	25	50	1
26	Other Diseases of the Digestive System.	M. } F. }	539 } 279 } 260 }	41	15	14	11	6	21	26	29	72	44	81	4	84	110	8
				32	12	5	6	16	18	20	36	66	49	63	3	52	142	10
27	Nephritis ...	... M. } ... F. }	1,110 } 673 } 437 }	3	3	8	15	17	35	61	132	254	145	96	5	199	373	15
				2	4	7	19	29	47	56	87	119	67	57	7	86	287	3
28	Puerperal Infection ...	... F. }	35 } 35 }	.	.	.	4	16	14	1	.	.	.	13	.	13	9	1
29	Other Diseases of Childbirth	... F. }	124 } 124 }	.	.	.	12	65	46	1	.	.	.	37	.	49	38	2
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	2,375 } 1,355 } 1,020 }	1,308	29	6	7	2	1	2	.	.	.	439	1	259	656	111
				976	23	9	4	4	2	2	.	.	.	329	.	210	481	116
31	Senility ...	... M. } ... F. }	6,268 } 2,927 } 3,371 }	.	.	.	.	.	.	.	.	440	2,487	22	44	278	2,583	1,762
				.	.	.	.	.	.	.	.	506	2,865	31	61	284	2,995	1,836
32	Suicide ...	... M. } ... F. }	71 } 55 } 16 }	.	.	.	4	9	9	12	13	7	1	5	1	.	49	.
				.	.	.	.	5	4	3	4	.	.	2	.	1	13	.
33	Other Violence ...	... M. } ... F. }	807 } 523 } 284 }	27	43	41	66	52	41	46	73	73	61	91	1	87	344	5
				23	28	20	11	12	9	12	26	55	82	57	6	76	145	4
34	Other Causes	... M. } ... F. }	3,453 } 1,843 } 1,610 }	200	115	72	85	79	94	172	297	464	265	293	60	404	1,086	289
				160	107	75	84	90	122	195	300	326	151	60	315	1,015	290	

**ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1945.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	Un-certified Deaths.
	ALL CAUSES ... M. } ... F. }	17,954	8,216 8,738	1,482 1,226	260 273	175 151	363 373	347 336	400 423	701 601	1,299 1,124	2,221 2,051	1,988 2,230	2,173 1,618	176 324	1,828 1,461	5,039 5,335	512 492
1	Typhoid Fever (including Para- M. } typhoid). F. }	11	8 3	. .	. .	. .	2 .	. 1	1 1	1 .	1 .	2 1	1 .	4 .	. 1	4 1	. 1	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	7	3 4	. 2	3 1	. .	. .	. .	. 1	. .	. .	. .	. .	2 3	. .	. .	1 1	. .
3	Scarlet Fever ... M. } ... F. }	1	. 1	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
4	Whooping Cough ... M. } ... F. }	77	39 38	24 25	13 10	2 2	. 1	. .	. .	. .	. .	. .	. .	11 8	. .	2 2	26 28	. 1
5	Diphtheria ... M. } ... F. }	118	56 62	7 8	23 30	18 16	3 3	1 .	2 .	. 2	1 2	1 1	. .	25 16	. .	24 35	7 11	. 2
6	Tuberculosis of the Respiratory M. } System. F. }	1,355	707 648	5 4	6 9	8 15	152 204	158 165	129 119	114 54	83 48	48 24	4 6	271 240	25 29	116 82	295 297	3 6
7	All other forms of Tuberculosis ... M. } ... F. }	241	226 215	17 11	39 47	29 31	65 55	30 31	20 15	15 9	8 8	4 8	1 .	96 93	9 9	61 60	60 53	. .
8	Dysentery ... M. } ... F. }	6	6 .	5 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	5 .	. .	1 .	. .	. .
9	Influenza ... M. } ... F. }	89	46 43	5 3	3 2	1 1	3 .	. .	2 .	. 4	. 3	12 14	12 16	8 4	. .	1 .	37 39	9 11
10	Measles ... M. } ... F. }	13	6 7	1 2	5 4	. 1	. .	. .	. .	. .	. .	. .	. .	2 3	. .	1 1	3 3	. 1
11	Acute Infectious Encephalitis ... M. } ... F. }	11	3 8	. 1	. 3	. 1	. 1	. 1	. .	1 1	1 .	1 .	. .	1 5	. 1	. .	2 2	. 1
12	Typhus ... M. } ... F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. } ... F. }	1,699	854 845	. .	2 2	4 5	7 2	15 24	28 63	98 137	222 221	346 246	132 145	226 179	11 14	199 128	418 524	5 7
14	Diabetes Mellitus ... M. } ... F. }	87	37 50	1 .	1 .	. 1	1 3	1 3	1 3	1 5	10 11	12 15	8 6	6 13	1 .	10 8	20 29	1 .

15	Intra-cranial Lesions of Vascular Origin.	M.	1,766	654		2		4	5	14	45	92	177	115	55	8	97	294	20
		F.		686	1	2		3	4	18	50	158	265	185	92	11	113	470	17
16	Diseases of the Heart	M.	4,634	2,237		11	16	25	47	167	405	873	691	213	67	409	1,546	72	
		F.		2,397	1	9	24	42	63	147	347	843	773	164	94	363	1,628	49	
17	Other Diseases of the Circulatory System.	M.	401	259		2		2	6	9	41	105	91	38	6	87	138		
		F.		235		1		2	10	16	49	88	69	31	8	44	152	5	
18	Bronchitis ...	M.	534	322	21	15	6	3	5	11	31	72	90	68	36	1	78	207	6
		F.		242	18	6	1	4	1	5	21	32	71	83	16	2	28	196	2
19	Pneumonia ...	M.	841	478	207	40	9	10	3	20	32	50	54	55	95	2	101	281	17
		F.		362	130	20	10	6	9	10	12	24	59	62	66	15	53	228	1
20	Other Diseases of the Respiratory System.	M.	788	181	5	5	2	6	6	11	13	55	44	28	34	1	51	95	2
		F.		107	5	2	2	3	4	7	10	18	37	19	12	2	13	80	4
21	Ulcer of the Stomach or Duodenum.	M.	88	71		1		1	4	5	20	24	13	3	30	1	16	24	
		F.		18						3	3	3	4	5	8			10	1
22	Diarrhoea and Enteritis	M.	836	443	402	17		3	2	1	6	5	7	5	323	1	33	91	4
		F.		388	326	22	1	2	1	1	5	7	14	9	132	71	80	105	3
23	Appendicitis ...	M.	54	28		5	6	1	3	3	1	4	4	1	16		11	1	
		F.		26		4	3	2	4	2	4	3	1	13		1	6		6
24	Cirrhosis of the Liver	M.	29	18						1	6	7	3	1			4	13	
		F.		10						2	2	5		3		1	1	6	
25	Diseases of the Liver and Biliary Passages.	M.	63	25		2		1	1	1	5	5	5	10		2	13		
		F.		38		3	3	3	3	6	5	8	7	14	1	9	14		
26	Other Diseases of the Digestive System.	M.	295	168	20	3	8	2	4	10	8	13	28	12	43	4	32	29	1
		F.		97	17	6	1	7	2	12	13	21	18	32	2	19	44		
27	Nephritis ...	M.	510	310	1	1	3	10	8	16	33	58	121	59	61	3	110	136	
		F.		200		2	7	4	16	20	22	43	33	53	39	6	34	121	1
28	Puerperal Infection ...	F.	12	12				2	4	5	1			8		1	3		
29	Other Diseases of Childbirth ...	F.	50	50				7	23	20				16		21	13	1	
30	Congenital Debility, etc. (Nos. 157-161).	M.	1,216	695	677	9	3	4		1	1				318		107	270	30
		F.		521	504	12	3		1	1					247		90	184	31
31	Senility ...	M.	1,473	656								105	551	14	13	88	541	265	
		F.		817									115	702	12	14	102	689	271
32	Suicide ...	M.	23	16				2	4	3	5	1		4	1		11		
		F.		7					2	2	3	1		2			5		
33	Other Violence ...	M.	350	229	14	19	27	29	23	21	18	28	30	20	55		30	144	
		F.		121	11	16	6	6	6	6	2	6	10	24	29	3	35	54	1
34	Other Causes ...	M.	1,319	691	76	46	36	36	42	46	60	109	156	84	170	22	153	346	76
		F.		628	58	52	33	35	31	44	73	116	129	57	118	40	131	339	75



**ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1945.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. F. }	521	273 248	33 27	8 13	1 4	13 12	8 12	9 6	17 17	33 30	68 59	83 68	29 20	5 5	49 52	190 171	31 33
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. F. }	6	2 4	1	3	.	.	.	1	.	.	1	.	.	.	1 3	1 1	.
6	Tuberculosis of the Respiratory System. M. F. }	35	13 22	.	1	.	5 8	2 8	4 1	2 2	.	2	.	4 3	1	2 11	6 8	1 1
7	All other forms of Tuberculosis ... M. F. }	12	8 4	1	1	1	4 2	1	1	1	.	.	.	1	1	5 2	1 2	.
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	4	4	.	1	.	1	.	.	.	.	2	.	.	.	.	4	2
10	Measles ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	46	24 22	.	.	1	.	2	1	2 7	5 4	11 6	6 1	3 8	1	6 5	14 9	.
14	Diabetes Mellitus ... M. F. }	4	4	.	.	.	.	.	.	1	3	.	.	1	.	1	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	28	13 15	.	.	.	.	1	1	1	2 2	6 7	3 5	.	.	2 4	11 11	2
16	Diseases of the Heart	... M. } ... F. }	156	76 80	.	.	1	.	1	2	7 6	12 9	25 34	31 27	3 3	1	21 19	51 58	1 2
17	Other Diseases of the Circulatory System.	M. } F. }	5	3 2	.	.	.	.	.	.	.	1	3 1	.	.	1	.	2 2	.
18	Bronchitis	... M. } ... F. }	6	3 3	.	1	.	.	.	.	.	1	1 2	.	.	.	.	3 3	1
19	Pneumonia	... M. } ... F. }	16	6 10	3 2	1 1	.	.	1	.	.	1 2	.	1 4	.	.	1	6 9	1
20	Other Diseases of the Respiratory System.	M. } F. }	7	4 3	.	.	.	.	.	1	.	1 1	1 2	1	.	1	1	3 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	.	.	.	.	.	.	.	1 1	1 1	1	.	.	.	3 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	10	2 8	1 5	1 2	.	.	.	.	.	.	1	.	1	.	.	2 7	1
23	Appendicitis	... M. } ... F. }	2	.	2	.	.	.	.	.	.	1	1	.	.	1	.	1	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.
26	Other Diseases of the Digestive System.	M. } F. }	3	1 2	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.
27	Nephritis	... M. } ... F. }	11	8 3	.	.	.	.	1	.	.	2	3 3	2	2	.	2	4 3	.
28	Puerperal Infection	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	41	24 17	23 17	1	.	.	.	.	.	.	.	.	8 4	.	3 2	13 11	2 4
31	Senility	... M. } ... F. }	69	37 32	.	.	.	.	.	.	.	.	4 1	33 31	.	1	.	37 31	17 19
32	Suicide	... M. } ... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
33	Other Violence	... M. } ... F. }	8	7 1	.	1	.	.	1	.	.	1	4	.	.	.	1	6 1	.
34	Other Causes	... M. } ... F. }	43	27 16	5 2	1 3	.	3 1	1	2 1	2 1	4 5	5 1	4	4 1	1	4 5	19 9	5 4

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.		
	ALL CAUSES ... M. F. }	1,608	802 806	140 99	21 20	18 12	29 40	39 26	37 42	65 62	112 120	199 176	142 209	267 233	13 18	100 85	422 470	.	
1	Typhoid Fever (including Paratyphoid). M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. F. }	6	5 1	4	1 1	.	.	.	.	.	.	.	.	.	.	1	4 1	.	
5	Diphtheria ... M. F. }	10	6 4	1 1	3 1	2 1	.	.	.	.	1	.	.	2 2	.	3 2	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	120	60	.	.	.	8 20	17 12	10 14	12 6	6 4	6 2	1 2	17 26	1 1	6 5	36 28	.	
7	All other forms of Tuberculosis ... M. F. }	59	32 27	1	3 6	5 1	10 8	4 4	5 1	3 2	.	1 2	.	18 14	2 1	3 6	9 6	.	
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. F. }	6	3 3	1	.	.	.	.	.	.	.	.	3 2	1	.	.	3 2	.	
10	Measles ... M. F. }	2	2	.	1	1	.	.	.	.	.	.	.	1	.	.	1	.	
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. F. }	180	78 102	.	1	.	2	3 1	1 6	10 15	16 25	39 30	7 24	29 26	.	10 7	39 69	.	
14	Diabetes Mellitus ... M. F. }	10	4 6	.	1	.	.	.	.	.	.	1 2	2 1	1 4	.	.	3 2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	117	38 79	.	.	.	1	1	.	1	12 19	16 26	7 25	14 18	1	4 15	19 46	.
16	Diseases of the Heart	... M. } ... F. }	398	193 205	.	1	1	3	2	6 3	16 36	37 65	71 79	61 29	32 29	4 6	17 20	140 150	.
17	Other Diseases of the Circulatory System.	M. } F. }	61	30 31	.	.	.	.	.	1 2	5 3	5 7	10 11	14 8	4 8	1 2	11 2	14 19	.
18	Bronchitis ...	... M. } ... F. }	37	22 15	2 1	.	3	1	1	2 1	2 3	5 5	4 4	3 2	7 2	.	2 1	13 12	.
19	Pneumonia ...	... M. } ... F. }	92	58 34	24 12	3 1	2 4	1	1	2 1	2 2	8 5	10 5	6 5	12 8	2	9 4	37 20	.
20	Other Diseases of the Respiratory System.	M. } F. }	34	19 15	.	1	.	.	1	.	4 3	9 4	5 2	2 1	2 1	.	3 1	14 13	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	5 2	.	.	.	.	.	.	2 1	.	2 1	1 1	3 1	.	.	2 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	88	47 41	43 37	2	.	1	.	.	1	.	1	.	36 28	.	1 3	10 10	.
23	Appendicitis	... M. } ... F. }	4	3 1	.	1	.	.	.	.	1	1	.	.	3 1	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	3	2 1	.	.	.	.	.	.	.	1 1	1 1	.	.	.	.	2 1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	8	2 6	.	1	.	.	1	.	.	.	.	.	1 2	1	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	17	11 6	1 1	.	1	.	.	1	1	2 2	3 1	2 1	3 3	1	4	33	.
27	Nephritis ...	... M. } ... F. }	39	22 17	.	1	.	1	1	2 1	5 4	5 6	7 3	3 7	4 1	1	7 1	10 8	.
28	Puerperal Infection	... F.	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	98	59 39	58 36	1 2	.	.	.	.	1	.	.	.	41 27	.	4 3	14 9	.
31	Senility ...	... M. } ... F. }	66	21 45	.	.	.	.	.	.	.	.	4 3	17 42	3 3	.	4 6	14 36	.
32	Suicide ...	... M. } ... F. }	2	1 1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
33	Other Violence	... M. } ... F. }	34	21 13	1 5	2 2	3	3	1	1	2	2	4 2	2 2	6 2	.	2 2	13 9	.
34	Other Causes	... M. } ... F. }	108	60 48	5 2	2 2	2 3	4 4	8 3	6 4	7 7	8 8	10 9	8 6	28 17	2 4	9 6	21 21	.

ABSTRACT V—continued.—Cause of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	6,986	3,499 3,487	786 598	92 106	76 67	155 163	125 163	186 197	346 271	580 428	709 740	444 754	1,447 1,069	62 170	581 504	1,409 1,744	58 35
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	3	3	.	.	.	1	.	1	.	1	.	.	3	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	4	1 3	.	1	.	.	.	.	1	.	.	.	1 3	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	28	11 17	8 13	2 3	1 1	.	.	.	.	.	.	.	8 8	.	.	3 9	.
5	Diphtheria ... M. } ... F. }	35	19 16	4 2	12 11	3 3	.	.	.	.	.	.	.	19 13	.	.	3	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	651	350 301	2 4	4 5	11	74 93	60 69	65 55	71 31	51 22	21 10	1 1	167 154	11 11	56 14	116 122	1 .
7	All other forms of Tuberculosis... M. } ... F. }	176	78 98	9 9	20 23	15 20	19 22	5 10	6 7	3 2	1 2	.	.	51 65	1 2	14 11	12 20	.
8	Dysentery ... M. } ... F. }	5	5	5	.	.	.	.	.	.	.	.	.	5	.	.	.	.
9	Influenza ... M. } ... F. }	18	10 8	3	2 2	1 1	1	.	1	.	1	.	1 3	7 2	.	.	3 6	.
10	Measles ... M. } ... F. }	5	3 2	1 1	1	.	.	.	.	.	.	.	.	2 2	.	.	1	.
11	Acute Infectious Encephalitis... M. } ... F. }	7	2 5	.	.	.	.	.	.	1	.	1	.	.	4	.	2 1	1
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	656	315 341	.	2 1	2 2	1 2	9 10	12 28	56 58	95 92	102 90	36 58	132 108	3 3	57 42	123 188	.
14	Diabetes Mellitus ... M. } ... F. }	29	12 17	1	.	.	.	.	3	1 1	1 2	3 4	5 4	1 3	3 6	5 1	4 10	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	407	153 254	. 1	. 1	. .	2 1	1 3	6 8	22 25	36 60	60 95	26 60	32 66	1 4	30 31	90 153	1 1
16	Diseases of the Heart	... M. F. }	1,595	708 887	. .	. 4	9 10	13 12	18 20	32 32	60 70	171 309	246 307	171 307	148 104	27 43	99 162	434 578	11 7
17	Other Diseases of the Circulatory System.	M. F. }	214	106 108	. .	. .	. 1	2 1	3 4	6 7	25 24	44 42	26 29	28 20	. 2	40 17	38 69	. .	
18	Bronchitis ...	... M. F. }	268	160 108	9 9	2 .	2 3	1 1	2 1	6 2	21 11	46 37	42 38	27 11	28 .	51 17	81 80	1 .	
19	Pneumonia ...	... M. F. }	374	217 157	106 63	16 15	2 1	6 4	2 3	8 3	15 4	25 6	15 32	22 26	65 49	. 8	43 16	109 84	8 .
20	Other Diseases of the Respiratory System.	M. F. }	129	88 41	2 2	1 1	1 1	4 1	3 2	9 5	11 9	29 15	18 7	10 8	23 .	1 5	33 28	31 28	. .
21	Ulcer of the Stomach or Duodenum.	M. F. }	42	32 10	. .	. .	. .	. .	1 2	3 3	9 2	13 2	5 1	1 2	23 7	1 .	2 .	6 3	. .
22	Diarrhoea and Enteritis	... M. F. }	555	308 247	296 224	4 8	. .	2 2	1 1	. .	2 3	2 3	1 3	2 4	269 85	. 71	12 59	27 32	1 .
23	Appendicitis ...	... M. F. }	19	9 10	. .	2 2	2 1	. 1	1 1	2 1	1 2	1 1	. 1	9 8	. .	. .	2 .	. .	. .
24	Cirrhosis of the Liver	... M. F. }	16	10 6	. .	. .	. .	. 1	1 1	4 1	3 1	1 3	1 3	1 .	. .	3 .	6 3	. .	
25	Diseases of the Liver and Biliary Passages.	M. F. }	30	11 19	. .	1 1	. 3	1 1	. 2	2 4	2 2	1 3	3 3	4 10	. .	3 3	7 6	. .	
26	Other Diseases of the Digestive System.	M. F. }	92	48 44	12 8	. 2	3 .	1 1	1 4	5 .	4 7	7 5	12 9	3 9	30 19	2 .	9 9	7 16	. .
27	Nephritis ...	... M. F. }	225	148 77	1 .	. 4	2 4	2 3	2 6	9 13	17 8	28 19	61 9	26 15	38 24	1 5	61 15	48 33	. .
28	Puerperal Infection ...	... F. }	4	4	. .	. .	. .	2 .	1 .	1 .	. .	. .	. .	4 .	. .	. .	. .	. .	. .
29	Other Diseases of Childbirth	... F. }	13	13	. .	. .	. .	1 .	7 .	5 .	. .	. .	. .	8 .	. .	. .	5 .	. .	. .
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	562	301 241	298 234	. 5	1 1	. 1	1 .	1 .	1 .	. .	. .	208 167	. .	14 20	79 54	2 2	
31	Senility ...	... M. F. }	265	89 176	. .	. .	. .	. .	. .	. .	. .	21 31	68 145	5 7	5 6	17 29	62 134	9 8	
32	Suicide ...	... M. F. }	8	6 2	. .	. .	. .	1 1	1 1	1 .	2 1	1 .	. .	3 2	. .	. .	3 .	. .	. .
33	Other Violence ...	... M. F. }	162	92 50	8 2	9 7	20 6	12 .	8 3	9 1	5 1	7 5	5 7	40 18	26 .	1 .	8 .	15 .	. .
34	Other Causes ...	... M. F. }	429	204 225	21 24	12 16	12 9	14 14	13 14	18 24	22 31	32 31	46 37	14 25	95 76	9 14	32 45	68 90	24 16

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.		
	ALL CAUSES ... M. } ... F. }	835	435 400	69 61	14 11	8 7	29 19	16 23	23 19	23 17	49 57	110 95	94 91	49 44		9	115 63	271 284	23 15
1	Typhoid Fever (including Para- M. } typhoid). F. }	5	3 2	.	.	.	.	.	1	.	1	2 1	.	.	.	1	3	1	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	3	3	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.
5	Diphtheria ... M. } ... F. }	7	3 4	1 1	.	1 3	.	.	.	.	.	.	.	.	1	.	2 3	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	74	42 32	.	.	2	14 12	7 10	8 5	6 2	1 2	2 1	2	11 10	.	3	6 3	25 16	.
7	All other forms of Tuberculosis... M. } ... F. }	29	13 16	2	2 3	.	6 4	1 2	2 4	.	1	.	.	5 7	.	.	4 4	4 5	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	2	1 1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	1
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	61	32 29	.	.	.	.	.	1 3	2 5	5 9	19 8	5 3	4 2	.	1	8 3	20 23	1
14	Diabetes Mellitus ... M. } ... F. }	5	1 4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1 3	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	42	20 22	.	1	.	.	1	.	.	7 4	8 12	3 6	1 1	.	.	7 3	12 18	.
16	Diseases of the Heart	... M. } ... F. }	198	101 97	.	.	.	2 1	3 1	3 3	15 14	42 41	36 36	1 1	.	2	.	17 10	83 84	6 3
17	Other Diseases of the Circulatory System.	M. } F. }	20	11 9	.	.	1	.	.	.	3	5 3	5 3	1 1	.	.	.	2 2	8 6	.
18	Bronchitis ...	... M. } ... F. }	42	26 16	2	1	.	.	2	3	7 6	5 2	6 6	.	.	.	.	13 1	13 15	1
19	Pneumonia ...	... M. } ... F. }	34	20 14	7 4	2 1	1 1	1 1	1	.	4 2	4 2	1 2	2 1	.	.	.	5 3	13 10	.
20	Other Diseases of the Respiratory System.	M. } F. }	7	3 4	.	.	1	.	.	.	1 2	1	1	.	1	.	.	2 2	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	2	2	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	32	13 19	12 15	.	.	.	1	.	.	.	1	.	2 5	.	.	5 1	6 13	.
23	Appendicitis	... M. } ... F. }	3	3	.	.	.	1	1	.	1	.	.	.	.	.	.	2	1	.
24	Cirrhosis of the Liver	... M. } ... F. }																		
25	Diseases of the Liver and Biliary Passages.	M. } F. }																		
26	Other Diseases of the Digestive System.	M. } F. }	18	6 12	1 3	1	.	.	1 1	.	.	4	2 4	1	1 1	.	1	3 3	2 7	1
27	Nephritis ...	... M. } ... F. }	26	13 13	.	.	.	3 3	1 1	1 2	1 2	3 2	4 3	.	4	.	.	4 1	5 12	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
29	Other Diseases of Childbirth ...	... F. }	4	4	.	.	.	1	.	3	.	.	.	.	1	.	.	2	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	70	36 34	36 33	.	.	.	.	.	.	.	.	.	10 10	.	.	3 6	23 18	4 3
31	Senility ...	... M. } ... F. }	52	23 29	.	.	.	.	.	.	.	.	3 5	20 24	.	.	.	10 5	13 24	4 5
32	Suicide ...	... M. } ... F. }	2	1 1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1 1	.
33	Other Violence ...	... M. } ... F. }	25	16 9	1 1	1	.	2 1	1 1	1 1	3 1	1 1	2 3	.	1	.	.	1 4	15 4	.
34	Other Causes ...	... M. } ... F. }	70	44 26	4 3	6 4	3	2	2	3	4	4 5	12 8	4 4	5 1	.	1	16 6	23 18	3 3



ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
115	ALL CAUSES ... M. } ... F. }	974	483 486	51 39	10 13	8 5	16 17	17 22	18 19	30 40	43 55	148 140	147 136	35 26	21 17	120 103	312 320	45 57
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	4	2 2	.	2	1	.	.	1	.	.	.	.	1	.	1 2	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	49	29 20	1	.	7 5	10 8	4 2	3	2 2	2 2	1	14 9	1 2	1	13 9	.	.
7	All other forms of Tuberculosis... M. } ... F. }	16	4 12	1	2 2	1 3	1 2	1 1	2	1	1	.	1	2	1 7	2 3	.	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	74	38 36	.	.	.	.	3 2	2 6	4 18	21 8	8 4	3 6	1	14 8	20 22	.	1
14	Diabetes Mellitus ... M. } ... F. }	3	3	.	.	.	.	.	1	.	.	2	.	1	.	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	62	20 42						1 1	1 2	3 5	10 20	5 14		3 3	8 8	9 30	1 3	
16	Diseases of the Heart	... M. } ... F. }	276	139 187			1 2	1 2	4 5	6 10	23 17	62 59	49 42	4 6		6 6	33 18	96 113	5 12	
17	Other Diseases of the Circulatory System.	M. } F. }	41	21 20						2 3	1 3	13 10	7 5	1 1	1 1	14 11	5 8		1	
18	Bronchitis	... M. } ... F. }	20	11 9					1 1		1 3	3 3	6 3		1 2		10 6			
19	Pneumonia	... M. } ... F. }	43	26 17	12 7	3 4		2 2	2 1	3 1	2 3	2 3		2 1	1 1	11 6	12 9		1	
20	Other Diseases of the Respiratory System.	M. } F. }	12	7 5		1 1		1 1	1 1	1 1	3 3			1 1		4 1	3 3		1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	6					1 2		3 3			1 1		2 3	3 3			
22	Diarrhoea and Enteritis	... M. } ... F. }	23	11 12	6 7	2 2			1 1	1 1	1 1		2 2		4 3	1 1	1 4	5 5		1
23	Appendicitis	... M. } ... F. }	4	1 3		1 1		1 1							2 2		1 1	1 1		
24	Cirrhosis of the Liver	... M. } ... F. }	2	1 1						1 1							1 1	1 1		
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3							1 1	1 1					1 1			
26	Other Diseases of the Digestive System.	M. } F. }	4	3 1	1 1			1 1						1 1			1 1	2 1		
27	Nephritis	... M. } ... F. }	23	9 14			1 1		1 1	4 4	1 2	4 5	3 3	1 3		2 2	2 9	6 9		
28	Puerperal Infection	... F. }																		
29	Other Diseases of Childbirth	... F. }	6	6				2 4						1 1		4 4	1 1			
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	48	28 20	27 20		1 1							1 2		11 8	16 10		3 1	
31	Senility	... M. } ... F. }	131	86 75								15 11	71 64		2 1	7 10	77 62		34 32	
32	Suicide	... M. } ... F. }																		
33	Other Violence	... M. } ... F. }	16	12 4		1 1	2 1	3 3		2 1	2 1	1 1	1 1			4 1	8 3			
34	Other Causes	... M. } ... F. }	76	32 44	4 3	2 4	3 4	2 3	1 3	7 8	2 7	8 9	3 2	2 5	4 7	3 10	23 22		1 5	

69 { 32 male

32  
33  
34

ABSTRACT V—continued—Causes of Death in the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Else-where.	
	ALL CAUSES	327	327	55	6	4	14	13	11	25	40	116	111	40	5	113	237	43
				26	9	2	13	9	14	23	35	82	98	17	7	58	232	38
1	Typhoid Fever (including typhoid).	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
2	Cerebro-spinal Meningitis	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria	4	3	1	.	1	.	1	.	.	.	.	.	1	.	2	.	.
6	Tuberculosis of the Respiratory System.	34	16	.	.	2	6	3	1	2	2	.	7	.	2	7	1	1
7	All other forms of Tuberculosis	18	15	1	2	.	2	2	1	2	.	.	4	1	7	1	.	.
8	Dysentery	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza	15	2	.	.	.	.	.	.	1	.	2	2	1	.	.	1	.
10	Measles	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Acute Infectious Necrotic Pharyngitis	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer	25	37	.	.	2	.	1	4	7	19	4	6	.	12	19	1	
14	Diabetes Mellitus	3	38	.	1	.	.	.	4	6	9	4	1	.	5	22	1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	46 } 20 26	.	.	.	1	.	.	2	3	5	8	6	2	.	1	17	2
16	Diseases of the Heart	M. } F. }	229 } 120 80	.	.	.	.	2	2	7	18	47	46	.	2	43	75	7	
17	Other Diseases of the Circulatory System.	M. } F. }	13 } 7 6	.	.	.	.	.	.	1	1	3	2	1	.	1	5	.	
18	Bronchitis ...	M. } F. }	12 } 10 8	1	.	.	.	.	.	.	1	4	4	.	.	1	9	.	
19	Pneumonia ...	M. } F. }	92 } 14 10	6	2	.	1	.	.	.	2	2	3	1	.	4	9	.	
20	Other Diseases of the Respiratory System.	M. } F. }	16 } 10 4	1	.	.	1	.	.	1	13	4	1	4	.	3	3	1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	1 } 1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
22	Diarrhoea and Enteritis	M. } F. }	15 } 9 6	7	2	.	.	.	.	.	.	.	.	3	.	4	2	1	
23	Appendicitis	M. } F. }	3 } 2 1	.	1	.	.	.	.	.	.	2	.	1	.	1	.	.	
24	Cirrhosis of the Liver	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	5 } 3 2	.	.	.	.	.	.	.	.	1	2	1	.	1	1	.	
27	Nephritis ...	M. } F. }	52 } 13 9	.	.	.	1	1	1	1	2	6	1	1	.	5	7	.	
28	Puerperal Infection ...	M. } F. }	1 } 1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
29	Other Diseases of Childbirth ...	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	12 } 35 19	31	3	1	.	.	.	.	.	.	.	4	.	14	17	6	
31	Senility ...	M. } F. }	86 } 40 48	.	.	.	.	.	.	.	.	8	32	.	.	1	39	20	
32	Suicide ...	M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence	M. } F. }	12 } 8 7	.	.	.	2	.	2	1	.	2	3	.	.	2	6	.	
34	Other Causes	M. } F. }	12 } 30 26	4	.	2	1	.	1	3	6	6	7	3	2	8	17	4	
				2	3	.	1	1	2	2	7	6	1	1	1	7	16	9	

ABSTRACT V—contd.—Causes of Death for the Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.	
	ALL CAUSES ... M. } ... F. }	543	294 256	35 15	10 4	2 4	3 3	12 8	6 6	17 14	43 26	70 64	24 104	3 6	7 10	76 46	203 192	79 78
1	Typhoid Fever (including Para-typhoid) ... M. } ... F. }																	
2	Cerebro-spinal Meningitis ... M. } ... F. }																	
3	Scarlet Fever ... M. } ... F. }																	
4	Whooping Cough ... M. } ... F. }	3	3	2	1												3	1
5	Diphtheria ... M. } ... F. }	1	1		1											1		
6	Tuberculosis of the Respiratory System ... M. } ... F. }	23	11 12	1			2 6	5 4	1 1	2				2 1		4 7	5 3	1
7	All other forms of Tuberculosis ... M. } ... F. }	7	4 3	2	1		1 1					1		1		2 1	2	
8	Dysentery ... M. } ... F. }																	
9	Influenza ... M. } ... F. }	18	8 10	1						1 1		1 3	1 3				8 10	5 8
10	Measles ... M. } ... F. }																	
11	Acute Infectious Encephalitis ... M. } ... F. }																	
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	45	28 17					1 1	1	3 5		8 3	9 6	6 2	1	12 6	15 10	1 1
14	Diabetes Mellitus ... M. } ... F. }	1	1										1				1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	36	20 16	.	.	.	.	.	.	1	4 4	10 4	5 8	.	.	1 1	19 15	8 4	
16	Diseases of the Heart	... M. } ... F. }	131	61 70	.	.	.	1	1	2	3 8	7 4	22 22	28 32	.	4 8	20 13	37 48	4 1	
17	Other Diseases of the Circulatory System.	M. } F. }	18	12 6	.	.	.	.	.	.	.	3 1	6 4	3 1	.	1	5 2	6 4	1	
18	Bronchitis ...	... M. } ... F. }	6	2 4	.	1	.	.	.	1	.	1 1	2 2	.	.	.	.	2 4	2 1	
19	Pneumonia ...	... M. } ... F. }	28	16 12	3	.	3	2	.	1	.	1 1	2 3	3 2	7 2	1	.	6 3	9 9	2
20	Other Diseases of the Respiratory System.	M. } F. }	3	1 2	.	.	.	.	.	1	.	.	.	1	.	.	.	1 2	.	2
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	6	.	.	.	.	1	.	1	4	.	.	.	.	5	1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	7	4 3	1 1	1	.	.	.	.	.	1	1 2	.	.	.	.	4 3	.	
23	Appendicitis ...	... M. } ... F. }	3	3	.	.	.	.	1	1	.	.	1	.	.	.	2	1	1	
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	3	3	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.	
27	Nephritis ...	... M. } ... F. }	9	7 2	.	.	.	2	.	.	1	2 1	2 1	2 1	.	1	1	5 2	.	
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ...	F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	32	19 13	18 12	1 1	.	.	.	.	.	.	.	.	3	.	7 7	9 6	2 3	
31	Senility ...	... M. } ... F. }	101	47 54	.	.	.	.	.	.	.	.	9 6	38 48	.	.	2 1	45 53	40 41	
32	Suicide ...	... M. } ... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	
33	Other Violence ...	... M. } ... F. }	5	4 1	.	1	1	.	.	.	2	.	1	.	.	.	1	3 1	.	
34	Other Causes ...	... M. } ... F. }	60	37 23	6 2	3 1	1 1	1	5	1	1	11 8	3 8	6 1	.	1	9 3	28 18	17 14	

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	861 {	470 391	51 38	24 9	10 11	17 21	23 26	19 16	29 38	67 56	108 82	122 94	74 37	6 15	102 98	288 241	21 15
1	Typhoid Fever (including Para-M. typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	2 {	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.
5	Diphtheria ... M. F. }	17 {	9 8	.	6 2	2 4	.	2	.	1	.	.	.	1	.	5 6	3 2	.
6	Tuberculosis of the Respiratory System. M. F. }	79 {	40 39	.	1	2 2	7 14	14 9	8 9	3 3	4 2	1	.	11 5	1 2	8 14	20 18	.
7	All other forms of Tuberculosis ... M. F. }	13 {	6 7	.	.	1 1	2 2	2 4	.	1	.	.	.	1	.	3 4	2 3	.
8	Dysentery ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	6 {	1 5	1	.	.	1	.	.	.	.	.	1	2	1	.	1 4	.
10	Measles ... M. F. }	2 {	1 1	.	1	.	.	.	.	.	.	.	.	.	.	1 1	.	.
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	102 {	61 41	.	.	.	1	1 1	2 3	6 9	15 10	24 12	12 6	14 5	1	16 8	30 28	2
14	Diabetes Mellitus ... M. }	2 {	2	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	53	25 28	.	.	.	.	.	.	1	2 3	5 7	8 11	9	.	.	1	5 4	20 23	.
16	Diseases of the Heart	... M. } ... F. }	191	100 91	.	.	1	.	.	.	1	7 8	14 17	40 37	37 25	2 5	1 1	21 14	76 71	4 2	
17	Other Diseases of the Circulatory System.	M. } F. }	15	9 6	.	.	.	.	.	.	1	1 1	3 2	1 2	3 2	2 1	1 2	1	6 2	.	
18	Bronchitis ...	... M. } ... F. }	25	15 10	.	3	.	1	.	.	.	2 3	3 1	3 1	4 4	.	.	5 2	10 8	.	
19	Pneumonia ...	... M. } ... F. }	24	17 7	2 3	3 1	.	2	.	1	2 1	2 1	2 2	3 2	6 1	.	.	1 2	10 4	.	
20	Other Diseases of the Respiratory System.	M. } F. }	7	5 2	1	2	.	.	1	.	.	.	1 1	1	.	.	.	.	5 2	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	5	.	.	.	.	2	.	2	1	.	.	.	3	.	.	2	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	18	10 8	7 5	1 1	.	.	.	.	.	1 1	2	.	.	1 1	.	1 2	8 5	1	
23	Appendicitis ...	... M. } ... F. }	2	2	.	1	.	.	.	.	.	.	1	.	.	2	.	.	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	2	1 1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1 1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	3 1	.	.	.	.	1	.	.	1	1	1	1	1	.	1 1	1	.	
26	Other Diseases of the Digestive System.	M. } F. }	13	8 5	2 1	1 1	.	.	1	1	.	1 1	2	.	2	.	1	6 1	1 2	.	
27	Nephritis ...	... M. } ... F. }	27	13 14	.	1	.	.	.	3	2	2 1	3 4	2 2	5 2	2 1	.	3 4	8 9	.	
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ...	F.	3	3	.	.	.	.	3	.	.	.	.	.	.	2	.	1	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	54	33 21	32 21	.	.	1	.	.	.	.	.	.	.	12 7	.	5 8	16 6	1	
31	Senility ...	... M. } ... F. }	86	45 41	.	.	.	.	.	.	.	.	7 7	38 34	5	1 5	8 11	31 25	12 9		
32	Suicide ...	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ...	... M. } ... F. }	19	13 6	1	1	1	2	2	1	.	1 1	3 1	1 1	2	2	1	3 2	8 3	.	
34	Other Causes ...	... M. } ... F. }	84	46 38	7 5	4 2	2 2	1	.	2	1	10 10	12 8	7 4	9 5	.	3	10 10	27 20	4 1	



ABSTRACT V—*continued.*—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	6-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	894	454 440	38 39	10 12	6 8	8 13	13 16	21 26	26 29	73 57	140 121	119 119	35 22	9 7	106 92	304 319	45 50
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	3	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	53	19 34	.	.	1	4 8	3 7	5 10	2 2	3 4	2 2	.	3 4	1 1	4 5	11 24	.
7	All other forms of Tuberculosis ... M. } ... F. }	19	13 6	1	3 1	1 2	2	5 1	1 1	1	.	.	.	1	.	7 4	5 2	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	6	4 2	.	.	.	.	.	.	.	2 2	.	2	.	.	.	4 2	1
10	Measles ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Acute Infectious Encephalitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	64	54 40	.	.	1	.	1	.	3 6	16 9	20 15	13 5	6 6	1 1	19 9	28 24	1
14	Diabetes Mellitus ... M. } ... F. }	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	56	20	.	.	.	.	.	.	2	3	9	6	2	.	.	3	15	1
				46	.	.	.	1	.	.	6	12	18	9	.	.	.	15	31	2
16	Diseases of the Heart	... M. F. }	246	142	.	.	.	1	2	3	7	27	54	48	6	5	.	27	104	10
				104	.	.	.	1	1	4	3	14	44	37	5	4	.	16	79	4
17	Other Diseases of the Circulatory System.	M. F. }	30	18	.	.	.	.	.	1	.	1	8	8	1	.	.	6	11	.
				12	.	.	.	.	.	1	2	3	3	3	.	.	.	4	8	1
18	Bronchitis ...	... M. F. }	17	7	.	1	1	.	1	.	.	.	3	1	.	.	.	.	7	.
				10	2	.	.	.	.	.	.	.	4	4	.	.	.	2	8	.
19	Pneumonia ...	... M. F. }	35	18	6	2	.	.	.	1	1	2	2	4	1	.	.	3	14	2
				17	6	1	2	.	1	.	2	1	2	2	.	1	.	3	13	.
20	Other Diseases of the Respiratory System.	M. F. }	11	6	.	.	.	.	.	.	1	2	2	1	1	.	.	.	5	.
				5	.	.	.	.	.	.	1	1	2	1	.	.	.	1	4	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	3	.	.
				4	.	.	.	.	.	.	.	.	2	2	.	.	.	.	4	1
22	Diarrhoea and Enteritis	... M. F. }	20	12	6	.	.	.	.	.	2	1	2	1	1	.	.	2	9	.
				8	5	.	.	.	.	.	.	.	2	1	1	.	.	1	6	.
23	Appendicitis	... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	3	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
				2	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	9	5	.	1	.	.	.	1	.	.	2	1	2	.	.	1	2	.
				4	1	1	.	.	.	1	.	.	1	1	1	.	.	1	2	.
27	Nephritis	... M. F. }	35	19	.	.	.	.	.	2	1	5	8	3	1	.	.	6	12	.
				16	.	.	.	.	.	1	3	3	6	3	1	.	.	1	14	.
28	Puerperal Infection	... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	6	6	.	.	.	1	2	3	.	.	.	.	.	.	.	5	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	43	22	22	.	.	.	.	.	.	.	.	.	3	.	.	4	15	1
				21	20	1	.	.	.	.	.	.	.	.	1	.	.	3	17	3
31	Senility	... M. F. }	94	39	.	.	.	.	.	.	.	.	13	26	1	.	.	3	35	24
				55	.	.	.	.	.	.	.	.	7	48	.	.	.	2	53	29
32	Suicide	... M. F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
33	Other Violence	... M. F. }	16	6	.	.	.	.	.	2	1	2	1	.	.	.	.	4	2	.
				10	1	4	.	.	.	.	1	1	1	3	.	.	.	6	4	.
34	Other Causes	... M. F. }	73	43	4	1	3	1	.	4	2	9	14	5	5	2	.	14	22	6
				30	3	2	1	2	3	.	2	7	9	1	1	.	.	10	19	4

ABSTRACT V--continued.—Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1945

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals,	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	
	ALL CAUSES ... M. } ... F. }	804	431 373	48 35	12 14	9 7	15 18	13 15	16 21	30 17	44 40	121 89	123 117	30 21	2 14	116 78	283 260	49 55
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	10	4 6	. 1	. 4	3 1	1 1	.	.	.	.	.	.	.	.	3 6	. 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	52	27 25	. .	. 1	1 1	7 9	4 5	4 5	6 2	2 1	3 1	.	9 8	.	6 3	12 14	. 1
7	All other forms of Tuberculosis ... M. } ... F. }	16	9 7	. .	2 1	1 1	4 2	1 2	1 .	.	.	1 .	.	2 .	.	3 6	4 1	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	4	2 2	.	.	.	.	.	.	1 .	.	1 2	.	.	.	.	2 2	. 1
10	Measles ... M. } ... F. }	1	. 1	. 1	.	.	.	.	.	.	.	.	.	.	.	.	1 .	. 1
11	Acute Infectious Encephalitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	84	37 47	.	.	.	.	.	1 .	1 4	3 6	9 10	18 20	6 6	3 3	17 12	17 30	. 1
14	Diabetes Mellitus ... M. }		2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	46	24 22	.	1	.	.	1	1	1	7 6	5 9	8 6	1	.	2	8 3	15 17	1 1
16	Diseases of the Heart	... M. } ... F. }	168	100 68	.	.	.	1	2	3 2	4 2	17 14	52 24	24 23	3 1	.	7	18 10	77 50	2 2
17	Other Diseases of the Circulatory System.	M. } F. }	15	7 8	.	.	.	.	.	1	.	.	2 3	5 4	1	.	.	2 1	5 6	.
18	Bronchitis ...	... M. } ... F. }	21	10 11	2	2	.	1	.	.	1	.	5 4	1 5	.	.	.	1 1	9 10	1
19	Pneumonia ...	... M. } ... F. }	24	12 12	3 3	2	.	1	.	1	3	.	3 2	2 3	.	.	.	5 1	7 11	1
20	Other Diseases of the Respiratory System.	M. } F. }	9	6 3	1	.	1	.	1	.	2	1	1 1	1 1	.	.	.	1 1	5 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	.	.	.	.	.	.	1	1	1 1	.	.	.	.	2	1 1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	22	10 12	10 7	.	.	.	.	.	.	.	1 1	1 1	3 2	.	.	4 1	3 9	1
23	Appendicitis ...	... M. } ... F. }	3	1 2	.	1	.	1	.	.	.	1	.	.	.	.	.	1 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	3	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
26	Other Diseases of the Digestive System.	M. } F. }	8	7 1	1	.	2	.	.	.	1 1	1	1 1	1 1	.	.	.	2	5 1	.
27	Nephritis ...	... M. } ... F. }	13	8 5	.	.	.	.	1	1 1	1 1	.	4 3	1	1	.	.	5 3	2 2	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }	5	5	.	.	.	2	3	.	.	.	.	.	1	.	.	3	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	55	33 22	30 22	1	1	1	.	.	.	.	.	.	5 3	.	.	10 6	18 13	4 4
31	Senility ...	... M. } ... F. }	150	74 76	.	.	.	.	.	.	.	.	9 10	65 66	.	.	.	11 13	65 65	38 38
32	Suicide ...	... M. } ... F. }	2	1 1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1 1	.
33	Other Violence ...	... M. } ... F. }	15	13 2	1	2	.	.	2	2	1	3	2	1	1	.	.	1 1	11 1	.
34	Other Causes	... M. } ... F. }	67	39 28	3 1	4	.	2	2	3 3	5 2	4 6	13 5	7 1	1 1	.	3	16 5	22 19	2 5

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	815	426 389	48 39	10 11	10 5	20 18	20 24	20 19	21 18	59 50	98 100	120 105	29 22	17 26	129 94	251 247	38 45
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	2	1 1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
5	Diphtheria ... M. } ... F. }	5	3 2	1	.	2	1	.	.	.	.	.	.	.	.	.	3 1	1
6	Tuberculosis of the Respiratory M. } System. F. }	60	33 27	.	.	1	8 7	10 12	9 4	.	4 3	1 1	.	3 1	4 5	16 13	10 8	.
7	All other forms of Tuberculosis ... M. } ... F. }	32	16 16	.	1 4	1 2	4 5	5 2	1	1 2	2 1	1	.	3 1	1 2	6 10	6 3	.
8	Dysentery ... M. } ... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
9	Influenza ... M. } ... F. }	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	3	1 2	.	1	.	.	.	1	.	.	1	.	1 1	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	77	38 39	.	.	1	.	.	2	3 2	2 6	10 8	16 7	8	5 4	11 11	21 21	.
14	Diabetes Mellitus ... M. } ... F. }	5	4 1	.	.	.	.	.	.	.	.	2	1 1	.	.	4	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	51	24 37	.	.	.	1	.	1	4	5	7	7	.	.	8	16	1
16	Diseases of the Heart	... M. } ... F. }	212	107 105	.	.	1	.	1	1	7	16	42	39	4	7	30	66	3
17	Other Diseases of the Circulatory System.	M. } F. }	15	7 8	.	.	.	.	.	2	.	1	1	5	.	.	2	5	.
18	Bronchitis ...	... M. } ... F. }	15	10 5	.	.	.	.	.	.	.	2	6	2	.	.	.	10	.
19	Pneumonia ...	... M. } ... F. }	34	23 11	9	3	1	.	.	2	1	1	3	3	3	1	4	16	3
20	Other Diseases of the Respiratory System.	M. } F. }	9	6 3	.	.	.	.	.	.	1	6	.	.	1	.	.	5	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	4	.	.	.	1	.	.	1	1	1	.	.	.	1	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	4	2 2	2	.	.	.	.	.	.	1	.	1	.	.	.	2	.
23	Appendicitis ...	... M. } ... F. }	5	3 2	.	.	1	.	.	1	.	.	1	1	.	.	3	1	1
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	.	.	.	.	.	.	.	.	1	1	.	.	2	1	1
26	Other Diseases of the Digestive System.	M. } F. }	6	3 3	1	.	.	.	.	.	2	.	1	1	.	.	3	1	2
27	Nephritis ...	... M. } ... F. }	15	10 5	.	.	2	1	.	.	.	2	4	3	2	.	5	3	3
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ...	... F.	5	5	.	.	2	2	1	.	.	.	.	.	2	.	3	.	.
30	Congenital Debility, etc (157-161).	Nos. M. } ... F. }	53	34 19	34 19	.	.	.	.	.	.	.	.	.	5	.	17	12	1
31	Senility ...	... M. } ... F. }	97	46 51	.	.	.	.	.	.	.	.	3	43	.	1	4	41	24
32	Suicide ...	... M. } ... F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
33	Other Violence ...	... M. } ... F. }	15	8 7	.	1	.	3	1	1	.	1	2	.	.	.	1	7	1
34	Other Causes ...	M. } F. }	72	37 35	5 7	4 4	3	.	2	1	3	4	9	6	2	2	8	25	5
								1	3	1	2	3	9	5	2	1	4	28	7

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } F. }	1,531	787 744	86 58	30 36	16 14	25 21	29 21	21 21	45 33	95 114	216 201	224 217	46 30	19 17	148 131	574 566	55 55
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
4	Whooping Cough ... M. } F. }	12	6 6	4 4	2 2	.	.	.	.	.	.	.	.	.	.	1	6 5	.
5	Diphtheria ... M. } F. }	11	2 9	.	1 6	1 2	.	.	.	1	.	.	.	1	.	1 8	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	71	34 37	.	1 1	1 10	8 12	4 6	2 1	1 4	3 3	.	11 9	3 2	3 5	17 21	.	
7	All other forms of Tuberculosis ... M. } F. }	29	19 10	1	1 3	2 2	3 4	2 1	3	2	2	2 1	2 1	3	6 3	8 6	.	
8	Dysentery ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } F. }	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
10	Measles ... M. } F. }	2	1 1	.	1 1	.	.	.	.	.	.	.	.	.	.	.	1 1	.
11	Acute Infectious Encephalitis ... M. } F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
12	Typhus ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } F. }	138	67 71	.	.	1 1	1 2	.	1 2	3 6	19 26	30 21	12 14	11 2	3	11 8	42 61	2
14	Diabetes Mellitus ... M. } F. }	9	5 4	.	.	.	.	.	.	1 1	1 2	1 1	2	.	1	.	4 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	111	50 61	.	.	.	.	.	1 3	5 2	4 15	17 21	23 20	1 2	3 1	13 10	33 48	5
16	Diseases of the Heart	... M. } ... F. }	466	243 223	.	.	.	3 2	1 5	3 2	21 9	33 47	107 94	75 64	3 3	3 9	44 34	193 177	3 8
17	Other Diseases of the Circulatory System.	M. } F. }	27	17 10	.	.	1	.	.	.	1	3 1	6 3	6 6	.	1 1	1 1	15 8	2
18	Bronchitis ...	... M. } ... F. }	63	37 26	5 3	4 2	.	.	.	.	2 3	5 3	10 5	11 10	1	.	2 2	35 23	1
19	Pneumonia ...	... M. } ... F. }	60	31 29	11 12	5 8	2	1	2	2 1	2	4 1	3	4	2	2	9 5	22 20	.
20	Other Diseases of the Respiratory System.	M. } F. }	16	13 3	.	1	.	1	1	.	2	5 1	1 1	3	.	.	3	10 3	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	24	14 10	9 5	4 4	.	.	.	.	.	1	1	.	2 1	.	2 1	10 8	.
23	Appendicitis ...	... M. } ... F. }	4	3 1	.	.	2	.	1	.	.	1	.	.	.	.	3 1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	.	.	1	.	.	.	.	1	.	.	.	.	.	1 1	.
26	Other Diseases of the Digestive System.	M. } F. }	15	7 8	1 1	1 1	.	.	2	2 1	1	1	2 2	.	3 3	.	1 2	3 3	.
27	Nephritis ...	... M. } ... F. }	39	22 17	.	.	1	.	2	.	2	4 2	11 10	2 3	1	.	5 2	16 15	1
28	Puerperal Infection ...	... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth ...	... F.	5	5	.	.	1	3	1	.	.	.	.	.	.	.	3	2	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	78	46 32	45 30	1 1	.	.	.	.	.	.	.	.	4 4	.	11 8	31 20	4 4
31	Senility ...	... M. } ... F. }	195	85 110	.	.	.	.	.	.	.	.	8 19	77 91	.	2	16 16	67 94	31 37
32	Suicide ...	... M. } ... F. }	4	2 2	.	.	.	1 1	.	1	.	.	.	1	.	.	.	2 2	.
33	Other Violence ...	... M. } ... F. }	23	16 7	2	.	1	2	3	2	1	3 2	2 4	1	2	.	6 3	8 4	.
34	Other Causes ...	... M. } ... F. }	120	62 58	8 3	8 6	4 7	6 2	3 1	3 3	1 9	8 10	11 13	10 4	5 2	2	11 15	46 39	4 3



ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. F. }	368	462 406	45 49	10 14	7 5	16 10	19 13	13 17	28 22	61 56	138 102	125 118	84 51	10 9	63 57	305 289	28 16
1	Typhoid Fever (including Para-typhoid), M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	20	9 11	2 6	6 3	1 1	.	1	.	.	.	.	.	1	.	.	8 11	.
5	Diphtheria ... M. F. }	5	3 2	1	.	1	1	.	.	.	1 1	.	.	.	.	2 2	1	.
6	Tuberculosis of the Respiratory System. M. F. }	55	33 22	1	1	.	6 5	6 7	4 3	4 2	7 2	5 1	1	12 6	2 1	2 1	17 14	.
7	All other forms of Tuberculosis ... M. F. }	15	11 4	.	2 2	1	4	2 1	.	1	1	.	1	7 2	.	1	4 1	.
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	10	6 4	1 1	.	.	.	.	.	.	.	3 2	2 1	.	.	.	6 4	2
10	Measles ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	77	45 32	.	.	.	.	.	2 3	2 4	13 6	18 9	10 10	9 8	.	6 4	30 17	.
14	Diabetes Mellitus ... M. F. }	2	1 1	.	.	.	.	.	.	.	.	1	1	.	.	.	1 1	1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	35	27 38	.	.	.	.	.	.	2 1	3 4	2 7	13 14	7 12	2 1	.	1 10	7 18	1 1
16	Diseases of the Heart	... M. } ... F. }	247	145 102	.	.	.	1 1	1 1	1 1	9 4	17 14	63 43	53 38	7 2	5 1	.	19 9	114 90	11
17	Other Diseases of the Circulatory System.	M. } F. }	20	11 9	.	.	.	.	.	.	.	1 3	3 4	7 2	.	.	.	3 8	9	.
18	Bronchitis ...	... M. } ... F. }	26	9 17	2	2	.	1	1	1	1	3	3	3	4	1	.	3 2	5 14	.
19	Pneumonia ...	... M. } ... F. }	53	21 32	9	2	1	.	.	1 3	2	1 4	3 1	3 13	3 1	.	.	1 4	17 27	.
20	Other Diseases of the Respiratory System.	M. } F. }	30	13 17	.	.	.	.	1 1	1 1	1 1	2 3	4 6	5 5	2 1	.	.	1 1	10 15	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	18	6 12	4	8	1	.	.	1	.	.	1	1	2	.	.	1 8	3 3	1
23	Appendicitis	... M. } ... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	1 1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1 1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	3	3	.	.	.	.	.	.	1	1	1	.	.	2	.	.	1	.
26	Other Diseases of the Digestive System.	M. } F. }	12	6 6	1	.	1	.	.	.	.	1	2	1	2	.	.	1 1	3 3	1
27	Nephritis ...	... M. } ... F. }	26	18 8	.	1	1	.	.	.	1 1	5 2	6 3	6	4	.	.	4 5	10 5	.
28	Puerperal Infection	... F.	3	3	.	.	.	.	1	2	.	.	.	.	2	.	.	1	.	.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
30	Congenital Debility etc. (Nos. 157-161).	M. } F. }	48	25 23	23 21	1 1	1 1	.	.	.	.	.	.	.	.	14	.	4 1	7 6	.
31	Senility	... M. } ... F. }	40	24 25	.	.	.	.	.	.	.	.	1 3	23 22	.	2	.	5 5	17 20	12 9
32	Suicide	... M. } ... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
33	Other Violence	... M. } ... F. }	17	13 4	1	1	.	3	2	.	1 1	1	2 2	2 1	4	.	1	1 2	8 1	.
34	Other Causes	... M. } ... F. }	62	30 32	3 1	.	1 1	1 2	3 2	3 2	2 4	7 9	7 7	3 3	11 5	1 2	.	3 5	15 20	1 4

ABSTRACT V—*contd.*—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	13,422	7,054 6,368	728 597	171 132	104 109	216 218	211 270	254 273	468 437	907 747	1,938 1,557	2,057 2,028	622 568	133 115	1,771 1,318	4,528 4,367	797 789
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	10	5 5	. .	. .	. .	1 3	1 .	2 .	. .	. 1	1 1	. .	. .	1 .	4 5	. .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	15	8 7	2 1	2 6	2 .	1 .	. .	. .	. .	1 .	. .	. .	2 .	. .	5 4	1 3	. .
3	Scarlet Fever ... M. } ... F. }	1	1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
4	Whooping Cough ... M. } ... F. }	16	7 9	6 5	1 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 1	4 8	. 1
5	Diphtheria ... M. } ... F. }	62	31 31	2 2	12 7	10 11	4 7	2 .	. 1	. 3	. .	1 .	. .	1 2	. .	24 23	6 6	. .
6	Tuberculosis of the Respiratory System. M. } ... F. }	787	400 387	2 .	1 2	9 13	83 102	91 118	72 65	57 45	56 25	24 14	5 3	118 146	27 13	100 76	155 152	5 7
7	All other forms of Tuberculosis ... M. } ... F. }	284	158 126	5 7	31 22	27 20	38 21	18 25	12 10	11 11	12 4	3 5	1 1	28 21	9 4	64 48	57 53	1 .
8	Dysentery ... M. } ... F. }	4	2 2	2 .	. 1	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	1 2	1 .	. .
9	Influenza ... M. } ... F. }	92	52 40	4 .	3 1	2 1	. 1	. 1	. 3	3 1	8 7	19 15	13 10	. .	1 .	4 5	47 35	11 7
10	Measles ... M. } ... F. }	16	8 8	. 3	4 1	. 2	4 .	. 1	. 1	. .	. .	. .	. .	. .	. .	. .	8 8	1 2
11	Acute Infectious Encephalitis ... M. } ... F. }	5	3 2	. .	1 1	. 1	2 .	. .	. .	. .	. .	. .	. .	1 .	. .	2 .	. 2	. .
12	Typhus ... M. } ... F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. } ... F. }	1,288	707 581	. .	4 .	1 1	3 1	10 12	28 23	58 108	164 142	301 210	188 89	77 54	8 2	220 147	402 378	6 3
14	Diabetes Mellitus ... M. } ... F. }	78	42 36	. .	. .	1 .	3 1	1 2	. .	3 6	9 6	13 14	11 7	6 .	2 .	12 18	22 18	1 .

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	829	380 449	.	.	.	.	2 1	5 13	23 26	55 87	173 180	119 135	22 27	6 8	93 92	259 322	22 21
16	Diseases of the Heart	... M. } ... F. }	3,285	1,806 1,479	.	.	9 8	9 23	27 16	42 40	119 92	326 222	700 566	574 507	67 65	43 34	506 310	1,190 1,070	59 55
17	Other Diseases of the Circulatory System.	M. } F. }	173	92 81	.	.	.	2 .	.	.	10 9	14 7	33 29	33 35	8 5	2	30 20	52 56	2 2
18	Bronchitis ...	... M. } ... F. }	462	247 215	14 25	3 5	1 .	.	3 2	9 1	22 15	26 26	101 64	68 74	13 10	.	59 32	175 170	8 12
19	Pneumonia ...	... M. } ... F. }	468	249 219	71 59	26 33	2 5	2 3	7 3	6 5	15 11	24 28	47 44	49 28	19 12	5 2	37 31	188 174	7 2
20	Other Diseases of the Respiratory System.	M. } F. }	192	112 80	7 4	1 1	1 1	2 .	3 5	11 6	19 7	18 14	35 21	17 19	11 9	3 2	29 16	69 53	2 1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	80	67 13	.	.	.	1 1	3 2	7 1	12 3	20 4	14 3	10 .	16 2	.	26 4	25 7	.
22	Diarrhoea and Enteritis	... M. } ... F. }	299	160 139	127 99	12 9	1 2	1 .	.	2 1	1 3	1 4	12 9	3 8	24 20	1 4	42 43	93 72	2 2
23	Appendicitis ...	... M. } ... F. }	29	18 11	.	2 .	3 1	2 1	1 2	2 2	2 .	2 4	3 1	1 4	8 4	.	7 6	3 1	.
24	Cirrhosis of the Liver	... M. } ... F. }	20	15 5	.	.	.	.	.	.	2 1	5 1	6 1	2 2	.	1	4 1	10 4	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	68	24 44	.	1 .	1 .	1 2	3 2	3 6	5 9	10 12	1 11	2 8	.	.	12 11	10 25	.
26	Other Diseases of the Digestive System.	M. } F. }	201	97 104	15 12	6 4	1 3	3 4	2 4	5 11	10 4	12 18	26 27	17 17	20 20	.	31 25	46 58	2 4
27	Nephritis ...	... M. } ... F. }	302	176 126	1 .	.	2 1	1 7	4 7	11 18	14 18	33 28	70 33	40 14	18 13	1 1	50 32	107 80	4 1
28	Puerperal Infection ...	... F.	15	15	.	.	.	2 .	6 .	7 .	.	.	.	.	2	.	9	4	.
29	Other Diseases of Childbirth	... F.	41	41	.	.	.	4 .	21 .	16 .	.	.	.	.	12	.	18	11	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	719	400 319	385 307	11 4	.	1 3	2 1	.	1 .	.	.	.	84 58	1	101 92	214 169	22 35
31	Senility ...	... M. } ... F. }	2,180	1,001 1,189	.	.	.	.	.	.	.	.	162 191	839 998	6 15	10 29	114 105	871 1,040	553 543
32	Suicide ...	... M. } ... F. }	21	18 3	.	.	.	.	2 1	3 1	4 .	5 1	4 .	.	.	.	.	18 3	.
33	Other Violence	... M. } ... F. }	225	143 82	8 11	14 5	9 7	21 3	11 2	9 3	16 2	17 10	19 16	19 23	12 13	.	31 21	100 47	2
34	Other Causes	... M. } ... F. }	1,145	625 520	77 60	36 25	23 22	31 31	22 30	21 36	63 69	94 98	161 103	97 46	59 50	12 11	159 121	395 338	87 90

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,347	702 645	45 62	20 5	6 6	26 23	20 24	30 31	37 24	70 67	204 160	244 243	50 61	15 11	134 98	503 475	152 149
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	5	2 3	. 1	. 1	1 2	.	.	.	.	.	.	.	.	.	.	2 1	.
6	Tuberculosis of the Respiratory M. } System. F. }	92	48 44	.	.	1 1	13 15	13 14	8 9	5 1	4 2	2 3	2 2	20 27	4 4	4 2	20 15	2 2
7	All other forms of Tuberculosis... M. } ... F. }	33	19 14	1 3	5 2	1 2	1 1	2 3	4 4	.	2 1	1 1	.	.	2 1	11 8	6 3	.
8	Dysentery ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
9	Influenza ... M. } ... F. }	13	8 5	.	2	.	.	.	.	.	3 2	3 2	.	.	.	.	8 5	6 2
10	Measles ... M. } ... F. }	3	.	1	.	1	.	.	1	.	.	.	.	.	.	.	3	1
11	Acute Infectious Encephalitis... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	125	70 55	.	1	.	.	1 1	.	2 2	15 15	32 19	19 10	4 2	.	13 8	53 45	4 1
14	Diabetes Mellitus ... M. } ... F. }	12	8 4	.	.	.	.	.	.	.	1	2 1	5 3	2	.	2	6 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	87	45 42	.	.	.	.	.	.	1	2	6	6	26	7	2	.	5	38	4
16	Diseases of the Heart	... M. F. }	252	137 115	.	.	1	2	1	4	9	2	18	13	65	37	7	5	43	82	6
17	Other Diseases of the Circulatory System.	M. F. }	20	12 8	.	.	.	1	.	.	.	3	1	3	4	.	.	.	5	7	1
18	Bronchitis ...	... M. F. }	35	20 15	2	.	.	.	.	.	2	.	1	3	8	8	.	.	1	19	2
19	Pneumonia ...	... M. F. }	50	28 22	5	4	1	1	1	1	2	1	3	3	9	7	2	.	2	24	2
20	Other Diseases of the Respiratory System.	M. F. }	4	2 2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
21	Ulcer of the Stomach or Duodenum.	M. F. }	4	3 1	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	2	.
22	Diarrhoea and Enteritis	... M. F. }	23	9 14	7	1	.	.	.	.	.	.	.	1	.	.	1	.	3	5	.
23	Appendicitis ...	... M. F. }	3	3	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.
24	Cirrhosis of the Liver	... M. F. }	3	1 2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	4	4	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	26	11 15	2	.	.	2	.	.	1	1	3	4	2	2	4	.	4	3	.
27	Nephritis ...	... M. F. }	38	24 14	.	.	.	.	.	4	2	4	4	11	4	1	.	.	4	19	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
29	Other Diseases of Ohildbirth	... F. }	6	6	.	.	.	.	2	4	.	.	.	.	.	.	1	.	3	2	.
30	Congenital Debility etc. (Nos. 157—161).	M. F. }	46	21 25	20	1	.	.	.	.	.	1	.	1	.	.	5	.	1	15	.
31	Senility ...	... M. F. }	326	151 175	.	.	.	.	.	.	.	.	.	.	22	129	.	2	14	135	108
32	Suicide ...	... M. F. }	3	2 1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.
33	Other Violence ...	... M. F. }	19	13 6	1	.	.	3	1	2	.	.	2	1	3	1	.	.	2	10	.
34	Other Causes ...	... M. F. }	113	67 46	6	5	1	3	.	2	4	9	20	17	9	12	3	2	2	43	17
					9	2	.	3	.	2	6	9	12	9			4	1	4	37	12

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	3,898	2,098 1,803	187 140	42 30	26 25	49 51	34 38	67 58	132 132	253 222	341 448	335 630	180 178	30 16	584 386	1,302 1,223	215 245
1	Typhoid Fever (including Para-M. } typhoid). F. }	4	1 3	. .	. .	. .	. .	1 2	. .	. .	. 1	. .	. .	. .	. .	1 3	. .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	5	4 1	. .	2 1	2 .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	3 1	. .	. .
3	Scarlet Fever ... M. } ... F. }	1	1	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
4	Whooping Cough ... M. } ... F. }	7	3 4	3 2	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 4	. 1
5	Diphtheria ... M. } ... F. }	21	9 12	. .	2 4	5 4	2 2	. .	. .	. 2	. .	. .	. .	. 1	. .	8 10	1 1	. .
6	Tuberculosis of the Respiratory M. } System. F. }	179	94 85	. .	. .	2 5	16 22	25 23	21 14	12 14	12 4	6 1	. 2	26 38	6 3	25 16	37 28	1 2
7	All other forms of Tuberculosis ... M. } ... F. }	51	26 25	2 1	5 6	3 2	5 5	4 5	2 1	2 3	3 1	. 1	. .	5 5	1 .	12 15	8 5	. .
8	Dysentery ... M. } ... F. }	2	1 1	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .
9	Influenza ... M. } ... F. }	20	11 9	1 .	. .	1 .	. .	. .	. .	. 1	. 1	2 5	6 3	. .	. .	1 2	10 7	. 1
10	Measles ... M. } ... F. }	3	3	. .	1 .	. .	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 .	. .
11	Acute Infectious Encephalitis ... M. } ... F. }	3	3	. .	1 .	. .	2 .	. .	. .	. .	. .	. .	. .	1 .	. .	2 .	. .	. .
12	Typhus ... M. } ... F. }																	
13	Cancer ... M. } ... F. }	392	232 160	. .	2 .	. .	1 .	1 4	9 8	21 35	45 36	106 52	47 25	23 20	1 .	92 45	116 95	1 .
14	Diabetes Mellitus ... M }																	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	253	119 134	.	.	.	.	1 1	1 4	2 8	8 31	14 48	54 42	40 47	2 1	36 27	77 99	5 9
16	Diseases of the Heart	... M. } ... F. }	964	523 435	.	1	4	2 3	10 4	8 7	24 30	90 70	214 166	177 153	14 23	10 6	140 93	365 313	20 20
17	Other Diseases of the Circulatory System.	M. } F. }	63	32 31	.	.	.	.	.	.	2 2	4 2	15 9	11 17	5 3	.	10 9	17 19	.
18	Bronchitis ... ..	... M. } ... F. }	169	95 74	4 6	1 1	.	2 1	1 2	9 3	9 5	45 29	24 28	5 3	.	1	27 14	63 56	3 4
19	Pneumonia ... ..	... M. } ... F. }	121	64 57	18 16	3 5	2	1 1	3 1	3 1	7 8	17 11	12 10	1 4	1 1	14 31	48 41	1 .	
20	Other Diseases of the Respiratory System.	M. } F. }	82	50 32	.	.	.	2 1	5 3	7 3	8 3	18 11	12 10	3 2	.	17 6	30 24	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	25	23 2	.	.	.	1 .	2 .	2 1	7 1	5 .	6 .	9 .	.	8 1	6 1	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	57	39 18	24 11	4 .	.	.	.	1 .	1 2	7 2	2 2	5 4	1 1	14 7	19 6	.	
23	Appendicitis ... ..	... M. } ... F. }	10	7 3	.	.	.	1 1	1 1	1 .	2 1	1 1	.	3 3	.	4 .	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	7	7	.	.	.	.	.	1 .	2 .	3 .	1 .	.	.	2 .	5 .	1 .	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	31	11 20	.	1	1	1 2	1 2	1 2	3 3	5 5	.	1 4	.	6 4	4 12	.	
26	Other Diseases of the Digestive System.	M. } F. }	56	32 24	4 4	2 1	1 1	1 1	1 2	4 3	4 3	8 2	7 6	10 2	.	9 8	13 14	1 1	
27	Nephritis ... ..	... M. } ... F. }	74	36 38	.	1	.	2 3	4 5	2 3	3 10	16 9	9 5	9 6	.	11 10	16 22	.	
28	Puerperal Infection ... ..	... F.	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth	... F.	10	10	.	.	.	6	4	.	.	.	.	4	.	5	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	188	107 81	102 78	3 2	1	1 .	1 .	.	.	.	.	30 18	.	33 23	44 40	1 5	
31	Senility ... ..	... M. } ... F. }	659	290 369	.	.	.	.	.	.	.	51 66	239 303	3 6	2 2	32 30	253 331	158 177	
32	Suicide ... ..	... M. } ... F. }	6	6	.	.	.	.	1	1	2	2	.	.	.	.	6	.	
33	Other Violence	... M. } ... F. }	69	47 22	4 6	2 1	1 1	4 1	4 1	3 2	7 1	7 2	8 8	7 8	2 7	.	14 4	31 11	.
34	Other Causes	... M. } ... F. }	342	201 141	24 14	13 4	8 6	8 10	7 11	6 10	21 14	29 38	53 25	32 9	19 18	5 1	55 38	122 84	24 24



ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,130	546 584	87 64	12 10	11 18	17 19	19 26	24 24	53 53	104 84	133 155	86 133	156 126	8 11	121 141	261 306	2 3
1	Typhoid Fever (including Para- M. } typhoid). F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	1 2	1	.	2	.	.	.	.	.	.	.	1	.	.	1	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... M. } ... F. }	3	2 1	.	.	1	1	.	.	.	1	.	.	1	.	.	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	88	50 38	.	.	1 1	6 5	10 14	9 5	11 7	7 1	6 4	.	22 25	2 1	8 4	18 8	.
7	All other forms of Tuberculosis... M. } ... F. }	40	25 15	1 1	5 2	6 5	4 4	4 1	.	1 1	3	.	1 1	9 8	1	6 2	9 5	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	112	47 65	.	.	.	.	.	1	1 2	5 12	20 20	11 22	10 8	14 19	9 15	24 31	.
14	Diabetes Mellitus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	78	27 51	.	.	.	1	.	2	3	7	7	10	1	5	11	.	
16	Diseases of the Heart	... M. } ... F. }	326	154 172	.	.	3	2 6	4	5 6	11 13	41 28	62 64	29 51	24 18	3 6	42 53	85 95	1
17	Other Diseases of the Circulatory System.	M. } F. }	14	6 8	.	.	.	.	.	.	1 1	4 4	.	2 2	.	3	1 6	.	
18	Bronchitis ...	... M. } ... F. }	75	43 32	1 3	.	.	1	.	1	6 6	9 6	15 6	11 10	5 3	.	19 7	19 22	.
19	Pneumonia ...	... M. } ... F. }	41	22 19	9 4	3 4	.	.	.	.	4 1	4 5	2 2	2 3	7 2	.	1 2	14 14	.
20	Other Diseases of the Respiratory System.	M. } F. }	20	9 11	2 1	.	.	.	.	1	1 2	1 2	4 4	1 1	4 2	.	2	5 7	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	4 2	.	.	.	.	.	2 1	2	.	1	.	3	.	1 1	1	.
22	Diarrhoea and Enteritis	... M. } ... F. }	48	26 22	25 17	2	.	.	.	1	.	.	1	1	11 3	.	8 10	7 9	.
23	Appendicitis ...	... M. } ... F. }	2	1 1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	1 3	.	.	.	.	.	.	1	.	2	1	1	.	.	1 2	.
26	Other Diseases of the Digestive System.	M. } F. }	18	9 9	3 3	.	.	.	.	.	1	1 5	5 5	.	1 4	.	2 3	6 2	.
27	Nephritis ...	... M. } ... F. }	11	5 6	.	.	.	.	1	.	1	1 1	2 2	2 1	2	.	1 1	2 5	.
28	Puerperal Infection ...	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	4	4	.	.	.	3	1	.	.	.	.	.	3	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	71	43 28	42 27	1	.	.	.	.	.	.	.	.	23 12	.	6 8	14 8	.
31	Senility ...	... M. } ... F. }	80	17 43	.	.	.	.	.	.	.	.	2 8	15 35	2 2	2	2 5	13 34	1
32	Suicide ...	... M. } ... F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence ...	... M. } ... F. }	18	10 8	.	1	2	.	1	1	1 2	2 4	2 1	2 4	.	2 1	6 3	.	
34	Other Causes	... M. } ... F. }	84	41 43	3 8	1	1 2	3 3	1 2	3 4	6 3	10 6	8 8	5 7	12 10	1	5 11	23 22	3 1

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmeries.	Else-where.	
	ALL CAUSES ... .. M. } ... .. F. }	1,884	1,009 875	91 71	14 18	13 15	23 35	23 46	37 53	60 68	140 70	278 204	330 295	64 70	25 20	221 140	699 645	229 140
1	Typhoid Fever (including Para- M. } typhoid). ... .. F. }	4	3 1	. .	. .	. .	1 .	. .	1 .	. .	. .	1 1	. .	. .	1 .	2 1	. .	. .
2	Cerebro-spinal Meningitis ... M. } ... .. F. }	1	1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
3	Scarlet Fever ... .. M. } ... .. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... .. M. } ... .. F. }	4	3 1	3 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3 1	. .	. .
5	Diphtheria ... .. M. } ... .. F. }	14	7 7	2 1	3 3	2 1	. 2	. .	. .	. .	. .	. .	. .	. 1	. .	6 4	2 1	. .
6	Tuberculosis of the Respiratory M. } System. ... .. F. }	129	59 70	1 .	. 1	. 1	10 17	12 20	12 16	8 7	12 5	3 3	1 .	34 41	3 4	4 4	18 21	1 2
7	All other forms of Tuberculosis ... M. } ... .. F. }	33	13 20	. 2	3 3	1 4	3 1	1 3	3 3	1 2	. 2	1 .	. .	. 2	2 2	5 9	6 9	. .
8	Dysentery ... .. M. } ... .. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... .. M. } ... .. F. }	19	14 5	2 .	. .	. 1	. .	. .	. 1	1 .	1 1	7 1	3 1	. .	. .	. 1	14 4	5 2
10	Measles ... .. M. } ... .. F. }	7	2 5	. 2	. 1	. 1	2 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	2 5	. 1
11	Acute Infectious Encephalitis ... M. } ... .. F. }	1	1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
12	Typhus ... .. M. } ... .. F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... .. M. } ... .. F. }	177	101 76	. .	. .	1 .	1 .	1 2	5 5	7 14	25 14	47 25	14 16	6 4	3 .	34 14	58 58	. 1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	108	58 50	.	.	.	.	.	1 2	2 4	9 7	27 24	19 13	2 2	2 3	14 8	40 37	6 6
16	Diseases of the Heart	... M. F. }	410	245 165	.	.	1	1	3	2 4	17 19	48 14	95 69	78 51	4 6	9 6	69 29	163 124	12 9
17	Other Diseases of the Circulatory System.	M. F. }	20	12 8	.	.	.	1	.	.	1 2	.	4 4	6 2	1	.	4 3	7 5	.
18	Bronchitis	... M. F. }	33	12 21	1 3	1	1	.	.	.	1 1	1 2	5 5	3 9	.	2	2 3	10 16	1 5
19	Pneumonia	... M. F. }	56	27 29	9 8	.	6	.	1	1	1	5 2	7 7	5 3	3	.	7 2	17 27	4
20	Other Diseases of the Respiratory System.	M. F. }	22	13 9	1 1	.	1	.	1	3 1	1 1	3 3	3 1	1 2	1 1	1	2 3	9 5	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	13	10 3	.	.	.	.	.	1	1	3 2	4 1	1	1	.	3 1	6 2	.
22	Diarrhoea and Enteritis	... M. F. }	25	13 12	9 8	.	.	1	.	1 1	.	.	2 3	.	.	1	3 5	10 6	2 1
23	Appendicitis	... M. F. }	2	1 1	.	.	.	.	.	.	.	1 1	.	.	.	.	1 1	.	.
24	Cirrhosis of the Liver	... M. F. }	2	1 1	.	.	.	.	.	1	.	.	1	.	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	13	5 8	.	.	.	.	.	2 1	1 2	1 3	.	1	.	.	3 3	2 5	.
26	Other Diseases of the Digestive System.	M. F. }	26	13 11	3 1	.	.	.	.	.	3	3 3	4 3	3 1	.	1	4 3	9 7	1 3
27	Nephritis	... M. F. }	62	27 15	.	.	.	.	.	1 1	4 2	8 3	9 5	5 3	.	.	5 1	22 14	2
28	Puerperal Infection	... F. }	7	7	.	.	.	1	3	3	.	.	.	.	1	.	4	2	.
29	Other Diseases of Childbirth	... F. }	8	8	.	.	.	1	3	4	.	.	.	.	1	.	4	3	.
30	Congenital Debility, etc. (Nos. 157--161).	M. F. }	93	53 40	49 38	3	.	.	.	.	1	.	.	.	4 3	1	19 11	29 26	7 12
31	Senility	... M. F. }	417	205 212	.	.	.	.	.	.	.	.	27 30	178 182	.	1 3	6 7	198 202	159 79
32	Suicide	... M. F. }	3	3	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
33	Other Violence	... M. F. }	22	12 10	.	2	1	1	1	2 1	.	3 1	1 1	1 4	1	1	1 3	10 6	.
34	Other Causes	... M. F. }	162	89 73	11 5	3 3	4 4	2 2	3 8	2 6	13 13	14 7	26 15	11 8	6 6	1 1	21 10	61 56	27 19

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hospls.	County Homes and Hospls. District Hospls. and Co. Infirmaries.	Elsewhere.	
	ALL CAUSES ... M. } ... F. }	1,377	736 641	95 64	19 23	9 6	24 18	21 31	25 23	45 40	77 74	187 157	234 205	37 17	16 16	164 133	519 475	68 66
1	Typhoid Fever (including Para- M. } typhoid). F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	3	2 1	.	2	.	.	1	.	.	.	.	.	.	.	2 1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	56	27 29	.	.	1	8	4	2	8	1	2	1	1	3	12 12	11 14	.
7	All other forms of Tuberculosis ... M. } ... F. }	31	15 16	.	2	2	6	4	.	1	.	.	.	2	1	6 8	6 6	.
8	Dysentery ... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
9	Influenza ... M. } ... F. }	25	10 15	1	.	1	.	.	.	.	1	1	4	3	.	2 1	8 14	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	123	78 45	.	.	.	1	3	3	4	17	30	20	7	3	24 15	44 28	1
14	Diabetes Mellitus ... M. } ... F. }	10	5 5	.	.	.	.	1	.	.	2	1	1	1	.	1 2	3 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	90	45 45	.	.	.	.	.	1	2	7	18	17	1	.	9	35	4
					.	.	.	1	.	.	2	8	19	15	2	.	9	34	2
16	Diseases of the Heart	... M. } ... F. }	351	193 158	.	.	.	.	2	5	7	11	24	73	2	5	43	143	6
					1	.	.	.	2	5	3	6	22	63	1	2	21	134	4
17	Other Diseases of the Circulatory System.	M. } F. }	9	4 5	.	.	.	.	.	.	.	.	2	2	.	.	1	3	.
					.	.	.	.	.	.	.	.	1	3	.	.	5	5	.
18	Bronchitis	... M. } ... F. }	52	26 26	3	1	.	.	.	3	3	1	4	6	.	.	2	24	.
					1	2	.	.	.	1	1	4	8	9	.	.	26	26	1
19	Pneumonia	... M. } ... F. }	62	37 25	13	4	1	.	2	.	3	3	5	6	2	1	4	30	.
					9	6	.	1	.	1	3	2	1	2	.	.	5	20	.
20	Other Diseases of the Respiratory System.	M. } F. }	22	12 10	2	.	.	.	.	1	2	4	2	2	1	2	2	8	.
					.	.	.	.	1	2	1	4	2	2	1	1	1	7	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	8	7 1	.	.	.	.	1	.	1	4	1	.	1	.	4	2	.
					.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	42	21 21	20	1	.	.	.	.	.	.	.	1	1	.	3	17	.
					14	3	1	.	1	.	.	.	1	1	3	.	8	10	.
23	Appendicitis	... M. } ... F. }	3	2 1	.	.	1	.	1	.	.	.	.	.	1	.	1	.	.
					.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	1 1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
					.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	1 5	.	.	.	.	.	.	.	.	1	2	2	.	1	2	.
					.	.	.	.	.	.	.	.	1	2	2	.	3	2	.
26	Other Diseases of the Digestive System.	M. } F. }	18	8 10	.	1	.	.	.	2	.	2	2	1	2	.	3	3	.
					.	1	.	1	.	1	.	3	4	3	1	.	5	4	.
27	Nephritis	... M. } ... F. }	43	28 15	.	.	.	.	2	1	4	2	3	11	10	2	13	13	2
					.	.	.	.	1	4	2	2	5	1	1	1	7	6	.
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	.	2	.	.	.	.	.	.	.	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	84	51 33	50	1	.	.	.	.	.	.	.	.	8	.	9	34	3
					32	.	.	.	1	.	.	.	.	.	1	.	11	21	4
31	Senility	... M. } ... F. }	196	89 107	.	.	.	.	.	.	.	.	13	76	.	3	1	85	48
					.	.	.	.	.	.	.	.	10	97	2	3	102	69	.
32	Suicide	... M. } ... F. }	4	3 1	.	.	.	.	.	1	1	.	1	.	.	.	.	3	.
					.	.	.	.	.	1	1	.	.	.	.	.	.	1	.
33	Other Violence	... M. } ... F. }	21	15 6	2	2	1	.	2	.	1	4	1	1	1	.	3	11	.
					1	.	.	.	.	.	.	.	1	3	1	.	4	2	.
34	Other Causes	... M. } ... F. }	111	55 56	4	5	2	6	2	2	3	1	7	13	12	3	16	36	4
					5	6	2	2	1	3	9	14	10	4	3	4	15	34	13

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	651	309 342	48 54	11 17	9 8	16 17	14 26	17 19	29 27	47 47	71 73	47 60	41 33	3 12	102 102	163 195	6 2
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	2	2	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	56	26 30	.	.	1 1	6 11	8 8	7 5	2 1	2 4	.	.	2	2 1	14 18	8 11	.
7	All other forms of Tuberculosis ... M. } ... F. }	18	12 6	.	2 1	4 1	4 2	1	.	1 1	.	.	.	4 2	.	5	3 4	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	75	31 44	.	.	.	.	.	2 2	3 8	9 13	14 16	3 3	6 2	.	6 15	19 27	.
14	Diabetes Mellitus ... M. } ... F. }	4	4	.	.	.	.	.	.	1	2	1	.	.	.	4	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	21	9 12	.	.	.	.	.	.	.	3 4	3 2	3 4	2	.	2 5	5 7	.
16	Diseases of the Heart	... M. } ... F. }	155	86 69	.	1	1	2	3	5	13	20	28	16	7	.	31	48	2
17	Other Diseases of the Circulatory System.	M. } F. }	5	2 3	.	.	.	.	.	.	.	.	1 1	1 2	.	.	1	1	.
18	Bronchitis ...	... M. } ... F. }	26	13 13	3	.	.	.	1	1	1	3	4	3	2	.	3	8	.
19	Pneumonia ...	... M. } ... F. }	32	9 23	2	3	.	.	1	2	1	4	1	2	1	.	2	7	.
20	Other Diseases of the Respiratory System.	M. } F. }	10	3 7	.	1	1	.	1	.	3	1	1	2	3	.	3	3	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	7	5 2	.	.	.	.	1	.	.	3	2	1	1	.	1	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	22	12 10	9	1	.	1	.	.	.	.	1	.	2	.	2	8	.
23	Appendicitis	... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	10	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	10	4 6	2	1	.	1	.	1	1	.	2	1	1	.	1	3	.
27	Nephritis ...	... M. } ... F. }	18	10 8	1	.	.	.	1	1	2	4	2	2	3	.	2	5	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
29	Other Diseases of Childbirth ...	... F. }	3	3	.	.	.	3	.	.	.	.	.	.	3	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	57	23 34	23	1	1	.	.	.	.	.	.	.	4	.	4	15	2
31	Senility ...	... M. } ... F. }	52	20 32	.	.	.	.	.	.	.	.	7	13	7	1	8	10	9
32	Suicide ...	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
33	Other Violence	... M. } ... F. }	14	8 6	.	2	1	3	1	.	.	.	2	2	3	.	2	3	.
34	Other Causes	... M. } ... F. }	55	31 25	10	3	1	2	1	1	3	2	7	2	3	.	11	17	.
					6	3	2	.	1	1	4	3	4	1	2	.	9	14	.



ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	867	442 425	40 44	17 5	10 9	17 14	12 14	11 18	29 28	52 44	115 95	139 154	27 25	5	123 96	287 304	62 82	
1	Typhoid Fever (including Para- M. } typhoid). F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Meningitis ... M. } ... F. }	3	1 2	.	.	2	1	.	.	.	.	.	.	.	.	1	1 1	.	
3	Scarlet Fever ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	Diphtheria ... M. } ... F. }	9	4 5	.	2	1 2	.	2	.	1	.	1	.	.	.	4 4	.	.	
6	Tuberculosis of the Respiratory M. } System. F. }	49	18 24	.	1 1	.	3 5	5 6	2 5	.	4	5 2	2 2	.	3 7	.	2 8	13 9	1
7	All other forms of Tuberculosis... M. } ... F. }	20	11 9	.	3 1	2 2	3 2	.	3	3	.	.	1	.	3 1	.	3 1	5 7	1
8	Dysentery ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. } ... F. }	4	1 3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1 2	.
10	Measles ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
11	Acute Infectious Encephalitis... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. } ... F. }	68	33 35	.	.	.	.	.	2 1	3 8	6 8	15 9	7 9	4 3	.	13 10	16 22	.	
14	Diabetes Mellitus ... M. } ... F. }	4	3 1	.	.	.	1	.	.	.	1	1	.	1	.	1	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	48	19 29	.	.	.	.	.	1	1	1	1	9 17	7 9	.	.	6 8	13 21	3 2
16	Diseases of the Heart	... M. } ... F. }	104	115 79	.	.	1	2	1	1	8	23	43	36	2	.	2	33 13	78 64	5 4
17	Other Diseases of the Circulatory System.	M. } F. }	19	14 5	.	.	.	.	.	.	3	3	1	7	.	.	.	5 2	9 3	1
18	Bronchitis ...	... M. } ... F. }	26	13 13	2	1	.	.	.	.	.	1	1	8 5	2 6	1	.	1 2	11 11	1
19	Pneumonia ...	... M. } ... F. }	25	12 9	1	2	.	.	.	1	1	.	3 3	4	.	.	1	2	9 9	1
20	Other Diseases of the Respiratory System.	M. } F. }	11	8 3	.	.	.	.	1	1	1	1	3	1	1	1	.	3 2	3 1	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	6	6	.	.	.	1	.	.	1	3	1	.	.	.	.	4	2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	21	8 13	7 8	1	.	.	.	.	.	.	1	2	2	2	.	1 1	6 10	1
23	Appendicitis ...	... M. } ... F. }	5	3 2	.	.	.	.	1	1	.	.	1	1	1	.	.	1	2 1	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	15	4 11	.	.	1	.	.	.	.	1	3	3	.	.	.	2 2	2 7	.
27	Nephritis ...	... M. } ... F. }	23	14 9	.	.	.	1	.	1	1	2	6 3	3	1	.	.	6 2	7 6	.
28	Puerperal Infection ...	... F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	48	24 24	24 24	.	.	.	.	.	.	.	.	.	3 5	.	.	6 7	15 12	5 6
31	Senility ...	... M. } ... F. }	169	71 98	.	.	.	.	.	.	.	.	5 10	66 38	.	1	.	19 18	51 80	32 54
32	Suicide ...	... M. } ... F. }	3	3	.	.	.	.	1	.	.	2	.	.	.	.	.	.	3	.
33	Other Violence	... M. } ... F. }	25	15 10	.	3	2	2	.	2	1	1	2	2	1	.	.	3 2	11 6	2
34	Other Causes	... M. } ... F. }	5	40 35	6 5	3 1	3 1	3 2	2	.	5	4	11	3 6	5	.	.	9 6	26 29	10 13

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.	Un- certified Deaths.
	ALL CAUSES ... M. } ... F. }	1,140	612 528	76 49	17 10	10 14	19 15	18 27	19 23	37 35	90 68	164 142	162 145	29 33	11 11	171 116	401 368	40 43
1	Typhoid Fever (including Para- M. } typhoid.) ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	4	2 2	.	1 2	.	1 .	.	.	.	.	.	.	.	.	1 1	1 1	.
6	Tuberculosis of the Respiratory M. } System. ... F. }	63	32 31	.	1 2	9 10	7 10	2 3	4 3	8 2	1 1	.	.	4 5	2 1	15 5	11 20	1
7	All other forms of Tuberculosis ... M. } ... F. }	31	20 11	.	4 2	3 .	7 6	1 .	2 2	1 2	2 .	.	.	3 1	1 1	9 2	7 7	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	2	1 1	.	.	.	.	.	.	.	1 .	.	.	.	.	.	1 1	.
10	Measles ... M. } ... F. }	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.
11	Acute Infectious Encephalitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	115	57 58	.	.	.	1 2	3 .	7 4	13 15	25 30	8 6	5 3	.	.	13 14	39 41	1
14	Diabetes Mellitus ... M. } ... F. }	7	4 3	.	1 .	.	.	.	.	1 2	.	1 1	1 .	.	.	2 2	2 1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	82	33 49	.	.	.	.	.	.	1	3	5 11	18 16	10 18	.	2	.	1	12 10	21 36	.
16	Diseases of the Heart	... M. } ... F. }	310	184 126	.	.	2	.	2	5 3	16 6	36 21	65 45	60 49	1 7	.	6	4	69 32	108 83	5 1	
17	Other Diseases of the Circulatory System.	M. } F. }	12	6 6	.	.	.	.	.	.	.	1 3	2	3 3	.	.	.	.	1 2	5 4	.	
18	Bronchitis ...	... M. } ... F. }	23	12 11	.	.	.	1	1	.	.	1	5 5	6 4	.	.	.	.	1 1	11 10	.	
19	Pneumonia ...	... M. } ... F. }	46	29 17	12 1	3 2	1	.	.	1 1	1 1	4 2	3 5	5 4	4	.	.	.	2 2	23 15	1	
20	Other Diseases of the Respiratory System.	M. } F. }	12	9 3	1	1	.	.	.	.	1	2 1	2 1	1 1	.	.	.	.	1 1	8 2	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	5	4 1	.	.	.	.	1	1	.	1	1	1 1	.	1	.	.	2	2	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	36	17 19	14 13	2 2	1	.	.	.	.	1 1	1	1 1	2	.	.	.	6 6	10 11	.	
23	Appendicitis	... M. } ... F. }	2	2	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	1	.	
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	6	5 1	.	.	.	.	.	.	.	1	4	.	1	1	.	.	1	3	.	
26	Other Diseases of the Digestive System.	M. } F. }	15	7 8	1	2	.	1	.	1 2	.	1 1	1 3	1	1 1	.	1	.	3	3 6	.	
27	Nephritis ...	... M. } ... F. }	31	22 9	.	.	2	.	.	1 2	1 1	6 2	10 2	2 1	.	1	.	1	6 2	15 6	1	
28	Puerperal Infection ...	... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
29	Other Diseases of Childbirth	... F.	4	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	2	2	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	72	43 29	42 29	.	.	.	1	.	.	.	.	.	3 4	.	.	.	15 16	25 9	4 2	
31	Senility ...	... M. } ... F. }	146	70 76	.	.	.	.	.	.	.	.	.	13 18	57 58	.	3	3	2 5	68 68	27 32	
32	Suicide ...	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence	... M. } ... F. }	16	7 9	.	1 1	2	2	1	.	2	.	1	2	1	.	1	.	1 4	5 5	.	
34	Other Causes	... M. } ... F. }	94	43 51	6 4	1 3	2 3	1 2	3 4	3 5	3 10	9 8	9 11	6 1	5 5	.	1	.	8 9	29 37	3 5	

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	729	392 337	34 22	11 8	2 6	13 17	13 9	12 9	25 16	51 48	105 87	126 117	19 8	16 13	103 57	254 259	20 29
1	Typhoid Fever (including Para- M. } typhoid). F }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	2	2	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.
6	Tuberculosis of the Respiratory M. } System. F }	44	23 21	.	.	6 7	3 5	4 2	3 1	5 3	1 .	1 .	1 .	4 2	5 1	8 3	6 15	.
7	All other forms of Tuberculosis ... M. } ... F. }	14	10 4	1	1	2 1	3 2	1 1	.	1	.	1	.	1	1	4 2	4 2	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	7	5 2	.	1	.	.	.	.	1	2	2	1	.	1	.	4 2	.
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	73	41 32	.	1	.	.	2	1	2 4	9 9	18 17	8 2	4	1	11 10	25 22	.
14	Diabetes Mellitus ... M. } ... F. }	2	1 1	.	.	.	.	.	.	.	.	.	1 1	.	.	.	1 1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	40	14 26	.	.	.	.	.	.	.	3 7	6 9	5 10	.	3 1	3 1	11 21	.
16	Diseases of the Heart	... M. } ... F. }	185	95 90	.	.	.	1	3	4	16	29	42	2	2	20	71	3	
17	Other Diseases of the Circulatory System.	M. } F. }	3	2 6	.	.	.	.	.	2	1	1	3	.	1	1	5	.	
18	Bronchitis	... M. } ... F. }	14	11 3	2	.	.	.	1	1	2	5	2	.	2	9	1		
19	Pneumonia	... M. } ... F. }	26	15 9	2	1	1	1	1	1	2	3	4	.	1	3	11	.	
20	Other Diseases of the Respiratory System.	M. } F. }	7	4 3	1	.	.	.	.	1	1	2	1	.	1	1	2	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	2	2	.	.	.	.	.	1	.	.	1	.	.	.	2	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	3	6 2	4	1	.	.	.	1	.	.	.	.	1	1	4	.	
23	Appendicitis	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	.	.	.	.	.	.	.	1	1	.	1	.	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	13	7 6	.	1	.	1	.	2	.	1	2	1	.	3	3	.	
27	Nephritis	... M. } ... F. }	17	7 10	.	.	.	2	.	2	.	3	3	2	.	2	5	.	
28	Puerperal Infection	... F.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
29	Other Diseases of Childbirth	... F.	2	2	.	.	2	.	.	.	.	.	.	.	.	1	1	.	
30	Congenital Debility, etc. (Nos. 157-161).	... M. } ... F. }	38	22 16	20	2	.	.	.	.	.	.	.	2	.	5	15	.	
31	Senility	... M. } ... F. }	135	70 65	.	.	.	.	.	.	.	21	49	1	.	26	43	16	
32	Suicide	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
33	Other Violence	... M. } ... F. }	11	9 2	1	2	.	1	1	.	1	2	1	1	.	3	6	.	
34	Other Causes	... M. } ... F. }	78	44 34	6	2	1	2	2	1	6	7	12	7	3	9	30	3	
					2	2	1	3	2	1	3	6	8	6	3	10	21		

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	40	14 26	.	.	.	.	.	.	3 7	6 9	5 10	.	3 1	1 1	3 1	11 21	.
16	Diseases of the Heart	... M. } ... F. }	185	95 90	.	.	.	.	1	3	4 4	16 17	29 29	42 35	2 1	2 1	20 8	71 80	3 4
17	Other Diseases of the Circulatory System.	M. } F. }	8	2 6	.	.	.	.	.	.	2	1 1	1 1	3	.	1	1	1	.
18	Bronchitis ...	... M. } ... F. }	14	11 3	.	.	.	.	1	1	1	2	5	2 1	1	.	2 1	9 1	1
19	Pneumonia ...	... M. } ... F. }	26	15 9	2	1 1	1	1	1	1	1	2 1	3 4	4 1	.	1	3	11 9	.
20	Other Diseases of the Respiratory System.	M. } F. }	7	4 3	1	.	.	.	.	.	1	2 1	1	1	.	1	1	2 2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	2	2	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
22	Diarrhoea and Enteritis	... M. } ... F. }	8	6 2	4 2	1	.	.	.	1	.	.	.	.	1	.	1	4 2	.
23	Appendicitis ...	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	13	7 6	.	1 1	.	.	1	.	2	1	1	2 3	1	.	3 2	3 4	.
27	Nephritis ...	... M. } ... F. }	17	7 10	.	.	.	2	.	.	2	3	3 3	2	.	.	2 3	5 7	.
28	Puerperal Infection ...	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
29	Other Diseases of Childbirth	... F. }	2	2	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	38	22 16	20 15	2 1	.	.	.	.	.	.	.	.	2 1	.	5 3	15 12	2
31	Senility ...	... M. } ... F. }	135	70 65	.	.	.	.	.	.	.	.	21 12	49 53	1	.	26 12	43 47	16 20
32	Suicide ...	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence ...	... M. } ... F. }	11	9 2	.	2	.	1	1	.	1	2	1	1 1	.	.	3	6 2	.
34	Other Causes ...	... M. } ... F. }	78	44 34	6 2	1 2	1	2 3	2 2	1 1	6 3	7 6	12 8	7 6	3	2 3	9 10	30 21	3

**ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1945.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	398	210 188	25 27	8 8	8 3	12 9	7 7	12 15	21 14	23 23	40 36	54 46	19 17	4 5	48 49	139 117	3
1	Typhoid Fever (including Para-M. } typhoid). F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	38	23 15	1	.	2	6 3	4 5	5 3	4 3	1	1	.	2	.	8 4	15 11	.
7	All other forms of Tuberculosis ... M. } ... F. }	13	7 6	.	1 1	3	2 2	1	1	1	.	1	.	1 2	.	3 1	3 3	.
8	Dysentery ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Measles ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	28	17 11	.	.	1	.	1	2 1	4 2	5 3	3 3	2 1	4 1	.	5 1	8 9	.
14	Diabetes Mellitus ... M. }	}	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.



15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	22	11 11	.	.	.	.	.	1 2	1	.	5 7	4 2	1 2	1	1 2	8 7	.
16	Diseases of the Heart	... M. } ... F. }	138	68 70	.	.	1	.	2	2 2	6 3	10 12	26 21	23 29	4 2	1 2	16 20	47 46	.
17	Other Diseases of the Circulatory System.	M. } F. }	3	2 1	.	.	.	.	.	.	.	1	.	1 1	.	1	.	1 1	.
18	Bronchitis ...	... M. } ... F. }	9	2 7	1 4	.	.	.	.	.	1	.	.	.	1	.	1 1	1 5	.
19	Pneumonia ...	... M. } ... F. }	15	6 9	.	4	.	3 3	.	.	.	.	1	2	.	1	.	5 7	.
20	Other Diseases of the Respiratory System.	M. } F. }	2	2	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	.	.	.	.	.	1 1	2	.	.	.	1 1	.	2	.	.
22	Diarrhoea and Enteritis	... M. } ... F. }	17	9 8	8 6	.	1 1	.	.	.	.	.	.	1	1	.	1 2	7 5	.
23	Appendicitis	... M. } ... F. }	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	6	2 4	.	1	.	.	1	.	.	1	.	1	.	2	.	1 2	.
27	Nephritis ...	... M. } ... F. }	5	3 2	.	.	.	.	.	1 1	.	2 1	.	1	.	.	.	3 1	.
28	Puerperal Infection	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Diseases of Childbirth	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	22	13 9	13 9	.	.	.	.	.	.	.	.	.	2 1	.	3 2	8 6	.
31	Senility ...	... M. } ... F. }	30	18 12	.	.	.	.	.	.	.	.	1 3	17 9	.	2	2 2	16 8	3
32	Suicide ...	... M. } ... F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
33	Other Violence	... M. } ... F. }	10	7 3	1	1	.	3	.	.	1	.	.	1 2	1	.	1	6 2	.
34	Other Causes	... M. } ... F. }	30	14 16	1 2	1 1	1 1	1 2	2	.	1 2	3 3	2 1	2 1	1 2	.	5 9	8 4	.

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	7,354	3,899 3,455	276 225	85 89	51 88	134 124	117 123	141 146	220 186	407 311	967 771	1,501 1,412	317 285	123 70	582 392	2,877 2,708	1,026 1,082
1	Typhoid Fever (including Para-typhoid). M. } F. }	6	2 4	. .	. .	. .	1 1	. 1	. .	. 1	1 2	. .	. .	1 2	1 2	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. } F. }	4	3 1	. 1	1 1	. .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	2 .	1 1	. .
3	Scarlet Fever ... M. } F. }	1	1	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
4	Whooping Cough ... M. } F. }	38	15 23	7 13	8 9	. 1	. .	. .	. .	. .	. .	. .	. .	2 .	. .	1 .	14 21	2 1
5	Diphtheria ... M. } F. }	20	10 10	. .	5 4	4 4	1 2	. .	. .	. .	. .	. .	. .	5 5	. .	2 2	3 3	1 .
6	Tuberculosis of the Respiratory System. M. } F. }	419	212 207	. .	1 10	2 69	50 52	51 52	44 33	30 22	26 17	7 3	1 1	67 76	23 16	32 26	90 89	3 4
7	All other forms of Tuberculosis... M. } F. }	132	74 58	. 3	9 4	15 16	21 15	12 5	5 5	3 4	4 4	4 2	1 .	25 16	3 2	27 18	19 22	. 3
8	Dysentery ... M. } F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. } F. }	63	35 28	1 2	. 2	. 1	2 1	1 1	. .	2 1	5 2	2 7	11 11	. 1	. .	3 1	32 26	14 9
10	Measles ... M. } F. }	10	4 6	2 2	2 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	4 6	1 3
11	Acute Infectious Encephalitis... M. } F. }	4	3 1	. .	. .	. .	. .	1 .	1 1	1 .	. .	. .	. .	. .	. .	2 .	1 1	. 1
12	Typhus ... M. } F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. } F. }	620	347 273	. .	1 2	1 1	2 1	5 2	10 23	26 34	74 54	143 116	85 40	30 21	7 3	75 41	235 208	15 12
14	Diabetes Mellitus ... M. } F. }	38	18 20	. .	. .	1 1	2 .	1 1	3 2	2 .	3 3	3 3	3 5	3 2	. .	5 2	10 16	1 3

15	Intra-cranial Lesions of Vascular Origin.	M. F. } M. F. }	426 } 225 }	201 225	.	.	2	2	1	2	9	25 33	87 79	73 87	5 6	6 3	33 28	157 188	38 52
16	Diseases of the Heart	... M. F. } ... M. F. }	1,462 } 653 }	809 653	.	.	2 3	9 6	12 5	21 19	57 43	109 91	313 221	286 264	21 28	38 18	124 70	626 537	57 75
17	Other Diseases of the Circulatory System.	M. F. } M. F. }	133 } 58 }	75 58	.	.	.	.	1	1	8 3	10 6	25 20	31 27	4 5	4	13 7	54 46	1 5
18	Bronchitis ...	... M. F. } ... M. F. }	189 } 86 }	103 86	6 6	2 1	1	1	1	5 3	3 3	9 8	28 26	47 39	2 1	1	19 7	81 78	31 29
19	Pneumonia ...	... M. F. } ... M. F. }	264 } 120 }	144 120	32 30	11 16	3 2	2 3	2 3	2 3	9 5	11 8	29 23	43 27	10 13	1 2	19 12	114 93	10 11
20	Other Diseases of the Respiratory System.	M. F. } M. F. }	84 } 28 }	56 28	4	1	.	1	2	5	5 3	12 3	16 7	10 5	6 3	1 1	8 4	41 20	8 5
21	Ulcer of the Stomach or Duodenum.	M. F. } M. F. }	32 } 8 }	24 8	.	.	.	.	2	3	5 1	5 2	7 2	2 3	7	.	6 2	11 6	1 2
22	Diarrhoea and Enteritis	... M. F. } ... M. F. }	90 } 44 }	46 44	32 28	4 7	1 1	1	1	.	1 3	2	3 3	1 2	7 7	1	5 4	33 33	2 3
23	Appendicitis ...	... M. F. } ... M. F. }	22 } 15 }	7 15	.	1 1	1 2	3 2	1	3	1 1	2	1 3	.	5 4	.	2 8	.	.
24	Cirrhosis of the Liver	... M. F. } ... M. F. }	9 } 1 }	8 1	.	.	.	.	.	1	.	4	1 1	2	.	.	2	6 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. } M. F. }	22 } 10 }	12 10	.	.	.	1	1	2	1	2	4 7	3 1	4	.	2	8 8	1
26	Other Diseases of the Digestive System.	M. F. } M. F. }	85 } 37 }	48 37	2 3	3 1	1 2	5	.	5 2	4 4	2 2	13 10	13 10	13 8	.	13 6	22 23	4 1
27	Nephritis ...	... M. F. } ... M. F. }	185 } 65 }	120 65	.	1	1	3 7	4 5	6 9	9 9	24 19	37 12	34 12	10 4	.	27 17	83 44	7
28	Puerperal Infection ...	... F. }	4 }	4	.	.	.	.	4	.	.	.	.	.	1	.	3	.	.
29	Other Diseases of Childbirth	... F. }	18 }	18	.	.	.	.	12	6	.	.	.	.	9	.	5	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. } M. F. }	285 } 117 }	168 117	157 108	7 5	2 1	2	.	.	.	.	.	.	28 16	.	35 17	105 84	39 35
31	Senility ...	... M. F. } ... M. F. }	1,886 } 974 }	912 974	.	.	.	.	.	.	.	.	124 145	788 829	2 4	21 13	42 58	847 899	714 737
32	Suicide ...	... M. F. } ... M. F. }	17 } 3 }	14 3	.	.	.	2	2	.	2 1	6 1	2	.	.	.	.	14 3	.
33	Other Violence	... M. F. } ... M. F. }	140 } 52 }	88 52	3 4	5 6	4 5	12 1	8 1	6 3	7 3	16 4	15 11	12 14	16 11	1 2	15 13	56 26	2
34	Other Causes	... M. F. } ... M. F. }	646 } 305 }	341 305	30 24	23 26	10 16	11 12	9 18	17 29	32 27	60 60	94 58	55 35	46 40	15 8	70 39	210 218	77 88

**ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1945.**

No.	CAUSES OF DEATH,	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... .. M. F. }	2,380	1,256 1,124	101 82	33 34	19 26	57 45	46 39	48 46	70 62	130 98	279 239	473 453	196 176	44 22	139 72	877 854	311 322
1	Typhoid Fever (including Para-typhoid). M. F. }	2	2	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	2	1 1	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.
3	Scarlet Fever ... .. M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... .. M. F. }	8	2 6	1 3	1 3	.	.	.	.	.	.	.	.	.	.	.	2 6	.
5	Diphtheria ... .. M. F. }	12	6 6	.	3 3	2 3	1	.	.	.	.	.	.	5 5	.	.	1 1	.
6	Tuberculosis of the Respiratory System. M. F. }	154	77 77	.	1 3	2 3	17 25	19 20	13 9	12 10	13 9	.	1	35 38	8 4	5 3	29 32	2
7	All other forms of Tuberculosis ... M. F. }	56	35 21	.	4 1	7 6	10 7	7 2	3 1	2	1 2	1	.	18 11	1	11 2	5 8	.
8	Dysentery ... .. M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... .. M. F. }	19	11 8	.	.	.	1	1	1	.	.	4 1	4 5	.	.	1	11 7	5 3
10	Measles ... .. M. F. }	3	2 6	1 2	1 4	.	.	.	.	.	.	.	.	.	.	.	2 6	3
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... .. M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... .. M. F. }	173	95 78	.	.	.	2 1	3 1	4 4	6 13	20 18	31 23	29 18	20 11	2 1	10 8	63 58	3 3
14	Diabetes Mellitus ... .. M. F. }	14	6 8	.	.	.	2	.	1 1	1	.	1 5	1 2	3 2	.	.	3 6	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	109	58 51	.	.	.	1	.	2	1	5	6	30	18	3	2	12	41	6
16	Diseases of the Heart	... M. } ... F. }	500	247 253	.	.	1	1	6	4	9	16	39	86	102	11	13	37	186	13
17	Other Diseases of the Circulatory System.	M. } F. }	50	35 15	1	.	.	.	.	1	6	1	5	12	11	4	2	6	23	1
18	Bronchitis ...	... M. } ... F. }	59	30 29	1	.	.	1	3	3	1	1	2	8	14	2	.	10	18	5
19	Pneumonia ...	... M. } ... F. }	103	56 47	13	7	1	2	2	.	4	6	8	13	7	.	.	6	43	6
20	Other Diseases of the Respiratory System.	M. } F. }	31	20 11	3	.	1	.	4	1	1	2	8	2	5	1	1	5	9	2
21	Ulcer of the Stomach or Duodenum.	M. } F. }	12	8 4	.	.	.	.	1	.	1	2	3	1	5	.	.	.	3	.
22	Diarrhoea and Enteritis	... M. } ... F. }	37	20 17	13	3	.	.	.	.	1	2	.	2	3	.	.	1	16	.
23	Appendicitis	... M. } ... F. }	5	3 2	.	1	1	1	.	.	.	.	.	.	3	.	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	9	4 5	.	.	.	1	.	.	1	1	1	1	1	.	.	.	3	.
26	Other Diseases of the Digestive System.	M. } F. }	27	16 11	1	1	1	3	.	2	1	2	1	4	3	11	.	1	4	1
27	Nephritis ...	... M. } ... F. }	55	32 23	.	1	.	1	.	2	4	3	11	10	5	.	.	7	20	2
28	Puerperal Infection	... F. }	1	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
29	Other Diseases of Childbirth	... F. }	8	8	.	.	.	4	4	.	.	.	.	.	7	.	.	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	103	61 42	57	2	2	.	.	.	.	.	.	.	13	.	11	37	16	
31	Senility ...	... M. } ... F. }	557	273 284	.	.	.	.	.	.	.	.	34	239	1	9	.	263	232	
32	Suicide ...	... M. } ... F. }	2	2	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.	
33	Other Violence	... M. } ... F. }	52	35 17	1	3	2	5	2	3	3	6	5	5	9	.	1	25	.	
34	Other Causes	... M. } ... F. }	211	118 93	10	6	3	7	3	5	16	20	29	19	31	5	15	67	19	
					10	7	5	4	4	10	8	17	19	9	31	4	3	55	17	

ABSTRACT V—*continued*.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	740	407 333	24 16	5 4	4 7	15 8	9 11	16 13	31 29	51 31	108 84	144 130	18 19	11 5	61 40	317 269	128 139
1	Typhoid Fever (including Para-typhoid). M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	3	3	3	.	.	.	.	.	.	.	.	.	.	.	.	3	2
5	Diphtheria ... M. } ... F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
6	Tuberculosis of the Respiratory System. M. } ... F. }	45	28 17	.	.	1	8 4	4 4	6 3	7 4	2 1	1	.	2 2	2 1	7 2	17 12	1 2
7	All other forms of Tuberculosis ... M. } ... F. }	12	8 4	.	1	1	1 1	1	2 1	.	1	2	.	1 1	.	4	3 3	1
8	Dysentery ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	8	6 2	1	.	.	1	.	1	.	.	.	3 1	.	.	1	5 2	2 1
10	Measles ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
12	Typhus ... M. } ... F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	50	29 21	.	.	.	.	.	.	3	3 4	11 3	11 10	4 1	2	7 4	20 15	2 1
14	Diabetes Mellitus ... M. } ... F. }	3	1 2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	59	27 32	.	.	1	1	.	.	3	5	10	7	1	1	4	21	8
											3	6	11	12	1	1	4	26	12
16	Diseases of the Heart	... M. } ... F. }	148	92 56	1	.	.	1	5	8	13	44	21	3	7	13	69	9	
									2	5	8	20	20	2	3	8	43	8	
17	Other Diseases of the Circulatory System.	M. } F. }	7	2 5	.	.	.	.	.	.	1	3	2	1	.	.	1	2	2
									.	.	.	.	.	.	.	.	.	4	2
18	Bronchitis ...	... M. } ... F. }	14	9 5	.	.	.	.	.	1	1	3	4	.	.	.	9	5	
									.	.	1	2	2	.	.	.	5	3	
19	Pneumonia ...	... M. } ... F. }	28	17 11	5 3	.	1	1	.	.	2	2	2	6	1	1	2	13	1
									.	.	1	1	2	2	1	.	1	9	4
20	Other Diseases of the Respiratory System.	M. } F. }	4	3 1	.	.	.	1	.	.	1	1	.	1	.	.	.	3	1
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	.	.	.	.	.	1	.	2	1	.	.	.	1	2	1
22	Diarrhoea and Enteritis	... M. } ... F. }	6	4 2	4 1	.	.	.	.	.	.	.	1	.	2	1	.	2	.
									.	.	.	.	.	.	.	.	1	1	1
23	Appendicitis	... M. } ... F. }	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
24	Cirrhosis of the Liver	... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	1 1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. } F. }	7	3 4	1	.	.	.	.	1	.	.	1	2	.	.	.	3	.
									.	.	.	.	.	.	.	.	.	4	.
27	Nephritis ...	... M. } ... F. }	26	19 9	.	.	.	.	.	2	6	5	6	2	.	3	14	.	
									1	3	1	2	2	1	.	2	6	.	
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	3	3	.	.	.	2	1	.	.	.	.	1	.	.	2	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	20	12 8	11 7	1	.	1	.	.	.	.	.	2	.	1	9	3	
									.	.	.	.	.	1	.	.	7	5	
31	Senility ...	... M. } ... F. }	204	101 103	.	.	.	.	.	.	.	15	86	.	.	9	92	82	
									.	.	.	17	86	1	10	92	76		
32	Suicide ...	... M. } ... F. }	4	4	.	.	1	2	.	.	1	.	.	.	.	.	4	.	
33	Other Violence	... M. } ... F. }	9	3 6	.	1	1	.	.	.	1	.	2	1	.	1	2	1	
									.	.	.	.	.	.	.	.	3	.	
34	Other Causes	... M. } ... F. }	69	31 38	.	3	.	2	.	1	3	9	12	1	.	7	22	12	
									3	1	7	9	9	1	.	6	32	21	

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	Un-certified Deaths.
	ALL CAUSES ... M. F. }	2,112	1,093 1,019	70 59	21 31	15 18	33 39	35 35	37 46	56 48	99 90	284 234	443 419	41 36	37 25	174 122	841 836	310 343
1	Typhoid Fever (including Para-typhoid). M. F. }	2	2	.	.	.	.	1	.	1	.	.	.	.	2	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
3	Scarlet Fever ... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
4	Whooping Cough ... M. F. }	12	2 10	.	2 4	.	1	.	.	.	.	.	.	2	.	.	2 8	1
5	Diphtheria ... M. F. }	3	1 2	.	1 1	.	1	.	.	.	.	.	.	.	.	1 1	1	.
6	Tuberculosis of the Respiratory System. M. F. }	115	64 51	.	.	.	12 21	19 14	16 10	6 2	7	3 2	1	14 17	8 4	16 8	26 22	1
7	All other forms of Tuberculosis ... M. F. }	35	18 17	.	3 1	3 3	2 4	2	.	2 3	2 1	.	1 1	3 2	1 2	9 9	5 4	2
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	13	6 7	.	2	.	.	1	.	.	2	.	1 3	.	.	.	6 6	2
10	Measles ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	200	111 89	.	1 2	.	.	2	3	8	20	49	28 11	6 3	3 2	25 11	77 73	3 4
14	Diabetes Mellitus ... M. F. }	10	4	.	.	.	.	.	.	1	9	1	.	.	.	.	.	.



15	Intra-cranial Lesions of Vasular Origin.	M. } F. }	125	55 70	.	.	.	1	.	1	.	3	4	22	24	.	1	.	9	46	10
16	Diseases of the Heart	... M. } ... F. }	389	210 179	.	.	1	5	4	6	20	17	85	72	1	7	36	166	17		
17	Other Diseases of the Circulatory System.	M. } F. }	36	18 18	.	.	.	.	1	.	1	.	2	7	9	.	.	3	15	.	
18	Bronchitis ...	... M. } ... F. }	57	26 31	4	1	1	1	.	1	1	1	10	7	.	1	2	23	8		
19	Pneumonia ...	... M. } ... F. }	58	30 38	4	1	1	.	1	2	2	2	10	9	1	.	6	23	2		
20	Other Diseases of the Respiratory System.	M. } F. }	20	14 6	1	.	.	.	1	.	.	5	6	1	.	.	.	14	3		
21	Ulcer of the Stomach or Duodenum.	M. } F. }	10	8 2	.	.	.	.	.	3	1	1	2	1	.	.	3	5	1		
22	Diarrhoea and Enteritis	... M. } ... F. }	24	15 9	9	1	1	1	.	.	.	2	1	.	1	1	3	10	2		
23	Appendicitis	... M. } ... F. }	6	6	.	1	2	.	.	1	.	1	1	.	.	.	5	1	.		
24	Cirrhosis of the Liver	... M. } ... F. }	4	3 1	.	.	.	.	.	.	.	1	1	1	.	.	1	2	.		
25	Diseases of the Liver and Biliary Passages.	M. } F. }	5	2 3	.	.	.	.	.	.	.	.	1	3	1	.	.	2	.		
26	Other Diseases of the Digestive System.	M. } F. }	28	17 11	1	2	.	1	.	1	1	1	5	5	.	.	6	11	3		
27	Nephritis ...	... M. } ... F. }	49	34 15	.	.	1	1	1	1	1	11	7	11	1	.	6	27	3		
28	Puerperal Infection	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.		
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
30	Congenital Debility, etc. (Nos. 157-161).	... M. } ... F. }	58	38 30	37	.	1	.	.	.	.	.	.	.	6	.	10	22	7		
31	Senility	... M. } ... F. }	581	292 289	.	.	.	.	.	.	.	.	39	253	.	10	11	271	223		
32	Suicide	... M. } ... F. }	4	3 1	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.		
33	Other Violence	... M. } ... F. }	39	26 13	1	1	1	4	5	1	2	5	3	3	2	.	5	19	.		
34	Other Causes	... M. } ... F. }	205	95 110	13	8	4	.	.	4	8	15	30	13	6	6	19	64	24		
					7	9	6	6	6	12	10	21	17	16	5	1	16	88	35		

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	1,086	584 502	38 33	14 9	4 5	17 14	10 17	13 23	32 26	59 58	162 114	239 203	41 20	16 12	92 71	435 399	185 158
1	Typhoid Fever (including Para- M. } typhoid). F. }	2	2	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.
2	Cerebro-spinal Meningitis ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } ... F. }	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
5	Diphtheria ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
6	Tuberculosis of the Respiratory M. } System. F. }	48	18 30	.	.	2	9 6	1 6	5 7	3 4	.	4	1	7 1	2 5	3 13	6 11	1
7	All other forms of Tuberculosis ... M. } ... F. }	7	2 5	.	1	.	1 1	1 1	2	.	.	.	.	2	.	3	2	.
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } ... F. }	17	7 10	.	2	1	.	.	.	2 1	2 1	2 4	1 1	.	.	1	6 10	2 2
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } ... F. }	91	48 43	.	.	.	.	.	.	6 7	12 11	21 20	9 2	2 2	2	13 9	31 32	6 3
14	Diabetes Mellitus ... M. } ... F. }	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	76	38 38	.	.	.	.	.	.	2	1 2	7 9	16 7	14 18	1 1	3	4	30 55	10 10
16	Diseases of the Heart.	M. } F. }	224	128 96	.	.	1	1	2	7	3	15 8	54 19	54 31	48 35	6 3	5 2	18 5	99 86	11 7
17	Other Diseases of the Circulatory System.	M. } F. }	21	11 10	.	.	.	.	.	.	2	3	5 3	4 4	.	1	2	8 8	.	
18	Bronchitis ...	M. } F. }	38	25 13	1	1	.	.	.	.	.	2	5 2	17 8	.	.	7	18 11	9 3	
19	Pneumonia ...	M. } F. }	23	19 9	4	2	1	.	.	.	.	.	4 4	8 1	1	2	1	17 6	1 1	
20	Other Diseases of the Respiratory System.	M. } F. }	14	10 4	.	1	.	1 1	1 2	1	2	2	1 1	1 1	1 1	.	2	7 2	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	2	2	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	
22	Diarrhoea and Enteritis	M. } F. }	11	1 10	10	.	.	.	1	.	.	.	.	.	2	.	1	1 7	1	
23	Appendicitis ...	M. } F. }	9	4 5	.	.	.	2 1	1	1	1	1	1 1	.	2 1	.	2	2	.	
24	Cirrhosis of the Liver	M. } F. }	2	2	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2	2	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	
26	Other Diseases of the Digestive System.	M. } F. }	11	6 5	.	1	.	.	1	1	1	.	2 1	1 3	1 1	.	2	3 4	.	
27	Nephritis ...	M. } F. }	23	13 11	.	.	.	3	1 1	1 1	1	3	9 3	4 2	1	.	5 3	12 8	2	
28	Puerperal Infection ...	F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth	F.	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	42	27 15	24 15	3	.	.	.	.	.	.	.	.	6 2	.	5 3	16 10	7 7	
31	Senility ...	M. } F. }	286	142 144	.	.	.	.	.	.	.	.	24 22	118 122	.	1 1	4 8	137 135	120 115	
32	Suicide ...	M. } F. }	4	3 1	.	.	.	.	1	.	1	2	.	.	.	.	.	3 1	.	
33	Other Violence ...	M. } F. }	23	13 10	1	1	.	2	1	.	2	1	4 5	2 3	3	.	2 7	8 3	.	
34	Other Causes ...	M. } F. }	92	56 36	4 3	5 5	2 1	1 2	3 2	3 4	4 1	9 6	13 9	12 3	4 3	2	19 7	31 24	16 9	

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hosptals.	County Homes and Hospls. District Hospls. and Co. Infirmarys.	Elsewhere.	Un-certified Deaths.
	ALL CAUSES ... M. F. }	1,036	559 477	47 35	12 11	9 12	12 18	17 21	27 18	31 21	68 34	134 100	202 207	21 34	15 8	116 87	407 350	92 120
1	Typhoid Fever (including Para-typhoid). M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. F. }	14	8 6	3 4	5 2	.	.	.	.	.	.	.	.	.	.	1	7 6	.
5	Diphtheria ... M. F. }	3	2 1	.	1 1	1 1	.	.	.	.	.	.	.	.	.	.	2 1	1
6	Tuberculosis of the Respiratory System. M. F. }	57	25 32	.	.	2	4 13	8 8	4 4	2 2	4 3	3	.	9 18	3 2	1	12 12	.
7	All other forms of Tuberculosis ... M. F. }	22	11 11	.	1 1	4 6	2 2	1	.	1	1 1	1 1	.	1 2	1	3 4	6 5	.
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	6	5 1	.	.	.	.	.	.	1	.	4	.	.	.	1	4 1	3 1
10	Measles ... M. F. }	2	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1
11	Acute Infectious Encephalitis ... M. F. }	3	2 1	.	.	.	.	.	1 1	1	.	.	.	.	.	1	1 1	1
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	106	64 42	.	1 1	.	.	1	3 2	3 3	11 8	31 19	15 8	.	.	20 9	44 30	1 1
14	Diabetes Mellitus ... M. }	6	7	.	.	.	.	1	2	.	1	1	2	.	.	3	4	.

Foot  
Foot  
6

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	57	23 34	.	.	.	.	.	1	2	1	3	9	10	.	.	4	19	4		
16	Diseases of the Heart	... M. } ... F. }	201	132 69	.	.	1	2	.	4	13	25	44	28	43	29	.	6	20	106	7	
17	Other Diseases of the Circulatory System.	M. } F. }	19	9 10	.	.	.	.	.	.	1	3	1	5	5	.	1	2	6	8	3	
18	Bronchitis ...	... M. } ... F. }	21	13 8	.	1	.	.	.	1	1	3	2	3	3	.	.	.	13	8	4	
19	Pneumonia ...	... M. } ... F. }	37	22 15	6	1	.	.	1	.	1	1	5	7	2	.	2	4	18	12	.	
20	Other Diseases of the Respiratory System.	M. } F. }	15	9 6	.	.	.	.	1	.	2	.	1	2	5	2	.	.	1	8	4	2
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	3 1	.	.	.	.	1	.	2	.	.	.	.	.	.	2	1	.	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	12	6 6	.	6	.	.	.	.	.	1	.	.	.	.	1	1	4	5	.	
23	Appendicitis ...	... M. } ... F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	
24	Cirrhosis of the Liver	... M. } ... F. }	2	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	4	3 1	.	.	.	.	.	1	.	.	1	1	1	.	1	.	2	1	.	1
26	Other Diseases of the Digestive System.	M. } F. }	12	6 6	.	.	1	.	.	1	1	.	1	3	2	1	2	4	1	2	.	1
27	Nephritis ...	... M. } ... F. }	24	17 7	.	.	.	1	3	2	2	1	5	3	2	.	1	6	10	6	.	
28	Puerperal Infection ...	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	
29	Other Diseases of Childbirth	... F.	5	5	.	.	.	.	4	1	.	.	.	.	.	.	.	4	1	.	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	52	30 22	.	1	1	.	.	1	.	.	.	.	.	.	1	8	21	17	6	5
31	Senility ...	... M. } ... F. }	258	104 154	.	.	.	.	.	.	.	.	12	92	135	1	1	18	84	123	57	86
32	Suicide ...	... M. } ... F. }	3	2 1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	1	.	.
33	Other Violence	... M. } ... F. }	17	11 6	.	.	.	.	.	2	.	5	3	1	2	.	1	6	2	.	.	
34	Other Causes	... M. } ... F. }	69	41 28	3	1	1	1	3	4	1	7	10	10	6	3	2	10	26	19	6	6

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } ... F. }	4,032	2,097 1,935	178 127	51 42	28 28	48 63	65 82	69 87	131 138	232 224	572 479	723 665	128 103	45 35	281 219	1,643 1,578	448 456
1	Typhoid Fever (including Para- M. } typhoid). F. }	5	3 2	. .	. .	. .	. .	. .	. .	1 1	2 1	. 1	. .	. 1	3 1	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	5	5	2	1	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	4 .	1 .	. .
3	Scarlet Fever ... M. } ... F. }	1	1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .
4	Whooping Cough ... M. } ... F. }	15	6 9	5 6	1 1	. 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	6 9	2 .
5	Diphtheria ... M. } ... F. }	36	16 20	. 1	4 6	7 8	1 .	. 2	1 2	1 .	1 1	1 .	. .	4 3	. .	7 14	5 3	1 .
6	Tuberculosis of the Respiratory M. } System. F. }	216	96 120	2 .	2 .	2 2	18 36	25 24	19 23	17 20	5 10	6 4	. 1	25 32	7 9	15 14	49 65	6 2
7	All other forms of Tuberculosis... M. } ... F. }	60	28 32	1 2	3 5	4 3	5 5	6 3	2 4	3 1	1 7	3 2	. .	7 10	2 1	5 5	14 16	. 2
8	Dysentery ... M. } ... F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... M. } ... F. }	62	29 33	2 2	1 .	. 1	1 .	. 2	. 1	. 1	9 3	7 13	9 10	. .	. .	7 6	22 27	4 8
10	Measles ... M. } ... F. }	3	1 2	. 1	1 .	. 1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	. .
11	Acute Infectious Encephalitis... M. } ... F. }	2	1 1	. .	1 .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	1 1	. .
12	Typhus ... M. } ... F. }		. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... M. } ... F. }	347	183 164	. .	. 4	. .	1 .	3 4	6 8	20 27	31 54	72 45	50 22	12 9	2 3	17 20	152 132	13 6
14	Diabetes Mellitus ... M. } ... F. }	18	13 5	. .	. .	. .	. .	. 1	2 1	3 .	4 2	3 1	1 .	2 2	. .	5 .	6 3	. 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	294	130	.	.	.	1	2	1	7	27	40	52	4	2	12	112	29
				164	.	.	.	1	1	4	7	28	71	52	4	3	13	144	21
16	Diseases of the Heart	... M. } ... F. }	908	491	.	3	1	3	4	10	24	61	208	177	10	13	68	400	49
				417	.	.	1	5	5	9	29	57	165	146	2	10	51	354	48
17	Other Diseases of the Circulatory System.	M. } F. }	69	41	.	.	.	.	.	1	4	6	15	15	2	1	5	33	3
				28	.	.	1	.	.	.	2	6	8	8	11	.	.	2	26
18	Bronchitis ...	... M. } ... F. }	155	84	11	2	1	.	2	1	4	7	29	27	2	.	12	70	12
				71	7	4	.	.	1	4	3	8	25	19	1	.	6	64	11
19	Pneumonia ...	... M. } ... F. }	142	85	25	8	.	2	3	2	6	4	22	13	2	1	11	71	13
				57	16	7	.	.	2	1	4	1	9	17	.	1	6	50	5
20	Other Diseases of the Respiratory System.	M. } F. }	57	29	1	2	.	2	2	.	1	2	8	11	1	2	4	22	5
				28	.	1	.	3	2	1	2	3	6	10	2	.	3	23	2
21	Ulcer of the Stomach or Duodenum.	M. } F. }	20	12	.	.	.	.	.	.	3	2	7	.	3	2	7	.	1
				8	.	.	.	.	1	1	1	2	3	.	2	.	6	.	
22	Diarrhoea and Enteritis	... M. } ... F. }	59	29	16	2	.	.	.	1	1	.	4	5	3	.	3	23	3
				30	12	4	1	.	2	.	3	1	4	3	2	.	2	26	2
23	Appendicitis ...	... M. } ... F. }	9	4	.	.	.	1	1	.	1	1	.	.	2	.	2	.	.
				5	.	.	.	2	1	1	1	.	.	2	1	.	1	1	.
24	Cirrhosis of the Liver	... M. } ... F. }	7	5	.	.	1	.	.	.	1	1	2	.	.	.	1	4	.
				2	.	.	1	.	.	.	.	.	1	1	.	.	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	13	6	.	.	1	.	.	1	1	1	1	1	1	.	3	5	1
				7	.	.	.	.	.	1	1	1	1	4	2	1	.	3	3
26	Other Diseases of the Digestive System.	M. } F. }	48	26	4	3	4	1	.	1	4	2	5	2	5	.	8	13	1
				22	.	1	.	1	2	3	.	3	3	3	4	3	.	2	17
27	Nephritis ...	... M. } ... F. }	113	67	1	1	2	1	.	2	5	17	26	12	7	1	12	47	4
				46	2	1	.	1	2	4	7	7	14	8	8	1	.	3	42
28	Puerperal Infection ...	... F. }	4	4	.	.	.	.	2	2	.	.	.	.	2	.	2	.	1
29	Other Diseases of Childbirth	... F. }	15	15	.	.	.	1	9	4	1	.	.	.	.	.	5	10	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	155	92	89	2	1	.	.	.	.	.	.	.	9	.	16	67	20
				63	57	2	2	.	1	.	.	1	.	.	8	.	11	44	15
31	Senility ...	... M. } ... F. }	749	358	.	.	.	.	.	.	.	.	49	309	.	.	34	324	230
				391	.	.	.	.	.	.	.	.	.	55	336	.	5	19	367
32	Suicide ...	... M. } ... F. }	10	7	.	.	.	.	1	3	1	1	1	.	1	.	6	.	.
				3	.	.	.	.	1	.	1	1	1	.	.	.	1	2	.
33	Other Violence	M. } F. }	92	63	2	5	1	4	10	5	5	12	9	10	8	.	11	44	3
				29	3	1	2	1	3	1	1	2	4	4	.	7	7	18	1
34	Other Causes	... M. } ... F. }	343	186	17	10	3	7	6	10	17	34	53	29	18	11	22	135	49
				157	18	4	4	6	11	13	26	26	36	13	12	1	24	120	37

K

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5--	15--	25--	35--	45--	55--	65--	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... M. } F. }	1,191	609 582	51 37	18 7	2 9	18 15	15 20	19 26	38 50	75 62	176 157	197 199	51 40	6 7	98 74	454 461	122 128
1	Typhoid Fever (including Para-M. } typhoid). F. }	1	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
2	Cerebro-spinal Meningitis ... M. } F. }	3	3	1	1	.	.	.	1	.	.	.	.	.	.	3	.	.
3	Scarlet Fever ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping Cough ... M. } F. }	6	3 3	3 2	.	1	.	.	.	.	.	.	.	.	.	.	3 3	1
5	Diphtheria ... M. } F. }	3	2 1	.	.	2 1	.	.	.	.	.	.	.	.	.	1 1	1	.
6	Tuberculosis of the Respiratory M. } System. F. }	51	25 26	1	2	.	6 6	4 7	4 4	3 7	4 1	1 1	.	10 12	2 1	4 4	9 9	1
7	All other forms of Tuberculosis ... M. } F. }	17	6 11	1 1	1	3	2 2	2	1	1	2	1	.	3 4	.	2 2	1 5	.
8	Dysentery ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. } F. }	4	2 2	.	.	.	1 1	.	.	.	.	1	1	.	.	.	2 2	.
10	Measles ... M. } F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
11	Acute Infectious Encephalitis ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. } F. }	99	53 46	.	.	.	1	1 2	3 5	5 6	9 16	22 10	12 7	6 4	1	3 10	44 31	3
14	Diabetes Mellitus ... M. } F. }	6	4 2	.	.	.	.	.	1	1	1	2 1	.	1	.	2	2 1	.



15	Intra-cranial Lesions of Vascular Origin.	M. F. }	80	31 49	.	.	.	.	1	1	1	2	8	9	11	3	.	3	25 43	4 2
16	Diseases of the Heart	... M. F. }	309	163 146	.	2	.	1	2	3	3	7	17	81	50	5	.	42	116	9
								1	2	3	16	17	64	43	.	1		24	121	13
17	Other Diseases of the Circulatory System.	M. F. }	24	12 12	.	.	.	.	.	.	.	2	2	1	7	1	.	.	11	2
								.	.	.	.	2	2	4	6	.	.	.	12	2
18	Bronchitis ...	... M. F. }	56	28 28	1	.	.	.	2	.	.	.	4	9	12	2	.	.	26	7
					1	.	.	.	.	.	.	1	2	12	12	.	.	.	28	5
19	Pneumonia ...	... M. F. }	33	20 13	5	1	.	1	1	.	1	2	6	3	.	.	.	1	20	5
					4	.	.	.	.	1	1	.	4	3	.	.	.	.	12	.
20	Other Diseases of the Respiratory System.	M. F. }	6	3 3	.	.	.	2	1	.	.	.	.	.	2	.	.	.	1	2
					.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	1
21	Ulcer of the Stomach or Duodenum.	M. F. }	9	3 6	.	.	.	.	1	1	.	2	1	.	2	.	.	.	1	.
					.	.	.	.	1	1	.	2	1	.	2	.	.	.	4	.
22	Diarrhoea and Enteritis	... M. F. }	19	10 9	5	1	.	.	.	1	.	.	1	2	2	.	.	1	7	1
					5	3	.	.	.	.	.	.	1	2	2	.	.	.	7	.
23	Appendicitis	... M. F. }	2	1 1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
					.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
24	Cirrhosis of the Liver	... M. F. }	2	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
25	Diseases of the Liver and Biliary Passages.	M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
26	Other Diseases of the Digestive System.	M. F. }	13	8 5	2	3	.	.	.	.	1	.	1	1	1	.	.	2	5	.
					.	1	.	.	1	.	.	.	2	1	1	.	.	.	4	1
27	Nephritis	... M. F. }	27	16 11	.	1	.	1	.	1	2	3	5	8	.	1	.	4	11	.
					.	.	.	.	.	2	3	1	2	3	.	.	.	2	9	1
28	Puerperal Infection	... F.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth	... F.	7	7	.	.	.	.	4	3	.	.	.	.	.	.	.	3	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	52	28 24	26 22	2	.	.	1	.	.	.	.	.	.	2	.	8	18	4
								.	1	.	.	.	.	.	6	.	5	13	6	.
31	Senility	... M. F. }	242	110 132	.	.	.	.	.	.	.	.	.	19	91	.	.	14	96	68
								.	.	.	.	.	27	105	.	3	11	118	84	.
32	Suicide	... M. F. }	5	4 1	.	.	.	.	1	1	1	1	1	.	.	1	.	1	3	.
					.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.
33	Other Violence	... M. F. }	25	16 9	.	1	.	1	1	2	2	6	2	2	1	3	.	3	10	.
					.	.	2	.	1	2	2	6	2	5	3	.	.	2	6	.
34	Other Causes	... M. F. }	89	54 35	6	3	.	2	2	2	8	15	12	6	3	3	3	5	38	17
					2	2	1	2	1	3	9	6	6	3	4	1	4	4	26	13

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ... M. F. }	1,976	1,047 929	89 65	25 23	21 14	25 35	40 42	29 42	67 57	112 112	259 210	350 329	67 40	24 14	92 80	364 795	258 278
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
2	Cerebro-spinal Meningitis ... M. F. }	2	2	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.
3	Scarlet Fever ... M. F. }	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
4	Whooping Cough ... M. F. }	5	2 3	2 3	.	.	.	.	.	.	.	.	.	.	.	.	2 3	1
5	Diphtheria ... M. F. }	23	12 11	.	3 3	4 6	1	.	1 1	1 1	1 1	1 1	.	4 3	.	5 8	3	.
6	Tuberculosis of the Respiratory System. M. F. }	115	53 62	1	.	1 1	10 21	15 10	10 13	11 9	1 5	4 2	.	12 8	3 3	11 8	27 43	5 1
7	All other forms of Tuberculosis ... M. F. }	30	17 13	1	3 2	4	2 1	3 1	1 2	2	.	2 5	.	4 2	2 1	1 2	10 8	2
8	Dysentery ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... M. F. }	45	21 24	1 2	1	.	.	.	2	1	1	8 2	6 8	5 8	.	6	15 18	4 8
10	Measles ... M. F. }	2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.
11	Acute Infectious Encephalitis... M. F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
12	Typhus ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... M. F. }	182	98 84	.	3	.	.	2 1	3 2	13 13	16 31	35 24	29 10	6 4	2 1	7 5	83 74	8 6
14	Diabetes Mellitus ... M. F. }	9	6 3	.	.	.	.	.	2	1	2	1	.	2 1	.	2	2 2	1

15	Intra-cranial Lesions of Vascular Origin.	M. F. }	140	69 71	.	.	.	1	2	.	2	4	10 11	20 35	32 25	1 2	1	1 3	66 66	22 16
16	Diseases of the Heart	... M. F. }	416	236 180	.	1	1	1	2	3	4	12 8	37 29	89 63	90 69	4 2	12 8	21 19	199 151	27 30
17	Other Diseases of the Circulatory System.	M. F. }	30	18 12	.	.	1	.	.	.	.	1 2	4 2	6 4	7 3	1	1	1	15 12	.
18	Bronchitis ...	... M. F. }	56	32 24	9 3	2 4	1	.	1	2	2	2 3	11 5	7 4	7 4	1	.	7 5	25 18	5 4
19	Pneumonia ...	... M. F. }	82	44 38	12 11	5 4	.	1	1	1	4	2 2	9 5	9 13	9 13	1	.	7 3	36 34	7 4
20	Other Diseases of the Respiratory System.	M. F. }	36	18 18	1	2 1	.	.	2	2	1	2	2 1	4 4	9 5	1 2	1	.	16 16	4 2
21	Ulcer of the Stomach or Duodenum.	M. F. }	7	5 2	.	.	.	.	.	.	.	1 1	1 2	3 2	.	1	.	.	4 2	1
22	Diarrhoea and Enteritis	... M. F. }	28	11 17	7 5	1 1	.	.	.	2	.	1 2	1 3	1 3	1 3	.	.	.	11 17	2 2
23	Appendicitis ...	... M. F. }	6	3 3	.	.	.	1 1	1 1	1	.	.	1	.	.	1 1	.	1	2 1	.
24	Cirrhosis of the Liver	... M. F. }	4	2 2	.	.	1	.	.	.	.	.	1 1	1 1	.	.	.	1	2 1	.
25	Diseases of the Liver and Biliary Passages.	M. F. }	8	6 2	.	.	1	.	.	1	1	1	1 2	1 2	1	1	.	2	5	1
26	Other Diseases of the Digestive System.	M. F. }	23	11 12	1	.	4	1	.	1	2	.	2 3	2 4	1 2	3 2	.	3 2	5 8	1 3
27	Nephritis ...	... M. F. }	57	23 24	1	1	2	.	2	2	1	9 3	15 10	6 3	4 3	4 1	1	4 1	24 22	2
28	Puerperal Infection ...	... F. }	4	4	.	.	.	.	2	2	.	.	.	.	.	2	.	.	2	1
29	Other Diseases of Childbirth	... F. }	5	5	.	.	.	1	3	.	1	.	.	.	.	.	.	1	4	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F. }	74	46 28	46 26	.	1	1	.	.	.	.	.	.	.	7 2	.	7 5	32 21	11 6
31	Senility ...	... M. F. }	374	178 196	.	.	.	.	.	.	.	.	.	17 20	161 176	.	.	.	178 196	131 170
32	Suicide ...	... M. F. }	3	3	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
33	Other Violence ...	... M. F. }	46	32 14	1 3	2 1	1	3 1	8 3	1 1	2 1	4	5 1	5 3	5 3	.	.	1	26 11	2 1
34	Other Causes ...	... M. F. }	161	87 74	7 9	5 2	2 2	4 4	6 5	4 6	9 6	9 11	24 13	17 16	9 6	9 3	1	7 8	70 63	24 20

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1945.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES ... M. } ... F. }	865	441 424	38 25	8 12	5 5	5 13	10 20	21 19	26 31	45 50	137 112	146 137	10 23	15 14	91 65	325 322	68 50	
1	Typhoid Fever (including Para-M. } typhoid). F. }	3	2 1	.	.	.	.	.	.	1	1	.	.	.	2 1	.	.	.	
2	Cerebro-spinal Meningitis ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping Cough ... M. } ... F. }	4	1 3	1	1	1	.	.	.	.	.	.	.	.	.	.	1 3	.	
5	Diphtheria ... M. } ... F. }	10	2 8	1	3	1	.	1	1	.	1	.	.	.	.	1 5	1 3	1	
6	Tuberculosis of the Respiratory M. } System. F. }	50	18 32	.	.	1 1	2 9	6 7	5 6	3 4	4 4	1 1	.	3 12	2 5	.	2 13	13 19	1
7	All other forms of Tuberculosis ... M. } ... F. }	13	5 8	.	2	.	1 2	1 2	1 1	.	1 1	1 1	.	4	.	2 1	3 3	.	
8	Dysentery ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... M. } ... F. }	13	6 7	1	.	.	.	.	.	.	.	1 1	1 4	3 2	.	1	5 7	.	
10	Measles ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. } ... F. }	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
12	Typhus ... M. } ... F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... M. } ... F. }	66	32 34	.	1	.	.	1	1	2 8	6 7	15 11	9 5	1	1	7 5	25 27	2	
14	Diabetes Mellitus ... M. } ... F. }	3	3	.	.	.	.	.	.	1	1	.	1	.	.	1	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	74	30 44	.	.	.	.	.	.	1 1	9 5	11 18	9 20	.	1 3	8 6	91 35	3 3
16	Diseases of the Heart	M. } F. }	183	92 91	.	.	1	.	4	5	7 11	38 38	37 34	1	1 1	5 8	95 82	13 5	
17	Other Diseases of the Circulatory System.	M. } F. }	15	11 4	.	.	.	.	1	1	.	8	1 2	.	.	4 2	7 2	1	
18	Bronchitis ...	M. } F. }	43	24 19	1 3	.	.	.	1	4	1 3	9 8	8 3	.	.	5 1	19 18	2	
19	Pneumonia ...	M. } F. }	27	21 6	8 1	2 3	.	1	1	1	.	7	1 1	1	1	4 2	15 4	1 1	
20	Other Diseases of the Respiratory System.	M. } F. }	15	8 7	.	.	.	1	.	1	.	4 2	2 3	.	1	3 3	4 4	.	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	4	4	.	.	.	.	.	.	1	3	.	.	.	2	2	.	
22	Diarrhoea and Enteritis	M. } F. }	12	8 4	4 2	.	1	.	.	1	.	2	2	1	.	2 2	5 2	.	
23	Appendicitis ...	M. } F. }	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	
24	Cirrhosis of the Liver	M. } F. }	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	5	5	.	.	.	.	.	1	.	2	2	1	.	1	3	.	
26	Other Diseases of the Digestive System.	M. } F. }	12	7 5	1	.	.	.	1	1	2	2 2	1	1	.	3	3 5	.	
27	Nephritis ...	M. } F. }	29	18 11	1 1	.	1	.	1	4 1	3 4	3 2	6 2	2	.	4	12 11	2	
28	Puerperal Infection ...	F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ...	F.	3	3	.	.	2	1	.	.	.	.	.	.	.	1	2	.	
30	Congenital Debility, etc. (Nos. 157--161).	M. } F. }	29	18 11	17 9	.	1	.	.	.	.	.	.	.	.	1 1	17 10	5 3	
31	Senility ...	M. } F. }	133	70 63	.	.	.	.	.	.	.	13 8	57 55	.	2	20 8	50 53	31 31	
32	Suicide ...	M. } F. }	2	2	.	.	.	1	.	1	.	.	.	.	.	.	2	.	
33	Other Violence	M. } F. }	21	15 6	1	2	.	1	2	1	2 2	2 1	4 3	.	.	7 5	8 1	1	
34	Other Causes	M. } F. }	93	45 48	4	2	1 1	1	.	4 5	.	10 7	17 14	6 4	1 5	7 12	27 31	8 4	

## ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1945.

No.	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Kilkenny	Bray	Trales	Clonmel
	All Causes ... .. M. } ... .. F. }	5,585 5,730	3,489 3,487	284 335	546 584	309 342	210 188	108 117	102 89	88 84	97 98	103 104	50 87	68 85	61 68	66 68
1	Typhoid Fever (including Para- M. } typhoid). F. }	3 1	3 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
2	Cerebro-spinal Meningitis ... M. } ... F. }	4 5	1 3	. .	1 2	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3	Scarlet Fever ... .. M. } ... F. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
4	Whooping Cough ... .. M. } ... F. }	19 31	11 17	1 .	. .	1 1	1 .	2 3	. 1	. .	4 6	. 2	. .	. .	. .	1 .
5	Diphtheria ... .. M. } ... F. }	33 28	19 16	2 1	2 1	1 .	. .	. 1	8 6	. 1	. .	. 2	. .	. .	1 .	. .
6	Tuberculosis of the Respiratory M. } System. F. }	520 475	350 301	14 12	50 38	26 30	23 15	11 15	6 12	13 12	3 9	5 4	3 6	10 5	5 6	1 10
7	All other forms of Tuberculosis... M. } ... F. }	146 159	78 98	4 10	25 15	12 6	7 6	6 4	1 3	. 1	3 5	4 2	. 5	2 1	2 2	2 1
8	Dysentery ... .. M. } ... F. }	5 .	5 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
9	Influenza ... .. M. } ... F. }	15 10	10 8	. 1	1 .	1 .	. .	. .	1 .	. .	1 .	. .	. .	1 1	. .	. .
10	Measles ... .. M. } ... F. }	6 7	3 2	. .	. .	. .	. .	2 1	1 .	. .	. .	1 .	. .	. .	. 3	. .
11	Acute Infectious Encephalitis... M. } ... F. }	3 6	2 5	. .	. .	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .
12	Typhus ... .. M. } ... F. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
13	Cancer ... .. M. } ... F. }	526 577	315 341	31 49	47 65	31 44	17 11	10 6	17 9	10 11	11 4	9 6	3 9	10 10	10 6	5 6
14	Diabetes Mellitus ... .. M. } ... F. }	15 31	12 17	1 4	. 1	. 4	. 1	. .	. 2	. 1	. .	. .	. .	. .	1 .	1 1

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	252 432	153 284	16 38	27 51	9 12	11 11	2 10	3 5	8 9	7 6	5 8	1 9	4 7	1 3	5 9
16	Diseases of the Heart	... M. } ... F. }	1,288 1,471	708 887	88 98	154 172	86 69	68 70	28 35	17 22	21 18	26 9	27 26	16 18	12 16	19 18	18 13
17	Other Diseases of the Circulatory System.	M. } F. }	141 157	106 108	10 12	6 8	2 3	2 1	4 5	4 4	.	.	2 2	2 5	2 4	1 3	.
18	Bronchitis ...	... M. } ... F. }	252 174	160 108	4 4	43 32	13 13	2 7	2 1	5 4	4 .	2 1	10 4	2 1	1 1	.	4 2
19	Pneumonia ...	... M. } ... F. }	306 256	217 157	19 11	22 19	9 23	6 9	4 7	6 3	3 2	6 5	7 8	3 3	.	1 3	3 .
20	Other Diseases of the Respiratory System.	M. } F. }	125 74	88 41	6 2	9 11	3 7	2 .	3 2	2 .	1 1	.	4 1	1 6	.	.	.
21	Ulcer of the Stomach or Duodenum.	M. } F. }	52 17	32 10	3 .	4 2	5 2	3 1	2 2	1 .	.	.	.	.	.	2 .	.
22	Diarrhoea and Enteritis	... M. } ... F. }	392 318	308 247	20 18	26 22	12 10	9 8	3 .	5 1	1 .	4 .	2 .	1 2	1 3	2 1	2 2
23	Appendicitis ...	... M. } ... F. }	15 16	9 10	1 .	1 1	1 .	1 .	1 .	.	.	1 .	1 .	3 .	.	1 .	.
24	Cirrhosis of the Liver	... M. } ... F. }	14 7	10 6	2 1	2 .	.	.	.	.	.	.	.	.	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	13. 34	11 19	.	1 3	1 .	1 .	1 2	.	.	.	1 .	1 .	.	1 .	.
26	Other Diseases of the Digestive System.	M. } F. }	71 70	48 44	2 2	9 9	4 6	2 4	2 .	3 3	.	.	1 .	.	.	1 .	.
27	Nephritis ...	... M. } ... F. }	185 114	148 77	7 5	5 6	10 8	3 2	2 1	3 1	4 6	2 .	4 5	4 2	1 .	1 .	2 .
28	Puerperal Infection ...	... F. }	8	4	.	.	1	1	.	.	.	1	1	.	.	.	.
29	Other Diseases of Childbirth ...	... F. }	26	13	.	4	3	.	1	.	.	1	.	1	.	2	1
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	467 359	301 241	24 5	43 28	23 34	13 9	7 2	4 6	11 3	11 11	9 3	5 .	8 9	4 5	4 3
31	Senility ...	... M. } ... F. }	195 389	89 176	5 23	17 43	20 32	18 12	5 10	3 5	1 10	10 28	7 18	6 9	1 4	5 9	8 10
32	Suicide ...	... M. } ... F. }	8 2	6 2	.	.	.	1	.	.	.	.	.	.	.	1	.
33	Other Violence ...	... M. } ... F. }	137 83	92 50	6 7	10 8	8 6	7 3	1 2	1 .	4 4	3 1	1 1	2 .	1 1	.	1
34	Other Causes ...	... M. } ... F. }	367 393	204 225	18 26	41 43	31 25	14 16	10 8	11 5	7 5	7 5	6 9	9 7	5 3	5 7	4 7

APPENDIX I.

---

ALTERATIONS IN REGISTRARS' DISTRICTS, 1945.

---

During the year certain townlands were separated from the registrars' districts of Carna, Roundstone, Oughterard and Lettermore, in the County of Galway, to form a new registrar's district known as Lettermore No. 2 and the district of Lettermore as altered named Lettermore No. 1 registrar's district.



APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 81 years 1864-1945.

YEARS.			Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.			Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
					£ s. d.						£ s. d.
1864	...	...	15	3	1 10 6	1905	...	...	5,110	3,954	759 8 5
1865	...	...	41	20	4 12 0	1906	...	...	5,714	4,409	849 6 0
1866	...	...	55	34	7 0 0	1907	...	...	5,877	4,544	875 0 2
1867	...	...	46	26	5 12 0	1908	...	...	5,984	4,670	894 19 7
1868	...	...	69	42	9 13 0	1909	...	...	6,220	4,761	920 8 0
1869	...	...	80	34	8 15 0	1910	...	...	6,387	4,903	944 18 4
1870	...	...	93	54	11 10 0	1911	...	...	6,128	4,778	914 9 11
1871	...	...	112	67	14 6 6	1912	...	...	6,811	5,160	998 7 2
1872	...	...	120	76	15 14 0	1913	...	...	6,462	4,972	957 9 0
1873	...	...	100	106	21 14 0	1914	...	...	7,552	6,140	1,157 10 0
1874	...	...	166	107	22 6 6	1915	...	...	7,398	5,898	1,118 7 0
1875	...	...	244	166	33 15 0	1916	...	...	7,729	6,198	1,172 1 2
1876	...	...	270	185	36 16 0	1917	...	...	8,151	6,475	1,225 13 6
1877	...	...	312	202	42 14 0	1918	...	...	10,702	8,499	1,611 11 6
1878	...	...	391	286	55 15 0	1919	...	...	11,513	8,998	1,712 16 0
1879	...	...	522	399	78 0 0	1920	...	...	11,484	8,810	1,688 2 0
1880	...	...	753	596	114 7 0	1921	...	...	11,419	8,499	1,646 0 6
1881	...	...	743	583	111 8 6	1922	...	...	18,413	7,675	1,892 9 6
1882	...	...	852	688	129 11 0	1923	...	...	19,377	8,808	2,076 0 8
1883	...	...	1,036	773	149 1 6	1924	...	...	23,947	14,367	3,003 0 6
1884	...	...	1,254	966	185 3 0	1925	...	...	33,945	45,435	8,940 12 0
1885	...	...	1,412	1,116	212 8 0	1926	...	...	48,193	77,347	13,493 5 6
1886	...	...	1,527	1,173	225 7 4	1927	...	...	45,802	72,665	12,391 17 6
1887	...	...	1,693	1,307	251 7 0	1928	...	...	37,462	56,865	9,804 0 6
1888	...	...	1,778	1,404	266 9 0	1929	...	...	39,650	61,182	10,412 2 6
1889	...	...	1,936	1,561	297 4 6	1930	...	...	29,901	41,744	7,384 14 6
1890	...	...	2,448	2,042	385 2 9	1931	...	...	16,540	14,548	3,162 2 6
1891	...	...	2,815	2,297	433 1 6	1932	...	...	19,265	12,081	2,951 16 0
1892	...	...	3,209	2,534	489 17 0	1933	...	...	23,360	11,477	3,052 16 6
1893	...	...	3,559	2,733	532 2 2	1934	...	...	25,611	12,445	3,329 5 0
1894	...	...	3,492	2,678	512 7 0	1935	...	...	29,463	13,024	3,649 4 6
1895	...	...	3,482	2,618	508 8 0	1936	...	...	27,778	13,552	3,673 0 0
1896	...	...	4,046	3,103	596 10 6	1937	...	...	32,502	16,191	4,376 2 0
1897	...	...	3,917	2,960	572 3 0	1938	...	...	32,595	17,327	4,529 4 0
1898	...	...	4,132	3,207	613 1 2	1939	...	...	34,803	20,876	5,181 12 6
1899	...	...	4,133	3,201	616 13 6	1940	...	...	33,704	18,570	4,818 11 0
1900	...	...	4,558	3,481	672 7 6	1941	...	...	29,601	16,227	4,243 4 6
1901	...	...	4,843	3,733	718 18 0	1942	...	...	30,587	18,639	4,529 7 0
1902	...	...	4,871	3,719	716 16 6	1943	...	...	32,061	20,562	4,851 11 0
1903	...	...	4,944	3,796	731 12 6	1944	...	...	32,777	18,918	4,639 0 6
1904	...	...	5,183	3,953	769 19 7	1945	...	...	38,311	25,475	6,048 12 6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

## APPENDIX III.

## CASES OF INFECTIOUS DISEASES.

## Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1945.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

## COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influenzal	
Cork ...	.	3	95	33	7	12	.	8	.	A. 1. B. 7. D. 114. H. 20. J. 1. N. 1. U. 402.
Dublin ...	.	11	861	303	2,112	1,275	14	421	31	A. 19. B. 20. C. 8. D. 1,837. F. 3. G. 48. H. 207. J. 10. N. 28. P. 1. U. 3,418.
Limerick ...	.	21	35	17	1	2	.	11	.	D. 1. H. 6. U. 209.
Waterford ...	.	1	2	3	4	28	.	52	2	B. 2. D. 52. G. 1. H. 18. J. 1. N. 40. U. 238.
<b>TOTAL ...</b>	.	<b>36</b>	<b>993</b>	<b>356</b>	<b>2,124</b>	<b>1,317</b>	<b>14</b>	<b>492</b>	<b>33</b>	A. 20. B. 29. C. 8. D. 2,004. F. 3. G. 49. H. 251. J. 12. N. 69. P. 1. U. 4,267.

## URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Carlow ...	Carlow ...	.	2	29	8	.	2	1	.	.	
Cavan ...	Belturbet ...	.	.	2	1	9	.	.	.	.	
	Cavan ...	.	1	7	1	1	5	.	8	.	B. 1. U. 6.
	Cootehill ...	.	1	1	.	.	.	1	.	.	
Clare ...	Ennis ...	.	.	39	10	12	.	.	.	.	U. 14.
	Kilrush ...	.	.	8	5	.	.	.	2	.	G. 2. U. 3.
Cork ...	Clonakilty ...	.	.	25	.	.	.	.	.	.	
	Cobh ...	.	.	14	.	.	.	.	.	.	D. 2. U. 4.
	Fermoy ...	.	.	.	.	.	.	.	2	.	U. 7.
	Kinsale ...	.	2	.	.	.	.	.	.	.	
	Macroom ...	.	.	.	3	.	.	.	.	.	
	Mallow ...	.	.	.	.	.	.	1	1	.	U. 12.
	Midleton ...	.	.	9	2	1	.	.	2	.	H. 5. U. 26.
	Skibbereen ...	.	.	1	.	1	.	.	.	.	B. 1. U. 10.
Youghal ...	.	.	43	8	17	.	1	.	.	H. 1.	
Donegal ...	Buncrana ...	.	.	33	1	1	.	1	.	.	
	Bundoran ...	.	.	2	.	.	1	.	.	.	
	Letterkenny ...	.	.	9	.	.	.	1	.	.	A. 4. D. 122. F. 1. H. 11.

## CASES OF INFECTIOUS DISEASES—contd.

## URBAN DISTRICTS—continued.

County	Urban Districts	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Sepsis	Pneumonia		Other Diseases
									Primary	Influenzal	
Dublin ...	Dun Laoghaire	.	.	67	37	10	21	.	28	3	N. 1. P. 1. U. 211
Galway ...	Ballinasloe	.	1	.	9	.	.	1	2	.	U. 25.
	Galway	.	1	28	4	61	54	.	3	.	B. 2. D. 14. H. 4. U. 105.
Kerry ...	Killarney	.	1	3	5	2	.	1	.	.	H. 1. U. 7.
	Listowel	.	.	4	7	.	.	.	.	.	U. 2.
	Tralee	.	3	14	3	11	1	.	6	.	B. 1. H. 2. U. 29.
Kildare ...	Athy	.	16	1	.	.	.	.	.	.	F. 1. H. 1. U. 1.
	Naas	.	.	3	.	.	.	.	8	.	
Kilkenny ...	Kilkenny	.	.	10	4	4	6	1	.	.	G. 1. H. 1. U. 77.
	Longford	.	1	.	.	.	.	.	.	.	G. 2.
Longford ...	Granard	.	.	5	1	.	.	.	.	.	A. 1.
	Longford	.	.	.	.	.	.	.	.	.	
Louth ...	Drogheda	.	.	43	.	.	.	2	.	.	B. 1. H. 2. U. 20.
	Dundalk	.	2	100	29	20	.	2	.	.	A. 1. B. 1. D. 1. H. 1. J. 1. U. 7.
Mayo ...	Ballina	.	.	3	.	.	35	.	9	1	H. 3. U. 37.
	Castlebar	.	11	.	1	.	1	.	.	1	U. 1.
	Westport	.	.	1	.	.	.	.	2	1	B. 1.
Meath ...	An Uaimh	.	.	1	.	.	.	.	.	.	
	Ceannanus Mor	.	.	.	.	.	.	.	.	.	
	Trim	.	.	.	.	.	.	.	.	.	
Monaghan	Carrickmacross	.	.	.	.	.	.	.	4	.	U. 3.
	Castleblayney	.	.	11	.	.	.	.	1	.	
	Clones	.	.	2	1	.	.	1	1	.	U. 10.
Offaly ...	Monaghan	.	3	28	4	1	.	.	.	.	A. 3. N. 23. U. 2.
	Birr	.	.	1	.	.	.	.	.	.	
Sligo ...	Tullamore	.	2	32	1	.	.	.	10	.	A. 1. G. 1. U. 58
	Sligo	.	1	5	4	1	31	.	4	.	U. 21.
Tipperary N.R.	Nenagh	.	1	38	.	.	.	2	3	1	H. 1. U. 13.
	Templemore	.	.	.	.	7	.	.	.	.	G. 6.
	Thurles	.	.	8	.	64	.	1	7	.	H. 1. U. 33
Tipperary S.R.	Carrick-on-Suir	.	.	9	.	4	.	.	2	.	U. 7.
	Cashel	.	1	.	.	7	1	.	.	.	B. 3. U. 1.
	Clonmel	.	.	3	.	.	.	.	.	.	H. 2. N. 31.
	Tipperary	.	.	20	.	2	.	.	.	.	H. 1.
Waterford	Dungarvan	.	.	.	1	.	.	.	1	.	U. 94.
Westmeath	Athlone	.	.	4	.	.	2	.	2	.	A. 1. U. 48.
Wexford ...	Enniscorthy	.	.	6	11	1	.	.	.	.	H. 1. U. 128.
	New Ross	.	.	73	4	3	3	.	.	.	H. 8. U. 72.
	Wexford	.	.	29	3	65	30	.	18	.	D. 7. H. 5. U. 31.
Wicklow ...	Arklow	.	.	2	1	3	.	.	.	.	
	Bray	.	2	26	5	5	10	.	4	64	A. 2. B. 1. D. 13. G. 1. H. 3. U. 58.
	Wicklow	.	.	37	.	.	.	.	.	.	A. 1.
	TOTAL ...	.	51	839	174	313	203	17	130	70	A. 14. B. 12. D. 159. F. 2. G. 13. H. 54. J. 1. N. 55. P. 1. U. 1,183.

## CASES OF INFECTIOUS DISEASES—continued

## RURAL DISTRICTS.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases	
									Pri-mary	Infu-enzal		
Carlow ...	Carlow ...	.	3	62	14	6	.	.	1	.		
	Carlow No. 2 ...	.	.	5	.	.	17	.	4	.		
	Idrone ...	.	.	3	.	.	.	.	.	.	B. 1. H. 1.	
Cavan ...	Ballieboro' ...	.	1	19	1	4	.	.	4	.	B. 1.	
	Bawnboy ...	.	2	3	.	.	3	.	7	.	B. 1.	
	Castlerahan ...	.	.	.	1	.	6	.	3	.		
	Cavan ...	.	2	15	12	5	8	1	20	.	B. 3. H. 3.	
	Enniskillen No. 2 ...	.	.	1	1	.	.	1	.	.		
	Mullagheran ...	.	.	1	.	.	5	.	1	.	B. 1. H. 1.	
Clare ...	Ballyvaughan ...	.	.	4	1	2	.	.	.	.	A. 1. G. 1.	
	Corofin ...	.	.	7	.	.	2	.	2	.		
	Ennis ...	.	3	12	6	9	1	.	7	2	F. 1. H. 3.	
	Ennistymon ...	.	.	18	6	3	.	1	3	.	A. 4.	
	Killadysert ...	.	.	3	4	17	43	.	.	.	H. 2.	
	Kilrush ...	.	.	25	42	2	1	.	1	.	G. 1.	
	Meelick ...	.	.	3	8	.	.	.	.	.		
	Scariff ...	.	.	24	5	.	.	.	.	.	G. 5. H. 1.	
	Tulla ...	.	.	12	16	1	.	.	1	.		
	Cork ...	Bandon ...	.	2	8	.	.	.	1	.	.	B. 1. N. 1.
		Bantry ...	.	2	9	5	19	.	.	.	.	B. 2.
Castletown ...		.	.	1	3	.	.	.	12	3	B. 1. H. 3.	
Clonakilty ...		.	.	8	1	.	.	.	.	.	H. 1. N. 1.	
Cork ...		.	3	70	25	19	20	.	7	15	B. 4. D. 47. H. 14. N. 4.	
Dunmanway ...		.	3	44	2	.	.	.	.	.		
Fermoy ...		.	.	12	.	.	.	.	2	2	H. 2.	
Kanturk ...		.	2	9	1	.	.	.	.	.	B. 1.	
Kinsale ...		.	2	1	1	1	.	.	3	3	B. 1. H. 2.	
Macroom ...		.	.	1	1	2	.	.	.	.		
Mallow ...		.	.	6	2	.	.	1	8	1	A. 1. B. 1. H. 1.	
Midleton ...		.	.	13	2	4	.	.	5	4		
Millstreet ...		.	1	8	4	.	.	.	.	.		
Mitchelstown ...		.	.	2	2	.	.	.	.	.		
No. 1 ...		.	.	.	.	.	.	.	.	.		
Rathluirc ...		.	.	.	.	.	.	.	3	1		
Skibbereen ...		.	.	8	2	1	.	.	.	.	B. 1. H. 1.	
Skull ...		.	.	1	.	.	.	.	.	.		
Youghal No. 1 ...		.	.	3	1	.	.	.	.	.		
Donegal ...	Ballyshannon ...	.	.	.	.	.	.	.	.	.		
	Donegal ...	.	.	20	2	1	.	.	.	.		
	Dunfanaghy ...	.	3	15	6	28	.	.	1	1		
	Genties ...	.	11	52	7	12	3	.	4	.	H. 1.	
	Inishowen ...	.	.	59	7	8	1	.	2	2	B. 2. H. 3.	
	Letterkenny ...	.	.	59	2	.	.	.	.	.		
	Milford ...	.	3	50	8	3	.	2	.	.	A. 2. B. 1.	
	Stranorlar ...	.	4	64	8	11	.	2	.	2	A. 3. B. 1.	
Dublin ...	Balrothery ...	.	4	47	5	12	19	.	7	27	A. 1. D. 25. H. 7. N. 1.	
	Cill Droichead, No. 2 ...	.	.	2	2	2	1	.	.	.	D. 2. H. 1.	
	Dublin, Nth. ...	.	.	34	7	50	4	.	2	.	A. 1. B. 1. D. 6. H. 1.	
	Dublin, Sth. ...	.	4	38	4	3	45	.	11	3	A. 4. B. 1. C. 1. D. 28. H. 5. N. 1.	
	Rathdown No. 1 ...	.	.	40	26	3	15	.	24	.	A. 5. B. 1. C. 1. D. 14. H. 6.	
Galway ...	Ballinasloe ...	.	1	5	.	.	.	.	1	.	A. 1.	
	Clifden ...	.	2	8	2	22	.	.	.	1	H. 1.	
	Galway ...	.	2	13	6	3	3	.	2	.	H. 1.	
	Glenamaddy ...	.	.	3	.	2	2	.	1	.	A. 1.	
	Gort ...	.	.	2	.	.	.	.	.	.	H. 1.	
	Loughrea ...	.	4	19	2	.	.	.	2	.	B. 1.	
	Mountbellew ...	.	.	.	.	.	1	.	1	.	A. 2.	
	Oughterard ...	.	.	21	.	.	13	.	1	.	A. 1.	
	Portumna ...	.	.	2	3	.	.	.	3	3	H. 1.	
	Tuam ...	.	1	17	6	.	.	1	3	6		
Kerry ...	Caheriveen ...	.	7	6	.	23	.	.	4	1	A. 1. F. 1. H. 6.	
	Dingle ...	.	5	11	1	6	1	.	3	.	F. 1. H. 3.	
	Kenmare ...	.	.	.	.	8	.	.	.	1	B. 1.	
	Killarney ...	.	8	8	4	4	.	.	3	.	B. 2.	
	Listowel ...	.	2	48	5	1	.	.	2	.	H. 1.	
	Tralee ...	.	6	45	10	7	.	.	9	1	B. 2.	
Kildare ...	Athy No. 1 ...	.	2	9	5	1	3	.	.	1	A. 1. G. 1.	
	Cill Droichead No. 1 ...	.	1	48	9	.	3	.	.	.	F. 1.	
	Edonderry No. 2 ...	.	.	21	.	3	.	.	1	.	H. 1.	
	Nas na Biogh No. 1 ...	.	.	36	4	1	14	1	5	.	A. 1. F. 2. H. 2.	

## CASES OF INFECTIOUS DISEASES—contd.

## RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Kilkenny ...	Callan ...	.	1	32	1	3	.	.	1	.	
	Carrick-on-Suir No. 3 ...	.	.	.	1	.	.	.	1	.	B. 1.
	Castlecomer ...	.	.	18	.	1	.	.	.	.	
	Ida ...	.	.	18	3	2	.	.	.	.	
	Kilkenny ...	.	.	19	2	2	.	.	3	1	G. 1.
	Thomastown ...	.	1	16	1	.	.	.	.	.	A. 1.
	Uringford No. 1 Waterford No. 2	.	.	3	.	.	.	.	.	.	
Laoighis ...	Abbeyleix ...	.	.	12	4	.	.	.	8	.	B. 1. H. 2.
	Athy No. 2 ...	.	1	2	1	.	.	.	6	.	H. 2.
	Mountmellick ...	.	4	133	15	34	.	.	4	6	A. 3. B. 1. G. 1. H. 2.
	Roscrea No. 3	.	.	2	.	.	.	.	1	2	
	Slievemary ...	.	.	1	2	.	.	.	.	.	
Leitrim ...	Ballinamore ...	.	2	.	.	.	.	.	.	.	
	Carrick-on-Shannon No. 1	.	1	2	.	.	3	.	.	1	
	Kinlough ...	.	.	.	.	7	.	.	.	.	
	Manorhamilton	.	2	1	1	.	2	.	3	1	N. 1.
	Mohill ...	.	1	2	.	.	.	.	.	.	
Limerick ...	Croom ...	.	1	9	2	.	.	.	2	.	F. 1. H. 1.
	Glin ...	.	.	12	.	.	.	.	15	.	
	Kilmallock ...	.	.	10	.	5	.	.	4	1	H. 1.
	Limerick No. 1	.	3	12	7	1	.	.	5	2	
	Mitichelstown No. 2	.	.	1	.	.	.	.	4	.	
	Newcastle ...	.	9	21	.	.	.	.	1	2	H. 1.
	Rathkeale ...	.	.	9	1	.	.	1	3	3	P. 1.
Tipperary No. 2	.	.	.	1	.	8	.	.	10	.	
	Longford ...	Ballymahon ...	.	.	4	.	.	.	.	.	A. 1.
		Granard No. 1	.	2	2	.	.	6	.	.	2
Longford ...		.	1	3	.	.	.	.	1	.	
Louth ...	Ardee No. 1 ...	.	2	4	3	.	4	.	2	7	
	Dundalk ...	.	1	25	17	12	.	.	1	7	A. 1. H. 2.
	Louth ...	.	.	3	.	.	.	.	.	.	
Mayo ...	Ballina ...	.	.	3	1	.	4	.	1	8	A. 1. B. 1. H. 1.
	Ballinrobe ...	.	.	6	.	1	.	1	7	.	
	Belmullet ...	.	.	.	1	.	22	.	.	.	B. 1. G. 1.
	Castlebar ...	.	.	.	2	.	.	.	2	.	B. 2.
	Claremorris ...	.	2	.	9	.	2	.	8	.	H. 2.
	Swineford ...	.	.	6	6	.	2	1	8	4	A. 1. H. 1.
	Westport ...	.	.	9	.	.	22	2	7	2	B. 1. H. 2.
Meath ...	Ardee No. 2 ...	.	.	3	.	.	.	.	.	.	
	Ceannanus Mor	.	1	12	1	4	.	.	1	.	
	Dunshaughlin	.	.	13	1	1	5	.	1	1	B. 3. H. 1.
	Meath ...	.	.	4	.	.	.	2	.	.	
	Navan ...	.	5	4	1	.	.	1	.	.	A. 1. B. 1. H. 1.
	Oldcastle ...	.	.	1	2	.	2	.	.	.	
	Trim ...	.	2	14	.	4	.	2	.	.	A. 1.
Monaghan	Carrickmacross	.	.	17	2	1	.	.	15	1	H. 4.
	Castleblayney	.	4	13	.	.	.	1	8	.	
	Clones No. 1	.	.	8	2	.	.	.	4	.	H. 1.
	Monaghan ...	.	.	69	6	.	.	.	5	.	B. 1. H. 5. N. 1.
Offaly ...	Birr ...	.	1	23	2	.	.	.	.	.	
	Edenderry No. 1	.	.	19	.	.	.	.	3	1	H. 1.
	Roscrea No. 2	.	.	10	.	1	1	.	1	.	
	Tullamore ...	.	1	30	4	.	.	.	6	.	B. 1. H. 1.
Roscommon	Athlone No. 2	.	.	7	2	1	.	.	1	.	
	Boyle No. 1 ...	.	6	12	4	.	.	1	2	1	G. 1. H. 2.
	Carrick-on-Shannon No. 2	.	.	.	.	.	8	.	6	.	A. 2. B. 1. H. 2.
	Castlerea ...	.	4	6	4	.	5	.	3	14	B. 1. H. 2. N. 2.
	Roscommon ...	.	.	37	5	.	3	1	12	3	A. 2. B. 1. H. 3.
Sligo ...	Coolavin ...	.	2	1	1	.	.	.	.	.	F. 4. H. 1.
	Dromore West	.	.	.	.	.	.	1	1	.	
	Sligo ...	.	.	12	1	.	.	1	.	.	A. 1.
	Tobercurry ...	.	.	8	3	.	.	.	1	.	
Tipperary N.R.	Borrisokane	.	.	11	1	.	.	.	1	.	C. 1.
	Nenagh ...	.	1	41	1	.	.	1	7	.	A. 1. H. 2.
	Roscrea No. 1.	.	.	60	19	9	.	1	13	1	
	Thurles ...	.	2	10	1	39	.	1	8	.	B. 9. H. 1.

## CASES OF INFECTIOUS DISEASES—contd.

## RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Prim-ary	Influ-enzal	
Tipperary S.R.	Carrick-on Suir No. 1	.	.	1	1	.	.	.	.	.	A. 1. B. 3. N. 5.
	Cashel ...	.	2	23	3	8	1	1	.	.	
	Clogheen ...	.	.	2	2	.	.	2	.	.	
	Clonmel No. 1	.	1	5	1	1	8	.	.	.	
	Slievardagh ...	.	2	17	6	1	24	.	6	5	
Tipperary No. 1	.	1	5	.	.	.	.	1	.	H. 1.	
Waterford	Carrick-on-Suir No. 2	.	.	2	3	16	.	.	3	.	H. 3. N. 15. F. 1. H. 3.
	Clonmel No. 2	.	.	2	.	.	1	.	.	.	
	Dungarvan ...	.	.	5	2	1	.	.	.	.	
	Kilmacthomas	.	.	.	.	19	.	1	3	.	
	Lismore ...	.	1	4	2	10	17	.	5	2	
	Waterford No. 1	.	.	1	5	.	.	.	1	1	
Youghal No. 2	.	.	1	1	.	.	.	1	.		
Westmeath	Athlone No. 1	.	1	8	.	.	3	.	2	.	H. 3.
	Ballymore ...	.	.	3	.	.	.	.	.	.	
	Coole ...	.	.	6	.	.	.	.	.	.	
	Delvin ...	.	.	2	2	1	.	.	.	.	
	Mullingar ...	.	.	31	6	2	39	.	8	1	H. 4.
Wexford ...	Enniscorthy ...	.	.	20	13	10	.	1	1	.	H. 2.
	Gorey ...	.	.	7	2	2	21	.	.	.	F. 2.
	New Ross ...	.	1	30	9	58	115	.	1	.	B. 3. H. 6.
	Wexford ...	.	.	17	10	31	25	1	5	.	B. 1. H. 5. N. 1.
	Wexford ...	.	.	17	.	.	10	.	9	.	H. 1.
Wicklow ...	Baltinglass	.	.	17	.	.	.	.	9	.	H. 1.
	Rathdown No. 2	.	1	2	1	.	.	.	2	2	H. 3.
	Rathdrum ...	.	.	60	4	6	16	.	2	.	J. 1. N. 1.
	Shillelagh ...	.	3	.	.	.	.	.	1	.	
	TOTAL ...	.	172	2,345	526	615	605	36	443	171	A. 47. B. 65. C. 3. D. 122. F. 14. G. 15. H. 155. J. 1. N. 35. P. 1.

## SUMMARY, 1945.

County	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Prim-ary	Influ-enzal	
County Boroughs	.	36	993	356	2,124	1,317	14	492	33	A. 20. B. 29. C. 8. D. 2,004. F. 3. G. 49. H. 251. J. 12. N. 69. P. 1. U. 4,267.
Urban Districts ...	.	51	839	174	313	203	17	130	70	A. 14. B. 12. D. 159. F. 2. G. 13. H. 54. J. 1. N. 55. P. 1. U. 1,183.
Rural Districts ...	.	172	2,345	526	615	605	36	443	171	A. 47. B. 65. C. 3. D. 122. F. 14. G. 15. H. 155. J. 1. N. 35. P. 1.
TOTAL ...	.	259	4,177	1,056	3,052	2,125	67	1,065	274	A. 81. B. 106. C. 11. D. 2,285. F. 19. G. 77. H. 460. J. 14. N. 159. P. 3. U. 5,450.