

Note:

Due to the nature of the scanning technology,
no guarantee can be made regarding specific
letter and number translations.

ÉIRE

AN ROINN SLÁINTE
(Department of Health.)

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1947.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.
or through any bookseller.

1949

Price: Three Shillings and Sixpence.

(P. No. 8986.)

CONTENTS.

PART I.—TEXT.

REPORT:—

| | Page |
|---|----------|
| INTRODUCTORY REMARKS | vii |
| GENERAL SUMMARY | vii |
| | |
| POPULATION: | |
| Estimated population, natural increase and passenger movement ... | ... ix |
| | |
| MARRIAGES: | |
| Number and rate ... | ... ix |
| Rate in Northern Ireland, England and Wales, and Scotland | ... ix |
| Mode of celebration ... | ... x |
| Conjugal condition of persons married ... | ... x |
| Rate for counties, etc. ... | ... xi |
| Marriage rate by quarters ... | ... xi |
| Marriage of Minors ... | ... xii |
| Re-marriages ... | ... xii |
| Licences for marriage ... | ... xii |
| Buildings registered for the solemnisation of marriage ... | ... xii |
| | |
| BIRTHS: | |
| Number and rate ... | ... xiii |
| Rate in Northern Ireland, England and Wales, and Scotland | ... xiii |
| Rate for counties, etc. ... | ... xiii |
| Illegitimate births ... | ... xiii |
| Registration of births under Legitimacy Act (1931) ... | ... xiv |
| Proportion of male to female births ... | ... xiv |
| Births by quarters ... | ... xiv |
| Multiple births ... | ... xiv |

REPORT—*continued.*

| | | |
|--|-----|-------------|
| DEATHS : | | Page |
| Number and rate | ... | xv |
| Rate in Northern Ireland, England and Wales, and Scotland | ... | xv |
| Rate for counties, etc. | ... | xv |
| Deaths by quarters | ... | xv |
| Deaths in institutions | ... | xvi |
| Uncertified deaths | ... | xvi |
| Inquests | ... | xvi |
| Causes of Death : | | |
| General observations | ... | xvi |
| Proportion from principal causes | ... | xvii |
| Epidemic Diseases | ... | xviii |
| Tuberculosis | ... | xx |
| Influenza | ... | xxv |
| Cancer | ... | xxv |
| Heart disease | ... | xxviii |
| Bronchitis | ... | xxviii |
| Pneumonia | ... | xxviii |
| Diarrhoea and enteritis | ... | xxviii |
| Childbirth | ... | xxx |
| Violence | ... | xxxi |
| Ages at death | ... | xxxi |
| Infant mortality | ... | xxxii |
| Rate for Northern Ireland, England and Wales, and Scotland | ... | xxxii |
| Causes of death by age periods | ... | xxxiii |
| Principal causes, 1937 to 1947 | ... | xxxv |
| Causes in urban and rural areas | ... | xxxvi |

DIAGRAMS.

| | | | | | |
|--|-----|-----|-----|-----|-------|
| No. 1. Birth, death and marriage rates | ... | ... | ... | ... | vi |
| No. 2. Death rates from diphtheria | ... | ... | ... | ... | xix |
| No. 3. Death rates from tuberculosis | ... | ... | ... | ... | xxii |
| No. 4. Death rates from influenza | ... | ... | ... | ... | xxiv |
| No. 5. Death rates from cancer | ... | ... | ... | ... | xxix |
| No. 6. Infant mortality | ... | ... | ... | ... | xxxiv |

PART II.—TABLES.

| | | | | | | |
|-----------|---|-----|-----|-----|-----|-----|
| TABLE No. | 1. Estimated population, 1801-1947 | ... | ... | ... | ... | 2 |
| " | 2. Ages of the population, by sexes, number and proportion per cent. | ... | ... | ... | ... | 3-5 |
| " | 3. Number of marriages, births and deaths, and natural increase, 1864-1947 | ... | ... | ... | ... | 6 |
| " | 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1947 | ... | ... | ... | ... | 7 |
| " | 5. Marriages, births, and deaths, by quarters, 1937-1947 | ... | ... | ... | ... | 8 |
| " | 6. Deaths (average number and rate) by causes, 1864-1910 | ... | ... | ... | ... | 9 |

PART II.—TABLES—*continued.*

| | Page |
|--|-------|
| TABLE No. 6A. Deaths (average number and rate), by causes, 1911-1940 | 10 |
| " 7. " (number and rate) in Éire and Northern Ireland, 1945-1947 | 11 |
| " 8. " by sexes and ages, 1864-1947 | 12-14 |
| " 9. Marriages, births and deaths, by counties and county boroughs | 15 |
| " 10. Marriage, birth and death rates, by counties and county boroughs | 16 |
| " 11. Births and deaths for principal towns and aggregate urban and rural areas | 17 |
| " 12. Birth rates and death rates for principal towns and aggregate urban and rural areas | 17 |
| " 13. Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs | 19 |
| " 14. Births and deaths for each urban area | 20-23 |
| " 15. Birth rates and death rates for aggregate urban and rural areas, 1911-1947 | 24 |

PART III.—ABSTRACTS.

| | | | | | |
|--|-------------|-------------|-------------|-------------|--------|
| ABSTRACT I. Marriages, births (distinguishing illegitimate births), and deaths registered by counties | | | | | 26-27 |
| " II. Marriages registered by counties | | | | | 28-29 |
| " III. Births and deaths by sexes, and ages at death, by counties | | | | | 30-32 |
| " IV. Causes of death (intermediate and detailed international lists), by sexes and ages | | | | | 34-51 |
| " V. Causes of death (short list), by sexes, ages and places of occurrence for each county (as under):— | | | | | 54-125 |

| | Page | | Page | | Page |
|------------------|---------|--------------------|---------|----------------|---------|
| Éire | ... 54 | Dublin Co. | ... 60 | Meath | ... 74 |
| | | Dublin City | ... 62 | Monaghan | ... 124 |
| Leinster | ... 56 | Galway | ... 108 | Offaly | ... 76 |
| Munster | ... 84 | Kerry | ... 92 | Roscommon | ... 114 |
| Connnaught | ... 106 | Kildare | ... 64 | Sligo | ... 116 |
| Ulster (part of) | ... 118 | Kilkenny | ... 66 | Tipperary N.R. | ... 98 |
| | | Leitrim | ... 110 | Tipperary S.R. | 100 |
| Carlow | ... 58 | Laoighis | ... 68 | Waterford Co. | ... 102 |
| Cavan | ... 120 | Limerick Co. | ... 94 | Waterford Co. | |
| Clare | ... 86 | Limerick Co. Boro' | 96 | Boro' | ... 104 |
| Cork Co. | ... 88 | Longford | ... 70 | Westmeath | ... 78 |
| Cork Co. Boro' | ... 90 | Louth | ... 72 | Wexford | ... 80 |
| Donegal | ... 122 | Mayo | ... 112 | Wicklow | ... 82 |


| | | |
|---|-------------|---------|
| ABSTRACT VI. Causes of death for fourteen principal towns | | 126-127 |
|---|-------------|---------|

| | | |
|--|-------------|-----|
| APPENDIX I. Number of searches at the General Register Office during the years 1864-1947, with the amount of fees received | | 128 |
|--|-------------|-----|

| | |
|--|---------|
| APPENDIX II. Cases of infectious diseases notified to Department of Health | 129-133 |
|--|---------|

vi
DIAGRAM No. 1. Birth, Death and Marriage Rates, 1933 to 1947.

| | | |
|---------------------------------|-----------------|----------|
| ÉIRE NORTHERN IRELAND | ENGLAND & WALES | SCOTLAND |
|---------------------------------|-----------------|----------|



**REPORT OF THE REGISTRAR GENERAL FOR THE YEAR
1947.**

DO'N AIRE SLÁINTE.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasai, Básanna agus Pósanna cláraithe sa bhliain, 1947.

P. Ó CINNÉIDE,

Ard-Chláraitheoir.

NOTE.—*In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1947 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1947 is exclusive of non-residents of Eire.*

GENERAL SUMMARY.

During the year 1947 the number of marriages recorded was 1,235 less than that in 1946 ; the number of births registered increased by 1,056 and the number of deaths increased by 2,604 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1947 numbered 16,290, compared with 17,525 for the previous year, and an annual average figure of 16,151 for the decennial period ended with 1946. The rate per 1,000 of the population for the year 1947 was 5·5 while the annual average rate for the period 1937 to 1946 was also 5·5.

In Northern Ireland the rate per 1,000 for 1947 was 7·1 ; in England and Wales it was 9·3 ; and in Scotland 8·6.

Births.—The births registered during the year 1947 amounted to 68,978, an increase of 1,056 when compared with the figure for the year 1946. The average annual number for the decennial period 1937 to 1946 was 61,356. The rate for 1947 was 23·2 ; for 1946 it was 22·9 ; and for the period 1937 to 1946 the average rate was 20·8.

The rate in Northern Ireland for 1947 was 23·3 ; in England and Wales it was 20·6 ; and in Scotland, 22·0.

The number of illegitimate births recorded was 2,348, equivalent to a rate of 3·4 per cent. of the total births, which was 0·5 below that for the year 1946. The corresponding percentage for 1947 in Northern Ireland was 3·8 ; in England and Wales, 5·3 ; and in Scotland, 5·6.

Deaths.—During the year 1947 the number of deaths registered was 44,061, a figure which is 2,604 more than the number for 1946 and 1,360 more than the average annual number for the years 1937 to 1946. The rate per 1,000 of the population for the year 1947 was 14·8 compared with 14·0 for 1946 and 14·5 for the decennial period ended with the year 1946.

In Northern Ireland the death rate for 1947 was 12·6 ; in England and Wales it was 12·0, and in Scotland the rate was 12·9.

Of the deaths registered 25·2 per cent. were stated to be due to heart disease, 9·0 to cancer, 8·4 to tuberculosis (all forms), 6·9 to intra-cranial lesions, 4·2 to pneumonia, and 3·0 to bronchitis.

There were 3,700 deaths from all forms of tuberculosis recorded during the year 1947. This figure is 310 more than that for 1946 and 13 less than the average number of deaths for the decennial period from 1937 to 1946. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1947 was 1·24 ; for 1946 the rate was 1·14, and for the decennial period 1937 to 1946 the rate was 1·26.

Deaths from cancer (all forms) numbered 3,962; this figure is 62 less than the figure for 1946 and 66 above the annual average number for the period from 1937 to 1946. The rate per 1,000 of the population for the year 1947 was 1.33, being 0.03 less than that for the preceding year.

During the year 1947 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 130. This figure is equivalent to a rate of 1.88 per 1,000 births, compared with an average of 2.95 in the preceding ten years. The corresponding rate for urban areas for 1947 was 1.41 per 1,000 births, and for rural areas 2.18, as compared with 1.26 and 2.47, respectively, for the year 1946.

There were 4,687 deaths of infants under one year of age registered during the year. This figure is 297 more than for the year 1946 and is equivalent to a rate of 68 per 1,000 births, compared with a rate of 65 for the preceding year. The rates per 1,000 births for urban and rural areas were 80 and 60 respectively in 1947, and 80 and 56 in 1946.

The infant mortality rate in Northern Ireland was 53; in England and Wales it was 41, and in Scotland the rate was 56.

Among legitimate infants the rate of mortality was 63 per 1,000 births, and among illegitimate it was 220. The legitimate infant mortality rate for Northern Ireland was 51 and the illegitimate, 98; and for Scotland 54 and 92 respectively.

The number of deaths registered as caused by violence was 971. Included in this figure are 72 due to suicide, 9 to homicide, and 890 to accidental or unspecified violent causes. During the previous year there were 79 suicidal deaths, 11 homicidal deaths and 790 deaths due to other forms of violence. The number of accidental deaths registered during 1947 as attributable to road traffic was 167 compared with 134 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1947 authority was issued for the registration of 1,783 births and 153 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 1,597.

Searches and Certificates.—During the year 1947 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 52,228, the certificates issued numbered 46,706, and the amount of fees received was £9,875. In the year 1946 the corresponding figures were as follows:—searches, 52,577, certificates, 35,982, and fees £8,351.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1937 to 1947, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1947.

| YEARS. | Estimated Population | Numbers Registered. | | | Rate per 1,000 of Estimated Population. | | |
|---------------------------|----------------------|---------------------|--------|--------|---|--------|--------|
| | | Marriages | Births | Deaths | Marriages | Births | Deaths |
| 1937 | ... 2,948,000 | 14,780 | 56,488 | 45,086 | 5.01 | 19.16 | 15.29 |
| 1938 | ... 2,937,000 | 14,893 | 56,925 | 40,041 | 5.07 | 19.38 | 13.63 |
| 1939 | ... 2,934,000 | 15,204 | 56,070 | 41,717 | 5.18 | 19.11 | 14.22 |
| 1940 | ... 2,958,000 | 15,212 | 56,594 | 41,885 | 5.14 | 19.13 | 14.16 |
| 1941 | ... 2,993,000 | 15,021 | 56,780 | 43,797 | 5.02 | 18.97 | 14.68 |
| 1942 | ... 2,963,000 | 17,470 | 66,117 | 41,640 | 5.90 | 22.31 | 14.05 |
| 1943 | ... 2,946,000 | 17,328 | 64,375 | 43,494 | 5.88 | 21.85 | 14.76 |
| 1944 | ... 2,944,000 | 16,772 | 65,425 | 45,128 | 5.70 | 22.22 | 15.33 |
| 1945 | ... 2,952,000 | 17,301 | 66,861 | 42,762 | 5.86 | 22.65 | 14.49 |
| 1946 | ... 2,963,000 | 17,525 | 67,922 | 41,457 | 5.91 | 22.92 | 13.99 |
| Yearly Average, 1937—1946 | 2,954,000 | 16,151 | 61,356 | 42,701 | 5.47 | 20.77 | 14.46 |
| 1947 | ... 2,972,000 | 16,290 | 68,978 | 44,061 | 5.48 | 23.21 | 14.83 |

NORTHERN IRELAND, 1947.

| | | | | | | | | |
|------|-----|-----------|-------|--------|--------|------|-------|-------|
| 1947 | ... | 1,339,000 | 9,517 | 31,254 | 16,913 | 7.11 | 23.34 | 12.63 |
|------|-----|-----------|-------|--------|--------|------|-------|-------|

POPULATION.

It is estimated that the population of Eire at the middle of the year 1947 was 2,972,000. The number of males was estimated to be 1,503,000, and the number of females 1,469,000. These figures are based on the result of the Census of Population taken in 1946, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966; according to the Register of Population taken in November, 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females; according to the Register of Population taken in December, 1943, it was 2,949,713—males, 1,489,585 and females, 1,460,128, and according to the Census of Population taken in May, 1946, it was 2,953,452, of which 1,494,384 were males and 1,459,068 females.

In Table I the estimated population for each of the years 1851 to 1947 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1870, during each intercensal period between 1871 and 1936, and for each of the years 1936-1947, with the rate per 1,000 of the population, and the balance of the passenger movement from 1936 to 1947.

| PERIOD | Excess of Births over Deaths (Natural Increase) | | Balance of Passenger Movement (including Migration). Outwards (-); Inwards (+) | |
|-----------|---|-------------------------------|---|-------------------------------|
| | Number | Per 1,000 of Population | Number | Per 1,000 of Population |
| 1864-70 | 39,603 | 9.5 | — | — |
| 1871-81 | 31,855 | 8.1 | — | — |
| 1881-91 | 19,600 | 5.4 | — | — |
| 1891-1901 | 14,954 | 4.5 | — | — |
| 1901-11 | 17,940 | 5.6 | — | — |
| 1911-26 | 15,820 | 5.1 | — | — |
| 1926-36 | 16,264 | 5.5 | — | — |
| Year 1936 | 15,629 | 5.2 | -21,539 | -7.3 |
| " 1937 | 11,492 | 3.9 | -25,936 | -8.8 |
| " 1938 | 16,884 | 5.7 | -17,555 | -6.0 |
| " 1939 | 14,353 | 4.9 | +13,965 | +4.8 |
| " 1940 | 14,709 | 5.0 | +17,168 | +5.8 |
| " 1941 | 12,933 | 4.3 | -23,305 | -7.8 |
| " 1942 | 24,477 | 8.3 | -53,335 | -18.0 |
| " 1943 | 20,581 | 7.1 | -37,396 | -12.7 |
| " 1944 | 20,297 | 6.9 | + 6,562 | + 2.2 |
| " 1945 | 24,089 | 8.2 | - 2,345 | - 0.8 |
| " 1946 | 26,465 | 8.9 | - 8,973 | - 3.0 |
| " 1947 | 24,917 | 8.4 | - 9,061 | - 3.0 |

MARRIAGES.

Number and Rate.—There were 16,290 marriages registered during the year 1947 compared with a figure of 14,780 in 1937. The figure for 1947 is 1,235 less than that for the year 1946 and 139 above the average for the decennial period 1937 to 1946.

The annual rate per 1,000 of the population for the year 1947 was 5.48 compared with 5.91 in 1946. The rate for the decennial period ended with 1946 was 5.47 per 1,000. In 1942, 1943, 1944, and 1945, the rates were respectively 5.90, 5.88, 5.70 and 5.86 per 1,000. The figures and rates for each of the years 1937 to 1947 are shown in Table C on page x, and a summary of the figures and rates since 1864 is given in Tables 3 and 4 of Part II of this Report.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1938 to 1947:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|---------------------|----------------------|----------|
| 1938 | 5.1 | 6.7 | 8.8 | 7.8 |
| 1939 | 5.2 | 7.1 | 10.6 | 9.2 |
| 1940 | 5.1 | 7.6 | 11.3 | 10.7 |
| 1941 | 5.0 | 9.3 | 9.4 | 9.5 |
| 1942 | 5.9 | 9.0 | 8.9 | 9.5 |
| 1943 | 5.9 | 7.8 | 7.2 | 7.6 |
| 1944 | 5.7 | 7.2 | 7.1 | 7.2 |
| 1945 | 5.9 | 7.9 | 9.3 | 9.5 |
| 1946 | 5.9 | 7.4 | 9.0 | 8.9 |
| 1947 | 5.5 | 7.1 | 9.3 | 8.6 |

MARRIAGES—continued.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the mode of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

Mode of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1947 amounted to 15,379 (equal to 94.4 per cent. of the total), and other marriages numbered 911. The number of Catholic marriages is 1,326 less than that for 1946 and the number of all other marriages is 91 more than the figure for the preceding year. In the year 1947 the number of marriages other than Catholic recorded include 623 according to the rites and ceremonies of the Protestant Episcopalian Church ; 160 in Presbyterian meeting-houses ; 58 in registered buildings belonging to various other religious denominations ; 54 by civil contract in the registrars' offices ; 6 according to the usages of the Society of Friends, and 10 according to Jewish rites. Comparing these figures with those for 1946, the number according to the rites and ceremonies of the Protestant Episcopalian Church shows a decrease of 16 ; in Presbyterian meeting-houses an increase of 52 ; in registered buildings an increase of 22 ; in the registrars' offices an increase of 23 ; an increase of 5 according to the usages of the Society of Friends ; and an increase of 5 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1947 is equal to a rate of 5.18 per 1,000 of the estimated Catholic population, a rate which is 0.34 below the average rate for the preceding ten years, and the rate for all other marriages was 4.64 per 1,000 of all persons other than Catholics in the population, or 0.11 below the average. Corresponding rates for each year from 1937 to 1947 are shown in Table C below.

TABLE C.—MARRIAGES registered in 1947 and in each of the previous ten years, according to the **MODES OF CELEBRATION** ; with the rate per 1,000 of the population represented by Catholic and all other marriages.

| YEARS | Marriages registered other than Catholic | | | | | | | Catholic Marriages Registered | Rate per 1,000 of estimated corresponding Population represented by | | |
|------------------------|--|--------------|-------------------------|----------------------------|--------------------|------|-------|-------------------------------|---|---------------------|-----------------|
| | Protestant Episcopalian | Presbyterian | In Registered Buildings | In the Registrars' Offices | Society of Friends | Jews | Total | | Catholic Marriages | All other Marriages | Total Marriages |
| 1937 .. | 718 | 139 | 46 | 59 | 2 | 8 | 972 | 13,808 | 14,780 | 5.01 | 5.00 |
| 1938 .. | 680 | 128 | 54 | 49 | 4 | 9 | 924 | 13,969 | 14,893 | 5.09 | 4.77 |
| 1939 .. | 660 | 132 | 59 | 52 | 4 | 15 | 922 | 14,282 | 15,204 | 5.21 | 4.76 |
| 1940 .. | 681 | 147 | 75 | 49 | 5 | 3 | 960 | 14,252 | 15,212 | 5.16 | 4.92 |
| 1941 .. | 668 | 160 | 66 | 55 | 2 | 9 | 960 | 14,061 | 15,021 | 5.03 | 4.86 |
| 1942 .. | 720 | 153 | 64 | 57 | 3 | 7 | 1,004 | 16,466 | 17,470 | 5.95 | 5.12 |
| 1943 .. | 677 | 152 | 49 | 52 | 3 | 9 | 942 | 16,336 | 17,323 | 5.96 | 4.84 |
| 1944 .. | 645 | 128 | 49 | 63 | 2 | 3 | 890 | 15,882 | 16,772 | 5.78 | 4.58 |
| 1945 .. | 632 | 124 | 51 | 57 | 4 | 8 | 876 | 16,425 | 17,301 | 5.96 | 4.50 |
| 1946 .. | 659 | 108 | 36 | 31 | 1 | 5 | 820 | 16,705 | 17,525 | 6.04 | 4.19 |
| Yearly Average 1937-46 | 672 | 137 | 55 | 52 | 3 | 8 | 927 | 15,224 | 16,151 | 5.52 | 4.75 |
| 1947 .. | 623 | 160 | 58 | 54 | 6 | 10 | 911 | 15,379 | 16,290 | 5.18 | 4.64 |

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 94.8 per cent. of the total marriages ; those of widowers and spinsters, 3.4 per cent. ; bachelors and widows, 1.2 per cent. ; and those of widowers and widows, 0.6 per cent. Of the men married, 4.0 per cent. were widowers, and of the women, 1.8 per cent. were widows, or in 58 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1946 were :—widowers, 3.1 per cent., and widows 1.6 per cent. In Table E similar figures from the year 1937 are shown.

MARRIAGES—continued.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1947, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

| Counties, &c. | Marriages per 1,000 of Population | | | Counties, &c. | Marriages per 1,000 of Population | | |
|----------------------------|-----------------------------------|-----------------------|-----------|---------------------------|-----------------------------------|-----------------------|-----------|
| | Annual Average 1925-7 | Annual Average 1935-7 | Year 1947 | | Annual Average 1925-7 | Annual Average 1935-7 | Year 1947 |
| | 4·6 | 4·9 | 5·5 | | 4·2 | 3·9 | 4·5 |
| EIRE | 4·6 | 4·9 | 5·5 | Kerry | 4·2 | 3·9 | 4·5 |
| Carlow | 4·3 | 5·0 | 5·0 | Limerick | 3·6 | 3·7 | 4·0 |
| Dublin | 5·4 | 6·7 | 5·4 | Limerick Co. Borough ... | 9·4 | 8·5 | 10·7 |
| City of Dublin | 7·6 | 7·4 | 7·7 | Tipperary N.R. ... | 4·5 | 4·6 | 5·5 |
| Kildare | 3·9 | 4·7 | 4·6 | Tipperary S.R. ... | 3·8 | 4·0 | 5·0 |
| Kilkenny | 3·9 | 4·3 | 4·9 | Waterford ... | 4·1 | 4·4 | 5·6 |
| Laois | 3·4 | 3·2 | 3·3 | Waterford Co. Borough ... | 4·9 | 5·3 | 5·1 |
| Longford | 4·4 | 3·8 | 4·2 | Munster | 4·4 | 4·5 | 5·4 |
| Louth | 4·0 | 5·2 | 5·9 | Galway | 3·7 | 4·0 | 4·6 |
| Meath | 3·5 | 5·2 | 4·5 | Leitrim | 4·4 | 4·0 | 5·2 |
| Offaly | 4·3 | 4·4 | 4·6 | Mayo | 3·8 | 3·5 | 3·8 |
| Westmeath | 4·0 | 4·0 | 5·2 | Roscommon ... | 4·0 | 3·8 | 4·5 |
| Wexford | 4·4 | 4·7 | 4·9 | Sligo | 4·3 | 4·3 | 5·1 |
| Wicklow | 4·0 | 4·6 | 5·4 | Connaught | 3·9 | 3·9 | 4·5 |
| Leinster | 5·2 | 5·8 | 6·1 | Cavan | 4·3 | 4·2 | 4·9 |
| Clare | 3·6 | 3·7 | 4·9 | Donegal | 3·7 | 4·7 | 5·5 |
| Cork | 3·5 | 3·6 | 4·3 | Monaghan ... | 3·9 | 4·0 | 5·1 |
| Cork Co. Borough | 8·2 | 8·7 | 10·5 | Ulster (part of) ... | 3·9 | 4·4 | 5·3 |

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Limerick county borough the rate was 10·7 per 1,000; in Cork 10·5; in Dublin 7·7; and in Waterford 5·1. The highest rates for the remaining areas were Louth 5·9, Waterford 5·6, Donegal 5·5, and Tipperary N.R. 5·5. The lowest rates were recorded in Laois 3·3, Mayo 3·8, Limerick 4·0, Longford 4·2, and Cork 4·3 per 1,000.

In the provinces the rates were 6·1 for Leinster, 5·4 for Munster, 5·3 for Ulster (part of), and 4·5 for Connaught. The corresponding rates for 1946 were 6·5 for Leinster; 6·0 for Munster; 5·2 for Ulster (part of); and 4·8 for Connaught. The rate for Leinster for 1947 is 0·3 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 0·9 more than the average, in Connaught the increase was 0·6 and in Ulster (part of) it was 0·9 per 1,000 of the population.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1937-1947, and also the average number and rate for the ten years 1937 to 1946, and the rate for the year 1947. In the first quarter of 1947 the rate per 1,000 of the population was 5·1, in the second 5·4, in the third 6·6, and in the fourth 4·8. The corresponding rates for the year 1946 were 6·0 for the first quarter, 5·6 for the second, 7·0 for the third, and 5·0 for the fourth quarter; and the average rates for the decennial period from 1937 to 1946 were 5·2, 5·4, 6·3 and 4·9 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1947 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1937 to 1946.

In the case of Catholic marriages the rate per 1,000 of the corresponding population for each of the first and following quarters of 1947 was 5·2, 5·4, 6·6 and 4·9 respectively, compared with a rate of 6·2, 5·7, 7·1 and 5·2 for the same quarter of the year 1946. The rate for other marriages for each of the quarters of the year 1947 was 3·3, 5·1, 6·6 and 4·9 respectively, and the rate for the corresponding quarter of the year previous was 3·3, 4·6, 5·4 and 3·4 per 1,000 of the population other than Catholic.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1937 to 1947.

| YEAR | Total Marriages | Persons not of Full Age | | Re-Marriages | |
|------|--------------------|----------------------------|----------------------------|--------------|--------|
| | | of 100 Men Married | of 100 Women Married | Widowers | Widows |
| 1937 | 14,780 | 1.42 | 6.84 | 5.07 | 2.20 |
| 1938 | 14,893 | 1.36 | 7.22 | 5.20 | 2.19 |
| 1939 | 15,204 | 1.47 | 7.39 | 4.84 | 1.82 |
| 1940 | 15,212 | 1.70 | 8.20 | 4.65 | 1.85 |
| 1941 | 15,021 | 1.84 | 7.96 | 4.27 | 1.90 |
| 1942 | 17,470 | 1.99 | 8.51 | 4.12 | 1.65 |
| 1943 | 17,328 | 1.56 | 7.48 | 3.85 | 1.72 |
| 1944 | 16,772 | 2.07 | 8.49 | 3.98 | 1.78 |
| 1945 | 17,301 | 1.51 | 7.69 | 3.24 | 1.64 |
| 1946 | 17,525 | 1.13 | 6.39 | 3.10 | 1.62 |
| 1947 | 16,290 | 1.45 | 6.59 | 4.04 | 1.82 |

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as "of full age" or "minor" as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1947 who were stated to have married under age was 1.92 per cent.; in Munster 1.48; in Connaught 0.77, and in Ulster (part of) 0.36 per cent. In the case of females married the proportion who were minors in Leinster was 8.48, in Munster 6.26, in Connaught 4.28, and in Ulster (part of) 6.06 per cent. The corresponding percentages for the country as a whole were 1.50 for husbands and 7.03 for wives.

The proportion per cent. of males married in Northern Ireland in 1947 who were under age was 4.4 and of females 17.1.

Licences for Marriage.—During the year 1947, the number of licences issued by the registrars for marriages in registered buildings and in registrars' offices was 105. On 31st December, 1947, the number of such registrars of marriages authorised to grant licences for marriage was 67.

Marriage licences issued by licensing officers of the Protestant Episcopalian Church amounted to 520. The number of licensing officers on the 31st December, 1947, was 142.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies during the year 1947 was 139. The number of licensing ministers on the 31st December, 1947, was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,038 churches and chapels of the Protestant Episcopalian Church were, on the 31st December, 1947, licensed for the solemnisation of marriages, 146 Presbyterian meeting-houses (141 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 160 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 160 separate buildings belong are shown in the following list:—

| Denominations | No. of Places of Worship | Denominations | No. of Places of Worship |
|------------------------------------|-----------------------------------|--------------------------|-----------------------------------|
| Methodists | 127 | Salvation Army ... | 2 |
| Reformed Presbyterians | 2 | Seceders ... | 2 |
| Baptists | 8 | " Undenominational " ... | 6 |
| Independents or Congregationalists | 3 | | |
| Christian Brethren | 9 | | |
| Moravians or United Brethren | 1 | TOTAL ... | 160 |

BIRTHS.

The births for the year 1947 numbered 68,978, a figure which is 1,056 more than that for the year 1946 and 7,622 more than the average number recorded during the decennial period from 1937 to 1946. The numbers recorded for each of the years 1942, to 1946 were 66,117, 64,375, 65,425, 66,361 and 67,922 respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1947 was 23.21 and in 1946 the corresponding rate was 22.92 per 1,000. In the years 1942, 1943, 1944 and 1945 the rates were 22.31, 21.85, 22.22 and 22.65 respectively.

In Tables 3 and 4 the number of births and the average rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and the rate for each year since 1936 are shown. In the period from 1864 to 1870 the average rate was 25.79 per 1,000 and in the period from 1871 to 1880 it was 26.31, falling gradually to 19.34 for the decennial period 1931 to 1940. During the period 1938 to 1947 the highest rate recorded was 23.21 for 1947 and the lowest 18.97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1938 to 1947:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|---------------------|----------------------|----------|
| 1938 | 19.4 | 20.0 | 15.1 | 17.7 |
| 1939 | 19.1 | 19.5 | 14.9 | 17.4 |
| 1940 | 19.1 | 19.6 | 14.6 | 17.1 |
| 1941 | 19.0 | 20.8 | 14.2 | 17.9 |
| 1942 | 22.3 | 22.8 | 15.8 | 18.1 |
| 1943 | 21.9 | 24.2 | 16.5 | 18.9 |
| 1944 | 22.2 | 23.5 | 17.6 | 18.5 |
| 1945 | 22.7 | 22.0 | 16.0 | 16.9 |
| 1946 | 22.9 | 22.6 | 19.1 | 20.3 |
| 1947 | 23.2 | 23.3 | 20.6 | 22.0 |

Rates for Counties, etc.—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1947 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 25.1, for Munster 22.7, for Connaught 20.9 and for Ulster (part of) 21.4, as compared with 24.6, 22.4, 20.7 and 21.5 respectively, for 1946. Comparing the rates for the years 1946 and 1947, it will be seen that the rate for Leinster has increased by 0.5, for Munster by 0.3, and for Connaught 0.2 and for Ulster a decrease of 0.1 is shown.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 26.3, Cork 26.2, Limerick 30.5, and Waterford 24.3 per 1,000. The highest rates in the counties were Kildare 28.3, Carlow 26.3, Louth 26.3, Tipperary S.R. 25.6, Offaly 25.1, Wexford 24.7 and Wicklow 24.6. On the other hand, the lowest rates recorded were Roscommon 17.5, Leitrim 18.4, Sligo 19.9, Cork 20.0, Cavan 20.1, Monaghan 20.2, Dublin 20.9 and Mayo 21.4 per 1,000.

The birth rates for the total urban areas were 25.9 and 25.1, respectively, in the years 1947 and 1946, an increase of 0.8 per 1,000, while the corresponding rural rates were 22.0 and 21.9, respectively, an increase of 0.1 per 1,000. In Table 15 the birth rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1947 include 2,348 of illegitimate children, a figure which is 294 below that for 1946. The number for 1947 is equivalent to a rate of 0.8 per 1,000 of the population, and a rate of 3.4 per cent. of the total births recorded. The respective rates for the previous year were 0.9 per 1,000 and 3.9 per cent.

In Northern Ireland for 1947 the rate per cent. of the total births was 3.8, in England and Wales 5.3, and for Scotland 5.6.

The percentages are shown for each of the provinces for the years 1940 to 1947 in the following statement:—

| AREA | Illegitimate births—per cent. of total births. | | | | | | | |
|----------------------|--|------|------|------|------|------|------|------|
| | 1940 | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 |
| Eire | 3.22 | 3.48 | 3.66 | 3.80 | 3.92 | 3.93 | 3.89 | 3.40 |
| Leinster ... | 3.40 | 3.62 | 3.77 | 4.00 | 4.15 | 4.17 | 3.97 | 3.75 |
| Munster ... | 3.44 | 3.59 | 3.80 | 4.16 | 4.01 | 4.13 | 4.21 | 3.58 |
| Connaught ... | 1.93 | 2.32 | 2.53 | 2.29 | 2.44 | 2.39 | 2.64 | 1.64 |
| Ulster (part of) ... | 3.90 | 4.43 | 4.59 | 4.19 | 5.04 | 4.65 | 4.46 | 3.62 |

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs for the year 1947 are given. The highest percentages were in the following counties: Kilkenny 6·0, Carlow 5·7, Waterford 5·4, Longford and Limerick 5·2, Wicklow 4·9, Wexford 4·8 and Cavan 4·6. The counties with the lowest ratios were Waterford county borough 1·3, Mayo 1·3, Cork county borough 1·5, Limerick county borough 1·8, Sligo 2·1, Roscommon 2·4 and Galway 2·4 per cent.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 117 cases during the year 1947. This figure is one more than the corresponding figure for the year 1946.

Proportion of Males to Females.—The number of male births registered in 1947 was 35,674 and of female births 33,304. The proportion between the sexes was 1,071 males per 1,000 females, a ratio which is the same as that for 1946 but which is 14 above the average figure for the years 1937 to 1946. In Northern Ireland for the year 1947 the proportion of males born alive to 1,000 females was 1,050, in England and Wales 1,061, and in Scotland 1,052.

Table 4 shows the proportion of male to female births for each of the years since 1937, and also the average rates since the year 1864.

The male children born in wedlock in 1947 numbered 34,450, and the female 32,180, or 1,071 males to every 1,000 females, and of the illegitimate children, 1,224 were males and 1,124 females, or 1,089 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes recorded during each quarter of 1947 is shown in the following table:—

| | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter | Total |
|------------------|---------------|---------------|---------------|---------------|---------------|
| Males ... | 9,107 | 9,695 | 9,097 | 7,775 | 35,674 |
| Females ... | 8,430 | 9,251 | 8,327 | 7,296 | 33,304 |
| TOTAL ... | 17,537 | 18,946 | 17,424 | 15,071 | 68,978 |

In Table 5 the number of births registered in each quarter of the years 1937 to 1947 is given, together with the rates for the year 1947 and the average rates for the previous decennial period. The rates for each of the quarters were 23·6, 25·5, 23·5 and 20·3 per 1,000, showing increases of respectively 3·2, 3·4, 2·1 and 1·1 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1947 was 1,949, consisting of 961 pairs of twins, and 9 sets of triplets, as compared with 1,520 (748 pairs of twins and 8 sets of triplets) for the previous year. The twin children whose births were recorded during 1947 were 2·8 per cent. of the total number of infants whose births were registered. In 1946 the corresponding percentage was 2·2.

The number of mothers of living children whose births were recorded during the year was 67,999. Of these 67,029, or 98·6 per cent., gave birth to single infants, and 970 or 1·4 per cent. to two or more infants at a birth.

The infants born in wedlock (66,630) included 64,736 single infants, 1,870 twins and 24 triplets, equivalent to, respectively, the ratios of 97·16 per cent., 2·81 per cent., and 0·03 per cent. of the total number of legitimate births.

Illegitimate infants included 2,293 single infants, 52 twin infants and 3 triplets, equivalent, respectively, to 97·66 per cent., 2·21 per cent., and 0·13 per cent. of the 2,348 illegitimate infants registered. In the year 1946 the illegitimate infants recorded included 2,598 single infants, and 44 twin infants.

In the year 1947 the infants born alive in multiple births comprised 993 males and 956 females. Of the twin infants, 981 were males and 941 females, the triplet infants included 12 males and 15 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1947 was 44,061, the males numbering 23,461 and the females 20,600. The total is 2,604 more than the number for 1946 and 1,360 more than the average for the decennial period 1937 to 1946. In the year 1947 the deaths of males were 1,598 more, and the deaths of females 1,006 more than in the previous year.

The deaths registered in 1947 represent a rate of 14.83 per 1,000 of the population, compared with 13.99 for 1946 and an average of 14.46 for the ten years 1937 to 1946. The rate for males during each of the past three years was 14.94, 14.59 and 15.61, the corresponding ratio for females being 14.02, 13.39 and 14.02 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1938 to 1947 are as follows:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|---------------------|----------------------|----------|
| 1938 | 13.6 | 13.7 | 11.6 | 12.6 |
| 1939 | 14.2 | 13.5 | 12.1 | 12.9 |
| 1940 | 14.2 | 14.6 | 14.0 | 14.9 |
| 1941 | 14.6 | 15.2 | 12.9 | 14.5 |
| 1942 | 14.1 | 13.3 | 11.6 | 13.0 |
| 1943 | 14.8 | 13.4 | 12.1 | 13.3 |
| 1944 | 15.3 | 12.8 | 12.7 | 13.6 |
| 1945 | 14.5 | 12.3 | 11.4 | 13.2 |
| 1946 | 14.0 | 12.5 | 11.5 | 13.1 |
| 1947 | 14.8 | 12.6 | 12.0 | 12.9 |

Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows:—Dublin 14.0, Cork 17.1, Limerick 15.9, and Waterford 15.6. The counties with the highest rates were Sligo 16.9, Wexford and Leitrim each 16.5, Longford 16.2, and Carlow 16.0. The lowest rates were recorded for Dublin 13.2, Kildare 13.7, Meath 14.1, Galway 14.2, Kilkenny and Tipperary N.R. each 14.3, Louth, Limerick and Monaghan each 14.6, Mayo 14.7, and Wicklow, Roscommon and Donegal each 14.9.

The rate for the province of Leinster was 14.5 per 1,000, for Munster 15.4, for Connaught 15.0 and for Ulster (part of) 15.0, compared with 13.5, 14.4, 14.6 and 14.3 for the preceding year.

During the year 1947 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14.3 and 15.2 per 1,000 compared with 13.2 and 14.5 for the preceding year. The figure for the urban areas in 1947 is 1.1 more, and that for the rural areas 0.7 more than the respective rates for the year 1946. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1947:—

| | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter | Total |
|------------------|---------------|---------------|--------------|--------------|---------------|
| Males ... | 8,524 | 5,940 | 4,442 | 4,555 | 23,461 |
| Females ... | 7,451 | 5,221 | 3,846 | 4,082 | 20,600 |
| TOTAL ... | 15,975 | 11,161 | 8,288 | 8,637 | 44,061 |

DEATHS—continued.

Of the total deaths, 27,136, or 61·6 per cent., were registered during the first six months and 16,925, or 38·4 per cent., in the second six months. The corresponding percentages for the preceding year were respectively 56·8 and 43·2.

During the year 1947 the mortality was highest in the first quarter, in which the rate was 21·5 per 1,000 of the population. In the second quarter the rate was 15·0, in the third 11·2, and in the last quarter it was 11·6. In the preceding year the rates for the quarters were as follows:—first 17·6, second 14·2, third 11·5, and fourth 12·6.

The rate for each quarter of 1947 and the average figure for the previous ten years are given in Table 5. A comparison between the rates for 1947 and the average figure shows that in the first quarter there was an increase of 3·3 per 1,000; the rate for the second quarter shows an increase of 0·5; the third a decrease of 0·5, and in the fourth quarter there was a decrease of 1·8 per 1,000.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,084, in mental hospitals 1,415, in county homes and hospitals, etc., 8,832; and 28,730 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11·5, 3·2, 20·1, and 65·2 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1937 the percentages of deaths in the three classes of institutions were 11·1, 3·0 and 17·5, respectively, 68·4 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 5,528. This figure is equivalent to a rate of 12·5 per cent. of the total deaths registered during the year. The proportion for the previous year was 12·4 and the average percentage for the ten years from 1937 to 1946 was 14·9.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1947 being 17·8. In the urban areas the percentage was only 1·8.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1947 was 1,340, or one in every 33 deaths registered. The number of such deaths for the year 1947 include 813 cases in which inquests were held, and 527 cases in which the death was registered on a certificate issued as the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1947, classified in accordance with the list adopted at the International Conference held in Paris in 1938, are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are shown, and in Abstract VI the causes of the deaths for each of the principal towns are given.

The proportion of the deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 252 in every 1,000 deaths; the next in order are senility 147, cancer 90, tuberculosis (all forms) 84, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 69, pneumonia 42, and bronchitis 30 in every 1,000 deaths. These causes account for 71 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 518 in every 1,000 deaths compared with 505 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (153 in every 1,000), pneumonia (127), whooping cough (44 in every 1,000 deaths) and bronchitis (23 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 208 in every 1,000 deaths, tuberculosis in 178 instances, whooping cough in 82, measles in 60, diarrhoea and enteritis in 41, diphtheria in 29, and bronchitis in 18 cases. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (327 in every 1,000), pneumonia 55, and diphtheria 16 in every 1,000. The cause

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1947.

| No. | CAUSES OF DEATH | PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD | | | | | | | | | | |
|-----|---|--|---------|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| | | All Ages | Under 1 | 1- | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 & up |
| | ALL CAUSES . . . | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 |
| 1 | Typhoid fever (including paratyphoid). | . | . | . | 2 | 3 | 2 | 1 | . | . | . | . |
| 2 | Cerebro-spinal meningitis | 1 | 3 | 11 | 6 | 1 | 1 | 2 | . | . | . | . |
| 3 | Scarlet fever . . . | . | . | 4 | 3 | 1 | . | . | . | . | . | . |
| 4 | Whooping cough . . . | 7 | 44 | 82 | 11 | . | . | . | . | . | . | . |
| 5 | Diphtheria . . . | 1 | . | 29 | 16 | 1 | 1 | 2 | 1 | . | . | . |
| 6 | Tuberculosis of respiratory system. | 64 | 3 | 24 | 79 | 477 | 472 | 289 | 132 | 54 | 13 | 1 |
| 7 | All other forms of tuberculosis. | 20 | 10 | 154 | 248 | 143 | 79 | 34 | 19 | 6 | 2 | 1 |
| 8 | Dysentery . . . | . | . | . | . | . | . | 1 | . | . | . | . |
| 9 | Influenza . . . | 15 | 8 | 11 | 11 | 7 | 7 | 9 | 11 | 15 | 21 | 16 |
| 10 | Measles . . . | 2 | 6 | 60 | 11 | 1 | 1 | . | . | . | . | . |
| 11 | Acute infectious encephalitis | . | . | . | 3 | 1 | . | 1 | 1 | 1 | . | . |
| 12 | Typhus . . . | . | . | . | . | . | . | . | . | . | . | . |
| 13 | Cancer . . . | 90 | . | 9 | 19 | 11 | 31 | 102 | 180 | 185 | 130 | 55 |
| 14 | Diabetes mellitus . . . | 5 | . | 1 | 8 | 6 | 4 | 6 | 6 | 8 | 6 | 3 |
| 15 | Intra-cranial lesions of vascular origin. | 69 | . | 3 | 11 | 5 | 12 | 32 | 74 | 101 | 110 | 71 |
| 16 | Diseases of the heart . | 252 | . | 3 | 44 | 66 | 97 | 147 | 236 | 317 | 373 | 298 |
| 17 | Other diseases of the circulatory system. | 20 | . | . | . | 1 | 5 | 12 | 24 | 24 | 33 | 22 |
| 18 | Bronchitis . . . | 30 | 23 | 18 | 8 | 5 | 5 | 12 | 31 | 38 | 39 | 32 |
| 19 | Pneumonia . . . | 42 | 127 | 208 | 55 | 27 | 20 | 35 | 38 | 32 | 30 | 20 |
| 20 | Other diseases of the respiratory system. | 14 | 7 | 13 | 20 | 10 | 16 | 29 | 26 | 20 | 13 | 10 |
| 21 | Ulcer of the stomach or duodenum. | 6 | . | 1 | . | 3 | 9 | 21 | 15 | 15 | 5 | 2 |
| 22 | Diarrhoea and enteritis . | 19 | 153 | 41 | 11 | 2 | 6 | 5 | 3 | 2 | 2 | 1 |
| 23 | Appendicitis . . . | 2 | . | 12 | 20 | 11 | 6 | 4 | 3 | 1 | 1 | 1 |
| 24 | Cirrhosis of the liver . | 1 | . | . | 3 | 1 | . | 2 | 2 | 4 | 1 | 1 |
| 25 | Diseases of liver and biliary passages. | 3 | . | 3 | . | 1 | 1 | 5 | 4 | 5 | 3 | 2 |
| 26 | Other diseases of the digestive system. | 12 | 13 | 22 | 22 | 11 | 12 | 17 | 19 | 14 | 12 | 8 |
| 27 | Nephritis . . . | 25 | 1 | 5 | 16 | 20 | 25 | 47 | 36 | 42 | 32 | 18 |
| 28 | Puerperal infection . . . | 1 | . | . | . | 2 | 8 | 9 | . | . | . | . |
| 29 | Other diseases of childbirth | 2 | . | . | . | 11 | 25 | 25 | . | . | . | . |
| 30 | Congenital debility, etc. (Nos. 157-161). | 57 | 518 | 39 | 47 | 5 | 2 | 1 | . | . | 92 | 397 |
| 31 | Senility . . . | 147 | . | . | . | . | . | . | . | . | . | . |
| 32 | Suicide . . . | 2 | . | . | . | 2 | 6 | 5 | 4 | 4 | 1 | . |
| 33 | Other violence . . . | 20 | 10 | 65 | 135 | 65 | 42 | 35 | 27 | 14 | 16 | 11 |
| 34 | Other causes . . . | 71 | 74 | 182 | 191 | 100 | 105 | 110 | 108 | 98 | 65 | 30 |

CAUSES OF DEATH—continued.

of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intracranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years 1945, 1946 and 1947 is given below, and in Table 7 the rates per 100,000 of the population are published.

| CAUSES | Number of Deaths Registered | | | CAUSES | Number of Deaths Registered | | | |
|--|-----------------------------|-------|-------|--|-----------------------------|--------|--------|--|
| | Years | | | | Years | | | |
| | 1945 | 1946 | 1947 | | 1945 | 1946 | 1947 | |
| Typhoid Fever ... | 32 | 26 | 15 | Heart Disease ... | 10,139 | 10,120 | 11,118 | |
| Cerebro-Spinal Meningitis ... | 31 | 25 | 38 | Bronchitis ... | 1,370 | 1,223 | 1,318 | |
| Scarlet Fever ... | 4 | 3 | 8 | Pneumonia ... | 1,715 | 1,649 | 1,868 | |
| Whooping Cough ... | 146 | 117 | 298 | Diarrhoea and Enteritis (under 2 years) | 1,092 | 935 | 744 | |
| Diphtheria ... | 236 | 139 | 56 | Nephritis ... | 1,110 | 1,027 | 1,097 | |
| Tuberculous Disease | 3,694 | 3,390 | 3,700 | Puerperal Infection ... | 35 | 20 | 31 | |
| Dysentery ... | 10 | 3 | 3 | Other Puerperal Causes ... | 124 | 117 | 99 | |
| Influenza ... | 306 | 769 | 651 | Congenital Deficiency, Malformation, Premature Birth, etc. ... | 2,375 | 2,302 | 2,507 | |
| Measles ... | 42 | 47 | 106 | Senility ... | 6,298 | 5,939 | 6,450 | |
| Acute Infectious Encephalitis ... | 22 | 16 | 14 | Violence ... | 878 | 880 | 971 | |
| Typhus ... | — | — | — | | | | | |
| Cancer ... | 3,964 | 4,024 | 3,962 | | | | | |
| Intra-Cranial Lesions of vascular origin | 2,689 | 2,716 | 3,024 | | | | | |

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0·4, the same as the rate for the year 1946. The rates for the county boroughs are as follows:—Dublin 0·8, Cork 0·4, Limerick 1·0, and Waterford 0·7 per 1,000. The highest county rates are:—Kildare and Limerick each 0·6, Laoighis and Wexford each 0·5, and Dublin, Kilkenny, Louth, Offaly, Tipperary S.R., Waterford, Galway, Sligo, each 0·4. The counties in which the rates were lowest are:—Mayo and Roscommon each 0·1, Clare, Cork, Tipperary N.R., Leitrim, Cavan, Donegal and Monaghan each 0·2 per 1,000.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·7 per 1,000 of the population, compared with 0·3 for the rural districts. The corresponding rates for 1946 were also 0·7 and 0·3 respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 15, including 11 of males and 4 of females. The corresponding figure for 1946 was 26, including 13 of males and 13 of females. The average number for the decennial period from 1937 to 1946 was 46. During 1947 there were 5 deaths for urban areas and 10 for rural areas. There were 2 deaths for Limerick county borough.

Scarlet Fever.—There were 8 deaths from this disease registered during the year 1947 compared with 3 in the previous year. The average figure for the ten years 1937 to 1946 was 40.

Whooping Cough.—The number of deaths recorded under this heading was 298, compared with 117 for the year 1946, and an average figure of 199 for the decennial period ended with the latter year. The total for 1947 includes 137 of males and 161 of females, compared with 63 and 54, respectively, in the previous year.

The figure for 1947 includes 205 of infants under one year of age and 55 of children aged between one and two years. In 1946 the corresponding figures were 65 and 25.


There were 118 deaths recorded for Dublin county borough, 16 for Kerry, 13 each for Kildare and Limerick (exclusive of the county borough), 12 each for Laoighis and Donegal and 11 each for Louth and Cork (exclusive of the county borough).

Diphtheria.—The number of deaths was 56, compared with a figure of 139 for 1946, and an average of 244 for the years 1937 to 1946. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1937 to 1945 were 293, 314, 245, 178, 165, 267, 310, 293 and 236.

The figure for 1947 includes 26 males and 30 females, the corresponding figures for the previous year being 78 and 61 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1933 to 1947.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1947 were 31 of children aged between one and five years and 10 between the ages of five and ten years.

The death rate per 100,000 of the population was 1·9 compared with 4·7 for the previous year. In the urban areas as a whole the rate for 1947 was 1·5 compared with 4·1 in the previous year, and in the rural areas the corresponding rates were 2·1 and 5·1 per 100,000 of the population.

For Leinster the rates for 1947 and 1946 were 2·0 and 4·2, for Munster 2·1 and 3·5, for Connaught 0·4 and 4·9 and for Ulster (part of) 3·8 and 11·0 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1938 to 1947:—

| YEARS | Eire | URBAN DISTRICTS | | | Rural Districts |
|-------|------|-----------------|-----------------------|-------|-----------------|
| | | Principal Towns | Other Urban Districts | Total | |
| 1938 | ... | 10·7 | 17·8 | 8·8 | 15·9 |
| 1939 | ... | 8·3 | 14·1 | 11·7 | 13·6 |
| 1940 | ... | 6·0 | 9·9 | 6·4 | 9·1 |
| 1941 | ... | 5·5 | 9·0 | 4·9 | 8·4 |
| 1942 | ... | 9·0 | 13·8 | 5·4 | 12·3 |
| 1943 | ... | 10·5 | 15·7 | 8·8 | 14·3 |
| 1944 | ... | 10·0 | 13·2 | 12·0 | 13·0 |
| 1945 | ... | 8·0 | 7·6 | 9·9 | 8·1 |
| 1946 | ... | 4·7 | 4·3 | 3·1 | 4·1 |
| 1947 | ... | 1·9 | 1·3 | 2·1 | 1·5 |

The counties and county boroughs in which the highest death rates from this disease were recorded in 1947 are as follows:—Limerick county borough, 7·0, Carlow 5·9, Wexford 5·5, Donegal 5·1, Meath 4·5, and Laois 4·0 per 100,000 of the population. There were no deaths recorded for Cork county borough, Waterford county borough, Longford, Westmeath, Wicklow, Waterford, Leitrim, Mayo and Roscommon, and the lowest death rates for the remaining counties were:—Galway 0·6, Dublin county borough and Limerick county each 1·0, Kildare and Kerry each 1·5, Dublin county and Sligo each 1·6, Tipperary N.R. 1·7, Monaghan 1·8, and Offaly 1·9 per 100,000.

Tuberculosis.—The number of deaths registered during 1947 from all forms of tuberculosis was 3,700—1,904 of males and 1,796 of females. When compared with the number recorded in 1946 the total shows an increase of 310—in the case of males of 151 and in the case of females of 159. The figure for 1947 is 13 below the average for the decennial period from 1937 to 1946—a decrease in male deaths of 14 and an increase of one in the case of female deaths.

The deaths recorded during 1947 are equivalent to a rate of 1·24 per 1,000 of the estimated population. For 1946 the rate was 1·14 per 1,000, and during the ten years from 1937 to 1946 the average rate was 1·26 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1938 to 1947:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|------------------|-------------------|----------|
| 1938 | 1·09 | 0·92 | 0·64 | 0·69 |
| 1939 | 1·13 | 0·84 | 0·63 | 0·70 |
| 1940 | 1·25 | 0·98 | 0·70 | 0·82 |
| 1941 | 1·24 | 1·04 | 0·73 | 0·83 |
| 1942 | 1·47 | 0·97 | 0·66 | 0·80 |
| 1943 | 1·46 | 0·91 | 0·67 | 0·79 |
| 1944 | 1·30 | 0·89 | 0·63 | 0·82 |
| 1945 | 1·25 | 0·80 | 0·56 | 0·79 |
| 1946 | 1·14 | 0·83 | 0·53 | 0·79 |
| 1947 | 1·24 | 0·72 | 0·56 | 0·79 |

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·47 per 1,000 in 1942 and the lowest 1·09 in 1938. For males the highest rate 1·53 was in 1942 and the lowest 1·10 in 1938. In the case of females the rate was highest in 1943, viz., 1·44, and lowest in 1938—1·09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1937–1947.

| YEAR | MALES | | FEMALES | | TOTAL | | Annual Increase or Decrease | |
|-----------------|------------------|---------------------------------------|------------------|---|------------------|----------------------------------|-----------------------------|-----------|
| | Number of Deaths | Rate per 1,000 of the Male population | Number of Deaths | Rate per 1,000 of the Female population | Number of Deaths | Rate per 1,000 of the population | Number | Per cent. |
| 1937 | 1,871 | 1·24 | 1,768 | 1·23 | 3,639 | 1·23 | + 159 | + 4·6 |
| 1938 | 1,651 | 1·10 | 1,565 | 1·09 | 3,216 | 1·09 | — 423 | — 11·6 |
| 1939 | 1,707 | 1·14 | 1,597 | 1·12 | 3,304 | 1·13 | + 83 | + 2·7 |
| 1940 | 1,944 | 1·28 | 1,741 | 1·21 | 3,685 | 1·25 | + 381 | + 11·5 |
| 1941 | 1,855 | 1·21 | 1,856 | 1·27 | 3,711 | 1·24 | + 26 | + 0·7 |
| 1942 | 2,287 | 1·53 | 2,050 | 1·40 | 4,347 | 1·47 | + 636 | + 17·1 |
| 1943 | 2,203 | 1·48 | 2,103 | 1·44 | 4,306 | 1·46 | — 41 | — 0·9 |
| 1944 | 1,998 | 1·34 | 1,841 | 1·26 | 3,839 | 1·30 | — 467 | — 10·8 |
| 1945 | 1,901 | 1·28 | 1,793 | 1·23 | 3,694 | 1·25 | — 145 | — 3·8 |
| 1946 | 1,753 | 1·17 | 1,637 | 1·12 | 3,390 | 1·14 | — 304 | — 8·2 |
| Average 1937–46 | 1,918 | 1·28 | 1,795 | 1·24 | 3,713 | 1·26 | — | — |
| 1947 | 1,904 | 1·27 | 1,796 | 1·22 | 3,700 | 1·24 | + 310 | + 11·3 |

There were 2,831 deaths from tuberculosis of the respiratory system recorded in 1947 compared with 2,585 in 1946, an increase of 246. The figures for 1947 includes 1,432 of males and 1,399 of females—the figure for males shows an increase of 107 and that for females an increase of 137 when compared with the corresponding figures for the previous year. During 1947 there were 869 deaths (472 males and 397 females) from tuberculosis other than that of the respiratory system. The respective figures for 1946 were 805 (430 males and 375 females). The figures for 1947 are 64 (an increase of 42 males and an increase of 22 females) more than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 394 deaths (218 males and 176 females) due to tuberculosis of the meninges and central nervous system, 125 deaths (59 males and 66 females) to tuberculosis of the intestines and peritoneum, 69 (45 males and 24 females) to tuberculosis of the vertebral column, 45 (25 males and 20 females) to the disease of other bones and joints, 4 (one male and 3 females) to tuberculosis of the skin, 12 (6 males and 6 females) of the lymphatic system, 32 (19 males and 13 females) in organs of the genito-urinary system, 6 (3 males and 3 females) to tuberculosis of other organs, and 182 (96 males and 86 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of the disease for each of the years 1943 to 1947 inclusive, together with the rate per 1,000 of the population.

| CAUSE | | YEARS | | | | |
|--|------|-------|-------|-------|-------|-------|
| | | 1943 | 1944 | 1945 | 1946 | 1947 |
| Tuberculosis of the respiratory system | No. | 3,398 | 2,935 | 2,777 | 2,585 | 2,831 |
| | Rate | 1·15 | 1·00 | 0·94 | 0·87 | 0·95 |
| Other forms of tuberculosis. | No. | 908 | 904 | 917 | 805 | 869 |
| | Rate | 0·31 | 0·30 | 0·31 | 0·27 | 0·29 |

The mortality from tuberculosis at different age-periods for each of the years 1942 to 1947 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1947 and 1946 were respectively 1·27 and 1·18 per 1,000, the figures for males being 0·94 for each year and for females 1·60 and 1·42 per 1,000. In the age-group from 20 to 24 years the rates in 1947 were—for persons 2·06, males 1·56 and females 2·58, and for 1946, respectively, 1·99, 1·81 and 2·18. At the age period 25 and below 35 years the figure for both sexes in 1947 was 1·99 per 1,000, and in 1946 it was 1·88, the corresponding rates for males being 1·96 and 1·69 and for females 2·02 and 2·08 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1933 to 1947.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1942 to 1947.

| YEARS | All Ages | Under 5 yrs. | 5- | 10- | 15- | 20- | 25- | 35- | 45- | 55- | 65- | 75 & up |
|-----------------------------------|----------|--------------|------|------|------|------|-------|------|------|------|------|---------|
| DEATHS OF MALES. | | | | | | | | | | | | |
| 1942 ... | 2,297 | 107 | 60 | 58 | 256 | 314 | 519 | 368 | 806 | 231 | 82 | 6 |
| 1943 ... | 2,203 | 138 | 60 | 55 | 222 | 297 | 484 | 362 | 271 | 210 | 96 | 8 |
| 1944 ... | 1,998 | 126 | 57 | 49 | 174 | 245 | 409 | 359 | 271 | 189 | 105 | 14 |
| 1945 ... | 1,901 | 124 | 46 | 50 | 188 | 244 | 391 | 303 | 250 | 193 | 99 | 13 |
| 1946 ... | 1,753 | 112 | 43 | 57 | 128 | 219 | 363 | 278 | 266 | 191 | 87 | 9 |
| 1947 ... | 1,904 | 147 | 47 | 44 | 128 | 189 | 422 | 335 | 273 | 215 | 89 | 15 |
| DEATHS OF FEMALES. | | | | | | | | | | | | |
| 1942 ... | 2,050 | 79 | 37 | 90 | 266 | 362 | 563 | 296 | 193 | 111 | 43 | 10 |
| 1943 ... | 2,103 | 110 | 59 | 83 | 270 | 351 | 543 | 290 | 186 | 132 | 65 | 14 |
| 1944 ... | 1,841 | 102 | 57 | 71 | 221 | 286 | 465 | 266 | 189 | 113 | 56 | 15 |
| 1945 ... | 1,793 | 116 | 44 | 66 | 209 | 298 | 423 | 274 | 166 | 123 | 62 | 12 |
| 1946 ... | 1,637 | 93 | 37 | 49 | 190 | 253 | 438 | 240 | 163 | 109 | 55 | 10 |
| 1947 ... | 1,796 | 102 | 47 | 69 | 215 | 300 | 425 | 269 | 167 | 106 | 85 | 11 |
| DEATHS OF MALES AND FEMALES | | | | | | | | | | | | |
| 1942 ... | 4,347 | 186 | 97 | 148 | 522 | 676 | 1,082 | 664 | 499 | 332 | 125 | 16 |
| 1943 ... | 4,306 | 248 | 119 | 158 | 492 | 648 | 1,027 | 652 | 457 | 342 | 161 | 23 |
| 1944 ... | 3,839 | 228 | 114 | 120 | 395 | 531 | 874 | 625 | 460 | 302 | 161 | 29 |
| 1945 ... | 3,694 | 240 | 90 | 116 | 397 | 542 | 814 | 577 | 416 | 316 | 161 | 28 |
| 1946 ... | 3,390 | 205 | 80 | 106 | 318 | 472 | 801 | 518 | 429 | 300 | 142 | 19 |
| 1947 ... | 3,700 | 249 | 94 | 113 | 343 | 489 | 847 | 604 | 440 | 321 | 174 | 26 |
| MALES—RATE PER 1,000. | | | | | | | | | | | | |
| 1942 ... | 1.53 | 0.80 | 0.45 | 0.41 | 1.88 | 2.36 | 2.54 | 2.07 | 1.95 | 1.57 | 0.82 | 0.18 |
| 1943 ... | 1.48 | 1.00 | 0.44 | 0.41 | 1.65 | 2.48 | 2.27 | 2.03 | 1.78 | 1.59 | 0.88 | 0.19 |
| 1944 ... | 1.34 | 0.92 | 0.42 | 0.37 | 1.29 | 2.05 | 1.92 | 2.01 | 1.78 | 1.43 | 0.97 | 0.38 |
| 1945 ... | 1.28 | 0.89 | 0.34 | 0.37 | 1.38 | 2.01 | 1.81 | 1.68 | 1.62 | 1.44 | 0.90 | 0.31 |
| 1946 ... | 1.17 | 0.81 | 0.32 | 0.42 | 0.94 | 1.81 | 1.69 | 1.55 | 1.73 | 1.44 | 0.80 | 0.21 |
| 1947 ... | 1.27 | 1.06 | 0.34 | 0.32 | 0.94 | 1.56 | 1.96 | 1.86 | 1.78 | 1.61 | 0.81 | 0.35 |
| FEMALES—RATE PER 1,000. | | | | | | | | | | | | |
| 1942 ... | 1.40 | 0.59 | 0.28 | 0.64 | 2.02 | 2.99 | 2.89 | 1.68 | 1.27 | 0.84 | 0.43 | 0.31 |
| 1943 ... | 1.44 | 0.82 | 0.45 | 0.64 | 2.03 | 3.04 | 2.60 | 1.63 | 1.28 | 1.04 | 0.63 | 0.23 |
| 1944 ... | 1.26 | 0.76 | 0.43 | 0.54 | 1.66 | 2.43 | 2.22 | 1.50 | 1.30 | 0.89 | 0.54 | 0.30 |
| 1945 ... | 1.23 | 0.86 | 0.33 | 0.50 | 1.55 | 2.55 | 2.00 | 1.52 | 1.13 | 0.95 | 0.59 | 0.24 |
| 1946 ... | 1.12 | 0.69 | 0.28 | 0.37 | 1.42 | 2.18 | 2.08 | 1.34 | 1.11 | 0.85 | 0.53 | 0.20 |
| 1947 ... | 1.22 | 0.76 | 0.36 | 0.53 | 1.60 | 2.58 | 2.02 | 1.50 | 1.14 | 0.83 | 0.81 | 0.22 |
| MALES AND FEMALES—RATE PER 1,000. | | | | | | | | | | | | |
| 1942 ... | 1.47 | 0.69 | 0.36 | 0.52 | 1.95 | 2.66 | 2.71 | 1.87 | 1.62 | 1.22 | 0.63 | 0.18 |
| 1943 ... | 1.46 | 0.91 | 0.45 | 0.52 | 1.84 | 2.75 | 2.43 | 1.83 | 1.53 | 1.32 | 0.76 | 0.24 |
| 1944 ... | 1.30 | 0.84 | 0.43 | 0.45 | 1.48 | 2.26 | 2.07 | 1.76 | 1.54 | 1.17 | 0.76 | 0.32 |
| 1945 ... | 1.25 | 0.87 | 0.33 | 0.43 | 1.46 | 2.27 | 1.90 | 1.60 | 1.38 | 1.20 | 0.75 | 0.37 |
| 1946 ... | 1.14 | 0.75 | 0.30 | 0.40 | 1.18 | 1.99 | 1.88 | 1.45 | 1.43 | 1.15 | 0.66 | 0.21 |
| 1947 ... | 1.24 | 0.91 | 0.35 | 0.42 | 1.27 | 2.06 | 1.99 | 1.68 | 1.46 | 1.23 | 0.81 | 0.28 |

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1947 the death rate was 1.4, in Munster 1.2, in Connaught 1.1, and in Ulster (part of), 1.0. The corresponding rates for 1946 were Leinster 1.2, Munster 1.2, Connaught 1.1 and Ulster (part of) 0.8 per 1,000.

DIAGRAM No. 4. Mortality from Influenza, 1933 to 1947.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1947 for county or county borough areas were recorded for the following :—Cork county borough 2·0, Limerick county borough and Waterford county borough each 1·8, and Dublin county borough and Dublin county each 1·6. The counties having the lowest rates were—Monaghan 0·7, Roscommon 0·8, and Kilkenny, Offaly, Waterford, Leitrim, and Cavan each 0·9 per 1,000 of the population.

The deaths from tuberculosis in 1947 for the aggregate urban districts numbered 1,640, compared with 1,506 for the previous year. For the rural districts the number in 1947 was 2,060 compared with 1,884 for last year. The rate per 1,000 of the population for the urban areas rose from 1·49 in 1946 to 1·62 in 1947, while that for the rural areas increased from 0·97 to 1·06 per 1,000.

Influenza.—The number of deaths from this disease in 1947 was 651, compared with 769 for the preceding year and an average of 946 for the decennial period ended with 1946.

The rates per 1,000 of the population for the years 1947 and 1946 were 0·22 and 0·26 respectively.

In the aggregate urban areas the death rate for 1947 was 0·11 per 1,000, and in the rural areas 0·28, compared with 0·13 and 0·33 for 1946.

In the first quarter the mortality was 69 per cent. of the total and in each of the second, third and fourth quarters the proportion was 23, 4 and 4 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 106 deaths registered in 1947 compared with 47 in the year 1946, and an average for the period from 1937 to 1946 of 82 deaths. Of the deaths recorded, 25 were for Galway, 19 for Dublin county borough, 9 for Kilkenny, and 5 each for Cork county and Tipperary S.R.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 56 (31 males and 25 females) compared with 30 (21 males and 9 females) in the previous year. The figure for 1947 includes 7 each for Dublin county borough and Roscommon, 6 for Mayo, 4 for Galway, 3 each for Kildare, Offaly, Cork and Kerry, and 2 each for Dublin county, Westmeath, Wexford, Clare, Waterford county and Donegal.

Other Infective or Parasitic Diseases.—There were 32 deaths from Hodgkin's disease recorded during the year 1947.

Cancer.—The deaths due to cancer recorded for 1947 numbered 3,962—2,085 of males and 1,877 of females. The total figure is 62 below the number for 1946 and 66 above the average number for the decennial period ended with 1946. The number of deaths of males is 17 below, and that for females 45 below the corresponding figure for 1946.

The deaths from this disease constitute 9·0 per cent. of the deaths from all causes and are equivalent to a rate of 1·33 per 1,000 of the population. The rates for males and females were respectively 1·39 and 1·28 per 1,000. In Northern Ireland the rates for persons, males and females, were 1·47, 1·50 and 1·44 per 1,000, in England and Wales 1·81, 1·87 and 1·75, and in Scotland the death rates were 1·77 for both sexes, 1·83 for males and 1·71 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|---------------------|-------------------------|----------|
| 1938 | 1·26 | 1·32 | 1·67 | 1·62 |
| 1939 | 1·27 | 1·33 | 1·66 | 1·61 |
| 1940 | 1·28 | 1·36 | 1·72 | 1·70 |
| 1941 | 1·27 | 1·37 | 1·78 | 1·69 |
| 1942 | 1·37 | 1·41 | 1·83 | 1·71 |
| 1943 | 1·37 | 1·45 | 1·90 | 1·73 |
| 1944 | 1·42 | 1·41 | 1·90 | 1·86 |
| 1945 | 1·34 | 1·44 | 1·74 | 1·92 |
| 1946 | 1·36 | 1·42 | 1·77 | 1·80 |
| 1947 | 1·33 | 1·47 | 1·81 | 1·77 |

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

| International List Nos. | Parts Affected | MALES | | | | | | | | | | | | | Total |
|---|------------------------------|---------------|-----|-----|------|-----|-------|-----|-------|-----|-------|-----|---------------------------|-------|-------|
| | | AGES AT DEATH | | | | | | | | | | | | | |
| | | Under 25 | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75 and up- wards | Total | |
| 45 | Lip ... | ... | . | . | . | 1 | 1 | . | 2 | 3 | 4 | 7 | 9 | 21 | 48 |
| | Tongue ... | ... | . | . | . | . | 1 | 3 | 4 | 4 | 13 | 7 | 9 | 38 | 58 |
| | Jaw ... | ... | . | . | 1 | . | 1 | 3 | 5 | 9 | 7 | 17 | 15 | 30 | 32 |
| | Mouth ... | ... | . | . | . | 1 | . | 1 | 2 | 3 | 6 | 10 | 9 | 2 | 15 |
| | Pharynx ... | ... | 1 | . | . | 1 | . | . | 1 | 2 | 2 | 4 | 2 | 2 | 7 |
| 46 | Tonsil ... | ... | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | 7 |
| | Oesophagus ... | ... | . | . | . | 1 | 4 | . | 4 | 10 | 14 | 17 | 17 | 8 | 75 |
| | Stomach ... | ... | . | 4 | 4 | 5 | 15 | 22 | 40 | 54 | 82 | 110 | 98 | 77 | 511 |
| | Rectum ... | ... | 1 | 2 | . | 4 | 6 | 2 | 11 | 20 | 34 | 37 | 48 | 46 | 211 |
| | Liver ... | ... | 1 | . | . | 1 | 5 | 7 | 4 | 13 | 9 | 20 | 12 | 19 | 91 |
| | Pancreas ... | ... | . | . | . | . | 1 | 4 | 7 | 5 | 4 | 11 | 6 | 13 | 51 |
| 47 | Peritoneum ... | ... | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 3 |
| | Intestine ... | ... | 1 | . | 1 | 5 | 3 | 10 | 19 | 28 | 29 | 47 | 59 | 54 | 256 |
| | Larynx, Trachea ... | ... | . | . | . | . | . | 2 | 3 | 1 | 6 | 12 | 6 | 6 | 36 |
| 48 | Lung ... | ... | 1 | . | 1 | 5 | 3 | 8 | 14 | 16 | 10 | 15 | 13 | 4 | 90 |
| | Mediastinum ... | ... | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 2 | . | 7 |
| 49 | Uterus ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 50 | Ovary ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Vagina ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Vulva ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 50 | Breast ... | ... | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 5 |
| 51 | Scrotum ... | ... | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | Prostate ... | ... | . | . | . | . | . | . | 2 | 6 | 21 | 24 | 46 | 34 | 133 |
| | Penis ... | ... | 1 | . | 1 | 1 | . | 1 | 1 | 1 | . | 1 | 2 | 5 | 7 |
| | Testicle ... | ... | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 7 |
| 52 | Bladder ... | ... | . | . | . | 1 | . | 1 | 2 | 5 | 9 | 3 | 5 | 11 | 37 |
| | Kidney ... | ... | 1 | . | . | . | 1 | 1 | 1 | 2 | 3 | 4 | 1 | . | 14 |
| 53 | Ear ... | ... | . | . | . | . | . | 1 | . | . | . | 2 | 6 | 7 | 16 |
| | Face ... | ... | . | . | . | . | . | 1 | . | 2 | 2 | 8 | 11 | 15 | 39 |
| | Other Skin ... | ... | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 1 | 2 |
| 54 | Brain ... | ... | 4 | 1 | 1 | 2 | 2 | 4 | 1 | 1 | . | . | . | . | 16 |
| | Spine ... | ... | 1 | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . | 8 |
| | Thyroid ... | ... | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | . | 5 |
| | Nose ... | ... | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| 55 | Abdomen ... | ... | . | . | . | 1 | . | . | 1 | . | 1 | 3 | 3 | 3 | 10 |
| | Arm, Leg ... | ... | 5 | . | . | 1 | 1 | 3 | 3 | 2 | 2 | 8 | 10 | 12 | 47 |
| | Axilla ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Eye ... | ... | 1 | . | . | . | . | 1 | 1 | . | . | . | 5 | 6 | . |
| | Groin ... | ... | . | . | . | . | . | 1 | 2 | 3 | 8 | 12 | 6 | 14 | 65 |
| | Neck ... | ... | . | . | 2 | 1 | 1 | 2 | 3 | 1 | 1 | . | 2 | 1 | 5 |
| | Parotid ... | ... | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 |
| | Pelvis ... | ... | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| 56 | Spleen ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Thorax ... | ... | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Throat ... | ... | . | . | . | 1 | . | 2 | 2 | 4 | 2 | 11 | 8 | 10 | 40 |
| | Other and Unspecified ... | ... | 3 | 1 | . | 2 | 6 | 9 | 8 | 9 | 14 | 11 | 6 | 17 | 86 |
| TOTAL ... | | 23 | 8 | 11 | 34 | 51 | 85 | 135 | 206 | 283 | 389 | 430 | 430 | 2,085 | |
| Deaths from Cancer per 100,000 living of the same age ... | | 3·4 | 8·8 | | 47·2 | | 143·0 | | 366·7 | | 746·2 | | 1014·2 | | 138·7 |

registered during the year 1947 by Sexes, Ages, and parts affected.

| FEMALES | | | | | | | | | | | | | Total Males and Fe- males | International List Nos. | | |
|---------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|---------------------------|-------|---------------------------------------|----------------------------|----|--|
| AGES AT DEATH | | | | | | | | | | | | | | | | |
| Under 25 | 25- | 30- | 35- | 40- | 45- | 50- | 55- | 60- | 65- | 70- | 75 and up- wards | TOTAL | | | | |
| . | . | 1 | . | . | . | 1 | 3 | 1 | 2 | 1 | 3 | 5 | 53 | 53 | | |
| . | . | . | . | 1 | . | 1 | 1 | 3 | 1 | 4 | 2 | 13 | 51 | 51 | | |
| . | . | . | . | . | . | 2 | . | 1 | 3 | 2 | 3 | 12 | 70 | 70 | | |
| . | . | . | . | . | 1 | . | . | 1 | 3 | 2 | 3 | 5 | 35 | 35 | | |
| . | . | . | . | . | . | . | . | 1 | 2 | . | . | 8 | 23 | 23 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | 2 | 9 | 9 | | |
| . | 1 | 3 | 1 | 2 | 4 | 12 | 34 | 30 | 82 | 72 | 80 | 6 | 44 | 119 | 45 | |
| . | . | 1 | 3 | 1 | 1 | 1 | 9 | 8 | 10 | 10 | 18 | 75 | 394 | 905 | | |
| . | 1 | 2 | 10 | 8 | 15 | 16 | 22 | 19 | 19 | 19 | 21 | 77 | 114 | 288 | | |
| . | 1 | . | 1 | 4 | 5 | 5 | 9 | 12 | 5 | 5 | 7 | 49 | 49 | 205 | | |
| 1 | . | 2 | 8 | 13 | 18 | 25 | 40 | 53 | 50 | 50 | 55 | 1 | 274 | 100 | | |
| . | . | 1 | 1 | 3 | 2 | 5 | . | 6 | 8 | 8 | 1 | 22 | 58 | 530 | | |
| . | . | 1 | 1 | 3 | 7 | 7 | 7 | 8 | 7 | 7 | 1 | 42 | 42 | 132 | | |
| . | . | . | 1 | 2 | . | . | . | . | . | . | . | 3 | 3 | 10 | 47 | |
| . | . | 2 | 4 | 12 | 11 | 23 | 25 | 35 | 21 | 19 | 25 | 177 | 177 | 177 | 48 | |
| 2 | 1 | 3 | 6 | 6 | 7 | 11 | 4 | 4 | 6 | 4 | 5 | 59 | 59 | 59 | | |
| . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 2 | 2 | 49 | |
| . | 1 | 7 | 8 | 21 | 31 | 29 | 37 | 37 | 30 | 40 | 31 | 272 | 277 | 277 | 50 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 133 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | 7 | 7 | 7 | 51 | |
| . | 2 | 1 | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 5 | 22 | 22 | 59 | | |
| . | . | . | . | 1 | . | . | 4 | 2 | 2 | 1 | 1 | 13 | 13 | 27 | 52 | |
| . | . | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 3 | 19 | | |
| . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | 22 | 40 | 40 | 79 | | |
| 1 | 1 | . | . | 3 | . | 1 | 2 | 2 | 1 | 2 | . | 8 | 8 | 24 | | |
| . | 1 | 1 | 1 | . | 1 | 1 | 4 | 2 | 1 | 2 | 1 | 19 | 19 | 27 | | |
| . | . | . | . | . | . | 1 | 2 | 1 | 1 | 2 | 2 | 17 | 17 | 22 | | |
| . | . | . | . | . | . | 1 | 1 | 1 | 2 | 2 | 2 | 6 | 6 | 7 | 54 | |
| 5 | 1 | . | 1 | 1 | 1 | 4 | 4 | 4 | 3 | 7 | 2 | 18 | 18 | 28 | | |
| 1 | . | . | . | 1 | . | . | 1 | . | 1 | . | 41 | 41 | 41 | 88 | | |
| . | . | . | . | . | . | . | 2 | . | 4 | 4 | . | . | . | . | | |
| . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 7 | 7 | 13 | | |
| . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 8 | 8 | 73 | | |
| . | . | . | . | . | . | 2 | 1 | 2 | 3 | 3 | 1 | 5 | 5 | 5 | | |
| . | . | . | . | . | . | 2 | 1 | 2 | 3 | 4 | 1 | 4 | 4 | 6 | | |
| 1 | 1 | 1 | 1 | 3 | 6 | 7 | 5 | 3 | 12 | 14 | 12 | 15 | 15 | 55 | | |
| 13 | 8 | 20 | 36 | 70 | 116 | 184 | 194 | 302 | 294 | 321 | 319 | 1,877 | 3,962 | TOTAL | | |
| 2.0 | 13.3 | 50.2 | 204.1 | 386.9 | 588.2 | 637.0 | 637.0 | 637.0 | 637.0 | 637.0 | 637.0 | 127.8 | 133.3 | Rate per 100,000 | | |

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1947 numbered 1,302, equivalent to a rate of 1·29 per 1,000, and in the aggregate rural areas the number was 2,660 and the rate 1·37 per 1,000. In the year 1946 the number of deaths for the urban and rural areas were respectively 1,286 and 2,738, corresponding to rate of 1·27 and 1·41 per 1,000 of the population.

In Table J the deaths from cancer in 1947 are classified according to the site of the disease and the age at death. The mortality of females under 50 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1947 the deaths in the first group amounted to 37 (13 males and 24 of females) and those in the second to 120 (69 males and 51 females) compared with a total of 46 and 103 respectively, in the previous year.

The non-malignant tumours included 7 of the uterus, 6 of the brain, 6 of the ovary, 5 of the bladder and 2 of the intestine.

The deaths classified under the heading of tumours of undetermined nature included 51 of the brain, 7 of the intestine, 6 each of the lung, spine and abdomen, 5 each of the bladder, mediastinum, and stomach, and 4 each of the kidney and ovary.

Diabetes.—There were 199 deaths from this disease in 1947 compared with 250 for the previous year. The deaths for 1947 include 88 of males and 111 of females, compared with 114 and 136 for 1946.

In the year 1947 the rate per 100,000 of the population represented by the deaths from this disease was 6·7. The rates for Northern Ireland, England and Wales, and Scotland were respectively 7·8, 8·2 and 9·4.

Other General Diseases.—During 1947 there were 33 deaths classified under this heading, including 15 from coeliac disease, 5 from toxæmia, and 2 from each of gout, acidosis and steatorrhœa.

Heart Diseases.—During 1947 there were 11,118 deaths from diseases of the heart, as compared with 10,120 deaths in the previous year, and an average number of 9,062 for the decennial period ended with 1946.

The deaths from this cause in 1947 represent 25·2 per cent. of the mortality from all causes and are equivalent to a rate of 3·7 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1947 there were 1,318 deaths in which the cause was stated to be bronchitis. Of the total, 710 were of males and 608 were of females. The total is equal to a rate of 0·44 per 1,000 of the population and constitutes 3·0 per cent. of the total deaths registered. The number of deaths recorded during 1946 was 1,223, and the average figure for the decennial period from 1937 to 1946 was 1,718.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,868, equivalent to a rate of 0·63 per 1,000 of the population. Of the deaths 1,020 were of males and 848 of females.

The average number of deaths during the ten years from 1937 to 1946 was 1,944, and during 1946 the number recorded was 1,649.

The deaths in 1947 include 1,042 from broncho-pneumonia, 272 from lobar pneumonia and 554 from pneumonia (unspecified).

Diarrhoea and Enteritis.—There were 744 deaths of children under 2 years recorded, 448 being of males and 296 of females. The number recorded for 1946 was 935, and the average for the ten years ended 1946 was 858. The urban mortality was equal to a rate of 16·25 per 1,000 births, and the rate for rural areas was 7·44 per 1,000 births registered, compared with respective rates of 23·60 and 7·91 in 1946.

The deaths recorded include 262 for the county borough of Dublin, and 26, 29 and 18 for each of the county boroughs of Cork, Limerick and Waterford, respectively.

DIAGRAM No. 5. Mortality from Cancer, 1933 to 1947.




TABLE K.—Deaths of women in 1947 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

| CAUSES OF DEATH | ALL AGES | AGES | | | | | |
|---|------------|----------|-----------|-----------|-----------|-----------|-----------|
| | | 15— | 20— | 25— | 30— | 35— | 40— |
| Diseases of Pregnancy, Childbirth, and the Puerperal State. | | | | | | | |
| Post Abortive Infection | 1 | . | . | . | . | . | 1 |
| Abortion without Septic Condition | 2 | . | . | . | . | 1 | 1 |
| Ectopic Gestation | 5 | . | . | 2 | . | 2 | 1 |
| Hæmorrhage of Pregnancy | 6 | . | . | . | 3 | 2 | 1 |
| Toxaemias of Pregnancy | 31 | 2 | 7 | 4 | 9 | 7 | 2 |
| Other Diseases of Pregnancy | 5 | 1 | . | 1 | 1 | . | 2 |
| Hæmorrhage of Childbirth | 24 | . | 3 | 3 | 6 | 6 | 6 |
| Infection during Childbirth | 30 | . | 3 | 4 | 8 | 9 | 6 |
| Puerperal Toxaemias | 8 | . | . | . | 2 | 3 | 3 |
| Other Accidents of Childbirth | 15 | . | 1 | 2 | 3 | 6 | 3 |
| Other or unspecified Puerperal Conditions | 3 | . | . | 2 | 1 | . | . |
| Causes associated with Pregnancy, Childbirth, and the Puerperal State. | | | | | | | |
| Diabetes | 1 | . | . | . | . | 1 | . |
| Pulmonary Tuberculosis | 1 | . | 1 | . | . | . | . |
| Appendicitis | 1 | . | . | . | 1 | . | . |
| Anæmia | 1 | . | . | . | . | . | 1 |
| Heart Disease | 9 | . | 2 | 1 | . | 4 | 2 |
| Nephritis | 1 | . | . | 1 | . | . | . |
| Pneumonia | 2 | . | . | . | . | 1 | 1 |
| Other Causes | 2 | . | . | 1 | 1 | . | . |
| TOTAL | 148 | 3 | 17 | 19 | 36 | 43 | 30 |

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1937–1947, and the rate per 1,000 births registered during each of those years.

| YEARS. | Puerperal Infection.* | | Other Diseases of Pregnancy and Childbirth. | | Puerperal Infection and Diseases of Pregnancy and Childbirth. | | Causes associated with Pregnancy or Childbirth (not included in foregoing). | | Total Deaths caused by, or associated with Pregnancy and Childbirth. | |
|------------------|-----------------------|------------------------|---|------------------------|---|------------------------|---|------------------------|--|------------------------|
| | Number | Rate per 1,000 Births. | Number | Rate per 1,000 Births. | Number | Rate per 1,000 Births. | Number | Rate per 1,000 Births. | Number | Rate per 1,000 Births. |
| 1937 | 51 | 0.90 | 158 | 2.71 | 204 | 3.61 | 33 | 0.58 | 237 | 4.19 |
| 1938 | 46 | 0.81 | 188 | 3.30 | 234 | 4.11 | 33 | 0.58 | 267 | 4.69 |
| 1939 | 38 | 0.68 | 152 | 2.71 | 190 | 3.39 | 28 | 0.50 | 218 | 3.89 |
| 1940 | 55 | 0.97 | 153 | 2.70 | 208 | 3.67 | 19 | 0.34 | 227 | 4.01 |
| 1941 | 43 | 0.76 | 139 | 2.45 | 182 | 3.21 | 27 | 0.47 | 209 | 3.68 |
| 1942 | 43 | 0.65 | 120 | 1.82 | 163 | 2.47 | 26 | 0.39 | 189 | 2.86 |
| 1943 | 36 | 0.56 | 109 | 1.69 | 145 | 2.25 | 17 | 0.26 | 162 | 2.51 |
| 1944 | 32 | 0.49 | 124 | 1.89 | 156 | 2.38 | 20 | 0.31 | 176 | 2.69 |
| 1945 | 35 | 0.52 | 124 | 1.85 | 159 | 2.37 | 17 | 0.26 | 176 | 2.63 |
| 1946 | 20 | 0.29 | 117 | 1.72 | 137 | 2.01 | 26 | 0.38 | 163 | 2.39 |
| Average, 1937–46 | 40 | 0.66 | 138 | 2.28 | 178 | 2.95 | 25 | 0.41 | 203 | 3.37 |
| 1947 | 31 | 0.45 | 99 | 1.44 | 130 | 1.88 | 18 | 0.26 | 148 | 2.15 |

* The figures and rates under this heading for the years 1937–39 inclusive relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz. (1) deaths from puerperal infection; (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1947 the number in the first group was 31, in the second group the figure was 99, and under the third heading there were 18 deaths; so that the total number of deaths from these causes was 148. The total represents a rate of 2·15 per 1,000 of the total births registered, as compared with 2·39 in the year 1946, and an average of 3·35 for the ten years 1937 to 1946. For the years 1940 to 1946, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death after delivery.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1937 to 1947.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1947 was 971. This figure shows an increase of 91 when compared with that for the year 1946. The average figure for the ten years 1937 to 1946 from this group of causes was 944.

Included in the figure for 1947 there were 72 by suicide, 9 by homicide (including infanticide), 6 due to war operations and 884 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 7 less and those by homicide 2 less than the corresponding figure for 1946.

Of the suicidal deaths, 54 were of males and 18 of females. In 15 cases poisoning was the means used to cause death, including carbon monoxide in 3 cases, strychnine in 2 cases and Jeyses' fluid in 2 cases. In the other 57 deaths by suicide the means adopted was drowning in 17 instances, hanging or strangulation in 15, cutting or piercing instruments in 12, firearms in 7 and in 6 instances other means were used to cause death.

There were 6 deaths by homicide, including 4 of males and 2 of females and there were 3 cases of infanticide.

There were 18 accidental deaths from poisons or poisonous gases, 12 of which were due to carbon monoxide.

Deaths caused by accidental burns numbered 100 (42 males and 58 females), of which 35 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1946 was 32.

Deaths classified to accidental drowning numbered 150 (117 of males and 33 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 179 deaths included under the heading of transport accidents; of this figure 142 were of males and 37 of females. In 1946 the total under this heading was 149 (119 of males and 30 of females). Deaths from motor vehicles numbered 115, compared with 87 for 1946. There were 52 deaths recorded as due to other road transport accidents. This figure includes 27 caused by bicycles and 23 by horse-drawn vehicles, compared with 18 and 25 respectively, for 1946. There were 12 deaths caused by railway accidents compared with 14 for 1946.

Of the 115 deaths attributed to motor vehicles, 43 were stated to be caused by motor lorries or vans, 50 by motor cars and 11 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1947 numbered 5,743 compared with 5,250 for the previous year. The figure for 1947 is 13·0 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13·9 per cent. of the male mortality, and the rate for females 12·0 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 24,707 in number, constituting 56·1 per cent. of the total number of deaths, and include 12,934 deaths of males, or 55·1 per cent. of the total deaths of males, and 11,773 of females, or 57·2 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 20,297, or 46·1 per cent. of the total deaths.

There were 184 deaths of persons aged 95 years or upwards (73 being males and 111 females), and of these 20 (12 males and 8 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1946 and 1947.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

| AGE-PERIODS | PERSONS | | | MALES | | | FEMALES | | |
|----------------|---------|--------|------------------------------|--------|--------|------------------------------|---------|--------|------------------------------|
| | 1946 | 1947 | Increase or Decrease in 1947 | 1946 | 1947 | Increase or Decrease in 1947 | 1946 | 1947 | Increase or Decrease in 1947 |
| Under 5 years | 19.24 | 20.98 | +1.74 | 21.26 | 23.48 | +2.22 | 17.14 | 18.39 | +1.25 |
| 5— .. | 1.22 | 1.28 | +0.06 | 1.25 | 1.32 | +0.07 | 1.18 | 1.24 | +0.06 |
| 10— .. | 1.01 | 1.09 | +0.08 | 1.07 | 1.06 | -0.01 | 0.96 | 1.13 | +0.17 |
| 15— .. | 2.11 | 2.13 | +0.02 | 1.98 | 1.94 | -0.04 | 2.24 | 2.32 | +0.08 |
| 20— .. | 3.20 | 3.23 | +0.03 | 3.12 | 2.88 | -0.24 | 3.29 | 3.60 | +0.31 |
| 25— .. | 3.56 | 3.61 | +0.05 | 3.23 | 3.54 | +0.31 | 3.90 | 3.68 | -0.22 |
| 35— .. | 4.88 | 5.20 | +0.32 | 4.81 | 5.61 | +0.80 | 4.95 | 4.79 | -0.16 |
| 45— .. | 9.58 | 9.68 | +0.10 | 9.77 | 10.40 | +0.63 | 9.38 | 8.93 | -0.45 |
| 55— .. | 19.18 | 20.31 | +1.13 | 20.59 | 22.11 | +1.52 | 17.71 | 18.44 | +0.73 |
| 65— .. | 49.14 | 51.53 | +2.39 | 52.68 | 55.20 | +2.52 | 45.43 | 47.68 | +2.25 |
| 75 and upwards | 137.26 | 147.76 | +10.50 | 151.17 | 162.19 | +11.02 | 125.49 | 135.55 | +10.06 |
| All ages | 13.99 | 14.83 | +0.84 | 14.59 | 15.61 | +1.02 | 13.89 | 14.02 | +0.63 |

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1937 to 1947 are given in Table 8.

INFANT MORTALITY.

During the year 1947 the deaths of 4,687 infants under one year of age were registered, compared with 4,390 in the preceding year. The figure for 1947 is equivalent to a rate of 68 per 1,000 births as compared with 65 for 1946, and an average of 71 for the ten years 1937 to 1946. The rate for each of the years 1937 to 1947 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,693 were those of males and 1,994 of females; the males were equal to a rate of 76 per 1,000 births of males, and the females to a rate of 60 per 1,000 births of females. The corresponding rates for 1946 were 71 and 58, respectively.

The infant mortality rates during the quarters of 1947 were, respectively, 93, 66, 48 and 65 compared with corresponding figures of 83, 58, 55 and 63 for the previous year.

The infant mortality rate for each of the years 1938 to 1947 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

| YEARS | Eire | Northern Ireland | England and Wales | Scotland |
|-------|------|------------------|-------------------|----------|
| 1938 | ... | 67 | 75 | 53 |
| 1939 | ... | 66 | 70 | 50 |
| 1940 | ... | 66 | 86 | 55 |
| 1941 | ... | 74 | 77 | 58 |
| 1942 | ... | 69 | 76 | 49 |
| 1943 | ... | 83 | 78 | 49 |
| 1944 | ... | 79 | 67 | 46 |
| 1945 | ... | 71 | 68 | 46 |
| 1946 | ... | 65 | 54 | 43 |
| 1947 | ... | 68 | 53 | 41 |

INFANT MORTALITY—continued.

During the year 1947 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 55 per 1,000 births:—premature birth 11·83, congenital debility 11·38, diarrhoea and enteritis 10·34, pneumonia 8·61, congenital malformations 5·38, whooping cough 2·97, convulsions 2·93, bronchitis 1·52.

The deaths of infants during the first month of life were 42·4 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·4, between 2 and 3 months 10·4, at 3 and under 6 months the rate was 19·1 and from 6 to 12 months old the rate was 14·7.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1937 to 1947 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1947.

TABLE N.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1947.

| CAUSES OF DEATH. | DEATHS OF INFANTS UNDER ONE YEAR AT AGES | | | | | | | | | | |
|---|--|--------------|---------------|----------------|------------------------------|--------------------------|--------------|--------------|--------------|---------------|--------------------------|
| | Under 24 Hours. | 1-7 Days. | 7-14 Days. | 14-21 Days. | 21 Days & under 1 Mth. | Total under 1 Mth. | 1-2 Mths. | 2-3 Mths. | 3-6 Mths. | 6-12 Mths. | Total under 1 year |
| ALL CAUSES | 479 | 607 | 321 | 285 | 295 | 1,987 | 629 | 486 | 896 | 629 | 4,687 |
| Scarlet Fever | ... | ... | • | • | • | • | • | • | 1 | • | 1 |
| Whooping Cough | ... | ... | • | • | 2 | 11 | 13 | 22 | 20 | 65 | 85 |
| Diphtheria | ... | ... | • | • | • | • | 1 | • | 1 | • | 2 |
| Tuberculosis of Nervous System | • | • | • | • | • | • | 1 | • | 6 | 21 | 28 |
| Tuberculosis of Intestines and Peritoneum | ... | ... | • | • | • | • | • | 2 | 2 | 3 | 7 |
| Other Tuberculous Diseases | • | • | • | • | • | • | 2 | 1 | 7 | 16 | 26 |
| Syphilis | ... | ... | 2 | 2 | • | 4 | 8 | 4 | 1 | 8 | 3 |
| Influenza | ... | ... | • | 1 | 2 | 1 | 4 | 11 | 7 | 9 | 6 |
| Measles | ... | ... | • | • | 1 | • | 1 | 1 | 5 | 6 | 16 |
| Meningitis | ... | ... | • | • | 1 | • | 1 | 2 | 7 | 6 | 14 |
| Convulsions | ... | ... | 4 | 8 | 14 | 10 | 19 | 55 | 41 | 26 | 51 |
| Bronchitis | ... | ... | 1 | • | • | 5 | 7 | 13 | 19 | 10 | 34 |
| Pneumonia | ... | ... | 2 | 9 | 13 | 26 | 24 | 74 | 83 | 79 | 159 |
| Diarrhoea and Enteritis | ... | 2 | 1 | 17 | 38 | 47 | 105 | 135 | 135 | 248 | 90 |
| Congenital Malformations | ... | 32 | 80 | 39 | 29 | 23 | 203 | 47 | 36 | 52 | 33 |
| Congenital Debility | ... | 60 | 90 | 63 | 70 | 74 | 357 | 142 | 98 | 137 | 51 |
| Premature Birth | ... | 248 | 261 | 98 | 72 | 49 | 728 | 49 | 21 | 14 | 4 |
| Injury at Birth | ... | 55 | 62 | 22 | 5 | 3 | 147 | 5 | 1 | 6 | 1 |
| Other Diseases peculiar to first year of life | ... | 67 | 88 | 42 | 17 | 25 | 239 | 23 | 5 | 20 | 6 |
| Mechanical suffocation (including Overlying) | ... | 1 | • | 2 | • | 2 | 5 | 10 | 6 | 5 | 26 |
| Other Accidents (including Lack of Care) | ... | 6 | 2 | • | 1 | • | 9 | • | • | 1 | 1 |
| Other Causes | ... | 1 | 4 | 8 | 6 | 6 | 25 | 31 | 26 | 58 | 83 |

DIAGRAM No. 6. Infant Mortality, 1933 to 1947.




TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1937-1947.

| CAUSES OF DEATH. | DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED. | | | | | | | | | | |
|---|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 1937 | 1938 | 1939 | 1940 | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 |
| ALL CAUSES | 72.95 | 66.65 | 65.83 | 66.42 | 73.53 | 69.44 | 82.63 | 79.45 | 70.88 | 64.63 | 67.95 |
| Scarlet Fever | 0.12 | 0.05 | 0.07 | 0.05 | 0.09 | 0.06 | 0.05 | 0.02 | • | 0.01 | 0.01 |
| Whooping cough ... | 2.46 | 1.74 | 1.37 | 1.77 | 1.46 | 1.81 | 2.87 | 2.19 | 1.36 | 0.96 | 2.97 |
| Diphtheria | 0.42 | 0.23 | 0.16 | 0.14 | 0.33 | 0.44 | 0.40 | 0.69 | 0.30 | 0.25 | 0.03 |
| Tuberculosis of Nervous System | 0.35 | 0.32 | 0.29 | 0.27 | 0.33 | 0.33 | 0.51 | 0.47 | 0.42 | 0.44 | 0.41 |
| Tuberculosis of Intestines and Peritoneum | 0.25 | 0.19 | 0.27 | 0.20 | 0.09 | 0.17 | 0.23 | 0.11 | 0.12 | 0.15 | 0.10 |
| Other Tuberculous Diseases | 0.50 | 0.12 | 0.43 | 0.28 | 0.28 | 0.23 | 0.48 | 0.31 | 0.34 | 0.31 | 0.37 |
| Syphilis | 0.25 | 0.26 | 0.14 | 0.27 | 0.23 | 0.23 | 0.28 | 0.70 | 0.27 | 0.38 | 0.35 |
| Influenza | 1.59 | 0.42 | 0.93 | 1.06 | 0.92 | 0.56 | 0.68 | 0.89 | 0.28 | 0.81 | 0.54 |
| Measles | 0.56 | 0.35 | 0.39 | 0.35 | 0.37 | 0.32 | 0.15 | 0.69 | 0.17 | 0.24 | 0.42 |
| Meningitis | 0.94 | 1.00 | 0.78 | 0.83 | 0.79 | 0.56 | 0.71 | 0.67 | 0.46 | 0.49 | 0.43 |
| Convulsions | 4.99 | 4.43 | 4.48 | 3.55 | 4.23 | 4.05 | 3.99 | 4.40 | 3.53 | 2.61 | 2.93 |
| Bronchitis | 2.92 | 2.71 | 2.35 | 2.62 | 2.34 | 2.51 | 2.94 | 2.16 | 1.62 | 1.19 | 1.52 |
| Pneumonia ... | 8.34 | 8.43 | 7.67 | 7.70 | 7.93 | 7.11 | 8.92 | 8.60 | 8.44 | 7.54 | 8.61 |
| Diarrhea and Enteritis | 9.95 | 9.12 | 9.33 | 9.67 | 14.18 | 14.32 | 18.27 | 15.82 | 15.58 | 18.11 | 10.34 |
| Congenital Malformations | 4.39 | 4.38 | 4.82 | 4.59 | 5.57 | 5.13 | 5.86 | 5.30 | 5.31 | 5.20 | 5.38 |
| Congenital Debility ... | 13.65 | 12.79 | 12.68 | 13.25 | 14.14 | 13.66 | 15.21 | 14.55 | 10.89 | 9.57 | 11.38 |
| Premature Birth ... | 12.16 | 10.96 | 11.02 | 10.67 | 11.57 | 9.24 | 11.59 | 11.72 | 11.32 | 11.80 | 11.83 |
| Injury at Birth ... | 1.31 | 1.21 | 1.46 | 1.80 | 1.39 | 1.12 | 1.51 | 1.57 | 2.17 | 2.38 | 2.32 |
| Other Diseases peculiar to first year of life ... | 2.46 | 3.14 | 2.68 | 2.86 | 3.17 | 3.52 | 3.67 | 4.25 | 4.47 | 3.71 | 4.25 |
| Mechanical Suffocation (including Overlying) | 0.19 | 0.12 | 0.18 | 0.28 | 0.14 | 0.44 | 0.33 | 0.21 | 0.27 | 0.25 | 0.37 |
| Other Accidents (including Lack of Care) | 0.28 | 0.30 | 0.36 | 0.46 | 0.26 | 0.32 | 0.33 | 0.23 | 0.28 | 0.21 | 0.16 |
| Other Causes | 4.87 | 4.38 | 3.97 | 3.75 | 3.72 | 3.31 | 3.65 | 3.90 | 3.28 | 3.02 | 3.23 |

INFANT MORTALITY—continued.

During the year 1947 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,110, representing a rate of 80 per 1,000 births registered. In 1946 the corresponding number of deaths was 2,025, and the rate 80 per 1,000 births.

For the rural areas 2,577 deaths of infants were registered in 1947, compared with 2,365 in the previous year; the rate per 1,000 births for 1947 was 60, and for 1946 was 56.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in the fourteen principal towns. For these areas in the aggregate the rate was 83 per 1,000 births, which was also the rate for the preceding year. Deaths of infants in other urban areas were equivalent to a rate of 70 per 1,000 births, the rate for 1946 being 65.

In the principal towns deaths from diarrhoea and enteritis of infants under one year of age was equal to a rate of 18 per 1,000 births compared with 7 per 1,000 in the smaller urban areas and also 7 per 1,000 in rural areas.

The infant mortality rates for the principal towns are as follows, ranging in order from the highest to the lowest:—

Sligo 138, Limerick and Wexford each 90, Dublin 85, Cork 82, Dun Laoghaire 78, Waterford and Dundalk each 77, Galway 76, Tralee 74, Bray 63, Kilkenny 61, Drogheda 53 and Clonmel 32.

The following statements show the infant mortality rate for each of the years 1938 to 1947 for urban and rural districts in Eire, and for each of the principal towns:—

| YEARS | Eire | URBAN DISTRICTS | | | Rural Districts |
|-------|------|-----------------|-----------------------|-------|-----------------|
| | | Principal Towns | Other Urban Districts | Total | |
| 1938 | ... | 67 | 88 | 66 | 84 |
| 1939 | ... | 66 | 83 | 85 | 83 |
| 1940 | ... | 66 | 88 | 70 | 85 |
| 1941 | ... | 74 | 102 | 83 | 99 |
| 1942 | ... | 69 | 93 | 76 | 90 |
| 1943 | ... | 83 | 115 | 87 | 110 |
| 1944 | ... | 79 | 109 | 83 | 105 |
| 1945 | ... | 71 | 98 | 67 | 93 |
| 1946 | ... | 65 | 83 | 65 | 80 |
| 1947 | ... | 68 | 83 | 70 | 80 |

Infant Mortality Rate—Principal Towns.

| PRINCIPAL TOWNS | YEARS | | | | | | | | | |
|-----------------|-------|------|------|------|------|------|------|------|------|------|
| | 1938 | 1939 | 1940 | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 |
| Dublin | 96 | 90 | 91 | 114 | 98 | 126 | 117 | 111 | 92 | 85 |
| Dun Laoghaire | 81 | 87 | 97 | 79 | 85 | 85 | 94 | 108 | 79 | 78 |
| Cork | 71 | 72 | 92 | 82 | 91 | 113 | 108 | 82 | 61 | 82 |
| Limerick | 70 | 58 | 70 | 89 | 77 | 76 | 123 | 88 | 69 | 90 |
| Waterford | 99 | 73 | 111 | 86 | 91 | 100 | 80 | 74 | 66 | 77 |
| Galway | 83 | 88 | 95 | 68 | 78 | 112 | 85 | 45 | 75 | 76 |
| Dundalk | 79 | 58 | 54 | 55 | 44 | 59 | 112 | 47 | 56 | 77 |
| Drogheda | 38 | 53 | 65 | 55 | 79 | 61 | 65 | 46 | 58 | 53 |
| Sligo | 61 | 102 | 77 | 70 | 75 | 128 | 85 | 132 | 68 | 138 |
| Wexford | 64 | 77 | 66 | 74 | 127 | 85 | 90 | 85 | 68 | 90 |
| Kilkenny | 58 | 73 | 93 | 94 | 70 | 124 | 74 | 32 | 71 | 61 |
| Bray | 91 | 55 | 61 | 116 | 93 | 93 | 100 | 93 | 90 | 63 |
| Tralee | 78 | 63 | 53 | 90 | 69 | 82 | 47 | 47 | 66 | 74 |
| Clonmel | 14 | 36 | 75 | 47 | 53 | 84 | 75 | 55 | 88 | 32 |

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1947.

| CAUSES OF DEATH. | DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED | | | | | | | | | | |
|---|--|----------------|--------------|--------------|--------------|----------------------------|------------------------|------------------------|----------------------|----------------------|--------------|
| | CITIES AND BOROUGHS. | | | | | | | | | | |
| | Dublin. | Dun Laoghaire. | Cork. | Limerick. | Waterford. | Remaining principal Towns. | Total principal Towns. | Other Urban Districts. | All Urban Districts. | All Rural Districts. | Rate |
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| ALL CAUSES | 84.91 | 77.50 | 82.49 | 90.08 | 76.92 | 73.04 | 82.69 | 70.00 | 80.43 | 60.30 | 67.95 |
| Scarlet Fever | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0.02 | 0.01 |
| Whooping Cough | ... | 5.86 | ... | 2.53 | 3.82 | ... | 2.86 | 4.55 | 2.56 | 4.19 | 2.22 |
| Diphtheria | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0.05 | 0.03 |
| Tuberculosis of Nervous System | ... | 0.52 | ... | 1.01 | ... | 1.45 | 0.32 | 0.51 | 0.43 | 0.50 | 0.35 |
| Tuberculosis of Intestines and Peritoneum | ... | 0.07 | 1.08 | ... | ... | ... | 0.32 | 0.14 | 0.21 | 0.15 | 0.07 |
| Other Tuberculous Diseases | 1.11 | 1.08 | 1.01 | ... | ... | ... | 0.64 | 0.93 | 0.21 | 0.81 | 0.12 |
| Syphilis | ... | 0.67 | ... | 1.01 | 1.53 | ... | 0.32 | 0.65 | 0.43 | 0.61 | 0.19 |
| Influenza | ... | 0.22 | ... | ... | 0.76 | ... | 0.32 | 0.23 | 0.64 | 0.30 | 0.68 |
| Measles | ... | 0.44 | 1.08 | ... | 0.76 | ... | 0.95 | 0.51 | 0.64 | 0.53 | 0.35 |
| Meningitis | ... | 0.44 | ... | 1.01 | ... | 1.45 | 1.27 | 0.60 | 0.64 | 0.61 | 0.33 |
| Convulsions | ... | 2.08 | 2.15 | 4.55 | 8.40 | 1.45 | 2.86 | 2.79 | 4.48 | 3.09 | 2.83 |
| Bronchitis | ... | 1.19 | 2.15 | 0.51 | 5.34 | 7.26 | 1.90 | 1.72 | 1.71 | 1.72 | 1.38 |
| Pneumonia | ... | 13.57 | 5.38 | 14.17 | 14.50 | 2.90 | 10.48 | 12.54 | 8.75 | 11.86 | 6.62 |
| Diarrhoea and Enteritis | ... | 19.28 | 19.38 | 12.65 | 22.14 | 26.12 | 9.84 | 17.69 | 7.26 | 15.82 | 6.97 |
| Congenital Malformations | ... | 5.64 | 5.38 | 3.04 | 3.82 | 4.35 | 5.08 | 5.15 | 7.26 | 5.53 | 5.29 |
| Congenital Debility | ... | 6.75 | 6.46 | 8.10 | 15.27 | 7.26 | 13.97 | 8.45 | 14.08 | 9.46 | 12.56 |
| Premature Birth | ... | 14.91 | 19.38 | 19.74 | 3.82 | 15.97 | 13.97 | 14.77 | 10.46 | 14.00 | 10.50 |
| Injury at Birth | ... | 3.11 | 5.38 | 1.52 | 0.76 | 1.45 | 2.22 | 2.74 | 1.28 | 2.48 | 2.22 |
| Other Diseases peculiar to first year of life | 6.16 | 4.30 | 6.07 | 5.34 | 5.81 | 2.23 | 5.43 | 3.63 | 5.11 | 3.72 | 4.25 |
| Mechanical suffocation (including Overlying) | 0.37 | ... | 1.01 | ... | ... | 0.32 | 0.37 | 0.43 | 0.38 | 0.37 | 0.37 |
| Other Accidents (including Lack of Care) | 0.07 | ... | ... | ... | ... | 0.32 | 0.09 | 0.21 | 0.11 | 0.19 | 0.16 |
| Other Causes | ... | 2.45 | 4.30 | 4.56 | 3.82 | 1.45 | 2.86 | 2.83 | 4.69 | 3.17 | 3.27 |

PART II.

Tables.

TABLE I.—ESTIMATED POPULATION, middle of years 1801 to 1947, in thousands.

| Year. | Persons. | Males. | Females. | Year. | Persons. | Males. | Females. | Year. | Persons. | Males. | Females. |
|-------|----------|--------|----------|-------|----------|--------|----------|-------|----------|--------|----------|
| 1801 | 4,154 | 2,085 | 2,069 | 1880 | ... | 3,891 | 1,920 | 1,971 | 1914 | ... | 3,092 |
| 1811 | 4,746 | 2,363 | 2,383 | 1881 | ... | 3,847 | 1,901 | 1,946 | 1915 | ... | 3,068 |
| 1821 | 5,421 | 2,676 | 2,745 | 1882 | ... | 3,808 | 1,882 | 1,926 | 1916 | ... | 3,068 |
| 1831 | 6,194 | 3,033 | 3,161 | 1883 | ... | 3,745 | 1,853 | 1,892 | 1917 | ... | 3,065 |
| 1841 | 6,545 | 3,235 | 3,310 | 1884 | ... | 3,703 | 1,834 | 1,869 | 1918 | ... | 3,066 |
| 1851 | 5,079 | 2,486 | 2,593 | 1885 | ... | 3,671 | 1,820 | 1,851 | 1919 | ... | 3,102 |
| 1852 | 4,927 | 2,413 | 2,514 | 1886 | ... | 3,642 | 1,808 | 1,834 | 1920 | ... | 3,103 |
| 1853 | 4,807 | 2,358 | 2,449 | 1887 | ... | 3,600 | 1,788 | 1,812 | 1921 | ... | 3,096 |
| 1854 | 4,704 | 2,311 | 2,393 | 1888 | ... | 3,554 | 1,766 | 1,788 | 1922 | ... | 3,022 |
| 1855 | 4,638 | 2,281 | 2,357 | 1889 | ... | 3,516 | 1,748 | 1,768 | 1923 | ... | 3,014 |
| 1856 | 4,594 | 2,261 | 2,333 | 1890 | ... | 3,482 | 1,733 | 1,749 | 1924 | ... | 3,005 |
| 1857 | 4,540 | 2,234 | 2,306 | 1891 | ... | 3,449 | 1,718 | 1,731 | 1925 | ... | 2,985 |
| 1858 | 4,506 | 2,217 | 2,289 | 1892 | ... | 3,408 | 1,697 | 1,711 | 1926 | ... | 2,971 |
| 1859 | 4,471 | 2,199 | 2,272 | 1893 | ... | 3,382 | 1,684 | 1,698 | 1927 | ... | 2,957 |
| 1860 | 4,428 | 2,179 | 2,249 | 1894 | ... | 3,362 | 1,675 | 1,687 | 1928 | ... | 2,944 |
| 1861 | 4,393 | 2,164 | 2,229 | 1895 | ... | 3,333 | 1,662 | 1,671 | 1929 | ... | 2,937 |
| 1862 | 4,377 | 2,158 | 2,219 | 1896 | ... | 3,314 | 1,653 | 1,661 | 1930 | ... | 2,927 |
| 1863 | 4,328 | 2,134 | 2,194 | 1897 | ... | 3,298 | 1,646 | 1,652 | 1931 | ... | 2,933 |
| 1864 | 4,263 | 2,103 | 2,160 | 1898 | ... | 3,283 | 1,640 | 1,643 | 1932 | ... | 2,949 |
| 1865 | 4,223 | 2,084 | 2,139 | 1899 | ... | 3,265 | 1,631 | 1,634 | 1933 | ... | 2,962 |
| 1866 | 4,163 | 2,051 | 2,112 | 1900 | ... | 3,234 | 1,616 | 1,618 | 1934 | ... | 2,971 |
| 1867 | 4,130 | 2,033 | 2,097 | 1901 | ... | 3,213 | 1,607 | 1,608 | 1935 | ... | 2,971 |
| 1868 | 4,109 | 2,022 | 2,087 | 1902 | ... | 3,200 | 1,603 | 1,597 | 1936 | ... | 2,967 |
| 1869 | 4,090 | 2,012 | 2,078 | 1903 | ... | 3,185 | 1,599 | 1,586 | 1937 | ... | 2,948 |
| 1870 | 4,062 | 1,996 | 2,066 | 1904 | ... | 3,175 | 1,597 | 1,578 | 1938 | ... | 2,937 |
| 1871 | 4,042 | 1,986 | 2,056 | 1905 | ... | 3,165 | 1,594 | 1,571 | 1939 | ... | 2,934 |
| 1872 | 4,023 | 1,975 | 2,048 | 1906 | ... | 3,160 | 1,593 | 1,567 | 1940 | ... | 2,958 |
| 1873 | 3,989 | 1,955 | 2,034 | 1907 | ... | 3,151 | 1,589 | 1,562 | 1941 | ... | 2,993 |
| 1874 | 3,966 | 1,944 | 2,022 | 1908 | ... | 3,145 | 1,588 | 1,557 | 1942 | ... | 2,963 |
| 1875 | 3,951 | 1,940 | 2,011 | 1909 | ... | 3,142 | 1,589 | 1,553 | 1943 | ... | 2,946 |
| 1876 | 3,949 | 1,942 | 2,007 | 1910 | ... | 3,139 | 1,588 | 1,551 | 1944 | ... | 2,944 |
| 1877 | 3,956 | 1,947 | 2,009 | 1911 | ... | 3,132 | 1,586 | 1,546 | 1945 | ... | 2,952 |
| 1878 | 3,952 | 1,948 | 2,004 | 1912 | ... | 3,120 | 1,581 | 1,539 | 1946 | ... | 2,963 |
| 1879 | 3,939 | 1,944 | 1,995 | 1913 | ... | 3,103 | 1,572 | 1,531 | 1947 | ... | 2,972 |

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

| CENSUS YEARS. | AGES. | | | | | | | | | | | | | Total Population.* | | | |
|----------------------|---------------------|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------------------|--------|-------|-----------|
| | Under 1 Year. | 1 and under 5 | 5—10 | 10—15 | 15—20 | 20—25 | 25—35 | 35—45 | 45—55 | 55—65 | 65—75 | 75—85 | 85—95 | | | | |
| PERSONS. | | | | | | | | | | | | | | | | | |
| 1851 | ... | ... | 100,400 | 391,870 | 633,567 | 710,458 | 640,632 | 497,364 | 660,193 | 568,883 | 434,215 | 299,518 | 121,152 | 42,403 | 6,669 | 1,580 | 5,111,550 |
| 1861 | ... | ... | 103,081 | 419,697 | 456,185 | 452,394 | 516,197 | 471,414 | 568,917 | 458,312 | 422,322 | 330,301 | 185,456 | 54,561 | 8,735 | 1,451 | 4,402,111 |
| 1871 | ... | ... | 99,807 | 388,438 | 476,611 | 474,552 | 392,142 | 340,114 | 543,674 | 402,845 | 361,783 | 329,440 | 167,510 | 60,419 | 10,843 | 1,881 | 4,053,187 |
| 1881 | ... | ... | 78,630 | 353,148 | 471,705 | 465,016 | 419,663 | 355,534 | 464,939 | 413,149 | 326,300 | 279,226 | 161,105 | 68,905 | 9,097 | 1,694 | 3,870,020 |
| 1891 | ... | ... | 64,943 | 277,768 | 370,942 | 414,919 | 413,433 | 325,110 | 430,250 | 353,009 | 336,015 | 247,835 | 142,235 | 67,493 | 12,658 | 1,624 | 3,468,694 |
| 1901 | ... | ... | 60,229 | 251,519 | 325,078 | 336,293 | 349,036 | 323,983 | 465,833 | 342,310 | 298,276 | 260,048 | 130,690 | 57,632 | 10,379 | 1,517 | 3,221,823 |
| 1911 | ... | ... | 59,057 | 248,108 | 310,163 | 303,149 | 303,443 | 269,058 | 454,276 | 380,399 | 279,189 | 202,898 | 235,538 | 82,580 | 10,767 | 1,063 | 3,139,688 |
| 1926 | .. | ... | 55,391 | 232,322 | 284,683 | 295,583 | 286,187 | 240,231 | 398,701 | 344,844 | 331,611 | 230,859 | 183,458 | 73,364 | 14,034 | 824 | 2,971,992 |
| 1936 | ... | ... | 53,606 | 214,660 | 269,345 | 282,783 | 268,326 | 254,513 | 400,069 | 355,325 | 309,290 | 273,819 | 198,941 | 76,238 | 10,899 | 606 | 2,968,420 |
| 1941 | ... | ... | 275,640 | 270,733 | 268,634 | 272,072 | 238,972 | 429,188 | 361,823 | 302,863 | 263,286 | 215,682 | 93,141 | | | | 2,992,034 |
| PROPORTION PER CENT. | | | | | | | | | | | | | | | | | |
| 1851 | ... | ... | 1·96 | 7·67 | 12·40 | 13·91 | 12·54 | 9·74 | 12·92 | 11·14 | 8·50 | 5·86 | 2·37 | 0·83 | 0·13 | 0·03 | 100 |
| 1861 | ... | ... | 2·34 | 9·54 | 10·37 | 10·28 | 11·74 | 10·72 | 12·93 | 10·42 | 9·60 | 7·51 | 3·08 | 1·24 | 0·20 | 0·03 | 100 |
| 1871 | ... | ... | 2·46 | 9·59 | 11·77 | 11·72 | 9·68 | 8·40 | 13·42 | 9·95 | 8·93 | 8·13 | 4·14 | 1·49 | 0·27 | 0·05 | 100 |
| 1881 | ... | ... | 2·03 | 9·13 | 12·19 | 12·02 | 10·85 | 9·19 | 12·02 | 10·68 | 8·44 | 7·22 | 4·17 | 1·78 | 0·24 | 0·04 | 100 |
| 1891 | ... | ... | 1·87 | 8·01 | 10·96 | 11·97 | 11·92 | 9·38 | 12·41 | 10·18 | 9·60 | 7·15 | 4·10 | 1·95 | 0·36 | 0·05 | 100 |
| 1901 | ... | ... | 1·87 | 7·80 | 10·09 | 10·44 | 10·83 | 10·06 | 14·47 | 10·62 | 9·26 | 8·07 | 4·33 | 1·79 | 0·32 | 0·05 | 100 |
| 1911 | ... | ... | 1·88 | 7·90 | 9·88 | 9·66 | 9·67 | 8·57 | 14·47 | 12·12 | 8·89 | 6·46 | 7·50 | 2·63 | 0·34 | 0·03 | 100 |
| 1926 | ... | ... | 1·86 | 7·82 | 9·58 | 9·94 | 9·63 | 8·08 | 13·42 | 11·60 | 11·16 | 7·77 | 6·17 | 2·47 | 0·47 | 0·03 | 100 |
| 1936 | ... | ... | 1·81 | 7·23 | 9·07 | 9·53 | 9·04 | 8·57 | 13·48 | 11·97 | 10·42 | 9·22 | 6·70 | 2·57 | 0·37 | 0·02 | 100 |
| 1941 | ... | ... | 9·21 | 9·05 | 8·98 | 9·09 | 7·99 | 14·35 | 12·09 | 10·12 | 8·80 | 7·21 | 3·11 | | | | 100 |

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,133 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females), and in 1891 the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

| CENSUS YEARS. | AGES. | | | | | | | | | | | | | Total Population.* | | |
|----------------------|--------------------|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|-----------------------|------|-----------|
| | Under 1 Year | 1 and under 5 | 5—10 | 10—15 | 15—20 | 20—25 | 25—35 | 35—45 | 45—55 | 55—65 | 65—75 | 75—85 | 85—95 | | | |
| MALES. | | | | | | | | | | | | | | | | |
| 1851 | ... | 51,165 | 198,917 | 321,938 | 362,086 | 319,085 | 240,776 | 312,850 | 265,981 | 205,950 | 134,815 | 57,334 | 18,581 | 2,900 | 593 | 2,494,470 |
| 1861 | ... | 52,440 | 212,831 | 231,280 | 232,089 | 255,048 | 234,222 | 282,061 | 213,537 | 202,367 | 157,384 | 64,124 | 25,119 | 3,946 | 565 | 2,169,042 |
| 1871 | ... | 50,087 | 197,278 | 241,103 | 242,985 | 192,183 | 163,194 | 260,919 | 195,496 | 170,455 | 159,104 | 83,619 | 28,257 | 5,140 | 776 | 1,992,468 |
| 1881 | ... | 39,992 | 178,762 | 238,604 | 237,986 | 207,114 | 177,872 | 223,272 | 197,182 | 158,874 | 131,719 | 80,396 | 34,635 | 4,283 | 654 | 1,912,438 |
| 1891 | ... | 33,109 | 140,973 | 192,978 | 211,364 | 209,297 | 169,659 | 210,857 | 166,702 | 161,679 | 121,960 | 69,006 | 33,266 | 6,347 | 708 | 1,728,601 |
| 1901 | ... | 30,647 | 127,411 | 164,732 | 171,577 | 174,937 | 163,595 | 234,185 | 168,571 | 141,924 | 126,709 | 71,527 | 28,529 | 5,134 | 607 | 1,610,085 |
| 1911 | ... | 29,899 | 125,988 | 157,597 | 154,182 | 155,523 | 141,288 | 228,738 | 198,371 | 142,879 | 100,110 | 109,146 | 40,172 | 5,171 | 450 | 1,589,509 |
| 1926 | ... | 28,084 | 118,089 | 144,764 | 150,814 | 146,047 | 124,518 | 199,148 | 173,399 | 172,658 | 120,792 | 88,984 | 33,008 | 6,227 | 357 | 1,506,889 |
| 1936 | ... | 27,152 | 100,213 | 136,348 | 143,720 | 138,112 | 134,680 | 207,403 | 180,524 | 159,188 | 143,199 | 100,878 | 35,154 | 4,663 | 220 | 1,520,454 |
| 1941 | ... | 140,118 | 137,398 | 136,351 | 136,833 | 121,775 | 216,841 | 181,368 | 154,765 | 134,163 | 110,428 | 42,687 | | | | 1,512,727 |
| PROPORTION PER CENT. | | | | | | | | | | | | | | | | |
| 1851 | ... | 2.05 | 7.98 | 12.91 | 14.52 | 12.80 | 9.66 | 12.55 | 10.67 | 8.26 | 5.41 | 2.30 | 0.75 | 0.12 | 0.02 | 100 |
| 1861 | ... | 2.42 | 9.82 | 10.67 | 10.71 | 11.77 | 10.81 | 13.02 | 9.85 | 9.34 | 7.26 | 2.96 | 1.16 | 0.18 | 0.03 | 100 |
| 1871 | ... | 2.52 | 9.91 | 12.11 | 12.21 | 9.65 | 8.20 | 13.11 | 9.82 | 8.56 | 7.99 | 4.20 | 1.42 | 0.26 | 0.04 | 100 |
| 1881 | ... | 2.09 | 9.35 | 12.49 | 12.45 | 10.84 | 9.31 | 11.68 | 10.32 | 8.31 | 6.89 | 4.21 | 1.81 | 0.22 | 0.03 | 100 |
| 1891 | ... | 1.92 | 8.16 | 11.17 | 12.23 | 12.11 | 9.82 | 12.20 | 9.65 | 9.36 | 7.06 | 3.99 | 1.92 | 0.37 | 0.04 | 100 |
| 1901 | ... | 1.90 | 7.91 | 10.23 | 10.66 | 10.87 | 10.16 | 14.54 | 10.47 | 8.82 | 7.87 | 4.44 | 1.77 | 0.32 | 0.04 | 100 |
| 1911 | ... | 1.88 | 7.93 | 9.91 | 9.70 | 9.78 | 8.89 | 14.39 | 12.48 | 8.99 | 6.30 | 6.87 | 2.53 | 0.32 | 0.03 | 100 |
| 1926 | ... | 1.86 | 7.84 | 9.61 | 10.01 | 9.69 | 8.26 | 13.22 | 11.51 | 11.46 | 8.01 | 5.90 | 2.20 | 0.41 | 0.02 | 100 |
| 1936 | ... | 1.79 | 7.18 | 8.97 | 9.45 | 9.08 | 8.86 | 13.64 | 11.87 | 10.47 | 9.42 | 6.64 | 2.31 | 0.31 | 0.01 | 100 |
| 1941 | ... | 9.26 | 9.08 | 9.01 | 9.05 | 8.05 | 14.34 | 11.99 | 10.23 | 8.87 | 7.30 | 2.82 | | | | 100 |

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

| CENSUS YEARS | AGES. | | | | | | | | | | | | | Total Population* | | | |
|----------------------|--------------------|------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------------------|-------|-------|-----------|
| | Under 1 Year | 1 and under 5 | 5—10 | 10—15 | 15—20 | 20—25 | 25—35 | 35—45 | 45—55 | 55—65 | 65—75 | 75—85 | 85—95 | | | | |
| FEMALES. | | | | | | | | | | | | | | | | | |
| 1851 | ... | ... | 49,235 | 192,953 | 311,629 | 348,372 | 321,547 | 256,588 | 347,343 | 302,902 | 228,265 | 164,703 | 63,818 | 23,822 | 3,769 | 987 | 2,617,080 |
| 1861 | ... | ... | 50,591 | 206,866 | 224,905 | 220,305 | 261,149 | 237,192 | 286,856 | 244,775 | 219,955 | 172,917 | 71,332 | 29,442 | 4,780 | 886 | 2,283,069 |
| 1871 | ... | ... | 49,720 | 191,160 | 235,508 | 281,567 | 199,059 | 176,920 | 282,755 | 207,349 | 191,328 | 170,336 | 83,891 | 32,162 | 5,703 | 1,105 | 2,060,719 |
| 1881 | ... | ... | 38,638 | 174,386 | 233,101 | 227,030 | 212,549 | 177,662 | 241,667 | 215,967 | 167,426 | 147,507 | 86,709 | 34,270 | 4,814 | 1,040 | 1,957,582 |
| 1891 | ... | ... | 31,834 | 136,795 | 186,964 | 203,555 | 204,136 | 155,451 | 219,393 | 186,307 | 174,336 | 125,875 | 73,229 | 34,227 | 6,811 | 916 | 1,740,093 |
| 1901 | ... | ... | 29,582 | 124,108 | 160,346 | 164,716 | 174,099 | 160,388 | 231,648 | 173,739 | 156,352 | 133,339 | 68,133 | 29,103 | 5,245 | 910 | 1,611,738 |
| 1911 | ... | ... | 29,158 | 122,120 | 152,566 | 148,987 | 147,920 | 127,770 | 225,543 | 182,028 | 136,310 | 102,788 | 126,392 | 42,408 | 5,596 | 613 | 1,550,179 |
| 1926 | ... | ... | 27,307 | 114,238 | 139,869 | 144,719 | 140,140 | 115,713 | 199,553 | 171,445 | 158,953 | 110,067 | 94,474 | 40,356 | 7,807 | 467 | 1,465,103 |
| 1936 | ... | ... | 26,454 | 105,447 | 132,997 | 139,063 | 130,214 | 119,833 | 192,666 | 174,801 | 150,102 | 130,620 | 98,063 | 41,084 | 6,236 | 386 | 1,447,966 |
| 1941 | ... | ... | 135,522 | 133,335 | 132,283 | 135,239 | 117,197 | 212,347 | 180,455 | 148,098 | 129,123 | 105,254 | 50,454 | | | | 1,479,307 |
| PROPORTION PER CENT. | | | | | | | | | | | | | | | | | |
| 1851 | ... | ... | 1·88 | 7·38 | 11·91 | 13·32 | 12·29 | 9·81 | 13·28 | 11·58 | 8·72 | 6·80 | 2·44 | 0·91 | 0·14 | 0·04 | 100 |
| 1861 | ... | ... | 2·27 | 9·27 | 10·08 | 9·87 | 11·70 | 10·63 | 12·85 | 10·97 | 9·85 | 7·75 | 3·19 | 1·32 | 0·21 | 0·04 | 100 |
| 1871 | ... | ... | 2·41 | 9·28 | 11·44 | 11·25 | 9·71 | 8·59 | 13·73 | 10·07 | 9·29 | 8·27 | 4·07 | 1·56 | 0·28 | 0·05 | 100 |
| 1881 | ... | ... | 1·97 | 8·91 | 11·91 | 11·60 | 10·86 | 9·08 | 12·35 | 11·04 | 8·56 | 7·54 | 4·13 | 1·75 | 0·25 | 0·05 | 100 |
| 1891 | ... | ... | 1·83 | 7·87 | 10·75 | 11·70 | 11·74 | 8·94 | 12·61 | 10·71 | 10·02 | 7·24 | 4·21 | 1·97 | 0·36 | 0·05 | 100 |
| 1901 | ... | ... | 1·83 | 7·70 | 9·95 | 10·22 | 10·80 | 9·95 | 14·37 | 10·78 | 9·70 | 8·27 | 4·23 | 1·81 | 0·33 | 0·06 | 100 |
| 1911 | ... | ... | 1·88 | 7·88 | 9·84 | 9·61 | 9·54 | 8·24 | 14·55 | 11·74 | 8·79 | 6·63 | 8·16 | 2·74 | 0·36 | 0·04 | 100 |
| 1926 | ... | ... | 1·86 | 7·80 | 9·55 | 9·88 | 9·56 | 7·90 | 13·62 | 11·70 | 10·85 | 7·51 | 6·45 | 2·76 | 0·53 | 0·03 | 100 |
| 1936 | ... | ... | 1·83 | 7·28 | 9·19 | 9·60 | 8·99 | 8·28 | 13·31 | 12·07 | 10·37 | 9·02 | 6·77 | 2·84 | 0·43 | 0·02 | 100 |
| 1941 | ... | ... | 9·16 | 9·01 | 8·04 | 9·14 | 7·92 | 14·36 | 12·20 | 10·01 | 8·73 | 7·12 | 3·41 | | | | 100 |

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1947.

| PERIOD. | Marriages. | BIRTHS. | | | | | | DEATHS. | | | Natural Increase. | | |
|------------------|------------|---------------------------------|---------|---------|--------------|---------------|--------|---------|--------|--------|-------------------|--------|--------|
| | | TOTAL (including Illegitimate). | | | Legiti-mate. | Illegitimate. | | | Total. | Males. | Females | | |
| | | Total. | Males. | Females | | Total. | Males. | Females | | | | | |
| Average, 1864-70 | ... | 21,150 | 106,926 | 54,927 | 51,999 | 104,342 | 2,584 | 1,304 | 1,280 | 67,323 | 33,878 | 33,445 | 39,603 |
| " 1871-80 | ... | 18,014 | 104,379 | 53,604 | 50,775 | 102,674 | 1,705 | 873 | 827 | 71,611 | 36,224 | 35,387 | 32,768 |
| " 1881-90 | ... | 14,692 | 83,762 | 43,077 | 40,635 | 82,187 | 1,575 | 816 | 759 | 64,220 | 32,233 | 31,987 | 19,542 |
| " 1891-1900 | ... | 14,805 | 73,995 | 37,982 | 36,013 | 72,527 | 1,468 | 753 | 715 | 58,994 | 29,468 | 29,526 | 15,001 |
| " 1901-10 | ... | 15,325 | 71,380 | 36,666 | 34,714 | 69,912 | 1,468 | 754 | 714 | 53,577 | 27,031 | 26,546 | 17,803 |
| " 1911-20 | ... | 15,785 | 66,507 | 34,206 | 32,301 | 64,912 | 1,595 | 815 | 780 | 51,453 | 26,131 | 25,322 | 15,054 |
| " 1921-30 | ... | 14,245 | 60,406 | 30,983 | 29,423 | 58,700 | 1,706 | 880 | 826 | 43,203 | 21,850 | 21,353 | 17,203 |
| " 1931-40 | ... | 14,359 | 57,105 | 29,279 | 27,826 | 55,212 | 1,893 | 970 | 923 | 41,841 | 21,469 | 20,372 | 15,264 |
| 1937 | ... | 14,780 | 56,488 | 28,893 | 27,595 | 54,675 | 1,813 | 945 | 868 | 45,086 | 23,331 | 21,755 | 11,402 |
| 1938 | ... | 14,893 | 56,925 | 29,108 | 27,817 | 55,047 | 1,878 | 998 | 880 | 40,041 | 20,637 | 19,404 | 16,884 |
| 1939 | ... | 15,204 | 56,070 | 28,804 | 27,266 | 54,289 | 1,781 | 927 | 854 | 41,717 | 21,567 | 20,150 | 14,353 |
| 1940 | ... | 15,212 | 56,594 | 29,029 | 27,565 | 54,770 | 1,824 | 895 | 929 | 41,885 | 21,611 | 20,274 | 14,709 |
| 1941 | ... | 15,021 | 56,780 | 29,198 | 27,582 | 54,805 | 1,975 | 1,007 | 968 | 43,797 | 22,642 | 21,155 | 12,983 |
| 1942 | ... | 17,470 | 66,117 | 34,013 | 32,104 | 63,698 | 2,419 | 1,298 | 1,121 | 41,640 | 21,868 | 19,772 | 24,477 |
| 1943 | ... | 17,328 | 64,375 | 33,241 | 31,134 | 61,927 | 2,448 | 1,229 | 1,219 | 43,494 | 22,663 | 20,831 | 20,881 |
| 1944 | ... | 16,772 | 65,425 | 33,637 | 31,788 | 62,858 | 2,567 | 1,301 | 1,266 | 45,128 | 23,477 | 21,651 | 20,297 |
| 1945 | ... | 17,301 | 66,861 | 34,336 | 32,525 | 64,235 | 2,626 | 1,322 | 1,304 | 42,762 | 22,266 | 20,496 | 24,099 |
| 1946 | ... | 17,525 | 67,922 | 35,120 | 32,802 | 65,280 | 2,642 | 1,379 | 1,263 | 41,457 | 21,863 | 19,594 | 26,465 |
| Average, 1937-46 | ... | 16,151 | 61,356 | 31,538 | 29,818 | 59,159 | 2,197 | 1,130 | 1,067 | 42,701 | 22,193 | 20,508 | 18,655 |
| 1947 | ... | 16,290 | 68,978 | 35,674 | 33,304 | 66,630 | 2,348 | 1,224 | 1,124 | 44,061 | 23,461 | 20,600 | 24,917 |

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1947.

| PERIOD. | MARRIAGES. | | BIRTHS. | | | | DEATHS. | | Natural Increase per 1,000 of Population. | |
|------------------|-----------------------|-----------------------|----------------------------------|-----------------------|-------------------------|--|-----------------------|------------------------------------|---|--|
| | | | Legitimate per 1,000 Population. | Illegitimate. | | Births of Males per 1,000 Births of Females. | Per 1,000 Population. | Infant Mortality per 1,000 Births. | | |
| | Per 1,000 Population. | Per 1,000 Population. | | Per 1,000 Population. | Per Cent. Total Births. | | | | | |
| 1864-70 | 5.10 | 25.79 | 25.17 | 0.62 | 2.42 | 1,056 | 16.23 | 95.81 | 9.56 | |
| 1871-80 | 4.54 | 26.31 | 25.88 | 0.43 | 1.63 | 1,056 | 18.06 | 96.80 | 8.25 | |
| 1881-90 | 4.02 | 22.88 | 22.45 | 0.43 | 1.89 | 1,059 | 17.56 | 93.06 | 5.32 | |
| 1891-1900 | 4.46 | 22.20 | 21.76 | 0.44 | 1.99 | 1,055 | 17.70 | 99.42 | 4.50 | |
| 1901-10 | 4.84 | 22.54 | 22.08 | 0.46 | 2.06 | 1,056 | 16.91 | 91.37 | 5.63 | |
| 1911-20 | 5.11 | 21.50 | 20.99 | 0.51 | 2.41 | 1,059 | 16.64 | 84.06 | 4.86 | |
| 1921-30 | 4.76 | 20.21 | 19.64 | 0.57 | 2.88 | 1,053 | 14.45 | 69.90 | 5.76 | |
| 1931-40 | 4.86 | 19.34 | 18.70 | 0.64 | 3.31 | 1,052 | 14.17 | 68.41 | 5.17 | |
| 1937 | 5.01 | 19.16 | 18.55 | 0.61 | 3.21 | 1,047 | 15.29 | 72.95 | 3.87 | |
| 1938 | 5.07 | 19.38 | 18.74 | 0.64 | 3.30 | 1,046 | 13.63 | 66.65 | 5.75 | |
| 1939 | 5.18 | 19.11 | 18.50 | 0.61 | 3.18 | 1,056 | 14.22 | 65.83 | 4.89 | |
| 1940 | 5.14 | 19.13 | 18.52 | 0.62 | 3.22 | 1,053 | 14.16 | 66.42 | 4.97 | |
| 1941 | 5.02 | 18.97 | 18.31 | 0.66 | 3.48 | 1,059 | 14.63 | 73.53 | 4.34 | |
| 1942 | 5.90 | 22.31 | 21.50 | 0.82 | 3.66 | 1,059 | 14.05 | 69.44 | 8.26 | |
| 1943 | 5.88 | 21.85 | 21.02 | 0.83 | 3.80 | 1,068 | 14.76 | 82.63 | 7.09 | |
| 1944 | 5.70 | 22.22 | 21.35 | 0.87 | 3.92 | 1,058 | 15.33 | 79.45 | 6.89 | |
| 1945 | 5.86 | 22.65 | 21.76 | 0.89 | 3.93 | 1,056 | 14.49 | 70.88 | 8.16 | |
| 1946 | 5.91 | 22.92 | 22.03 | 0.89 | 3.89 | 1,071 | 13.99 | 64.63 | 8.93 | |
| Average, 1937-46 | 5.47 | 20.77 | 20.03 | 0.74 | 3.56 | 1,057 | 14.46 | 71.24 | 6.32 | |
| 1947 | 5.48 | 23.21 | 22.42 | 0.79 | 3.40 | 1,071 | 14.83 | 67.95 | 8.38 | |

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1937-47; with the average annual rates for the ten years 1937-46 and the rate for 1947 per 1,000 of the population.

| YEAR. | Marriages. | | | | | | | | | | | | Births. | | | | | | | | Deaths. | | | | | | | | | | |
|--|--------------------------------|-------|-------|-------|------------|--------------------------------|-------|-------|--------|--------|--------------------------------|-------|--------------------------------|-------|--------|--------|--------------------------------|--------|--------|--------|--------------------------------|--------|--------|--------|--------|--------|------|------|--|--|--|
| | Catholic. | | | | All Other. | | | | Total. | | | | Quarter ending the last day of | | | | Quarter ending the last day of | | | | Quarter ending the last day of | | | | Total. | | | | | | |
| | Quarter ending the last day of | | | | Total. | Quarter ending the last day of | | | | Total. | Quarter ending the last day of | | | | Total. | March. | | | | June. | | | | Sept. | | | | Dec. | | | |
| | Mar. | June. | Sept. | Dec. | | Mar. | June. | Sept. | Dec. | | Mar. | June. | Sept. | Dec. | | March. | June. | Sept. | Dec. | March. | June. | Sept. | Dec. | March. | June. | Sept. | Dec. | | | | |
| 1937 | | 3,140 | 3,460 | 3,845 | 3,363 | 13,808 | 163 | 257 | 357 | 195 | 972 | 3,303 | 3,717 | 4,202 | 3,558 | 14,780 | 13,554 | 15,052 | 15,008 | 12,874 | 56,488 | 15,360 | 11,206 | 8,617 | 9,903 | 45,086 | | | | | |
| 1938 | | 3,665 | 3,163 | 4,060 | 3,081 | 13,969 | 159 | 272 | 319 | 174 | 924 | 3,824 | 3,435 | 4,379 | 3,255 | 14,893 | 14,083 | 14,697 | 14,768 | 13,377 | 56,925 | 11,442 | 9,814 | 8,587 | 10,198 | 40,041 | | | | | |
| 1939 | | 3,359 | 3,411 | 4,170 | 3,333 | 14,282 | 128 | 254 | 335 | 205 | 922 | 3,487 | 3,665 | 4,514 | 3,538 | 15,204 | 14,245 | 14,475 | 14,262 | 13,088 | 56,070 | 13,313 | 10,372 | 8,600 | 9,482 | 41,717 | | | | | |
| 1940 | | 3,310 | 3,594 | 4,234 | 3,114 | 14,252 | 193 | 214 | 358 | 195 | 960 | 3,503 | 3,808 | 4,592 | 3,309 | 15,212 | 14,084 | 15,134 | 14,385 | 12,991 | 56,594 | 13,361 | 10,481 | 8,442 | 9,601 | 41,885 | OO | | | | |
| 1941 | | 3,353 | 3,380 | 3,891 | 3,437 | 14,061 | 167 | 263 | 311 | 219 | 960 | 3,520 | 3,643 | 4,202 | 3,656 | 15,021 | 13,673 | 14,955 | 15,067 | 13,085 | 56,780 | 14,653 | 11,312 | 8,679 | 9,153 | 43,797 | | | | | |
| 1942 | | 3,837 | 4,316 | 4,677 | 3,636 | 16,466 | 176 | 287 | 344 | 197 | 1,004 | 4,013 | 4,603 | 5,021 | 3,833 | 17,470 | 14,427 | 18,181 | 17,749 | 15,760 | 66,117 | 12,122 | 10,822 | 8,497 | 10,199 | 41,640 | | | | | |
| 1943 | | 4,379 | 3,746 | 4,808 | 3,453 | 16,386 | 169 | 260 | 324 | 189 | 942 | 4,548 | 4,006 | 5,132 | 3,642 | 17,328 | 16,400 | 16,916 | 16,422 | 14,817 | 64,375 | 12,627 | 10,974 | 8,955 | 10,938 | 43,494 | | | | | |
| 1944 | | 4,084 | 3,852 | 4,292 | 3,704 | 15,882 | 188 | 217 | 307 | 178 | 890 | 4,222 | 4,069 | 4,599 | 3,882 | 16,772 | 17,066 | 17,663 | 15,749 | 14,947 | 65,425 | 14,814 | 11,074 | 8,785 | 10,455 | 45,128 | | | | | |
| 1945 | | 3,507 | 4,386 | 4,620 | 3,912 | 16,425 | 190 | 208 | 308 | 170 | 876 | 3,697 | 4,594 | 4,928 | 4,082 | 17,301 | 16,073 | 17,940 | 17,244 | 15,604 | 66,861 | 13,715 | 10,754 | 8,892 | 9,401 | 42,762 | | | | | |
| 1946 | | 4,317 | 3,921 | 4,895 | 3,572 | 16,705 | 161 | 226 | 266 | 167 | 820 | 4,478 | 4,147 | 5,161 | 3,739 | 17,525 | 17,005 | 18,122 | 17,230 | 15,565 | 67,922 | 13,042 | 10,515 | 8,539 | 9,361 | 41,457 | | | | | |
| Average for ten years, 1937-1946 | | 3,690 | 3,723 | 4,350 | 3,461 | 15,924 | 169 | 246 | 323 | 189 | 927 | 3,859 | 3,969 | 4,673 | 3,650 | 16,151 | 15,081 | 16,314 | 15,770 | 14,211 | 61,356 | 13,445 | 10,733 | 8,659 | 9,864 | 42,701 | | | | | |
| 1947 | | 3,605 | 3,774 | 4,594 | 3,406 | 15,379 | 164 | 249 | 305 | 193 | 911 | 3,709 | 4,023 | 4,889 | 3,599 | 16,290 | 17,537 | 18,946 | 17,424 | 15,071 | 68,978 | 15,975 | 11,161 | 8,288 | 8,637 | 44,061 | | | | | |
| Equivalent Annual Rate per 1,000 living: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Average, 1937-46 | | 5.3 | 5.4 | 6.3 | 5.0 | 5.5 | 3.5 | 5.0 | 6.6 | 3.9 | 4.8 | 5.2 | 5.4 | 6.3 | 4.9 | 5.5 | 20.4 | 22.1 | 21.4 | 19.2 | 20.8 | 18.2 | 14.5 | 11.7 | 13.4 | 14.5 | | | | | |
| 1947 | .. | 5.2 | 5.4 | 6.6 | 4.9 | 5.5 | 3.3 | 5.1 | 6.2 | 3.9 | 4.6 | 5.1 | 5.4 | 6.6 | 4.8 | 5.5 | 23.6 | 25.5 | 23.5 | 20.3 | 23.2 | 21.5 | 15.0 | 11.2 | 11.6 | 14.8 | | | | | |

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

| CAUSES OF DEATH. | ANNUAL AVERAGE NUMBER OF DEATHS. | | | | | ANNUAL AVERAGE RATES PER 100,000 OF POPULATION. | | | | |
|--------------------------------|----------------------------------|---------|---------|---------------|---------|--|---------|---------|---------------|---------|
| | 1864-70 | 1871-80 | 1881-90 | 1891- 1900 | 1901-10 | 1864-70 | 1871-80 | 1881-90 | 1891- 1900 | 1901-10 |
| ALL CAUSES ... | 67,323 | 71,611 | 64,220 | 58,994 | 53,577 | 1822.7 | 1806.4 | 1756.2 | 1770.1 | 1691.4 |
| | | | | | | | | | | |
| Typhoid fever ... | 660* | 514 | 492 | 263 | 16.7* | 14.1 | 14.7 | 8.3 | | |
| Typhus fever ... | 2,973 | 575* | 462 | 166 | 60 | 71.5 | 14.5* | 12.5 | 5.0 | 1.9 |
| Simple continued fever. | | 1,067* | 393 | 110 | 26 | | 26.9* | 10.6 | 3.3 | 0.8 |
| Small-pox ... | 150 | 628 | 7 | 21 | 5 | 3.5 | 15.8 | 0.2 | 0.6 | 0.2 |
| Measles ... | 702 | 882 | 654 | 515 | 348 | 17.0 | 22.2 | 17.9 | 15.5 | 11.0 |
| Scarlet fever ... | 2,001 | 1,640 | 720 | 291 | 110 | 48.1 | 41.3 | 19.5 | 8.7 | 3.5 |
| Whooping cough... | 1,257 | 1,366 | 1,037 | 821 | 661 | 30.3 | 34.5 | 28.4 | 24.7 | 20.9 |
| Diphtheria ... | 196 | 214 | 206 | 177 | 228 | 4.7 | 5.4 | 5.6 | 5.3 | 7.2 |
| Influenza ... | 127 | 69 | 155 | 1,537 | 963 | 3.0 | 1.7 | 4.4 | 46.3 | 30.4 |
| Simple cholera ... | 455 | 56 | 28 | 70 | 10.9 | 1.4 | 0.8 | 2.1 | | |
| Dysentery ... | 404 | 198 | 986 | 942 | 775 | 9.7 | 5.0 | 26.9 | 28.3 | 24.4 |
| Diarrhea ... | 1,456 | 1,300 | | | 35.1 | 32.8 | | | | |
| Pulmonary tuber- culosis. | 6,777 | 6,960 | 7,026 | 6,669 | 6,263 | 163.4 | 175.5 | 192.3 | 200.2 | 197.6 |
| Other tuberculous diseases. | — | — | 1,904 | 1,938 | 1,774 | — | — | 52.0 | 58.2 | 56.0 |
| Cancer ... | — | — | 1,362 | 1,608 | 2,157 | — | — | 37.4 | 48.3 | 68.2 |
| Pneumonia ... | 10,169 | 10,605 | 11,217 | 9,522 | 2,661† | 244.9 | 267.7 | 306.5 | 285.4 | 84.4‡ |
| Other respiratory diseases. | | | | | 6,334† | | | | | 200.8‡ |
| Puerperal sepsis ... | 234 | 274 | 244 | 199 | 150 | 5.7 | 6.9 | 6.7 | 6.0 | 4.8 |
| Other puerperal conditions. | 516 | 456 | 370 | 299 | 260 | 12.4 | 11.5 | 10.1 | 9.0 | 8.2 |
| Suicide ... | 1,650 | 1,531 | 80† | 90 | 96 | 39.8 | 38.6 | 2.2† | 2.7 | 3.0 |
| Other violence ... | | | 1,286† | 1,281 | 1,156 | | | 35.4† | 38.5 | 36.5 |

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

| Nos.* | CAUSES OF DEATH | ANNUAL AVERAGE NUMBER OF DEATHS. | | | ANNUAL AVERAGE RATE PER 100,000 OF POPULATION. | | |
|-------|---------------------------------------|----------------------------------|---------|---------|--|---------|---------|
| | | 1911-20 | 1921-30 | 1931-40 | 1911-20 | 1921-30 | 1931-40 |
| | ALL CAUSES ... | 51,453 | 43,203 | 41,841 | 1,664.4 | 1,446.9 | 1,411.2 |
| 1 | Typhoid fever ... | 195 | 108 | 64 | 6.3 | 3.6 | 2.2 |
| 2 | Typhus fever ... | 32 | 10 | 4 | 1.0 | 0.3 | 0.1 |
| 3 | Measles ... | 383 | 253 | 173 | 12.4 | 8.5 | 5.8 |
| 4 | Scarlet fever ... | 148 | 78 | 88 | 4.8 | 2.6 | 3.0 |
| 5 | Whooping cough... | 494 | 365 | 215 | 16.0 | 12.3 | 7.3 |
| 6 | Diphtheria ... | 225 | 282 | 321 | 7.3 | 9.4 | 10.8 |
| 7 | Influenza ... | 2,030 | 1,221 | 1,265 | 65.8 | 40.9 | 42.6 |
| 8 | Dysentery ... | 18 | 11 | 2 | 0.6 | 0.3 | 0.1 |
| *9 | Encephalitis lethargica | — | 40 | 27 | — | 1.3 | 0.9 |
| 10 | Cerebro-spinal meningitis | 30 | 17 | 30 | 1.0 | 0.6 | 1.1 |
| 11 | Tuberculosis of respiratory system | 5,027 | 3,437 | 2,797 | 162.6 | 115.0 | 94.8 |
| 12 | Other tuberculous diseases | 1,312 | 920 | 773 | 42.4 | 30.8 | 26.1 |
| 13 | Cancer ... | 2,591 | 2,933 | 3,529 | 83.8 | 98.4 | 119.0 |
| 14 | Diabetes mellitus | 245 | 227 | 260 | 7.9 | 7.6 | 8.8 |
| *15 | Cerebral hemorrhage, etc. | 1,415 | 2,077 | 2,392 | 45.8 | 69.6 | 80.7 |
| 16 | Heart disease ... | 5,148 | 4,981 | 7,273 | 166.5 | 167.1 | 245.2 |
| *17 | Other circulatory diseases | — | 439 | 734 | — | 14.7 | 24.7 |
| 18 | Bronchitis ... | 4,324 | 2,750 | 2,182 | 139.8 | 92.0 | 73.6 |
| 19 | Pneumonia, all forms | 2,853 | 2,476 | 2,420 | 92.3 | 83.0 | 81.6 |
| 20 | Other respiratory diseases | 819 | 722 | 688 | 26.5 | 24.2 | 23.2 |
| 21 | Gastric or duodenal ulcer | 229 | 274 | 327 | 7.4 | 9.2 | 11.0 |
| 22 | Diarrhoea and enteritis under 2 years | 814 | 592 | 584 | 26.3 | 19.8 | 19.7 |
| 23 | Appendicitis ... | 129 | 169 | 189 | 4.2 | 5.7 | 6.4 |
| 24 | Cirrhosis of Liver ... | 183 | 95 | 72 | 5.9 | 3.2 | 2.4 |
| *25 | Other diseases of Liver, etc. | — | 188 | 162 | — | 4.6 | 5.5 |
| *26 | Other digestive diseases | — | 1,172 | 909 | — | 39.2 | 30.7 |
| 27 | Acute and chronic nephritis | 1,150 | 1,132 | 1,195 | 37.2 | 38.0 | 40.3 |
| 28 | Puerperal sepsis ... | 120 | 101 | 71 | 4.2 | 3.4 | 2.4 |
| 29 | Other puerperal causes | 212 | 190 | 170 | 6.9 | 6.4 | 5.7 |
| *30 | Congenital debility, etc. | 2,101 | 1,788 | 1,852 | 68.0 | 59.9 | 62.5 |
| *31 | Senility ... | — | 8,300 | 6,135 | — | 277.8 | 206.9 |
| 32 | Suicide ... | 82 | 89 | 98 | 2.6 | 3.0 | 3.3 |
| 33 | Other violent deaths | 1,165 | 1,023 | 881 | 37.7 | 34.1 | 29.7 |
| 34 | Other defined causes | 16,609 | 3,491 | 3,323 | 537.2 | 117.0 | 112.1 |
| 35 | Causes ill-defined or unknown. | 1,361 | 1,302 | 636 | 44.0 | 43.4 | 21.5 |

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1945 to 1947.

| Nos. | CAUSES OF DEATH. | ÉIRE. | | | | | | NORTHERN IRELAND. | | | | | |
|------|---|--------|--------|--------|--------|--------|--------|-------------------|--------|--------|--------|--------|--------|
| | | No. | | | Rate. | | | No. | | | Rate. | | |
| | | 1945 | 1946 | 1947 | 1945 | 1946 | 1947 | 1945 | 1946 | 1947 | 1945 | 1946 | 1947 |
| | ALL CAUSES | 42,762 | 41,457 | 44,061 | 1448·6 | 1399·2 | 1482·5 | 16,264 | 16,666 | 16,913 | 1232·0 | 1250·3 | 1263·1 |
| 1 | Typhoid fever (including paratyphoid) | 32 | 26 | 15 | 1·1 | 0·9 | 0·5 | 6 | 9 | 10 | 0·5 | 0·7 | 0·7 |
| 2 | Cerebro-spinal meningitis ... | 31 | 25 | 38 | 1·1 | 0·8 | 1·3 | 28 | 26 | 17 | 2·1 | 2·0 | 1·3 |
| 3 | Scarlet fever ... | 4 | 3 | 8 | 0·1 | 0·1 | 0·3 | 8 | 5 | 2 | 0·6 | 0·4 | 0·1 |
| 4 | Whooping cough ... | 146 | 117 | 298 | 4·8 | 3·8 | 10·0 | 76 | 65 | 97 | 5·8 | 4·9 | 7·2 |
| 5 | Diphtheria ... | 236 | 139 | 56 | 8·0 | 4·7 | 1·9 | 35 | 18 | 14 | 2·7 | 1·4 | 1·0 |
| 6 | Tuberculosis of respiratory system. | 2,777 | 2,585 | 2,831 | 94·1 | 87·2 | 95·3 | 799 | 849 | 761 | 60·5 | 63·7 | 56·8 |
| 7 | All other forms of tuberculosis. | 917 | 805 | 869 | 31·1 | 27·2 | 28·2 | 259 | 262 | 213 | 19·6 | 19·6 | 15·9 |
| 8 | Dysentery ... | 10 | 3 | 3 | 0·3 | 0·1 | 0·1 | 4 | 1 | 1 | 0·3 | 0·1 | 0·1 |
| 9 | Influenza ... | 306 | 769 | 651 | 10·4 | 26·0 | 21·9 | 139 | 381 | 273 | 10·5 | 28·6 | 20·4 |
| 10 | Measles ... | 42 | 47 | 106 | 1·4 | 1·6 | 3·6 | 24 | 8 | 63 | 1·8 | 0·6 | 4·7 |
| 11 | Acute infectious encephalitis | 22 | 16 | 14 | 0·7 | 0·5 | 0·5 | 25 | 17 | 18 | 1·9 | 1·3 | 1·3 |
| 12 | Typhus ... | — | — | — | — | — | — | — | — | — | — | — | — |
| 13 | Cancer ... | 3,954 | 4,024 | 3,962 | 133·9 | 135·8 | 133·3 | 1,898 | 1,889 | 1,962 | 143·8 | 141·7 | 146·5 |
| 14 | Diabetes mellitus | 221 | 250 | 199 | 7·5 | 8·4 | 8·7 | 109 | 88 | 104 | 8·2 | 6·6 | 7·8 |
| 15 | Intra-cranial lesions of vascular origin. | 2,689 | 2,716 | 3,024 | 91·1 | 91·7 | 101·7 | 1,527 | 1,531 | 1,686 | 116·4 | 114·8 | 125·9 |
| 16 | Diseases of the heart ... | 10,139 | 10,120 | 11,118 | 343·5 | 341·5 | 374·1 | 4,025 | 4,353 | 4,662 | 304·9 | 326·5 | 348·2 |
| 17 | Other diseases of the circulatory system. | 869 | 889 | 894 | 29·4 | 30·0 | 30·1 | 322 | 385 | 353 | 24·4 | 28·9 | 26·4 |
| 18 | Bronchitis ... | 1,370 | 1,223 | 1,318 | 46·4 | 41·3 | 44·3 | 572 | 673 | 598 | 43·3 | 50·5 | 44·7 |
| 19 | Pneumonia ... | 1,715 | 1,649 | 1,868 | 58·1 | 55·7 | 62·8 | 765 | 806 | 795 | 58·0 | 60·5 | 59·5 |
| 20 | Other diseases of the respiratory system. | 621 | 619 | 620 | 21·0 | 20·9 | 20·9 | 244 | 280 | 279 | 18·5 | 21·0 | 20·8 |
| 21 | Ulcer of the stomach or duodenum. | 221 | 270 | 257 | 7·5 | 9·1 | 8·6 | 107 | 130 | 105 | 8·1 | 9·8 | 7·8 |
| 22 | Diarrhoea and enteritis ... | 1,284 | 1,074 | 846 | 43·5 | 36·3 | 28·5 | 309 | 191 | 253 | 23·4 | 14·3 | 18·9 |
| 23 | Appendicitis ... | 114 | 108 | 91 | 3·9 | 3·6 | 3·1 | 55 | 67 | 64 | 4·2 | 5·0 | 4·8 |
| 24 | Cirrhosis of the liver ... | 84 | 47 | 57 | 2·2 | 1·6 | 1·9 | 26 | 29 | 27 | 2·0 | 2·2 | 2·0 |
| 25 | Diseases of the liver and biliary passages. | 166 | 145 | 117 | 5·6 | 4·9 | 3·9 | 65 | 45 | 63 | 4·9 | 3·4 | 4·7 |
| 26 | Other diseases of the digestive system. | 539 | 508 | 523 | 18·3 | 17·1 | 17·6 | 241 | 248 | 174 | 18·3 | 18·6 | 13·0 |
| 27 | Nephritis ... | 1,110 | 1,027 | 1,097 | 37·6 | 34·7 | 36·9 | 316 | 351 | 337 | 28·9 | 26·3 | 25·2 |
| 28 | Puerperal infection ... | 35 | 20 | 31 | 1·2 | 0·7 | 1·1 | 19 | 11 | 10 | 1·4 | 0·8 | 0·7 |
| 29 | Other diseases of childbirth | 124 | 117 | 99 | 4·2 | 3·9 | 3·3 | 59 | 59 | 48 | 4·5 | 4·4 | 3·6 |
| 30 | Congenital debility, etc. (Nos. 157-161). | 2,375 | 2,302 | 2,507 | 80·5 | 77·7 | 84·4 | 1,032 | 881 | 857 | 78·2 | 66·1 | 64·0 |
| 31 | Senility ... | 6,298 | 5,939 | 6,450 | 213·3 | 200·4 | 217·0 | 1,378 | 1,369 | 1,355 | 104·4 | 102·6 | 101·2 |
| 32 | Suicide ... | 71 | 79 | 72 | 2·4 | 2·7 | 2·4 | 28 | 47 | 45 | 2·1 | 3·5 | 3·4 |
| 33 | Other violence ... | 807 | 801 | 899 | 27·3 | 27·0 | 30·2 | 440 | 431 | 431 | 35·3 | 32·4 | 32·2 |
| 34 | Other causes ... | 3,453 | 2,995 | 3,123 | 117·0 | 101·2 | 105·1 | 1,314 | 1,181 | 1,236 | 99·5 | 87·1 | 92·3 |

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1947.

| PERIOD | All Ages | Under 5 Years | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75— | 85— | 95 and up |
|----------------------|----------|---------------|-------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|
| Average, 1864-70 ... | 33,878* | 9,343 | 1,313 | 717 | 904 | 1,330 | 2,212 | 1,928 | 2,698 | 4,046 | 4,623 | 3,417 | 1,084 | 214 |
| " 1871-80 ... | 36,224* | 9,276 | 1,261 | 732 | 1,014 | 1,250 | 2,149 | 2,113 | 2,532 | 4,249 | 5,459 | 4,556 | 1,326 | 278 |
| " 1881-90 ... | 32,233 | 7,140 | 982 | 653 | 962 | 1,270 | 1,966 | 1,901 | 2,495 | 3,660 | 4,888 | 4,636 | 1,462 | 218 |
| " 1891-1900 ... | 29,468 | 6,240 | 710 | 518 | 859 | 1,194 | 2,003 | 1,731 | 2,395 | 3,486 | 4,275 | 4,248 | 1,639 | 270 |
| " 1901-10 ... | 27,031 | 5,444 | 566 | 398 | 680 | 984 | 1,954 | 1,740 | 2,050 | 3,258 | 4,541 | 3,827 | 1,379 | 230 |
| " 1911-20 ... | 26,131 | 4,703 | 514 | 375 | 656 | 858 | 1,689 | 1,825 | 2,138 | 2,723 | 4,732 | 4,407 | 1,339 | 172 |
| " 1921-30 ... | 21,850 | 3,478 | 379 | 269 | 474 | 627 | 1,085 | 1,253 | 1,931 | 2,896 | 4,391 | 3,682 | 1,267 | 138 |
| " 1931-40 ... | 21,469 | 2,986 | 308 | 221 | 370 | 480 | 908 | 1,063 | 1,810 | 3,320 | 5,412 | 3,602 | 896 | 83 |
| 1937 ... | 23,331 | 3,172 | 302 | 221 | 367 | 472 | 918 | 1,083 | 1,912 | 3,684 | 6,014 | 4,096 | 1,012 | 78 |
| 1938 ... | 20,637 | 2,814 | 271 | 217 | 352 | 892 | 860 | 1,024 | 1,713 | 3,231 | 5,314 | 3,627 | 747 | 75 |
| 1939 ... | 21,567 | 2,671 | 282 | 167 | 353 | 390 | 867 | 975 | 1,668 | 3,355 | 5,736 | 4,181 | 867 | 55 |
| 1940 ... | 21,611 | 2,680 | 251 | 186 | 351 | 447 | 916 | 979 | 1,716 | 3,210 | 5,772 | 4,171 | 866 | 66 |
| 1941 ... | 22,642 | 3,043 | 245 | 157 | 336 | 422 | 888 | 1,022 | 1,582 | 3,218 | 5,959 | 4,687 | 1,006 | 77 |
| 1942 ... | 21,868 | 3,294 | 312 | 192 | 401 | 533 | 929 | 1,061 | 1,557 | 2,918 | 5,446 | 4,210 | 950 | 65 |
| 1943 ... | 22,663 | 3,749 | 270 | 178 | 397 | 482 | 926 | 969 | 1,541 | 2,951 | 5,699 | 4,481 | 966 | 74 |
| 1944 ... | 23,477 | 3,607 | 273 | 160 | 326 | 424 | 784 | 951 | 1,589 | 3,051 | 6,066 | 4,992 | 1,180 | 74 |
| 1945 ... | 22,266 | 3,231 | 202 | 156 | 344 | 417 | 740 | 864 | 1,520 | 2,845 | 5,718 | 5,046 | 1,112 | 71 |
| 1946 ... | 21,863 | 2,952 | 170 | 144 | 269 | 376 | 695 | 864 | 1,498 | 2,737 | 5,764 | 5,110 | 1,193 | 91 |
| Average, 1937-46 ... | 22,193 | 3,121 | 258 | 178 | 350 | 435 | 852 | 979 | 1,630 | 3,120 | 5,749 | 4,458 | 990 | 73 |
| 1947 ... | 23,461 | 3,269 | 180 | 143 | 264 | 348 | 764 | 1,011 | 1,599 | 2,949 | 6,058 | 5,542 | 1,261 | 73 |

Rates per 1,000 of corresponding population.

| | | | | | | | | | | | | | |
|----------------------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|--------|--------|
| 1864-70 ... | 16·49 | 36·85 | 5·53 | 3·00 | 4·22 | 7·07 | 8·24 | 9·55 | 14·86 | 25·55 | 60·25 | 125·94 | 239·09 |
| 1871-80 ... | 18·55 | 39·78 | 5·26 | 3·05 | 5·08 | 7·32 | 8·33 | 10·76 | 15·38 | 29·21 | 66·54 | 144·84 | 295·18 |
| 1881-90 ... | 17·71 | 36·33 | 4·55 | 2·91 | 4·62 | 7·31 | 9·05 | 10·44 | 15·56 | 28·84 | 65·40 | 136·47 | 279·81 |
| 1891-1900 ... | 17·65 | 37·57 | 3·97 | 2·70 | 4·47 | 7·16 | 9·00 | 10·32 | 15·12 | 28·03 | 60·82 | 137·46 | 298·23 |
| 1901-10 ... | 16·90 | 34·68 | 3·51 | 2·44 | 4·12 | 6·32 | 8·44 | 9·48 | 14·40 | 28·73 | 50·27 | 111·41 | 283·22 |
| 1911-20 ... | 16·73 | 30·81 | 3·35 | 2·45 | 4·31 | 6·32 | 7·72 | 9·60 | 13·99 | 25·45 | 46·20 | 116·64 | 254·29 |
| 1921-30 ... | 14·39 | 23·58 | 2·58 | 1·77 | 3·21 | 4·92 | 5·33 | 7·08 | 11·44 | 24·50 | 48·08 | 107·81 | 217·55 |
| 1931-40 ... | 14·21 | 21·19 | 2·19 | 1·50 | 2·61 | 3·81 | 4·48 | 6·02 | 10·94 | 25·34 | 57·22 | 105·78 | 174·77 |
| 1937 ... | 15·45 | 23·42 | 2·23 | 1·55 | 2·68 | 3·53 | 4·46 | 6·04 | 12·09 | 25·90 | 59·98 | 117·43 | 225·58 |
| 1938 ... | 13·71 | 20·84 | 2·01 | 1·53 | 2·58 | 2·94 | 4·19 | 5·73 | 10·87 | 22·79 | 53·18 | 104·33 | 170·65 |
| 1939 ... | 14·35 | 19·81 | 2·09 | 1·18 | 2·59 | 2·93 | 4·23 | 5·47 | 10·60 | 23·70 | 57·48 | 120·42 | 191·68 |
| 1940 ... | 14·26 | 19·72 | 1·85 | 1·30 | 2·55 | 3·33 | 4·43 | 5·44 | 10·82 | 22·49 | 57·38 | 119·18 | 192·24 |
| 1941 ... | 14·77 | 22·13 | 1·78 | 1·08 | 2·41 | 3·11 | 4·25 | 5·62 | 9·86 | 22·28 | 58·54 | 132·36 | 220·75 |
| 1942 ... | 14·59 | 24·50 | 2·32 | 1·36 | 2·95 | 4·01 | 4·54 | 5·96 | 9·92 | 20·66 | 54·71 | 121·58 | 211·59 |
| 1943 ... | 15·21 | 27·17 | 2·00 | 1·33 | 2·94 | 4·02 | 4·33 | 5·42 | 10·11 | 22·33 | 52·39 | 130·92 | |
| 1944 ... | 15·79 | 26·19 | 2·02 | 1·19 | 2·42 | 3·54 | 3·68 | 5·34 | 10·45 | 23·14 | 55·89 | 148·88 | |
| 1945 ... | 14·94 | 23·16 | 1·48 | 1·15 | 2·52 | 3·44 | 3·43 | 4·78 | 9·86 | 21·30 | 52·00 | 146·57 | |
| 1946 ... | 14·59 | 21·26 | 1·25 | 1·07 | 1·98 | 3·12 | 3·23 | 4·81 | 9·77 | 20·59 | 52·68 | 151·17 | |
| Average, 1937-46 ... | 14·77 | 22·82 | 1·90 | 1·27 | 2·56 | 3·40 | 4·08 | 5·46 | 10·44 | 22·52 | 55·42 | | |
| 1947 ... | 15·61 | 23·48 | 1·32 | 1·06 | 1·94 | 2·88 | 3·54 | 5·61 | 10·40 | 22·11 | 55·20 | | 162·19 |

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1947.

| PERIOD | All Ages | Under 5 Years | 5- | 10- | 15- | 20- | 25- | 35- | 45- | 55- | 65- | 75- | 85- | 95 and up |
|---------------------|----------|---------------|-------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|
| Average, 1864-70 | 33,445* | 8,217 | 1,309 | 766 | 897 | 1,105 | 2,145 | 2,004 | 2,591 | 4,173 | 4,932 | 3,807 | 1,179 | 289 |
| " 1871-80 | 35,387* | 8,197 | 1,303 | 841 | 1,071 | 1,078 | 2,114 | 2,042 | 2,392 | 4,391 | 5,450 | 4,747 | 1,402 | 344 |
| " 1881-90 | 31,987 | 6,236 | 1,041 | 808 | 1,104 | 1,090 | 1,995 | 2,014 | 2,354 | 3,859 | 5,155 | 4,632 | 1,429 | 270 |
| " 1891-1900 | 29,526 | 5,383 | 754 | 683 | 1,033 | 1,042 | 1,898 | 1,784 | 2,308 | 3,651 | 4,602 | 4,501 | 1,589 | 398 |
| " 1901-10 | 26,546 | 4,668 | 621 | 536 | 816 | 861 | 1,782 | 1,669 | 2,012 | 3,423 | 4,673 | 3,846 | 1,380 | 259 |
| " 1911-20 | 25,322 | 3,996 | 565 | 466 | 703 | 737 | 1,570 | 1,682 | 1,858 | 2,620 | 5,039 | 4,567 | 1,324 | 195 |
| " 1921-30 | 21,353 | 2,858 | 377 | 809 | 523 | 565 | 1,134 | 1,284 | 1,749 | 2,620 | 4,420 | 3,992 | 1,369 | 153 |
| " 1931-40 | 20,372 | 2,414 | 300 | 238 | 388 | 479 | 986 | 1,082 | 1,600 | 2,827 | 4,937 | 3,875 | 1,129 | 117 |
| 1937 | 21,755 | 2,576 | 275 | 241 | 368 | 499 | 1,026 | 1,093 | 1,647 | 3,086 | 5,154 | 4,495 | 1,175 | 120 |
| 1938 | 19,404 | 2,332 | 270 | 215 | 377 | 410 | 914 | 1,031 | 1,389 | 2,762 | 4,756 | 3,791 | 1,048 | 109 |
| 1939 | 20,150 | 2,159 | 209 | 180 | 343 | 429 | 881 | 934 | 1,553 | 2,782 | 5,126 | 4,350 | 1,084 | 120 |
| 1940 | 20,274 | 2,146 | 218 | 201 | 387 | 459 | 910 | 1,003 | 1,486 | 2,856 | 5,051 | 4,388 | 1,056 | 113 |
| 1941 | 21,155 | 2,285 | 216 | 191 | 359 | 488 | 912 | 1,036 | 1,418 | 2,899 | 5,167 | 4,877 | 1,198 | 108 |
| 1942 | 19,772 | 2,532 | 218 | 197 | 391 | 513 | 1,007 | 1,027 | 1,408 | 2,466 | 4,497 | 4,312 | 1,085 | 119 |
| 1943 | 20,831 | 2,892 | 266 | 201 | 414 | 484 | 975 | 969 | 1,368 | 2,543 | 4,788 | 4,618 | 1,215 | 98 |
| 1944 | 21,651 | 2,877 | 254 | 182 | 367 | 435 | 905 | 939 | 1,377 | 2,555 | 5,099 | 5,133 | 1,384 | 144 |
| 1945 | 20,496 | 2,611 | 193 | 163 | 317 | 461 | 861 | 929 | 1,362 | 2,406 | 4,858 | 4,850 | 1,354 | 131 |
| 1946 | 19,594 | 2,298 | 156 | 125 | 300 | 382 | 819 | 883 | 1,374 | 2,282 | 4,731 | 4,776 | 1,392 | 96 |
| Average, 1937-46 .. | 20,508 | 2,471 | 227 | 189 | 362 | 456 | 921 | 985 | 1,438 | 2,662 | 4,923 | 4,559 | 1,199 | 116 |
| 1947 .. | 20,600 | 2,474 | 164 | 148 | 312 | 419 | 776 | 858 | 1,312 | 2,364 | 4,985 | 5,161 | 1,516 | 111 |

Rates per 1,000 of corresponding population.

| | | | | | | | | | | | | | | |
|------------------|-------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|--------|--------|
| 1864-70 | ... | 15.77 | 33.33 | 5.66 | 3.36 | 4.05 | 5.53 | 7.56 | 9.10 | 12.88 | 24.38 | 62.03 | 121.93 | 228.66 |
| 1871-80 | ... | 17.61 | 36.12 | 5.56 | 3.67 | 5.19 | 6.08 | 8.06 | 9.65 | 13.33 | 27.63 | 66.20 | 142.88 | 275.52 |
| 1881-90 | ... | 17.80 | 32.66 | 4.95 | 3.75 | 5.30 | 6.54 | 8.65 | 10.01 | 13.77 | 28.21 | 66.95 | 135.21 | 259.63 |
| 1891-1900 | ... | 17.92 | 33.39 | 4.34 | 3.71 | 5.46 | 6.60 | 8.41 | 9.91 | 13.96 | 28.16 | 65.09 | 142.12 | 281.89 |
| 1901-10 | ... | 16.79 | 30.61 | 3.97 | 3.42 | 5.07 | 5.98 | 7.80 | 9.38 | 13.75 | 28.99 | 48.04 | 107.57 | 265.12 |
| 1911-20 | ... | 16.64 | 26.99 | 3.81 | 3.16 | 4.84 | 5.96 | 7.24 | 9.42 | 12.92 | 24.90 | 43.53 | 109.46 | 220.24 |
| 1921-30 | ... | 14.52 | 20.08 | 2.67 | 2.13 | 3.71 | 4.84 | 5.61 | 7.45 | 11.24 | 24.08 | 45.18 | 98.58 | 190.62 |
| 1931-40 | ... | 14.12 | 17.83 | 2.21 | 1.69 | 2.90 | 4.11 | 5.07 | 6.32 | 10.35 | 23.87 | 51.78 | 95.90 | 171.54 |
| 1937 | ... | 15.13 | 19.66 | 2.08 | 1.75 | 2.85 | 4.19 | 5.36 | 6.30 | 11.04 | 23.79 | 52.94 | 110.07 | 200.18 |
| 1938 | ... | 13.55 | 17.88 | 2.05 | 1.56 | 2.93 | 3.46 | 4.80 | 5.96 | 9.35 | 21.38 | 49.06 | 93.22 | 179.52 |
| 1939 | ... | 14.08 | 16.56 | 1.59 | 1.31 | 2.67 | 3.62 | 4.63 | 5.41 | 10.47 | 21.55 | 52.91 | 107.04 | 186.99 |
| 1940 | ... | 14.05 | 16.32 | 1.64 | 1.45 | 2.98 | 3.84 | 4.74 | 5.76 | 9.93 | 21.94 | 51.70 | 107.07 | 180.01 |
| 1941 | ... | 14.49 | 17.18 | 1.61 | 1.36 | 2.74 | 4.04 | 4.69 | 5.88 | 9.37 | 22.01 | 52.28 | 117.62 | 198.93 |
| 1942 | ... | 13.51 | 18.98 | 1.62 | 1.40 | 2.97 | 4.23 | 5.17 | 5.81 | 9.27 | 18.67 | 45.37 | 103.71 | 182.76 |
| 1943 | ... | 14.31 | 21.68 | 2.03 | 1.54 | 3.11 | 4.20 | 4.66 | 5.46 | 9.39 | 20.01 | 46.19 | | 119.46 |
| 1944 | ... | 14.86 | 21.55 | 1.93 | 1.40 | 2.75 | 3.77 | 4.33 | 5.28 | 9.44 | 20.09 | 49.18 | | 134.01 |
| 1945 | ... | 14.02 | 19.30 | 1.45 | 1.23 | 2.35 | 3.94 | 4.06 | 5.16 | 9.21 | 18.66 | 46.23 | | 125.78 |
| 1946 | .. | 13.39 | 17.14 | 1.18 | 0.96 | 2.24 | 3.29 | 3.90 | 4.95 | 9.38 | 17.71 | 45.43 | | 125.49 |
| Average, 1937-46 | 14.14 | 18.63 | 1.72 | 1.40 | 2.76 | 3.86 | 4.63 | 5.60 | 9.69 | 20.58 | 49.13 | | | |
| 1947 .. | 14.02 | 18.39 | 1.24 | 1.13 | 2.32 | 3.60 | 3.68 | 4.79 | 8.93 | 18.44 | 47.68 | | | 135.55 |

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1947.

| PERIOD | All Ages | Under 5 Years | 5— | 10— | 15— | 20— | 25— | 35— | 45— | 55— | 65— | 75— | 85— | 95 and up |
|----------------------|----------|---------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-----------|
| Average, 1864-70 ... | 67,323* | 17,560 | 2,822 | 1,483 | 1,801 | 2,435 | 4,357 | 3,932 | 5,289 | 8,219 | 9,555 | 7,224 | 2,263 | 503 |
| " 1871-80 ... | 71,611* | 17,473 | 2,564 | 1,573 | 2,085 | 2,328 | 4,263 | 4,155 | 4,924 | 8,640 | 10,909 | 9,303 | 2,728 | 622 |
| " 1881-90 ... | 64,220 | 13,376 | 2,023 | 1,461 | 2,066 | 2,360 | 3,961 | 3,915 | 4,849 | 7,519 | 10,043 | 9,268 | 2,891 | 483 |
| " 1891-1900 ... | 58,994 | 11,623 | 1,464 | 1,201 | 1,892 | 2,236 | 3,901 | 3,518 | 4,603 | 7,137 | 8,877 | 8,749 | 3,228 | 568 |
| " 1901-10 ... | 53,577 | 10,112 | 1,187 | 934 | 1,496 | 1,825 | 3,736 | 3,409 | 4,062 | 6,681 | 9,314 | 7,673 | 2,759 | 489 |
| " 1911-20 ... | 51,453 | 8,699 | 1,079 | 841 | 1,359 | 1,595 | 3,259 | 3,507 | 3,996 | 5,243 | 9,771 | 8,974 | 2,663 | 367 |
| " 1921-30 ... | 43,203 | 6,336 | 756 | 578 | 997 | 1,192 | 2,219 | 2,537 | 3,680 | 5,516 | 8,811 | 7,654 | 2,636 | 291 |
| " 1931-40 ... | 41,841 | 5,400 | 608 | 459 | 758 | 969 | 1,894 | 2,145 | 3,410 | 6,147 | 10,349 | 7,477 | 2,025 | 200 |
| 1937 ... | 45,086 | 5,748 | 577 | 462 | 735 | 971 | 1,944 | 2,176 | 3,559 | 6,770 | 11,168 | 8,591 | 2,187 | 198 |
| 1938 ... | 40,041 | 5,146 | 541 | 432 | 729 | 802 | 1,774 | 2,055 | 3,102 | 5,993 | 10,070 | 7,418 | 1,795 | 184 |
| 1939 ... | 41,717 | 4,830 | 491 | 347 | 696 | 819 | 1,748 | 1,909 | 3,221 | 6,137 | 10,862 | 8,531 | 1,951 | 175 |
| 1940 ... | 41,885 | 4,826 | 469 | 387 | 738 | 906 | 1,826 | 1,982 | 3,202 | 6,066 | 10,823 | 8,559 | 1,922 | 179 |
| 1941 ... | 43,797 | 5,328 | 461 | 348 | 695 | 910 | 1,800 | 2,058 | 3,000 | 6,117 | 11,126 | 9,564 | 2,304 | 186 |
| 1942 ... | 41,640 | 5,826 | 530 | 389 | 792 | 1,046 | 1,936 | 2,088 | 2,965 | 5,384 | 9,943 | 8,522 | 2,035 | 184 |
| 1943 ... | 43,494 | 6,641 | 536 | 379 | 811 | 966 | 1,901 | 1,938 | 2,909 | 5,494 | 10,487 | 9,079 | 2,181 | 172 |
| 1944 ... | 45,128 | 6,484 | 527 | 342 | 693 | 859 | 1,689 | 1,890 | 2,966 | 5,606 | 11,165 | 10,125 | 2,564 | 218 |
| 1945 ... | 42,762 | 5,842 | 395 | 319 | 661 | 878 | 1,601 | 1,793 | 2,882 | 5,251 | 10,576 | 9,896 | 2,466 | 202 |
| 1946 ... | 41,457 | 5,250 | 326 | 269 | 569 | 758 | 1,514 | 1,747 | 2,872 | 4,999 | 10,495 | 9,886 | 2,585 | 187 |
| Average, 1937-46 | 42,701 | 5,592 | 485 | 367 | 712 | 891 | 1,773 | 1,964 | 3,068 | 5,782 | 10,672 | 9,017 | 2,189 | 189 |
| 1947 ... | 44,061 | 5,743 | 344 | 291 | 576 | 767 | 1,540 | 1,869 | 2,911 | 5,313 | 11,043 | 10,703 | 2,777 | 184 |

Rates per 1,000 of corresponding population.

| | | | | | | | | | | | | | |
|------------------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|--------|--------|
| 1864-70 ... | 16·23 | 35·11 | 5·59 | 3·17 | 4·13 | 6·80 | 7·89 | 9·31 | 13·82 | 24·94 | 61·15 | 123·76 | 233·44 |
| 1871-80 ... | 18·06 | 37·97 | 5·41 | 3·35 | 5·13 | 6·69 | 8·45 | 10·18 | 14·31 | 28·38 | 66·37 | 143·83 | 284·60 |
| 1881-90 ... | 17·56 | 34·52 | 4·75 | 3·32 | 4·96 | 6·93 | 8·85 | 10·21 | 14·64 | 28·52 | 66·19 | 135·84 | 289·29 |
| 1891-1900 ... | 17·70 | 35·51 | 4·15 | 3·20 | 4·96 | 6·89 | 8·71 | 10·11 | 14·51 | 28·10 | 62·96 | 139·82 | 289·88 |
| 1901-10 ... | 18·91 | 32·68 | 3·74 | 2·92 | 4·59 | 6·15 | 8·12 | 9·43 | 14·07 | 28·86 | 49·11 | 109·45 | 273·79 |
| 1911-20 ... | 16·64 | 28·93 | 3·58 | 2·80 | 4·56 | 6·15 | 7·48 | 9·52 | 13·47 | 25·18 | 44·78 | 112·87 | 236·00 |
| 1921-30 ... | 14·45 | 21·86 | 2·63 | 1·95 | 3·46 | 4·88 | 5·47 | 7·26 | 11·34 | 24·30 | 46·58 | 102·78 | 202·72 |
| 1931-40 ... | 14·17 | 19·55 | 2·20 | 1·59 | 2·75 | 3·95 | 4·77 | 6·17 | 10·70 | 24·64 | 54·46 | 100·41 | 172·56 |
| 1937 ... | 15·29 | 21·57 | 2·16 | 1·65 | 2·76 | 3·84 | 4·89 | 6·17 | 11·58 | 24·89 | 56·51 | 113·46 | 211·02 |
| 1938 ... | 18·63 | 19·39 | 2·03 | 1·54 | 2·76 | 3·18 | 4·48 | 5·85 | 10·13 | 22·12 | 51·15 | 98·34 | 175·72 |
| 1939 ... | 14·22 | 18·21 | 1·85 | 1·24 | 2·62 | 3·26 | 4·42 | 5·44 | 10·54 | 22·69 | 55·26 | 113·14 | 185·79 |
| 1940 ... | 14·18 | 18·05 | 1·75 | 1·37 | 2·76 | 3·57 | 4·58 | 5·60 | 10·39 | 22·23 | 54·58 | 112·65 | 185·24 |
| 1941 ... | 14·63 | 19·70 | 1·70 | 1·22 | 2·57 | 3·54 | 4·46 | 5·75 | 9·62 | 22·15 | 55·45 | 124·41 | 208·26 |
| 1942 ... | 14·05 | 21·75 | 1·97 | 1·38 | 2·96 | 4·12 | 4·85 | 5·89 | 9·60 | 19·71 | 50·09 | 111·91 | 192·02 |
| 1943 ... | 14·76 | 24·47 | 2·01 | 1·43 | 3·03 | 4·11 | 4·50 | 5·44 | 9·76 | 21·19 | 49·37 | 124·71 | |
| 1944 ... | 15·33 | 23·91 | 1·98 | 1·29 | 2·59 | 3·65 | 4·00 | 5·31 | 9·95 | 21·64 | 52·61 | | 140·82 |
| 1945 ... | 14·49 | 21·26 | 1·46 | 1·19 | 2·44 | 3·68 | 3·74 | 4·97 | 9·54 | 20·00 | 49·18 | | 135·29 |
| 1946 ... | 13·99 | 19·24 | 1·22 | 1·01 | 2·11 | 3·20 | 3·56 | 4·88 | 9·58 | 19·18 | 49·14 | | 137·26 |
| Average, 1937-46 | 14·46 | 20·76 | 1·81 | 1·33 | 2·66 | 3·62 | 4·35 | 5·53 | 10·07 | 21·58 | 52·33 | | — |
| 1947 ... | 14·83 | 20·98 | 1·28 | 1·08 | 2·13 | 3·23 | 3·61 | 5·20 | 9·68 | 20·31 | 51·53 | | 147·76 |

*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1947.

| PROVINCES AND COUNTIES. | MARRI- AGES | BIRTHS | | | DEATHS FROM | | | | | | Deaths of Infants under One Year of age. | |
|-------------------------------|----------------|--------|------------------------------|----------------|--------------------------------------|--------------------|---------|------------------------|-------|---|--|--|
| | | Total, | Illegiti- mate Births. | All Causes. | Principal Epidemic Diseases. * | Tuber- culosis. | Cancer. | Puerperal Infection | | Other Diseases of Child- birth. | | |
| | | | | | | | | Sepsis | Other | | | |
| EIRE. | 16,290 | 68,978 | 2,348 | 44,061 | 1,230 | 3,700 | 3,962 | 10 | 21 | 99 | 4,687 | |
| Carlow | ... | 169 | 897 | 51 | 546 | 11 | 48 | 36 | • | 2 | 1 | |
| Dublin Co. | ... | 695 | 2,707 | 84 | 1,709 | 46 | 210 | 172 | • | • | 191 | |
| City of Dublin | ... | 3,966 | 13,484 | 373 | 7,167 | 405 | 846 | 664 | 2 | 2 | 8 | |
| Kildare | ... | 300 | 1,834 | 79 | 890 | 36 | 86 | 75 | • | • | 2 | |
| Kilkenny | ... | 326 | 1,588 | 96 | 956 | 27 | 60 | 59 | • | • | 2 | |
| Laoighis | ... | 165 | 1,094 | 31 | 770 | 27 | 52 | 71 | • | • | 4 | |
| Longford | ... | 153 | 858 | 45 | 585 | 10 | 43 | 55 | 1 | • | 2 | |
| Louth | ... | 387 | 1,738 | 54 | 966 | 24 | 85 | 85 | • | 1 | • | |
| Meath | ... | 301 | 1,561 | 51 | 931 | 23 | 69 | 104 | • | • | 1 | |
| Offaly | ... | 247 | 1,349 | 61 | 804 | 19 | 47 | 76 | 1 | 1 | 4 | |
| Westmeath | ... | 284 | 1,338 | 59 | 828 | 18 | 77 | 83 | • | • | 4 | |
| Wexford | ... | 453 | 2,264 | 108 | 1,514 | 45 | 103 | 160 | • | 1 | 4 | |
| Wicklow | ... | 323 | 1,482 | 73 | 900 | 20 | 67 | 85 | • | 1 | • | |
| LEINSTER | ... | 7,769 | 32,194 | 1,165 | 18,566 | 711 | 1,793 | 1,725 | 4 | 8 | 32 | |
| Clare | ... | 413 | 1,844 | 65 | 1,844 | 20 | 97 | 108 | • | • | • | |
| Cork Co. | ... | 1,145 | 5,847 | 180 | 4,140 | 62 | 290 | 433 | 1 | 1 | 8 | |
| Cork Co. Borough | ... | 795 | 1,976 | 30 | 1,292 | 31 | 149 | 112 | • | • | 1 | |
| Kerry | ... | 608 | 2,898 | 94 | 2,010 | 45 | 167 | 134 | 1 | 1 | 6 | |
| Limerick Co. | ... | 399 | 2,358 | 123 | 1,456 | 57 | 95 | 120 | • | 2 | 7 | |
| Limerick Co. Borough | ... | 458 | 1,810 | 23 | 685 | 44 | 78 | 49 | 1 | • | 6 | |
| Tipperary N.R. | ... | 321 | 1,364 | 59 | 828 | 11 | 61 | 70 | • | 1 | • | |
| Tipperary S.R. | ... | 391 | 1,990 | 80 | 1,182 | 30 | 99 | 111 | • | 1 | 5 | |
| Waterford Co. | ... | 266 | 1,048 | 57 | 759 | 18 | 45 | 69 | • | • | 7 | |
| Waterford Co. Boro' | ... | 144 | 689 | 9 | 441 | 19 | 51 | 38 | • | • | • | |
| MUNSTER | ... | 4,940 | 20,824 | 720 | 14,137 | 337 | 1,132 | 1,244 | 3 | 6 | 40 | |
| Galway | ... | 759 | 3,821 | 93 | 2,344 | 68 | 182 | 180 | • | 2 | 3 | |
| Leitrim | ... | 232 | 822 | 33 | 735 | 7 | 41 | 48 | 1 | • | 1 | |
| Mayo | ... | 565 | 3,170 | 41 | 2,173 | 16 | 159 | 189 | 1 | 2 | 5 | |
| Roscommon | ... | 323 | 1,269 | 30 | 1,083 | 10 | 58 | 85 | 1 | 1 | 2 | |
| Sligo | ... | 315 | 1,240 | 26 | 1,055 | 22 | 78 | 103 | • | • | 1 | |
| CONNAUGHT | ... | 2,194 | 10,322 | 223 | 7,390 | 123 | 518 | 605 | 3 | 5 | 12 | |
| Oavan | ... | 343 | 1,415 | 65 | 1,103 | 15 | 60 | 120 | • | • | 5 | |
| Donegal | ... | 753 | 3,068 | 129 | 2,029 | 34 | 156 | 183 | • | 2 | 5 | |
| Monaghan | ... | 291 | 1,155 | 46 | 836 | 10 | 41 | 85 | • | • | 5 | |
| ULSTER (part of) | ... | 1,887 | 5,638 | 240 | 3,968 | 59 | 257 | 388 | • | 2 | 15 | |

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1947.

| PROVINCES AND COUNTIES. | Population according to the Census of Popula- tion, 1946. | MARRI- AGES. | | BIRTHS. | | DEATHS. | | | | | |
|-------------------------------|--|---|---|---|----------------|--|--------------------|---------|-----------------------------|---|--|
| | | Rates per 1,000 of Popula- tion. | Rates per 1,000 of Popula- tion. | Illegiti- mate per cent. of Total Births. | All Causes. | Prin- cipal Epi- demic Dis- eases.* | Tuber- culosis. | Cancer. | Puer- peral Infection | Other Diseases of Child- birth. | Deaths of Infants under One Year of age. |
| | | | | | | | | | | | |
| EIRE ... | 2,953,452 | 5.5 | 23.2 | 3.4 | 14.8 | 0.4 | 1.2 | 1.3 | 0.4 | 1.4 | 68 |
| Carlow ... | 34,048 | 5.0 | 26.3 | 5.7 | 16.0 | 0.3 | 1.4 | 1.1 | 2.2 | 1.1 | 56 |
| Dublin Co. ... | 129,241 | 5.4 | 20.9 | 3.1 | 13.2 | 0.4 | 1.6 | 1.3 | . | . | 71 |
| City of Dublin ... | 506,635 | 7.7 | 26.3 | 2.8 | 14.0 | 0.8 | 1.6 | 1.3 | 0.3 | 0.6 | 85 |
| Kildare ... | 64,834 | 4.6 | 23.3 | 4.3 | 13.7 | 0.6 | 1.3 | 1.2 | . | 1.1 | 65 |
| Kilkenny ... | 66,683 | 4.9 | 23.8 | 6.0 | 14.3 | 0.4 | 0.9 | 0.9 | . | 1.3 | 72 |
| Laois ... | 49,634 | 3.3 | 22.0 | 2.8 | 15.5 | 0.5 | 1.0 | 1.4 | . | 3.7 | 73 |
| Longford ... | 36,221 | 4.2 | 23.7 | 5.2 | 16.2 | 0.3 | 1.2 | 1.5 | 1.2 | 2.3 | 66 |
| Louth ... | 66,135 | 5.9 | 26.3 | 3.1 | 14.6 | 0.4 | 1.3 | 1.3 | 0.6 | . | 58 |
| Meath ... | 66,220 | 4.5 | 23.6 | 3.3 | 14.1 | 0.3 | 1.0 | 1.6 | . | 0.6 | 67 |
| Offaly ... | 53,644 | 4.6 | 25.1 | 4.5 | 15.0 | 0.4 | 0.9 | 1.4 | 1.5 | 3.0 | 67 |
| Westmeath ... | 54,880 | 5.2 | 24.4 | 4.4 | 15.1 | 0.3 | 1.4 | 1.5 | . | 3.0 | 65 |
| Wexford ... | 91,704 | 4.9 | 24.7 | 4.8 | 16.5 | 0.5 | 1.1 | 1.7 | 0.4 | 1.8 | 78 |
| Wicklow ... | 60,340 | 5.4 | 24.6 | 4.9 | 14.9 | 0.3 | 1.1 | 1.4 | 0.7 | . | 59 |
| LEINSTER ... | 1,280,219 | 6.1 | 25.1 | 3.6 | 14.5 | 0.6 | 1.4 | 1.3 | 0.4 | 1.0 | 75 |
| Clare ... | 85,071 | 4.9 | 21.7 | 3.5 | 15.8 | 0.2 | 1.1 | 1.3 | . | . | 60 |
| Cork Co. ... | 267,882 | 4.3 | 20.0 | 3.4 | 15.5 | 0.2 | 1.1 | 1.6 | 0.4 | 1.5 | 67 |
| Cork Co. Borough ... | 75,361 | 10.5 | 26.2 | 1.5 | 17.1 | 0.4 | 2.0 | 1.5 | . | 0.5 | 82 |
| Kerry ... | 133,818 | 4.5 | 21.7 | 3.2 | 15.0 | 0.3 | 1.2 | 1.0 | 0.7 | 2.1 | 58 |
| Limerick Co. ... | 99,493 | 4.0 | 23.7 | 5.2 | 14.6 | 0.6 | 1.0 | 1.2 | 0.8 | 3.0 | 88 |
| Limerick Co. Borough | 42,987 | 10.7 | 30.5 | 1.8 | 15.9 | 1.0 | 1.8 | 1.1 | 0.8 | 4.6 | 90 |
| Tipperary, N. R. ... | 58,099 | 5.5 | 23.5 | 4.3 | 14.3 | 0.2 | 1.0 | 1.2 | 0.7 | . | 61 |
| Tipperary, S. R. ... | 77,882 | 5.0 | 25.6 | 4.0 | 15.2 | 0.4 | 1.3 | 1.4 | 0.5 | 2.5 | 58 |
| Waterford Co. ... | 47,825 | 5.6 | 21.9 | 5.4 | 15.9 | 0.4 | 0.9 | 1.4 | . | 6.1 | 77 |
| Waterford Co. Boro' ... | 28,332 | 5.1 | 24.3 | 1.3 | 15.6 | 0.7 | 1.8 | 1.3 | . | . | 77 |
| MUNSTER ... | 916,750 | 5.4 | 22.7 | 3.5 | 15.4 | 0.4 | 1.2 | 1.4 | 0.4 | 1.9 | 70 |
| Galway ... | 165,196 | 4.6 | 23.1 | 2.4 | 14.2 | 0.4 | 1.1 | 1.1 | 0.5 | 0.8 | 61 |
| Leitrim ... | 44,578 | 5.2 | 18.4 | 4.0 | 16.5 | 0.2 | 0.9 | 1.1 | 1.2 | 1.2 | 50 |
| Mayo ... | 148,200 | 3.8 | 21.4 | 1.3 | 14.7 | 0.1 | 1.1 | 1.3 | 0.9 | 1.6 | 38 |
| Roscommon ... | 72,511 | 4.5 | 17.5 | 2.4 | 14.9 | 0.1 | 0.8 | 1.2 | 1.6 | 1.6 | 37 |
| Sligo ... | 62,331 | 5.1 | 19.9 | 2.1 | 16.9 | 0.4 | 1.3 | 1.7 | . | 0.8 | 72 |
| CONNAUGHT ... | 492,816 | 4.5 | 20.9 | 2.2 | 15.0 | 0.2 | 1.1 | 1.2 | 0.8 | 1.2 | 51 |
| Cavan ... | 70,323 | 4.9 | 20.1 | 4.6 | 15.7 | 0.2 | 0.9 | 1.7 | . | 3.5 | 56 |
| Donegal ... | 136,136 | 5.5 | 22.5 | 4.2 | 14.9 | 0.2 | 1.1 | 1.3 | 0.7 | 1.6 | 54 |
| Monaghan ... | 57,208 | 5.1 | 20.2 | 4.0 | 14.6 | 0.2 | 0.7 | 1.5 | . | 4.3 | 44 |
| ULSTER (part of) ... | 263,667 | 5.3 | 21.4 | 4.3 | 15.0 | 0.2 | 1.0 | 1.5 | 0.4 | 2.7 | 52 |

NOTE.—The rates for Eire and the City of Dublin are calculated on the population estimated to the middle of 1947.

*See note page 15.

TABLE 11.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1947.

| URBAN AND RURAL AREAS. | Births. | DEATHS FROM | | | | | | | |
|---|---------|-------------|-------------------------------|--------|---------|----------------------|--------|--------------------------------|--------------------------------|
| | | All Causes. | Principal Epidemic Diseases.* | Tuber- | Cancer. | Puerperal Infection. | | Other Diseases of Child-birth. | Infants under One Year of Age. |
| | | | | | | Sepsis. | Other. | | |
| EIRE | 68,978 | 44,061 | 1,230 | 3,700 | 3,982 | 10 | 21 | 99 | 4,887 |
| ALL RURAL DISTRICTS | 42,755 | 29,599 | 563 | 2,060 | 2,660 | 6 | 15 | 72 | 2,577 |
| ALL COUNTY BOROUGHS AND URBAN DISTRICTS ... | 26,223 | 14,462 | 665 | 1,640 | 1,302 | 4 | 6 | 27 | 2,111 |
| COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ... | 21,537 | 11,827 | 586 | 1,865 | 1,061 | 3 | 3 | 18 | 1,781 |
| CITY OF DUBLIN ... | 13,484 | 7,167 | 405 | 846 | 664 | 2 | 2 | 8 | 1,145 |
| Borough of Dun Laoghaire ... | 929 | 611 | 20 | 49 | 70 | · | · | · | 72 |
| Cork County Borough | 1,976 | 1,292 | 31 | 149 | 112 | · | · | 1 | 163 |
| Limerick County Borough | 1,310 | 685 | 44 | 78 | 49 | 1 | · | 6 | 118 |
| Waterford County Borough | 689 | 441 | 19 | 51 | 38 | · | · | · | 53 |
| Galway Borough | 498 | 220 | 8 | 40 | 17 | · | · | 1 | 38 |
| Dundalk U.D. | 465 | 255 | 13 | 28 | 24 | · | 1 | · | 36 |
| Drogheda U.D. | 468 | 196 | 5 | 19 | 18 | · | · | · | 25 |
| Sligo U.D. | 276 | 209 | 11 | 31 | 12 | · | · | 1 | 38 |
| Wexford U.D. | 323 | 205 | 9 | 22 | 14 | · | · | · | 29 |
| Kilkenny U.D. | 311 | 142 | 13 | 13 | 8 | · | · | · | 19 |
| Bray U.D. | 254 | 151 | 2 | 12 | 13 | · | · | · | 16 |
| Tralee U.D. | 270 | 149 | 5 | 17 | 15 | · | · | 1 | 20 |
| Clonmel U.D. | 284 | 104 | 1 | 10 | 7 | · | · | · | 9 |
| OTHER URBAN DISTRICTS | 4,686 | 2,635 | 79 | 275 | 241 | 1 | 3 | 9 | 329 |
| ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :— | | | | | | | | | |
| Province of Leinster | 17,972 | 9,644 | 503 | 1,088 | 896 | 2 | 4 | 12 | 1,458 |
| Province of Munster | 6,530 | 3,885 | 129 | 429 | 323 | 2 | 2 | 11 | 525 |
| Province of Connaught | 1,184 | 654 | 27 | 98 | 56 | · | · | 2 | 100 |
| Province of Ulster (part of) | 528 | 279 | 6 | 25 | 27 | · | · | 2 | 27 |
| ALL RURAL DISTRICTS IN :— | | | | | | | | | |
| Province of Leinster | 14,222 | 8,922 | 208 | 705 | 829 | 2 | 4 | 20 | 946 |
| Province of Munster | 14,285 | 10,252 | 208 | 703 | 921 | 1 | 4 | 29 | 933 |
| Province of Connaught | 9,138 | 6,736 | 96 | 420 | 549 | 3 | 5 | 10 | 491 |
| Province of Ulster (part of) | 5,110 | 3,689 | 53 | 232 | 361 | · | 2 | 13 | 267 |

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1947.

| URBAN AND RURAL AREAS, | Population according to the Census of Population, 1946. | Birth Rate, per 1,000 Population. | DEATHS. | | | | | | |
|--|---|-----------------------------------|----------------------------|-------------------------------|---------------|---------|------------------------|--------------------------------|--------------------------------|
| | | | RATE PER 1,000 POPULATION. | | | | RATE PER 1,000 BIRTHS. | | |
| | | | All Causes. | Principal Epidemic Diseases.* | Tuberculosis. | Cancer. | Puerperal Infection. | Other Diseases of Child-birth. | Infants under One Year of Age. |
| ÉIRE ... | 2,953,452 | 23.2 | 14.8 | 0.4 | 1.2 | 1.3 | 0.4 | 1.4 | 68 |
| ALL RURAL DISTRICTS | 1,942,300 | 22.0 | 15.2 | 0.3 | 1.1 | 1.4 | 0.5 | 1.7 | 60 |
| ALL COUNTY BOROUGHES AND URBAN DISTRICTS ... | 1,011,152 | 25.9 | 14.3 | 0.7 | 1.6 | 1.3 | 0.4 | 1.0 | 80 |
| COUNTY BOROUGHES AND PRINCIPAL TOWNS NAMED BELOW | 819,118 | 26.3 | 14.4 | 0.7 | 1.7 | 1.3 | 0.3 | 0.8 | 83 |
| CITY OF DUBLIN ... | 506,635 | 26.3 | 14.0 | 0.8 | 1.6 | 1.3 | 0.3 | 0.6 | 85 |
| Borough of Dun Laoghaire ... | 44,689 | 20.6 | 13.5 | 0.4 | 1.1 | 1.6 | · | · | 78 |
| Cork County Borough | 75,361 | 26.2 | 17.1 | 0.4 | 2.0 | 1.5 | · | 0.5 | 82 |
| Limerick County Borough | 42,987 | 30.5 | 15.9 | 1.0 | 1.8 | 1.1 | 0.8 | 4.6 | 90 |
| Waterford County Borough | 28,332 | 24.3 | 15.6 | 0.7 | 1.8 | 1.3 | · | · | 77 |
| Galway Borough | 20,487 | 24.4 | 10.8 | 0.4 | 2.0 | 0.8 | · | 2.0 | 76 |
| Dundalk U.D. | 18,546 | 25.1 | 13.7 | 0.7 | 1.5 | 1.3 | 2.2 | · | 77 |
| Drogheda U.D. | 15,709 | 29.8 | 12.5 | 0.3 | 1.2 | 1.1 | · | · | 53 |
| Sligo U.D. | 12,906 | 21.4 | 16.2 | 0.9 | 2.4 | 0.9 | · | 3.6 | 138 |
| Wexford U.D. | 12,308 | 26.2 | 16.7 | 0.7 | 1.8 | 1.1 | · | · | 90 |
| Kilkenny U.D. | 10,289 | 30.2 | 13.8 | 1.3 | 1.3 | 0.8 | · | · | 61 |
| Bray U.D. | 11,076 | 22.9 | 13.6 | 0.2 | 1.1 | 1.2 | · | · | 63 |
| Tralee U.D. | 9,982 | 27.0 | 14.9 | 0.5 | 1.7 | 1.5 | · | 3.7 | 74 |
| Clonmel U.D. | 9,861 | 28.8 | 10.5 | 0.1 | 1.0 | 0.7 | · | · | 32 |
| OTHER URBAN DISTRICTS, | 192,084 | 24.4 | 13.7 | 0.4 | 1.4 | 1.3 | 0.9 | 1.9 | 70 |
| ALL COUNTY BOROUGHES AND URBAN DISTRICTS IN :— | | | | | | | | | |
| Province of Leinster | 683,346 | 26.3 | 14.1 | 0.7 | 1.6 | 1.3 | 0.3 | 0.7 | 81 |
| Province of Munster | 250,616 | 26.1 | 15.5 | 0.5 | 1.7 | 1.3 | 0.6 | 1.7 | 80 |
| Province of Connaught | 53,003 | 22.8 | 12.3 | 0.5 | 1.8 | 1.1 | · | 1.7 | 84 |
| Province of Ulster (part of) | 24,187 | 21.8 | 11.5 | 0.2 | 1.0 | 1.1 | · | 3.8 | 51 |
| ALL RURAL DISTRICTS IN :— | | | | | | | | | |
| Province of Leinster | 596,873 | 23.8 | 14.9 | 0.2 | 1.2 | 1.4 | 0.4 | 1.4 | 67 |
| Province of Munster | 666,134 | 21.4 | 15.4 | 0.3 | 1.1 | 1.4 | 0.4 | 2.0 | 65 |
| Province of Connaught | 439,813 | 20.8 | 15.3 | 0.2 | 1.0 | 1.2 | 0.9 | 1.1 | 47 |
| Province of Ulster (part of) | 239,480 | 21.3 | 15.4 | 0.2 | 0.9 | 1.5 | 0.4 | 2.5 | 52 |

NOTE.—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1947.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1947.

| PROVINCES AND COUNTIES | DEATHS OF INFANTS UNDER ONE MONTH OLD | | | | | | | | | | |
|------------------------------|---------------------------------------|--------------------------------|--------------------|----------|-----------------------|------------------------------------|----------------------------------|-------------------------------|------------------|----------------|-----------------|
| | Total Number | Rate per 1,000 Births | CAUSE OF DEATH | | | | | | | | |
| | | | Premature Birth | Debility | Injury at Birth | Other Diseases of Infancy | Congenital Malforma- tions | Diarrhoea and Enteritis | Convul- sions | Pneu- monia | Other Causes |
| ÉIRE ... | 1,987 | 29 | 728 | 357 | 147 | 239 | 203 | 105 | 55 | 74 | 79 |
| Carlow ... | 22 | 25 | 5 | 11 | 2 | 1 | 2 | · | 1 | · | · |
| Dublin ... | 88 | 33 | 33 | 6 | 8 | 18 | 10 | 7 | 1 | 2 | 3 |
| City of Dublin ... | 448 | 33 | 184 | 37 | 39 | 64 | 43 | 32 | 8 | 26 | 15 |
| Kildare ... | 36 | 20 | 13 | 5 | 1 | 5 | 7 | · | 2 | · | 3 |
| Kilkenny ... | 57 | 36 | 20 | 16 | 1 | 7 | 4 | 3 | 1 | 1 | 4 |
| Laoighis ... | 33 | 30 | 16 | 6 | 2 | 2 | 1 | 4 | 1 | · | 1 |
| Longford ... | 25 | 29 | 5 | 5 | 4 | 5 | 2 | 1 | · | · | 3 |
| Louth ... | 42 | 24 | 20 | 11 | 3 | 3 | 3 | · | · | · | 2 |
| Meath ... | 53 | 34 | 11 | 17 | 4 | 4 | 7 | 3 | 1 | 1 | 5 |
| Offaly ... | 41 | 30 | 17 | 6 | 4 | 6 | 6 | 1 | · | 1 | · |
| Westmeath ... | 42 | 31 | 9 | 7 | 4 | 5 | 6 | 2 | 3 | 2 | 4 |
| Wexford ... | 66 | 29 | 19 | 24 | 2 | 3 | 7 | 5 | 1 | 3 | 2 |
| Wicklow ... | 38 | 26 | 13 | 4 | 1 | 12 | 5 | 1 | · | 2 | · |
| LEINSTER ... | 991 | 31 | 365 | 155 | 75 | 135 | 103 | 59 | 19 | 38 | 42 |
| Clare ... | 45 | 24 | 22 | 5 | · | 4 | 5 | 5 | 2 | 2 | · |
| Cork ... | 169 | 32 | 68 | 38 | 8 | 21 | 18 | 3 | 4 | 6 | 3 |
| Cork Co. Borough ... | 71 | 36 | 37 | 8 | 3 | 10 | 3 | 1 | 4 | 3 | 2 |
| Kerry ... | 66 | 23 | 20 | 16 | 7 | 7 | 5 | 3 | 2 | 3 | 3 |
| Limerick ... | 84 | 36 | 30 | 18 | 9 | 8 | 5 | 7 | · | 2 | 5 |
| Limerick Co. Borough | 33 | 25 | 5 | 6 | 1 | 5 | 2 | 5 | 5 | · | 4 |
| Tipperary, N.R. ... | 46 | 34 | 12 | 12 | 3 | 6 | 4 | 3 | 2 | 1 | 3 |
| Tipperary, S.R. ... | 54 | 27 | 25 | 8 | 4 | 4 | 8 | 2 | 2 | 1 | · |
| Waterford ... | 47 | 45 | 17 | 12 | 3 | 2 | 7 | 1 | 1 | 1 | 3 |
| Waterford Co. Boro' | 22 | 32 | 10 | 3 | 1 | 3 | 2 | 1 | · | · | 2 |
| MUNSTER ... | 637 | 31 | 246 | 126 | 39 | 70 | 59 | 31 | 22 | 19 | 25 |
| Galway ... | 96 | 25 | 31 | 18 | 11 | 7 | 12 | 7 | 3 | 3 | 4 |
| Leitrim ... | 12 | 15 | 4 | 3 | 1 | · | · | · | · | 4 | · |
| Mayo ... | 52 | 16 | 20 | 8 | 6 | 7 | 5 | 1 | 3 | · | 2 |
| Roscommon ... | 21 | 17 | 8 | 5 | 4 | 2 | 2 | · | · | · | · |
| Sligo ... | 47 | 38 | 17 | 9 | 2 | 1 | 4 | 5 | 3 | 3 | 3 |
| CONNAUGHT ... | 228 | 22 | 80 | 43 | 24 | 17 | 23 | 13 | 9 | 10 | 9 |
| Cavan ... | 33 | 23 | 14 | 6 | 1 | 5 | 5 | · | 1 | · | 1 |
| Donegal ... | 71 | 23 | 17 | 19 | 1 | 10 | 11 | 2 | 2 | 7 | 2 |
| Monaghan ... | 27 | 23 | 6 | 8 | 7 | 2 | 2 | · | 2 | · | · |
| ULSTER (part of) | 131 | 23 | 37 | 33 | 9 | 17 | 18 | 2 | 5 | 7 | 3 |

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1947, for the Fourteen Principal Towns and for each URBAN DISTRICT.

| AREA. | Population according to the Census of Population, 1946 | Annual Rate per 1,000 persons represented by | | BIRTHS. | DEATHS. | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|-------------|---------|------------------------------|---------------|----------------------|--------|--------------------------|---|---------------|---------------|-----------------|-------------|------------|------------|----------|---------|--|------------|--------------|------------|---------|---------------------|-------|
| | | DEATHS | | | Caused by | | | | | | | | | | | | | | | | | | | | |
| | | BIRTHS. | All Causes. | | Principal epidemic diseases. | Total Number. | Under 1 year of age. | | At 65 years and upwards. | | Typhoid fever | Scarlet fever | Whooping cough, | Diphtheria, | Dysentery, | Small-pox, | Measles, | Typhus, | Diarrhoea & Enteritis (under 2 years), | Pulmonary, | Other Forms, | Influenza, | Cancer, | Pauperal Infection. | |
| IRE | 2,953,452 | 23.2 | 14.8 | 0.4 | 68,973 | 44,061 | 4,687 | 24,707 | 15 | 8 | 298 | 56 | 3 | . | 106 | . | 744 | 2,831 | 869 | 651 | 3,962 | 31 | 99 | 971 | 5,528 |
| Total Rural Districts ... | 1,942,300 | 22.0 | 15.2 | 0.3 | 42,755 | 29,599 | 2,577 | 18,269 | 10 | 6 | 133 | 41 | 1 | . | 56 | . | 318 | 1,558 | 502 | 539 | 2,660 | 21 | 72 | 637 | 5,268 |
| Total Urban Districts ... | 1,011,152 | 25.9 | 14.3 | 0.7 | 26,223 | 14,462 | 2,110 | 6,438 | 5 | 2 | 165 | 15 | 2 | . | 50 | . | 426 | 1,273 | 367 | 112 | 1,302 | 10 | 27 | 334 | 260 |
| Total 14 Principal Towns ... | 819,118 | 26.3 | 14.4 | 0.7 | 21,587 | 11,827 | 1,781 | 5,147 | 2 | 2 | 146 | 11 | 2 | . | 35 | . | 388 | 1,066 | 299 | 78 | 1,061 | 6 | 18 | 269 | 156 |
| City of Dublin ... | 506,635 | 26.3 | 14.0 | 0.8 | 13,484 | 7,167 | 1,145 | 2,936 | . | . | 118 | 5 | 1 | . | 19 | . | 262 | 650 | 196 | 44 | 664 | 4 | 8 | 167 | 108 |
| Borough of Dun Laoghaire | 44,689 | 20.6 | 13.5 | 0.4 | 929 | 611 | 72 | 348 | . | . | 1 | . | . | . | 1 | . | 18 | 41 | 8 | 8 | 70 | . | . | 16 | . |
| Cork Co. Borough ... | 75,361 | 26.2 | 17.1 | 0.4 | 1,976 | 1,292 | 163 | 606 | . | . | 5 | . | . | . | . | . | 26 | 127 | 22 | 3 | 112 | . | 1 | 32 | 2 |
| Limerick , | 42,987 | 30.5 | 15.9 | 1.0 | 1,310 | 685 | 118 | 288 | 2 | 2 | 5 | 3 | . | . | 3 | . | 29 | 66 | 12 | 2 | 49 | 1 | 6 | 20 | 12 |
| Waterford , | 28,832 | 24.3 | 15.6 | 0.7 | 689 | 441 | 53 | 218 | . | . | 1 | . | . | . | . | . | 18 | 43 | 8 | 4 | 38 | . | . | 7 | 1 |
| Galway Borough ... | 20,437 | 24.4 | 10.8 | 0.4 | 498 | 220 | 38 | 94 | . | . | . | . | . | . | 1 | . | 7 | 27 | 13 | 2 | 17 | . | 1 | 5 | 3 |
| Dundalk ... | 18,546 | 25.1 | 13.7 | 0.7 | 465 | 255 | 36 | 107 | . | . | 6 | 1 | . | . | . | . | 6 | 22 | 6 | 7 | 24 | 1 | . | 6 | 5 |
| Drogheda ... | 15,709 | 29.8 | 12.5 | 0.3 | 468 | 196 | 25 | 88 | . | . | 3 | . | . | . | . | . | 2 | 13 | 6 | . | 18 | . | . | 5 | 5 |
| Sligo ... | 12,906 | 21.4 | 16.2 | 0.9 | 276 | 209 | 38 | 89 | . | . | . | . | . | . | 2 | . | 9 | 18 | 13 | 3 | 12 | . | 1 | . | 2 |
| Wexford ... | 12,308 | 26.2 | 16.7 | 0.7 | 323 | 205 | 29 | 97 | . | . | 4 | 1 | . | . | . | . | 4 | 14 | 8 | 1 | 14 | . | . | 4 | 2 |
| Kilkenny ... | 10,289 | 30.2 | 13.8 | 1.3 | 311 | 142 | 19 | 75 | . | . | 1 | . | . | . | 9 | . | 3 | 13 | . | . | 8 | . | . | 2 | 6 |
| Bray ... | 11,076 | 22.9 | 13.6 | 0.2 | 254 | 151 | 16 | 7 | . | . | . | . | . | . | . | . | 2 | 11 | 1 | . | 13 | . | . | 2 | 1 |
| Tralee ... | 9,982 | 27.0 | 14.9 | 0.5 | 270 | 149 | 20 | 67 | . | . | 2 | . | 1 | . | . | . | 2 | 13 | 4 | 4 | 15 | . | 1 | 2 | 7 |
| Clonmel ... | 9,861 | 28.8 | 10.5 | 0.1 | 284 | 104 | 58 | . | . | 1 | . | . | . | . | . | . | 8 | 2 | . | 7 | . | . | . | 1 | 2 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---------|-------|------|------|-------|-------|-----|-------|----|---|----|---|---|---|----|---|----|-----|----|----|-----|---|---|----|-----|
| Total other Urban Districts | 192,084 | 24.4 | 13.7 | 0.4 | 4,686 | 2,635 | 329 | 1,291 | 3 | . | 19 | 4 | . | . | 15 | . | 38 | 207 | 68 | 34 | 241 | 4 | 9 | 65 | 104 |
| I. LEINSTER. | | | | | | | | | | | | | | | | | | | | | | | | | |
| An Uaithn | ... | 4,103 | 26.3 | 15.1 | 0.5 | 108 | 62 | 3 | 24 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 10 | . | . | . | . |
| Arklow | ... | 4,851 | 25.8 | 16.1 | 0.2 | 125 | 78 | 5 | 47 | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 8 | . | . | 1 | 4 |
| Athlone | ... | 8,356 | 31.0 | 10.3 | 0.1 | 259 | 86 | 18 | 38 | . | . | . | . | . | . | . | 1 | 8 | 6 | 2 | 6 | . | 1 | 1 | 8 |
| Athy ... | ... | 3,635 | 27.5 | 17.1 | 1.1 | 100 | 62 | 12 | 31 | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | . | 1 | 5 |
| Birr ... | .. | 3,225 | 23.3 | 19.2 | 0.3 | 75 | 62 | 3 | 33 | . | . | . | . | . | . | . | 1 | 8 | 1 | . | 9 | . | . | . | 3 |
| Carlow | ... | 7,465 | 26.3 | 13.1 | 0.4 | 196 | 98 | 11 | 45 | 2 | . | . | . | . | . | . | 1 | 11 | 2 | 2 | 5 | 1 | 1 | 3 | 8 |
| Ceanannus Mór | ... | 2,141 | 22.9 | 15.9 | . | 49 | 34 | 2 | 20 | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | . | . | 1 | 2 |
| Enniscorthy | .. | 5,960 | 28.7 | 16.6 | 0.8 | 171 | 99 | 14 | 46 | . | . | 1 | . | . | . | 2 | 2 | 4 | . | 1 | 14 | . | . | 3 | . |
| Granard | .. | 1,198 | 27.5 | 10.9 | 0.8 | 33 | 13 | 3 | 7 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 3 |
| Longford | .. | 4,019 | 30.4 | 14.4 | 0.7 | 122 | 58 | 11 | 30 | . | . | . | . | . | . | . | 3 | 5 | 1 | 1 | 7 | . | . | 3 | 1 |
| Naas ... | .. | 3,774 | 24.9 | 14.0 | 2.4 | 94 | 53 | 10 | 22 | . | . | 8 | . | . | . | 1 | . | 2 | 1 | 3 | 2 | . | . | 3 | . |
| New Ross | .. | 4,898 | 24.9 | 16.3 | 1.0 | 122 | 80 | 11 | 33 | . | . | . | . | . | . | 2 | 3 | 7 | 5 | . | 7 | . | . | . | . |
| Trim ... | .. | 1,378 | 19.6 | 15.2 | . | 27 | 21 | 2 | 13 | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . | . | . |
| Tullamore | .. | 5,894 | 29.2 | 12.4 | 0.2 | 172 | 73 | 13 | 24 | . | . | . | . | . | . | . | 1 | 7 | 1 | . | 6 | . | 2 | 2 | . |
| Wicklow | .. | 3,197 | 26.6 | 11.9 | . | 85 | 38 | 3 | 18 | . | . | . | . | . | . | . | 4 | . | . | 3 | . | . | . | 2 | . |

NOTE.—The rates for Fife, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1947.

TABLE 14.—URBAN DISTRICTS, 1947 (continued).

| AREA. | Population according to the Census of Population, 1946 | Annual Rate per 1,000 persons represented by | | | | BIRTHS. | DEATHS. | BIRTHS. | DEATHS. | | | | | | | | | | | | | | | | | | Caused by | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|--|--|-------------|------------------------------|---------------|---------|---------|---------|---------------|----------------------|--------------------------|---------------|----------------|-----------------|-------------|------------|------------|----------|---------|--|--------------|------------|--------------|------------|--------|----------------------|-------------------------------|-----------|------------------|----------------|---|---|-----------------|---|---|-------------|---|---|------------|---|---|------------|--|--|----------|--|--|---------|--|--|--|--|--|--------------|--|--|------------|--|--|--------------|--|--|------------|--|--|--------|--|--|----------------------|--|--|-------------------------------|--|--|-----------|--|--|------------------|--|--|--|--|--|
| | | DEATHS | | | | | | | Caused by | | | | | | | | | | | | | | | | | | Typhoid fever | | | Scarlet fever. | | | Whooping cough. | | | Diphtheria. | | | Dysentery. | | | Small-pox. | | | Measles. | | | Typhus. | | | Diarrhoea & Enteritis (under 2 years). | | | Tuberculosis | | | Pulmonary. | | | Other Forms. | | | Influenza. | | | Cancer | | | Puerperal Infection. | | | Other Diseases of Childbirth. | | | Violence. | | | No. Uncertified. | | | | | |
| | | BIRTHS. | All Causes. | Principal epidemic diseases. | Total Number. | | | | Total Number. | Under 1 year of Age. | At 65 years and upwards, | Typhoid fever | Scarlet fever. | Whooping cough. | Diphtheria. | Dysentery. | Small-pox. | Measles. | Typhus. | Diarrhoea & Enteritis (under 2 years). | Tuberculosis | Pulmonary. | Other Forms. | Influenza. | Cancer | Puerperal Infection. | Other Diseases of Childbirth. | Violence. | No. Uncertified. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. MUNSTER. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carrick-on-Suir | .. | 4,851 | 31.5 | 14.8 | 2.3 | 153 | 72 | 13 | 29 | . | . | . | . | . | . | . | . | . | . | 6 | 4 | 4 | 2 | . | . | . | . | . | . | 8 | . | . | . | . | . | 2 | . | . | . | . | . | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cashel | .. | 3,072 | 21.2 | 14.3 | . | 65 | 44 | 10 | 18 | . | . | . | . | . | . | . | . | . | . | . | 5 | 3 | 3 | 2 | . | . | . | . | . | 3 | . | . | . | . | 3 | 3 | . | 3 | 4 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clonakilty | .. | 2,824 | 19.5 | 12.0 | 0.4 | 55 | 34 | 2 | 18 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cobh | .. | 5,615 | 26.5 | 17.1 | 0.4 | 149 | 96 | 10 | 53 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | . | . | . | . | . | 5 | . | . | . | . | 6 | 6 | . | 6 | 6 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dungarvan | .. | 5,271 | 28.1 | 15.4 | 0.6 | 148 | 81 | 14 | 40 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 3 | . | . | . | . | 7 | 7 | . | 7 | 7 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ennis | .. | 5,876 | 31.3 | 16.3 | 0.3 | 184 | 96 | 8 | 42 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 5 | . | . | . | . | 9 | 9 | . | 9 | 9 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fermoy | .. | 4,212 | 27.8 | 15.4 | 0.2 | 117 | 65 | 12 | 29 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . | . | . | . | . | 6 | . | . | . | . | 6 | 6 | . | 6 | 6 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Killarney | .. | 5,943 | 16.8 | 11.4 | . | 100 | 68 | 9 | 32 | . | . | . | . | . | . | . | . | . | . | 5 | 25 | 25 | 25 | . | . | . | . | . | 5 | . | . | . | . | 4 | 4 | . | 4 | 4 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kilrush | .. | 3,348 | 20.6 | 11.9 | . | 69 | 40 | 5 | 25 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 5 | . | . | . | . | 3 | 3 | . | 3 | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kinsale | .. | 2,086 | 19.7 | 25.4 | 0.5 | 41 | 53 | 3 | 36 | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 2 | . | . | . | . | 3 | 3 | . | 3 | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Listowel | .. | 3,309 | 26.6 | 13.9 | . | 88 | 46 | 8 | 22 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 7 | . | . | . | . | 1 | 1 | . | 1 | 1 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Macroom | .. | 2,230 | 17.5 | 12.1 | . | 39 | 27 | 1 | 19 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 2 | . | . | . | . | 4 | 4 | . | 4 | 4 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mallow | .. | 5,217 | 21.9 | 15.7 | 1.0 | 114 | 82 | 12 | 32 | . | . | . | 2 | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 6 | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Midleton | .. | 2,791 | 22.9 | 16.5 | . | 64 | 46 | 6 | 24 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 2 | . | . | . | . | 9 | 9 | . | 9 | 9 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nenagh | .. | 4,517 | 24.8 | 15.3 | . | 112 | 69 | 9 | 36 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 3 | . | . | . | . | 5 | 5 | . | 5 | 5 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Passage West | .. | 2,431 | 14.0 | 6.2 | 0.4 | 34 | 15 | 1 | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | 2 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|-----|-----|-------|------|------|-----|-----|----|----|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skibbereen | ... | ... | 2,361 | 19·1 | 19·9 | 0·4 | 45 | 47 | 5 | 22 | · | · | · | · | 1 | · | · | 9 | · | · | 7 | 1 | · | · | 3 |
| Templemore | ... | ... | 2,058 | 22·4 | 14·1 | · | 46 | 29 | 3 | 21 | · | · | · | · | · | · | · | 2 | · | · | · | · | 1 | 2 | |
| Thurles | ... | ... | 6,012 | 25·0 | 9·5 | 0·2 | 150 | 57 | 9 | 24 | · | · | · | · | · | · | 1 | 5 | 1 | · | 7 | 1 | · | 2 | 3 |
| Tipperary | ... | ... | 5,266 | 25·1 | 13·9 | · | 132 | 73 | 12 | 29 | · | · | · | · | · | · | · | 9 | 1 | 1 | 1 | 8 | · | · | 4 |
| Youghal | ... | ... | 4,803 | 21·9 | 15·4 | · | 105 | 74 | 10 | 36 | · | · | · | · | · | · | · | 6 | · | 2 | 9 | · | · | 2 | 4 |

III. CONNAUGHT.

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|-----|-----|-------|------|------|-----|-----|----|---|----|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|---|
| Ballina | ... | ... | 6,058 | 31·2 | 13·4 | 0·5 | 189 | 81 | 7 | 38 | · | · | 1 | · | · | · | · | 2 | 9 | 2 | 4 | 10 | · | · | 3 | 6 |
| Ballinasloe | ... | ... | 5,425 | 14·2 | 8·1 | 0·7 | 77 | 44 | 9 | 23 | 1 | · | · | · | · | · | 2 | · | 1 | 3 | 1 | · | 5 | · | 1 | 1 |
| Castlebar | ... | ... | 4,939 | 17·6 | 10·1 | · | 87 | 50 | 2 | 26 | · | · | · | · | · | · | · | 6 | 2 | · | 5 | · | · | 3 | 2 | |
| Westport | ... | ... | 3,238 | 17·6 | 15·4 | 0·3 | 57 | 50 | 6 | 28 | · | · | · | · | · | 1 | · | · | 3 | 1 | 2 | 7 | · | · | 1 | 2 |

IV. ULSTER (part of).

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|-----|-----|-------|------|------|-----|-----|----|---|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Belturbet | ... | ... | 1,179 | 15·3 | 16·1 | · | 18 | 19 | 1 | 11 | · | · | · | · | · | · | · | 4 | · | · | 2 | · | 1 | 1 | · |
| Buncrana | ... | ... | 2,732 | 27·5 | 11·3 | 0·4 | 75 | 31 | 6 | 18 | · | · | 1 | · | · | · | · | 2 | 3 | · | 2 | · | · | 1 | 1 |
| Bundoran | ... | ... | 1,738 | 20·1 | 15·0 | 0·6 | 35 | 26 | 2 | 18 | · | · | · | · | · | · | 1 | 2 | · | · | 3 | · | · | 2 | 2 |
| Carrickmacross | ... | ... | 2,114 | 19·4 | 8·5 | · | 41 | 18 | · | 8 | · | · | · | · | · | · | · | 2 | 3 | · | · | · | · | 1 | 1 |
| Castleblayney | ... | ... | 1,765 | 26·1 | 15·9 | 0·6 | 46 | 28 | 2 | 15 | · | · | · | 1 | · | · | · | · | · | · | 3 | · | · | 1 | 1 |
| Cavan | ... | ... | 3,479 | 29·0 | 11·5 | · | 101 | 40 | 7 | 20 | · | · | · | · | · | · | · | 1 | 2 | · | 6 | · | · | 3 | 2 |
| Clones | ... | ... | 2,092 | 23·9 | 13·4 | 0·5 | 50 | 28 | 2 | 16 | · | · | · | · | · | · | 1 | 1 | · | · | 1 | · | 1 | 2 | 1 |
| Cootehill | ... | ... | 1,566 | 26·2 | 12·8 | 0·6 | 41 | 20 | 4 | 9 | · | · | 1 | · | · | · | · | 1 | · | · | 1 | · | · | 2 | |
| Letterkenny | ... | ... | 2,849 | 22·1 | 11·9 | 0·4 | 63 | 34 | · | 16 | · | · | 1 | · | · | · | · | 1 | · | · | 4 | · | · | 1 | 4 |
| Monaghan | ... | ... | 4,673 | 12·4 | 7·5 | · | 58 | 35 | 3 | 20 | · | · | · | · | · | · | · | 1 | 2 | · | 5 | · | · | 2 | 3 |

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1947.

| YEAR. | RATES PER 1,000 OF POPULATION REPRESENTED BY | | | | | | | | RATES PER 1,000 BIRTHS. | |
|----------|--|--------------------|--------------------------|--------------------|-----------------------------------|--------------------|------------------------------|--------------------|----------------------------|--------------------|
| | BIRTHS. | | DEATHS. (All Causes). | | PRINCIPAL EPI- DEMIC DISEASES. | | TUBERCULOSIS (All forms). | | | |
| | Urban Districts | Rural Districts | Urban Districts | Rural Districts | Urban Districts | Rural Districts | Urban Districts | Rural Districts | Urban Districts | Rural Districts |
| 1911 ... | 26.31 | 21.47 | 19.04 | 15.83 | 2.15 | 0.53 | 3.04 | 1.78 | 135 | 72 |
| 1912 ... | 25.33 | 21.68 | 18.54 | 15.31 | 1.59 | 0.45 | 2.98 | 1.78 | 121 | 65 |
| 1913 ... | 25.62 | 21.50 | 19.09 | 15.96 | 1.88 | 0.58 | 2.95 | 1.78 | 139 | 72 |
| 1914 ... | 25.48 | 21.16 | 20.44 | 14.41 | 1.83 | 0.48 | 3.06 | 1.67 | 123 | 62 |
| 1915 ... | 24.38 | 21.09 | 19.83 | 16.62 | 1.48 | 0.47 | 3.17 | 1.82 | 130 | 65 |
| 1916 ... | 22.58 | 20.57 | 18.07 | 15.90 | 1.22 | 0.50 | 2.85 | 1.83 | 123 | 64 |
| 1917 ... | 21.27 | 19.57 | 17.30 | 16.71 | 1.17 | 0.43 | 2.85 | 1.92 | 121 | 69 |
| 1918 ... | 20.80 | 19.59 | 20.76 | 16.26 | 1.23 | 0.42 | 3.02 | 1.77 | 126 | 62 |
| 1919 ... | 22.41 | 18.99 | 19.44 | 17.43 | 0.86 | 0.32 | 2.61 | 1.60 | 119 | 69 |
| 1920 ... | 26.19 | 19.85 | 16.43 | 14.00 | 1.32 | 0.53 | 2.22 | 1.43 | 113 | 60 |
| 1921 ... | 24.44 | 17.90 | 15.41 | 13.99 | 1.19 | 0.44 | 2.03 | 1.38 | 105 | 56 |
| 1922 ... | 23.41 | 17.91 | 16.26 | 14.14 | 0.96 | 0.40 | 2.01 | 1.34 | 98 | 54 |
| 1923 ... | 24.24 | 18.96 | 15.28 | 13.50 | 1.01 | 0.37 | 2.07 | 1.25 | 99 | 50 |
| 1924 ... | 25.36 | 19.39 | 16.57 | 14.42 | 1.05 | 0.38 | 2.06 | 1.31 | 104 | 55 |
| 1925 ... | 24.71 | 19.21 | 15.66 | 14.20 | 1.09 | 0.32 | 2.05 | 1.37 | 97 | 53 |
| 1926 ... | 23.84 | 19.23 | 15.27 | 13.54 | 1.33 | 0.43 | 1.84 | 1.31 | 110 | 56 |
| 1927 ... | 23.44 | 18.98 | 15.56 | 14.44 | 0.96 | 0.33 | 1.92 | 1.26 | 99 | 56 |
| 1928 ... | 23.11 | 18.80 | 14.41 | 14.10 | 0.97 | 0.38 | 1.71 | 1.23 | 91 | 56 |
| 1929 ... | 22.85 | 18.53 | 15.06 | 14.46 | 0.87 | 0.39 | 1.75 | 1.13 | 93 | 58 |
| 1930 ... | 23.24 | 18.47 | 14.69 | 14.05 | 0.90 | 0.34 | 1.73 | 1.12 | 90 | 56 |
| 1931 ... | 22.56 | 18.07 | 15.03 | 14.47 | 0.93 | 0.33 | 1.76 | 1.14 | 88 | 58 |
| 1932 ... | 22.44 | 17.53 | 14.71 | 14.51 | 1.00 | 0.38 | 1.49 | 1.14 | 95 | 59 |
| 1933 ... | 22.45 | 17.94 | 14.15 | 13.47 | 0.87 | 0.37 | 1.55 | 1.02 | 85 | 54 |
| 1934 ... | 22.75 | 17.96 | 12.92 | 13.26 | 0.69 | 0.33 | 1.48 | 1.05 | 78 | 55 |
| 1935 ... | 23.43 | 17.79 | 14.00 | 13.97 | 0.91 | 0.39 | 1.62 | 1.10 | 87 | 57 |
| 1936 ... | 23.11 | 17.90 | 14.22 | 14.45 | 0.99 | 0.37 | 1.49 | 1.02 | 99 | 59 |
| 1937 ... | 23.11 | 17.23 | 14.76 | 15.56 | 0.85 | 0.35 | 1.53 | 1.09 | 91 | 61 |
| 1938 ... | 22.65 | 17.76 | 13.13 | 13.88 | 0.71 | 0.30 | 1.42 | 0.93 | 84 | 55 |
| 1939 ... | 21.93 | 17.69 | 13.35 | 14.65 | 0.71 | 0.25 | 1.37 | 1.00 | 83 | 55 |
| 1940 ... | 21.71 | 17.84 | 14.26 | 14.11 | 0.64 | 0.23 | 1.61 | 1.06 | 85 | 55 |
| 1941 ... | 21.96 | 17.76 | 14.68 | 14.79 | 0.92 | 0.24 | 1.58 | 1.09 | 99 | 58 |
| 1942 ... | 25.18 | 20.87 | 14.27 | 13.91 | 0.96 | 0.37 | 1.89 | 1.26 | 90 | 58 |
| 1943 ... | 23.91 | 20.33 | 14.58 | 14.51 | 1.11 | 0.44 | 1.80 | 1.26 | 110 | 67 |
| 1944 ... | 24.06 | 21.23 | 14.66 | 15.62 | 1.04 | 0.41 | 1.64 | 1.13 | 105 | 65 |
| 1945 ... | 24.37 | 21.77 | 14.01 | 14.74 | 0.91 | 0.34 | 1.59 | 1.08 | 93 | 58 |
| 1946 ... | 25.06 | 21.92 | 13.15 | 14.50 | 0.71 | 0.29 | 1.49 | 0.97 | 80 | 56 |
| 1947 ... | 25.93 | 22.01 | 14.30 | 15.24 | 0.65 | 0.29 | 1.62 | 1.06 | 80 | 60 |

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1947, in each Province, County, and County Borough.

| PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHS. | Area* in Statute Acres | Population according to Census of Population 1946. | Total Number of Mar- riages Regis- tered | BIRTHS (INCLUDING ILLEGITIMATE) | | | | ILLEGITIMATE BIRTHS | | | | DEATHS | | | | Excess of Births over Deaths (Net Num- bers) |
|---|------------------------------|---|---|------------------------------------|--------------------------|------------------------|---------------|----------------------------|--------------------------|------------------------|---------------|----------------------------|--------------------------|------------------------|---------------|---|
| | | | | Total Number Regis- tered | Transferred from Area | Transferred to Area | Net Number | Total Number Registered | Transferred from Area | Transferred to Area | Net Number | Total Number Registered | Transferred from Area | Transferred to Area | Net Number | |
| EIRE | 17,024,485 | 2,953,452 | 16,290 | 68,978 | — | — | 68,978 | 2,348 | — | — | 2,348 | 44,061 | — | — | 44,061 | 24,917 |
| PROVINCES | | | | | | | | | | | | | | | | |
| I.—LEINSTER | 4,851,340 | 1,280,219 | 7,769 | 32,544 | 3,875 | 3,525 | 32,194 | 1,224 | 409 | 350 | 1,165 | 18,804 | 1,823 | 1,585 | 18,566 | 13,628 |
| II.—MUNSTER | 5,962,595 | 916,750 | 4,940 | 20,828 | 2,085 | 2,081 | 20,824 | 753 | 223 | 185 | 720 | 14,058 | 1,553 | 1,632 | 14,137 | 6,687 |
| III.—CONNAUGHT | 4,230,822 | 492,816 | 2,194 | 10,144 | 169 | 347 | 10,322 | 169 | 28 | 82 | 223 | 7,293 | 215 | 312 | 7,390 | 2,932 |
| IV.—ULSTER (part of) | 1,979,728 | 263,667 | 1,387 | 5,462 | 53 | 229 | 5,638 | 197 | 5 | 48 | 240 | 3,906 | 71 | 133 | 3,968 | 1,670 |

PROVINCE OF LEINSTER.

| | | | | | | | | | | | | | | | | |
|-------------------------|---------|---------|-------|--------|-------|-------|--------|-----|-----|----|-----|-------|-------|-----|-------|-------|
| 1. CARLOW | 221,485 | 34,048 | 169 | 800 | 10 | 107 | 897 | 21 | — | 30 | 51 | 518 | 21 | 49 | 546 | 351 |
| 2. DUBLIN CO. | 208,984 | 129,241 | 695 | 1,182 | 91 | 1,616 | 2,707 | 81 | 60 | 63 | 84 | 1,407 | 234 | 536 | 1,709 | 998 |
| 3. CITY OF DUBLIN ... | 18,740 | 506,635 | 3,966 | 16,696 | 3,293 | 81 | 13,484 | 587 | 246 | 32 | 373 | 8,181 | 1,151 | 187 | 7,167 | 6,317 |
| 4. KILDARE | 418,644 | 64,834 | 300 | 1,484 | 8 | 358 | 1,834 | 56 | — | 23 | 79 | 805 | 10 | 95 | 890 | 944 |
| 5. KILKENNY | 509,470 | 66,683 | 326 | 1,472 | 31 | 147 | 1,588 | 48 | 1 | 49 | 96 | 924 | 29 | 61 | 956 | 632 |
| 6. LAOIGHIS | 424,892 | 49,634 | 165 | 1,038 | 19 | 75 | 1,094 | 16 | 1 | 16 | 31 | 767 | 38 | 41 | 770 | 324 |
| 7. LONGFORD | 257,935 | 36,221 | 153 | 800 | 25 | 83 | 858 | 29 | 1 | 17 | 45 | 532 | 5 | 58 | 585 | 273 |
| 8. LOUTH | 202,814 | 66,135 | 387 | 1,858 | 216 | 96 | 1,788 | 46 | 1 | 9 | 54 | 944 | 52 | 74 | 966 | 772 |
| 9. MEATH | 577,824 | 66,220 | 301 | 1,231 | 7 | 337 | 1,561 | 29 | — | 22 | 51 | 837 | 20 | 114 | 931 | 630 |
| 10. OFFALY | 493,636 | 53,644 | 247 | 1,257 | 9 | 101 | 1,349 | 32 | — | 29 | 61 | 740 | 21 | 85 | 804 | 545 |
| 11. WESTMEATH | 435,605 | 54,880 | 284 | 1,376 | 131 | 93 | 1,338 | 139 | 94 | 14 | 59 | 901 | 127 | 54 | 828 | 510 |
| 12. WEXFORD | 581,061 | 91,704 | 453 | 2,207 | 21 | 78 | 2,264 | 87 | 2 | 23 | 108 | 1,503 | 69 | 80 | 1,514 | 750 |
| 13. WICKLOW | 500,250 | 60,340 | 323 | 1,143 | 14 | 353 | 1,482 | 53 | 3 | 23 | 73 | 795 | 46 | 151 | 900 | 582 |

PROVINCE OF MUNSTER.

| | | | | | | | | | | | | | | | | |
|-------------------------------------|-----------|---------|-------|-------|-----|-----|-------|-----|----|----|-----|-------|-----|-----|-------|-------|
| 14. CLARE | 787,756 | 85,071 | 413 | 1,681 | 8 | 171 | 1,844 | 36 | 1 | 30 | 65 | 1,286 | 9 | 67 | 1,344 | 500 |
| 15. CORK CO. | 1,840,908 | 267,882 | 1,145 | 4,678 | 268 | 937 | 5,347 | 243 | 83 | 20 | 180 | 4,270 | 545 | 415 | 4,140 | 1,207 |
| 16. CORK CO. BOROUGH ... | 2,685 | 75,361 | 795 | 2,768 | 960 | 168 | 1,976 | 18 | 8 | 20 | 30 | 1,314 | 325 | 403 | 1,292 | 684 |
| 17. KERRY | 1,161,705 | 133,818 | 608 | 2,836 | 8 | 70 | 2,898 | 77 | 1 | 18 | 94 | 1,982 | 41 | 69 | 2,010 | 888 |
| 18. LIMERICK CO. | 661,585 | 99,493 | 399 | 2,053 | 43 | 348 | 2,358 | 120 | 16 | 19 | 123 | 1,553 | 247 | 150 | 1,456 | 902 |
| 19. LIMERICK CO. BOROUGH | 2,386 | 42,987 | 458 | 1,674 | 406 | 42 | 1,310 | 10 | 4 | 17 | 23 | 582 | 143 | 246 | 685 | 625 |
| 20. TIPPERARY, N.R. ... | 493,258 | 58,099 | 321 | 1,429 | 126 | 61 | 1,364 | 146 | 99 | 12 | 59 | 818 | 63 | 73 | 828 | 536 |
| 21. TIPPERARY, S.R. ... | 558,034 | 77,882 | 391 | 1,988 | 66 | 68 | 1,990 | 56 | 1 | 25 | 80 | 1,177 | 45 | 50 | 1,182 | 808 |
| 22. WATERFORD CO. ... | 452,840 | 47,825 | 266 | 858 | 10 | 200 | 1,048 | 37 | 3 | 23 | 57 | 632 | 19 | 146 | 750 | 289 |
| 23. WATERFORD CO. BOROUGH | 1,438 | 28,332 | 144 | 863 | 190 | 16 | 689 | 15 | 7 | 1 | 9 | 544 | 116 | 13 | 441 | 248 |

PROVINCE OF CONNAUGHT.

| | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---------|-----|-------|----|----|-------|----|----|----|----|-------|-----|----|-------|-------|
| 24. GALWAY | 1,467,660 | 165,196 | 759 | 3,826 | 83 | 78 | 3,821 | 95 | 23 | 21 | 93 | 2,375 | 107 | 76 | 2,344 | 1,477 |
| 25. LEITRIM | 376,764 | 44,578 | 232 | 736 | 4 | 90 | 822 | 14 | — | 19 | 33 | 665 | 5 | 75 | 735 | 87 |
| 26. MAYO | 1,333,941 | 148,200 | 565 | 3,093 | 12 | 89 | 3,170 | 12 | — | 29 | 41 | 2,117 | 26 | 82 | 2,173 | 997 |
| 27. ROSCOMMON | 608,540 | 72,511 | 323 | 1,255 | 41 | 55 | 1,269 | 23 | 2 | 9 | 30 | 1,054 | 31 | 60 | 1,083 | 186 |
| 28. SLIGO | 443,917 | 62,331 | 315 | 1,234 | 29 | 35 | 1,240 | 25 | 3 | 4 | 26 | 1,082 | 46 | 19 | 1,055 | 185 |

PROVINCE OF ULSTER (Part of).

| | | | | | | | | | | | | | | | | |
|-------------------------|-----------|---------|-----|-------|----|-----|-------|-----|---|----|-----|-------|----|----|-------|-------|
| 29. CAVAN | 467,162 | 70,323 | 343 | 1,299 | 17 | 133 | 1,415 | 37 | 3 | 31 | 65 | 1,046 | 20 | 77 | 1,103 | 312 |
| 30. DONEGAL | 1,193,581 | 136,136 | 753 | 3,053 | 21 | 36 | 3,068 | 124 | 2 | 7 | 129 | 2,019 | 14 | 24 | 2,029 | 1,039 |
| 31. MONAGHAN | 318,985 | 57,208 | 291 | 1,110 | 15 | 60 | 1,155 | 36 | — | 10 | 46 | 841 | 37 | 32 | 836 | 319 |

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGE

| PROVINCES AND COUNTIES. | TOTAL MARRIAGES. | Catholic Marriages. | Marriages other than Catholic. | | | | | | Total Marriages Registered in the Quarter ending the last day of | | | | |
|-------------------------------|------------------|---------------------|--------------------------------|-----------------------------|--|-----------------------------|-------------------------------|---------------------|--|--------|-------|------------|-------|
| | | | Total: | Protestant Episcopalian. | In Registered Pres- byterian Meeting Houses. | In Registered Buildings. | In the Registrar's Office. | Society of Friends. | Jews. | MARCH. | JUNE. | SEPTEMBER. | |
| | | | | | | | | | | | | DECEMBER. | |
| ÉIRE | 16,290 | 15,379 | 911 | 623 | 160 | 58 | 54 | 6 | 10 | 3,769 | 4,023 | 4,899 | 3,591 |
| PROVINCES. | | | | | | | | | | | | | |
| LEINSTER | 7,769 | 7,275 | 494 | 368 | 34 | 29 | 50 | 5 | 8 | 1,521 | 1,897 | 2,604 | 1,747 |
| MUNSTER | 4,940 | 4,826 | 114 | 89 | 3 | 17 | 2 | 1 | 2 | 1,260 | 1,178 | 1,410 | 1,092 |
| CONNAUGHT | 2,194 | 2,149 | 45 | 39 | 4 | 2 | · | · | · | 634 | 624 | 485 | 451 |
| ULSTER (part of) | 1,387 | 1,129 | 258 | 127 | 119 | 10 | 2 | · | · | 354 | 324 | 400 | 309 |

PROVINCE O

| | | | | | | | | | | | | | |
|----------------------------|-------|-------|-----|-----|----|----|----|---|---|-----|-----|-------|-----|
| CARLOW | 169 | 160 | 9 | 8 | · | 1 | · | · | · | 24 | 48 | 49 | 48 |
| DUBLIN CO. | 695 | 631 | 64 | 51 | 4 | 2 | · | 3 | 4 | 166 | 153 | 231 | 145 |
| CITY OF DUBLIN | 2,966 | 3,674 | 292 | 194 | 22 | 22 | 49 | 1 | 4 | 722 | 903 | 1,523 | 818 |
| KILDARE | 300 | 295 | 5 | 5 | · | · | · | · | · | 73 | 70 | 84 | 73 |
| KILKENNYY | 326 | 323 | 3 | 2 | · | 1 | · | · | · | 68 | 84 | 85 | 89 |
| LAOIGHIS | 165 | 146 | 19 | 18 | 1 | · | · | · | · | 39 | 44 | 48 | 34 |
| LONGFORD | 153 | 147 | 6 | 5 | 1 | · | · | · | · | 36 | 26 | 53 | 38 |
| LOUTH | 387 | 380 | 7 | 4 | 2 | 1 | · | · | · | 63 | 147 | 76 | 101 |
| MEATH | 301 | 285 | 16 | 15 | 1 | · | · | · | · | 40 | 87 | 82 | 92 |
| OFFALY | 247 | 236 | 11 | 11 | · | · | · | · | · | 44 | 71 | 85 | 47 |
| WESTMEATH | 284 | 278 | 6 | 3 | 1 | 2 | · | · | · | 59 | 75 | 84 | 66 |
| WEXFORD | 453 | 434 | 19 | 17 | · | 1 | 1 | · | · | 99 | 123 | 113 | 118 |
| WICKLOW | 323 | 286 | 37 | 35 | 2 | · | · | · | · | 88 | 66 | 91 | 78 |

PROVINCE O

| | | | | | | | | | | | | | |
|-----------------------------------|-------|-------|----|----|---|---|---|---|---|-----|-----|-----|-----|
| CLARE | 413 | 410 | 3 | 3 | · | · | · | · | · | 143 | 109 | 91 | 70 |
| CORK CO. | 1,145 | 1,099 | 46 | 40 | 1 | 5 | · | · | · | 281 | 245 | 341 | 278 |
| CORK CO. BOROUGH | 795 | 773 | 22 | 15 | · | 4 | 1 | · | 2 | 176 | 168 | 277 | 174 |
| KERRY | 608 | 599 | 9 | 8 | · | 1 | · | · | · | 179 | 149 | 145 | 135 |
| LIMERICK CO. | 399 | 396 | 3 | 1 | · | 1 | 1 | · | · | 117 | 112 | 93 | 77 |
| LIMERICK CO. BOROUGH | 458 | 451 | 7 | 3 | 1 | 2 | · | 1 | · | 99 | 123 | 147 | 89 |
| TIPPERARY, N.R. | 321 | 314 | 7 | 4 | · | 3 | · | · | · | 81 | 65 | 71 | 104 |
| TIPPERARY, S.R. | 391 | 385 | 6 | 5 | 1 | · | · | · | · | 101 | 105 | 113 | 72 |
| WATERFORD CO. | 266 | 259 | 7 | 6 | · | 1 | · | · | · | 62 | 63 | 84 | 57 |
| WATERFORD CO. BOROUGH | 144 | 140 | 4 | 4 | · | · | · | · | · | 21 | 39 | 48 | 36 |

PROVINCE OI

| | | | | | | | | | | | | | |
|-----------------------|-----|-----|----|----|---|---|---|---|---|-----|-----|-----|-----|
| GALWAY | 759 | 757 | 2 | 2 | · | · | · | · | · | 236 | 228 | 167 | 128 |
| LEITRIM | 232 | 217 | 15 | 13 | 1 | 1 | · | · | · | 64 | 67 | 42 | 59 |
| MAYO | 565 | 559 | 6 | 5 | 1 | · | · | · | · | 184 | 151 | 120 | 110 |
| ROSCOMMON | 323 | 318 | 5 | 5 | · | · | · | · | · | 74 | 101 | 55 | 93 |

| | | | | | | | | | | | | | |
|-------------------|-----|-----|----|----|---|---|---|---|---|----|----|-----|----|
| SLIGO | 315 | 298 | 17 | 14 | 2 | 1 | · | · | · | 76 | 77 | 101 | 61 |
|-------------------|-----|-----|----|----|---|---|---|---|---|----|----|-----|----|

PROVINCE OI

| | | | | | | | | | | | | | |
|----------------------|-----|-----|-----|----|----|---|---|---|---|-----|-----|-----|-----|
| CAVAN | 343 | 273 | 70 | 49 | 17 | 3 | 1 | · | · | 91 | 76 | 100 | 76 |
| DCNEGAL | 753 | 615 | 138 | 58 | 72 | 7 | 1 | · | · | 183 | 192 | 208 | 170 |
| MONAGHAN | 291 | 241 | 50 | 20 | 30 | · | · | · | · | 80 | 56 | 92 | 63 |

REGISTERED IN THE YEAR 1947.

MARRIAGES.

| Contracted between | | | | Of | | Of Persons not of full Age | | PROVINCES AND COUNTIES. |
|------------------------------|--------------------------|-----------------------------|-------------------------|-----------|---------|----------------------------------|--------|-------------------------------|
| Bachelors and Spinasters. | Bachelors and Widows. | Widowers and Spinasters. | Widowers and Widows. | Widowers. | Widows. | Men. | Women. | |
| 15,435 | 196 | 559 | 100 | 659 | 296 | 244 | 1,146 | ÉIRE |
| 7,302 | 100 | 305 | 62 | 367 | 162 | 149 | 659 | PROVINCES. |
| 4,690 | 58 | 169 | 23 | 192 | 81 | 73 | 209 | LEINSTER. |
| 2,110 | 28 | 47 | 9 | 56 | 37 | 17 | 94 | MUNSTER. |
| 1,333 | 10 | 38 | 6 | 44 | 16 | 5 | 84 | CONNAUGHT. |
| | | | | | | | | ULSTER (part of). |

LEINSTER

| | | | | | | | | |
|-------|----|-----|----|-----|----|----|-----|-----------------|
| 158 | 3 | 8 | | 8 | 3 | 6 | 17 | CARLOW. |
| 658 | 10 | 22 | 5 | 27 | 15 | 12 | 58 | DUBLIN CO. |
| 3,709 | 55 | 167 | 35 | 202 | 90 | 88 | 285 | CITY OF DUBLIN. |
| 284 | 5 | 10 | 1 | 11 | 6 | 7 | 37 | KILDARE. |
| 307 | 5 | 8 | 6 | 14 | 11 | 2 | 29 | KILKENNY. |
| 158 | 2 | 5 | | 5 | 2 | 1 | 12 | LAOIGHIS. |
| 148 | | 5 | | 5 | | 1 | 11 | LONGFORD. |
| 368 | 5 | 12 | 2 | 14 | 7 | 5 | 41 | LOUTH. |
| 283 | 5 | 12 | 1 | 13 | 6 | 4 | 29 | MEATH. |
| 233 | 2 | 10 | 2 | 12 | 4 | 2 | 16 | OFFALY. |
| 266 | 2 | 12 | 4 | 16 | 6 | 4 | 22 | WESTMEATH. |
| 428 | 5 | 17 | 3 | 20 | 8 | 11 | 66 | WEXFORD. |
| 302 | 1 | 17 | 3 | 20 | 4 | 6 | 36 | WICKLOW. |

MUNSTER

| | | | | | | | | |
|-------|----|----|---|----|----|----|----|------------------------|
| 400 | 6 | 7 | | 7 | 6 | 4 | 25 | CLARE. |
| 1,095 | 13 | 33 | 4 | 37 | 17 | 11 | 50 | CORK CO. |
| 752 | 4 | 33 | 6 | 39 | 10 | 19 | 50 | CORK CO. BOROUGH. |
| 585 | 6 | 15 | 2 | 17 | 8 | 2 | 9 | KERRY. |
| 374 | 6 | 16 | 3 | 19 | 9 | 6 | 32 | LIMERICK CO. |
| 430 | 7 | 21 | | 21 | 7 | 14 | 46 | LIMERICK CO. BOROUGH. |
| 303 | 4 | 12 | 2 | 14 | 6 | 2 | 16 | TIPPERARY, N.R. |
| 374 | 5 | 9 | 3 | 12 | 8 | 5 | 40 | TIPPERARY, S.R. |
| 245 | 6 | 13 | 2 | 15 | 8 | 5 | 29 | WATERFORD CO. |
| 132 | 1 | 10 | 1 | 11 | 2 | 5 | 12 | WATERFORD CO. BOROUGH. |

CONNAUGHT

| | | | | | | | | |
|-----|---|----|---|----|----|---|----|------------|
| 736 | 7 | 12 | 4 | 16 | 11 | 9 | 38 | GALWAY. |
| 218 | 6 | 6 | 2 | 8 | 8 | 1 | 6 | LEITRIM. |
| 545 | 9 | 10 | 1 | 11 | 10 | 3 | 24 | MAYO. |
| 310 | 3 | 9 | 1 | 10 | 4 | 3 | 12 | ROSCOMMON. |
| 301 | 3 | 10 | 1 | 11 | 4 | 1 | 14 | SLIGO. |

ULSTER (Part of)

| | | | | | | | | |
|-----|---|----|---|----|---|---|----|-----------|
| 332 | 5 | 6 | | 6 | 5 | 1 | 13 | CAVAN. |
| 724 | 4 | 23 | 2 | 25 | 6 | 4 | 58 | DONEGAL. |
| 277 | 1 | 9 | 4 | 13 | 5 | | 13 | MONAGHAN. |

ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1947—by Provinces and Counties.

| Provinces and Counties. | TOTAL BIRTHS | TOTAL DEATHS | AGES AT DEATH. | | | | | | | | | | | | | | | | | | | | 95 & up- wards | | | |
|-------------------------|-------------------------------|-----------------|---------------------|---------|-------|---------|-------|---------|---------------------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|----------------------|---------|-------|---------|
| | | | Under 1 Year. | | 1— | 2— | 3— | 4— | Under 5 Years | | 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— |
| | | | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females | Males | Females |
| EIRE | { Persons Males Females | 68,978 | 44,061 | 4,687 | 529 | 256 | 142 | 129 | 5,743 | 344 | 291 | 576 | 767 | 769 | 771 | 873 | 996 | 1,217 | 1,694 | 2,178 | 3,135 | 4,410 | 6,633 | 10,703 | 2,777 | 184 |
| | | 35,674 | 23,461 | 2,683 | 293 | 144 | 77 | 32 | 3,289 | 180 | 143 | 264 | 348 | 379 | 385 | 472 | 539 | 668 | 930 | 1,218 | 1,731 | 2,482 | 3,576 | 5,542 | 1,261 | 73 |
| | | 33,304 | 20,600 | 1,994 | 236 | 112 | 65 | 67 | 2,474 | 166 | 148 | 312 | 419 | 390 | 386 | 491 | 457 | 548 | 764 | 950 | 1,404 | 1,928 | 3,057 | 5,161 | 1,516 | 1,516 |
| LEINSTER | { Persons Males Females | 32,194 | 18,566 | 2,404 | 293 | 133 | 70 | 67 | 2,967 | 171 | 138 | 285 | 314 | 351 | 326 | 373 | 465 | 577 | 774 | 1,088 | 1,441 | 1,884 | 2,567 | 3,921 | 863 | 61 |
| | | 16,616 | 9,743 | 1,388 | 154 | 78 | 39 | 28 | 1,687 | 84 | 71 | 125 | 127 | 167 | 167 | 188 | 255 | 331 | 420 | 621 | 792 | 1,046 | 1,363 | 1,952 | 328 | 1,952 |
| | | 15,578 | 8,823 | 1,016 | 139 | 55 | 31 | 39 | 1,280 | 87 | 67 | 160 | 187 | 184 | 159 | 185 | 210 | 246 | 354 | 467 | 649 | 838 | 1,204 | 1,869 | 535 | 42 |
| MUNSTER | { Persons Males Females | 20,824 | 14,137 | 1,458 | 136 | 67 | 41 | 42 | 1,744 | 90 | 95 | 157 | 233 | 232 | 246 | 292 | 325 | 371 | 559 | 678 | 1,036 | 1,460 | 2,320 | 3,374 | 890 | 35 |
| | | 10,790 | 7,550 | 835 | 78 | 32 | 21 | 23 | 989 | 47 | 48 | 78 | 111 | 112 | 124 | 168 | 166 | 195 | 320 | 364 | 587 | 840 | 1,233 | 1,745 | 408 | 15 |
| | | 10,034 | 6,587 | 623 | 58 | 35 | 20 | 19 | 755 | 43 | 47 | 79 | 122 | 120 | 122 | 124 | 159 | 176 | 239 | 314 | 449 | 620 | 1,087 | 1,629 | 482 | 20 |
| CONNAUGHT | { Persons Males Females | 10,322 | 7,390 | 531 | 74 | 40 | 19 | 13 | 677 | 52 | 34 | 87 | 142 | 128 | 130 | 139 | 134 | 170 | 235 | 244 | 425 | 662 | 1,097 | 2,266 | 703 | 65 |
| | | 5,381 | 4,038 | 812 | 46 | 26 | 8 | 8 | 400 | 30 | 12 | 44 | 71 | 74 | 67 | 78 | 81 | 90 | 125 | 136 | 228 | 378 | 642 | 1,193 | 364 | 25 |
| | | 4,941 | 3,352 | 219 | 28 | 14 | 11 | 5 | 277 | 22 | 22 | 43 | 71 | 54 | 63 | 61 | 53 | 80 | 110 | 108 | 197 | 284 | 455 | 1,073 | 339 | 40 |
| ULSTER (part of) | { Persons Males Females | 5,638 | 3,968 | 294 | 26 | 16 | 12 | 7 | 355 | 31 | 24 | 47 | 78 | 53 | 69 | 69 | 72 | 99 | 126 | 168 | 233 | 404 | 649 | 1,142 | 321 | 23 |
| | | 2,887 | 2,130 | 158 | 15 | 8 | 9 | 3 | 193 | 19 | 12 | 17 | 39 | 26 | 27 | 38 | 37 | 53 | 65 | 97 | 124 | 218 | 338 | 652 | 161 | 14 |
| | | 2,751 | 1,838 | 136 | 11 | 8 | 3 | 4 | 162 | 12 | 12 | 30 | 39 | 32 | 42 | 31 | 35 | 46 | 61 | 71 | 109 | 186 | 311 | 490 | 160 | 9 |
| LEINSTER. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARLOW | { Persons Males Females | 897 | 546 | 50 | 11 | 5 | 3 | 2 | 71 | 3 | 4 | 7 | 13 | 8 | 10 | 10 | 12 | 13 | 24 | 26 | 36 | 53 | 88 | 138 | 30 | • |
| | | 478 | 303 | 30 | 7 | 3 | 1 | 1 | 42 | 2 | 2 | 2 | 8 | 2 | 6 | 3 | 7 | 9 | 12 | 13 | 20 | 26 | 50 | 89 | 12 | |
| | | 419 | 243 | 20 | 4 | 2 | 2 | 1 | 29 | 3 | 2 | 5 | 5 | 6 | 4 | 7 | 5 | 4 | 12 | 13 | 16 | 27 | 38 | 49 | 18 | |
| DUBLIN CO. | { Persons Males Females | 2,707 | 1,709 | 191 | 22 | 7 | 7 | 8 | 235 | 28 | 20 | 39 | 38 | 29 | 31 | 34 | 56 | 45 | 64 | 82 | 139 | 178 | 225 | 342 | 116 | 8 |
| | | 1,396 | 827 | 106 | 14 | 5 | 3 | 4 | 182 | 9 | 12 | 14 | 14 | 16 | 15 | 16 | 32 | 25 | 34 | 41 | 69 | 100 | 118 | 146 | 30 | |
| | | 1,311 | 882 | 85 | 8 | 2 | 4 | 4 | 103 | 19 | 8 | 25 | 24 | 13 | 16 | 18 | 24 | 20 | 30 | 41 | 70 | 78 | 107 | 196 | 86 | |
| CITY OF DUBLIN | { Persons Males Females | 13,484 | 7,167 | 1,145 | 138 | 58 | 33 | 21 | 1,395 | 67 | 61 | 129 | 135 | 151 | 138 | 177 | 191 | 298 | 359 | 504 | 626 | 697 | 855 | 1,139 | 229 | 16 |
| | | 6,952 | 3,613 | 666 | 72 | 32 | 23 | 7 | 800 | 42 | 27 | 56 | 54 | 72 | 72 | 84 | 98 | 170 | 191 | 304 | 332 | 377 | 489 | 66 | 2 | |
| | | 6,532 | 3,554 | 479 | 66 | 26 | 10 | 14 | 595 | 25 | 34 | 73 | 81 | 79 | 66 | 95 | 93 | 128 | 168 | 200 | 294 | 320 | 478 | 650 | 163 | |
| KILDARE | { Persons Males Females | 1,834 | 890 | 119 | 13 | 7 | 3 | 9 | 151 | 5 | 9 | 11 | 12 | 26 | 21 | 15 | 18 | 30 | 31 | 48 | 47 | 100 | 125 | 205 | 35 | 1 |
| | | 948 | 485 | 68 | 7 | 5 | 1 | 4 | 85 | 4 | 4 | 5 | 5 | 16 | 11 | 9 | 9 | 15 | 20 | 26 | 29 | 58 | 67 | 110 | 16 | |
| | | 886 | 405 | 51 | 6 | 2 | 2 | 5 | 66 | 5 | 5 | 6 | 7 | 10 | 10 | 6 | 6 | 11 | 22 | 18 | 42 | 58 | 95 | 19 | | |
| KILKENNY | { Persons Males Females | 1,588 | 956 | 115 | 21 | 10 | 2 | 3 | 151 | 4 | 4 | 15 | 12 | 11 | 9 | 15 | 24 | 20 | 30 | 46 | 68 | 97 | 168 | 232 | 47 | |
| | | 823 | 503 | 62 | 10 | 4 | 1 | 1 | 78 | 3 | 1 | 6 | 4 | 4 | 2 | 8 | 15 | 10 | 17 | 27 | 33 | 55 | 101 | 116 | 22 | |
| | | 765 | 453 | 53 | 11 | 6 | 1 | 2 | 73 | 1 | 3 | 9 | 8 | 7 | 7 | 9 | 10 | 18 | 19 | 35 | 42 | 67 | 116 | 25 | | |
| LAOIGHIS | { Persons Males Females | 1,094 | 770 | 80 | 10 | 4 | 1 | 1 | 96 | 8 | 2 | 7 | 10 | 8 | 13 | 15 | 20 | 23 | 22 | 30 | 58 | 88 | 124 | 204 | 44 | |
| | | 581 | 438 | 42 | 7 | 1 | 1 | 1 | 50 | 6 | 2 | 2 | 4 | 7 | 4 | 6 | 8 | 11 | 14 | 17 | 13 | 37 | 43 | 72 | 120 | |
| | | 563 | 332 | 38 | 3 | 3 | 1 | 1 | 46 | 2 | 2 | 3 | 3 | 4 | 6 | 7 | 9 | 9 | 17 | 21 | 40 | 52 | 84 | 22 | | |
| LONGFORD | { Persons Males | 858 | 585 | 57 | 3 | 5 | 2 | 1 | 68 | 4 | 4 | 4 | 8 | 8 | 9 | 10 | 7 | 8 | 16 | 25 | 27 | 42 | 61 | 95 | 150 | 38 |
| | | 461 | 309 | 25 | 2 | 4 | 1 | 1 | 33 | 2 | 2 | 2 | 2 | 2 | 5 | 4 | 4 | 7 | 5 | 12 | 10 | 18 | 27 | 42 | 68 | 19 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---------|-------|-------|-----|----|----|---|---|-----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-------|-----|-----|----|
| LOUTH | Persons | 1,738 | 966 | 100 | 11 | 9 | 5 | 3 | 128 | 11 | 9 | 11 | 17 | 16 | 18 | 14 | 20 | 20 | 35 | 61 | 78 | 109 | 150 | 218 | 48 | 3 | |
| | Males | 897 | 549 | 66 | 7 | 5 | 4 | 2 | 82 | 4 | 5 | 6 | 10 | 7 | 8 | 6 | 10 | 5 | 26 | 37 | 36 | 61 | 88 | 120 | 25 | 2 | |
| | Females | 841 | 417 | 34 | 4 | 4 | 2 | 2 | 46 | 7 | 5 | 5 | 7 | 9 | 8 | 8 | 10 | 5 | 9 | 24 | 42 | 48 | 62 | 98 | 23 | 1 | |
| MEATH | Persons | 1,561 | 931 | 105 | 15 | 6 | 3 | 2 | 131 | 6 | 3 | 6 | 9 | 16 | 19 | 13 | 17 | 17 | 32 | 64 | 71 | 93 | 155 | 222 | 53 | 4 | |
| | Males | 804 | 527 | 53 | 8 | 5 | 2 | 2 | 70 | 3 | 2 | 3 | 5 | 11 | 8 | 8 | 12 | 10 | 17 | 40 | 41 | 54 | 104 | 120 | 24 | 2 | |
| | Females | 757 | 404 | 52 | 7 | 1 | 1 | 1 | 61 | 3 | 1 | 3 | 8 | 11 | 8 | 5 | 5 | 7 | 15 | 24 | 30 | 39 | 51 | 102 | 29 | 2 | |
| OFFALY | Persons | 1,349 | 804 | 90 | 7 | 2 | 3 | 5 | 107 | 10 | 3 | 15 | 12 | 14 | 8 | 15 | 23 | 22 | 28 | 40 | 50 | 85 | 115 | 206 | 49 | 2 | |
| | Males | 707 | 439 | 58 | 2 | 2 | 1 | 1 | 64 | 5 | 1 | 9 | 4 | 6 | 3 | 5 | 14 | 13 | 11 | 20 | 33 | 58 | 64 | 110 | 19 | 2 | |
| | Females | 642 | 365 | 32 | 5 | 2 | 2 | 4 | 43 | 5 | 2 | 6 | 8 | 5 | 10 | 9 | 9 | 17 | 20 | 27 | 27 | 51 | 96 | 30 | 2 | | |
| WEST-MEATH | Persons | 1,338 | 828 | 87 | 11 | 5 | 4 | 1 | 106 | 7 | 8 | 7 | 15 | 23 | 14 | 16 | 22 | 19 | 31 | 40 | 55 | 83 | 117 | 211 | 48 | 6 | |
| | Males | 704 | 456 | 48 | 5 | 4 | 1 | 1 | 59 | 2 | 7 | 6 | 16 | 7 | 12 | 13 | 11 | 14 | 23 | 31 | 48 | 68 | 112 | 22 | 3 | 3 | |
| | Females | 634 | 372 | 39 | 6 | 1 | 1 | 1 | 47 | 5 | 1 | 5 | 7 | 7 | 4 | 9 | 8 | 17 | 24 | 35 | 49 | 99 | 149 | 26 | 3 | | |
| WEXFORD | Persons | 2,264 | 1,514 | 177 | 25 | 11 | 6 | 6 | 225 | 15 | 7 | 17 | 17 | 23 | 24 | 25 | 42 | 35 | 60 | 63 | 98 | 143 | 218 | 425 | 72 | 5 | |
| | Males | 1,154 | 773 | 104 | 10 | 5 | 2 | 3 | 124 | 7 | 3 | 9 | 4 | 10 | 12 | 14 | 24 | 19 | 35 | 28 | 57 | 72 | 118 | 202 | 34 | 4 | |
| | Females | 1,110 | 741 | 73 | 15 | 6 | 4 | 3 | 101 | 8 | 4 | 8 | 13 | 13 | 12 | 11 | 18 | 16 | 25 | 35 | 41 | 71 | 100 | 223 | 38 | 4 | |
| WICKLOW | Persons | 1,482 | 900 | 88 | 6 | 4 | 1 | 4 | 103 | 3 | 4 | 13 | 16 | 17 | 11 | 17 | 12 | 19 | 33 | 57 | 73 | 102 | 132 | 229 | 54 | 5 | |
| | Males | 761 | 521 | 60 | 3 | 3 | 3 | 2 | 68 | 1 | 4 | 7 | 8 | 5 | 5 | 12 | 9 | 9 | 13 | 32 | 50 | 60 | 83 | 136 | 17 | 2 | |
| | Females | 721 | 379 | 28 | 3 | 1 | 1 | 2 | 35 | 2 | 6 | 8 | 12 | 6 | 5 | 3 | 10 | 20 | 25 | 23 | 42 | 49 | 93 | 37 | 3 | | |
| MUNSTER. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLARE | Persons | 1,844 | 1,344 | 111 | 5 | 1 | 2 | 4 | 123 | 4 | 7 | 16 | 18 | 16 | 23 | 26 | 33 | 26 | 60 | 70 | 69 | 122 | 235 | 381 | 109 | 6 | |
| | Males | 949 | 771 | 63 | 3 | 1 | 2 | 2 | 68 | 4 | 3 | 6 | 9 | 10 | 12 | 15 | 19 | 11 | 33 | 39 | 45 | 81 | 133 | 223 | 56 | 4 | |
| | Females | 895 | 573 | 48 | 2 | 1 | 2 | 2 | 55 | 4 | 10 | 9 | 6 | 11 | 11 | 14 | 15 | 27 | 31 | 24 | 41 | 102 | 158 | 53 | 2 | | |
| CORK CO. | Persons | 5,347 | 4,140 | 359 | 33 | 16 | 9 | 9 | 426 | 20 | 22 | 48 | 64 | 68 | 60 | 87 | 93 | 107 | 147 | 188 | 321 | 452 | 714 | 1,058 | 256 | 9 | |
| | Males | 2,823 | 2,197 | 207 | 23 | 11 | 6 | 5 | 252 | 9 | 11 | 24 | 35 | 38 | 21 | 54 | 46 | 56 | 81 | 113 | 183 | 268 | 370 | 525 | 108 | 3 | |
| | Females | 2,524 | 1,943 | 152 | 10 | 5 | 3 | 4 | 174 | 11 | 11 | 24 | 29 | 30 | 39 | 33 | 47 | 51 | 66 | 75 | 138 | 184 | 344 | 533 | 148 | 6 | |
| CORK CO. BOROUGH | Persons | 1,976 | 1,292 | 163 | 8 | 8 | 3 | 2 | 184 | 11 | 9 | 8 | 30 | 29 | 15 | 35 | 40 | 44 | 73 | 76 | 132 | 160 | 210 | 199 | 37 | . | |
| | Males | 1,024 | 661 | 104 | 7 | 6 | 3 | 1 | 121 | 9 | 5 | 2 | 14 | 7 | 10 | 16 | 22 | 23 | 40 | 42 | 70 | 81 | 102 | 84 | 13 | . | |
| | Females | 952 | 631 | 59 | 1 | 2 | 1 | 1 | 63 | 2 | 4 | 6 | 16 | 22 | 5 | 19 | 18 | 21 | 34 | 62 | 79 | 108 | 115 | 24 | . | . | |
| KERRY | Persons | 2,898 | 2,010 | 167 | 15 | 7 | 8 | 5 | 202 | 7 | 14 | 21 | 35 | 30 | 56 | 41 | 36 | 50 | 90 | 89 | 110 | 185 | 338 | 536 | 158 | 12 | |
| | Males | 1,500 | 1,110 | 98 | 7 | 3 | 4 | 4 | 116 | 5 | 7 | 11 | 10 | 20 | 33 | 23 | 24 | 27 | 51 | 46 | 61 | 103 | 174 | 306 | 87 | 6 | |
| | Females | 1,398 | 900 | 69 | 8 | 4 | 4 | 1 | 86 | 2 | 7 | 10 | 25 | 10 | 23 | 18 | 12 | 23 | 39 | 43 | 49 | 82 | 164 | 230 | 71 | 6 | |
| LIMERICK CO. | Persons | 2,358 | 1,456 | 207 | 21 | 7 | 3 | 7 | 245 | 17 | 5 | 15 | 25 | 22 | 20 | 25 | 25 | 34 | 61 | 73 | 96 | 144 | 215 | 324 | 107 | 3 | |
| | Males | 1,216 | 788 | 120 | 9 | 1 | 2 | 4 | 136 | 6 | 2 | 8 | 16 | 13 | 12 | 11 | 8 | 13 | 33 | 30 | 57 | 80 | 127 | 187 | 48 | 1 | |
| | Females | 1,142 | 668 | 87 | 12 | 6 | 1 | 3 | 109 | 11 | 3 | 7 | 9 | 9 | 8 | 14 | 17 | 21 | 28 | 43 | 39 | 64 | 88 | 137 | 59 | 2 | |
| LIMERICK BOROUGH | Persons | 1,310 | 685 | 118 | 12 | 8 | 4 | 2 | 144 | 4 | 8 | 13 | 13 | 16 | 17 | 16 | 34 | 19 | 31 | 30 | 52 | 80 | 99 | 95 | 13 | | |
| | Males | 665 | 335 | 64 | 8 | 2 | 1 | 1 | 76 | 1 | 4 | 7 | 8 | 3 | 7 | 7 | 12 | 17 | 19 | 23 | 46 | 59 | 39 | 4 | . | | |
| | Females | 645 | 350 | 54 | 4 | 6 | 3 | 1 | 68 | 3 | 4 | 6 | 5 | 13 | 10 | 9 | 22 | 7 | 14 | 11 | 29 | 34 | 49 | 56 | 9 | 1 | |
| TIPPERARY, N.R. | Persons | 1,364 | 828 | 83 | 9 | 1 | 4 | 3 | 100 | 3 | 6 | 9 | 10 | 11 | 18 | 19 | 10 | 27 | 31 | 41 | 71 | 75 | 125 | 207 | 63 | 2 | |
| | Males | 723 | 454 | 50 | 7 | 1 | 2 | 2 | 59 | 1 | 4 | 4 | 6 | 6 | 6 | 5 | 7 | 4 | 4 | 15 | 12 | 17 | 35 | 34 | 54 | 100 | 30 |
| | Females | 641 | 374 | 33 | 2 | 1 | 2 | 3 | 41 | 2 | 2 | 5 | 6 | 7 | 4 | 4 | 14 | 9 | 11 | 32 | 39 | 53 | 90 | 147 | 41 | 2 | |
| TIPPERARY, S.B. | Persons | 1,990 | 1,182 | 116 | 20 | 7 | 1 | 4 | 148 | 10 | 12 | 13 | 15 | 27 | 21 | 19 | 30 | 27 | 29 | 50 | 105 | 121 | 187 | 293 | 73 | 2 | |
| | Males | 970 | 605 | 58 | 9 | 3 | 2 | 2 | 72 | 4 | 4 | 6 | 6 | 11 | 12 | 11 | 16 | 18 | 18 | 66 | 68 | 97 | 146 | 32 | 30 | . | |
| | Females | 1,020 | 577 | 58 | 11 | 4 | 2 | 2 | 76 | 6 | 8 | 7 | 9 | 16 | 9 | 8 | 14 | 9 | 11 | 32 | 39 | 53 | 90 | 147 | 41 | 2 | |

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1947.

| Provinces and Counties. | TOTAL BIRTHS. | TOTAL DEATHS | AGES AT DEATH. | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|------------------|-----------------|---------------------|-----|----|----|----|---------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------------------|----|----|
| | | | Under 1 Year. | 1— | 2— | 3— | 4— | Under 5 Years | 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & up- wards | | |
| WATERFORD CO. | Persons | 1,048 | 759 | 81 | 10 | 8 | 4 | 5 | 108 | 9 | 6 | 6 | 11 | 9 | 10 | 14 | 9 | 14 | 25 | 36 | 47 | 77 | 129 | 195 | 54 | . | |
| | Males | 562 | 403 | 48 | 4 | 3 | 1 | 3 | 59 | 5 | 4 | 4 | 4 | 3 | 8 | 6 | 8 | 19 | 26 | 51 | 74 | 87 | 22 | . | . | | |
| | Females | 486 | 356 | 33 | 6 | 5 | 3 | 2 | 49 | 4 | 2 | 2 | 7 | 5 | 6 | 6 | 6 | 17 | 21 | 26 | 53 | 103 | 32 | . | . | | |
| WATERFORD CO.BOROUGH | Persons | 689 | 441 | 53 | 3 | 4 | 3 | 1 | 64 | 5 | 6 | 8 | 12 | 4 | 6 | 10 | 15 | 23 | 12 | 25 | 33 | 44 | 68 | 86 | 20 | . | |
| | Males | 358 | 226 | 23 | 1 | 3 | 2 | 1 | 30 | 3 | 4 | 6 | 5 | 3 | 8 | 7 | 15 | 9 | 14 | 20 | 21 | 35 | 41 | 5 | . | | |
| | Females | 331 | 215 | 30 | 2 | 1 | 1 | · | 34 | 2 | 2 | 2 | 7 | 4 | 3 | 2 | 8 | 8 | 3 | 11 | 13 | 23 | 33 | 45 | 15 | . | |
| CONNAUGHT. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GALWAY | Persons | 3,891 | 2,344 | 233 | 34 | 23 | 9 | 7 | 306 | 25 | 7 | 35 | 57 | 36 | 38 | 45 | 42 | 47 | 74 | 64 | 128 | 187 | 317 | 677 | 241 | 18 | . |
| | Males | 2,023 | 1,242 | 140 | 17 | 13 | 6 | 5 | 181 | 11 | 1 | 20 | 29 | 19 | 18 | 23 | 23 | 25 | 39 | 38 | 68 | 104 | 168 | 352 | 120 | 5 | . |
| | Females | 1,798 | 1,102 | 93 | 17 | 10 | 3 | 2 | 125 | 14 | 6 | 15 | 28 | 17 | 22 | 22 | 19 | 22 | 35 | 26 | 60 | 83 | 149 | 325 | 121 | 13 | . |
| LEITRIM | Persons | 822 | 735 | 41 | 4 | · | · | 1 | 46 | 4 | 3 | 4 | 13 | 14 | 18 | 11 | 13 | 21 | 22 | 35 | 41 | 85 | 107 | 240 | 51 | 7 | 53 |
| | Males | 400 | 433 | 28 | 4 | · | · | 1 | 33 | 3 | 2 | 1 | 4 | 8 | 13 | 5 | 6 | 11 | 14 | 21 | 26 | 55 | 70 | 131 | 27 | 3 | . |
| | Females | 422 | 302 | 13 | · | · | · | · | 13 | 1 | 1 | 3 | 9 | 6 | 5 | 6 | 7 | 10 | 8 | 14 | 15 | 30 | 37 | 109 | 24 | 4 | . |
| MAYO | Persons | 3,170 | 2,173 | 121 | 21 | 11 | 3 | 3 | 159 | 11 | 11 | 20 | 36 | 47 | 47 | 41 | 45 | 51 | 72 | 61 | 133 | 191 | 321 | 678 | 220 | 29 | . |
| | Males | 1,648 | 1,204 | 73 | 16 | 8 | 2 | 2 | 101 | 8 | 9 | 20 | 30 | 23 | 24 | 30 | 29 | 38 | 31 | 73 | 113 | 195 | 353 | 111 | 11 | . | |
| | Females | 1,522 | 969 | 48 | 5 | 3 | 1 | 1 | 58 | 3 | 6 | 11 | 16 | 17 | 24 | 17 | 15 | 22 | 34 | 30 | 60 | 78 | 126 | 325 | 109 | 18 | . |
| ROSCOMMON | Persons | 1,269 | 1,083 | 47 | 7 | 3 | 3 | 1 | 61 | 3 | 6 | 15 | 19 | 13 | 12 | 24 | 11 | 22 | 37 | 50 | 62 | 101 | 183 | 359 | 96 | 9 | . |
| | Males | 658 | 597 | 26 | 5 | 3 | · | · | 34 | 2 | 3 | 8 | 10 | 6 | 8 | 15 | 7 | 14 | 20 | 30 | 32 | 55 | 106 | 191 | 50 | 6 | . |
| | Females | 611 | 486 | 21 | 2 | · | · | 3 | 1 | 27 | 1 | 3 | 7 | 9 | 7 | 4 | 9 | 8 | 17 | 20 | 30 | 46 | 77 | 168 | 46 | 3 | . |
| SLIGO | Persons | 1,240 | 1,055 | 89 | 8 | 3 | 4 | 1 | 105 | 9 | 7 | 13 | 17 | 18 | 15 | 18 | 23 | 29 | 30 | 34 | 61 | 98 | 169 | 312 | 95 | 2 | . |
| | Males | 652 | 562 | 45 | 4 | 2 | · | · | 51 | 6 | 1 | 6 | 8 | 11 | 11 | 15 | 11 | 14 | 16 | 29 | 51 | 103 | 166 | 56 | 56 | . | |
| | Females | 588 | 493 | 44 | 4 | 1 | 4 | 1 | 54 | 3 | 6 | 7 | 9 | 7 | 8 | 7 | 8 | 18 | 16 | 32 | 47 | 66 | 146 | 39 | 2 | . | |
| ULSTER (part of). | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CAVAN | Persons | 1,415 | 1,103 | 78 | 6 | · | 3 | 1 | 88 | 6 | 9 | 10 | 24 | 12 | 11 | 24 | 18 | 29 | 47 | 33 | 73 | 124 | 194 | 323 | 72 | 6 | . |
| | Males | 725 | 612 | 41 | 3 | 2 | 1 | 1 | 46 | 4 | 6 | 3 | 11 | 8 | 4 | 16 | 10 | 15 | 22 | 21 | 36 | 65 | 108 | 198 | 35 | 4 | . |
| | Females | 690 | 491 | 37 | 3 | · | 1 | 1 | 42 | 2 | 3 | 7 | 13 | 4 | 8 | 14 | 25 | 37 | 59 | 86 | 125 | 37 | 2 | . | . | | |
| DONEGAL | Persons | 3,068 | 2,029 | 165 | 16 | 14 | 7 | 4 | 206 | 23 | 11 | 27 | 40 | 38 | 44 | 33 | 36 | 49 | 57 | 94 | 118 | 184 | 306 | 574 | 173 | 16 | . |
| | Males | 1,601 | 1,092 | 91 | 10 | 7 | 5 | 2 | 115 | 15 | 5 | 11 | 21 | 16 | 16 | 18 | 28 | 31 | 54 | 61 | 98 | 168 | 323 | 87 | 9 | . | |
| | Females | 1,467 | 937 | 74 | 6 | 7 | 2 | 2 | 91 | 8 | 6 | 16 | 19 | 22 | 17 | 18 | 21 | 26 | 40 | 57 | 86 | 138 | 251 | 86 | 7 | . | |
| MONAGHAN | Persons | 1,155 | 836 | 51 | 4 | 2 | 2 | 2 | 61 | 2 | 4 | 10 | 14 | 8 | 14 | 12 | 18 | 21 | 22 | 41 | 42 | 96 | 149 | 245 | 76 | 1 | . |
| | Males | 561 | 426 | 26 | 2 | 1 | 2 | 1 | 32 | 2 | 3 | 1 | 7 | 7 | 6 | 7 | 9 | 10 | 12 | 22 | 27 | 55 | 62 | 131 | 39 | 1 | . |
| | Females | 594 | 410 | 25 | 2 | 1 | · | 1 | 29 | 2 | 3 | 7 | 7 | 6 | 7 | 6 | 9 | 11 | 10 | 19 | 15 | 41 | 87 | 114 | 37 | . | . |

ABSTRACT IV.

Causes of Death.

ABSTRACT IV—CAUSES OF DEATH

at different Periods of Life in the Year 1947.

DEATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed International List Nos. | Intermediate List Nos. | International List Nos. | |
|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|----------------|----------------|----------------|----------------|----------------|--------------|----------------------------------|------------------------|-------------------------|-----------|
| 180 164 | 143 148 | 264 312 | 348 419 | 379 390 | 385 386 | 472 401 | 539 457 | 669 548 | 930 764 | 1,218 960 | 1,731 1,404 | 2,482 1,928 | 3,576 3,057 | 5,542 5,161 | 1,261 1,516 | 73 111 | | | | |
| 69 60 | 53 77 | 140 226 | 206 308 | 224 257 | 219 194 | 196 154 | 162 134 | 163 106 | 154 84 | 138 84 | 146 78 | 120 106 | 105 101 | 117 108 | 9 12 | 2 | {(1-44) (1-17)} | | | |
| • • | • 1 | 2 1 | 1 • | 1 1 | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | |
| • • | • • | • • | • • | • • | • • | • • | 2 • | • • | 2 • | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | 3 • | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | 4 • | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | 17 • | |
| 1 1 | 1 1 | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 2 2 | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 6 17 | |
| • • | 1 • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | 7 17 | |
| 1 1 | • • | 1 • | • • | • • | • • | • • | • • | • • | • • | • • | • • | 8 3 | |
| 4 3 | • • | • • | • • | • • | • • | • • | • • | • • | • • | 9 4 | |
| 6 4 | • • | 1 1 | 1 • | 1 • | 1 • | 1 • | 1 • | 1 2 | 2 2 | 1 1 | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 10 5 | |
| • • | 1 • | • • | • • | • • | • • | • • | • • | • • | • • | 1 • | • • | 11 17 | |
| 1 • | 1 1 | 1 • | 1 • | 2 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 1 • | 12 17 | |
| 47 47 | 44 69 | 128 215 | 189 300 | 217 244 | 205 181 | 181 145 | 154 124 | 139 94 | 134 73 | 106 61 | 109 45 | 59 52 | 30 33 | 12 10 | 3 1 | | | {13-22 (6-7)} | | |
| 6 5 | 6 33 | 72 162 | 145 261 | 181 209 | 174 161 | 163 129 | 139 109 | 121 81 | 120 62 | 100 48 | 98 41 | 53 42 | 24 28 | 6 8 | 2 1 | | | 13 6 | | |
| 41 42 | 38 36 | 56 53 | 44 39 | 36 35 | 31 20 | 18 16 | 15 15 | 18 13 | 14 11 | 6 13 | 11 4 | 6 10 | 6 5 | 6 2 | 1 1 | | | {14-22 7} | | |
| 30 21 | 23 22 | 29 27 | 13 13 | 10 12 | 10 9 | 7 7 | 3 3 | 2 5 | 1 2 | 2 1 | • • | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | {14 14} | |
| 5 7 | 4 3 | 7 8 | 4 11 | 5 2 | 3 3 | 3 4 | 3 4 | 3 3 | 2 2 | 1 1 | 3 1 | • • | 2 2 | 2 2 | 2 2 | 2 2 | 2 2 | | {15 6} | |
| 1 • | 2 • | 5 3 | 8 2 | 7 5 | 6 • | 2 1 | 3 2 | 4 3 | • • | 1 3 | 1 2 | 1 1 | 1 1 | 1 1 | 3 1 | 1 1 | 1 1 | | {16 6} | |
| • • | • • | 4 3 | 1 1 | 5 4 | 2 3 | 1 1 | • • | 1 1 | 3 2 | 2 1 | 1 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | 2 1 | | {17 6} | |
| • • | • • | • • | • • | • • | • • | • • | • • | | {18 6} | |
| • • | • • | • • | • • | • • | • • | • • | • • | | {19 6} | |
| • • | • • | 1 • | • • | • • | • • | 1 • | • • | • • | • • | 2 • | • • | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | | {20 6} |

ABSTRACT IV.—continued—CAUSES OF DEATH

| Intermediate International List Nos. | Detailed International List Nos. | Causes of Death. | AGES AT | | | | | | | | | | | | |
|--|--|---|--------------|---------------------|--------------|--------------|--------------|---------------|------------------------------|----------|--------|--------|--------|------------------------------|----------|
| | | | All Ages. | Under 1 Month | 1—2 Mths. | 2—3 Mths. | 3—6 Mths. | 6—12 Mths. | Total under 1 year. | 1— | 2— | 3— | 4— | Total under 5 years | |
| | | Infective and Parasitic Diseases—continued. | | | | | | | | | | | | | |
| 7 | 21 | Tuberculosis of Other Organs. { M. F. | 3 3 | · | · | · | · | · | · | · | · | · | · | · | |
| 7 | 22 | Disseminated Tuberculosis. { M. F. | 96 86 | · | · | · | · | 3 | 2 | 5 3 | 6 2 | 5 2 | 3 3 | 1 2 | 20 12 |
| 17 | 23 | Leprosy ... { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 8 | 24 | Purulent Infection, and Septicaemia. { M. F. | 31 13 | 1 | 1 | · | · | 1 | 1 | 4 3 | 3 1 | 2 · | 1 1 | 9 6 | |
| 17 | 25 | Gonococcal Infections { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 17 | 26 | Other Bacterial Diseases (Dysentery { M. excepted). F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 9 | 27 | Dysentery ... { M. F. | 2 1 | · | · | · | · | 1 | · | 1 | · | · | · | 1 | |
| 10 | 28 | Malaria ... { M. F. | 2 | · | · | · | · | · | · | · | · | · | · | · | |
| 17 | 29 | Other Diseases due to Parasitic Protozoa, { M. F. except Spirochætes | · | · | · | · | · | · | · | · | · | · | · | · | |
| 11 | 30 | Syphilis* ... { M. F. | 40 16 | 7 1 | 3 1 | 1 | 4 4 | 2 1 | 17 7 | · | · | · | · | 17 7 | |
| 17 | 31 | Relapsing Fever ... { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 17 | 32 | Other Diseases due to Spirochætes { M. F. | 7 2 | · | · | · | · | · | 1 | 1 | · | · | · | 1 | |
| 12 | 33 | Influenza ... { M. F. | 326 325 | 1 3 | 9 2 | 6 1 | 5 4 | 3 3 | 24 13 | 4 3 | 4 1 | · | · | 28 21 | |
| 13 | 34 | Smallpox ... { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 14 | 35 | Measles ... { M. F. | 55 51 | 1 | 1 | 2 3 | 2 4 | 8 8 | 14 15 | 22 20 | 6 9 | 2 · | 2 1 | 46 46 | |
| 17 | 36 | Acute Poliomyelitis and Polioencephalitis { M. F. | 31 25 | · | · | · | · | 1 | 1 | 2 · | 2 2 | 3 2 | 1 1 | 7 6 | |
| 17 | 37 | Acute Infectious Encephalitis (Lethargic Epidemic). { M. F. | 9 5 | · | · | · | · | 1 | · | 1 | · | · | · | 1 | |
| 17 | 38 | Other Diseases due to Viruses. { M. F. | 1 1 | · | · | · | · | · | · | · | 1 | · | · | 1 | |
| 15 | 39 | Typhus and Typhus-like Diseases (Rickettsioses). { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 16 | 40 | Ankylostomiasis ... { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 16 | 41 | Hydatid Disease ... { M. F. | · | · | · | · | · | · | · | · | · | · | · | · | |
| 16 | 42 | Other Diseases due to Helminths. { M. F. | 2 1 | · | · | · | · | · | · | 1 | · | · | 1 | 2 1 | |
| 17 | 43 | Mycoses ... { M. F. | 1 1 | · | · | · | · | · | 1 | · | · | · | · | 1 | |
| 17 | 44 | Other Infective or Parasitic Diseases. { M. F. | 23 12 | · | · | · | · | · | · | · | · | 1 | · | 1 | |

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1947.

DEATH.

| | 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & up-wards | Detailed International List Nos. | Intermediate International List Nos. |
|---------|--------|----------|---------|---------|--------|--------|--------|--------|---------|----------|----------|----------|----------|----------|---------|-----|---------------|----------------------------------|--------------------------------------|
| . | . | . | 1 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 21 | 7 |
| 5 11 | 9 7 | 10 13 | 10 8 | 11 9 | 7 3 | 4 4 | 4 3 | 4 1 | 5 6 | 1 4 | 2 4 | 1 1 | 1 1 | . | . | . | 22 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 23 | 17 | | |
| 2 | 1 1 | 2 | . | . | 2 | 1 | 1 1 | 3 2 | 1 | 1 2 | 2 | 2 | 2 | 4 | . | 24 | 8 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 25 | 17 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 26 | 17 | | |
| . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 27 | 9 | | |
| . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 28 | 10 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 29 | 17 | | |
| . | . | . | 1 | . | 2 | 2 | . | 2 | 6 1 | 1 1 | 5 1 | 6 1 | 1 | 1 1 | 2 | 30 | 11 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 31 | 17 | | |
| . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | 1 | 2 | . | . | 32 | 17 | | |
| 2 3 | 2 2 | 2 | 4 3 | 3 | 3 5 | 6 3 | 3 5 | 8 4 | 11 9 | 17 11 | 22 28 | 47 53 | 71 65 | 96 97 | 6 11 | 2 | 33 | 12 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 34 | 13 | | |
| 3 | 2 2 | 1 1 | . | . | 1 1 | . | . | 1 | . | 1 | . | 1 | . | 1 | . | 35 | 14 | | |
| 1 | 3 6 | 3 6 | 6 4 | 2 5 | 3 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | . | . | . | 36 | 17 | | |
| 2 | . | 1 | 1 | . | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | 37 | 17 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 38 | 17 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 39 | 15 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 40 | 16 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 41 | 16 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 42 | 16 | | |
| . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 43 | 17 | | |
| . | 1 | 2 | 1 | 1 | 2 | 1 3 | 1 | 1 | 4 1 | 2 | 2 2 | 5 1 | 2 | . | 1 | . | 44 | 17 | |

ABSTRACT IV.—continued.—CAUSES OF DEATH

at different Periods of Life in the Year 1947.

DEATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed International List Nos. | Intermediate International List Nos. | International List Nos. |
|--------|--------|--------|--------|--------|----------|----------|----------|-----------|------------|------------|------------|------------|------------|------------|----------|--------------|----------------------------------|--------------------------------------|-------------------------|
| 5 3 | 8 1 | 4 4 | 6 3 | 9 8 | 14 24 | 40 40 | 62 75 | 91 121 | 139 194 | 218 201 | 291 309 | 399 302 | 435 327 | 397 300 | 40 28 | 2 | {(45-57) | (18-24) | |
| 3 3 | 5 1 | 3 2 | 6 4 | 8 8 | 11 20 | 34 36 | 51 70 | 85 116 | 135 184 | 206 194 | 283 302 | 389 294 | 430 321 | 391 289 | 39 28 | 2 | {(45-55) | 18-23 | |
| . | . | . | . | . | 1 | 2 | 1 | 2 | 3 | 1 | 3 | 2 | 2 | 4 | 3 | . | . | {(56-57) | 24 |
| 2 . | 3 . | 1 2 | 2 2 | 1 | 2 | 4 | 3 | 11 2 | 5 3 | 4 7 | 12 6 | 8 4 | 8 8 | 3 4 | 2 8 | 1 | . | {(57-58) | 24 |
| 4 9 | 8 7 | 6 6 | 7 8 | 5 7 | 7 7 | 6 12 | 11 16 | 14 16 | 18 17 | 10 29 | 28 48 | 37 52 | 55 58 | 48 52 | 3 13 | 1 | {(58-71) | (25-30) | |
| 2 4 | 5 5 | 2 2 | 2 1 | 1 4 | 1 1 | 1 | 3 | 4 | 3 | 3 | 1 | 3 | 1 | . | . | . | {(58-60) | 25 | |
| 1 . | . | . | 1 | . | . | 1 | 3 | 2 | 3 | 4 | 10 | 19 | 35 | 33 | 2 | 1 | {(59-61) | 26 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(60-62) | 26 | |
| 1 . | 2 2 | 2 3 | 1 2 | 2 | 2 | 2 | 4 | 4 | 5 | 4 | 12 | 14 | 18 | 14 | 1 | . | {(61-63) | 27 | |
| . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | {(62-64) | 29 | |
| . | . | 1 | 2 | 2 | 2 | 5 | 7 | 4 | 5 | 8 | 1 | 8 | 4 | 4 | 2 | . | {(63-65) | 28 | |
| 1 . | . | 1 | 1 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | {(64-66) | 29 | |
| . | . | 1 | 2 | . | 3 | 1 | 1 | 2 | 2 | 4 | 1 | 1 | 2 | 2 | 2 | 1 | {(65-67) | 29 | |
| . | 3 | . | . | 1 | 1 | . | . | . | 1 | 2 | 1 | 1 | 1 | 1 | . | . | {(66-68) | 29 | |
| . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | {(67-71) | 30 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(68-70) | 30 | |
| . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | {(69-71) | 30 | |
| 1 . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(70-71) | 30 | |
| . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(71-72) | 30 | |

ABSTRACT IV.—continued.—CAUSES OF DEATH

| Intermediate International List Nos. | Detailed International List Nos. | Causes of Death. | AGES A | | | | | | | | | | | |
|--|--|---|----------------|---------------------|--------------|--------------|--------------|---------------|------------------------------|----------|---------|--------|--------|------------------|
| | | | All Ages. | Under 1 Month | 1—2 Mths. | 2—3 Mths. | 3—6 Mths. | 6—12 Mths. | Total under 1 year. | 1— | 2— | 3— | 4— | To un- yet |
| (31— 32) | (72— 76) | IV. Diseases of the Blood and Blood Forming Organs. { M. F. | 169 221 | 3 1 | 1 3 | 1 2 | . | 2 2 | 7 8 | 4 4 | 5 1 | . | . | 1 |
| 32 | 72 | Hæmorrhagic Conditions. { M. F. | 15 17 | 1 | . | 2 | 1 | . | 2 2 | 3 5 | 1 1 | 2 | . | . |
| 31 | 73 | Anaemias ... { M. F. | 117 175 | 1 | . | 1 | 1 | . | . | 2 3 | 1 2 | 2 1 | . | 1 |
| 32 | 74 | Leukæmias and Aleukæmias. { M. F. | 33 18 | . | . | . | . | . | . | . | 1 1 | 1 1 | . | . |
| 32 | 75 | Diseases of the Spleen { M. F. | 2 9 | 1 | . | . | . | . | . | 1 | 1 | . | . | . |
| 32 | 76 | Other Diseases of the Blood and Blood-forming Organs. { M. F. | 2 2 | . | 1 | . | . | . | . | 1 | . | . | . | . |
| (33— 34) | (77— 79) | V. Chronic Poisoning and Intoxication { M. F. | 5 | . | . | . | . | . | . | . | . | . | . | . |
| 33 | 77 | Alcoholism (Ethylism) { M. F. | 4 | . | . | . | . | . | . | . | . | . | . | . |
| 34 | 78 | Lead Poisoning ... { M. F. | . | . | . | . | . | . | . | . | . | . | . | . |
| 34 | 79 | Chronic Poisoning by other Mineral and Organic Substances. { M. F. | 1 | . | . | . | . | . | . | . | . | . | . | . |
| (35— 41) | (80— 89) | VI. Diseases of the Nervous System and Sense Organs. { M. F. | 1,969 2,043 | 32 26 | 27 20 | 20 14 | 39 24 | 23 29 | 141 113 | 26 15 | 13 8 | 9 6 | 6 7 | 191 141 |
| 40 | 80 | Encephalitis (non-epidemic). { M. F. | 21 11 | . | 1 | . | . | . | 1 | 2 | . | . | . | . |
| 35 | 81 | Meningitis (non-meningococcal). { M. F. | 82 56 | 1 | 2 | 5 | 2 | 8 | 18 | 9 | 9 | 3 | 4 | 41 26 |
| 36 | 82 | Diseases of the Medulla and Spinal Cord. { M. F. | 62 46 | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| 37 | 83 | Intra-cranial Lesions of M. Vascular Origin. { M. F. | 1,417 1,607 | . | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| 38 | 84 | Mental Disorders and M. Deficiency. { M. F. | 62 78 | . | 1 | 1 | 1 | . | 1 | 2 | 2 | 1 | 1 | 6 10 |
| 39 | 85 | Epilepsy ... { M. F. | 61 61 | . | . | . | . | 1 | . | 1 | 2 | . | 1 | 2 2 |
| 40 | 86 | Convulsions (under 5 years). { M. F. | 131 101 | 30 25 | 22 19 | 15 11 | 33 18 | 12 17 | 112 90 | 14 5 | 3 4 | 2 1 | . | 131 101 |
| 40 | 87 | Other Diseases of the Nervous System. { M. F. | 124 70 | . | . | . | . | . | . | . | . | . | . | . |
| 41 | 88 | Diseases of the Organs of Vision. { M. F. | 1 | . | . | . | . | . | . | . | . | . | . | . |
| 41 | 89 | Diseases of the Ear and of the Mastoid Antrum. { M. F. | 9 12 | 1 1 | 1 | . | . | 2 | 4 | 4 7 | 1 | . | . | 5 7 |

at different Periods of Life in the Year 1947.

DEATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed International List Nos. | Intermediate International List Nos. | International List Nos. |
|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------|------------|------------|------------|------------|----------|--------------|----------------------------------|--------------------------------------|-------------------------|
| 4 3 | 3 7 | 4 5 | 3 4 | 6 5 | 3 4 | 4 7 | 9 12 | 9 13 | 13 12 | 7 31 | 20 30 | 32 21 | 21 34 | 14 19 | 1 · | · · | {(72-76) | (31-32) | |
| · · | 1 1 | 1 1 | 1 · | · · | · · | 2 · | 1 2 | · · | · · | 2 · | 4 2 | 1 1 | · · | 1 · | · · | · · | {72 | 32 | |
| 2 1 | 1 4 | 3 3 | · 2 | 3 3 | · 4 | 3 4 | 6 9 | 6 9 | 10 10 | 5 27 | 14 27 | 26 17 | 20 30 | 12 18 | · 1 | · · | {73 | 31 | |
| 2 2 | 1 1 | 1 · | 2 2 | 3 1 | 2 · | 1 · | 2 · | 3 1 | 3 1 | 2 1 | 2 1 | 5 3 | 1 3 | 1 1 | · · | · · | {74 | 32 | |
| · · | · 1 | · 1 | · · | · 1 | · · | · 1 | · 1 | · · | · · | · 1 | · 1 | · · | · · | · 1 | · · | · · | {75 | 32 | |
| · · | · · | · · | · · | · · | · 1 | · · | 1 1 | 1 1 | · · | · · | · · | · · | · · | · · | · · | · · | {76 | 32 | |
| · · | · · | · · | · · | · · | · · | · · | | | |
| · · | 1 · | · · | · · | 1 · | · · | · · | · · | 1 · | 1 · | · · | {(77-79) | (33-34) | |
| · · | 1 · | · · | · · | 1 · | · · | · · | · · | 1 · | 1 · | · · | {77 | 33 | |
| · · | · · | · · | · · | · · | · · | · · | {78 | 34 | |
| · · | · · | · · | · · | · · | · · | · · | {79 | 34 | |
| 13 23 | 14 10 | 15 13 | 15 13 | 21 11 | 16 29 | 37 31 | 39 28 | 83 67 | 84 97 | 125 143 | 181 197 | 281 279 | 364 420 | 437 442 | 59 88 | · 3 | {(80-89) | (35-41) | |
| · 3 | 2 · | 3 · | 1 · | · 1 | 1 1 | 1 1 | 1 1 | 3 1 | 2 1 | 2 2 | 1 1 | · 1 | 3 1 | · 1 | · 1 | · 1 | {80 | 40 | |
| 7 6 | 4 5 | 1 2 | 1 3 | 4 1 | 1 2 | 2 2 | 3 1 | 6 1 | 3 · | 1 1 | 3 1 | 1 2 | 2 1 | · · | · · | · · | {81 | 35 | |
| · · | 2 2 | 2 1 | 1 1 | 1 1 | 1 1 | 1 4 | 4 · | 6 5 | 6 2 | 7 4 | 6 5 | 9 6 | 10 11 | 5 3 | 1 1 | · · | {82 | 36 | |
| 2 1 | 3 1 | 1 3 | 2 2 | 7 2 | 5 4 | 16 13 | 16 14 | 29 52 | 56 78 | 98 121 | 148 171 | 239 253 | 330 388 | 405 417 | 56 85 | · 3 | {83 | 37 | |
| 3 4 | 2 3 | 2 1 | 4 1 | 1 1 | 1 9 | 2 5 | 1 4 | 1 3 | 7 8 | 4 8 | 7 5 | 14 6 | 4 2 | 3 7 | · 1 | · · | {84 | 38 | |
| · 2 | 2 1 | 4 8 | 5 3 | 6 2 | 4 6 | 3 6 | 6 4 | 9 · | 3 3 | 1 2 | 2 6 | 8 5 | 3 3 | 3 6 | 1 1 | · · | {85 | 39 | |
| · · | · · | · · | · · | · · | · · | · · | {86 | 40 | |
| 1 5 | 1 · | 2 · | 2 · | 2 2 | 2 4 | 2 4 | 12 1 | 6 4 | 9 5 | 7 3 | 12 6 | 15 9 | 17 6 | 15 14 | 20 7 | 3 · | {87 | 40 | |
| · · | · · | · · | · · | · 1 | · 1 | · · | {88 | 41 | |
| · 2 | · · | · · | · · | · · | · · | · · | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | · · | · · | · 1 | · 1 | · · | {89 | 41 | |

ABSTRACT IV.—continued—CAUSES OF DEATH

| Intermediate International List Nos. | Detailed International List Nos. | Causes of Death. | AGES AT | | | | | | | | | | | | |
|--|--|---|----------------|---------------------|--------------|--------------|--------------|---------------|------------------------------|----------|----------|----------|---------|-------------------------------|---------|
| | | | All Ages. | Under 1 Month | 1—2 Mths. | 2—3 Mths. | 3—6 Mths. | 6—12 Mths. | Total under 1 year. | 1— | 2— | 3— | 4— | Total under 5 years. | |
| (42 48) | (80— 103) | VII. Diseases of the Circulatory System. { M. F. | 6,454 5,558 | . | . | . | 1 | 2 | 3 | 1 | 1 | 1 | . | 1 | 5 3 |
| 42-46 | 90-95 | Heart Diseases ... { M. F. | 5,990 5,128 | . | . | . | . | 2 | 2 | . | 1 | 1 | . | 1 | 4 2 |
| 42 | 90 | Pericarditis ... { M. F. | 21 12 | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | 2 1 |
| 46 | 91 | Acute Endocarditis ... { M. F. | 21 14 | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 1 |
| 43 | 92 | Chronic Affection of the Valves and Endocardium. { M. F. | 722 624 | . | . | . | . | . | . | . | . | . | . | . | . |
| 44 | 93 | Diseases of the Myocardium. { M. F. | 3,707 3,580 | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 |
| 45 | 94 | Diseases of the Coronary Arteries : Angina Pectoris. { M. F. | 834 389 | . | . | . | . | . | . | . | . | . | . | . | . |
| 46 | 95 | Other Diseases of the Heart. { M. F. | 685 709 | . | . | . | . | . | . | . | . | . | . | . | . |
| 48 | 96 | Aneurysm (except of Heart and Aorta). { M. F. | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| 47 | 97 | Arterio-sclerosis (excluding Coron. or Renal) { M. F. | 218 181 | . | . | . | . | . | . | . | . | . | . | . | . |
| 47 | 98 | Sclerosis or Cereb. (Hæm.) { M. F. | 73 45 | . | . | . | . | . | . | . | . | . | . | . | . |
| 48 | 99 | Gangrene ... { M. F. | 14 14 | . | . | . | . | . | . | . | . | . | . | . | . |
| 48 | 100 | Other Diseases of the Veins { M. F. | 8 16 | . | . | . | . | . | . | . | . | . | . | . | . |
| 48 | 101 | Diseases of the Lymphatic System. { M. F. | 2 5 | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| 48 | 102 | High Blood Pressure (Idiopathic). { M. F. | 148 164 | . | . | . | . | . | . | . | . | . | . | . | . |
| 48 | 103 | Other Diseases of the Circulatory System. { M. F. | 1 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| (49— 52) | (104— 114) | VIII. Diseases of the Respiratory System. { M. F. | 2,102 1,704 | 59 30 | 60 47 | 51 42 | 118 85 | 127 113 | 415 317 | 80 69 | 33 22 | 11 17 | 12 9 | 55 43 | |
| 52 | 104 | Diseases of the Nasal Fossæ and Annexa. { M. F. | 3 2 | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . |
| 52 | 105 | Diseases of the Larynx { M. F. | 13 6 | 1 | 1 | 1 | 2 | 1 | 5 | 3 | 2 | . | . | . | 1 |
| 49 | 106 | Bronchitis ... { M. F. | 710 608 | 8 5 | 10 9 | 4 6 | 16 18 | 10 18 | 48 56 | 7 5 | 1 2 | 1 1 | 1 1 | 1 1 | 6 6 |
| 50 | 107-9 | Pneumonia, All Forms { M. F. | 1020 848 | 49 25 | 49 34 | 46 33 | 96 63 | 109 90 | 349 245 | 70 59 | 29 19 | 10 15 | 10 8 | 46 34 | |
| 50 | 107 | Broncho-pneumonia ... { M. F. | 547 495 | 37 19 | 34 24 | 30 20 | 66 46 | 74 66 | 241 175 | 52 45 | 24 12 | 8 11 | 6 7 | 34 26 | |
| 50 | 108 | Lobar Pneumonia ... { M. F. | 167 105 | 4 3 | 5 4 | 2 4 | 10 1 | 7 8 | 28 20 | 4 1 | 1 2 | 1 1 | 1 1 | 1 1 | 6 6 |
| 50 | 109 | Pneumonia (unspecified). { M. F. | 306 248 | 8 3 | 10 6 | 14 9 | 20 16 | 28 16 | 80 50 | 14 13 | 4 5 | 1 4 | 1 1 | 3 1 | 10 1 |

at different Periods of Life in the Year 1947.

DEATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed International List Nos. | International T. | Intermediate List Nos. | International T. | |
|----------|---------|----------|----------|----------|----------|----------|----------|------------|------------|------------|------------|--------------|----------------|----------------|------------|--------------|----------------------------------|------------------------|------------------------|----------------------|--|
| 6 4 | 13 5 | 22 11 | 28 29 | 33 35 | 47 43 | 58 58 | 96 86 | 158 131 | 263 201 | 423 284 | 613 488 | 1,002 763 | 1,471 1,239 | 1,917 1,748 | 289 405 | 10 25 | {(90-103)} (42-43) | | | | |
| 6 4 | 13 5 | 22 11 | 27 28 | 33 35 | 44 38 | 55 50 | 89 81 | 148 116 | 238 182 | 399 260 | 573 448 | 926 690 | 1,358 1,142 | 1,774 1,642 | 274 372 | 7 22 | {(90-95)} (42-46) | | | | |
| . | 2 | 2 | 1 | 2 | . | 2 | 2 | . | 1 | 1 | 3 | 1 | 3 | 2 | 1 | . | . | {(90-95)} (42-46) | | | |
| . | 1 | . | 2 | 2 | 3 | 4 | . | 4 | . | 1 | 2 | 2 | 1 | 2 | . | . | . | {(90-95)} (42-46) | | | |
| 5 4 | 6 4 | 12 9 | 13 12 | 13 20 | 19 15 | 14 20 | 32 27 | 26 28 | 37 32 | 50 43 | 73 57 | 115 75 | 145 138 | 148 121 | 14 18 | 1 1 | {(90-95)} (42-46) | | | | |
| 1 | 3 | 7 | 8 | 10 | 13 | 16 | 25 | 64 | 102 | 182 | 322 | 514 | 909 | 1,298 | 227 | 5 19 | {(90-95)} (42-46) | | | | |
| . | 1 | 1 | 7 | 9 | 12 | 15 | 36 | 56 | 87 | 136 | 263 | 427 | 780 | 1,224 | 307 | . | {(90-95)} (42-46) | | | | |
| . | . | 1 | 1 | 2 | 5 | 12 | 21 | 37 | 65 | 106 | 122 | 167 | 153 | 132 | 10 13 | . | {(90-95)} (42-46) | | | | |
| . | . | 1 | 1 | 1 | 1 | 2 | 8 | 16 | 23 | 34 | 55 | 75 | 71 | 90 | . | . | {(90-95)} (42-46) | | | | |
| . | . | 1 | 2 | 6 | 4 | 7 | 9 | 17 | 34 | 56 | 53 | 127 | 149 | 195 | 23 34 | 2 2 | {(90-95)} (42-46) | | | | |
| . | . | . | . | 6 | 3 | 10 | 9 | 7 | 15 | 38 | 47 | 70 | 110 | 152 | 206 | . | . | {(90-95)} (42-46) | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(90-95)} (42-46) | | | | |
| . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | {(90-95)} (42-46) | | | | |
| . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 6 | 11 | 38 | 64 | 79 | 11 21 | 3 2 | {(90-95)} (42-46) | | |
| . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 1 | 7 | 14 | 25 | 49 | 60 | . | . | {(90-95)} (42-46) | | |
| . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | 2 | 2 | 13 | 17 | 33 | 2 8 | 3 24 | . | {(90-95)} (42-46) | |
| . | . | . | 1 | . | . | . | . | 2 | 2 | 3 | . | 3 | 1 | 1 | 3 | 3 5 | 3 1 | . | {(90-95)} (42-46) | | |
| . | . | . | . | 1 | . | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 2 | 1 1 | . | {(90-95)} (42-46) | | |
| . | . | . | . | . | 1 | . | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | . | . | {(90-95)} (42-46) | | | |
| . | . | . | . | . | 2 | 1 | 3 | 6 | 18 | 15 | 23 | 24 | 24 | 28 | 28 | 28 30 | 20 20 | 8 1 | {(90-95)} (42-46) | | |
| . | . | . | . | . | 2 | 7 | 3 | 10 | 12 | 13 | 24 | 34 | 30 | 20 | . | 8 1 | . | {(90-95)} (42-46) | | | |
| . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | . | . | . | {(90-95)} (42-46) | | | |
| 19 20 | 4 10 | 16 18 | 12 10 | 15 15 | 19 14 | 36 19 | 56 32 | 69 28 | 125 54 | 110 84 | 173 109 | 206 157 | 289 257 | 345 377 | 55 65 | 2 1 | {(104-114)} (49-52) | | | | |
| . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | {(104-114)} (49-52) | | | |
| 1 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | {(104-114)} (49-52) | | |
| 2 2 | 1 | . | 2 | 2 | 2 | 2 | 7 | 10 | 19 | 41 | 41 | 80 | 99 | 131 | 184 | 30 1 | . | {(104-114)} (49-52) | | | |
| 11 13 | 3 8 | 12 11 | 6 7 | 8 7 | 9 7 | 17 9 | 23 16 | 24 17 | 47 22 | 31 40 | 54 45 | 74 58 | 111 92 | 103 122 | 18 28 | 1 1 | {(104-114)} (49-52) | | | | |
| 3 12 | 4 | 6 7 | 4 2 | 2 | 1 | 2 | 4 | 8 | 5 | 16 | 10 | 21 | 36 | 41 | 49 | 8 15 | . | {(104-114)} (49-52) | | | |
| 1 1 | . | 5 4 | 4 2 | 2 | 1 | 2 | 4 | 4 | 2 | 8 | 10 | 9 | 9 | 12 | 14 | 2 12 | . | {(104-114)} (49-52) | | | |
| 7 1 | 3 3 | 1 1 | 2 1 | 5 4 | 2 | 3 | 11 5 | 8 5 | 15 11 | 10 16 | 20 19 | 22 15 | 44 35 | 40 44 | 8 11 | . | . | {(104-114)} (49-52) | | | |

ABSTRACT IV.—Continued—CAUSES OF DEATH

| Intermediate International List Nos. | Detailed International List Nos. | Causes of Death. | All Ages. | AGES 1 | | | | | | | | | | T u y |
|---|----------------------------------|---|--------------|---------------|-----------|-----------|-----------|------------|---------------------|----------|---------|--------|----|-------------|
| | | | | Under 1 Month | 1—2 Mths. | 2—3 Mths. | 3—6 Mths. | 6—12 Mths. | Total under 1 year. | 1— | 2— | 3— | 4— | |
| VIII. Diseases of the Respiratory System—contd. | | | | | | | | | | | | | | |
| 51 | 110 | Pleurisy ... ♂{M. ♀{F. | 44 27 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| 52 | 111 | Congestion, Oedema ♂{M. Haemorrhagic Infarction and Thrombosis of the Lungs. ♀{F. | 119 132 | 1 | 3 | 2 | 4 | 6 4 | 8 13 | 1 | 1 | . | . | . |
| 52 | 112 | Asthma ... ♂{M. ♀{F. | 144 61 | . | . | . | . | 1 | . | 1 | . | 1 | . | 1 |
| 52 | 113 | Pulmonary Emphysema ♂{M. ♀{F. | 20 1 | . | . | . | . | . | . | . | . | . | . | . |
| 52 | 114 | Other Diseases of the Respiratory System. ♂{M. ♀{F. | 29 19 | . | . | . | . | 2 | 1 | 3 | 2 | . | . | . |
| IX. Diseases of the Digestive System. ♂{M. ♀{F. | | | | | | | | | | | | | | 8 1 |
| (53-60) | (115-129) | Diseases of the Buccal Cavity and Annexa ♂{M. and of the Pharynx and Tonsils. ♀{F. | 1,174 717 | 61 48 | 89 56 | 102 43 | 171 96 | 55 53 | 478 296 | 25 22 | 12 8 | 4 3 | . | . |
| 60 | 115 | Diseases of the Oesophagus. ♂{M. ♀{F. | 15 9 | 1 | 1 | . | 1 | 1 | 3 3 | 1 | 1 | . | . | . |
| 60 | 116 | Ulcer of the Stomach ♂{M. or Duodenum. ♀{F. | 203 54 | . | . | . | . | . | . | . | . | . | . | 1 |
| 60 | 118 | Other Diseases of the Stomach. ♂{M. ♀{F. | 86 45 | 1 | 6 | 7 | 10 | 3 | 27 | 3 6 | 3 3 | 1 | . | . |
| 54-55 | 119-120 | Diarrhoea and Enteritis ♂{M. ♀{F. | 503 343 | 59 46 | 81 54 | 93 42 | 157 91 | 42 48 | 482 281 | 16 15 | 5 3 | 2 1 | . | 1 |
| 56 | 121 | Appendicitis ... ♂{M. ♀{F. | 51 40 | . | . | . | . | . | . | 2 | 3 2 | . | 4 | . |
| 57 | 122 | Hernia, Intestinal Obstruction. ♂{M. ♀{F. | 156 118 | . | 1 | 1 | 3 | 9 | 14 6 | 2 | 2 | 1 | . | 1 |
| 60 | 123 | Other Diseases of the Intestines. ♂{M. ♀{F. | 23 13 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| 8 | 124 | Cirrhosis of the Liver ♂{M. ♀{F. | 39 18 | . | 1 | . | . | . | 1 | . | . | . | . | . |
| 59 | 125 | Other Diseases of the Liver. ♂{M. ♀{F. | 21 12 | . | . | . | . | . | . | . | . | . | . | 1 |
| 59 | 126 | Biliary Calculi ... ♂{M. ♀{F. | 27 32 | . | . | . | . | . | . | . | . | . | . | 1 |
| 59 | 127 | Diseases of the Gall Bladder and Ducts. ♂{M. ♀{F. | 12 13 | . | . | . | . | . | . | 1 | . | . | . | . |
| 60 | 128 | Diseases of the Pancreas ♂{M. (other than Diabetes). ♀{F. | 14 6 | . | . | . | . | . | . | . | . | . | . | . |
| 60 | 129 | Peritonitis, without stated cause. ♂{M. ♀{F. | 19 12 | . | . | . | 1 | . | 1 | . | 1 | . | . | 1 |

at different Periods of Life in the Year 1947.

| | 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed International List Nos. | Intermediate International | International | |
|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------------|----------------------------------|----------------------------|---------------|----|
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 110 | 51 | | |
| 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 6 | 8 | 2 | 2 | 5 | 5 | 7 | . | . | | |
| 4 | 1 | 1 | 2 | 2 | 1 | 5 | 1 | 4 | 4 | 4 | 3 | 5 | 6 | 8 | 12 | 21 | 33 | 54 | 111 | 52 | |
| . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 6 | 12 | 25 | 50 | 1 | . | | | |
| 1 | 1 | . | . | . | 2 | 1 | 1 | 2 | 4 | 2 | 8 | 16 | 2 | 21 | 7 | 19 | 13 | 15 | 21 | 112 | 52 |
| . | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 2 | 2 | 4 | 1 | 1 | . | . | 113 | 52 |
| 2 | 1 | 1 | 3 | 1 | 1 | 3 | 2 | 2 | 5 | 4 | 1 | 4 | 2 | 3 | 2 | 2 | 1 | 1 | 1 | 114 | 52 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | | |
| 16 | 3 | 6 | 15 | 11 | 20 | 32 | 39 | 41 | 48 | 60 | 77 | 85 | 88 | 93 | 93 | 13 | . | 115 | (53 | 60 | |
| 7 | 10 | 10 | 9 | 11 | 12 | 10 | 19 | 20 | 31 | 35 | 45 | 51 | 64 | 12 | . | . | 129 | 60 | 60 | | |
| 2 | 1 | 1 | 2 | 1 | . | . | . | 1 | 1 | 1 | . | . | . | 1 | 1 | 1 | . | . | 115 | 60 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 116 | 60 | |
| . | . | . | 2 | 2 | 2 | 8 | 15 | 19 | 17 | 18 | 29 | 30 | 26 | 18 | 15 | 3 | . | 117 | 53 | | |
| . | . | . | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 5 | 9 | 10 | 4 | 5 | 4 | 1 | . | 118 | 60 | | |
| . | . | . | . | . | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 6 | 7 | 8 | 8 | 15 | 1 | . | 119 | 54 | |
| 3 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 1 | 4 | 3 | 3 | 1 | 1 | 4 | 5 | 6 | 1 | . | 120 | 54 | |
| 3 | 1 | 1 | 1 | 1 | 2 | 4 | 1 | 4 | 2 | 2 | 2 | 2 | 1 | 4 | 5 | 6 | 8 | . | 121 | 56 | |
| 6 | 2 | 3 | 4 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 1 | 1 | 1 | 3 | 2 | 4 | 2 | . | 122 | 57 | |
| 4 | 1 | 1 | 3 | 2 | 5 | 8 | 2 | 6 | 6 | 8 | 8 | 10 | 13 | 21 | 24 | 27 | 4 | . | 123 | 60 | |
| 1 | 2 | 1 | 1 | 1 | 1 | 3 | 6 | 7 | 9 | 9 | 10 | 8 | 11 | 11 | 20 | 24 | 6 | . | 124 | 58 | |
| . | . | . | 3 | 1 | 1 | . | 1 | 1 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 4 | 2 | . | 125 | 59 | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 1 | . | 126 | 59 | |
| . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 | 3 | 8 | 6 | 9 | . | 127 | 59 | |
| . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 3 | . | 128 | 60 | |
| . | . | . | . | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | . | 129 | 60 | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 2 | . | | | |

ABSTRACT IV.—Continued—CAUSES OF DEATH

at different Periods of Life in the Year 1947.

DEATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & upwards | Detailed List Nos. | International List Nos. | Intermediate Nos. |
|--------|--------|--------|---------|---------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|------------|----------|--------------|--------------------|-------------------------|-------------------|
| 4 1 | 1 4 | 7 7 | 9 7 | 7 15 | 14 13 | 21 25 | 27 22 | 20 23 | 31 41 | 64 38 | 103 55 | 140 70 | 211 76 | 289 86 | 40 15 | 5 | (130-139) | (61-66) | |
| 4 1 | 1 4 | 7 6 | 8 6 | 7 10 | 12 10 | 21 23 | 24 19 | 20 20 | 28 36 | 56 35 | 81 49 | 94 62 | 128 65 | 147 69 | 17 13 | 4 | { 130-132} | 6 | |
| 2 1 | • 2 | 4 2 | 2 2 | 1 5 | 5 1 | 5 2 | 1 2 | 3 1 | 8 6 | 4 4 | 11 8 | 9 8 | 9 11 | 1 1 | • • | { 130} | 6 | | |
| 2 1 | 1 1 | 1 1 | 1 2 | 2 3 | 3 6 | 6 6 | 6 5 | 9 16 | 16 9 | 25 21 | 34 24 | 43 24 | 44 27 | 4 5 | • • | { 131} | 6 | | |
| • • | 1 1 | 2 4 | 5 3 | 4 3 | 4 6 | 10 15 | 17 11 | 12 12 | 16 19 | 32 20 | 52 24 | 49 30 | 76 33 | 94 31 | 13 7 | 4 | { 132} | 6 | |
| • • | • 1 | 1 • | • 2 | 2 2 | • 1 | • 1 | 1 2 | 2 2 | 2 3 | 2 2 | 4 5 | 4 5 | 10 8 | • • | • • | { 133} | 6 | | |
| • • | • • | • • | • • | • • | • • | • • | • • | • 2 | • • | 1 1 | • 1 | 2 1 | • 1 | 1 1 | • • | { 134} | 6 | | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | 6 6 | 6 1 | 13 5 | 25 8 | 5 2 | 1 | { 135} | 6 | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | 1 1 | 4 4 | 13 13 | 34 34 | 64 64 | 104 104 | 15 15 | • • | { 136} | 6 | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | { 137} | 6 | | |
| • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | • • | { 138} | 6 | | |
| • • | • • | 1 1 | 3 1 | 1 1 | 3 2 | 2 2 | 2 2 | • • | 3 1 | 1 • | • • | • • | • • | 1 1 | • • | { 139} | 6 | | |
| • • | • • | 3 • | 14 • | 16 • | 34 • | 37 • | 26 1 | • 1 | • • | • • | • • | • • | • • | • • | • • | { 140-150} | (6) | | |
| • • | • • | • • | • • | • • | • • | • 1 | 1 2 | 1 1 | • • | • • | • • | • • | • • | • • | • • | { 140} | 6 | | |
| • • | • • | • • | • • | • • | • • | 2 3 | • 7 | 2 1 | • • | • • | • • | • • | • • | • • | • • | { 141} | 6 | | |
| • • | • • | • • | • • | • • | • • | 3 2 | 2 7 | 1 2 | • • | • • | • • | • • | • • | • • | • • | { 142} | 6 | | |
| • • | • • | • • | • • | • • | • • | 5 3 | 2 9 | 1 7 | • • | • • | • • | • • | • • | • • | • • | { 143} | 6 | | |
| • • | • • | 2 1 | 7 • | 4 1 | 9 3 | 7 6 | 2 6 | 2 6 | • • | • • | • • | • • | • • | • • | • • | { 144} | 6 | | |
| • • | • • | 1 • | • 1 | 1 1 | 1 1 | • 2 | 2 3 | • 3 | • • | • • | • • | • • | • • | • • | • • | { 145} | 6 | | |
| • • | • • | 3 • | 3 • | 3 • | 6 • | 6 • | 6 • | 6 • | • • | • • | • • | • • | • • | • • | • • | { 146} | 6 | | |
| • • | • • | 3 3 | 4 1 | 8 1 | 9 3 | 6 6 | 6 4 | • 2 | • • | • • | • • | • • | • • | • • | • • | { 147} | 6 | | |
| • • | • • | 1 • | 2 2 | 3 3 | 6 6 | 3 3 | 3 3 | • • | • • | • • | • • | • • | • • | • • | • • | { 148} | 6 | | |
| • • | • • | 1 • | 2 2 | 3 3 | 6 6 | 3 3 | 3 3 | • • | • • | • • | • • | • • | • • | • • | • • | { 149} | 6 | | |
| • • | • • | • • | • • | • • | • • | 2 • | 1 • | • • | • • | • • | • • | • • | • • | • • | • • | { 150} | 6 | | |

ABSTRACT IV.—*continued*—CAUSES OF DEATH.

at different Periods of Life in the Year 1947.

DEATH.

| DEATH. | | | | | | | | | | | | | | | | | | | 95 & up-wards | International List No. | Detailed International List No. | Intermediate International List No. |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|----|-------------|---------------|------------------------|---------------------------------|-------------------------------------|
| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | | | | | | | |
| . | . | . | . | 1 | . | . | 1 | 2 | 2 | 3 | 1 | 2 | 6 | 4 | 3 | . | . | . | {(151)-153} | 7 | 7 | |
| . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 2 | . | . | {151} | 7 | 7 | |
| . | . | . | . | . | . | 1 | 1 | 1 | 1 | 2 | . | . | 2 | 1 | 1 | 2 | . | . | {152} | 7 | 7 | |
| . | . | . | 1 | . | 1 | . | . | 1 | 1 | 1 | 2 | 2 | 4 | 3 | 3 | 4 | 1 | . | {153} | 7 | 7 | |
| 3 | 1 | 3 | 1 | 1 | 1 | 1 | . | 1 | . | 1 | 1 | 4 | 5 | 4 | 4 | 2 | . | . | {(154)-156} | 7 | 7 | |
| 3 | 1 | 3 | . | . | . | . | . | . | . | 1 | 1 | 2 | 6 | 8 | 4 | 2 | . | . | {154} | 7 | 7 | |
| . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | 2 | 1 | 3 | 1 | 1 | . | . | {155} | 7 | 7 | |
| . | . | 1 | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 2 | 1 | {156} | 7 | 7 | |
| 9 | 4 | 1 | 2 | 3 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | {(157)} | 7 | 7 | |
| 9 | 8 | 1 | 2 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | {157} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(158)-161} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {158} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {159} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {160} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {161} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {(162)} | 7 | 7 | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | 57 | 471 | 1,813 | 739 | 56 | {162} | 7 | 7 | | |
| 29 | 29 | 37 | 41 | 41 | 21 | 38 | 28 | 30 | 31 | 33 | 45 | 54 | 55 | 63 | 13 | . | . | {(163)-198} | 8 | 1 | | |
| 20 | 8 | 6 | 6 | 7 | 6 | 5 | 3 | 10 | 19 | 7 | 13 | 28 | 48 | 57 | 20 | 3 | 3 | {163} | 8 | 1 | | |
| . | . | 3 | 3 | 3 | 4 | 4 | 3 | 4 | 3 | 8 | 10 | 5 | 4 | 4 | . | . | . | {164} | 8 | 1 | | |
| . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | {165} | 8 | 1 | | |
| 29 | 29 | 37 | 37 | 38 | 18 | 34 | 25 | 26 | 27 | 25 | 35 | 48 | 50 | 59 | 13 | 20 | 3 | {168} | 8 | 1 | | |
| 20 | 8 | 6 | 6 | 2 | 6 | 3 | 3 | 9 | 15 | 4 | 13 | 26 | 45 | 57 | 20 | 20 | 3 | {169} | 8 | 1 | | |
| 1 | 1 | . | . | . | 1 | . | 1 | 1 | 2 | 1 | 1 | . | . | 1 | . | . | . | {198} | 8 | 1 | | |
| 8 | 8 | 5 | 6 | 6 | 6 | 6 | 2 | 7 | 3 | 5 | 6 | 6 | 4 | 5 | . | . | . | {169} | 8 | 1 | | |
| 7 | 1 | 3 | 3 | . | . | . | . | . | 2 | 2 | 1 | 1 | 2 | 1 | . | . | . | . | {170} | 8 | 1 | |
| 1 | 3 | 4 | 3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 3 | 4 | 8 | 2 | 3 | 2 | . | {171} | 8 | 1 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {172} | 8 | 1 | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | {173} | 8 | 1 | | |

ABSTRACT IV.—continued—CAUSES OF DEATH

| Intermediate International List Nos. | Detailed International List Nos. | Causes of Death. | AGES A | | | | | | | | | | |
|--|--|--|--------------|---------------------|--------------|--------------|--------------|---------------|------------------------------|----|----|----|----|
| | | | All Ages. | Under 1 Month | 1—2 Mths. | 2—3 Mths. | 3—6 Mths. | 6—12 Mths. | Total under 1 year. | 1— | 2— | 3— | 4— |
| | | XVII. Deaths from Violence <i>—contd.</i> | | | | | | | | | | | |
| 84 | 174 | Accidents in Mines and Quarries. { M. F. | 7 | . | . | . | . | . | . | . | . | . | . |
| 84 | 175 | Agricultural and Forestry Accidents. { M. F. | 14 | . | . | . | . | . | . | . | . | . | . |
| 84 | 176 | Accidents caused by Machinery. { M. F. | 8 | . | . | . | . | . | . | . | . | . | . |
| 84 | 177 | Food Poisoning ... { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 178 | Accidental Absorption of Poisonous Gas. { M. F. | 8 | . | . | . | . | 2 | . | 2 | . | . | . |
| 84 | 179 | Other Acute Accidental Policing (not by Gas). { M. F. | 4 | . | . | . | . | . | . | . | 1 | . | . |
| 84 | 180 | Conflagration ... { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 181 | Accidental Burns (Conflagration excepted). { M. F. | 42 | . | . | . | . | . | 3 | 3 | 6 | 7 | 2 |
| 84 | 182 | Accidental Mechanical Suffocation. { M. F. | 20 | 2 | 7 | 4 | 3 | 2 | . | 16 | 1 | . | . |
| 84 | 183 | Accidental Drowning ... { M. F. | 117 | . | . | . | 1 | . | 1 | 1 | 5 | 2 | 1 |
| 84 | 184 | Accidental Injury by Firearms. { M. F. | 10 | . | . | . | . | . | . | . | . | . | . |
| 84 | 185 | Accidental Injury by Cutting or Piercing Instruments. { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 186 | Accidental Injury by Fall, Crushing, Land-slide, etc. { M. F. | 61 | . | . | . | . | 1 | . | 1 | 3 | 1 | 1 |
| 84 | 187 | Cataclysm ... { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 188 | Injury by Animals ... { M. F. | 5 | . | . | . | . | . | . | . | . | . | . |
| 84 | 189 | Hunger or Thirst ... { M. F. | 2 | . | . | . | . | . | . | . | . | . | . |
| 84 | 190 | Excessive Cold ... { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 191 | Excessive Heat ... { M. F. | 3 | . | . | . | . | . | 1 | 1 | . | . | . |
| 84 | 192 | Lightning ... { M. F. | 1 | . | . | . | . | . | . | . | . | . | . |
| 84 | 193 | Other Accidents due to Electric Currents { M. F. | 6 | . | . | . | . | . | . | . | . | . | . |
| 84 | 194 | Attack by Venomous Animals. { M. F. | . | . | . | . | . | . | . | . | . | . | . |
| 84 | 195 | Other Accidents ... { M. F. | 136 | 5 | . | . | . | 1 | 1 | 7 | . | . | 1 |
| 85 | 196 | Deaths of Persons in Military Service during Operations at War. { M. F. | 130 | 4 | . | . | . | . | . | 4 | 2 | . | . |
| 85 | 197 | Deaths of Civilians due to Operations of War. { M. F. | 6 | . | . | . | . | . | . | . | . | . | . |
| 86 | 198 | Legal Executions ... { M. F. | 1 | . | . | . | . | . | . | . | . | . | . |
| 87 | (199-200) | XVIII. Ill-defined Causes of Death. { M. F. | 196 | . | 2 | 1 | . | 1 | 3 | 5 | 5 | 4 | 1 |
| 87 | 199 | Sudden Death { M. F. | 10 | . | . | . | . | . | . | . | . | . | . |
| 87 | 200 | Causes of Death Unstated or Ill-defined. { M. F. | 186 | 5 | 2 | 1 | 1 | 1 | 3 | 5 | 5 | 1 | 1 |
| | | | 147 | 1 | 1 | 2 | 1 | 1 | 6 | 7 | 1 | . | . |

at different Periods of Life in the Year 1947.

EATH.

| 5— | 10— | 15— | 20— | 25— | 30— | 35— | 40— | 45— | 50— | 55— | 60— | 65— | 70— | 75— | 85— | 95 & up-wards | Detailed International List Nos. | International Intermediate List Nos. | International Intermediate List Nos. | | | |
|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|----------------------------------|--------------------------------------|--------------------------------------|----|--|--|
| . | . | 1 | 2 | . | . | 1 | 1 | . | . | . | 1 | . | 1 | . | . | . | 174 | 81 | | | | |
| . | . | . | 1 | 3 | . | 1 | 2 | 1 | . | 1 | 2 | 2 | 1 | . | . | 175 | 84 | | | | | |
| . | . | 1 | . | 2 | 1 | 1 | . | . | 1 | . | . | . | . | . | 1 | 176 | 84 | | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 177 | 84 | | | | | |
| . | 1 | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | 3 | 178 | 84 | | | | | |
| 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 179 | 84 | | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 180 | 84 | | | | | |
| 2 | 1 | 4 | 1 | 1 | . | 3 | 1 | . | . | 1 | 6 | . | 1 | 3 | 4 | 8 | 181 | 84 | | | | |
| 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 182 | 84 | | | | | |
| 12 | 7 | 19 | 1 | 11 | 5 | 11 | 1 | 5 | 8 | 6 | 5 | 4 | 5 | 4 | 4 | 3 | 183 | 84 | | | | |
| 2 | 1 | . | 2 | 3 | 1 | . | . | 1 | . | 1 | 1 | . | . | . | . | 2 | 184 | 84 | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 185 | 84 | | | | | |
| 3 | 4 | 1 | 1 | 5 | 4 | 1 | 4 | 2 | 6 | 5 | 3 | 2 | 1 | 7 | 4 | 3 | 186 | 84 | | | | |
| 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 187 | 84 | | | | | |
| . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | 1 | 188 | 84 | | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 189 | 84 | | | | | |
| . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 190 | 84 | | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 191 | 84 | | | | | |
| . | . | 1 | 1 | 1 | 1 | . | 1 | 1 | . | 1 | . | . | . | . | . | 1 | 192 | 84 | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 193 | 84 | | | | | |
| . | 1 | 3 | 2 | 4 | 5 | . | 3 | 1 | 4 | 2 | 3 | 6 | 4 | 8 | 23 | 21 | 194 | 84 | | | | |
| . | 1 | . | 1 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 8 | 14 | 14 | 195 | 84 | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 35 | 38 | 196 | 85 | | | | |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 197 | 85 | | | | |
| . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 198 | 86 | | | | |
| 2 | 2 | 3 | 1 | 1 | 7 | 2 | 2 | 3 | 7 | 4 | 13 | 13 | 22 | 27 | 48 | 47 | 2 | 2 | (199) | 87 | | |
| 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 200 | 87 | | | | |
| 2 | 2 | 3 | 1 | 1 | 7 | 2 | 2 | 3 | 7 | 4 | 13 | 13 | 21 | 27 | 42 | 44 | 1 | 2 | 199 | 87 | | |
| 2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 13 | 13 | 21 | 27 | 41 | . | . | . | 1 | 2 | 200 | 87 | | | |

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | PLACES OF OCCURRENCE | | | | Un-certified Deaths. | | |
|-----|---|------------------|----------------|--------------------------|------------------------|--------------------|--------------------|--------------------|--------------------|----------------------|------------------------|------------------------|------------------------|-----------------------------|------------------------|--|------------------------|--------------------------|------------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hospitals. | County Homes and Hospis., District Hospis. and Co. Infirmarys. | Else-where. | | |
| | ALL CAUSES | ... M. F. | 44,061 | 2,3461 20,600 | 2,693 1,994 | 576 480 | 323 312 | 612 731 | 764 776 | 1,011 888 | 1,599 1,312 | 2,949 2,364 | 6,058 4,985 | 6,876 6,788 | 2,839 2,246 | 782 633 | 5,072 3,760 | 14,768 13,961 | 2,892 2,636 |
| 1 | Typhoid Fever (including Para-typhoid). | M. F. | 15 | 11 4 | · | · | 1 | 3 1 | 2 1 | · | · | 1 3 | · | · | · | 1 | 9 3 | 2 | |
| 2 | Cerebro-spinal Meningitis | M. F. | 38 | 22 16 | 8 6 | 6 2 | 2 1 | 1 · | 2 2 | 2 · | 1 · | · | · | · | 11 8 | · | 7 4 | 4 3 | |
| 3 | Scarlet Fever | M. F. | 8 | 7 1 | 1 · | 4 1 | 1 1 | 1 · | · | · | · | · | · | · | · | 6 1 | 1 · | | |
| 4 | Whooping Cough | M. F. | 298 | 137 161 | 95 110 | 38 48 | 4 3 | · | · | · | · | · | · | · | 48 53 | · | 5 7 | 84 101 | |
| 5 | Diphtheria | M. F. | 56 | 26 30 | 2 · | 14 17 | 6 4 | 1 1 | 1 1 | 1 3 | 1 3 | 1 1 | 1 · | · | 3 5 | · | 18 21 | 5 4 | |
| 6 | Tuberculosis of the Respiratory System. | M. F. | 2,831 | 1,432 1,399 | 10 6 | 12 13 | 12 38 | 217 423 | 355 370 | 302 238 | 241 143 | 198 89 | 77 70 | 8 9 | 457 462 | 130 92 | 285 238 | 560 607 | 10 12 |
| 7 | All other forms of Tuberculosis | M. F. | 869 | 472 397 | 25 20 | 100 63 | 79 78 | 100 92 | 67 55 | 33 31 | 32 24 | 17 17 | 12 15 | 7 2 | 153 121 | 13 12 | 166 128 | 140 136 | 2 |
| 8 | Dysentery | M. F. | 3 | 2 1 | 1 · | · | · | · | · | 1 · | · | 1 · | · | · | 1 1 | 1 1 | · | · | |
| 9 | Influenza | M. F. | 651 | 326 325 | 24 13 | 4 8 | 2 5 | 6 3 | 3 8 | 9 8 | 19 13 | 39 39 | 118 118 | 102 110 | 9 12 | 16 12 | 53 46 | 248 261 | 53 62 |
| 10 | Measles | M. F. | 106 | 55 51 | 14 15 | 32 31 | 5 2 | 1 1 | 1 1 | · | 1 · | · | 1 1 | · | 8 10 | · | 17 11 | 30 30 | 5 3 |
| 11 | Acute Infectious Encephalitis | M. F. | 14 | 9 5 | 1 · | · | 2 · | 2 · | · | 1 1 | 1 1 | 1 3 | · | · | 1 1 | · | 2 1 | 6 3 | 1 |
| 12 | Typhus | M. F. | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | · | |
| 13 | Cancer | M. F. | 3,962 | 2,085 1,877 | · 3 | 6 4 | 8 6 | 9 28 | 19 106 | 85 300 | 220 496 | 489 615 | 819 319 | 430 319 | 295 244 | 36 24 | 517 386 | 1,237 1,223 | 28 24 |
| 14 | Diabetes Mellitus | M. F. | 199 | 88 111 | · 1 | 3 2 | 3 5 | 4 2 | 6 6 | 9 9 | 16 24 | 32 37 | 15 25 | 12 17 | 2 3 | 26 19 | 48 72 | 2 3 | |

%

| | | | | | | | | | | | | | | | | | | | |
|----|---|---------|----------------|----------------|------------|----------|----------|----------|------------|------------|------------|----------------|----------------|----------------|------------|----------------|----------------|----------------|----------------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 3,024{ | 1,417 1,607 | 2 . | 2 1 | 5 2 | 3 3 | 12 6 | 32 27 | 85 130 | 246 292 | 569 641 | 461 505 | 107 128 | 48 40 | 320 278 | 942 1,161 | 106 110 | |
| 16 | Diseases of the Heart ... M. F. | 11,118{ | 5,990 5,128 | 2 . | 2 2 | 19 9 | 49 39 | 77 73 | 144 181 | 386 298 | 972 708 | 2,284 1,832 | 2,055 2,036 | 289 209 | 271 227 | 1,330 1,023 | 4,050 3,669 | 248 201 | |
| 17 | Other Diseases of the Circulatory M. System. F. | 894{ | 464 430 | 1 1 | . | . | 1 1 | 3 5 | 10 13 | 35 34 | 64 64 | 189 170 | 161 142 | 29 33 | 17 12 | 138 97 | 280 288 | 13 8 | |
| 18 | Bronchitis M. F. | 1,318{ | 710 608 | 48 56 | 10 9 | 3 2 | 2 4 | 4 4 | 17 6 | 60 31 | 121 80 | 230 199 | 215 217 | 38 11 | 5 9 | 137 68 | 530 520 | 51 43 | |
| 19 | Pneumonia M. F. | 1,868{ | 1,020 848 | 349 245 | 119 101 | 14 21 | 18 18 | 17 25 | 40 39 | 71 85 | 85 85 | 185 150 | 122 150 | 144 117 | 38 20 | 163 117 | 676 594 | 39 18 | |
| 20 | Other Diseases of the Respiratory M. System. F. | 620{ | 372 248 | 18 16 | 7 7 | 6 6 | 8 11 | 13 20 | 35 12 | 63 28 | 77 65 | 80 76 | 65 22 | 48 8 | 83 41 | 232 177 | 20 4 | | |
| 21 | Ulcer of the Stomach or Duo- denum. M. F. | 257{ | 208 54 | . | 1 | . | 2 | 10 4 | 34 5 | 35 10 | 59 19 | 44 9 | 18 5 | 57 13 | 3 . | 64 13 | 79 28 | 6 1 | |
| 22 | Diarrhoea and Enteritis ... M. F. | 846{ | 503 343 | 432 281 | 24 19 | 4 3 | 1 2 | 3 6 | 8 1 | 6 4 | 5 6 | 13 11 | 7 10 | 191 126 | 5 1 | 81 62 | 226 154 | 7 7 | |
| 23 | Appendicitis M. F. | 91{ | 51 40 | . | 9 4 | 8 5 | 7 8 | 5 5 | 5 2 | 6 4 | 2 5 | 4 5 | 5 2 | 17 10 | . | 26 26 | 8 4 | . | |
| 24 | Cirrhosis of the Liver ... M. F. | 57{ | 39 18 | 1 . | . | 2 | 1 | . | 1 2 | 5 2 | 15 4 | 12 4 | 5 3 | 2 3 | . | 12 2 | 25 13 | 1 1 | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | 117{ | 60 57 | . | 2 | . | . | 2 | 5 5 | 6 7 | 14 15 | 18 18 | 13 9 | 4 16 | . | 14 10 | 42 31 | 3 1 | |
| 26 | Other Diseases of the Digestive M. System. F. | 523{ | 318 205 | 45 15 | 18 10 | 7 7 | 11 4 | 11 8 | 18 14 | 31 24 | 42 31 | 82 45 | 58 47 | 73 44 | 7 1 | 112 77 | 126 83 | 13 9 | |
| 27 | Nephritis M. F. | 1,097{ | 663 434 | 1 4 | 3 2 | 5 5 | 15 12 | 19 20 | 45 42 | 48 56 | 137 84 | 222 127 | 168 127 | 81 42 | 10 11 | 203 112 | 369 269 | 17 5 | |
| 28 | Puerperal Infection ... F. | 31 | 31 | . | . | . | 3 | 12 | 16 | . | . | . | . | 5 | . | 11 | 15 | . | |
| 29 | Other Diseases of Childbirth ... F. | 99 | 99 | . | . | . | 14 | 38 | 47 | . | . | . | . | 20 | . | 50 | 29 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F.) | 2,507{ | 1,430 1,077 | 1,392 1,033 | 18 23 | 13 17 | 4 3 | 2 1 | 1 . | . | . | . | . | 418 259 | . | 325 300 | 687 518 | 112 100 | |
| 31 | Senility M. F. | 6,450{ | 3,136 3,314 | . | . | . | . | . | . | . | . | . | 528 485 | 2,608 2,829 | 25 28 | 74 84 | 311 250 | 2,726 2,952 | 1,922 1,815 |
| 32 | Suicide M. F. | 72{ | 54 18 | . | . | . | 3 | 6 4 | 7 2 | 7 5 | 18 3 | 9 4 | 4 . | 1 1 | 1 2 | 4 15 | 48 . | | |
| 33 | Other Violence M. F. | 899{ | 599 300 | 29 19 | 36 33 | 58 28 | 75 12 | 56 9 | 59 6 | 54 24 | 60 17 | 100 72 | 72 80 | 96 56 | 6 2 | 115 77 | 382 165 | 6 4 | |
| 34 | Other Causes M. F.) | 3,123{ | 1,760 1,363 | 192 154 | 114 78 | 57 64 | 69 65 | 71 90 | 109 98 | 176 139 | 270 253 | 425 292 | 277 292 | 221 170 | 90 77 | 473 280 | 976 836 | 221 195 | |

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Elsewhere. | Uncertified Deaths. |
|-----|---|----------------|----------------|---------------|------------|------------|------------|------------|------------|----------------|----------------|----------------|------------------|----------------------------|-----------------------|---|------------|--------|------------|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co. Infirmarys. | | | | |
| | ALL CAUSES M. F. } 18,566 { | 9,743 8,823 | 1,388 1,016 | 299 264 | 155 154 | 252 347 | 334 343 | 443 395 | 751 600 | 1,413 1,116 | 2,409 2,042 | 2,299 2,546 | 1,999 1,622 | 295 287 | 2,039 1,486 | 5,410 5,428 | 575 553 | | | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 3 { | 2 1 | . | . | 1 | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 1 | . | |
| 2 | Cerebro-spinal Meningitis M. F. } | 21 { | 11 10 | 4 3 | 4 5 | 1 1 | . | 1 | 1 | . | . | . | . | 8 6 | . | 2 1 | 1 2 | . | . | |
| 3 | Scarlet Fever M. F. } | 2 { | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | |
| 4 | Whooping Cough M. F. } | 186 { | 83 103 | 59 68 | 22 32 | 2 3 | . | . | . | . | . | . | . | 46 53 | . | 4 1 | 33 49 | . | 1 | |
| 5 | Diphtheria M. F. } | 25 { | 13 12 | 1 | 10 8 | 1 | . | . | . | 1 | 2 | 1 | 1 | 3 3 | . | 8 9 | 2 | . | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 1,374 { | 689 685 | 7 6 | 6 12 | 4 12 | 96 208 | 161 182 | 151 132 | 119 60 | 108 46 | 33 24 | 4 3 | 298 287 | 39 39 | 95 90 | 262 279 | . | 4 | |
| 7 | All other forms of Tuberculosis M. F. } | 419 { | 224 195 | 10 | 57 39 | 36 47 | 46 39 | 30 21 | 16 16 | 16 7 | 7 5 | 6 6 | 2 2 | 111 92 | 4 6 | 56 33 | 53 64 | . | . | |
| 8 | Dysentery M. F. } | 1 { | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | |
| 9 | Influenza M. F. } | 167 { | 87 80 | 6 4 | 1 2 | 2 1 | 4 1 | 3 1 | 8 2 | 20 1 | 26 16 | 17 22 | 7 30 | 7 7 | 8 7 | 8 2 | 64 69 | 6 9 | . | |
| 10 | Measles M. F. } | 45 { | 21 24 | 4 9 | 15 12 | 2 1 | 1 1 | . | . | . | 1 | . | . | 7 9 | . | 3 2 | 11 13 | . | 1 | |
| 11 | Acute Infectious Encephalitis M. F. } | 6 { | 2 4 | . | . | 1 | 1 | . | 1 | 1 | 2 | . | . | 1 | 1 | 2 | . | 2 | . | |
| 12 | Typhus M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 1,725 { | 876 849 | . | 3 | 3 | 2 | 5 | 40 | 103 148 | 221 237 | 335 266 | 164 139 | 196 174 | 16 10 | 209 152 | 455 513 | 4 4 | . | |
| 14 | Diabetes Mellitus M. F. } | 71 { | 31 40 | . | 1 | 1 | 1 | 1 | 2 | 2 3 | 2 3 | 6 9 | 15 12 | 7 10 | 1 | 10 8 | 14 21 | . | . | |

| | | | | | | | | | | | | | | | | | | |
|----|---|-------|----------------|------------|----------|----------|----------|----------|-----------|------------|------------|--------------|------------|------------|------------|------------|----------------|------------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 1,388 | 623 766 | 1 • | 1 1 | 3 1 | 1 2 | 5 1 | 14 10 | 35 69 | 115 152 | 267 285 | 181 245 | 74 97 | 25 24 | 125 127 | 399 518 | 24 22 |
| 16 | Diseases of the Heart ... M. F. | 5,117 | 2,659 2,458 | 1 • | 1 1 | 8 7 | 18 34 | 28 65 | 55 131 | 180 344 | 478 844 | 973 1,015 | 917 156 | 201 116 | 121 116 | 634 495 | 1,703 1,691 | 64 49 |
| 17 | Other Diseases of the Circulatory M. System. F. | 453 | 224 229 | 1 1 | • | • | • | 1 1 | 1 7 | 16 18 | 37 37 | 91 91 | 78 74 | 20 28 | 7 2 | 74 58 | 123 141 | 5 2 |
| 18 | Bronchitis M. F. | 563 | 313 250 | 22 25 | 5 8 | 2 2 | • 3 | 2 3 | 7 1 | 31 15 | 75 31 | 81 78 | 88 84 | 29 9 | 2 4 | 61 15 | 221 222 | 7 8 |
| 19 | Pneumonia M. F. | 879 | 471 408 | 189 136 | 68 52 | 4 10 | 8 11 | 6 6 | 18 11 | 33 20 | 36 40 | 64 55 | 45 67 | 108 93 | 11 12 | 66 54 | 286 249 | 13 3 |
| 20 | Other Diseases of the Respiratory M. System. F. | 309 | 197 112 | 9 7 | 5 5 | 2 3 | 1 4 | 5 7 | 19 5 | 41 3 | 45 14 | 39 27 | 31 37 | 39 15 | 6 6 | 47 12 | 105 79 | 4 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. | 106 | 81 25 | • | • | • | • | 1 1 | 5 2 | 14 6 | 23 8 | 18 4 | 6 3 | 33 9 | • • | 23 4 | 25 12 | • • |
| 22 | Diarrhea and Enteritis ... M. F. | 485 | 294 191 | 268 166 | 10 8 | 2 1 | • • | 1 2 | 2 2 | 2 1 | 2 2 | 7 6 | • 5 | 169 116 | • 1 | 81 19 | 94 55 | 3 2 |
| 23 | Appendicitis M. F. | 32 | 23 9 | • | 5 1 | 5 2 | 4 3 | • 3 | 2 1 | 2 1 | 2 1 | 3 1 | • 1 | 11 2 | • 2 | 8 5 | 4 2 | • • |
| 24 | Cirrhosis of the Liver ... M. F. | 28 | 18 10 | 1 • | • • | 1 1 | • • | • • | 1 1 | 2 1 | 7 3 | 6 1 | 2 3 | 1 1 | • 1 | 8 1 | 9 8 | • • |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | 45 | 21 24 | • | 1 1 | • • | 1 1 | • • | 2 3 | 3 6 | 5 5 | 5 5 | 5 3 | 2 11 | • • | 5 4 | 14 9 | • • |
| 26 | Other Diseases of the Digestive M. System. F. | 192 | 113 79 | 14 6 | 6 4 | 3 3 | 3 2 | 5 4 | 3 7 | 16 10 | 22 9 | 32 12 | 9 22 | 44 30 | 5 • | 34 30 | 30 24 | 1 2 |
| 27 | Nephritis M. F. | 472 | 277 195 | 3 3 | 2 1 | 3 3 | 5 6 | 10 8 | 22 21 | 21 30 | 69 39 | 85 43 | 60 41 | 51 41 | 4 3 | 99 44 | 123 120 | 6 1 |
| 28 | Puerperal Infection F. | 12 | 12 | • | • | • | 2 | 4 | 6 | • | • | • | • | 3 | • | 3 | 6 | • |
| 29 | Other Diseases of Childbirth ... F. | 32 | 32 | • | • | • | 3 | 14 | 15 | • | • | • | • | 12 | • | 17 | 3 | • |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. | 1,224 | 712 512 | 697 493 | 10 11 | 3 5 | 1 3 | 1 • | • • | • • | • • | • • | • • | 309 184 | • • | 121 106 | 282 222 | 28 32 |
| 31 | Senility M. F. | 1,534 | 726 808 | • | • | • | • | • | • | • | • | 153 138 | 573 670 | 16 19 | 17 25 | 93 72 | 600 692 | 335 272 |
| 32 | Suicide M. F. | 23 | 15 8 | • | • | • | • | 2 | 3 | 1 | 5 | 2 | 2 | 1 | • | 1 1 | 13 7 | • • |
| 33 | Other Violence M. F. | 421 | 282 139 | 15 9 | 19 18 | 39 14 | 31 5 | 31 6 | 24 • | 24 15 | 28 9 | 39 28 | 32 35 | 64 48 | • 1 | 44 19 | 174 71 | 3 |
| 34 | Other Causes M. F. | 1,205 | 652 553 | 79 67 | 46 43 | 29 32 | 30 35 | 35 31 | 42 58 | 81 51 | 102 108 | 127 94 | 81 59 | 148 119 | 30 33 | 165 116 | 309 285 | 68 45 |

ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|--|---------------|----------------|---------------|---------|--------|----------|---------|----------|----------|----------|----------|------------------|----------------------------|-----------------------|---|-------------|----------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hospls. District Hospls. and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES M. F. } | 546 { | 303 243 | 30 20 | 12 9 | 2 5 | 10 10 | 8 10 | 10 12 | 21 16 | 33 29 | 76 65 | 101 67 | 28 14 | 12 3 | 73 41 | 190 185 | 36 18 | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | 2 { | 1 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 1 | 1 | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 3 | Scarlet Fever M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough M. F. } | 3 { | 3 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | |
| 5 | Diphtheria M. F. } | 2 { | 2 | . | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 37 { | 20 17 | . | . | 5 | 5 | 4 | 2 | 2 | . | . | 2 | 3 | 5 4 | 10 8 | . | | |
| 7 | All other forms of Tuberculosis ... M. F. } | 11 { | 5 6 | . | 2 | 1 | 1 | 2 | 1 | . | . | 1 | . | 1 | 4 3 | 4 3 | 3 | . | |
| 8 | Dysentery M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza M. F. } | 6 { | 1 5 | . | . | 1 | . | . | . | . | 3 | 1 | . | . | 1 | . | 5 | . | |
| 10 | Measles M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 11 | Acute Infectious Encephalitis ... M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 36 { | 16 20 | . | 1 | . | . | 1 | 1 | 1 | 3 5 | 6 5 | 5 1 | 2 3 | . | 7 3 | 7 14 | . | |
| 14 | Diabetes Mellitus M. F. } | 2 { | 2 | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 1 | . | |

| | | | | | | | | | | | | | | | | | | |
|----|--|------|----------|----------|--------|---|---|---|--------|--------|---------|----------|----------|--------|--------|----------|----------|----------|
| 15 | Intra-cranial Lesions of Vascular M. } Origin. F. } | 44{ | 19 25 | . | . | . | . | 1 | . | 1 2 | 3 4 | 10 17 | 4 1 | 2 2 | 1 | 6 | 10 22 | . |
| 16 | Diseases of the Heart ... M. } F. } | 170{ | 97 73 | . | . | . | . | . | 1 4 | 4 3 | 17 6 | 35 34 | 40 25 | 4 1 | 6 2 | 26 15 | 61 55 | 2 1 |
| 17 | Other Diseases of the Circulatory M. } System. F. } | 3{ | 3 | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | 1 | 1 | . |
| 18 | Bronchitis M. } F. } | 9{ | 5 4 | 1 | . | . | . | . | . | 2 | 2 | 1 | 1 | 1 | . | 3 | 2 3 | . |
| 19 | Pneumonia M. } F. } | 19{ | 11 8 | 2 2 | 2 4 | 1 | . | . | . | 1 | 1 | 1 | 4 | 3 | . | 2 | 6 8 | . |
| 20 | Other Diseases of the Respiratory M. } System. F. } | 7{ | 4 3 | . | . | . | . | 1 | . | 1 | 1 | 1 2 | 1 | 2 | . | 2 | 3 | . |
| 21 | Ulcer of the Stomach or Duo- M. } denum. F. } | 2{ | 2 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| 22 | Diarrhoea and Enteritis ... M. } F. } | 5{ | 4 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 4 1 | . | . |
| 23 | Appendicitis M. } F. } | 3{ | 2 1 | . | . | . | . | 2 | . | 1 | . | . | . | . | . | 1 | 1 | . |
| 24 | Cirrhosis of the Liver ... M. } F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 25 | Diseases of the Liver and Biliary M. } Passages. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 26 | Other Diseases of the Digestive M. } System. F. } | 6{ | 5 1 | 1 | 1 | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 1 | 4 | . |
| 27 | Nephritis M. } F. } | 9{ | 7 2 | . | . | . | . | . | 1 | 1 | 1 | 4 | 1 | 1 | . | 2 1 | 4 1 | . |
| 28 | Puerperal Infection ... F. | 2 | 2 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | 1 | . |
| 29 | Other Diseases of Childbirth ... F. | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . |
| 30 | Congenital Debility, etc. (Nos. M. } 157—161). F. } | 34{ | 19 15 | 18 14 | 1 | . | . | 1 | . | . | . | . | . | 2 | . | 3 5 | 14 10 | 1 3 |
| 31 | Senility M. } F. } | 87{ | 51 36 | . | . | . | . | 1 | . | . | . | 11 4 | 40 32 | 1 | 1 | . | 49 35 | 31 12 |
| 32 | Suicide M. } F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 33 | Other Violence M. } F. } | 9{ | 6 3 | . | . | . | 1 | . | . | 1 | 1 | 2 | 3 | . | . | 3 2 | 3 1 | . |
| 34 | Other Causes M. } F. } | 37{ | 23 14 | 6 1 | 1 2 | 2 | 1 | . | 2 | 5 2 | 3 5 | 3 | 3 | 6 | . | 4 2 | 18 12 | 2 3 |

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | Un-certified Deaths. |
|-----|---|-----------------|----------------|---------------|-------|-------|-------|-------|-------|---------|---------|---------|------------------|-----------------------------|--------------------|---|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hos-pitals. | County Homes and Hospis. District Hos-pitals. and Co. Infir-maries. | Else-where. |
| | ALL CAUSES M. F. } | 1,708 { 827 882 | 106 85 | 26 18 | 21 27 | 28 49 | 31 29 | 48 42 | 59 50 | 110 111 | 218 185 | 180 286 | 251 222 | 23 32 | 103 102 | 450 526 | 1 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 3 | Scarlet Fever M. F. } | 1 { | 1 | : | 1 | : | : | : | : | : | : | : | : | 1 | : | : | |
| 4 | Whooping Cough M. F. } | 5 { | 3 2 | 2 1 | 1 1 | : | : | : | : | : | : | : | 1 | 1 | 2 | 1 | |
| 5 | Diphtheria M. F. } | 2 { | 1 1 | : | 1 1 | : | : | : | : | : | : | : | 1 | 1 | 1 | 1 | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 168 { 76 92 | 1 1 | 2 2 | 16 26 | 11 18 | 20 23 | 10 9 | 12 8 | 3 5 | 1 1 | 28 38 | 5 3 | 11 8 | 32 43 | 0 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 42 { 25 17 | 1 1 | 7 2 | 4 9 | 4 2 | 3 1 | 3 1 | 2 2 | 1 1 | 1 1 | 14 7 | 1 2 | 8 10 | 2 10 | 0 | |
| 8 | Dysentery M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 9 | Influenza M. F. } | 18 { 7 11 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 3 2 | 1 3 | 1 4 | 2 2 | 2 1 | 5 8 | 0 | |
| 10 | Measles M. F. } | 1 { 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 0 | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 0 | |
| 12 | Typhus M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 13 | Cancer M. F. } | 172 { 80 92 | : | : | : | : | 2 1 | 3 3 | 11 8 | 15 24 | 30 30 | 19 26 | 31 23 | 1 1 | 7 11 | 41 58 | |
| 14 | Diabetes Mellitus M. F. } | 6 { 1 5 | : | : | : | : | : | : | 1 | 2 | 1 | 1 | 4 | : | 1 | 1 | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------------------|------|------------|----------|--------|--------|--------|--------|--------|---------|----------|-----------|-----------|----------|----------|----------|------------|----------|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. F. | 38{ | 48 88 | . | . | . | . | 1 | . | 3 9 | 6 15 | 24 29 | 14 35 | 7 22 | 2 5 | 7 15 | 32 46 | . | |
| 16 | Diseases of the Heart | ... M. F. | 508{ | 260 246 | . | 1 | 1 | 3 | 2 | 6 | 15 8 | 45 29 | 109 73 | 85 124 | 39 23 | 10 11 | 42 40 | 169 172 | . | |
| 17 | Other Diseases of the Circulatory System. | M. F. | 48{ | 22 26 | . | . | . | . | . | 1 | 3 4 | 11 7 | 5 14 | 3 4 | 2 4 | 4 3 | 13 19 | . | . | |
| 18 | Bronchitis | M. F. | 40{ | 19 21 | 1 | 1 | 1 | 1 | . | . | 1 1 | 2 1 | 2 3 | 13 13 | 2 1 | 1 1 | 2 1 | 15 19 | . | . |
| 19 | Pneumonia | M. F. | 82{ | 41 41 | 9 11 | 9 5 | 1 2 | 5 | 1 | 4 | 2 2 | 5 4 | 7 4 | 4 7 | 16 10 | 1 1 | 2 4 | 22 26 | . | . |
| 20 | Other Diseases of the Respiratory System. | M. F. | 27{ | 13 14 | . | 2 | . | 1 | 2 | 1 | 4 1 | . | 2 2 | 2 5 | 4 1 | 2 4 | . | . | 11 10 | . |
| 21 | Ulcer of the Stomach or Duo- denum. | M. F. | 13{ | 10 3 | . | . | . | . | . | . | 3 2 | 2 2 | 1 1 | 3 1 | 1 1 | 6 2 | . | 1 1 | 3 1 | . |
| 22 | Diarrhea and Enteritis | ... M. F. | 40{ | 22 18 | 22 14 | . | 1 | 1 | . | . | . | . | . | . | 1 1 | 19 9 | . | 1 2 | 2 6 | . |
| 23 | Appendicitis | M. F. | 5{ | 4 1 | . | . | . | 2 | . | . | 1 | . | . | . | 2 1 | . | . | . | 1 | . |
| 24 | Cirrhosis of the Liver | ... M. F. | 2{ | 1 1 | . | . | . | . | . | . | . | . | . | 1 1 | . | . | . | . | 1 1 | . |
| 25 | Diseases of the Liver and Biliary Passages. | M. F. | 1{ | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| 26 | Other Diseases of the Digestive System. | M. F. | 13{ | 7 6 | 2 | . | 1 | . | 1 | 1 | 1 1 | 1 1 | 1 2 | 1 1 | 5 4 | . | 1 | 2 1 | . | . |
| 27 | Nephritis | M. F. | 40{ | 17 23 | . | 1 | . | 2 | 1 | 1 | 1 2 | 3 | 5 5 | 6 3 | 3 7 | 6 5 | . | 4 1 | 7 17 | . |
| 28 | Puerperal Infection | ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth | F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 30 | Congenital Debility, etc. (Nos. 157—161). | M. F. | 109{ | 62 47 | 62 45 | . | 1 | 1 | . | . | . | . | . | . | 36 23 | . | 4 6 | 22 18 | 1 | . |
| 31 | Senility | M. F. | 62{ | 20 42 | . | . | . | . | . | . | . | . | . | 2 5 | 18 37 | 2 2 | 1 4 | . | 17 36 | . |
| 32 | Suicide | M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 33 | Other Violence | M. F. | 56{ | 37 19 | 1 | 1 | 5 3 | 2 1 | 7 | 3 | 4 1 | 3 2 | 5 2 | 6 8 | 10 11 | . | 2 1 | 25 7 | . | . |
| 34 | Other Causes | M. F. | 113{ | 50 63 | 4 6 | 3 5 | 4 6 | 6 9 | 4 3 | 5 3 | 4 3 | 7 10 | 8 12 | 5 6 | 21 25 | 10 5 | 7 7 | 19 26 | . | . |

ABSTRACT V—continued.—Causes of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH, | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|----------------|----------------|---------------|----------|------------|------------|------------|------------|------------|------------|------------|------------------|---------------------------|-------------------|---|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hops. | Mental Hospitals. | County Homes and Hops., District Hops., and Co. Infirmarys. | Else-where. | |
| | ALL CAUSES M. F. } 7,167 { | 3,613 3,554 | 666 479 | 134 116 | 69 58 | 110 154 | 144 145 | 182 186 | 361 296 | 636 494 | 754 788 | 557 827 | 1,354 1,070 | 89 83 | 628 571 | 1,542 1,830 | 73 35 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 15 { | 8 7 | 2 1 | 4 4 | 1 1 | . | . | 1 1 | . | . | . | . | 7 4 | 1 | 1 2 | . | |
| 3 | Scarlet Fever M. F. } | { | : | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough M. F. } | 118 { | 54 64 | 36 43 | 18 20 | 1 | . | . | . | . | . | . | . | 44 49 | . | 1 1 | 9 15 | |
| 5 | Diphtheria M. F. } | 5 { | 3 2 | . | 3 2 | . | . | . | . | . | . | . | . | 3 2 | . | . | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 650 { | 388 312 | 6 3 | 8 9 | 2 4 | 48 99 | 73 81 | 68 65 | 64 25 | 57 17 | 16 8 | 1 1 | 194 162 | 13 6 | 27 32 | 104 112 | 1 |
| 7 | All other forms of Tuberculosis ... M. F. } | 196 { | 101 95 | 4 10 | 31 25 | 19 22 | 20 18 | 8 7 | 6 5 | 7 2 | 3 1 | 3 3 | . | 80 66 | 1 2 | 2 3 | 18 24 | . |
| 8 | Dysentery M. F. } | 1 { | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | |
| 9 | Influenza M. F. } | 44 { | 20 24 | 2 1 | 1 1 | 1 | 2 1 | 1 2 | 2 1 | 6 6 | 1 7 | 5 4 | 4 5 | . | . | . | 15 19 | . |
| 10 | Measles M. F. } | 19 { | 9 10 | 2 4 | 6 6 | 1 | . | . | . | . | . | . | . | 7 6 | . | . | 2 4 | . |
| 11 | Acute Infectious Encephalitis ... M. F. } | 3 { | 1 2 | . | . | 1 | . | . | . | 1 | 1 | . | . | 1 | . | 1 | . | |
| 12 | Typhus M. F. } | { | : | : | : | : | : | : | : | : | : | : | : | . | . | . | . | |
| 13 | Cancer M. F. } | 664 { | 302 362 | . | 2 | 3 | 1 | 1 | 17 30 | 47 74 | 92 107 | 97 100 | 49 43 | 121 116 | 5 1 | 47 56 | 129 189 | 1 |

| | | | | | | | | | | | | | | | | | | |
|----|---|--------|--------------|------------|----------|---------|---------|----------|----------|----------|------------|------------|------------|------------|----------|------------|------------|----------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 503{ | 203 300 | . | . | 2 1 | 1 1 | 2 . | 3 5 | 17 34 | 52 69 | 76 98 | 50 92 | 54 59 | 2 5 | 37 48 | 110 188 | 1 1 |
| 16 | Diseases of the Heart ... M. } F. } | 1,969{ | 932 1,047 | 1 | . | 1 3 | 5 9 | 13 21 | 18 30 | 85 72 | 204 153 | 321 350 | 274 409 | 121 104 | 40 41 | 263 259 | 498 643 | 8 7 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 188{ | 80 108 | . | . | . | . | 1 | 3 | 6 9 | 19 20 | 29 46 | 26 29 | 13 19 | 1 | 26 33 | 40 56 | 1 |
| 18 | Bronchitis M. } F. } | 274{ | 163 111 | 5 11 | 2 | 1 | 3 | 1 | 7 1 | 22 11 | 53 20 | 45 36 | 27 29 | 25 5 | 1 1 | 33 6 | 104 99 | 2 |
| 19 | Pneumonia M. } F. } | 424{ | 210 214 | 102 81 | 31 23 | 1 4 | 2 5 | 5 3 | 6 8 | 16 8 | 13 23 | 21 29 | 13 30 | 80 69 | 6 9 | 18 19 | 106 117 | 5 1 |
| 20 | Other Diseases of the Respiratory M. System. F. } | 152{ | 104 48 | 4 2 | 2 | . | . | 2 | 11 2 | 28 3 | 30 4 | 17 14 | 10 17 | 30 8 | 2 2 | 23 5 | 49 33 | 1 |
| 21 | Ulcer of the Stomach or Duo- M. } denum. F. } | 41{ | 31 10 | . | . | . | . | 1 | 5 1 | 6 3 | 5 4 | 13 1 | 1 1 | 22 4 | . | 1 | 9 5 | . |
| 22 | Diarrhoea and Enteritis ... M. } F. } | 273{ | 161 112 | 158 102 | . | . | . | 2 | . | 1 | . | 1 | 1 | 140 99 | . | . | 21 11 | . |
| 23 | Appendicitis M. } F. } | 5{ | 4 1 | . | 1 | . | . | 1 | 1 | 1 | . | . | . | 3 | . | 1 | . | 1 |
| 24 | Cirrhosis of the Liver ... M. } F. } | 15{ | 9 6 | . | . | . | . | . | . | 1 | 1 | 4 | 3 | 1 | . | 7 | 2 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 16{ | 5 11 | . | 1 | . | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | . | 1 | 3 2 | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 81{ | 49 32 | 5 2 | 2 | 2 | 1 | 4 | 1 | 11 5 | 6 | 15 | 2 | 29 19 | 2 | 10 8 | 8 5 | . |
| 27 | Nephritis M. } F. } | 177{ | 106 71 | . | 1 | . | 3 | 4 | 6 | 11 9 | 31 12 | 29 15 | 21 16 | 25 12 | 1 | 40 19 | 40 31 | . |
| 28 | Puerperal Infection ... F. | 4 | 4 | . | . | . | . | 1 | 3 | . | . | . | . | 2 | . | . | 2 | . |
| 29 | Other Diseases of Childbirth ... F. | 8 | 8 | . | . | . | . | 3 | 5 | . | . | . | . | 8 | . | . | . | . |
| 30 | Congenital Debility, etc. (Nos. M. } 157—161). F. } | 504{ | 312 192 | 305 188 | 3 3 | 2 1 | 1 . | 1 | . | . | . | . | . | 208 124 | . | 24 23 | 80 45 | 4 1 |
| 31 | Senility M. } F. } | 220{ | 83 137 | . | . | . | . | . | . | . | . | 30 27 | 53 110 | 9 12 | 4 5 | 12 14 | 58 106 | 21 10 |
| 32 | Suicide M. } F. } | 8{ | 4 4 | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | . | 1 | 3 4 | . |
| 33 | Other Violence M. } F. } | 159{ | 103 56 | 3 3 | 10 8 | 23 7 | 14 1 | 10 1 | 10 . | 7 7 | 12 2 | 6 16 | 8 11 | 49 29 | . | 8 4 | 46 23 | . |
| 34 | Other Causes M. } F. } | 409{ | 222 187 | 30 28 | 13 10 | 10 8 | 11 9 | 14 10 | 17 11 | 30 24 | 37 37 | 38 26 | 22 22 | 80 67 | 11 8 | 45 34 | 86 78 | 30 13 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------|----------------|---------------|------|-------|-------|-------|-------|-------|---------|---------|------------------|----------------------------|------------------|---|------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hosptals. | County Homes and Hosps., District Hosps. and Co. Infirmaries. | Elsewhere. |
| | ALL CAUSES M. F. } | 890 { 485 405 | 68 51 | 17 15 | 4 10 | 10 13 | 27 20 | 18 15 | 35 26 | 55 40 | 125 100 | 126 115 | 41 50 | 10 9 | 118 59 | 316 287 | 27 7 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { . | 1 . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . |
| 3 | Scarlet Fever M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 4 | Whooping Cough M. F. } | 13 { 5 8 | 5 4 | 4 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 5 8 |
| 5 | Diphtheria M. F. } | 1 { . | 1 . | . . | . . | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 67 { 34 33 | . . | 1 . | 1 1 | 2 9 | 13 12 | 5 2 | 7 2 | 5 5 | 2 2 | . 1 | 8 13 | 2 1 | 4 4 | 20 15 | . . |
| 7 | All other forms of Tuberculosis ... M. F. } | 19 { 12 7 | 2 1 | 2 1 | 3 1 | 2 2 | 3 1 | 1 . | . 1 | 1 . | . 1 | . . | 2 2 | . 1 | 6 1 | 4 3 | . . |
| 8 | Dysentery M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 9 | Influenza M. F. } | 14 { 6 8 | . . | . . | . . | . . | . . | . . | 1 . | 2 1 | 1 1 | 1 3 | 1 4 | . . | 1 . | 1 . | 4 8 |
| 10 | Measles M. F. } | 3 { 2 1 | 1 . | 1 . | . 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 1 |
| 11 | Acute Infectious Encephalitis ... M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 12 | Typhus M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 13 | Cancer M. F. } | 75 { 39 36 | . . | . . | . . | . . | . . | . . | 2 2 | 3 6 | 7 10 | 16 12 | 11 6 | 5 2 | . 1 | 14 10 | 20 23 |
| 14 | Diabetes Mellitus M. F. } | 3 { 3 . | . . | . . | . 1 | . . | . . | 1 . | . . | . . | 1 . | . . | . . | . . | . . | 2 1 | . . |

| | | | | | | | | | | | | | | | | | | | | | |
|----|---|------------------|------|------------|----------|--------|---|---|---|---|---|---|----|----|----|---|---------|--------|----------|----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. F. | 62{ | 37 25 | 1 | . | . | 1 | . | . | 2 | 2 | 5 | 14 | 12 | 1 | 1 | 7 | 28 | 3 | |
| 16 | Diseases of the Heart | ... M. F. | 225{ | 123 102 | . | . | . | . | 1 | 3 | 2 | 7 | 14 | 45 | 52 | 3 | 3 | 23 | 95 | 4 | |
| 17 | Other Diseases of the Circulatory System. | M. F. | 11{ | 8 5 | . | . | . | . | . | . | 1 | 1 | 3 | 5 | 4 | . | . | 4 | 4 | . | |
| 18 | Bronchitis | M. F. | 30{ | 17 13 | 4 3 | 1 | . | . | . | . | 1 | 1 | 3 | 5 | 4 | . | . | 4 | 13 | 1 | |
| 19 | Pneumonia | M. F. | 54{ | 31 28 | 8 7 | 7 2 | . | . | . | . | 1 | 4 | 1 | 6 | 5 | 1 | . | 9 | 21 | 1 | |
| 20 | Other Diseases of the Respiratory System. | M. F. | 10{ | 4 6 | 2 | . | . | 1 | . | 1 | . | . | 1 | 3 | 2 | 1 | . | 1 | 2 | . | |
| 21 | Ulcer of the Stomach or Duodenum. | M. F. | 3{ | 1 2 | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | . | 1 | . | |
| 22 | Diarrhoea and Enteritis | ... M. F. | 25{ | 14 11 | 10 8 | 1 | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 | 3 | 4 | 9 | . | |
| 23 | Appendicitis | ... M. F. | 3{ | 3 | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | 2 | . | . | |
| 24 | Cirrhosis of the Liver | ... M. F. | 1{ | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | |
| 25 | Diseases of the Liver and Biliary Passages. | M. F. | 2{ | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | |
| 26 | Other Diseases of the Digestive System. | M. F. | 9{ | 6 3 | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 2 | 1 | 2 | 4 | 1 | . | |
| 27 | Nephritis | M. F. | 35{ | 19 16 | . | . | . | . | . | . | 1 | 2 | 3 | 4 | 5 | 2 | 1 | 11 | 6 | . | |
| 28 | Puerperal Infection | ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth | F. | 2{ | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | . | . | |
| 30 | Congenital Debility, etc. (Nos. 157—161). | M. F. | 60{ | 33 27 | 32 24 | 1 2 | . | . | 1 | . | . | . | . | . | . | . | 10 7 | . | 4 2 | 19 18 | 3 1 |
| 31 | Senility | M. F. | 64{ | 27 37 | . | . | . | . | . | . | . | . | . | 6 | 21 | . | . | 4 2 | 23 35 | 11 2 | |
| 32 | Suicide | M. F. | 2{ | 1 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | |
| 33 | Other Violence | M. F. | 22{ | 18 4 | 2 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 5 | 2 | 3 | . | 1 | 17 | 1 | |
| 34 | Other Causes | M. F. | 74{ | 39 35 | 2 | 2 | 5 | 4 | 2 | 4 | 1 | 4 | 8 | 9 | 6 | 6 | 3 | 13 | 17 | 3 2 | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | |
|-----|---|---------------|----------------|---------------|-----|-------|------|-------|-------|-------|---------|---------|------------------|-----------------------------|--------------------|--|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hos-pitals. | County Homes and Hospis., District Hospis. and Co. Infir-maries. | Else-where. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 956 { 503 453 | 62 53 | 16 20 | 4 4 | 10 17 | 6 14 | 23 16 | 27 23 | 60 54 | 156 109 | 139 143 | 35 47 | 20 24 | 126 81 | 322 301 | 42 39 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 3 | Scarlet Fever M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 4 | Whooping Cough M. F. } | 3 { | 1 2 | 1 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 1 | . |
| 5 | Diphtheria M. F. } | 2 { | 1 1 | 1 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 47 { 23 24 | . | 1 | . | 2 | 8 | 4 | 4 | 4 | 5 | 3 | 3 | . | 8 9 | 1 2 | 4 2 | 10 11 1 |
| 7 | All other forms of Tuberculosis ... M. F. } | 13 { 7 6 | . | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 1 | 1 | 5 | 2 2 |
| 8 | Dysentery M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 9 | Influenza M. F. } | 5 { 3 2 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | 1 2 | . |
| 10 | Measles M. F. } | 9 { 4 5 | . | 1 | 4 | 4 | . | . | . | . | . | . | . | . | . | 3 1 | 1 4 | . |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 12 | Typhus M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 13 | Cancer M. F. } | 59 { 33 26 | . | . | . | . | . | 1 | 2 | 5 | 6 | 15 | 5 | 3 | 3 | 9 3 | 21 13 | . |
| 14 | Diabetes Mellitus M. F. } | 4 { 4 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 | 2 | . |

| | | | | | | | | | | | | | | | | | | | | |
|-----|---|------|------------|----------|--------|---|---|---|---|---|---|----|----|----|--------|----|----------|----------|--------|---|
| 15. | Intra-cranial Lesions of Vascular M. Origin. F. } | 71{ | 35 36 | . | . | . | . | . | . | 1 | . | 2 | 22 | 10 | 2 | 2 | 6 | 25 | 29 | 2 |
| 16. | Diseases of the Heart ... M. } F. } | 247{ | 140 107 | . | . | 1 | 1 | 1 | 1 | 4 | 5 | 29 | 52 | 48 | 6 | 7 | 17 | 110 | 82 | 5 |
| 17. | Other Diseases of the Circulatory M. System. F. } | 40{ | 22 18 | . | . | . | . | . | . | 1 | 1 | 1 | 11 | 9 | 1 | 1 | 14 | 11 | 5 | . |
| 18. | Bronchitis M. } F. } | 23{ | 12 11 | 1 | 1 | . | . | . | . | . | . | 5 | 4 | 2 | 1 | 1 | 1 | 11 | 9 | . |
| 19. | Pneumonia M. } F. } | 31{ | 22 9 | 9 6 | 4 2 | 2 | 1 | . | . | 1 | . | 3 | . | 2 | 1 | 2 | 6 | 15 | 4 | . |
| 20. | Other Diseases of the Respiratory M. System. F. } | 19{ | 10 9 | 1 | . | 2 | . | . | . | 1 | 1 | 1 | 5 | 1 | 1 | 3 | 3 | 5 | 5 | . |
| 21. | Ulcer of the Stomach or Duo- M. denum. F. } | 1{ | 1 | . | . | . | . | . | . | 1 | . | 2 | 2 | 1 | . | 1 | . | . | . | * |
| 22. | Diarrhoea and Enteritis ... M. } F. } | 16{ | 12 4 | 9 2 | 2 2 | . | . | . | . | . | . | . | 1 | . | . | . | 6 | 6 | 2 | 1 |
| 23. | Appendicitis M. } F. } | 1{ | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | |
| 24. | Cirrhosis of the Liver ... M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 25. | Diseases of the Liver and Biliary M. Passages. F. } | 4{ | 2 2 | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | 1 | . | |
| 26. | Other Diseases of the Digestive M. System. F. } | 5{ | 2 3 | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | 1 | 1 | 1 | 2 | . |
| 27. | Nephritis M. } F. } | 30{ | 17 13 | . | 1 | 1 | . | 1 | 1 | 2 | 1 | 1 | 8 | 2 | 2 | 6 | 9 | 7 | . | |
| 28. | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29. | Other Diseases of Childbirth ... F. | 2{ | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . | . | . | |
| 30. | Congenital Debility, etc. (Nos. M. 157—161). F. } | 69{ | 32 37 | 32 37 | . | . | . | . | . | . | . | . | . | . | 9 3 | . | 13 12 | 16 22 | 4 5 | . |
| 31. | Senility M. } F. } | 160{ | 74 86 | . | . | . | . | . | . | . | . | 18 | 56 | 2 | 2 | 11 | 59 | 27 | 25 | . |
| 32. | Suicide M. } F. } | 3{ | 3 | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 3 | . | . | |
| 33. | Other Violence M. } F. } | 19{ | 8 11 | 2 1 | . | 1 | 1 | 3 | . | . | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 5 | 6 | . |
| 34. | Other Causes M. } F. } | 73{ | 39 34 | 6 3 | 5 2 | 2 | 4 | 2 | 5 | 2 | 8 | 4 | 8 | 10 | 3 | 4 | 3 | 16 | 16 | 1 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. | |
|-----|---|---------------|----------------|---------------|--------|--------|---------|----------|----------|----------|----------|-----------|-----------------------|----------------------------|--------------------|--|----------------------|----------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hospls., District Hospls. and Co. Infirmarys. | Else-where. | |
| | ALL CAUSES M. F. } 770 { | 770 { | 438 332 | 42 38 | 8 8 | 8 2 | 11 6 | 11 10 | 19 16 | 31 14 | 50 38 | 115 92 | 143 108 | 28 24 | 15 17 | 116 54 | 278 237 | 49 32 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 2 | Cerebro-spinal Meningitis M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough M. F. } | 12 { | 6 6 | 3 4 | 2 2 | 1 . | . | . | . | . | . | . | . | 1 1 | . | 1 . | 4 5 | . |
| 5 | Diphtheria M. F. } | 2 { | . | 2 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 38 { | 22 16 | . | . | . | 1 | 4 3 | 2 5 | 4 3 | 5 2 | 6 1 | 1 1 | . | 7 6 | 2 1 | 5 1 | 8 9 |
| 7 | All other forms of Tuberculosis M. F. } | 14 { | 10 4 | 1 | . | 2 | 3 1 | 2 1 | 2 1 | . | 1 | . | . | 3 1 | 1 . | 4 2 | 3 . | . |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza M. F. } | 6 { | 2 4 | . | . | . | . | . | . | . | . | 1 2 | 1 2 | . | . | . | 2 4 | . |
| 10 | Measles M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 11 | Acute Infectious Encephalitis M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 71 { | 35 36 | . | . | . | . | . | 3 1 | 4 | 9 12 | 15 10 | 8 9 | 1 2 | . | 6 1 | 28 33 | . |
| 14 | Diabetes Mellitus M. F. } | 7 { | 6 1 | . | . | . | . | 1 | . | 1 1 | . | 4 | . | 2 | . | 2 | . | |

| | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|---|---|---|--------|--------|--------|---------|----------|----------|----------|--------|----------|----------|----------|----------|
| 15 | Intra-cranial Lesions of Vascular M. F. } | 45{ | 25 20 | . | . | . | . | . | . | 1 | 3 1 | 4 2 | 8 8 | 9 9 | 1 | 1 | 4 1 | 19 19 | 2 2 |
| 16 | Diseases of the Heart ... M. F. } | 268{ | 154 114 | . | . | . | 2 | 3 1 | 2 2 | 5 2 | 14 4 | 16 14 | 48 49 | 64 41 | 3 3 | 10 10 | 58 33 | 88 68 | 4 1 |
| 17 | Other Diseases of the Circulatory M. System F. } | 13{ | 6 7 | . | . | . | . | . | . | . | 2 1 | 3 3 | 1 3 | . | . | . | 1 | 5 7 | 2 3 |
| 18 | Bronchitis M. F. } | 8{ | 4 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 1 | 1 | . | 1 | . | 4 3 | . |
| 19 | Pneumonia M. F. } | 21{ | 15 6 | 5 | 3 | 1 | . | . | . | . | . | 2 | 5 3 | 2 3 | . | . | 3 | 12 6 | 1 |
| 20 | Other Diseases of the Respiratory M. System F. } | 6{ | 5 1 | 1 | . | . | . | . | . | . | 3 | 1 | . | 1 | . | . | 4 1 | 1 | . |
| 21 | Ulcer of the Stomach or Duo- M. denum F. } | 8{ | 6 2 | . | . | . | . | . | . | 1 | 1 | 1 1 | 3 | . | 1 | . | 5 | 1 1 | . |
| 22 | Diarrhea and Enteritis ... M. F. } | 13{ | 9 4 | 8 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | 3 | 6 2 | . |
| 23 | Appendicitis M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 24 | Cirrhosis of the Liver ... M. F. } | 1{ | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| 25 | Diseases of the Liver and Biliary M. Passages F. } | 1{ | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| 26 | Other Diseases of the Digestive M. System F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 27 | Nephritis M. F. } | 9{ | 8 1 | . | . | . | . | . | . | . | 3 | 3 1 | 2 | . | 1 | 1 | 5 1 | . | . |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 29 | Other Diseases of Childbirth ... F. | 4 | 4 | . | . | . | . | . | 1 | 3 | . | . | . | . | 1 | 1 | 2 | * | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 46{ | 23 23 | 23 23 | . | . | . | . | . | . | . | . | . | . | 4 5 | . | 7 7 | 12 11 | 4 |
| 31 | Senility M. F. } | 101{ | 58 43 | . | . | . | . | . | . | . | . | . | 11 6 | 47 37 | . | . | 5 | 53 43 | 35 20 |
| 32 | Suicide M. F. } | 4{ | 2 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 | 1 | . |
| 33 | Other Violence M. F. } | 15{ | 11 4 | . | 3 | 2 | . | . | 2 | 1 | . | 1 | 3 1 | 2 | . | . | 5 2 | 6 2 | . |
| 34 | Other Causes M. F. } | 57{ | 28 29 | 2 6 | 1 | 1 | 1 | 1 | 3 1 | 2 | 5 1 | 2 | 8 7 | 4 3 | 3 2 | 1 | 6 6 | 18 17 | . |

ABSTRACT V—contd.—Causes of Death for the Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

| | | | | | | | | | | | | | | | | | | | | |
|----|--|-----|----------|----------|---|---|---|---|---|---|--------|---------|----------|----------|--------|--------|----------|----------|----------|----------|
| 15 | Intra-cranial Lesions of Vascular M. F. } | 44 | 25 19 | . | . | 1 | . | . | . | 1 | . | 3 | 5 7 | 10 3 | 8 5 | 1 | 2 | 5 5 | 17 14 | 5 8 |
| 16 | Diseases of the Heart ... M. F. } | 133 | 87 46 | . | . | 1 | 1 | 2 | . | 1 | 5 1 | 11 6 | 35 23 | 31 16 | . | 4 8 | 23 10 | 60 28 | 3 1 | |
| 17 | Other Diseases of the Circulatory M. System. F. } | 20 | 11 9 | . | . | . | . | . | 1 | 1 | 2 | 2 1 | 3 4 | 4 2 | . | . | 1 | 5 3 | 6 5 | 1 |
| 18 | Bronchitis M. F. } | 9 | 1 8 | 1 | . | . | . | . | . | . | . | . | 5 | 2 | . | . | . | 1 | 7 3 | |
| 19 | Pneumonia M. F. } | 17 | 7 10 | 3 1 | 1 | 1 | . | 1 | . | 1 | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 2 3 | 2 6 | 1 |
| 20 | Other Diseases of the Respiratory M. System. F. } | 4 | 4 | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . | 2 | 1 | 1 | . |
| 21 | Ulcer of the Stomach or Duo- denum. M. F. } | 10 | 7 3 | . | . | . | . | . | . | . | 2 1 | 1 | 2 | 2 | . | . | . | 6 2 | 1 1 | . |
| 22 | Diarrhoea and Enteritis ... M. F. } | 10 | 7 3 | 5 3 | . | 1 | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 2 | 3 1 | 1 |
| 23 | Appendicitis M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 2 | 1 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 9 | 2 7 | 1 | . | . | 1 | . | . | . | 3 | . | 1 | 1 | . | . | . | 2 5 | 2 | . |
| 27 | Nephritis M. F. } | 10 | 4 6 | . | . | . | . | 1 | 1 | . | 1 | 2 | 2 | 1 | . | . | . | 1 2 | 3 4 | . |
| 28 | Puerperal Infection ... F. | 1 | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | |
| 29 | Other Diseases of Childbirth ... F. | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 2 | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 31 | 11 20 | 11 18 | . | . | 2 | . | . | . | . | . | . | . | 4 | . | . | 6 4 | 5 12 | 1 7 |
| 31 | Senility M. F. } | 116 | 58 58 | . | . | . | . | . | . | . | . | . | 15 10 | 43 48 | . | . | . | 1 1 | 57 57 | 55 43 |
| 32 | Suicide M. F. } | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | |
| 33 | Other Violence M. F. } | 9 | 4 5 | 1 | 1 | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | . | 2 2 | 2 3 | . |
| 34 | Other Causes M. F. } | 43 | 23 20 | 4 7 | 3 | 1 | . | 1 | . | 1 | 2 | 5 3 | 4 1 | 3 4 | 3 2 | 1 | 1 | 8 6 | 14 11 | 5 4 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1947

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | |
|-----|---|---------------|----------------|---------------|----------|---------|----------|----------|----------|----------|----------|------------|------------------|----------------------------|-------------------|--|------------|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co. Infirmaries. | Elsewhere. | Un-certified Deaths |
| | ALL CAUSES M. } F. } | 966 { | 549 417 | 66 34 | 16 12 | 8 12 | 16 12 | 17 17 | 16 18 | 41 14 | 73 66 | 149 110 | 147 122 | 40 41 | 24 22 | 128 74 | 357 280 | 22 16 |
| 1 | Typhoid Fever (including Para-typhoid). M. } F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2 | Cerebro-spinal Meningitis ... M. } F. } | 1 { | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| 3 | Scarlet Fever M. } F. } | 1 { | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| 4 | Whooping Cough M. } F. } | 11 { | 6 5 | 5 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | 2 | 4 5 | 1 |
| 5 | Diphtheria M. } F. } | 2 { | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 1 | . | . |
| 6 | Tuberculosis of the Respiratory System. M. } F. } | 66 { | 33 33 | 1 | . | . | 5 | 10 | 4 | 7 | 3 | 3 | 1 | 3 8 | 2 7 | 14 7 | 14 11 | . |
| 7 | All other forms of Tuberculosis ... M. } F. } | 19 { | 11 8 | 2 | 4 | 1 | 1 | 2 | . | . | 1 | . | 1 | 3 3 | 1 | 3 4 | 4 1 | . |
| 8 | Dysentery M. } F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 9 | Influenza M. } F. } | 10 { | 7 | . | . | . | . | . | 1 | . | 1 | 4 | 1 | 1 | . | . | 6 3 | . |
| 10 | Measles M. } F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 11 | Acute Infectious Encephalitis ... M. } F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | * |
| 12 | Typhus M. } F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13 | Cancer M. } F. } | 85 { | 47 38 | . | . | . | . | . | 4 | 6 | 13 | 23 | 1 | 6 4 | . | 11 6 | 30 28 | 1 |
| 14 | Diabetes Mellitus M. } F. } | 3 { | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |

| | | | | | | | | | | | | | | | | | | | | | | |
|----|---|--------------|-----|------------|----------|--------|--------|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. F. | 74 | 43 31 | : | : | : | : | : | 2 | 2 | 9 | 19 | 11 | 2 | 2 | 10 | 31 | 1 | 1 | | |
| 16 | Diseases of the Heart | ... M. F. | 275 | 146 129 | : | : | : | : | 3 | 3 | 5 | 13 | 19 | 49 | 59 | 7 | 1 | 24 | 114 | 6 | 2 | |
| 17 | Other Diseases of the Circulatory M. System. | F. | 19 | 13 6 | : | : | : | : | : | 1 | 1 | 3 | 5 | 5 | 1 | 2 | 3 | 7 | 1 | 4 | .. | |
| 18 | Bronchitis ... | ... M. F. | 18 | 9 9 | : | : | : | 1 | : | : | : | 1 | 5 | 5 | 3 | .. | 1 | 8 | 9 | .. | .. | |
| 19 | Pneumonia ... | ... M. F. | 31 | 19 12 | 9 1 | 3 | 2 | : | 2 | 1 | 2 | 1 | 2 | 2 | .. | .. | 3 | 16 | 10 | .. | .. | |
| 20 | Other Diseases of the Respiratory M. System. | F. | 5 | 1 4 | : | : | 1 | : | : | 1 | 1 | .. | .. | 1 | 2 | 1 | 1 | .. | 2 | .. | .. | .. |
| 21 | Ulcer of the Stomach or Duo- denum. | M. F. | 11 | 10 1 | : | : | : | .. | : | .. | 1 | 3 | 5 | 1 | 1 | 2 | .. | 3 | 1 | 5 | .. | .. |
| 22 | Diarrhoea and Enteritis | ... M. F. | 10 | 3 7 | 3 5 | 2 | : | : | : | : | : | .. | .. | .. | .. | 1 | .. | 1 | 2 | 6 | .. | .. |
| 23 | Appendicitis | ... M. F. | 3 | 1 2 | : | .. | 1 | 1 | : | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. | .. | .. |
| 24 | Cirrhosis of the Liver | ... M. F. | 1 | 1 | : | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | 1 | .. | .. | .. |
| 25 | Diseases of the Liver and Biliary M. Passages. | F. | 6 | 3 3 | : | .. | .. | .. | .. | .. | 1 | 1 | 1 | 1 | 1 | .. | .. | 2 | 1 | 1 | .. | .. |
| 26 | Other Diseases of the Digestive M. System. | F. | 12 | 8 4 | : | .. | .. | 1 | .. | 1 | .. | .. | 2 | 6 | .. | .. | 2 | 3 | 3 | 3 | .. | 1 |
| 27 | Nephritis ... | ... M. F. | 24 | 12 12 | : | .. | .. | .. | .. | .. | 1 | 1 | 5 | 2 | 5 | .. | 1 | .. | 3 | 8 | .. | .. |
| 28 | Puerperal Infection | ... F. | 1 | 1 | : | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. |
| 29 | Other Diseases of Childbirth | ... F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 30 | Congenital Debility, etc. (Nos. 157-161). | M. F. | 62 | 39 23 | 37 23 | 2 | : | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | 13 | 24 | 12 | 1 | 2 |
| 31 | Senility ... | ... M. F. | 110 | 63 47 | : | : | : | .. | .. | .. | .. | .. | 13 | 50 | .. | 7 | 18 | 38 | 29 | 11 | 8 | .. |
| 32 | Suicide | ... M. F. | 2 | 1 1 | : | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. |
| 33 | Other Violence | ... M. F. | 22 | 15 7 | 1 1 | .. | 2 | 3 | 2 | .. | 3 | 1 | 3 | 2 | 2 | 3 | 1 | .. | 1 | 11 | 5 | .. |
| 34 | Other Causes | ... M. F. | 82 | 55 27 | 8 1 | 6 5 | 2 1 | 4 | 3 | 1 | 6 | 11 | 8 | 6 | 2 | 9 | 7 | 9 | 30 | 18 | 2 | 1 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------|----------------|---------------|---------|--------|---------|----------|----------|----------|----------|-----------|------------------|----------------------------|-----------------------|---|-------------|----------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps., District Hosps., and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES M. F. } | 931 { | 527 404 | 53 52 | 17 9 | 5 4 | 4 11 | 16 19 | 20 10 | 27 22 | 81 54 | 158 90 | 146 133 | 43 18 | 18 19 | 148 90 | 318 277 | 47 31 | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Whooping Cough M. F. } | 4 { | 3 1 | 3 1 | . | . | . | . | . | . | . | . | . | . | . | 3 1 | . | | |
| 5 | Diphtheria M. F. } | 3 { | 1 2 | . | 1 2 | . | . | . | . | . | . | . | . | . | . | 1 2 | . | | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 51 { | 23 28 | 1 | . | . | 2 7 | 8 10 | 8 4 | 1 3 | 2 1 | 2 2 | . | 2 1 | 5 5 | 6 9 | 10 13 | 1 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 18 { | 11 7 | 1 | 3 | 2 | 1 | 3 | 3 | 2 | 1 | . | . | 3 1 | . | 4 6 | 4 6 | . | |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 9 | Influenza M. F. } | 6 { | 5 1 | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . | . | 2 3 | 3 1 | . | |
| 10 | Measles M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 13 | Cancer M. F. } | 104 { | 63 41 | . | . | . | . | . | 1 1 | 6 8 | 18 10 | 21 14 | 17 8 | 8 4 | 1 1 | 18 7 | 36 29 | 1 | |
| 14 | Diabetes Mellitus M. F. } | 6 { | 4 2 | . | . | . | . | . | 1 | . | 2 | 2 | 1 | 2 1 | 1 1 | . | 1 | . | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|--------|---|---|---|---|---|--------|--------|----------|----------|----------|--------|---------|----------|-----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 70{ | 36 34 | . | . | . | . | . | . | . | 1 | 7 | 16 | 12 | 1 | 3 | 7 | 25 | 2 | |
| 16 | Diseases of the Heart ... M. F. } | 277{ | 158 119 | . | . | . | . | . | . | 1 | 3 1 | 5 5 | 33 13 | 64 44 | 53 55 | 4 1 | 6 8 | 45 20 | 103 90 | 9 4 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 36{ | 21 15 | . | . | . | . | . | . | 1 | 1 1 | 2 2 | 11 5 | 7 6 | . | . | 7 | 14 15 | 2 | |
| 18 | Bronchitis M. F. } | 33{ | 12 21 | 3 | 1 | . | . | . | . | . | 1 | 2 1 | 2 3 | 7 12 | . | . | 5 4 | 7 17 | . | |
| 19 | Pneumonia M. F. } | 30{ | 19 11 | 10 5 | 2 2 | . | . | . | . | 2 | 1 1 | . | 3 1 | 1 2 | 1 2 | . | 3 4 | 15 5 | 2 | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 10{ | 6 4 | 1 | 1 | . | 1 | . | 1 | . | 2 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 3 1 | 1 | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 4{ | 4 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | 1 | . | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 16{ | 9 7 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | 5 3 | 4 4 | 1 | |
| 23 | Appendicitis M. F. } | 2{ | 1 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | 1{ | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 3{ | 2 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 1 1 | . | |
| 26 | Other Diseases of the Digestive M. System. F. } | 13{ | 6 7 | 1 | 1 | . | . | . | 1 | 1 | 1 2 | 1 2 | 1 3 | 1 6 | 2 | . | 4 3 | 4 4 | . | |
| 27 | Nephritis M. F. } | 36{ | 22 14 | . | . | . | . | . | . | 1 | 2 1 | 1 1 | 3 4 | 9 2 | 6 6 | 3 | . | 9 4 | 10 10 | 1 |
| 28 | Puerperal Infection F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth ... F. | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 59{ | 30 29 | 29 29 | . | 1 | . | . | . | . | . | . | . | . | . | 9 5 | . | 7 10 | 14 14 | 3 2 |
| 31 | Senility M. F. } | 66{ | 37 29 | . | . | . | . | . | . | . | . | . | 7 5 | 30 24 | . | 1 | . | 37 28 | 18 17 | |
| 32 | Suicide M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 33 | Other Violence M. F. } | 22{ | 18 4 | 1 | 2 | 2 | . | 1 | 1 | 1 | 2 | 6 | 4 | . | . | 6 1 | 12 3 | 2 | | |
| 34 | Other Causes ... M. F. } | 60{ | 35 25 | 2 | 4 | 3 | 2 | 2 | 4 | 1 | 4 1 | 6 8 | 9 2 | 5 2 | 2 | 2 | 13 8 | 15 14 | 4 4 | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------|----------------|---------------|-----|----|-----|-----|-----|-----|-----|-----|------------------|----------------------------|-------------------|--|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals, | County Homes and Hosps., District Hosps., and Co. Infirmaries. | Else-where. | |
| | ALL CAUSES M. F. | 804 { 365 | 439 | 58 | 6 | 7 | 13 | 9 | 19 | 24 | 53 | 122 | 129 | 26 | 10 | 124 | 279 | 66 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. | . | { | : | : | : | : | : | : | : | : | : | : | | | | | |
| 2 | Cerebro-spinal Meningitis ... M. F. | 1 { | | 1 | 1 | : | : | : | : | : | : | : | : | | | 1 | | |
| 3 | Scarlet Fever M. F. | . | { | : | : | : | : | : | : | : | : | : | : | | | | | |
| 4 | Whooping Cough M. F. | 2 { | 1 | 1 | 1 | : | : | : | : | : | : | : | : | | | | 1 | |
| 5 | Diphtheria M. F. | 1 { | | 1 | : | 1 | : | : | : | : | : | : | : | | | 1 | | |
| 6 | Tuberculosis of the Respiratory System. M. F. | 38 { 23 | 15 | • | • | 1 | 2 | 4 | 3 | 3 | 3 | • | • | 5 | 1 | 2 | 7 | 1 |
| 7 | All other forms of Tuberculosis ... M. F. | 9 { 5 | 4 | • | • | 2 | 1 | 1 | 1 | 1 | • | • | • | 1 | • | 2 | 1 | 3 |
| 8 | Dysentery M. F. | . | { | : | : | : | : | : | : | : | : | : | : | | | | | |
| 9 | Influenza M. F. | 9 { 5 | 4 | • | • | • | • | • | • | • | 3 | 1 | 2 | • | 1 | 3 | 5 | 2 |
| 10 | Measles M. F. | 2 { 1 | 1 | 1 | • | • | 1 | • | • | • | • | • | • | • | • | 1 | 1 | • |
| 11 | Acute Infectious Encephalitis ... M. F. | 2 { 1 | 1 | • | • | • | 1 | • | • | • | 1 | • | • | • | • | 1 | 1 | • |
| 12 | Typhus M. F. | . | { | : | : | : | : | : | : | : | : | : | : | | | | | |
| 13 | Cancer M. F. | 76 { 32 | 44 | • | • | • | • | 1 | 2 | 5 | 9 | 20 | 7 | 2 | • | 13 | 29 | 1 |
| 14 | Diabetes Mellitus M. F. | . | { | : | : | : | : | 1 | 1 | 8 | 8 | 10 | 5 | 1 | • | 1 | 2 | • |

| | | | | | | | | | | | | | | | | | | | | | |
|----|--|------|----------|----------|---|---|---|---|---|---|--------|--------|--------|----------|----------|----------|----------|---------|----------|----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 61{ | 30 31 | . | . | . | . | . | . | . | . | . | 4 | 1 6 | 20 10 | 9 10 | . | 3 | 8 5 | 22 23 | 3 |
| 16 | Diseases of the Heart ... M. F. | 171{ | 97 74 | . | . | . | . | . | . | . | . | . | 5 3 | 4 3 | 16 11 | 40 27 | 32 30 | 2 1 | 31 15 | 57 55 | 2 7 |
| 17 | Other Diseases of the Circulatory M. System. | 11{ | 7 4 | 1 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 5 2 | . |
| 18 | Bronchitis M. F. | 34{ | 19 15 | 3 | . | 1 | 1 | . | 2 | . | . | . | 3 | 4 1 | 5 7 | 4 3 | . | 3 | 2 2 | 16 13 | 3 1 |
| 19 | Pneumonia M. F. | 29{ | 20 9 | 5 | 1 | 1 | . | 1 | . | 1 | 1 | 1 | 2 | 7 1 | 2 | 1 | 1 | 2 1 | 17 8 | . | |
| 20 | Other Diseases of the Respiratory M. System. | 8{ | 6 2 | 1 | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 2 | . |
| 21 | Ulcer of the Stomach or Duo- M. denum. | 2{ | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | |
| 22 | Diarrhoea and Enteritis ... M. F. | 15{ | 13 2 | 12 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 2 | 10 | . |
| 23 | Appendicitis M. F. | 3{ | 3 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 26 | Other Diseases of the Digestive M. System. | 8{ | 5 3 | 3 | 1 | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 | . | 1 | . | 3 2 | 2 | . |
| 27 | Nephritis M. F. | 22{ | 16 6 | . | . | . | . | . | . | 2 | 4 2 | 1 1 | 4 3 | 3 | 2 | . | 4 1 | . | 4 1 | 8 4 | 3 |
| 28 | Puerperal Infection ... F. | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 2 | . | . | |
| 29 | Other Diseases of Childbirth ... F. | 4 | 4 | . | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | 4 | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. | 53{ | 32 21 | 32 19 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 5 1 | . | 14 8 | 13 12 | 4 3 |
| 31 | Senility M. F. | 158{ | 72 86 | . | . | . | . | . | . | . | . | . | . | 11 16 | 61 70 | . | 1 | 11 9 | 61 76 | 45 50 | |
| 32 | Suicide M. F. | 1{ | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | |
| 33 | Other Violence M. F. | 16{ | 12 4 | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 2 1 | . | . | . | . | 4 | 8 4 | . | |
| 34 | Other Causes M. F. | 61{ | 30 31 | 2 | 4 | 1 | 2 | 3 | 1 | 1 | 4 | 4 5 | 6 3 | 8 6 | 4 3 | 2 | 15 4 | 9 18 | 4 6 | | |

ABSTRACT V—contd.—Causes of Death for the Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------|----------------|---------------|---------|--------|---------|----------|----------|----------|----------|-----------|------------------|----------------------------|-----------------------|---|------------|----------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co. Infirmarys. | Elsewhere. | | |
| | ALL CAUSES M. F. } | 828 { | 456 372 | 48 39 | 11 8 | 9 6 | 8 14 | 23 14 | 25 13 | 25 25 | 54 41 | 116 84 | 137 128 | 35 19 | 22 20 | 126 98 | 273 235 | 54 39 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Whooping Cough M. F. } | 5 { | 1 4 | 1 4 | . | . | . | . | . | . | . | . | . | . | . | 1 4 | . | | |
| 5 | Diphtheria M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 53 { | 29 24 | . | . | 1 1 | 2 7 | 10 8 | 10 4 | 5 2 | 2 2 | 1 1 | . | 15 8 | 4 4 | 3 1 | 11 11 | . | |
| 7 | All other forms of Tuberculosis ... M. F. } | 24 { | 15 9 | . | . | 4 3 | 3 3 | 6 2 | 2 1 | . | . | 1 1 | . | 2 1 | . | 10 6 | 3 2 | . | |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 9 | Influenza M. F. } | 11 { | 8 3 | 1 1 | . | . | 2 | . | . | . | . | 1 1 | 3 2 | . | 2 | . | 6 3 | 2 | |
| 10 | Measles M. F. } | 2 { | 1 1 | 1 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 13 | Cancer M. F. } | 83 { | 49 34 | . | . | . | . | 1 1 | 3 6 | 1 6 | 12 8 | 23 15 | 9 5 | 3 2 | 2 2 | 25 16 | 19 16 | . | |
| 14 | Diabetes Mellitus M. F. } | 1 { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |

| | | | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|--------|---|---|---|---|--------|---|---|----------|----------|----------|--------|----------|----------|----------|----------|---|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 60{ | 23 37 | . | . | . | . | . | . | 1 | 2 | 2 | 5 | 10 17 | 8 | . | 2 | 4 | 4 | 17 30 | 1 | 2 |
| 16 | Diseases of the Heart ... M. F. | 213{ | 110 103 | . | . | . | . | . | 1 | 2 | 4 | 7 | 20 14 | 39 32 | 41 44 | 1 | 14 10 | 26 28 | 69 64 | 9 | 6 | |
| 17 | Other Diseases of the Circulatory M. System. | 20{ | 13 7 | . | . | . | . | . | . | . | 1 | 2 | 3 | 8 | 4 | 1 | . | 5 | 3 | 8 | 3 | 1 |
| 18 | Bronchitis M. F. | 16{ | 7 9 | 1 | 1 | . | . | . | 1 | . | . | . | 1 | 4 2 | 2 4 | . | . | . | 1 | 6 9 | . | . |
| 19 | Pneumonia M. F. | 29{ | 16 13 | 8 2 | 2 3 | . | . | . | . | . | 1 | 3 | 3 | 1 1 | 2 3 | 3 | 1 | 1 5 | 11 8 | 2 | 1 | |
| 20 | Other Diseases of the Respiratory M. System. | 15{ | 11 4 | 1 | . | . | . | . | 1 | 1 | 2 | 2 | 2 1 | 1 1 | 3 | . | . | 3 | 1 | 8 3 | . | 1 |
| 21 | Ulcer of the Stomach or Duo- M. denum. | 2{ | 2 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | . | |
| 22 | Diarrhoea and Enteritis ... M. F. | 15{ | 11 4 | 6 3 | 3 | . | . | . | . | . | . | . | . | 2 | . | 2 | 1 | 4 1 | 5 2 | 1 | . | |
| 23 | Appendicitis M. F. | 3{ | 3 | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. | 1{ | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. | 5{ | 4 1 | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | 4 1 | . | . | |
| 26 | Other Diseases of the Digestive M. System. | 12{ | 9 3 | 3 1 | 1 | . | . | . | 1 | . | . | 3 | 2 | . | 2 1 | . | . | 6 2 | 1 | . | . | |
| 27 | Nephritis M. F. | 20{ | 11 9 | 1 | . | . | . | 1 | 1 | 1 | 1 | 2 | 4 3 | 2 | . | 1 | 9 5 | 1 4 | . | . | | |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth ... F. | 4{ | 4 | . | . | . | . | 1 | 2 | 1 | . | . | . | . | 1 | . | 3 | . | . | . | . | |
| 30 | Congenital Debility, etc Nos. M. F. 157—161). | 48{ | 25 23 | 25 21 | . | 1 | 1 | . | . | . | . | . | . | . | . | 6 3 | . | 11 8 | 8 12 | 1 | 3 | |
| 31 | Senility M. F. | 109{ | 59 50 | . | . | . | . | . | . | . | . | . | 9 4 | 50 46 | . | 1 | 2 4 | 57 45 | 30 21 | . | . | |
| 32 | Suicide M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 33 | Other Violence M. F. | 20{ | 16 4 | 1 | 2 | 1 | . | 4 | 1 | 1 | 1 | 3 | 2 | 1 | . | 1 | 5 2 | 11 1 | . | . | | |
| 34 | Other Causes ... M. F. | 57{ | 32 25 | 2 | 2 | 1 | 1 | 1 | . | 4 1 | 2 | 5 | 9 | 6 | 1 | . | 8 8 | 23 17 | 8 | 4 | | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------|----------------|---------------|----------|----------|----------|----------|----------|----------|----------|------------|------------------|----------------------------|-----------------------|---|------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co. Infirmarys. | Elsewhere. | Un-certified Deaths. |
| | ALL CAUSES M. F. | 1,514 { | 773 741 | 104 73 | 20 28 | 10 12 | 13 21 | 22 25 | 38 29 | 54 41 | 85 76 | 190 171 | 237 265 | 41 40 | 25 22 | 169 128 | 538 551 | 50 69 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. | . | : | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 2 | Cerebro-spinal Meningitis ... M. F. | 2 { | 1 1 | . | . | 1 | . | . | 1 | . | . | . | . | 1 1 | . | . | . | |
| 3 | Scarlet Fever M. F. | . | { | : | : | : | : | : | : | : | : | : | : | . | . | . | . | |
| 4 | Whooping Cough M. F. | 10 { | 3 7 | 2 5 | 1 | . | . | . | . | . | . | . | . | . | . | 3 7 | . | |
| 5 | Diphtheria M. F. | 5 { | 2 3 | . | 2 | 1 | . | . | . | 1 | 1 | . | . | . | 2 3 | . | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. | 72 { | 36 36 | . | . | 1 | 13 | 11 6 | 12 8 | 5 4 | 6 2 | 1 | 1 | 12 16 | 1 3 | 2 2 | 21 15 | |
| 7 | All other forms of Tuberculosis ... M. F. | 31 { | 12 19 | . | 4 5 | 6 | 4 | 1 3 | 1 3 | 2 1 | . | . | . | 3 | 7 5 | 5 11 | . | |
| 8 | Dysentery M. F. | . | { | : | : | : | : | : | : | : | : | : | : | . | . | . | . | |
| 9 | Influenza M. F. | 15 { | 8 7 | 1 | . | 2 | . | . | . | . | 1 | 3 1 | 2 5 | 1 | 2 2 | 1 | 4 5 | 2 |
| 10 | Measles M. F. | 4 { | 3 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 3 1 | . | |
| 11 | Acute Infectious Encephalitis ... M. F. | . | { | : | : | : | : | : | : | : | : | : | : | . | . | . | . | |
| 12 | Typhus M. F. | . | { | : | : | : | : | : | : | : | : | : | : | . | . | . | . | |
| 13 | Cancer M. F. | 160 { | 90 70 | . | . | . | . | . | 1 | 3 5 | 12 10 | 16 16 | 38 23 | 21 15 | 5 5 | 4 4 | 27 17 | 54 48 |
| 14 | Diabetes Mellitus M. F. | a { | 2 | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 9 | . | |

| | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|--------|---|---|--------|--------|---------|----------|----------|-----------|----------|--------|----------|------------|----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 146{ | 68 78 | . | . | . | . | . | 1 | 3 1 | 4 6 | 12 8 | 24 37 | 25 25 | 2 1 | 7 7 | 14 14 | 45 56 | 2 3 |
| 16 | Diseases of the Heart ... M. F. } | 392{ | 212 180 | . | . | 2 | 3 | 4 2 | 9 4 | 10 6 | 25 27 | 85 59 | 74 82 | 5 4 | 8 8 | 37 19 | 162 149 | 6 10 | |
| 17 | Other Diseases of the Circulatory M. System. F. } | 26{ | 8 18 | . | . | . | . | . | . | 2 1 | 1 3 | 3 8 | 2 6 | . | . | 2 2 | 6 16 | . | |
| 18 | Bronchitis M. F. } | 56{ | 34 22 | 7 3 | 1 | . | . | . | 1 | . | 1 1 | 2 2 | 6 8 | 17 7 | 2 1 | 1 1 | 23 20 | 2 2 | |
| 19 | Pneumonia M. F. } | 58{ | 26 32 | 11 11 | 1 7 | 1 | 2 | . | 2 | 2 1 | 3 4 | 3 3 | 2 5 | . | 1 2 | 8 7 | 18 22 | * | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 12{ | 8 4 | . | 2 | . | . | 1 | 1 1 | 1 1 | 1 1 | 2 1 | . | 1 | . | 2 2 | 6 4 | * | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 6{ | 4 2 | . | . | . | . | . | 1 | 1 1 | 2 1 | . | . | . | . | 1 1 | 3 2 | . | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 28{ | 17 11 | 15 10 | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | 2 2 | 14 11 | 1 |
| 23 | Appendicitis M. F. } | 2{ | 2 | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | 4{ | 3 1 | 1 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 3 1 | * | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 4{ | 2 2 | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 1 | 2 1 | . | |
| 26 | Other Diseases of the Digestive M. System. F. } | 12{ | 7 5 | 2 | 1 | . | . | . | . | 1 | 1 1 | 1 1 | 2 4 | . | 1 | 1 1 | 4 4 | * | |
| 27 | Nephritis M. F. } | 32{ | 16 16 | . | . | 1 | . | . | 3 | 2 5 | 2 5 | 3 2 | 4 3 | 4 3 | 2 1 | 4 1 | 10 14 | 2 1 | |
| 28 | Puerperal Infection ... F. | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | * | |
| 29 | Other Diseases of Childbirth ... F. | 4 | 4 | . | . | . | . | 1 | 2 | 1 | . | . | . | . | 1 | . | 2 1 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 98{ | 58 40 | 55 58 | 3 2 | . | . | . | . | . | . | . | . | . | 4 1 | . | 10 11 | 44 28 | 5 |
| 31 | Senility M. F. } | 202{ | 83 119 | . | . | . | . | . | . | . | . | 17 | 76 102 | 1 2 | . | 24 26 | 58 91 | 30 45 | |
| 32 | Suicide M. F. } | 1{ | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | * | |
| 33 | Other Violence M. F. } | 32{ | 20 12 | 3 2 | 1 | 1 | 2 | 1 | 1 | 4 | 3 1 | 1 1 | 3 5 | 1 | . | 3 | 16 11 | * | |
| 34 | Other Causes M. F. } | 93{ | 49 44 | 7 3 | 2 5 | 3 | 1 | 1 3 | 3 4 | 5 3 | 7 7 | 10 8 | 10 1 | 3 1 | 1 1 | 14 12 | 31 30 | 2 3 | |

ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------|----------------|---------------|--------|--------|----------|----------|---------|----------|----------|-----------|------------------|----------------------------|-----------------------|--|------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps., District Hosps. and Co. Infirmarys. | Elsewhere. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 900 { | 521 379 | 60 28 | 8 7 | 5 2 | 15 14 | 10 18 | 21 8 | 22 30 | 82 48 | 143 91 | 155 133 | 68 46 | 14 7 | 92 55 | 347 271 | 34 26 |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | 1 { | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| 3 | Scarlet Fever M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Whooping Cough M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 5 | Diphtheria M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 54 { | 27 27 | . | . | . | . | 6 9 | 5 11 | 8 3 | 2 4 | 4 2 | . | 8 14 | 3 | 4 1 | 12 12 | . |
| 7 | All other forms of Tuberculosis ... M. F. } | 13 { | 7 6 | 1 | 2 | 1 | 3 | 1 | 2 | . | 1 | 1 | . | . | 2 | 3 | 4 1 | 1 2 |
| 8 | Dysentery M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 9 | Influenza M. F. } | 9 { | 8 1 | . | . | . | . | . | . | 1 | 2 1 | 3 | 2 | . | . | . | 8 1 | 2 |
| 10 | Measles M. F. } | 3 { | * | 3 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 12 | Typhus M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13 | Cancer M. F. } | 85 { | 48 37 | . | . | . | . | . | 1 | 1 | 3 4 | 13 11 | 19 15 | 13 5 | 6 5 | 2 | 13 8 | 27 24 |
| 14 | Diabetes Mellitus M. F. } | 8 { | 3 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 2 | 1 | . |

| | | | | | | | | | | | | | | | | | | | | | | |
|----|---|-----|------------|----------|---|--------|--------|---|---|---|--------|--------|---------|----------|----------|---------|--------|----------|------------|--------|---|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 73 | 31 42 | . | . | . | . | . | . | 1 | . | 4 | 7 | 14 | 9 | 3 | . | 10 | 18 | 2 | . | |
| 16 | Diseases of the Heart ... M. F. | 271 | 153 118 | . | . | . | 1 | 1 | 2 | 2 | 6 | 10 | 19 | 51 31 | 64 54 | 7 3 | 5 3 | 19 10 | 122 102 | 6 5 | . | |
| 17 | Other Diseases of the Circulatory M. System. | 18 | 10 8 | . | . | . | . | . | . | . | 1 | 2 | 2 | 6 3 | 4 3 | 1 | . | 1 | 8 7 | . | . | |
| 18 | Bronchitis M. F. | 13 | 11 2 | 1 | . | 1 | . | . | . | . | . | . | 2 | 2 | 6 1 | . | . | . | 11 2 | . | . | |
| 19 | Pneumonia M. F. | 54 | 34 20 | 8 3 | 2 | . | 1 | 1 | 1 | 1 | 3 2 | 3 2 | 5 | 9 7 | 6 7 | 1 2 | 1 1 | 7 3 | 25 14 | 1 | . | |
| 20 | Other Diseases of the Respiratory M. System. | 34 | 21 13 | 1 | . | . | . | . | 2 | . | 2 | 3 3 | 4 2 | 9 8 | . | 1 | . | 8 3 | 12 10 | . | . | |
| 21 | Ulcer of the Stomach or Duo- M. denum. | 3 | 3 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 1 | 1 | . | . | |
| 22 | Diarrhoea and Enteritis ... M. F. | 19 | 12 7 | 10 6 | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | 2 | 8 3 | . | . | |
| 23 | Appendicitis M. F. | 2 | 2 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | |
| 26 | Other Diseases of the Digestive M. System. | 12 | 7 5 | 1 | 1 | . | . | . | . | . | 2 | 2 | 1 2 | 1 2 | 3 2 | . | . | . | 4 3 | 5 1 | 1 | . |
| 27 | Nephritis M. F. | 28 | 22 6 | . | . | . | . | 1 | . | 1 | . | . | 6 2 | 6 3 | 8 4 | 1 | 5 1 | 12 5 | . | . | . | |
| 28 | Puerperal Infection ... F. | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | |
| 29 | Other Diseases of Childbirth ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 30 | Congenital Debility etc. (Nos. M. 157—161). | 51 | 36 15 | 36 14 | . | 1 | . | . | . | . | . | . | . | . | . | 20 1 | . | 5 6 | 11 8 | 1 | . | |
| 31 | Senility M. F. | 79 | 41 38 | . | . | . | . | . | . | . | . | . | 13 8 | 28 30 | 1 1 | 2 1 | 5 1 | 33 35 | 21 19 | . | . | |
| 32 | Suicide M. F. | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | |
| 33 | Other Violence M. F. | 20 | 14 6 | . | 2 | 1 | 4 1 | . | 4 | 1 | 3 | 1 | . | 3 | 1 | . | 2 | 12 4 | . | . | . | |
| 34 | Other Causes M. F. | 46 | 27 19 | 4 1 | 2 | 3 1 | . | 1 | 1 | 2 | 4 1 | 4 1 | 6 4 | 5 3 | 5 5 | . | 4 4 | 18 10 | 1 | 1 | . | |

ABSTRACT V—contd.—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|--|-------------------------|----------------|---------------|----------|------------|------------|------------|------------|------------|----------------|----------------|------------------|----------------------------|--------------------|--|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hospls. District Hospl. and Co. Infir-maries. | Else-where. | |
| | ALL CAUSES M. F. } | 14,137 { 7,550 6,587 | 835 623 | 154 132 | 95 90 | 189 201 | 236 242 | 334 283 | 515 415 | 951 763 | 2,073 1,707 | 2,168 2,131 | 656 473 | 273 190 | 1,855 1,437 | 4,766 4,687 | 851 832 | |
| 1 | Typhoid Fever (including Para-typoid). M. F. } | 4 { 3 1 | . . | . . | . . | . . | 2 | 1 | . . | . . | . . | . . | . . | . . | . . | 3 | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 13 { 9 4 | 4 . | 1 . | 2 1 | 1 . | . . | 1 . | 1 . | 1 . | . . | . . | . . | 3 2 | . . | 3 2 | . | |
| 3 | Scarlet Fever M. F. } | 3 { 2 1 | . . | 2 . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 1 | . . | . | |
| 4 | Whooping Cough M. F. } | 68 { 32 36 | 23 . | 7 2 | 2 . | . . | . . | . . | . . | . . | . . | . . | . . | 2 . | . . | 30 33 | 3 4 | |
| 5 | Diphtheria M. F. } | 19 { 8 11 | 1 . | 2 4 | 1 . | . . | 1 1 | 1 1 | . . | . . | . . | . . | . . | 1 . | . . | 7 7 | 1 3 | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 910 { 464 446 | 3 . | 5 4 | 65 121 | 119 121 | 99 81 | 57 57 | 27 29 | 2 6 | 110 125 | 61 29 | 103 95 | 190 197 | 4 2 | . | 48 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 222 { 126 96 | 9 4 | 27 29 | 23 13 | 11 8 | 3 7 | 2 5 | 2 3 | 2 17 | 33 4 | 3 4 | 48 45 | 42 30 | . | 2 | . | |
| 8 | Dysentery M. F. } | 2 { 1 1 | . . | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | 1 1 | . . | . . | . | . | |
| 9 | Influenza M. F. } | 254 { 125 129 | 8 2 | 2 . | 2 1 | 3 3 | 8 8 | 8 20 | 52 55 | 41 34 | 2 3 | 4 2 | 32 28 | 87 96 | 14 20 | . | . | |
| 10 | Measles M. F. } | 20 { 12 8 | 3 1 | 6 7 | 1 . | 1 . | . . | . . | . . | 1 . | . . | . . | . . | 1 1 | 11 7 | 2 | . | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 4 { 4 . | 1 . | . . | . . | . . | . . | 1 1 | 1 . | . . | . . | . . | 1 . | . . | . . | 3 1 | . | |
| 12 | Typhus M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . | . | |
| 13 | Cancer M. F. } | 1,244 { 680 564 | . 1 | 2 4 | 4 1 | 7 8 | 26 35 | 71 87 | 165 148 | 272 190 | 129 93 | 76 57 | 9 8 | 199 137 | 396 362 | 2 1 | . | |
| 14 | Diabetes Mellitus M. F. } | 64 { 28 36 | . . | . . | 1 1 | 1 2 | 2 1 | 3 2 | 5 11 | 7 12 | 7 7 | 3 7 | 1 1 | 7 6 | 17 22 | . | 2 | |

| | | | | | | | | | | | | | | | | | | | |
|----|--|---------|----------------|------------|----------|----------|----------|----------|----------|------------|------------|------------|------------|----------|------------|------------|----------------|------------|--------|
| 15 | Intra-cranial Lesions of Vascular M. F. } Origin. | 935 { | 437 498 | 1 . | . | 1 1 | 1 3 | 5 8 | 33 41 | 86 97 | 166 203 | 138 144 | 27 29 | 16 8 | 123 109 | 271 352 | 27 | | |
| 16 | Diseases of the Heart ... M. F. } | 3,575 { | 1,960 1,615 | 1 . | . | 9 1 | 20 13 | 24 20 | 56 43 | 127 103 | 324 228 | 790 618 | 609 587 | 70 42 | 80 57 | 505 380 | 1,305 1,136 | 83 53 | |
| 17 | Other Diseases of the Circulatory M. System. F. } | 227 { | 128 99 | . | . | . | 1 | 2 | 6 2 | 12 5 | 11 11 | 55 42 | 41 37 | 8 2 | 6 2 | 35 20 | 79 73 | 5 2 | |
| 18 | Bronchitis M. F. } | 488 { | 258 220 | 18 17 | 3 | 1 | . | 2 1 | 4 5 | 22 10 | 37 32 | 96 80 | 75 84 | 9 2 | 3 4 | 60 35 | 186 189 | 15 18 | |
| 19 | Pneumonia M. F. } | 549 { | 300 249 | 99 75 | 29 33 | 5 | 7 | 7 | 10 7 | 18 10 | 31 26 | 62 52 | 32 36 | 28 17 | 21 6 | 59 42 | 192 184 | 3 1 | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 181 { | 96 85 | 4 8 | 1 | 1 | 2 | 3 | 8 10 | 16 4 | 17 10 | 27 28 | 17 21 | 6 5 | 2 2 | 24 21 | 64 57 | 4 . | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 102 { | 81 21 | . | . | . | 1 | 4 | 9 2 | 15 3 | 25 11 | 18 2 | 9 1 | 21 4 | 1 | 28 6 | 31 11 | 3 | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 260 { | 156 104 | 128 79 | 12 | 1 | 1 | 1 | 2 1 | 2 1 | 2 2 | 2 4 | 5 2 | 3 2 | 16 7 | 3 | 40 32 | 97 65 | 2 2 |
| 23 | Appendicitis M. F. } | 38 { | 16 22 | . | 3 | 1 | 3 | 4 | 2 1 | 1 1 | 1 3 | 1 3 | 1 2 | 4 7 | . | 10 14 | 2 1 | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | 15 { | 10 5 | . | . | . | 1 | 1 | . | 1 | . | 5 1 | 4 1 | 1 1 | . | 2 1 | 7 2 | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 37 { | 23 14 | . | . | . | . | 1 | 2 1 | 3 1 | 6 3 | 7 6 | 4 2 | 1 3 | . | 5 3 | 17 8 | 1 1 | |
| 26 | Other Diseases of the Digestive M. System. F. } | 188 { | 122 67 | 20 6 | 4 | 1 | 4 | 1 | 10 2 | 10 5 | 12 8 | 33 10 | 27 18 | 25 10 | 2 | 47 1 | 48 29 | 3 1 | |
| 27 | Nephritis M. F. } | 338 { | 207 131 | 1 1 | . | 1 | 5 | 5 | 15 13 | 15 17 | 38 24 | 69 50 | 58 15 | 22 12 | 4 6 | 64 33 | 117 80 | 4 1 | |
| 28 | Puerperal Infection F. | 9 | 9 | . | . | . | 1 | 4 | 4 | . | . | . | . | 2 | . | 4 | 3 | . | |
| 29 | Other Diseases of Childbirth ... F. | 40 | 40 | . | . | . | 7 | 18 | 15 | . | . | . | . | 8 | . | 20 | 12 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 800 { | 443 357 | 432 346 | 2 4 | 6 6 | 2 1 | 1 | . | . | . | . | . | 92 61 | . | 118 125 | 235 171 | 34 33 | |
| 31 | Senility M. F. } | 2,216 { | 1,038 1,178 | . | . | . | . | . | . | . | . | 188 180 | 850 998 | 8 8 | 29 36 | 133 104 | 868 1,030 | 574 610 | |
| 32 | Suicide M. F. } | 20 { | 16 4 | . | . | . | 2 | 1 | . | 3 1 | 7 1 | 3 1 | . | 1 | . | 1 | 15 3 | . | |
| 33 | Other Violence M. F. } | 265 { | 179 86 | 8 5 | 7 8 | 7 6 | 28 3 | 15 1 | 27 4 | 18 4 | 17 6 | 34 25 | 18 24 | 27 5 | 4 1 | 27 32 | 121 48 | . | |
| 34 | Other Causes M. F. } | 1,026 { | 586 440 | 71 53 | 38 21 | 15 21 | 16 11 | 15 36 | 32 37 | 52 43 | 89 83 | 154 107 | 104 28 | 61 32 | 23 21 | 171 102 | 331 285 | 65 52 | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH | Total Deaths. | AGES AT DEATH. | | | | | | | | | | PLACES OF OCCURRENCE. | | | | | | |
|-----|---|---------------|----------------|---------------|--------|--------|----------|----------|----------|----------|----------|------------|-----------------------|----------------------------|--------------------|---|-------------|----------------------|---|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps. District Hosps. and Co. Infir-maries. | Else-where. | Un-certified Deaths. | |
| | ALL CAUSES M. F. | 1,344 { | 771 573 | 63 48 | 5 7 | 7 4 | 15 19 | 22 17 | 34 25 | 44 42 | 84 55 | 214 143 | 283 213 | 62 27 | 28 14 | 185 133 | 496 399 | 143 131 | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. | 1 { | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | | |
| 3 | Scarlet Fever M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Whooping Cough M. F. | 3 { | 1 2 | 1 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 2 | . | | |
| 5 | Diphtheria M. F. | 2 { | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. | 75 { | 43 32 | . | . | . | 5 10 | 14 6 | 8 6 | 4 6 | 7 3 | 4 | 1 1 | 11 10 | 6 1 | 7 8 | 19 13 | 1 | |
| 7 | All other forms of Tuberculosis ... M. F. | 22 { | 10 12 | 1 | 1 | 2 | 3 2 | 3 2 | 1 | 2 | 1 | . | 1 2 | 4 4 | . | 4 8 | 4 8 | . | |
| 8 | Dysentery M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 9 | Influenza M. F. | 25 { | 13 12 | 3 1 | 1 | . | . | . | . | . | 1 1 | 2 5 | 6 3 | . | . | 1 1 | 13 11 | 7 4 | |
| 10 | Measles M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 11 | Acute Infectious Encephalitis ... M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 12 | Typhus M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 13 | Cancer M. F. | 108 { | 57 51 | . | . | . | . | . | 1 | 5 5 | 6 9 | 14 9 | 19 18 | 13 9 | 8 8 | 1 1 | 24 13 | 29 34 | . |
| 14 | Diabetes Mellitus M. F. | 6 { | 2 4 | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 1 | 1 2 | . | | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|---|---|---|---|---|--------|----------|----------|------------|----------|--------|---------|------------|------------|-----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 72{ | 37 35 | . | . | . | . | . | . | 1 | 3 2 | 5 10 | 15 15 | 13 8 | . | 3 | 1 1 | 10 8 | 23 26 | 5 2 |
| 16 | Diseases of the Heart ... M. F. } | 316{ | 199 117 | . | . | . | 1 | 2 | 1 | 4 3 | 11 12 | 23 13 | 88 47 | 71 37 | . | 7 | 15 6 | 70 47 | 107 64 | 9 7 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 23{ | 12 11 | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 7 5 | . | 2 | . | 2 | 8 9 | . |
| 18 | Bronchitis M. F. } | 55{ | 31 24 | 1 | 1 | 1 | . | 1 | . | 2 | 2 | 5 1 | 12 9 | 8 11 | . | 1 | . | 4 2 | 26 22 | 6 4 |
| 19 | Pneumonia M. F. } | 52{ | 29 23 | 8 4 | 2 | 1 | . | 1 | . | 1 2 | 3 1 | 3 2 | 8 8 | 5 3 | 1 | 1 2 | 3 4 | 24 16 | . | 1 |
| 20 | Other Diseases of the Respiratory M. System. F. } | 12{ | 5 7 | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 2 | 1 | . | . | 3 1 | 1 6 | . |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 18{ | 12 6 | . | . | . | . | 1 | 2 | 1 2 | 3 | 4 2 | 2 | 1 | 5 1 | . | 3 2 | 4 3 | 2 | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 20{ | 16 4 | 11 4 | . | 1 | . | . | 1 | 1 | 1 | 1 | 1 | . | 2 1 | . | 7 1 | 7 2 | . | |
| 23 | Appendicitis M. F. } | 4{ | 1 3 | . | 1 | . | . | 1 | . | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| 24 | Cirrhosis of the Liver ... M. F. } | 3{ | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 2 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 1{ | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 17{ | 12 5 | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 | 1 | 3 2 | 7 2 | 1 |
| 27 | Nephritis M. F. } | 36{ | 24 12 | . | . | . | . | . | 1 | 2 | 4 4 | 12 3 | 5 3 | 2 | . | 6 4 | 16 7 | . | 1 | |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 30 | Congenital Debility etc. (Nos. M. 157—161). F. } | 64{ | 34 30 | 32 30 | . | 2 | . | . | . | . | . | . | . | . | 9 4 | . | 5 15 | 20 11 | 2 2 | |
| 31 | Senility M. F. } | 288{ | 145 143 | . | . | . | . | . | . | . | . | 23 15 | 122 128 | 1 | 3 1 | 8 2 | 133 140 | 100 107 | . | |
| 32 | Suicide M. F. } | 2{ | 2 | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . | |
| 33 | Other Violence M. F. } | 23{ | 17 6 | 1 | . | 1 | 2 | . | 2 | 2 | 2 | 5 1 | 3 1 | 1 | . | 1 | 16 5 | . | 16 5 | |
| 34 | Other Causes M. F. } | 96{ | 62 34 | 6 4 | 2 | . | 2 | . | 4 | 6 8 | 10 3 | 16 11 | 18 1 | 8 | 1 | 21 9 | 32 24 | 8 4 | | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------------|----------------|---------------|-------|-------|-------|--------|---------|---------|---------|---------|------------------|----------------------------|-----------------------|--|------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hosptals. | County Homes and Hospis. District Hospls. and Co. Infirmaries. | Elsewhere. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 4,140 { 2,197 1,943 | 207 152 | 45 22 | 20 22 | 59 53 | 59 69 | 100 80 | 137 117 | 296 213 | 638 528 | 636 687 | 187 152 | 88 55 | 591 451 | 1,331 1,285 | 216 211 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 1 { . 1 | . 1 | . . | . . | . . | . . | . 1 | . . | . . | . . | . . | . . | . . | . 1 | . . | . . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 3 { 1 2 | 1 . | 1 . | . . | 1 . | . . | . . | 1 . | . . | . . | . . | . . | . . | . 2 | . 1 | . . | |
| 3 | Scarlet Fever M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 4 | Whooping Cough M. F. } | 11 { 4 7 | 3 5 | 1 2 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . 1 | . 4 | . 6 | |
| 5 | Diphtheria M. F. } | 8 { 4 4 | 1 . | . . | 3 1 | 1 1 | . . | . . | 1 1 | . . | . . | . . | . . | . 1 | . 3 | . 1 | . . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 230 { 120 110 | 1 . | 3 1 | 1 3 | 22 29 | 28 29 | 27 13 | 20 14 | 13 5 | 5 15 | . 1 | 33 43 | 19 5 | 23 21 | 45 41 | 1 1 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 60 { 36 24 | 5 . | 9 3 | 7 2 | 5 7 | 1 2 | 2 6 | 2 1 | 3 2 | 1 1 | . 1 | 7 6 | 2 1 | 18 8 | 9 9 | . 1 | |
| 8 | Dysentery M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 9 | Influenza M. F. } | 75 { 39 36 | 1 . | . . | . . | 1 . | . . | 1 . | 1 1 | 4 5 | 24 16 | 8 13 | . 2 | . . | 14 8 | 25 26 | 3 1 | |
| 10 | Measles M. F. } | 5 { 4 1 | . 1 | 3 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . 4 | . 1 | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { . 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . 1 | . . | . . | . . | |
| 12 | Typhus M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 13 | Cancer M. F. } | 433 { 246 187 | . . | 2 . | 1 . | 2 1 | 2 3 | 8 14 | 19 30 | 64 45 | 112 61 | 36 33 | 33 21 | 3 2 | 78 51 | 132 113 | . 1 | |
| 14 | Diabetes Mellitus M. F. } | . { . . | . . | 12 . | . . | . . | . 1 | 1 . | . . | 2 . | 1 . | 3 . | 4 . | 2 . | . 3 | . 7 | . . | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|--------|------------|-----------|---------|--------|--------|---------|---------|----------|----------|----------|------------|------------|------------|----------|------------|------------|------------|----------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 308{ | 141 167 | 1 . | . | . | . | . | 2 2 | 1 1 | 12 12 | 26 29 | 57 70 | 42 53 | 3 9 | 6 4 | 40 38 | 92 116 | 7 10 | |
| 16 | Diseases of the Heart ... M. F. } | 1,071{ | 579 492 | . | . | . | . | . | 2 3 | 6 7 | 17 10 | 29 25 | 100 74 | 221 184 | 204 189 | 11 15 | 29 24 | 140 110 | 399 343 | 23 14 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 56{ | 28 28 | . | . | . | . | . | 1 | . | . | 3 4 | 12 11 | 12 12 | . | 1 | . | 10 12 | 17 16 | 2 1 |
| 18 | Bronchitis M. F. } | 130{ | 69 61 | 1 2 | . | . | . | . | 1 1 | 2 1 | 6 5 | 3 9 | 32 22 | 24 21 | 4 1 | 2 1 | 20 14 | 43 45 | 2 4 | |
| 19 | Pneumonia M. F. } | 153{ | 89 64 | 31 22 | 6 8 | 1 2 | 1 . | 1 . | 2 2 | 4 4 | 11 4 | 9 5 | 19 12 | 5 9 | 6 2 | 14 2 | 19 13 | 50 47 | 1 | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 77{ | 45 32 | 3 4 | . | 1 | 2 | . | 1 1 | 5 3 | 2 3 | 7 2 | 12 12 | 12 10 | 2 1 | 1 1 | 11 7 | 31 24 | 3 | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 26{ | 23 3 | . | . | . | . | . | 1 1 | 2 2 | 3 2 | 11 2 | 3 3 | 3 3 | 6 . | . | 11 1 | 6 2 | 1 | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 49{ | 29 20 | 20 13 | 4 2 | . | . | . | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 1 2 | 3 . | 2 . | 10 10 | 14 10 | 1 | |
| 23 | Appendicitis M. F. } | 13{ | 8 5 | . | 2 | . | 1 | 1 3 | 1 1 | 2 1 | 1 1 | . | 1 1 | . | 2 . | . | 6 5 | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | 5{ | 2 3 | . | . | . | . | 1 | . | 1 1 | . | 1 1 | . | . | 1 | . | 1 1 | 1 1 | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 14{ | 9 5 | . | . | . | . | . | . | 1 1 | 1 1 | 2 2 | 4 2 | . | 1 | . | 1 1 | 8 3 | 1 | |
| 26 | Other Diseases of the Digestive M. System. F. } | 65{ | 39 26 | 10 1 | 1 | . | . | 2 | . | 1 3 | 4 3 | 3 5 | 3 2 | 11 9 | 5 5 | 12 6 | . | 17 14 | 9 6 | 1 |
| 27 | Nephritis M. F. } | 88{ | 52 36 | . | . | . | . | 1 1 | 3 4 | 4 4 | 4 4 | 11 5 | 18 13 | 14 5 | 8 4 | . | 21 8 | 23 23 | . | |
| 28 | Puerperal Infection F. | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | . | . | |
| 29 | Other Diseases of Childbirth ... F. | 8 | 8 | . | . | . | . | 2 | 5 | 1 | . | . | . | . | 2 | . | 5 | 1 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 206{ | 118 88 | 115 86 | . | 1 | 1 | 1 | 1 1 | . | . | . | . | . | 25 | . | 36 39 | 57 31 | 5 4 | |
| 31 | Senility M. F. } | 666{ | 294 372 | . | . | . | . | . | . | . | . | 53 60 | 241 312 | 5 4 | 3 11 | 55 29 | 231 328 | 147 165 | . | |
| 32 | Suicide M. F. } | 8{ | 6 2 | . | . | . | . | . | . | 2 | 3 1 | 1 1 | . | . | 1 | . | 6 1 | . | . | |
| 33 | Other Violence M. F. } | 86{ | 54 32 | 1 2 | . | 2 | 2 | 12 1 | 7 1 | 13 1 | 3 3 | 5 1 | 9 9 | 2 10 | 6 1 | 3 1 | 10 16 | 35 14 | . | |
| 34 | Other Causes M. F. } | 257{ | 145 112 | 13 15 | 14 3 | 2 | 2 | 7 2 | 5 10 | 13 15 | 28 20 | 39 24 | 18 8 | 17 9 | 3 2 | 44 31 | 81 70 | 16 9 | . | |

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1947.

| | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths |
|----|---|---------------|----------------|---------------|---------|---------|----------|----------|----------|----------|-----------|------------|------------------|-----------------------------|-----------------------|---|-------------|---|---------------------|
| | | | All Ages | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hos-pitals. | County Homes and Hospis. District Hospis. and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES ... M. F. } | 1,292 { | 661 631 | 104 59 | 17 4 | 14 6 | 16 22 | 17 27 | 38 37 | 63 54 | 112 96 | 183 187 | 97 139 | 180 129 | 24 15 | 156 136 | 301 351 | 2 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 2 { | 1 1 | 1 1 | . | . | . | . | . | . | . | . | . | 1 1 | . | . | . | . | |
| 3 | Scarlet Fever ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough ... M. F. } | 5 { | 2 3 | 2 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 3 | . | |
| 5 | Diphtheria ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 127 { | 59 68 | 2 | . | 1 | 7 | 7 | 14 | 14 9 | 8 5 | 6 2 | 3 | 22 28 | 6 4 | 17 12 | 14 24 | . | |
| 7 | All other forms of Tuberculosis ... M. F. } | 22 { | 14 8 | 2 | 3 | 4 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 8 | 3 | 3 | 2 | . | |
| 8 | Dysentery ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza ... M. F. } | 3 { | 3 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | 2 | . | |
| 10 | Measles ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer ... M. F. } | 112 { | 53 59 | . | . | 1 | . | 2 | 3 4 | 4 14 | 14 18 | 23 17 | 8 4 | 17 13 | . | 12 15 | 24 31 | . | |
| 14 | Diabetes Mellitus ... M. F. } | 4 { | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | . | |

| | | | | | | | | | | | | | | | | | | | |
|----|--|-------|------------|----------|--------|--------|--------|--------|---------|----------|----------|----------|----------|----------|---------|----------|-----------|----------|---|
| 15 | Intra-cranial Lesions of Vascular M. F. } Origin. | 108 { | 46 60 | . | . | . | . | . | 1 2 | 2 6 | 9 16 | 18 23 | 16 12 | 13 10 | . | 11 10 | 22 40 | . | |
| 16 | Diseases of the Heart ... M. F. } | 356 { | 167 189 | . | . | 1 1 | 2 2 | 3 6 | 8 14 | 16 30 | 42 77 | 62 59 | 33 23 | 21 13 | 13 6 | 34 35 | 99 125 | . | |
| 17 | Other Diseases of the Circulatory M. System. F. } | 19 { | 10 9 | . | . | . | . | 1 2 | . | 2 1 | 2 4 | 4 6 | 1 2 | 3 1 | . | 5 2 | 2 6 | . | |
| 18 | Bronchitis M. F. } | 76 { | 45 31 | 1 | . | . | . | . | . | 6 1 | 13 7 | 14 14 | 11 8 | 3 | . | 12 11 | 30 20 | . | |
| 19 | Pneumonia M. F. } | 62 { | 36 26 | 20 8 | 5 2 | 2 1 | . | 1 2 | . | 1 1 | 4 7 | 2 7 | 1 5 | 11 6 | 1 2 | 7 2 | 17 18 | . | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 23 { | 13 10 | . | . | . | . | 1 . | . | 4 1 | 2 2 | 4 5 | 2 2 | 3 1 | . | 1 2 | 9 6 | . | |
| 21 | Ulcer of the Stomach or Duo- denum. M. F. } | 14 { | 10 4 | . | . | . | . | . | . | 3 . | 3 4 | 1 . | 3 . | 7 2 | . | 2 . | 1 2 | . | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 30 { | 20 10 | 16 9 | 3 | . | . | . | . | . | 1 . | 1 . | 1 . | 7 2 | 1 . | 5 6 | 7 2 | . | |
| 23 | Appendicitis M. F. } | 3 { | 1 2 | . | . | . | . | 1 . | . | . | 1 1 | 1 1 | . | 1 2 | . | . | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 5 { | 3 2 | . | . | . | . | . | . | . | 1 . | 2 2 | . | 1 1 | . | . | 2 1 | . | |
| 26 | Other Diseases of the Digestive M. System. F. } | 17 { | 11 6 | 3 1 | . | . | 1 | . | . | 1 . | 2 1 | 1 2 | 2 . | 5 2 | 1 . | 3 2 | 2 2 | . | |
| 27 | Nephritis M. F. } | 27 { | 13 14 | . | . | . | . | 1 . | 1 3 | 1 2 | 3 2 | 5 4 | 2 2 | 5 5 | . | 1 3 | 7 6 | . | |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 29 | Other Diseases of Childbirth ... F. | 1 | 1 | . | . | . | . | 1 . | . | . | . | . | . | . | . | 1 | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 79 { | 47 32 | 46 30 | . | 1 2 | . | . | . | . | . | . | . | 29 12 | . | 8 9 | 10 11 | . | |
| 31 | Senility M. F. } | 74 { | 30 44 | . | . | . | . | . | . | . | . | . | 15 11 | 15 33 | 1 4 | 1 3 | 13 16 | 15 21 | 1 |
| 32 | Suicide M. F. } | 3 { | 8 . | . | . | . | . | 2 . | 1 . | . | . | . | . | . | . | 1 . | 2 . | . | |
| 33 | Other Violence ... M. F. } | 29 { | 22 7 | 2 | 3 | 2 | 3 | . | 2 . | 2 1 | 1 4 | 4 4 | 3 2 | 11 4 | . | 1 1 | 11 2 | . | |
| 34 | Other Causes ... M. F. } | 93 { | 53 40 | 9 7 | 3 1 | 2 | 2 1 | 3 4 | 4 4 | 6 3 | 7 7 | 17 10 | 3 4 | 9 8 | 1 1 | 21 6 | 22 25 | 1 | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|-------------------|----------------|---------------|------|-------|-------|-------|-------|--------|---------|---------|------------------|-----------------------------|-----------------------|---|------------|----|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hospitals. | County Homes and Hospis. District Hospis. and Co. Infirmarys. | Elsewhere. | | |
| | ALL CAUSES M. F. } | 2,010 { 1,110 900 | 98 69 | 18 17 | 12 9 | 21 35 | 53 33 | 47 30 | 78 62 | 107 92 | 277 246 | 399 307 | 69 45 | 43 22 | 215 162 | 783 671 | 260 248 | 92 | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 2 { | 2 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough M. F. } | 16 { | 9 7 | 7 5 | 1 2 | 1 | . | . | . | . | . | . | . | . | . | 9 7 | 2 4 | . | |
| 5 | Diphtheria M. F. } | 2 { | 2 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 133 { | 69 64 | . | . | 1 4 | 8 21 | 29 16 | 10 7 | 11 9 | 6 5 | 4 2 | . | 25 27 | 14 9 | 4 3 | 26 25 | 1 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 34 { | 21 13 | 1 1 | 6 2 | 4 2 | 4 3 | 4 | 3 | 1 | 1 | . | . | 6 1 | 1 | 8 7 | 7 4 | 1 | |
| 8 | Dysentery M. F. } | 2 { | 1 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 1 | . | . | . | |
| 9 | Influenza M. F. } | 62 { | 28 34 | 2 | . | 1 | . | 1 | 1 2 | 2 3 | 4 14 | 11 9 | . | 3 | 18 16 | 12 18 | 4 9 | . | |
| 10 | Measles M. F. } | 2 { | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 134 { | 75 59 | . | . | . | 1 | 2 | 3 4 | 13 8 | 13 15 | 26 26 | 17 6 | 4 3 | 1 | 23 14 | 47 42 | 1 | |
| 14 | Diabetes Mellitus M. F. } | 10 { | 4 6 | . | . | . | 1 | . | 2 | . | 2 | 2 | 2 1 | 1 | 1 | 3 4 | 1 | . | |

| | | | | | | | | | | | | | | | | | | | |
|----|--|------|------------|----------|--------|--------|---|--------|--------|--------|----------|----------|------------|----------|--------|----------|------------|------------|----------|
| 15 | Intra-cranial Lesions of Vascular M. F. } | 112{ | 56 56 | . | . | . | . | . | 2 | 1 3 | 2 8 | 10 9 | 18 26 | 23 10 | 1 | 4 1 | 8 17 | 43 37 | 12 9 |
| 16 | Diseases of the Heart ... M. F. } | 449{ | 262 187 | 1 | . | . | 1 | 1 5 | 4 4 | 6 1 | 24 17 | 35 21 | 110 75 | 80 64 | 11 | 7 4 | 52 33 | 192 150 | 23 11 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 33{ | 15 18 | . | . | . | . | . | 1 | 1 2 | 2 | 6 7 | 5 8 | . | . | . | 3 | 12 18 | . |
| 18 | Bronchitis M. F. } | 51{ | 24 27 | 1 | . | . | . | . | . | 2 | 4 4 | 10 11 | 7 11 | . | 1 | . | 9 4 | 14 23 | 3 4 |
| 19 | Pneumonia M. F. } | 63{ | 32 31 | 8 7 | 2 3 | . | . | 1 | 2 | 1 1 | . | 6 4 | 9 11 | 3 5 | 1 2 | . | 8 4 | 23 25 | . |
| 20 | Other Diseases of the Respiratory M. System. F. } | 20{ | 9 11 | . | . | . | . | . | 2 | 2 1 | 2 | 2 1 | 1 5 | 2 2 | . | . | 2 5 | 7 6 | 1 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 16{ | 14 2 | . | . | . | . | . | 1 | 1 . | 3 | 1 2 | 5 | 3 . | 1 1 | . | 3 1 | 10 | . |
| 22 | Diarrhoea and Enteritis ... M. F. } | 27{ | 19 8 | 15 5 | 1 2 | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 6 4 | 13 4 | . |
| 23 | Appendicitis M. F. } | 8{ | 4 4 | . | . | 1 | . | 1 | 2 | . | . | . | . | . | 1 1 | . | 2 4 | 1 | . |
| 24 | Cirrhosis of the Liver ... M. F. } | 3{ | 3 | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 | 2 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 5{ | 2 3 | . | . | . | . | . | . | . | 1 | 1 1 | 2 | . | . | . | 1 2 | 1 | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 26{ | 17 9 | 1 2 | 1 | . | . | . | 1 | 3 1 | 1 1 | 1 3 | 6 1 | 3 1 | 1 | . | 8 6 | 8 3 | 1 |
| 27 | Nephritis M. F. } | 62{ | 40 22 | . | . | . | . | 1 | 1 | 5 4 | 3 | 5 6 | 10 9 | 15 3 | 3 | . | 12 2 | 25 20 | 1 1 |
| 28 | Puerperal Infection ... F. | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | . | . |
| 29 | Other Diseases of Childbirth ... F. | 6 | 6 | . | . | . | . | 1 | 3 | 2 | . | . | . | . | . | 5 | 1 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 94{ | 53 41 | 50 40 | 1 1 | 1 | 1 | . | . | . | . | . | . | . | 6 2 | . | 19 12 | 28 27 | 10 7 |
| 31 | Senility M. F. } | 449{ | 231 218 | . | . | . | . | . | . | . | . | 29 35 | 202 183 | . | 8 4 | 3 | 220 214 | 181 179 | . |
| 32 | Suicide M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 33 | Other Violence M. F. } | 35{ | 24 11 | 1 | 1 | . | 1 | 1 2 | 2 | 3 | 4 1 | 4 | 5 6 | 3 1 | 1 | . | 6 7 | 17 4 | 1 |
| 34 | Other Causes M. F. } | 152{ | 94 58 | 9 7 | 5 3 | 3 2 | 3 | 2 | 5 2 | 8 7 | 13 15 | 24 14 | 22 2 | 6 6 | 5 2 | 23 13 | 60 37 | 18 21 | |

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No | CAUSES OF DEATH ₄ | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|----|---|-----------------|----------------|---------------|------|-------|-------|-------|-------|-------|---------|---------|------------------|----------------------------|-------------------|--|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co-Infirmarys. | Else-where. | |
| | ALL CAUSES M. F. } | 1,456 { 788 668 | 120 87 | 16 22 | 8 14 | 24 18 | 25 17 | 19 31 | 46 49 | 87 82 | 207 152 | 236 198 | 35 33 | 32 24 | 161 116 | 560 495 | 70 88 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 1 { . | 1 . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 3 | Scarlet Fever M. F. } | 1 { . | 1 . | . . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | |
| 4 | Whooping Cough M. F. } | 13 { 6 7 | 4 4 | 2 3 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 6 7 | 1 1 | |
| 5 | Diphtheria M. F. } | 1 { . | 1 . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 74 { 38 36 | . . | . . | . . | 2 10 | 6 11 | 6 8 | 8 7 | 5 4 | 1 3 | 1 1 | 2 2 | 6 5 | 15 13 | 15 16 | . . | |
| 7 | All other forms of Tuberculosis ... M. F. } | 21 { 12 9 | . 1 | 3 2 | 1 2 | . . | 4 1 | 1 1 | 1 1 | . . | . . | . . | 4 2 | 1 . | 3 3 | 3 4 | . . | |
| 8 | Dysentery M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 9 | Influenza M. F. } | 51 { 28 23 | 1 . | . . | . . | 2 . | . . | 1 1 | 3 3 | 9 13 | 12 5 | . . | . . | . . | 3 2 | 25 21 | 4 . | |
| 10 | Measles M. F. } | 4 { 3 1 | 1 . | 1 1 | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | 1 1 | 2 . | . . | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { . | 1 . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | 1 . | |
| 12 | Typhus M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 13 | Cancer M. F. } | 120 { 61 59 | . . | . . | 1 . | 1 . | 1 1 | 1 1 | 4 17 | 15 15 | 20 16 | 19 8 | 7 3 | 1 . | 8 10 | 46 45 | . . | |
| 34 | Diabetes Mellitus M. F. } | 4 { 3 1 | . . | . . | . . | . . | 1 . | . . | 1 1 | . . | 1 . | . . | . . | . . | . . | 3 1 | . . | |

| | | | | | | | | | | | | | | | | | | | | | | |
|----|---|-----|---|------------|----------|--------|--------|---|--------|---|--------|---------|----------|----------|----------|--------|--------|---|----------|------------|----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 85 | { | 40 45 | . | . | . | 1 | . | . | 1 | 5 5 | 8 8 | 14 14 | 11 17 | . | 2 | . | 2 | 10 5 | 28 38 | 1 |
| 16 | Diseases of the Heart | 354 | { | 200 154 | . | . | . | 1 | 5 1 | 3 | 6 8 | 8 10 | 33 25 | 87 54 | 57 56 | 4 3 | 7 6 | . | 33 25 | 156 120 | 11 7 | |
| 17 | Other Diseases of the Circulatory M. System. | 26 | { | 19 7 | . | . | . | . | . | . | 1 | 1 3 | 9 3 | 8 1 | 1 1 | . | 1 | . | 2 1 | 16 4 | 1 | |
| 18 | Bronchitis .. | 39 | { | 16 23 | 3 5 | . | . | . | . | . | 1 | 2 1 | 1 4 | 5 3 | 5 9 | . | 1 | . | 1 2 | 2 2 | 13 20 | 1 |
| 19 | Pneumonia ... | 57 | { | 35 22 | 10 9 | 4 5 | . | . | 1 | 2 | . | 1 2 | 1 2 | 9 1 | 8 2 | . | 1 | . | 10 3 | 23 19 | . | |
| 20 | Other Diseases of the Respiratory M. System. | 13 | { | 5 8 | 1 1 | 1 | . | . | . | . | 2 | . | 1 2 | 2 1 | 1 1 | . | 2 | . | . | 1 4 | 4 2 | . |
| 21 | Ulcer of the Stomach or Duo- denum. | 5 | { | 4 1 | . | . | . | . | . | . | . | . | 1 1 | 2 1 | 1 1 | . | . | . | . | 3 1 | 1 1 | . |
| 22 | Diarrhoea and Enteritis | 41 | { | 28 13 | 25 10 | 2 1 | . | . | . | . | . | . | 1 1 | 1 1 | 1 1 | . | 1 | . | . | 7 2 | 20 11 | . |
| 23 | Appendicitis | 3 | { | 1 2 | . | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 1 | . | 1 | . | |
| 24 | Cirrhosis of the Liver | 2 | { | 1 1 | . | . | . | . | . | . | . | . | 1 1 | 1 1 | 1 1 | . | 1 | . | . | . | 1 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. | 3 | { | 2 1 | . | . | . | . | . | . | . | 1 | . | 1 1 | 1 1 | . | . | . | . | 1 1 | 1 1 | . |
| 26 | Other Diseases of the Digestive M. System. | 30 | { | 17 13 | 2 1 | 1 3 | 1 | 1 | 1 | . | . | 2 | 3 2 | 4 3 | 3 3 | 1 1 | . | . | . | 9 3 | 7 9 | . |
| 27 | Nephritis ... | 40 | { | 24 16 | . | . | 1 | . | 1 | . | 1 | 1 2 | 2 4 | 8 5 | 12 1 | 1 1 | 1 1 | 1 | . | 10 7 | 12 7 | . |
| 28 | Puerperal Infection ... | 2 | { | 2 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . |
| 29 | Other Diseases of Childbirth | 7 | { | 7 | . | . | . | . | 1 | 2 | 4 | . | . | . | . | . | 2 | . | . | 4 | 1 | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). | 116 | { | 66 50 | 65 48 | . | 1 | 0 | . | . | . | . | . | . | . | 6 | . | . | 19 13 | 41 30 | 9 12 | |
| 31 | Senility ... | 197 | { | 92 105 | . | . | . | . | . | . | . | . | 17 17 | 75 88 | . | . | 9 | 1 | 82 1 | 44 98 | 58 | |
| 32 | Suicide ... | 3 | { | 2 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 2 1 | . | |
| 33 | Other Violence ... | 24 | { | 20 4 | 3 | . | . | 1 | 3 | . | 1 | 3 | 3 | 3 | 3 | . | 2 | . | . | 3 1 | 15 3 | . |
| 34 | Other Causes ... | 118 | { | 63 55 | 4 8 | 3 4 | 2 4 | 1 | 3 | 3 | 2 | 4 | 8 | 4 | 16 | 20 | 5 | 4 | 4 | 19 12 | 35 33 | 2 5 |

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------|----------------|---------------|----------|--------|----------|----------|----------|----------|----------|----------|------------------|-----------------------------|-----------------------|--|-------------|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hos-pitals. | County Homes and Hospis. District Hospi-s. and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES M. F. | 685 { | 335 350 | 64 54 | 12 14 | 5 7 | 15 11 | 10 23 | 19 31 | 29 21 | 42 40 | 96 83 | 43 66 | 35 29 | 8 13 | 113 112 | 179 196 | 4 8 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. | 2 { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 | |
| 2 | Cerebro-spinal Meningitis M. F. | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 3 | Scarlet Fever M. F. | 2 { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 4 | Whooping Cough M. F. | 5 { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 | |
| 5 | Diphtheria M. F. | 3 { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 6 | Tuberculosis of the Respiratory System. M. F. | 66 { | 32 34 | . . | 1 . | 1 3 | 2 6 | 6 11 | 9 9 | 7 2 | 4 2 | 2 1 | . . | 2 . | 2 . | 13 18 | 15 14 | . . | |
| 7 | All other forms of Tuberculosis ... M. F. | 12 { | 4 8 | . . | 1 2 | 1 1 | 2 3 | 2 . | . . | . . | . . | . . | . . | 2 . | . . | 1 3 | 1 3 | . . | |
| 8 | Dysentery M. F. | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 9 | Influenza M. F. | 2 { | . . | 2 . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | . . | . . | 1 | |
| 10 | Measles M. F. | 3 { | 1 2 | 1 . | . 2 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 2 | |
| 11 | Acute Infectious Encephalitis ... M. F. | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 12 | Typhus M. F. | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | |
| 13 | Cancer M. F. | 49 { | 23 26 | . . | . . | . . | . . | . . | . 1 | . 1 | 5 2 | 8 6 | 9 11 | 1 5 | 3 6 | 6 2 | 14 14 | . . | |
| 4 | Diabetes Mellitus M. F. | 3 { | 1 2 | . . | . . | 1 . | . . | . . | . . | . . | . 2 | . . | . . | . 1 | . . | 1 1 | . . | . . | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|----------------------|------|-----------|----------|---|---|---|---|---|----|----|----|----|----|----|----|----|----|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | F. } | 34{ | 12 22 | : | : | : | : | 1 | 1 | 4 | 3 | 3 | 3 | 3 | 3 | 4 | 5 | 13 | • |
| 16 | Diseases of the Heart | ... M. } F. } | 175{ | 104 71 | : | 2 | 6 | 2 | 2 | 9 | 19 | 44 | 20 | 6 | 3 | 43 | 52 | 44 | • | |
| 17 | Other Diseases of the Circulatory M. System. | F. } | 7{ | 4 3 | : | : | : | : | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | • |
| 18 | Bronchitis | M. } F. } | 38{ | 24 14 | 5 | 1 | : | : | 1 | 4 | 12 | 2 | 6 | • | • | 7 | 17 | 14 | 1 | |
| 19 | Pneumonia | M. } F. } | 47{ | 21 26 | 8 11 | 2 | 1 | 1 | 2 | 1 | 2 | 4 | 2 | 3 | 3 | 1 | 6 | 12 | 14 | 1 |
| 20 | Other Diseases of the Respiratory M. System. | F. } | 7{ | 2 5 | : | : | : | : | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | • |
| 21 | Ulcer of the Stomach or Duo- denum. | M. } F. } | 1{ | 1 | : | : | : | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | • |
| 22 | Diarrhoea and Enteritis | ... M. } F. } | 32{ | 17 15 | 17 12 | 2 | : | : | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17 | 13 | • |
| 23 | Appendicitis | M. } F. } | 2{ | 2 | : | 1 | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | • | • | • | • | • |
| 24 | Cirrhosis of the Liver | ... M. } F. } | • { | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 25 | Diseases of the Liver and Biliary M. Passages. | F. } | • { | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 26 | Other Diseases of the Digestive M. System. | F. } | 7{ | 4 3 | 2 | : | : | : | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | • |
| 27 | Nephritis | M. } F. } | 12{ | 5 7 | : | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 4 | • |
| 28 | Puerperal Infection | ... F. | 1 | 1 | : | : | : | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | • |
| 29 | Other Diseases of Childbirth | ... F. | 6 | 6 | : | : | : | 2 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | • |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). | F. } | 40{ | 19 21 | 18 20 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 1 | 13 | 1 | 1 |
| 31 | Sentility | M. } F. } | 62{ | 24 38 | : | 1 | 1 | 1 | 1 | 1 | 14 | 14 | 10 | 12 | 17 | 17 | 6 | 11 | 3 | 2 |
| 32 | Suicide | M. } F. } | 1{ | 1 | : | 1 | 1 | 1 | 1 | 1 | 14 | 14 | 10 | 12 | 21 | 21 | 15 | 1 | 1 | • |
| 33 | Other Violence | ... M. } F. } | 19{ | 10 9 | 1 | 2 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 4 | 4 | 2 | 6 | 7 | • |
| 34 | Other Causes | ... M. } F. } | 47{ | 19 28 | 10 5 | 3 | 1 | 1 | 4 | 2 | 3 | 1 | 2 | 3 | 4 | 1 | 7 | 8 | 17 | 3 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | |
|-----|---|---------------|----------------|---------------|--------|--------|---------|----------|---------|----------|----------|-----------|------------------|----------------------------|--------------------|---|-------------|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps. District Hosps. and Co. Infir-maries. | Else-where. | Un-certified Deaths |
| | ALL CAUSES M. F. } | 828 { | 454 374 | 50 33 | 9 8 | 5 4 | 8 11 | 17 12 | 21 8 | 31 27 | 60 52 | 112 88 | 141 131 | 28 23 | 9 5 | 114 85 | 303 261 | 73 64 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 2 { | 1 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 3 | Scarlet Fever M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 4 | Whooping Cough M. F. } | 1 { | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 5 | Diphtheria M. F. } | 1 { | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 56 { | 31 25 | • | • | • | • | 5 1 | 11 7 | 8 6 | 4 2 | 2 3 | 1 2 | 11 9 | 1 | 2 2 | 17 14 | 2 |
| 7 | All other forms of Tuberculosis ... M. F. } | 5 { | 3 2 | • | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8 | Dysentery M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 9 | Influenza M. F. } | 20 { | 8 12 | • | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 1 | 1 | 2 | 2 1 | 5 9 | 1 |
| 10 | Measles M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 12 | Typhus M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | |
| 13 | Cancer M. F. } | 70 { | 37 33 | • | • | 1 | 1 | 1 | 1 | 4 | 6 | 16 | 9 | 2 | 2 | 5 7 | 30 24 | 1 |
| 14 | Diabetes Mellitus M. F. } | 9 { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |

| | | | | | | | | | | | | | | | | | | | | | |
|----|---|------|-----------|----------|--------|---|---|--------|---|--------|--------|--------|----------|----------|----------|--------|----------|----------|----------|----|----|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 63{ | 30 33 | . | . | . | . | 1 | . | . | 3 2 | 5 7 | 16 13 | 6 10 | 1 2 | . | 14 11 | 15 20 | 2 | 2 | |
| 16 | Diseases of the Heart ... M. F. } | 213{ | 120 93 | . | . | . | . | 2 1 | 1 | 1 2 | 3 2 | 8 7 | 22 14 | 44 33 | 39 35 | 2 | 1 1 | 31 26 | 86 66 | 7 | 7 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 16{ | 10 6 | . | . | . | . | . | 1 | . | . | 1 2 | 2 1 | 5 2 | 1 1 | 1 | 2 1 | 3 1 | 5 3 | . | . |
| 18 | Bronchitis M. F. } | 28{ | 15 13 | 4 1 | . | . | . | . | . | . | . | 1 1 | 1 1 | 3 4 | 6 7 | . | . | 1 | 15 12 | 3 | 2 |
| 19 | Pneumonia M. F. } | 31{ | 18 13 | 4 6 | 4 1 | . | . | . | . | . | . | 1 1 | 1 1 | 3 2 | 5 2 | 1 | 2 | 2 1 | 14 11 | . | . |
| 20 | Other Diseases of the Respiratory M. System. F. } | 6{ | 3 3 | . | . | . | . | . | . | . | 1 | . | 2 1 | . | . | . | . | 3 1 | 2 | . | . |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 10{ | 7 3 | . | . | . | . | . | . | . | . | 1 1 | 5 2 | 1 . | . | . | . | 4 1 | 3 2 | . | . |
| 22 | Diarrhoea and Enteritis ... M. F. } | 12{ | 5 7 | 5 4 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 1 | 3 5 | . | 1 |
| 23 | Appendicitis M. F. } | 1{ | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| 24 | Cirrhosis of the Liver ... M. F. } | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 5{ | 3 2 | . | . | . | . | . | 1 | . | . | 1 1 | 1 1 | . | . | . | . | 1 | 2 1 | . | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 9{ | 8 1 | . | . | . | . | . | 1 | . | . | 1 1 | . | 2 | 4 | 1 | . | 2 | 5 1 | . | 1 |
| 27 | Nephritis M. F. } | 16{ | 11 5 | . | . | . | . | . | . | . | 1 1 | 1 1 | 4 2 | 4 1 | 1 | . | 4 2 | 6 3 | . | . | |
| 28 | Puerperal Infection ... F. | 1{ | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| 29 | Other Diseases of Childbirth ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 50{ | 29 21 | 29 18 | . | 2 | 1 | . | . | . | . | . | . | . | . | 6 4 | . | 10 5 | 13 12 | 3 | 4 |
| 31 | Senility M. F. } | 137{ | 69 68 | . | . | . | . | . | . | . | . | . | . | 5 5 | 64 63 | . | 1 | 12 15 | 56 53 | 46 | 41 |
| 32 | Suicide M. F. } | 2{ | 2 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | . |
| 33 | Other Violence M. F. } | 10{ | 6 4 | 1 | 1 | . | . | . | . | . | 1 | . | 1 1 | 3 1 | 1 | . | . | 4 1 | 2 3 | . | . |
| 34 | Other Causes M. F. } | 60{ | 35 25 | 7 1 | 1 1 | 2 | . | 1 | 2 | 1 | 3 1 | 2 3 | 8 5 | 7 5 | 3 5 | 2 | 2 | 11 7 | 20 16 | 8 | 5 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY, (S.R.), by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|-----------------|----------------|---------------|------|-------|-------|-------|-------|-------|---------|---------|------------------|----------------------------|-----------------------|--|-------------|---|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps., District Hosps. and Co. Infirmarys. | Else-where. | | |
| | ALL CAUSES M. F. } | 1,182 { 605 577 | 58 58 | 14 18 | 8 14 | 12 16 | 23 25 | 27 22 | 36 20 | 84 71 | 165 143 | 178 190 | 15 21 | 20 25 | 146 116 | 424 415 | 44 46 | | |
| 1 | Typhoid Fever (including Para-typoid). M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 2 | Cerebro-spinal Meningitis M. F. } | 1 { | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 4 | Whooping Cough M. F. } | 6 { | 2 4 | 1 2 | 1 2 | . | . | . | . | . | . | . | . | . | 1 | 2 3 | . | | |
| 5 | Diphtheria M. F. } | 2 { | 1 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 76 { 35 41 | . | . | 2 | 5 8 | 11 16 | 8 5 | 6 5 | 3 3 | 2 2 | . | 2 4 | 4 3 | 11 8 | 18 26 | . | | |
| 7 | All other forms of Tuberculosis M. F. } | 23 { 12 11 | 1 | 1 | 2 3 | 4 2 | 1 | 3 | 1 | . | . | . | 1 | . | 3 7 | 8 3 | . | | |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 9 | Influenza M. F. } | 7 { 2 5 | . | 1 | . | . | . | . | . | 1 | 1 2 | 1 | . | . | 2 5 | . | . | | |
| 10 | Measles M. F. } | 5 { 2 3 | . | 2 3 | . | . | . | . | . | . | . | . | . | . | . | 2 3 | . | | |
| 11 | Acute Infectious Encephalitis M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 13 | Cancer M. F. } | 111 { 68 43 | . | 1 | 1 | . | 1 | 1 | 1 4 | 6 3 | 18 12 | 26 9 | 15 14 | 2 4 | 1 2 | 22 11 | 43 26 | . | |
| 14 | Diabetes Mellitus M. F. } | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|-----|------------|----------|--------|--------|---|--------|--------|--------|----------|---------|----------|----------|----------|---------|----------|----------|------------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 85 | 45 40 | . | . | . | . | 1 | . | 1 | 1 | 10 7 | 15 19 | 17 11 | . | 1 | . | 17 9 | 28 30 | 1 2 |
| 16 | Diseases of the Heart ... M. F. | 320 | 156 164 | . | . | . | . | 1 | . | 2 | 4 | 9 5 | 26 22 | 58 69 | 56 65 | 2 | 3 | 51 41 | 100 118 | 5 4 |
| 17 | Other Diseases of the Circulatory M. System. | 21 | 14 7 | . | . | . | . | . | . | 2 | 1 | 1 1 | 8 3 | 2 3 | . | . | 3 | 3 1 | 8 6 | 1 |
| 18 | Bronchitis M. F. | 34 | 17 17 | 2 | 1 | . | . | . | . | 2 | 1 | 3 3 | 4 6 | 6 6 | . | . | 3 | 3 14 | 14 | . |
| 19 | Pneumonia M. F. | 43 | 21 22 | 5 4 | 3 2 | 1 | 2 | . | . | 1 | . | 2 6 | 5 4 | 3 5 | 2 | . | 3 | 5 5 | 16 17 | . |
| 20 | Other Diseases of the Respiratory M. System. | 12 | 6 6 | . | . | . | 1 | . | . | . | 2 1 | 1 2 | 3 1 | . | 1 | . | 1 | 5 5 | 5 | . |
| 21 | Ulcer of the Stomach or Duo- M. denum. | 7 | 6 1 | . | . | . | . | . | . | 1 | 1 | 1 1 | 1 1 | 2 1 | . | . | . | 1 1 | 5 5 | . |
| 22 | Diarrhoea and Enteritis ... M. F. | 18 | 9 9 | 7 7 | 2 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 3 | 6 5 | 1 |
| 23 | Appendicitis M. F. | 2 | 2 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . |
| 24 | Cirrhosis of the Liver ... M. F. | 2 | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| 26 | Other Diseases of the Digestive M. System. | 6 | 5 1 | . | . | . | 1 | . | . | . | . | . | 4 | 1 | 1 | . | . | 2 2 | 2 1 | . |
| 27 | Nephritis M. F. | 34 | 23 11 | . | . | . | 1 | . | 1 | 1 | 2 | 6 1 | 9 7 | 3 | 1 | 1 | 5 2 | 16 3 | 6 | . |
| 28 | Puerperal Infection ... F. | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| 29 | Other Diseases of Childbirth ... F. | 5 | 5 | . | . | . | . | 2 | 1 | 2 | . | . | . | . | . | . | . | 4 | 1 | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). | 73 | 35 38 | 35 38 | . | . | . | . | . | . | . | . | . | . | . | 7 | . | 6 | 29 12 | 3 |
| 31 | Senility M. F. | 163 | 74 89 | . | . | . | . | . | . | . | . | 10 9 | 64 80 | . | . | 1 | 1 | 72 1 | 30 84 | . |
| 32 | Suicide M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 33 | Other Violence M. F. | 14 | 10 4 | . | 2 | . | 1 | 3 | 2 | 1 | . | 1 2 | 2 | . | . | 1 | 1 | 8 3 | . | . |
| 34 | Other Causes M. F. | 105 | 58 47 | 10 4 | 3 4 | 2 3 | 1 | 3 4 | 2 6 | 4 3 | 11 10 | 16 9 | 7 3 | 3 | 6 | 11 5 | 38 33 | 7 2 | . | |

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | |
|-----|---|---------------|----------------|---------------|----------|--------|--------|---------|---------|----------|----------|-----------|-----------------|----------------------------|--------------------|---|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps. District Hosps. and Co. Infir-maries. | Else-where. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 759 { | 403 356 | 48 33 | 11 16 | 9 6 | 8 9 | 7 12 | 14 9 | 27 12 | 45 38 | 125 81 | 109 140 | 33 10 | 10 11 | 105 74 | 255 261 | 39 35 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| 3 | Scarlet Fever ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 4 | Whooping Cough ... M. F. } | 7 { | 5 2 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | 4 1 | . |
| 5 | Diphtheria M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 30 { | 15 15 | . | 1 | . | 1 | 2 | 2 | 2 | 2 | 7 | 1 | . | 2 | 2 | 4 7 | 7 |
| 7 | All other forms of Tuberculosis ... M. F. } | 15 { | 8 7 | . | 3 | 5 1 | 2 | 1 | . | . | . | 1 | . | . | 2 | 1 | 3 3 | 3 |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 9 | Influenza M. F. } | 5 { | 1 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 4 | 1 |
| 10 | Measles M. F. } | 1 { | 0 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 13 | Cancer M. F. } | 69 { | 39 30 | . | . | . | . | . | 1 | 2 | 7 | 6 | 15 | 8 | 4 | . | 13 8 | 22 20 |
| 14 | Diabetes Mellitus M. F. } | 5 { | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 1 | . |

| | | | | | | | | | | | | | | | | | | | | | |
|-----|---|------|----------|----------|--------|--------|---|---|--------|--------|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------|
| 15. | Intra-cranial Lesions of Vascular M. Origin. F. | 44{ | 20 24 | . | . | . | . | . | . | . | . | 2 | 7 3 | 8 11 | 5 8 | 2 1 | 1 1 | 7 2 | 10 20 | . | 1 |
| 16. | Diseases of the Heart ... M. F. | 161{ | 89 72 | . | . | 1 | . | . | . | . | 1 | 3 1 | 7 3 | 8 7 | 47 19 | 23 41 | 3 | 1 3 | 24 10 | 61 59 | 5 3 |
| 17. | Other Diseases of the Circulatory M. System. F. | 18{ | 11 7 | . | . | . | . | . | . | 1 | 2 | . | 1 | 6 3 | 2 3 | . | . | 6 | 5 7 | . | 1 |
| 18. | Bronchitis M. F. | 25{ | 12 13 | 1 | . | . | . | . | . | . | . | 1 | 2 1 | 2 2 | 6 5 | . | . | 2 1 | 10 12 | . | 1 |
| 19. | Pneumonia M. F. | 26{ | 11 15 | 5 | 1 | 5 | 1 | . | . | . | . | 1 | 1 3 | 2 3 | 1 | 2 | 1 | 3 | 8 12 | . | 1 |
| 20. | Other Diseases of the Respiratory M. System. F. | 4{ | 4 | . | . | 1 | . | . | . | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 2 | . | . |
| 21. | Ulcer of the Stomach or Duo- denum. M. F. | 5{ | 4 1 | . | . | . | . | . | 1 | . | . | 1 | 1 1 | 1 1 | . | 1 | 1 | 1 | 1 | 1 | . |
| 22. | Diarrhoea and Enteritis ... M. F. | 12{ | 4 8 | 4 5 | 1 | . | . | . | . | . | . | 2 | . | . | 2 | 1 | . | 3 | 2 4 | 1 | . |
| 23. | Appendicitis ... M. F. | 2{ | 1 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| 24. | Cirrhosis of the Liver ... M. F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 25. | Diseases of the Liver and Biliary M. Passages. F. | 2{ | 2 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | 1 | . | . |
| 26. | Other Diseases of the Digestive M. System. F. | 6{ | 6 | 1 | 1 | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 5 | . | . |
| 27. | Nephritis M. F. | 14{ | 9 5 | 1 | . | . | . | . | . | 1 | . | 1 | 1 3 | 5 | 1 | . | 2 | 6 3 | 1 | . | . |
| 28. | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 29. | Other Diseases of Childbirth ... F. | 7 | 7 | . | . | . | . | . | 1 | 4 | 2 | . | . | . | 1 | . | . | 6 | . | . | . |
| 30. | Congenital Debility, etc. (Nos. M. 157—161). F. | 54{ | 31 23 | 31 23 | . | . | . | . | . | . | . | . | . | . | 5 | . | 5 | 21 9 | 12 | 4 | . |
| 31. | Senility M. F. | 147{ | 67 80 | . | . | . | . | . | . | . | . | . | 19 12 | 48 68 | 1 | 1 3 | 21 18 | 44 59 | 22 24 | . | . |
| 32. | Suicide M. F. | 1{ | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| 33. | Other Violence M. F. | 18{ | 11 7 | . | 1 | 1 | . | 3 | 2 | 1 | 1 | 1 | 2 1 | 3 | . | . | 2 1 | 9 6 | . | 1 | . |
| 34. | Other Causes M. F. | 80{ | 49 31 | 2 1 | 3 3 | 1 3 | 2 | 1 | 3 1 | 5 3 | 7 5 | 17 11 | 9 1 | 5 1 | 3 | 12 5 | 32 22 | 5 3 | . | . | |

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------|----------------|---------------|--------|--------|---------|--------|----------|----------|----------|----------|------------------|-----------------------------|-----------------------|---|-------------|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hos-pitals. | County Homes and Hospis. District Hospis. and Co. Infir-maries. | Else-where. | Un-certified Deaths |
| | ALL CAUSES M. F. } | 441 { | 226 215 | 23 30 | 7 4 | 7 4 | 11 9 | 3 7 | 15 10 | 24 11 | 34 24 | 56 56 | 46 60 | 12 4 | 11 6 | 69 52 | 134 153 | 1 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | { | : | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { | . | 1 | .. | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. |
| 3 | Scarlet Fever M. F. } | . | { | : | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4 | Whooping Cough M. F. } | 1 { | . | 1 | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. |
| 5 | Diphtheria M. F. } | . | { | : | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 43 { | 22 21 | .. | .. | 2 | 5 7 | 2 | 7 6 | 5 3 | 2 | 1 1 | .. | .. | 1 | 7 3 | 14 18 | .. |
| 7 | All other forms of Tuberculosis ... M. F. } | 8 { | 6 2 | 1 | 2 | 3 | 1 | .. | .. | 1 | .. | .. | .. | .. | .. | 4 1 | 2 1 | .. |
| 8 | Dysentery M. F. } | . | { | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 9 | Influenza M. F. } | 4 { | 4 | .. | .. | .. | .. | .. | .. | 1 | .. | 3 | .. | .. | .. | .. | 4 | .. |
| 10 | Measles M. F. } | . | { | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { | . | 1 | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. |
| 12 | Typhus M. F. } | . | { | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 13 | Cancer M. F. } | 38 { | 21 17 | .. | .. | .. | .. | .. | .. | 2 | 3 | 7 3 | 6 10 | 3 2 | 1 | 3 4 | 9 13 | .. |

| | | | | | | | | | | | | | | | | | | | |
|----|---|------|----------|----------|--------|---|--------|--------|--------|--------|--------|----------|----------|----------|--------|--------|----------|----------|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 26{ | 10 16 | . | . | . | . | . | . | 1 | 3 2 | 2 3 | 2 4 | 2 7 | 1 1 | 2 | 2 3 | 5 12 | . |
| 16 | Diseases of the Heart ... M. F. | 160{ | 84 76 | . | . | . | 1 1 | 2 1 | 1 1 | 3 2 | 6 2 | 16 13 | 29 30 | 26 26 | 3 1 | 1 1 | 27 28 | 58 47 | . |
| 17 | Other Diseases of the Circulatory M. System. F. | 8{ | 5 3 | . | . | . | . | . | . | 1 | . | 2 2 | 2 1 | . | . | 1 | . | 4 3 | . |
| 18 | Bronchitis M. F. | 12{ | 5 7 | 1 4 | . | . | . | . | . | 1 | 1 2 | 2 1 | . | . | . | . | 1 4 | 7 | . |
| 19 | Pneumonia M. F. | 15{ | 8 7 | 2 2 | 2 2 | . | 2 | . | 1 1 | . | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 5 5 | . | |
| 20 | Other Diseases of the Respiratory M. System. F. | 7{ | 4 3 | . | . | . | . | . | . | . | . | 4 1 | 2 | . | . | . | 1 1 | 3 3 | . |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 22 | Diarrhoea and Enteritis ... M. F. | 19{ | 9 10 | 8 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 1 | 8 9 | . |
| 23 | Appendicitis M. F. | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 24 | Cirrhosis of the Liver ... M. F. | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 26 | Other Diseases of the Digestive M. System. F. | 6{ | 3 3 | 1 | 1 | . | 1 | 1 | . | 1 | . | . | . | 1 | 1 | . | 2 1 | 1 | . |
| 27 | Nephritis M. F. | 9{ | 6 3 | . | . | . | . | 1 | . | . | 1 | 2 | 1 | . | . | 2 | 2 4 | 1 | . |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 29 | Other Diseases of Childbirth ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. | 24{ | 11 13 | 11 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 7 6 | 3 7 | . |
| 31 | Senility M. F. | 33{ | 12 21 | . | . | . | . | . | . | . | . | . | 3 2 | 9 19 | . | 1 2 | 2 1 | 9 18 | . |
| 32 | Suicide M. F. | . | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 33 | Other Violence M. F. | 7{ | 5 2 | . | . | 1 | 1 | . | . | . | 1 | 1 | 1 | 2 | . | 1 1 | 2 1 | 2 1 | . |
| 34 | Other Causes M. F. | 18{ | 8 10 | 1 | 3 | 1 | . | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 2 3 | 3 6 | . |

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths |
|-----|---|------------------------|----------------|---------------|----------|------------|------------|------------|------------|------------|--------------|----------------|------------------|----------------------------|-----------------------|---|--------------|----|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps. District Hosps. and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES M. F. } | 7,390 { 4,038 3,352 | 312 219 | 88 58 | 42 44 | 115 114 | 141 117 | 159 114 | 215 190 | 364 305 | 1,020 739 | 1,582 1,452 | 115 109 | 169 122 | 833 595 | 2,921 2,526 | 1,056 923 | | |
| 1 | Typhoid Fever (including Paratyphoid). M. F. } | 4 { 2 2 | 2 | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 2 | . | . | |
| 2 | Cerebro-spinal Meningitis M. F. } | 2 { 2 2 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | |
| 3 | Scarlet Fever M. F. } | 3 { . | 3 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | 2 | 1 | . | . | |
| 4 | Whooping Cough M. F. } | 24 { 11 13 | 7 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 10 | 4 | 3 | |
| 5 | Diphtheria M. F. } | 2 { 1 1 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 372 { 201 171 | . | 1 | 3 | 38 | 53 | 37 | 33 | 22 | 12 | 2 | 39 | 22 | 68 | 72 | . | 7 | |
| 7 | All other forms of Tuberculosis M. F. } | 146 { 84 62 | 4 | 12 | 7 | 22 | 18 | 2 | 9 | 2 | 4 | 4 | 6 | 5 | 52 | 20 | . | . | |
| 8 | Dysentery M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza M. F. } | 120 { 58 62 | 5 | 1 | 3 | 1 | 2 | 1 | 1 | 6 | 18 | 25 | . | 4 | 10 | 44 | 16 | 15 | |
| 10 | Measles M. F. } | 35 { 17 18 | 6 | 9 | 1 | . | 1 | . | . | 2 | 18 | 24 | 2 | 1 | 12 | 4 | 2 | 1 | |
| 11 | Acute Infectious Encephalitis M. F. } | 1 { 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | |
| 12 | Typhus M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 605 { 332 273 | . | 1 | 1 | 2 | 5 | 14 | 21 | 70 | 134 | 84 | 11 | 8 | 79 | 234 | 14 | 9 | |

| | | | | | | | | | | | | | | | | | | |
|----|---|--------|------------|------------|----------|---------|----------|----------|----------|-----------|------------|------------|------------|----------|------------|------------|------------|------------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 421{ | 218 203 | . | . | 1 | 1 | 1 | 8 5 | 15 14 | 30 26 | 87 87 | 75 71 | 4 2 | 6 5 | 49 27 | 159 169 | 30 41 |
| 16 | Diseases of the Heart ... M. F. | 1,487{ | 844 643 | . | . | 1 5 | 19 11 | 20 10 | 48 42 | 103 84 | 320 209 | 327 282 | 10 7 | 49 44 | 162 101 | 623 491 | 51 52 | |
| 17 | Other Diseases of the Circulatory System. M. F. | 142{ | 77 65 | 1 | . | . | . | 2 | 3 3 | 7 8 | 12 13 | 25 21 | 29 18 | . | 1 6 | 25 12 | 51 46 | 3 4 |
| 18 | Bronchitis M. F. | 188{ | 104 84 | 5 5 | 1 | . | 1 | . | 6 5 | 6 5 | 5 12 | 40 24 | 40 37 | . | 1 9 | 13 74 | 91 11 | 28 11 |
| 19 | Pneumonia M. F. | 294{ | 164 130 | 44 19 | 16 14 | 3 5 | 3 5 | 4 5 | 7 5 | 10 8 | 13 13 | 38 26 | 26 32 | 7 | 6 | 24 18 | 127 105 | 17 8 |
| 20 | Other Diseases of the Respiratory System. M. F. | 79{ | 49 30 | 3 1 | 1 | 1 | 4 1 | 5 4 | 6 4 | 5 3 | 10 3 | 7 4 | 7 8 | 3 2 | 1 7 | 10 7 | 35 21 | 8 |
| 21 | Ulcer of the Stomach or Duodenum. M. F. | 25{ | 20 5 | . | 1 | . | . | 2 | 6 . | 2 . | 4 . | 5 2 | 2 1 | . | 2 3 | 7 3 | 11 2 | 2 |
| 22 | Diarrhea and Enteritis ... M. F. | 72{ | 40 32 | 28 25 | 2 1 | . | 1 2 | 2 . | 1 1 | 1 1 | 1 1 | 1 1 | 3 1 | 5 2 | 1 7 | 9 7 | 25 23 | 1 3 |
| 23 | Appendicitis M. F. | 14{ | 8 6 | . | 1 | . | 2 | 1 | 2 . | 2 2 | 1 1 | 1 1 | 4 . | 1 . | 6 6 | 1 . | . | . |
| 24 | Cirrhosis of the Liver ... M. F. | 10{ | 7 3 | . | . | . | . | . | 1 . | 3 1 | . | 2 2 | 1 . | . | 2 . | 5 3 | 3 1 | 1 |
| 25 | Diseases of the Liver and Biliary Passages. M. F. | 20{ | 11 9 | . | 1 | . | . | . | . | . | 2 4 | 5 2 | 3 3 | 1 2 | . | 4 1 | 6 6 | 1 . |
| 26 | Other Diseases of the Digestive System. M. F. | 91{ | 49 42 | 6 2 | 2 | 3 | 3 | 3 | . | 4 4 | 5 10 | 11 12 | 12 11 | . | 2 . | 17 19 | 32 21 | 5 3 |
| 27 | Nephritis M. F. | 183{ | 107 76 | . | . | 1 | 4 2 | 2 | 6 3 | 3 7 | 15 7 | 40 16 | 37 26 | 6 2 | 1 1 | 26 29 | 74 44 | 3 . |
| 28 | Puerperal Infection ... F. | 8 | 8 | . | . | . | . | 4 | 4 | . | . | . | . | . | . | 4 | 4 | . |
| 29 | Other Diseases of Childbirth ... F. | 12 | 12 | . | . | . | 1 | 3 | 8 | . | . | . | . | . | . | 5 | 7 | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F.) | 304{ | 179 125 | 168 115 | 5 | 4 5 | 1 | . | 1 | . | . | . | . | 9 11 | . | 61 46 | 109 68 | 34 16 |
| 31 | Senility M. F.) | 1928{ | 962 966 | . | . | . | . | . | . | . | . | 137 124 | 825 842 | 1 1 | 28 22 | 47 50 | 886 893 | 766 688 |
| 32 | Suicide M. F.) | 19{ | 14 5 | . | . | . | . | 3 1 | 4 3 | 2 3 | 1 1 | 3 1 | 1 . | . | 1 1 | 1 1 | 12 4 | . |
| 33 | Other Violence M. F.) | 124{ | 82 42 | 3 2 | 8 3 | 5 5 | 11 2 | 6 2 | 5 2 | 8 5 | 10 1 | 15 7 | 11 13 | 2 1 | 2 16 | 30 16 | 48 25 | 1 |
| 34 | Other Causes M. F.) | 608{ | 374 235 | 31 27 | 22 9 | 10 7 | 15 12 | 16 15 | 30 19 | 32 25 | 48 39 | 109 51 | 61 31 | 8 14 | 32 19 | 105 50 | 229 152 | 70 59 |

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|------------------------|----------------|---------------|----------|----------|----------|----------|----------|-----------|------------|------------|------------------|-----------------------------|-----------------------|---|------------|---|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hospitals. | County Homes and Hospis. District Hospis. and Co. Infirmarys. | Elsewhere. | | |
| | ALL CAUSES M. F. } | 2,344 { 1,242 1,102 | 140 93 | 41 32 | 12 20 | 49 43 | 35 39 | 46 41 | 64 57 | 106 86 | 272 232 | 477 459 | 24 44 | 42 29 | 331 245 | 845 74 | 292 305 | | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 2 { . | 2 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | |
| 3 | Scarlet Fever M. F. } | 3 { . | 3 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | 2 | 1 | . | |
| 4 | Whooping Cough M. F. } | 8 { 5 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 2 | |
| 5 | Diphtheria M. F. } | 1 { . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 122 { 66 56 | . | . | 1 | 3 | 17 | 15 | 13 | 9 | 6 | 2 | . | 14 | 5 | 24 | 23 | 1 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 60 { 34 26 | 3 | 8 | 3 | 9 | 5 | 3 | 2 | . | 2 | 1 | 1 | 1 | . | 27 | 6 | . | |
| 8 | Dysentery M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza M. F. } | 48 { 27 21 | 4 | 2 | 1 | 1 | . | 1 | 2 | . | 4 | 6 | 12 | . | 1 | 5 | 22 | 7 | |
| 10 | Measles M. F. } | 25 { 12 13 | 4 | 3 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | 4 | 15 | 4 | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus M. F. } | . { . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 180 { 97 88 | . | 1 | . | 1 | 2 | 4 | 7 | 26 | 32 | 24 | 1 | * | 1 | 35 | 60 | 3 | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|---|---------------|-------|-----|----|----|---|---|---|----|---|----|----|----|-----|---|----|----|-----|-----|-----|----|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. } F. } | 132 { | 62 | . | . | . | . | . | . | 2 | 2 | 10 | 24 | 24 | . | 1 | 1 | 22 | 39 | 9 | | |
| 16 | Diseases of the Heart | ... M. } F. } | 452 { | 248 | . | . | . | . | 1 | 4 | 7 | 11 | 25 | 92 | 108 | 2 | 3 | 10 | 53 | 183 | 14 | | |
| | | | | 204 | . | . | . | . | 1 | 3 | 2 | 12 | 20 | 67 | 99 | 8 | 3 | 8 | 42 | 151 | 11 | | |
| 17 | Other Diseases of the Circulatory System. | M. } F. } | 61 { | 32 | 1 | . | . | . | . | 2 | 2 | 4 | 5 | 11 | 11 | . | . | 2 | 13 | 19 | 1 | | |
| | | | | 29 | . | . | . | . | . | 2 | 2 | 3 | 8 | 9 | 5 | . | . | 8 | 19 | 2 | | | |
| 18 | Bronchitis ... | ... M. } F. } | 56 { | 28 | 3 | . | . | 1 | . | 2 | 2 | 2 | 5 | 10 | 10 | . | . | . | 6 | 22 | 7 | 2 | |
| | | | | 28 | 1 | 1 | . | . | . | 2 | 2 | 5 | 10 | 9 | . | . | . | 6 | 22 | 7 | | | |
| 19 | Pneumonia ... | ... M. } F. } | 106 { | 57 | 19 | 9 | 1 | . | 1 | 4 | 1 | 4 | 2 | 12 | 9 | 2 | 3 | 1 | 12 | 42 | 6 | 3 | |
| | | | | 49 | 4 | 10 | 3 | . | . | 1 | 3 | 3 | 8 | 13 | . | . | . | 3 | 12 | 34 | 3 | | |
| 20 | Other Diseases of the Respiratory System. | M. } F. } | 24 { | 16 | 2 | . | . | 1 | 2 | 1 | 2 | 3 | 1 | 3 | 2 | . | . | . | 5 | 11 | 2 | | |
| | | | | 8 | . | 1 | 1 | . | 2 | 2 | 1 | . | 1 | 1 | 1 | . | 1 | . | 2 | 5 | 5 | | |
| 21 | Ulcer of the Stomach or Duodenum. | M. } F. } | 6 { | 3 | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | . | . | 1 | 2 | 2 | | |
| | | | | 3 | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | . | . | 1 | 2 | 1 | | |
| 22 | Diarrhoea and Enteritis | ... M. } F. } | 36 { | 15 | 11 | 2 | . | 1 | 1 | 1 | . | 1 | . | 1 | 1 | 1 | 2 | . | . | 4 | 11 | 1 | 1 |
| | | | | 21 | 17 | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 | 1 | 2 | . | . | 3 | 16 | 1 | |
| 23 | Appendicitis | ... M. } F. } | 5 { | 3 | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 1 | . | 1 | 2 | . | |
| | | | | 2 | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | . | 1 | 2 | . | | |
| 24 | Cirrhosis of the Liver | ... M. } F. } | 5 { | 3 | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | . | . | . | 2 | 1 | 2 | . |
| | | | | 2 | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | . | . | . | 2 | 1 | 2 | . |
| 25 | Diseases of the Liver and Biliary Passages. | M. } F. } | 6 { | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 3 | . | 3 | . |
| | | | | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 3 | . | 3 | . |
| 26 | Other Diseases of the Digestive System. | M. } F. } | 39 { | 19 | 2 | . | 2 | 3 | 1 | . | 3 | 5 | 4 | 4 | 4 | . | 1 | . | 10 | 9 | 1 | | |
| | | | | 20 | . | . | . | . | . | . | 3 | 5 | 7 | 5 | 5 | 1 | . | . | 9 | 10 | . | | |
| 27 | Nephritis ... | ... M. } F. } | 57 { | 29 | . | . | . | 1 | 1 | 1 | 2 | 3 | 4 | 13 | 11 | . | 1 | . | 12 | 17 | 1 | 1 | |
| | | | | 28 | . | . | . | . | 1 | 1 | 2 | 3 | 7 | 10 | 4 | . | 1 | . | 15 | 12 | 12 | . | |
| 28 | Puerperal Infection | ... F. | 2 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | | |
| 29 | Other Diseases of Childbirth | ... F. | 3 | 3 | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | 2 | 1 | . | | |
| 30 | Congenital Debility, etc. (Nos. 157-161). | M. } F. } | 129 { | 74 | 72 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 4 | . | 32 | 41 | 19 | 7 | |
| | | | | 55 | 51 | 2 | 2 | . | . | . | . | . | . | . | . | 4 | . | 25 | 26 | 26 | 7 | | |
| 31 | Senility ... | ... M. } F. } | 531 { | 255 | . | . | . | . | . | . | . | . | . | 26 | 220 | . | 16 | 1 | 238 | 205 | 242 | | |
| | | | | 276 | . | . | . | . | . | . | . | . | . | 29 | 247 | . | 11 | 1 | 264 | 264 | . | | |
| 32 | Suicide | ... M. } F. } | 8 { | 6 | . | . | . | . | . | 2 | 1 | 1 | . | 2 | . | . | . | . | 6 | 2 | . | | |
| | | | | 2 | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . | . | . | 2 | 2 | . | | |
| 33 | Other Violence | ... M. } F. } | 42 { | 27 | 1 | 5 | 1 | 6 | 1 | 1 | 1 | 4 | 2 | 1 | 5 | 1 | . | 5 | 21 | . | | | |
| | | | | 15 | 1 | . | 1 | 1 | 1 | 1 | 1 | 4 | . | 4 | 3 | 1 | . | 5 | 9 | . | | | |
| 34 | Other Causes | ... M. } F. } | 183 { | 117 | 15 | 6 | . | 6 | 2 | 11 | 8 | 10 | 14 | 31 | 22 | . | 3 | 8 | 45 | 64 | 13 | 16 | |
| | | | | 66 | 8 | 4 | 5 | 1 | 8 | 8 | 6 | 8 | 15 | 3 | 3 | 3 | 3 | 19 | 41 | . | | | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | |
|-----|---|---------------|----------------|---------------|-----|--------|---------|----------|----------|----------|----------|-----------|------------------|----------------------------|--------------------|---|-------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hospls. District Hospls. and Co-Infirmaries. | Else-where. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 735 { | 433 302 | 28 13 | 5 | 5 2 | 5 12 | 21 11 | 11 13 | 25 18 | 47 29 | 125 67 | 161 137 | 13 12 | 23 15 | 71 49 | 326 226 | 158 118 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 1 { | . . | . . | . . | . . | . . | 1 | . . | . . | . . | . . | . . | . . | . . | 1 | . . | . . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 3 | Scarlet Fever M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 4 | Whooping Cough M. F. } | 2 { | 1 1 | 1 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 1 | 1 1 | 1 1 |
| 5 | Diphtheria M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 31 { | 14 17 | . . | . . | . . | 1 5 | 6 4 | 3 4 | 2 2 | . . | 2 2 | . . | 2 1 | 1 3 | 6 4 | 5 9 | . 1 |
| 7 | All other forms of Tuberculosis ... M. F. } | 10 { | 4 6 | 1 | . . | 1 | 2 | 2 | . . | 1 | . . | 1 | . . | . . | . . | 2 4 | 2 2 | . . |
| 8 | Dysentery M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 9 | Influenza M. F. } | 11 { | 6 5 | . . | . . | . . | . . | . . | . . | . . | 1 | 2 4 | . . | . . | 1 | 1 | 4 5 | 2 1 |
| 10 | Measles M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 11 | Acute Infectious Encephalitis ... M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 12 | Typhus M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 13 | Cancer M. F. } | 48 { | 29 19 | . . | . . | . . | . . | . . | 1 | 1 3 | 6 7 | 14 6 | 8 2 | 3 1 | 2 1 | 6 5 | 18 12 | 2 1 |
| 14 | Diabetes Mellitus M. F. } | 5 { | 3 | . . | . . | . . | . . | . . | . . | . . | 2 | 1 | . . | . . | . . | 3 | 1 | . . |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|---------|---|--------|--------|---|--------|--------|--------|---------|----------|----------|----------|--------|---------|-----------|----------|----------|
| 15 | Intra-cranial Lesions of Vascular M. F. | 44{ | 27 17 | . | . | . | . | . | 1 | 1 | 4 3 | 4 1 | 13 6 | 5 | . | 1 | 2 | 4 2 | 21 14 | 9 6 |
| 16 | Diseases of the Heart ... M. F. | 155{ | 97 58 | . | . | . | . | . | 1 1 | 5 2 | 3 | 7 7 | 18 9 | 41 20 | 25 16 | 3 1 | 9 4 | 20 11 | 65 42 | 14 14 |
| 17 | Other Diseases of the Circulatory M. System. F. | 8{ | 3 5 | . | . | . | . | . | . | . | . | 1 | 2 2 | 1 | . | . | 1 | . | 3 4 | 1 1 |
| 18 | Bronchitis M. F. | 20{ | 13 7 | 1 | 1 | . | . | . | . | . | . | 1 | 5 5 | 5 5 | . | . | . | 1 1 | 12 6 | 5 2 |
| 19 | Pneumonia M. F. | 33{ | 21 12 | 6 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 1 | 6 3 | 2 4 | 2 3 | . | 3 | 16 9 | 5 | |
| 20 | Other Diseases of the Respiratory M. System. F. | 5{ | 4 1 | . | . | . | . | . | . | 1 | 1 | . | . | 2 1 | . | . | . | 1 | 3 1 | 1 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. | 5{ | 5 | . | . | . | . | . | . | 1 | . | 1 | 2 1 | 1 | . | . | . | 1 | 4 | . |
| 22 | Diarrhoea and Enteritis ... M. F. | 6{ | 5 1 | 3 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | 1 | 2 1 | . |
| 23 | Appendicitis M. F. | 1{ | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . |
| 24 | Cirrhosis of the Liver ... M. F. | 1{ | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | 1{ | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| 26 | Other Diseases of the Digestive M. System. F. | 5{ | 2 3 | 1 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 2 1 | 1 |
| 27 | Nephritis M. F. | 27{ | 14 13 | . | . | . | . | 1 | 1 | 1 2 | . | 1 2 | 3 3 | 9 4 | . | . | 2 4 | 12 9 | . | |
| 28 | Puerperal Infection F. | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | |
| 29 | Other Diseases of Childbirth ... F. | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. | 17{ | 14 3 | 13 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 3 1 | 10 2 | 3 1 | |
| 31 | Senility M. F. | 220{ | 112 108 | . | . | . | . | . | . | . | . | . | 18 16 | 94 92 | . | 3 | 9 12 | 103 92 | 95 81 | |
| 32 | Suicide M. F. | 1{ | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | |
| 33 | Other Violence M. F. | 6{ | 5 1 | . | . | . | . | 1 | . | . | 1 1 | 1 | 2 | . | . | 1 | 2 | 2 1 | . | |
| 34 | Other Causes M. F. | 71{ | 49 22 | 2 1 | 2 | 4 1 | 1 2 | . | 4 | 1 | 5 1 | 12 7 | 11 5 | 4 4 | . | 3 | 6 3 | 7 3 | 36 13 | 18 8 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|---------------|----------------|---------------|----------|---------|----------|----------|----------|----------|-----------|------------|------------------|----------------------------|-----------------------|---|------------|---------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hosps. | County Homes and Hosps. District Hosps. and Co. Infirmarys. | Elsewhere. | Un-certified Deaths |
| | ALL CAUSES M. F. } | 2,173 { | 1,204 969 | 73 48 | 28 10 | 13 9 | 29 27 | 53 41 | 54 32 | 67 56 | 104 90 | 308 204 | 475 452 | 42 25 | 58 37 | 206 126 | 898 781 | 327 231 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 1 { | . . | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | . . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 2 { | . 2 | . 2 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | 1 . | . . |
| 3 | Scarlet Fever M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 4 | Whooping Cough M. F. } | 6 { | 2 4 | 1 4 | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 4 | 1 1 |
| 5 | Diphtheria M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 124 { | 72 52 | . . | . . | 1 . | 11 14 | 19 18 | 12 9 | 14 7 | 11 1 | 4 2 | 1 . | 17 10 | 9 8 | 17 10 | 29 24 | 4 |
| 7 | All other forms of Tuberculosis ... M. F. } | 35 { | 24 11 | . . | 3 2 | 1 . | 7 4 | 7 2 | 2 . | 3 1 | 2 1 | . . | 3 2 | 3 2 | 11 4 | 7 3 | . . | . . |
| 8 | Dysentery M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 9 | Influenza M. F. } | 34 { | 15 19 | 1 . | 1 . | 1 . | . . | 1 2 | . 1 | 1 1 | 1 1 | 4 3 | 7 8 | . 1 | 3 3 | 3 3 | 9 15 | 4 4 |
| 10 | Measles M. F. } | 4 { | 3 1 | 1 . | 2 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 3 1 | . . | . . |
| 11 | Acute Infectious Encephalitis ... M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 12 | Typhus M. F. } | . { | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . |
| 13 | Cancer M. F. } | 189 { | 103 86 | . . | . . | . . | . . | 1 . | 2 . | 4 . | 6 . | 15 . | 44 . | 31 . | 3 . | 1 . | 21 15 | 78 67 |
| 14 | Diabetes Mellitus M. F. } | 13 { | 4 . | . . | . . | 1 . | . . | . . | . . | 1 . | 1 . | . . | 1 . | 1 . | . . | 2 . | 1 . | . . |

| | | | | | | | | | | | | | | | | | | | | | |
|----|--|-------|------------|----------|--------|---|--------|---|----|---------|---------|----------|------------|----------|----------|--------|------------|------------|------------|----------|---|
| 15 | Intra-cranial Lesions of Vascular M. F. } | 103 { | 59 44 | . | . | . | 1 | . | . | . | 5 | 6 | 4 | 25 | 18 | . | 1 | 8 | 50 | 6 | 9 |
| 16 | Diseases of the Heart ... M. F. } | 411 { | 237 174 | . | . | . | 1 | . | . | 9 3 | 4 4 | 14 11 | 31 24 | 91 57 | 87 75 | 4 | 15 12 | 40 21 | 178 141 | 19 22 | |
| 17 | Other Diseases of the Circulatory M. System. F. } | 35 { | 17 18 | . | . | . | . | . | . | 1 1 | 3 3 | 2 2 | 3 3 | 8 9 | . | 1 2 | . | 5 3 | 12 12 | 1 1 | |
| 18 | Bronchitis M. F. } | 65 { | 34 31 | . | 1 | . | . | . | . | 1 | 1 2 | 1 4 | 16 8 | 15 16 | . | . | . | 1 | 33 31 | 9 4 | |
| 19 | Pneumonia M. F. } | 86 { | 49 37 | 12 4 | 5 2 | 1 | 1 2 | 2 | 1 | 2 2 | 2 3 | 8 4 | 11 10 | 7 9 | 1 | 4 | 5 | 39 1 | 3 36 | 2 | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 16 { | 10 6 | . | . | . | . | 1 | 1 | . | 1 1 | 6 1 | 1 | 1 | 1 | 1 | . | 1 | 8 3 | 1 | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 9 { | 8 1 | . | 1 | . | . | . | 1 | 4 | 1 | . | 1 | 1 | . | 2 | 3 | 3 1 | 3 | 2 | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 11 { | 7 4 | 3 2 | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 2 | . | 1 | 5 3 | . | 1 |
| 23 | Appendicitis M. F. } | 6 { | 3 3 | . | 1 | . | . | . | 1 | . | 1 | 1 | 1 | 1 | . | . | . | 3 3 | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | 3 { | 2 1 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 2 | 1 | . | 1 |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 8 { | 5 3 | . | 1 | . | . | . | . | . | . | 2 | 2 | . | 1 | . | 1 | 3 2 | 1 | . | |
| 26 | Other Diseases of the Digestive M. System. F. } | 28 { | 15 13 | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 | 6 | . | . | 4 | 11 7 | 2 | 6 | 2 |
| 27 | Nephritis M. F. } | 57 { | 37 20 | . | . | . | . | 2 | 1 | 4 2 | 1 2 | 4 5 | 14 7 | 12 3 | 2 | 1 | 7 | 28 14 | 2 | . | |
| 28 | Puerperal Infection F. | 3 { | 3 | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 1 | 2 | . | . | |
| 29 | Other Diseases of Childbirth ... F. | 5 { | 5 | . | . | . | . | . | 1 | 4 | . | . | . | . | . | . | 3 | 2 | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 76 { | 50 26 | 44 23 | 3 | 2 | 1 | . | . | . | . | . | . | . | 3 | . | 14 | 33 7 | 10 16 | 8 | |
| 31 | Senility M. F. } | 624 { | 304 320 | . | . | . | . | . | . | . | . | 47 40 | 257 280 | . | 7 | 14 | 283 303 | 242 161 | | | |
| 32 | Suicide M. F. } | 5 { | 3 2 | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . | . | . | 3 2 | . | . | |
| 33 | Other Violence M. F. } | 45 { | 29 16 | 1 | 2 | 4 | 3 | 3 | 3 | 1 | 3 1 | 5 2 | 5 6 | . | 1 | 13 | 15 7 | 9 | . | . | |
| 34 | Other Causes ... M. F. } | 169 { | 111 58 | 11 10 | 8 | 4 | 3 | 5 | 10 | 10 5 | 11 7 | 33 11 | 16 12 | 4 4 | 12 | 29 | 66 37 | 20 9 | | | |

ABSTRACT V—continued.—Causes of Death for the Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|-----------------|----------------|---------------|-----|-------|-------|-------|-------|-------|---------|---------|------------------|----------------------------|-----------------------|---|-------------|----|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hos-pitals. | County Homes and Hosps. District Hosps. and Co. Infir-maries. | Else-where. | | |
| | ALL CAUSES M. F. } | 1,083 { 597 486 | 26 21 | 8 6 | 5 4 | 18 16 | 14 11 | 22 13 | 34 25 | 62 50 | 161 123 | 247 217 | 23 10 | 23 21 | 101 78 | 450 377 | 176 164 | | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 3 | Scarlet Fever M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 4 | Whooping Cough M. F. } | 4 { 3 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | |
| 5 | Diphtheria M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 43 { 24 19 | . | . | . | . | 5 | 6 | 5 | 6 | 2 | 3 | 1 | 2 | 4 | 11 | 7 | . | |
| 7 | All other forms of Tuberculosis ... M. F. } | 15 { 10 5 | . | . | 1 | 2 | 4 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | 7 | 6 | 11 | |
| 8 | Dysentery M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 9 | Influenza M. F. } | 12 { 5 7 | 1 | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 1 | 4 | 3 | 2 |
| 10 | Measles M. F. } | 4 { 1 3 | 2 | 1 | 1 | . | . | . | . | . | . | 6 | . | . | . | . | 1 | 3 | 1 |
| 11 | Acute Infectious Encephalitis ... M. F. } | 1 { 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | |
| 12 | Typhus M. F. } | . | { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 13 | Cancer M. F. } | 85 { 48 37 | . | . | 1 | . | . | 2 | 4 | 13 | 21 | 7 | 7 | 2 | 2 | 6 | 38 | 31 | 3 |
| 14 | Diabetes Mellitus M. F. } | 12 { 5 7 | . | . | . | 1 | . | 2 | 6 | 7 | 15 | 2 | 2 | . | . | 1 | 4 | 5 | . |

| | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|--------|---|---|--------|--------|--------|---------|----------|------------|----------|--------|--------|------------|------------|----------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 64{ | 29 35 | . | . | . | . | . | . | 1 | 2 3 | 6 6 | 8 12 | 12 14 | 2 | 1 1 | 6 4 | 20 30 | 3 5 |
| 16 | Diseases of the Heart ... M. F. } | 237{ | 137 100 | . | . | . | . | . | 2 1 | 6 7 | 8 15 | 16 34 | 48 43 | 57 43 | 1 1 | 7 8 | 25 12 | 104 79 | 2 1 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 22{ | 15 7 | . | . | . | . | . | . | . | 3 1 | 7 4 | 5 2 | . | . | 1 . | 2 7 | 12 7 | . |
| 18 | Bronchitis M. F. } | 18{ | 11 7 | . | . | . | . | . | . | 2 1 | 1 2 | 5 2 | 3 3 | . | . | 2 1 | 9 6 | 4 1 | |
| 19 | Pneumonia M. F. } | 37{ | 22 15 | 4 3 | 1 1 | . | . | 1 | . | 2 1 | 1 3 | 7 3 | 4 5 | . | 1 1 | 3 . | 18 14 | 3 . | |
| 20 | Other Diseases of the Respiratory M. System. F. } | 18{ | 9 9 | 1 | . | . | . | . | 2 1 | 1 3 | 1 1 | 3 1 | 1 3 | 2 | 1 1 | 2 2 | 5 6 | 1 . | |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 1{ | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | |
| 22 | Diarrhoea and Enteritis ... M. F. } | 2{ | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | |
| 23 | Appendicitis M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 24 | Cirrhosis of the Liver ... M. F. } | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 2{ | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | |
| 26 | Other Diseases of the Digestive M. System. F. } | 5{ | 3 2 | 1 | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 3 2 | . | |
| 27 | Nephritis M. F. } | 16{ | 11 5 | . | . | . | 1 | 1 | 2 | . | 1 | 4 1 | 2 | 1 | 2 | . | 3 3 | 6 1 | . |
| 28 | Puerperal Infection ... F. | 2 | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| 29 | Other Diseases of Childbirth ... F. | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 2 | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. } | 28{ | 14 14 | 14 14 | . | . | . | . | . | . | . | . | . | . | 3 4 | . | 4 3 | 7 7 | 2 |
| 31 | Senility M. F. } | 330{ | 173 157 | . | . | . | . | . | . | . | . | 33 27 | 140 130 | . | 1 5 | 6 6 | 162 146 | 146 135 | |
| 32 | Suicide M. F. } | 3{ | 2 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 2 | . | |
| 33 | Other Violence M. F. } | 19{ | 14 5 | 1 | 1 | . | . | 1 | 1 | 1 | 1 | 4 . | 3 1 | 1 | 1 | 6 3 | 7 2 | . | |
| 34 | Other Causes M. F. } | 101{ | 55 46 | 1 1 | 4 2 | 2 | 1 | 3 5 | 2 1 | 4 2 | 5 7 | 7 11 | 17 13 | 10 3 | 4 . | 3 4 | 15 14 | 33 28 | 12 17 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | |
|-----|---|-----------------|----------------|---------------|-----|-------|-------|-------|-------|-------|---------|---------|------------------|---------------------------|-----------------------|---|------------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosp. | Mental Hospitals. | County Homes and Hosp. District Hosp. and Co. Infirmarys. | Elsewhere. | Un-certified Deaths. |
| | ALL CAUSES M. F. } | 1,055 { 562 493 | 45 44 | 6 10 | 7 9 | 14 16 | 18 15 | 26 15 | 25 34 | 45 50 | 154 113 | 222 187 | 13 18 | 23 20 | 124 99 | 402 356 | 103 105 | |
| 1 | Typhoid Fever (including Para-typhoid). ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 3 | Scarlet Fever M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 4 | Whooping Cough M. F. } | 4 { 2 2 | 1 1 | 1 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | |
| 5 | Diphtheria M. F. } | 1 { | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | |
| 6 | Tuberculosis of the Respiratory System. ... M. F. } | 52 { 25 27 | . | . | . | . | 4 11 | 7 6 | 4 3 | 2 3 | 3 2 | 4 2 | 1 | 4 2 | 3 3 | 10 14 | 8 8 | |
| 7 | All other forms of Tuberculosis ... M. F. } | 26 { 12 14 | . | 1 2 | 3 4 | 2 5 | 3 2 | 1 1 | . | 2 1 | 1 1 | 2 1 | 5 | 1 | 6 5 | 4 4 | . | |
| 8 | Dysentery M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 9 | Influenza M. F. } | 15 { 5 10 | . | . | . | 1 | . | . | . | 1 | . | 5 3 | 5 | . | . | 5 9 | 3 4 | |
| 10 | Measles M. F. } | 2 { 1 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 12 | Typhus M. F. } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | |
| 13 | Cancer M. F. } | 103 { 55 48 | . | . | . | . | 1 | 1 | 4 3 | 3 5 | 10 13 | 23 22 | 14 4 | 2 4 | 2 | 11 10 | 40 34 | |
| 14 | Diabetes Mellitus M. F. } | 5 { 4 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 2 | . | |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|---|---|---|--------|--------|--------|--------|----------|----------|-----------|----------|---|----------|-----------|----------|--------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. } | 78{ | 41 37 | . | . | . | . | 1 | . | . | 1 | 2 | 6 4 | 17 | 16 14 | 2 | 1 | 9 4 | 29 33 | 3 8 |
| 16 | Diseases of the Heart ... M. F. } | 232{ | 125 107 | . | . | . | . | 2 3 | 1 2 | 3 1 | 8 5 | 13 16 | 48 31 | 50 49 | . | 2 | 8 12 | 24 15 | 93 78 | 2 4 |
| 17 | Other Diseases of the Circulatory M. System. F. } | 16{ | 10 6 | . | . | . | . | . | . | 2 | 2 | 2 1 | 2 3 | 4 | . | . | 1 | 5 1 | 5 4 | . |
| 18 | Bronchitis M. F. } | 29{ | 18 11 | 1 | . | . | . | . | . | 3 | 1 | 1 | 6 4 | 7 | . | . | 1 | 3 1 | 15 9 | 3 2 |
| 19 | Pneumonia M. F. } | 32{ | 15 17 | 3 | . | 1 | 1 | . | . | 3 | 2 | 2 | 2 4 | 4 | . | 1 | 1 | 1 5 | 12 12 | 3 |
| 20 | Other Diseases of the Respiratory M. System. F. } | 16{ | 10 6 | . | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 2 1 | 1 | . | . | 1 | 1 1 | 8 6 | 3 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. } | 4{ | 3 1 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | 2 | 1 1 | . |
| 22 | Diarrhoea and Enteritis ... M. F. } | 17{ | 11 6 | 9 5 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | 1 | 4 3 | 6 3 | . |
| 23 | Appendicitis M. F. } | 2{ | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| 24 | Cirrhosis of the Liver ... M. F. } | 1{ | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. } | 3{ | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 1 | 1 | . |
| 26 | Other Diseases of the Digestive M. System. F. } | 14{ | 10 4 | 2 | 1 | 1 | . | 1 | . | 1 | 1 | 1 | 2 | 1 | . | . | . | 3 2 | 7 2 | 1 |
| 27 | Nephritis M. F. } | 26{ | 16 10 | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 8 | 4 2 | 2 | 1 | 2 2 | 11 8 | . |
| 28 | Puerperal Infection ... F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 29 | Other Diseases of Childbirth ... F. | . | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. } | 54{ | 27 27 | 25 24 | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | 8 10 | 18 17 | . |
| 31 | Senility M. F. } | 223{ | 118 105 | . | . | . | . | . | . | . | . | . | 13 12 | 105 93 | . | 1 | 17 17 | 100 88 | 78 69 | |
| 32 | Suicide M. F. } | 2{ | 2 | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 1 | . |
| 33 | Other Violence M. F. } | 12{ | 7 5 | 1 | 2 | 2 | . | 1 | . | 1 | . | 4 | 1 | . | . | . | 4 1 | 3 4 | 1 | . |
| 34 | Other Causes M. F. } | 85{ | 42 43 | 2 | 2 | . | 2 | 3 | 1 | 2 | 4 | 6 | 17 7 | 9 | 4 | 3 | 9 5 | 30 31 | 7 9 | |

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------------|----------------|---------------|-------|-------|-------|-------|---------|---------|---------|---------|------------------|-----------------------------|-----------------------|---|-------------|--|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hospitals. | County Homes and Hospis. District Hospis. and Co. Infirmarys. | Else-where. | | |
| | ALL CAUSES M. F. } | 3,968 { 2,130 1,838 | 158 136 | 35 26 | 31 24 | 56 69 | 53 74 | 75 66 | 118 107 | 221 180 | 556 497 | 827 659 | 68 42 | 45 34 | 345 242 | 1,671 1,520 | 410 428 | | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 4 { . 4 | . . | . . | . . | 1 . | . . | . . | . . | 1 . | 2 . | . . | . . | . . | . . | 3 . | 1 . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 2 { . 2 | . . | . . | . . | 1 . | . . | 1 . | . . | . . | . . | . . | . . | . . | . . | 2 . | . . | | |
| 3 | Scarlet Fever M. F. } | { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 4 | Whooping Cough M. F. } | 20 { 11 9 | 6 7 | 5 2 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 11 9 | . 2 | | |
| 5 | Diphtheria M. F. } | 10 { 4 6 | . . | 2 2 | 2 1 | . . | 1 . | 2 . | . . | . . | . . | . . | . . | 1 . | . . | 2 5 | . 2 | | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 175 { 78 97 | . . | 1 3 | 18 34 | 20 31 | 15 10 | 8 9 | 11 7 | 5 3 | . . | 15 17 | 8 8 | 19 16 | 36 33 | 2 3 | | | |
| 7 | All other forms of Tuberculosis ... M. F. } | 82 { 38 44 | 2 1 | 4 3 | 7 5 | 12 7 | 6 4 | 4 4 | 1 3 | 1 . | 3 4 | 1 . | 9 13 | 25 27 | . . | . . | | | |
| 8 | Dysentery M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 9 | Influenza M. F. } | 110 { 56 54 | 5 3 | 1 1 | . . | 1 . | 2 . | 2 . | 5 1 | 22 23 | 19 22 | . . | 1 . | 3 4 | 53 49 | 17 18 | | | |
| 10 | Measles M. F. } | 6 { 5 1 | 1 . | 2 1 | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | 1 . | 4 1 | 1 1 | | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 3 { 2 1 | . . | . . | 1 . | 1 . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | 2 1 | . . | | |
| 12 | Typhus M. F. } | . { . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 13 | Cancer M. F. } | 388 { 197 191 | . . | . . | 1 . | 2 4 | 5 7 | 25 30 | 33 43 | 78 65 | 53 31 | 12 2 | 3 2 | 30 27 | 152 160 | 8 10 | | | |
| 14 | Diabetes Mellitus M. F. } | 18 { 10 8 | . . | . . | . . | . . | 2 . | 2 1 | . . | 4 1 | . . | 1 . | 1 . | 2 . | 6 1 | . 1 | | | |

| | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|--------|--------|--------|--------|--------|----------|----------|----------|----------|-----|---|----|----|-----|-----|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 279{ | 139 140 | . | . | 1 | . | 1 | 1 | 3 | 2 | 15 | 49 | 67 | 2 | 1 | 23 | 113 | 25 |
| 16 | Diseases of the Heart ... M. F. | 939{ | 527 412 | . | . | 1 | 1 | 5 | 6 | 13 | 31 | 67 | 201 | 202 | 8 | 21 | 79 | 419 | 50 |
| 17 | Other Diseases of the Circulatory M. System. F. | 72{ | 35 37 | . | . | . | . | 1 | . | 1 | 3 | 4 | 18 | 15 | 1 | 3 | 4 | 27 | 28 |
| 18 | Bronchitis M. F. | 79{ | 35 44 | 3 | 9 | 1 | . | 1 | . | . | 1 | 4 | 13 | 12 | . | . | 3 | 32 | 1 |
| 19 | Pneumonia M. F. | 148{ | 85 61 | 17 | 15 | 6 | 2 | 1 | 1 | 5 | 10 | 5 | 21 | 19 | 1 | 2 | 14 | 70 | 6 |
| 20 | Other Diseases of the Respiratory M. System. F. | 51{ | 30 21 | 2 | . | 2 | 1 | 1 | . | 2 | 1 | 5 | 7 | 10 | . | . | 2 | 28 | 4 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. | 24{ | 21 3 | . | . | . | . | 1 | 1 | 4 | 4 | 7 | 3 | 1 | 3 | . | 6 | 12 | 1 |
| 22 | Diarrhoea and Enteritis ... M. F. | 29{ | 13 16 | 8 | 11 | . | 1 | . | . | 2 | 1 | . | . | 2 | 1 | 1 | 1 | 10 | 1 |
| 23 | Appendicitis M. F. | 7{ | 4 3 | . | . | 2 | 1 | . | . | 1 | 1 | . | . | 1 | . | . | 2 | 1 | . |
| 24 | Cirrhosis of the Liver ... M. F. | 4{ | 4 | . | . | . | . | . | . | . | 3 | . | . | . | . | . | 4 | . | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | 15{ | 5 10 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | 2 | 5 | 1 |
| 26 | Other Diseases of the Digestive M. System. F. | 51{ | 34 17 | 5 | 1 | 1 | 2 | 1 | 2 | 5 | 1 | 3 | 6 | 10 | 4 | . | 14 | 16 | 4 |
| 27 | Nephritis M. F. | 104{ | 72 32 | . | . | 1 | 1 | 1 | 2 | 2 | 9 | 15 | 28 | 13 | 2 | 1 | 14 | 55 | 4 |
| 28 | Puerperal Infection ... F. | 2{ | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 2 | . |
| 29 | Other Diseases of Childbirth ... F. | 15{ | 15 | . | . | . | . | 3 | 3 | 9 | . | . | . | . | . | . | 8 | 7 | . |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). F. | 179{ | 96 83 | 95 79 | 1 | 3 | 1 | . | . | . | . | . | . | . | 8 | . | 27 | 61 | 16 |
| 31 | Senility M. F. | 772{ | 410 362 | . | . | . | . | . | . | . | . | 50 | 360 | . | . | 1 | 38 | 372 | 247 |
| 32 | Suicide M. F. | 10{ | 9 1 | . | . | . | . | 1 | . | . | 1 | 5 | 1 | 1 | . | . | 1 | 8 | 1 |
| 33 | Other Violence M. F. | 89{ | 56 33 | 3 | 4 | 7 | 5 | 4 | 3 | 4 | 5 | 12 | 11 | 3 | . | 14 | 39 | 3 | 1 |
| 34 | Other Causes ... M. F. | 283{ | 148 135 | 11 7 | 8 5 | 3 4 | 8 7 | 5 6 | 5 4 | 11 20 | 31 28 | 35 40 | 31 12 | 4 | 5 | 5 | 32 | 107 | 18 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | PLACES OF OCCURRENCE. | | | Un-certified Deaths. |
|-----|---|-----------------|----------------|---------------|------|-------|-------|-------|-------|-------|---------|---------|------------------|----------------------------|-------------------|---|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps. District Hosps. and Co. Infirmarys. | Else-where. |
| | ALL CAUSES M. F. } | 1,103 { 612 491 | 41 37 | 5 5 | 10 5 | 14 20 | 12 11 | 26 16 | 37 39 | 57 49 | 173 145 | 237 164 | 36 27 | 10 13 | 130 75 | 436 376 | 101 91 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 1 { . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | . . | 1 . | . |
| 2 | Cerebro-spinal Meningitis ... M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 3 | Scarlet Fever M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 4 | Whooping Cough M. F. } | 4 { 2 2 | 2 2 | 2 2 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 2 | . |
| 5 | Diphtheria M. F. } | 2 { . | 2 . | . . | . . | . . | . . | 1 1 | 1 1 | . . | . . | . . | . . | 1 . | . . | 1 . | . |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 44 { 22 22 | 22 . | . . | . . | 1 8 | 4 5 | 6 2 | 7 3 | 1 1 | 2 2 | . . | 8 14 | 2 5 | 3 . | 9 3 | 1 |
| 7 | All other forms of Tuberculosis ... M. F. } | 16 { 8 8 | 8 2 | 1 1 | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | . . | 1 3 | . . | 4 2 | 3 3 | . |
| 8 | Dysentery M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 9 | Influenza M. F. } | 16 { 8 8 | 8 1 | . . | . . | . . | . . | . . | . . | 2 3 | 3 2 | . . | . . | 1 . | 1 . | 3 6 | 5 1 |
| 10 | Measles M. F. } | 2 { . | . 2 | . . | . . | 1 . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | 2 . | . |
| 11 | Acute Infectious Encephalitis ... M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 12 | Typhus M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . |
| 13 | Cancer M. F. } | 120 { 58 62 | . . | . . | . . | . . | 2 . | 1 2 | 1 2 | 7 14 | 6 12 | 26 23 | 17 7 | 6 . | 9 1 | 43 10 | 1 |
| 14 | Diabetes Mellitus M. F. } | 3 { 1 1 | 1 . | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | . . | . . | 1 . | . . | . |

| | | | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|---|---|---|---|---|---|---|----|-----|----|----|---|----|-----|-----|----|
| 15 | Intra-cranial Lesions of Vascular M. Origin. F. | 76{ | 38 38 | . | . | 1 | . | . | . | 2 | . | 1 | 11 | 14 | 15 | . | . | 11 | 27 | 6 |
| 16 | Diseases of the Heart ... M. F. | 280{ | 164 116 | . | . | 1 | . | 1 | . | 7 | 9 | 20 | 74 | 52 | 2 | 5 | 2 | 36 | 121 | 10 |
| 17 | Other Diseases of the Circulatory M. System. F. | 20{ | 6 14 | . | . | . | . | . | . | 1 | 2 | 1 | 6 | 3 | 2 | 1 | 2 | 4 | 12 | . |
| 18 | Bronchitis M. F. | 17{ | 11 6 | . | . | . | . | 1 | . | . | . | . | 4 | 6 | 1 | . | . | 11 | 6 | . |
| 19 | Pneumonia M. F. | 34{ | 21 13 | 2 | 1 | 2 | . | . | 1 | 2 | 5 | 1 | 6 | 4 | 1 | 1 | 3 | 17 | 11 | 1 |
| 20 | Other Diseases of the Respiratory M. System. F. | 8{ | 4 4 | . | . | . | 1 | . | . | 1 | 1 | . | 1 | 2 | 1 | . | . | . | 4 | 4 |
| 21 | Ulcer of the Stomach or Duo- M. denum. F. | 9{ | 7 2 | . | . | . | . | . | 1 | 1 | 2 | 1 | 2 | 1 | . | 3 | . | 1 | 3 | . |
| 22 | Diarrhoea and Enteritis ... M. F. | 9{ | 3 6 | 1 | 5 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 2 | 3 | . |
| 23 | Appendicitis M. F. | 1{ | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| 24 | Cirrhosis of the Liver ... M. F. | { | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 25 | Diseases of the Liver and Biliary M. Passages. F. | 2{ | 2 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 | . |
| 26 | Other Diseases of the Digestive M. System. F. | 17{ | 13 4 | 1 | . | . | . | . | . | 2 | . | 2 | 2 | 6 | 3 | . | 3 | 1 | 7 | 2 |
| 27 | Nephritis M. F. | 32{ | 22 10 | . | . | . | . | . | 1 | . | 6 | 6 | 6 | 4 | 5 | 1 | 1 | 7 | 14 | 3 |
| 28 | Puerperal Infection F. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 29 | Other Diseases of Childbirth ... F. | 5 | 5 | . | . | . | . | . | . | 5 | . | . | . | . | . | . | 3 | 2 | . | . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). F. | 51{ | 30 21 | 29 21 | 1 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 10 | 15 | 3 |
| 31 | Senility M. F. | 229{ | 127 102 | . | . | . | . | . | . | . | . | 14 | 113 | . | . | . | 26 | 101 | 66 | |
| 32 | Suicide M. F. | 5{ | 4 1 | . | . | . | . | 1 | . | . | . | 3 | 1 | . | . | . | 1 | 3 | 1 | . |
| 33 | Other Violence M. F. | 24{ | 16 8 | 1 | 2 | 4 | 1 | 2 | 1 | . | 1 | 2 | 2 | 3 | 2 | 2 | 6 | 8 | 3 | . |
| 34 | Other Causes M. F. | 76{ | 44 32 | 3 | 1 | 2 | 5 | 1 | . | 4 | 5 | 13 | 10 | 3 | 2 | 2 | 7 | 32 | 4 | 8 |

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|-------------------|----------------|---------------|-------|-------|-------|-------|-------|--------|---------|---------|------------------|-----------------------------|-----------------------|---|-------------|--|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hospis. | Mental Hospitals. | County Homes and Hospis. District Hospis. and Co. Infirmarys. | Else-where. | | |
| | ALL CAUSES M. F. } | 2,029 { 1,092 937 | 91 74 | 24 17 | 20 14 | 32 35 | 32 50 | 34 35 | 59 47 | 115 97 | 266 224 | 419 344 | 18 8 | 23 17 | 137 98 | 914 814 | 260 273 | | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 3 { . | 3 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 . | 1 . | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | . . | | |
| 3 | Scarlet Fever M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 4 | Whooping Cough M. F. } | 12 { 6 6 | 2 5 | 4 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 6 6 | 2 2 | | |
| 5 | Diphtheria M. F. } | 7 { 4 3 | . . | 2 2 | 2 1 | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 2 3 | 2 . | | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 105 { 42 63 | . . | . . | 1 2 | 11 20 | 12 24 | 6 7 | 6 4 | 4 5 | 2 1 | . . | . . | 1 1 | 5 3 | 15 16 | 21 43 | | |
| 7 | All other forms of Tuberculosis ... M. F. } | 51 { 21 30 | . . | 3 3 | 5 5 | 6 4 | 4 5 | 2 4 | 1 2 | 4 3 | . . | . . | . . | 1 . | . . | 4 9 | 17 20 | | |
| 8 | Dysentery M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 9 | Influenza M. F. } | 82 { 39 43 | 4 2 | 1 1 | . . | . . | . . | . . | 1 2 | 2 2 | 2 1 | 15 16 | 13 19 | . . | . . | 2 3 | 37 40 | | |
| 10 | Measles M. F. } | 2 { 2 . | 1 . | 1 . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | 1 . | 1 . | | |
| 11 | Acute Infectious Encephalitis ... M. F. } | 3 { 2 1 | . . | . . | 1 . | 1 . | . . | . . | . . | . . | 1 . | . . | . . | . . | . . | 2 1 | . . | | |
| 12 | Typhus M. F. } | . { . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | . . | | |
| 13 | Cancer M. F. } | 183 { 92 91 | . . | . . | . . | . . | 1 2 | 1 3 | 2 4 | 13 12 | 21 25 | 30 30 | 24 15 | 3 1 | 1 1 | 13 8 | 75 81 | | |
| 14 | Diabetes Mellitus M. F. } | 10 { 7 3 | . . | . . | . . | . . | . . | 1 . | 1 . | . 1 | . 1 | . 1 | . 1 | . 1 | . 1 | . 3 | 1 . | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|---|----------------|-------|------------|----------|--------|---|---|--------|--------|--------|----------|----------|----------|------------|--------|---------|----------|------------|------------|----------|---|---|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. F. } | 125 { | 61 64 | . | . | . | . | 1 | 1 2 | 2 | 1 2 | 6 | 22 29 | 30 25 | 2 | . | 5 | 54 58 | 17 | 14 | | |
| 16 | Diseases of the Heart | ... M. F. } | 451 { | 258 193 | . | 1 | . | . | 3 2 | 2 5 | 4 8 | 16 10 | 37 26 | 84 64 | 111 78 | 5 3 | 12 7 | 30 17 | 211 166 | 36 | 29 | | |
| 17 | Other Diseases of the Circulatory M. System. | F. } | 32 { | 20 12 | . | . | . | . | 1 | . | . | . | 2 2 | 10 5 | 8 4 | . | 3 1 | 2 1 | 15 10 | . | . | | |
| 18 | Bronchitis ... | ... M. F. } | 38 { | 12 26 | 3 8 | . | 1 | . | . | . | . | . | 3 4 | 3 8 | 2 6 | . | . | 2 7 | 10 19 | 1 6 | . | | |
| 19 | Pneumonia ... | ... M. F. } | 87 { | 53 34 | 13 12 | 5 | 2 | . | 1 | . | 3 1 | 4 1 | 2 4 | 12 5 | 12 10 | . | . | 9 1 | 44 33 | 5 5 | . | | |
| 20 | Other Diseases of the Respiratory M. System. | F. } | 30 { | 20 10 | 1 | . | 2 | . | . | . | 1 1 | 1 1 | 4 4 | 6 1 | 5 8 | . | . | 2 . | 18 10 | 3 4 | . | | |
| 21 | Ulcer of the Stomach or Duo- denum. | M. F. } | 14 { | 13 1 | . | . | . | . | 1 | . | 3 1 | 2 1 | 6 1 | . | 1 8 | . | . | 5 . | 8 1 | 1 1 | . | | |
| 22 | Diarrhoea and Enteritis | ... M. F. } | 15 { | 8 7 | 5 5 | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 . | 7 5 | . | . | |
| 23 | Appendicitis | ... M. F. } | 5 { | 4 1 | . | . | 2 | . | . | . | 1 | 1 | . | . | 1 | . | 1 | . | 2 . | 1 1 | . | . | |
| 24 | Cirrhosis of the Liver | ... M. F. } | 1 { | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | |
| 25 | Diseases of the Liver and Biliary M. Passages. | F. } | 11 { | 5 6 | . | . | . | . | . | 1 | 1 | . | 1 2 | 1 3 | 1 1 | . | . | . | 2 . | 5 4 | 1 | . | |
| 26 | Other Diseases of the Digestive M. System. | F. } | 25 { | 15 10 | 3 1 | 1 | . | . | 1 | 1 2 | . | 2 | 1 1 | 4 1 | 4 2 | . | . | . | 7 2 | 8 8 | 4 2 | . | |
| 27 | Nephritis ... | ... M. F. } | 55 { | 40 15 | . | 1 | 1 | 1 | 2 | 1 | 3 | 8 | 19 5 | 4 4 | . | 1 | . | 5 4 | 34 11 | 1 2 | . | . | |
| 28 | Puerperal Infection ... | ... F. | 2 { | 2 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | |
| 29 | Other Diseases of Childbirth | ... F. | 5 { | 5 | . | . | . | . | 2 | 1 | 2 | . | . | . | . | . | . | 2 | 3 | . | . | . | |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). | F. } | 93 { | 52 41 | 52 37 | 8 | 1 | . | . | . | . | . | . | . | . | 2 | . | 11 10 | 39 31 | 10 11 | . | . | |
| 31 | Senility ... | ... M. F. } | 396 { | 213 183 | . | . | . | . | . | . | . | . | . | 31 21 | 182 162 | . | . | . | 213 182 | 149 143 | . | . | |
| 32 | Suicide ... | ... M. F. } | 2 { | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | . | . | |
| 33 | Other Violence | ... M. F. } | 45 { | 32 13 | 2 1 | 1 2 | 2 | 1 | 3 | 3 | 3 | 1 | 9 4 | 6 2 | 1 | . | 7 5 | 24 8 | 3 1 | . | . | | |
| 34 | Other Causes | ... M. F. } | 138 { | 64 74 | 5 9 | 4 4 | 1 | 2 | 3 | 4 | 5 | 9 | 14 15 | 13 25 | 13 7 | . | 1 | 1 | 10 3 | 53 68 | 11 27 | . | . |

1%
3%

ABSTRACT V—contd.—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1947.

| No. | CAUSES OF DEATH. | Total Deaths. | AGES AT DEATH. | | | | | | | | | | | | PLACES OF OCCURRENCE. | | | | Un-certified Deaths. |
|-----|---|---------------|----------------|---------------|--------|----|----------|---------|----------|----------|----------|------------|------------------|----------------------------|-----------------------|---|------------|----------|----------------------|
| | | | All Ages. | Under 1 year. | 1-5 | 5- | 15- | 25- | 35- | 45- | 55- | 65- | 75 years and up. | General and Special Hosps. | Mental Hospitals. | County Homes and Hosps., District Hosps. and Co. Infirmaries. | Elsewhere. | | |
| | ALL CAUSES M. F. } | 836 { | 426 410 | 26 25 | 6 4 | 5 | 10 14 | 9 13 | 15 15 | 22 21 | 49 34 | 117 128 | 171 151 | 15 7 | 12 4 | 78 69 | 321 330 | 49 64 | |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 1 { | | 1 | : | : | : | : | 1 | : | : | : | : | | 1 | : | : | | |
| 3 | Scarlet Fever M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 4 | Whooping Cough M. F. } | 4 { | | 3 1 | 2 | 1 | : | : | : | : | : | : | : | : | | 3 1 | : | | |
| 5 | Diphtheria M. F. } | 1 { | | 1 | : | : | : | : | 1 | : | : | : | : | | 1 | : | : | | |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 26 { | | 14 12 | : | : | : | 3 6 | 2 2 | 2 1 | 1 2 | 5 1 | 1 1 | 6 2 | 1 1 | 1 10 | 6 10 | | |
| 7 | All other forms of Tuberculosis ... M. F. } | 15 { | | 9 6 | : | : | : | 2 3 | 1 1 | 2 2 | 2 1 | 1 1 | 1 1 | 2 2 | 1 1 | 1 2 | 5 4 | : | |
| 8 | Dysentery M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 9 | Influenza M. F. } | 12 { | | 9 3 | 1 | : | : | : | : | 1 | 4 2 | 3 1 | : | | 1 | 8 3 | 2 | | |
| 10 | Measles M. F. } | 2 { | | 1 1 | : | 1 | 1 | : | : | : | : | : | : | | | 1 1 | 1 1 | | |
| 11 | Acute Infectious Encephalitis ... M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 12 | Typhus M. F. } | . | { | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | |
| 13 | Cancer M. F. } | 85 { | | 47 38 | : | 1 | : | 2 | 2 4 | 5 4 | 6 6 | 22 12 | 12 9 | 3 1 | 2 | 8 9 | 34 28 | 1 4 | |
| 14 | Diabetes Mellitus M. F. } | . | | 2 | : | : | : | 1 | 1 | 1 | 1 | : | : | | 1 | 1 | : | | |

| | | | | | | | | | | | | | | | | | | |
|----|---|------|------------|----------|----|----|--------|--------|--------|---------|----------|----------|----------|--------|---------|----------|----------|----------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | 78{ | 40 38 | : | : | : | : | : | 1 | 1 3 | 3 2 | 13 21 | 22 11 | : | 1 | 7 4 | 32 34 | 2 4 |
| 16 | Diseases of the Heart ... M. F. | 208{ | 105 103 | : | : | : | 2 1 | 3 3 | 2 3 | 6 3 | 10 11 | 43 46 | 39 36 | 1 1 | 4 1 | 13 10 | 87 91 | 4 6 |
| 17 | Other Diseases of the Circulatory M. System. | 20{ | 9 11 | : | : | : | : | : | 1 | 1 | 5 5 | 5 5 | : | 1 | 1 4 | 8 6 | .. | |
| 18 | Bronchitis M. F. | 24{ | 12 12 | 1 | : | : | : | : | 1 | 1 | 6 4 | 4 5 | : | .. | 1 2 | 11 10 | .. | |
| 19 | Pneumonia M. F. | 25{ | 11 14 | 2 | : | 1 | : | 1 | 1 | 2 1 | 3 7 | 3 4 | : | .. | 2 2 | 9 12 | .. | |
| 20 | Other Diseases of the Respiratory M. System. | 13{ | 6 7 | 1 | : | : | 1 | : | 1 | 1 | 4 1 | 3 1 | : | .. | 1 | 6 6 | .. | |
| 21 | Ulcer of the Stomach or Duo- M. denum. | 1{ | 1 | : | : | : | : | : | .. | .. | 1 | .. | .. | .. | .. | 1 | .. | 1 |
| 22 | Diarrhea and Enteritis ... M. F. | 5{ | 2 3 | 2 1 | : | : | : | : | .. | .. | .. | 1 | 1 | .. | .. | 1 | 1 3 | .. |
| 23 | Appendicitis M. F. | 1{ | .. | 1 | : | 1 | : | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. |
| 24 | Cirrhosis of the Liver ... M. F. | 3{ | 3 | : | : | : | : | .. | .. | .. | 2 | .. | 1 | .. | .. | .. | 3 | .. |
| 25 | Diseases of the Liver and Biliary M. Passages. | 2{ | .. | 2 | : | : | : | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | .. | 2 |
| 26 | Other Diseases of the Digestive M. System. | 9{ | 6 3 | 1 1 | : | 1 | : | 1 | 3 1 | 1 | .. | .. | .. | 1 1 | .. | 4 1 | 1 1 | .. |
| 27 | Nephritis M. F. | 17{ | 10 7 | : | : | : | : | .. | 1 | 1 | 1 | 3 1 | 5 3 | .. | 1 | 2 1 | 7 6 | .. |
| 28 | Puerperal Infection ... F. | . | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | |
| 29 | Other Diseases of Childbirth ... F. | 5 | 5 | : | : | : | 1 | 2 | 2 | .. | .. | .. | .. | .. | .. | 3 | 2 | .. |
| 30 | Congenital Debility, etc. (Nos. M. 157-161). | 35{ | 14 21 | 14 21 | : | : | : | .. | .. | .. | .. | .. | .. | 1 1 | .. | 6 8 | 7 12 | 3 5 |
| 31 | Suicide M. F. | 147{ | 70 77 | : | : | : | .. | .. | .. | .. | .. | 5 9 | 65 68 | .. | 1 | 12 12 | 58 64 | 32 40 |
| 32 | Suicide M. F. | 3{ | 3 | : | : | : | .. | .. | .. | 1 | 1 | 1 | .. | .. | .. | .. | 3 | .. |
| 33 | Other Violence ... M. F. | 20{ | 8 12 | 1 | 1 | 1 | .. | .. | .. | 2 | 1 5 | 2 6 | .. | .. | 1 2 | 7 10 | .. | |
| 34 | Other Causes ... M. F. | 69{ | 40 29 | 3 1 | 3 | 3 | 1 | 1 | 2 3 | 12 7 | 9 8 | 8 1 | 1 1 | 2 1 | 15 5 | 22 22 | 3 4 | |

ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1947.

| No. | CAUSES OF DEATH. | Total | City of Dublin | Borough of Dun Laoghaire | Cork County Borough | Limerick County Borough | Waterford County Borough | Galway Borough | Dundalk | Drogheda | Sligo | Westford | Kilkenny | Bray | Tralee | Glenmal |
|-----|--|----------------|----------------|--------------------------|---------------------|-------------------------|--------------------------|----------------|---------|-----------|-----------|-----------|----------|----------|----------|----------|
| | All Causes M. F. } | 5,938 5,888 | 3,613 3,554 | 266 345 | 661 631 | 335 350 | 226 215 | 109 111 | 138 | 116 80 | 99 110 | 98 107 | 72 70 | 78 73 | 80 69 | 47 57 |
| 1 | Typhoid Fever (including Para-typhoid). M. F. } | 2 | : | : | : | 2 | : | : | : | : | : | : | : | : | : | : |
| 2 | Cerebro-spinal Meningitis ... M. F. } | 10 8 | 8 7 | : | 1 1 | : | 1 | : | : | : | : | : | : | : | : | : |
| 3 | Scarlet Fever M. F. } | 2 | : | : | 2 | 2 | : | : | : | : | : | : | : | : | : | : |
| 4 | Whooping Cough M. F. } | 66 80 | 54 64 | 1 | 2 3 | 2 3 | 1 | : | 3 | 2 1 | 1 | 3 | 1 | 2 | 1 | 1 |
| 5 | Diphtheria M. F. } | 5 6 | 3 2 | : | 3 | 3 | : | : | 1 | : | 1 | 1 | 1 | : | : | : |
| 6 | Tuberculosis of the Respiratory System. M. F. } | 545 521 | 338 312 | 21 20 | 59 68 | 32 34 | 22 21 | 14 13 | 14 8 | 4 9 | 7 11 | 10 4 | 7 6 | 6 5 | 6 7 | 5 3 |
| 7 | All other forms of Tuberculosis ... M. F. } | 164 135 | 101 95 | 6 2 | 14 8 | 4 8 | 6 2 | 9 4 | 5 1 | 4 2 | 6 7 | 4 4 | 1 | 2 2 | 2 2 | 2 2 |
| 8 | Dysentery M. F. } | 1 1 | 1 | : | 1 | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 9 | Influenza M. F. } | 38 40 | 20 24 | 3 5 | 3 | 2 | 4 | 1 | 4 3 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| 10 | Measles M. F. } | 16 19 | 9 10 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 5 | 1 | 1 | 1 | 1 |
| 11 | Acute Infectious Encephalitis ... M. F. } | 2 3 | 1 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 12 | Typhus M. F. } | — | : | : | : | : | : | : | : | : | : | : | : | : | : | : |
| 13 | Cancer M. F. } | 495 576 | 302 362 | 25 45 | 53 59 | 23 26 | 21 17 | 8 9 | 8 16 | 14 4 | 7 6 | 14 10 | 4 4 | 7 6 | 7 8 | 5 3 |
| 14 | Diabetes Mellitus M. F. } | 12 30 | 5 17 | 3 | 2 2 | 1 2 | 1 | 2 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |

| | | | | | | | | | | | | | | | | |
|----|---|------------------------------|--------------|-----------|------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|
| 15 | Intra-cranial Lesions of Vascular M. Origin. | M. } 335 F. } 506 | 203 300 | 12 42 | 46 60 | 12 22 | 10 16 | 7 8 | 11 7 | 6 8 | 1 7 | 5 14 | 8 7 | 6 7 | 4 4 | 4 4 |
| 16 | Diseases of the Heart | ... M. } 1,554 F. } 1,689 | 922 1,047 | 82 104 | 167 189 | 104 71 | 84 76 | 23 26 | 33 34 | 31 24 | 25 20 | 15 22 | 16 12 | 19 25 | 25 19 | 8 20 |
| 17 | Other Diseases of the Circulatory System. | M. } 127 F. } 153 | 80 108 | 7 12 | 10 9 | 4 3 | 5 3 | 1 4 | 5 1 | 1 1 | 1 2 | 4 4 | 4 4 | 3 2 | 1 2 | 1 1 |
| 18 | Bronchitis ... | ... M. } 268 F. } 181 | 163 111 | 4 6 | 45 31 | 24 14 | 5 7 | 3 2 | 2 1 | 5 2 | 4 5 | 4 8 | 2 1 | 2 6 | 5 5 | 3 1 |
| 19 | Pneumonia ... | ... M. } 335 F. } 316 | 210 214 | 14 7 | 36 26 | 21 26 | 8 7 | 7 4 | 8 5 | 5 2 | 7 5 | 1 8 | 1 6 | 2 8 | 4 2 | 2 1 |
| 20 | Other Diseases of the Respiratory System. | M. } 140 F. } 81 | 104 48 | 3 3 | 13 10 | 2 5 | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 2 3 | 6 5 | 1 1 | . |
| 21 | Ulcer of the Stomach or Duodenum. | M. } 53 F. } 16 | 31 10 | 5 1 | 10 4 | 1 . | 1 . | 1 . | 4 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | . |
| 22 | Diarrhea and Enteritis | ... M. } 235 F. } 176 | 161 112 | 9 11 | 20 10 | 17 15 | 9 10 | 3 4 | 1 5 | 1 1 | 5 4 | 2 2 | 4 1 | 1 1 | 2 . | . |
| 23 | Appendicitis | ... M. } 6 F. } 10 | 4 1 | 1 1 | 1 2 | 2 . | 1 . | 2 . | . |
| 24 | Cirrhosis of the Liver | ... M. } 12 F. } 7 | 9 6 | 9 1 | 9 . | 11 . | 3 . | 1 . | . |
| 25 | Diseases of the Liver and Biliary Passages. | M. } 9 F. } 18 | 5 11 | 5 2 | 3 2 | 3 . | 1 . | 1 . | 3 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . | 1 . |
| 26 | Other Diseases of the Digestive System. | M. } 81 F. } 60 | 49 32 | 3 4 | 11 6 | 4 3 | 3 3 | 1 4 | 1 2 | 2 1 | 5 1 | 1 1 | 1 1 | 1 2 | 1 1 | . |
| 27 | Nephritis ... | ... M. } 161 F. } 127 | 106 71 | 9 10 | 13 14 | 5 7 | 6 3 | 2 7 | 4 4 | 5 4 | 4 1 | 2 1 | 1 2 | 2 1 | 2 . | 2 2 |
| 28 | Puerperal Infection ... | F. } 6 | 4 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| 29 | Other Diseases of Childbirth | F. } 18 | 8 | . | 1 | 6 | . | 1 | . | 1 | . | 1 | . | . | . | 1 . |
| 30 | Congenital Debility, etc. (Nos. M. 157—161). | M. } 479 F. } 332 | 312 192 | 27 12 | 47 32 | 19 21 | 11 13 | 9 10 | 12 7 | 11 3 | 8 16 | 6 9 | 5 6 | 6 3 | 3 6 | 3 2 |
| 31 | Senility ... | ... M. } 213 F. } 342 | 83 137 | 7 19 | 30 44 | 24 38 | 12 21 | 3 6 | 5 4 | 9 12 | 11 16 | 9 17 | 6 12 | 4 2 | 5 5 | 9 9 |
| 32 | Suicide ... | ... M. } 7 F. } 6 | 4 4 | . | 3 | 1 | . | . | 1 | . | . | . | . | . | . | . |
| 33 | Other Violence | ... M. } 170 F. } 86 | 103 56 | 10 6 | 22 7 | 10 9 | 5 2 | 5 . | 4 1 | 4 1 | . | 3 1 | 1 1 | 1 1 | 1 1 | 1 . |
| 34 | Other Causes | ... M. } 395 F. } 380 | 222 187 | 18 28 | 53 40 | 19 28 | 8 10 | 8 5 | 14 11 | 15 3 | 6 9 | 7 6 | 3 4 | 4 4 | 9 3 | 9 2 |

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amount received as fees for same at the General Register Office, Dublin, during the 84 years 1864-1947.

| YEARS. | Number of Searches in the Registers. | Number of Certificates. | Amount received as Fees for Searches and Certificates. | YEARS. | | | Number of Searches in the Registers. | Number of Certificates. | Amount received as Fees for Searches and Certificates. | |
|--------|--|-------------------------------|--|--------|-----|----|--|-------------------------------|--|--------|
| | | | | £ | s. | d. | 1906 | ... | ... | |
| 1864 | ... | ... | 15 | 3 | 1 | 10 | 6 | 1906 | ... | 5,714 |
| 1865 | ... | ... | 41 | 20 | 4 | 12 | 0 | 1907 | ... | 5,877 |
| 1866 | ... | ... | 55 | 34 | 7 | 0 | 0 | 1908 | ... | 5,984 |
| 1867 | ... | ... | 46 | 26 | 5 | 12 | 0 | 1909 | ... | 6,220 |
| 1868 | ... | ... | 69 | 42 | 9 | 13 | 0 | 1910 | ... | 6,387 |
| 1869 | ... | ... | 80 | 34 | 8 | 15 | 0 | 1911 | ... | 6,128 |
| 1870 | ... | ... | 93 | 54 | 11 | 10 | 0 | 1912 | ... | 6,811 |
| 1871 | ... | ... | 112 | 67 | 14 | 6 | 6 | 1913 | ... | 6,462 |
| 1872 | ... | ... | 120 | 76 | 15 | 14 | 0 | 1914 | ... | 7,552 |
| 1873 | ... | ... | 100 | 106 | 21 | 14 | 0 | 1915 | ... | 7,398 |
| 1874 | ... | ... | 166 | 107 | 22 | 6 | 6 | 1916 | ... | 7,729 |
| 1875 | ... | ... | 244 | 166 | 33 | 15 | 0 | 1917 | ... | 8,151 |
| 1876 | ... | ... | 270 | 185 | 36 | 16 | 0 | 1918 | ... | 10,702 |
| 1877 | ... | ... | 312 | 202 | 42 | 14 | 0 | 1919 | ... | 11,513 |
| 1878 | ... | ... | 391 | 286 | 55 | 15 | 0 | 1920 | ... | 11,484 |
| 1879 | ... | ... | 522 | 399 | 78 | 0 | 0 | 1921 | ... | 11,419 |
| 1880 | ... | ... | 753 | 596 | 114 | 7 | 0 | 1922 | ... | 18,413 |
| 1881 | ... | ... | 743 | 583 | 111 | 8 | 6 | 1923 | ... | 19,377 |
| 1882 | ... | ... | 852 | 688 | 129 | 11 | 0 | 1924 | ... | 23,947 |
| 1883 | ... | ... | 1,036 | 773 | 149 | 1 | 6 | 1925 | ... | 33,945 |
| 1884 | ... | ... | 1,254 | 966 | 185 | 3 | 0 | 1926 | ... | 48,193 |
| 1885 | ... | ... | 1,412 | 1,116 | 212 | 8 | 0 | 1927 | ... | 45,802 |
| 1886 | ... | ... | 1,527 | 1,173 | 225 | 7 | 4 | 1928 | ... | 37,462 |
| 1887 | ... | ... | 1,693 | 1,307 | 251 | 7 | 0 | 1929 | ... | 39,650 |
| 1888 | ... | ... | 1,778 | 1,404 | 266 | 9 | 0 | 1930 | ... | 61,182 |
| 1889 | ... | ... | 1,986 | 1,561 | 297 | 4 | 6 | 1931 | ... | 29,901 |
| 1890 | ... | ... | 2,448 | 2,042 | 383 | 2 | 9 | 1932 | ... | 16,540 |
| 1891 | ... | ... | 2,815 | 2,297 | 433 | 1 | 6 | 1933 | ... | 19,265 |
| 1892 | ... | ... | 3,209 | 2,534 | 489 | 17 | 0 | 1934 | ... | 23,360 |
| 1893 | ... | ... | 3,559 | 2,733 | 532 | 2 | 2 | 1935 | ... | 26,611 |
| 1894 | ... | ... | 3,492 | 2,678 | 512 | 7 | 0 | 1936 | ... | 29,463 |
| 1895 | ... | ... | 3,482 | 2,618 | 508 | 8 | 0 | 1937 | ... | 27,778 |
| 1896 | ... | ... | 4,046 | 3,103 | 596 | 10 | 6 | 1938 | ... | 32,502 |
| 1897 | ... | ... | 3,917 | 2,960 | 572 | 3 | 0 | 1939 | ... | 32,595 |
| 1898 | ... | ... | 4,132 | 3,207 | 613 | 1 | 2 | 1940 | ... | 34,803 |
| 1899 | ... | ... | 4,133 | 3,201 | 616 | 13 | 6 | 1941 | ... | 35,704 |
| 1900 | ... | ... | 4,558 | 3,481 | 672 | 7 | 6 | 1942 | ... | 29,601 |
| 1901 | ... | ... | 4,843 | 3,733 | 718 | 18 | 0 | 1943 | ... | 30,587 |
| 1902 | ... | ... | 4,871 | 3,719 | 716 | 16 | 6 | 1944 | ... | 32,061 |
| 1903 | ... | ... | 4,944 | 3,796 | 731 | 12 | 6 | 1945 | ... | 32,777 |
| 1904 | ... | ... | 5,183 | 3,958 | 769 | 19 | 7 | 1946 | ... | 38,311 |
| 1905 | ... | ... | 5,110 | 3,954 | 759 | 8 | 5 | 1947 | ... | 52,228 |

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Health during the Year 1947.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases :—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

COUNTY BOROUGHS.

| County Boroughs | Ty-phus | Ty- phoid | Diph- theria | Scarlet Fever | Measles | Whoop- ing Cough | Puer- peral Sepsis | Pneumonia | | Other Diseases |
|-----------------|----------|--------------|-----------------|------------------|--------------|------------------------|--------------------------|------------|-----------|--|
| | | | | | | | | Primary | Influenza | |
| Cork .. | . | . | 18 | 63 | 41 | 119 | . | 64 | . | A. I. D. 111. H. 19. J. 1. U. 273. |
| Dublin .. | . | 10 | 185 | 476 | 3,440 | 2,293 | 9 | 565 | 68 | A. 28 B. 32. D. 1868. G. 22. H. 200. J. 6. L. 1. M. 1. N. 7. O. 1. P. 1. U. 1473. |
| Limerick .. | . | 7 | 30 | 247 | 330 | 49 | 1 | 20 | . | A. 1. B. 1. D. 27. H. 6. J. 1. Q. 1. U. 96. |
| Waterford .. | . | . | 2 | 6 | 44 | 50 | . | 23 | . | A. 1. B. 1. D. 45. G. 20. H. 6. N. 3. U. 106. |
| TOTAL .. | . | 17 | 235 | 792 | 3,855 | 2,511 | 10 | 672 | 68 | A. 31. B. 34. D. 2051. G. 42. H. 231. J. 8. L. 1. M. 1. N. 10. O. 1. P. 1. Q. 1. U. 1948. |

URBAN DISTRICTS.

| County | Urban Districts | Ty- phus | Ty- phoid | Diph- theria | Scarlet Fever | Measles | Whoop- ing Cough | Puer- peral Sepsis | Pneumonia | | Other Diseases |
|-------------|---|-------------|--------------|-----------------|------------------|---------|------------------------|--------------------------|-----------|-----------|--------------------------------------|
| | | | | | | | | | Primary | Influenza | |
| Carlow ... | Carlow ... | . | . | 2 | 2 | 15 | 9 | . | 1 | . | A. 2. B. 1. U. 3. |
| Cavan ... | Beiturbet Cavan ... | . | . | . | . | . | . | . | . | 7 | . |
| | Cootehill ... | . | . | . | . | . | . | 15 | . | 2 | . |
| Clare ... | Ennis Kilrush ... | . | . | 2 | 3 | 8 | 7 | 1 | . | . | A. 2. B. 1. D. 1. |
| Cork ... | Clonakilty Cobh Fermoy Kinsale Macroom Mallow Midleton Skibbereen Youghal ... | . | . | . | . | . | 1 | 2 | . | 1 | . |
| | . | . | . | 5 | . | . | 1 | 2 | . | 12 | 1 |
| | . | . | . | . | 2 | 2 | 2 | . | 1 | . | H. 1. |
| | . | . | . | . | . | . | . | . | . | . | D. 2. |
| | . | . | . | . | . | 2 | . | . | . | . | . |
| | . | . | . | 1 | 1 | 2 | 17 | 6 | . | . | D. 1. |
| | . | . | . | 2 | . | . | . | 3 | . | . | U. 5. |
| | . | . | . | . | . | . | 7 | 2 | . | . | L. 1. |
| | . | . | . | 12 | . | . | . | . | . | . | U. 4. |
| Donegal ... | Buncrana Bundoran Letterkenny ... | . | . | 3 | . | . | . | 1 | . | 1 | . |
| Dublin ... | Dun Laoghaire | . | . | 19 | 31 | 88 | 30 | . | 21 | 17 | A. 7. B. 1. D. 136. H. 2. U. 169. |

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

| County | Urban Districts | Typhus | Typhoid | Diphtheria | Scarlet Fever | Measles | Whooping Cough | Puerperal Sepsis | Pneumonia | | Other Diseases |
|----------------|---|--------|---------|-------------|-------------------|--------------|----------------|------------------|-------------|------------------|---|
| | | | | | | | | | Primary | Influenza | |
| Galway ... | Ballinasloe Galway | ... | 2 3 | 1 6 | 2 97 | 10 121 | 7 | • | 4 | 1 | D. 1. U. 18. A. 2. B. 2. D. H. 13. J. 1. 83. |
| Kerry ... | Killarney Listowel Tralee | ... | • | 1 1 4 | • 8 3 | 6 3 3 | • • | 1 | • | 1 | D. 2. H. 3. U. B. 1. L. 1. H. U. 17. |
| Kildare ... | Athy Naas | ... | • | 3 | 1 • | 8 | • | 2 | • | 4 | 1 A. 2. H. 3. |
| Kilkenny ... | Kilkenny | ... | • | • | 1 | 5 | 23 | • | • | • | B. 1. |
| Longford ... | Granard Longford | ... | • | • | 4 | 2 | 53 | 7 | • | 1 | • D. 1. U. 2. |
| Louth ... | Drogheda Dundalk | ... | • | 6 | 10 32 | 4 9 | 13 | 18 | • | 6 | • A. 1. B. 1. D. U. 11. |
| Mayo ... | Ballina Castlebar Westport | ... | • | 3 | • | 1 1 1 | 1 11 1 | • | • | 3 1 1 | A. 1. H. 1. U. |
| Meath ... | An Uaimh Ceannarus Mor Trim | ... | • | • | 2 2 | 1 • | 2 | • | • | • | • |
| Monaghan | Carrickmacross Castleblayney Clones Monaghan | ... | • | 1 9 | 5 • | 2 1 | 2 1 | • | 4 1 | • 1 | U. 3. A. 3. H. 2. |
| Offaly ... | Birr Tullamore | ... | • | • | 2 3 | 1 4 | 1 1 | • | • | 1 2 | 7 A. 2. |
| Sligo ... | Sligo | ... | • | • | 3 | 5 | 43 | 3 | • | • | D. 5. H. 1. J. U. 18. |
| Tipperary N.R. | Nenagh Templemore Thurles | ... | • | • | 3 2 | 3 • | • | 2 3 | 1 1 | 1 2 | H. 1. J. 1. U. D. 1. B. 1. |
| Tipperary S.R. | Carrick-on-Suir Cashel Clonmel Tipperary | ... | • | • | 3 • 52 5 | • 52 • | 16 16 7 | • 1 • | • 1 1 | • 1 2 3 | B. 1. B. 1. H. 3. N. 3. U. A. 1. H. 1. U. 2. |
| Waterford | Dungarvan | ... | • | • | 11 | 1 | 60 | 14 | • | 1 | • |
| Westmeath | Athlone | ... | • | • | 1 | • | 26 | 1 | • | • | 1 A. 1. U. 8. |
| Wexford ... | Enniscorthy New Ross | ... | • | • | • | 8 2 | 11 71 | • | • | • | A. 3. D. 1. H. U. 53. |
| | Wexford | ... | • | • | 1 | 1 | 7 | 16 | 1 | 13 | 1 A. 2. D. 5. H. U. 22. |
| Wicklow ... | Arklow Bray | ... | • | • | • | 5 8 | 184 | 29 | • | 4 | 22 A. 1. B. 1. D. H. 4. P. 3. U. 7 |
| | Wicklow | ... | • | 2 | 5 | • | 7 | 5 | • | • | 2 A. 1. |
| | TOTAL ... | • | 35 | 169 | 292 | 854 | 187 | 6 | 100 | 63 | A. 35. B. 12. I. 200. H. 44. J. L. 2. N. 4. P. U. 536. |

CASES OF INFECTIOUS DISEASES—continued
RURAL DISTRICTS.

| County | Rural Districts | Typhus | Typhoid | Diphtheria | Scarlet Fever | Measles | Whooping Cough | Puerperal Sepsis | Pneumonia | | Other Diseases |
|----------|--------------------------|--------|---------|------------|---------------|---------|----------------|------------------|-----------|-----------|--|
| | | | | | | | | | Primary | Influenza | |
| Carlow | Carlow | . | 11 | 2 | 1 | 3 | 5 | . | 1 | 1 | D. 3. |
| | Carlow No. 2 | . | 1 | . | . | 9 | . | . | . | . | A. 2. D. 1. |
| | Idrone | . | . | . | . | . | . | . | . | . | |
| Cavan | Ballieboro' | . | . | 6 | . | . | 12 | . | 2 | 1 | A. 2. |
| | Bawnboy | . | 1 | . | . | 3 | 2 | . | 5 | 3 | A. 1. N. 4. |
| | Castlerahan | . | 1 | . | . | 3 | . | . | . | . | H. 1. |
| | Cavan | . | 2 | 4 | 5 | 88 | 5 | . | 32 | . | A. 3. B. 6. J. 1. |
| | Emmiskillen No. 2 | . | 2 | . | . | 2 | 1 | . | 5 | . | |
| Clare | Mullaghanor | . | 1 | . | . | 8 | . | . | . | . | |
| | Ballyvaughan | . | . | . | . | 1 | . | . | . | . | |
| | Corofin | . | 1 | 2 | 1 | . | 12 | . | 1 | 3 | |
| | Ennis | . | 3 | 6 | 9 | 4 | 38 | . | 4 | . | A. 3. D. 1. |
| | Eminstymon | . | 10 | 4 | . | . | . | . | . | . | |
| | Killadysert | . | 5 | . | . | . | . | . | . | . | A. 1. H. 2. |
| | Kilrush | . | 5 | 4 | . | . | . | 1 | . | . | A. 2. |
| | Meelick | . | 1 | 2 | . | . | 1 | . | . | . | G. 1. |
| Cork | Scarriff | . | 1 | 6 | 1 | . | . | . | 1 | . | A. 2. H. 1. |
| | Tulla | . | 1 | 1 | 11 | 53 | . | . | 3 | . | |
| | Bandon | . | . | 3 | 1 | . | 1 | . | . | . | |
| | Bantry | . | . | . | 3 | 11 | 13 | . | 7 | 3 | |
| | Castletown | . | 1 | 7 | . | 69 | . | 1 | 7 | 20 | D. 2. |
| Donegal | Clonakilty | . | 1 | . | . | . | . | . | . | . | |
| | Cork | . | 1 | 10 | 24 | 76 | 32 | . | 21 | 5 | A. 2. D. 46. E. 1. H. 10. |
| | Dunmanway | . | . | 3 | 1 | 5 | . | . | . | . | D. 1. |
| | Fermoy | . | . | 9 | 1 | 10 | . | . | 7 | 2 | D. 1. H. 2. L. 1. |
| | Kanturk | . | 12 | 2 | 42 | 15 | . | . | . | . | B. 1. H. 2. |
| | Kinsale | . | . | 4 | 21 | 19 | . | . | 11 | 2 | D. 1. H. 1. |
| | Macroom | . | . | . | 8 | . | . | . | . | 1 | D. 1. H. 1. |
| | Mallow | . | 2 | . | 14 | . | 2 | . | . | . | |
| | Middleton | . | 2 | 3 | 21 | 8 | . | . | . | . | B. 1. D. 2. H. 3. |
| | Millstreet | . | 2 | 1 | 32 | . | . | . | . | . | |
| Donegal | Mitchelstown | . | . | . | . | . | . | . | . | . | |
| | No. 1 | . | 1 | . | . | . | . | . | . | . | |
| | Rathluirc | . | . | . | . | . | . | . | 12 | 4 | B. 1. O. 1. |
| | Sklibbereen | . | . | . | 1 | . | 2 | . | . | . | |
| | Skull | . | . | . | . | . | . | . | . | . | |
| Donegal | Youghal No. 1 | . | 3 | . | . | . | 1 | . | . | . | |
| | Ballyshannon | . | . | . | . | . | . | . | . | . | A. 1. |
| | Donegal | . | 1 | 2 | 2 | 18 | . | . | . | . | A. 1. |
| | Dunfanaghy | . | 1 | 2 | . | . | . | . | . | . | A. 2. |
| | Glenties | . | . | 6 | 6 | 6 | 1 | . | 7 | 46 | A. 4. B. 2. H. 2. |
| | Inishowen | . | 10 | 13 | 4 | 5 | 8 | . | 23 | 3 | A. 2. D. 2. H. 1. |
| | Letterkenny | . | . | 7 | . | . | . | . | . | 1 | A. 6. |
| | Milford | . | 5 | 5 | . | . | . | 1 | 1 | . | A. 8. |
| Dublin | Stranorlar | . | 3 | 28 | 7 | . | 30 | . | 7 | . | A. 5. B. 2. D. 1. F. 1. J. 1. |
| | Balrothery | . | . | 10 | 5 | 57 | 35 | . | 7 | 18 | B. 1. D. 14. H. 4. K. 1. P. 1. |
| | Cill Droichead, No. 2 | . | . | 1 | 2 | 10 | 4 | . | 2 | 1 | B. 2. D. 4. |
| | Dublin, Nth. | . | 1 | 3 | 19 | 20 | 1 | . | 2 | . | A. 2. B. 2. D. 11. H. 1. |
| | Dublin, Sth. | . | . | 11 | 11 | 74 | 53 | . | 7 | . | A. 1. B. 2. C. 1. D. 21. H. 9. |
| Galway | Rathdown No. 1 | . | . | 19 | 27 | 91 | 9 | . | 7 | 9 | A. 2. B. 4. D. 13. G. 1. H. 4. |
| | Ballinasloe | . | . | . | 5 | 29 | 1 | . | 1 | . | A. 1. H. 4. |
| | Clifden | . | 2 | 1 | 1 | 11 | 3 | . | 3 | 1 | D. 1. H. 5. |
| | Galway | . | 3 | 26 | 26 | 26 | 2 | . | 1 | 10 | A. 1. H. 4. |
| | Glenamaddy | . | . | 1 | 1 | 5 | . | 1 | . | . | |
| | Gort | . | 2 | 2 | 5 | . | . | . | . | . | A. 2. F. 2. |
| | Loughrea | . | 3 | 17 | 5 | 6 | . | . | 2 | . | A. 1. B. 3. D. 1. |
| | Mountbellew | . | . | 1 | 2 | 6 | . | 1 | . | 1 | A. 1. |
| Kerry | Oughterard | . | 4 | 1 | 22 | 6 | . | 1 | . | . | |
| | Portumna | . | 1 | 1 | 4 | 3 | 2 | . | 1 | . | A. 12. B. 2. H. 3. |
| | Tuam | . | 1 | 3 | 62 | 7 | 7 | . | . | . | |
| | Caherciveen | . | . | 2 | . | 48 | . | . | 2 | 3 | A. 1. B. 1. L. 1. H. 7. |
| | Dingle | . | 3 | 1 | . | 4 | 3 | . | 3 | 1 | A. 2. B. 2. H. 2. |
| Kilkenny | Kenmare | . | . | . | . | 48 | . | 3 | . | 3 | A. 3. B. 2. |
| | Killarney | . | . | 4 | . | 2 | . | . | 3 | 2 | A. 1. B. 1. |
| | Listowel | . | . | 6 | 3 | 37 | 1 | . | 4 | 6 | A. 1. G. 1. H. 1. A. 3. D. 1. H. 1. |
| | Tralee | . | 1 | 6 | 5 | 7 | 2 | . | . | . | |
| | Athy No. 1 | . | . | . | . | 4 | 9 | . | . | . | A. 1. |
| Kildare | Gill Droichead | . | . | . | . | . | . | . | . | . | |
| | No. 1 | . | 2 | 6 | 4 | 2 | . | . | . | . | A. 4. |
| | Edenderry No. 2 | . | 2 | 1 | 5 | 5 | . | . | 6 | . | A. 2. D. 1. G. 1. |
| | Nas na Rioigh | . | 1 | 8 | 10 | 19 | . | . | 12 | 4 | H. 1. |
| | No. 1 | . | . | . | . | . | . | . | 4 | . | A. 7. B. 1. H. 2. |

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

| County | Rural Districts | Typhus | Typhoid | Diphtheria | Scarlet Fever | Measles | Whooping Cough | Puerperal Sepsis | Pneumonia | | Other Diseases |
|--------------------|------------------------------|--------|---------|------------|---------------|---------|----------------|------------------|-----------|-----------|--------------------------|
| | | | | | | | | | Primary | Influenza | |
| Kilkenny ... | Callan ... | . | . | 4 | . | 1 | . | . | . | . | A. 1. |
| | Carrick-on-Suir ... | . | . | . | 1 | 8 | . | . | . | . | |
| | No. 3 ... | . | 1 | 1 | . | . | . | 1 | . | . | |
| | Castlecomer ... | . | 1 | . | . | 4 | . | . | . | . | |
| | Ida ... | . | . | 2 | 2 | 12 | 3 | . | . | . | |
| | Kilkenny ... | . | . | 1 | . | 4 | . | . | . | . | |
| | Thomastown ... | . | . | . | . | . | . | . | . | . | |
| Laoighis ... | Urkingford No. 1 ... | . | . | . | . | . | . | . | . | . | A. 1. |
| | Waterford No. 2 ... | . | . | . | . | . | . | . | . | . | |
| Leitrim ... | Abbyleix ... | . | . | 4 | . | 4 | 5 | . | 10 | 3 | A. 1. G. 2. L. 1. |
| | Athy No. 2 ... | . | . | 3 | 1 | . | 1 | . | 12 | 3 | H. 1. L. 1. |
| | Mountmellick ... | . | . | 9 | 9 | 10 | 45 | . | 29 | 8 | H. 8. |
| | Roscrea No. 3 ... | . | . | . | . | 1 | 1 | . | 3 | 4 | H. 2. |
| | Sliemaverry ... | . | . | . | . | . | . | . | . | . | . |
| Limerick ... | Ballinamore ... | . | . | . | . | 1 | 2 | . | . | . | A. 1. |
| | Carrick-on-Shannon No. 1 ... | . | . | . | . | 3 | . | . | 1 | . | A. 1. B. 1. |
| | Kinlough ... | . | . | . | . | 1 | . | . | . | . | A. 4. |
| | Manorhamilton ... | . | . | 1 | . | 6 | 3 | . | . | . | . |
| | Mohill ... | . | . | . | . | . | . | . | . | . | . |
| Longford ... | Croom ... | . | . | 4 | 16 | 4 | . | . | . | . | A. 3. |
| | Glin ... | . | . | 1 | 2 | 2 | 1 | . | 24 | 2 | D. 4. |
| | Kilmallock ... | . | . | 3 | 3 | 40 | . | . | 2 | 1 | A. 3. D. 1. |
| | Limerick No. 1 ... | 15 | 5 | 29 | 24 | 11 | . | . | . | . | . |
| | Mitchelstown No. 2 ... | . | . | 1 | . | 13 | . | . | 3 | . | . |
| | Newcastle ... | 15 | 2 | 2 | 38 | 3 | . | . | 3 | 1 | D. 4. |
| | Rathkeale ... | . | . | 7 | 4 | 3 | . | . | 1 | . | A. 1. D. 1. H. 1. |
| Louth ... | Tipperary No. 2 ... | . | . | 1 | 2 | 3 | 4 | . | . | . | . |
| | Ballymahon ... | . | . | 1 | . | 1 | . | . | 1 | . | A. 1. |
| | Granard No. 1 ... | . | . | 1 | . | 7 | . | . | 1 | 1 | A. 5. B. 1. H. 1. |
| Mayo ... | Longford ... | . | . | . | 2 | 14 | . | . | 3 | . | A. 1. |
| | Ardee No. 1 ... | . | . | . | . | . | . | . | . | . | H. 4. |
| | Dundalk ... | 2 | 7 | 9 | 4 | 5 | . | . | 3 | . | B. 2. H. 1. |
| Meath ... | Louth ... | . | . | 5 | 1 | 3 | 3 | . | . | . | . |
| | Ballina ... | . | . | . | 3 | 3 | 1 | . | 8 | 6 | A. 3. H. 1. |
| | Ballinrobe ... | 2 | 1 | 1 | 2 | 2 | . | . | 1 | 1 | A. 2. |
| | Belmullet ... | . | . | . | . | 24 | . | . | 2 | 2 | A. 1. H. 1. K. 1. |
| | Castlebar ... | . | . | . | 4 | 8 | . | . | 1 | 13 | A. 2. |
| | Claremorris ... | 1 | 1 | 9 | 41 | 35 | . | . | 4 | 5 | A. 8. E. 1. H. 1. |
| | Swineford ... | . | 1 | 6 | 11 | 11 | . | . | 2 | 3 | A. 1. H. 2. |
| Monaghan ... | Westport ... | . | . | . | 8 | . | . | . | 3 | . | A. 2. |
| | Ardee No. 2 ... | . | . | 2 | 1 | . | . | . | 1 | . | A. 1. |
| | Ceannarus Mor ... | . | 3 | 2 | . | . | . | . | . | . | A. 1. H. 4. L. 1. |
| | Dunshaughlin ... | . | 2 | 16 | 9 | 26 | . | . | 1 | . | . |
| | Meath ... | . | 2 | 18 | 1 | 1 | . | . | . | . | A. 1. |
| | Navan ... | 1 | 10 | 5 | 1 | . | . | . | . | . | L. 1. |
| | Oldcastle ... | . | . | . | 7 | . | . | . | . | . | A. 2. B. 2. H. 1. |
| Offaly ... | Trim ... | 1 | 3 | 1 | 21 | 19 | 1 | 1 | 1 | . | A. 2. B. 2. H. 1. |
| | Carrickmacross ... | 1 | 1 | 3 | 3 | 1 | . | 1 | 14 | . | A. 1. B. 1. |
| | Castleblayney ... | 12 | 1 | 1 | 1 | 1 | . | . | 2 | . | A. 2. B. 1. |
| | Clones No. 1 ... | . | . | . | . | 1 | 3 | . | 4 | 7 | A. 1. B. 1. |
| Roscommon ... | Monaghan ... | . | 2 | 2 | 7 | 2 | 2 | . | 7 | . | A. 2. J. 1. H. 1. |
| | Birr ... | . | 3 | 1 | 29 | 1 | 3 | . | 7 | . | A. 1. D. 3. |
| | Edenderry No. 1 ... | . | 11 | 2 | 4 | . | 3 | . | 1 | . | J. 1. |
| | Roscrea No. 2 ... | . | 4 | 1 | 7 | 7 | 7 | . | 1 | . | H. 1. |
| Sligo ... | Tullamore ... | . | 1 | 4 | 1 | 7 | 7 | . | 1 | . | A. 1. D. 1. H. 3. |
| | Athlone No. 2 ... | . | . | 3 | . | . | . | . | 2 | . | A. 9. B. 4. D. 1. |
| | Boyle No. 1 ... | 1 | 2 | 2 | 16 | 1 | . | . | . | . | B. 1. |
| | Carrick-on-Shannon No. 2 ... | 1 | . | . | . | . | 1 | . | . | . | A. 10. B. 2. C. 1. H. 3. |
| | Castlerea ... | 1 | . | . | 3 | 51 | 1 | . | 7 | 17 | . |
| Tipperary N.R. ... | Roscommon ... | 2 | 7 | 5 | 44 | 13 | 1 | 4 | 3 | . | A. 5. B. 7. D. 1. |
| | Coolavin ... | 1 | . | . | 7 | . | . | . | 6 | 1 | A. 3. |
| | Dromore West ... | . | 2 | . | . | . | . | . | 1 | . | A. 1. H. 3. |
| | Sligo ... | 1 | 9 | 2 | 24 | 2 | . | . | 1 | . | A. 1. H. 1. |
| | Tobbercurry ... | 4 | 1 | 3 | 19 | 2 | . | . | 1 | 6 | . |
| Tipperary N.R. ... | Borrisokane ... | . | . | 1 | 2 | . | . | . | 1 | . | A. 1. |
| | Nenagh ... | . | 1 | 1 | 8 | 2 | . | . | 11 | 6 | A. 3. O. 1. D. 1. L. 1. |
| | Roscrea No. 1 ... | 2 | 8 | 4 | . | 81 | . | . | 5 | 1 | A. 2. H. 1. |
| | Thurles ... | . | . | * | * | 1 | 12 | . | 5 | . | A. 1. B. 5. D. 2. H. 1. |

CASES OF INFECTIOUS DISEASES—contd.
RURAL DISTRICTS—continued.

| County | Bural Districts | Typhus | Typhoid | Diphtheria | Scarlet Fever | Measles | Whooping Cough | Puerperal Sepsis | Pneumonia | | Other Diseases |
|----------------|-----------------------|--------|---------|------------|---------------|---------|----------------|------------------|-----------|-----------|--|
| | | | | | | | | | Primary | Influenza | |
| Tipperary S.R. | Carrick-on-Suir No. 1 | . | . | . | . | 7 | . | . | . | . | D. 1. |
| | Cashel | .. | 2 | . | 3 | 5 | . | . | 7 | . | A. 2. B. 2. H. 1. |
| | Clogheen | .. | . | . | 2 | . | . | . | 3 | . | A. 1. H. 1. |
| | Clonmel No. 1 | .. | 1 | . | 3 | 8 | 4 | . | 2 | 2 | |
| | Sleivardagh | .. | . | 2 | 4 | 2 | 1 | . | 5 | 1 | D. 3. H. 1. |
| Waterford | Tipperary No. 1 | .. | 1 | 1 | 16 | 8 | 13 | . | 3 | 2 | A. 4. B. 1. H. 3. |
| | Carrick-on-Suir No. 2 | .. | . | . | . | 3 | 1 | . | . | . | |
| | Clonmel No. 2 | .. | . | . | 6 | 5 | 4 | . | 1 | . | A. 2. |
| | Dungarvan | .. | . | . | 1 | 16 | 1 | 1 | . | . | D. 1. H. 2. |
| | Kilmacthomas | .. | . | 1 | 6 | 20 | 7 | . | 6 | 1 | A. 1. C. 1. D. 1. H. 5. |
| Westmeath | Lismore | .. | . | . | 1 | 45 | 1 | . | 1 | . | |
| | Waterford No. 1 | .. | . | . | 3 | 2 | . | . | 2 | 1 | |
| | Youghal No. 2 | .. | . | . | . | 2 | . | . | . | . | |
| | Athlone No. 1 | .. | . | 1 | . | 2 | 5 | . | 5 | . | A. 4. |
| | Ballymore | .. | . | . | . | . | . | . | . | . | |
| Wexford ... | Coole | .. | . | 4 | . | . | 16 | . | . | . | H. 1. |
| | Delvin | .. | . | 2 | 2 | 2 | . | . | 1 | . | A. 1. |
| | Mullingar | .. | 1 | 5 | 5 | 70 | 13 | . | 10 | . | A. 5. B. 1. F. 1. |
| | Enniscorthy | .. | . | 8 | 4 | 32 | . | 1 | . | . | H. 3. |
| | Gorey | .. | . | . | 2 | 1 | . | . | . | . | A. 12. D. 3. |
| Wicklow ... | New Ross | .. | . | 4 | . | 14 | . | 1 | . | . | A. 3. |
| | Wexford | .. | . | 2 | 1 | 66 | 12 | . | 7 | . | A. 1. B. 1. H. 9. |
| | Baltinglass | .. | . | 7 | 3 | 36 | 1 | . | 2 | . | Q. 1. |
| | Rathdown No. 2 | .. | . | 3 | . | 5 | . | . | 1 | . | A. 3. D. 2 H. 9. |
| | Rathdrum | .. | . | 1 | 5 | . | 19 | . | 2 | . | B. 1. |
| | Shillelagh | .. | 1 | . | . | 3 | 1 | . | . | . | B. 1. D. 2. F. 1. |
| | TOTAL ... | .. | 134 | 447 | 576 | 1,970 | 739 | 23 | 473 | 241 | A. 225. B. 73. C. 5. D. 165. E. 2. F. 5. G. 6. H. 151. J. 4. K. 2. L. 7. N. 4. P. 1. Q. 1. |

SUMMARY, 1947.

| | Typhus | Typhoid | Diphtheria | Scarlet Fever | Measles | Whooping Cough | Puerperal Sepsis | Pneumonia | | Other Diseases |
|---------------------|--------|---------|------------|---------------|---------|----------------|------------------|-----------|-----------|---|
| | | | | | | | | Primary | Influenza | |
| County Boroughs | . | 17 | 235 | 792 | 3,855 | 2,511 | 10 | 672 | 68 | A. 31. B. 34. D. 2,051. G. 42. H. 231. J. 8. L. 1. M. 1. N. 10. O. 1. P. 1. Q. 1. U. 1,948. |
| Urban Districts ... | . | 35 | 169 | 292 | 854 | 187 | 6 | 100 | 63 | A. 35. B. 12. D. 200. H. 44. J. 3. L. 2. N. 4. P. 3. U. 536. |
| Rural Districts ... | . | 134 | 447 | 576 | 1,970 | 739 | 23 | 473 | 241 | A. 225. B. 73. C. 5. D. 165. E. 2. F. 5. G. 6. H. 151. J. 4. K. 2. L. 7. N. 4. P. 1. Q. 1. |
| TOTAL ... | . | 186 | 851 | 1,660 | 6,679 | 3,437 | 39 | 1,245 | 372 | A. 291. B. 119. C. 5. D. 2,416. E. 2. F. 5. G. 48. H. 426. J. 15. K. 2. L. 10. M. 1. N. 18. O. 1. P. 5. Q. 2. U. 2,484. |