Note:
Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

AN ROINN SLÁINTE

RECEIVED
18 NOV 1975
LIBRARY
STAIDRIMH

TUARASCÁIL

AR

STAIDREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1960

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN
or through any Bookseller

Price: Six Shillings

(Pr. 6366.)

CONTENTS

PART I—TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xii
BIRTHS	
Number and rate	xv
Age at maternity, parity, duration of marriage	xvi
Multiple births	xvii
DEATHS	
Number and rate	xviii
Comparison between counties	xviii
Causes of death	xxi
Tuberculosis	xxiii
Cancer	xxv
Diseases of the circulatory system	xxx
Respiratory diseases	xxx
Pregnancy, childbirth and the puerperium	xxx
Infant mortality	xxxi
Accidents, poisoning and violence	xxxiv
Uncertified deaths	xxxv
Inquests and post-mortems	xxxvi

DIAGRAM 1—Birth, marriage and death rates (per 1,000 population) 1938 to 1960	...	viii
„ 2—Standardised death rates (per 1,000 population) from all causes, 1960	...	xx
„ 3—Death rate (per 1,000 population) from tuberculosis and cancer, 1939–1960	...	xxiv
„ 4—Death rates from lung cancer (per 100,000 population), 1925–1960	... ...	xxiv
„ 5—Infant and neo-natal mortality (per 1,000 live births), 1939–1960	... ...	xxxii

PART II—TABLES

Contents	Area	Title	Page
Population	State	Table 1.—Estimated population in thousands, at the middle of each year 1851 to 1960.	2
Population by age and conjugal condition.	State	Table 2.—Estimated classification of the population enumerated at the 1956 Census according to age and conjugal condition.	3
Population	Counties ...	Table 3.—Population by sex in each county and county borough according to the Census of Population, 1956.	4
Marriages, births, deaths, 1864–1960	State	Table 4.—Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864–1960.	5
Marriage, birth, death rates, 1864–1960.	State	Table 5.—Marriage, birth, death and infant mortality rates and rate of natural increase, 1864–1960.	6
Marriages, births, deaths, 1941–1960.	State	Table 6.—Marriages, births and deaths registered during each of the years 1941–1960 with the average annual rates for the ten years 1941–1950 and the rates for each year from 1951 to 1960 per 1,000 of the population.	7
Deaths by principal causes, 1960 with rates.	State and Six Counties.	Table 7.—Deaths from principal causes in Ireland and the Six Counties, 1960 with rates per 100,000 population.	8
Deaths by age, 1864–1960 ...	State	Table 8.—Average annual number of deaths of males and females, classified by age, registered during the years 1864–1960.	10
Death rates by age, 1864–1960.	State	Table 9.—Average annual number of deaths of males and females, classified by age, per 1,000 corresponding population 1864–1960.	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1960.	Counties ...	Table 10.—Births and deaths registered in each county and county borough in 1960 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriages, births and deaths, by sex, 1960.	Counties ...	Table 11.—Marriages registered in and births and deaths assigned to each county and county borough during 1960, showing illegitimate births and deaths from some principal causes separately.	14
Marriage, birth and death rates, 1960.	Counties ...	Table 12.—Marriage, birth and death rates and the proportions of illegitimate births in 1960 in each county and county borough and the death rates for some of the principal diseases.	15
Deaths, by conjugal condition, 1960.	State	Table 13.— Deaths registered in 1960 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1960 ...	Urban Districts ...	Table 14.—Births and deaths assigned to each urban district in 1960, classified by sex.	16
Births and deaths, 1960 ...	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 15.—Births and deaths classified by sex, registered in 1960 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1960	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 16.—Birth and death rates in 1960 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1960 ...	Agg. Urban and Agg. Rural.	Table 17.—Deaths registered in 1960, at each year of age, of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by age, 1960 ...	Counties ...	Table 18.—Deaths registered in 1960 classified by sex and age of residents in each county and county borough.	22

Contents	Area	Title	Page
Deaths by cause and age, 1960.	State	Table 19.—Deaths in 1960 classified by cause (International detailed list, 7th Revision 1955) and by sex and age.	26
Deaths in hospitals, 1960 ...	Counties ...	Table 20.—Deaths of residents of each county and county borough in 1960 classified by cause, and showing the number of uncertified deaths.	60
Deaths by cause and uncertified deaths, 1960.	Counties ...	Table 21.—Deaths registered in 1960, classified by cause (International abbreviated list), sex and age, of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths by cause, sex and age, 1960.	Dublin C.B. Other U.D.'s. and Agg. R.D.'s.	Table 22.—Deaths of residents of each province, county and county borough registered in 1960 classified by place of occurrence.	86
Deaths not medically certified, by age, 1960.	Counties ...	Table 23.—Deaths of residents of each county and county borough registered in 1960 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1960.	Counties ...	Table 24.—Deaths in 1960, classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1960 ...	Principal Towns, U.D.'s. and R.D.'s.	Table 25.—Infant mortality — Deaths, at ages under 4 weeks, 4 weeks and under one year in 1960 classified by sex and cause, assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1960 ...	State	Table 26.—Infant mortality — Total deaths under one year of age in 1960, classified by sex, age and cause (International detailed list).	108
Infant mortality, 1960 (illegitimate infants).	State	Table 27.—Infant mortality — Deaths of illegitimate children in 1960 under one year of age classified by sex, age and cause.	112
Infant mortality, 1960 ...	Counties ...	Table 28.—Infant mortality — Deaths, at ages under 4 weeks and 4 weeks and under one year in 1960 classified by sex and cause, assigned to each county and county borough.	113
Deaths, by quarter of registration, 1960.	Counties ...	Table 29.—Deaths registered in 1960 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	120
Births, by quarter of registration, 1960	Counties ...	Table 30.—Births registered in 1960 in respect of the resident population of each county and county borough, showing the numbers registered each quarter.	121
Births, hospital and domiciliary, 1960.	Counties ...	Table 31.—Births registered in 1960 in each county and county borough, showing place of occurrence and areas of normal residence.	122
Births, by age of mother, 1960.	State	Table 32.—Births registered in 1960, classified by age of mother at maternity and sex and showing the number of illegitimate births.	123
Births, by age of mother, by county, 1960.	Counties ...	Table 33.—Births registered in 1960, classified by age of mother at maternity and county of normal residence.	124
Births, by age of mother and previous children, 1960.	State	Table 34.—Total births registered in 1960, classified by age of mother at maternity and number of previous liveborn children.	128
Legitimate births, by age at maternity and year of marriage, 1960.	State	Table 35.—Legitimate births registered in 1960, classified by age of mother at maternity and year of marriage.	130
Legitimate first births, by age at maternity and year of marriage, 1960.	State	Table 36.—Legitimate first births registered in 1960, classified by age of mother at maternity and year of marriage.	132
Marriages, 1960	Counties ...	Table 37.—Marriages registered in each county and county borough during 1960.	134

Contents	Area	Title	Page
All marriages by ages of groom and bride, 1960.	State	Table 38.—Marriages registered in 1960, classified by age of groom and age of bride in single years—All marriages.	136
First marriages by ages of groom and bride, 1960.	State	Table 39.—Marriages registered in 1960, classified by age of groom and age of bride in single years—First marriages only.	138
Marriages by form of ceremony and age of groom, 1960.	State	Table 40.—Marriages registered in 1960, classified according to form of ceremony and age of groom.	140
Marriages by form of ceremony and age of bride, 1960.	State	Table 41.—Marriages registered in 1960, classified according to form of ceremony and age of bride.	140
Marriages by social group and age of groom, 1960.	State	Table 42.—Marriages registered in 1960, classified by social group and age of groom.	140
Marriages by social group and age of bride, 1960.	State	Table 43.—Marriages registered in 1960, classified by social group and age of bride.	141
Marriages by social groups of groom and bride, 1960.	State	Table 44.—Marriages registered in 1960, classified by social groups of groom and bride.	141
Marriages by age and area of residence of groom, 1960.	Counties ...	Table 45.—Marriages registered in 1960, classified by age and area of residence of groom before marriage.	142
Marriages by age and area of residence of bride, 1960.	Counties ...	Table 46.—Marriages registered in 1960, classified by age and area of residence of bride before marriage.	143
Marriages by areas of residence of groom and bride, 1960.	Counties ...	Table 47.—Marriages registered in 1960, classified by area of residence of groom and area of residence of bride before marriage.	144
Marriages with intended future residence abroad by age of groom, 1960.	State	Table 48.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified by age of groom.	146
Marriages with intended future residence abroad by age of bride, 1960.	State	Table 49.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified by age of bride.	146
Marriages with intended future residence abroad by social group of groom, 1960.	State	Table 50.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified by social group of groom.	146
Marriages with intended future residence abroad by social group of bride, 1960.	State	Table 51.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified by social group of bride.	147
Marriages with intended future residence abroad by form of ceremony, 1960.	State	Table 52.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	147
Marriages with intended future residence abroad by area of residence of groom before marriage, 1960.	State	Table 53.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	148
Marriages with intended future residence abroad by area of residence of bride before marriage, 1960.	State	Table 54.—Marriages registered in 1960, in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	148
Notifications of infectious diseases, 1960.	State	Table 55.—Summary of cases of infectious diseases notified to the Department of Health during the year 1960.	149

REPORT ON VITAL STATISTICS FOR THE YEAR 1960

THIS Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of the Six Counties.

Births have been assigned to the district containing the normal residence of the mother and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1960 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1960 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages.—There were 15,465 marriages registered during the year 1960 compared with 15,420 in 1959. The marriage rate per 1,000 population was 5·46 compared with 5·42 in 1959.

Births.——The number of births registered during 1960 was 60,735 and the birth rate was 21·45 per 1,000 population, compared with 21·15 per 1,000 population in 1959. The number of illegitimate births registered in 1960 was 968 or 1·59 per cent of all births.

Deaths.—The number of deaths registered during 1960 was 32,660 and the death rate was 11·53 per 1,000 population. In 1959 deaths registered numbered 34,243 and the rate was 12·03.

Of the deaths registered in 1960, 32·56 per cent were stated to be due to heart diseases, 14·58 per cent to malignant neoplasms, 11·69 per cent to vascular lesions affecting the central nervous system and 1·43 per cent to tuberculosis (all forms).

The number of deaths in 1960 from tuberculosis of all forms was 468 and the rate was 0·17 per 1,000 population, compared with 517 deaths and a rate of 0·18 in 1959. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1·24 per 1,000 population. The number of deaths from this disease in 1960 was the lowest recorded.

There were 4,555 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for " cancer " in the 1949 and earlier Reports. The rate in 1960 was 1·61 per 1,000 population, compared with 1·62 in 1959.

During 1960 the deaths of 1,777 infants under one year were registered, equivalent to a rate of 29·26 per 1,000 live births. In the previous year 1,927 deaths, equivalent to a rate of 32·02 per 1,000 live births, were registered.

The total number of deaths from accidents and other external causes in 1960 was 1,011, of which road vehicle accidents accounted for 287.

Marriage, birth and death rates per 1,000 population for the years 1938 to 1960 are illustrated in Diagram I.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurence can be registered only on the authority of An tArd-Chláraitheóir. The number of births registered on the authority of An tArd-Chláraitheóir in 1960 was 917 and the number of deaths registered was 179. Throughout the tables in this Report these births and deaths have been excluded.

Population.—The estimated population in April 1960, was 2,832,000.

Diagram 1.

BIRTH, MARRIAGE AND DEATH RATES. (PER 1,000 POPULATION) 1938 — 1960



MARRIAGES

An alteration in the form of the marriage register was made in 1957 with a view to increasing the amount of statistical information available and bringing Irish statistics of marriages into conformity with international recommendations made by the United Nations Organisation. The column of the register headed "Age" was replaced by a column headed "Date of birth" with the result that, whereas up to 1956 the only entries made were "full age" or "minor", the exact age of persons married is now available. In addition a question is asked on "Intended future permanent residence", enabling an examination to be made of the numbers taking up residence in the different parts of the country or going abroad. The classifications of marriages prepared are shown in TABLES 37 to 54.

The number of marriages registered in 1960 was 15,465, representing an increase of 45 on the previous year. The numbers of marriages registered in the war and immediate post-war years were considerably higher than the recent figures, the greatest number having been 17,525 registered in 1946. The 1960 marriage rate at 5·5 per 1,000 population compared with 5·4 in 1959, 5·3 in 1958 and 5·1 in 1957. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1951. The following table compares the marriage rate in Ireland in the years 1951 to 1960 with those in the Six Counties, England and Wales and Scotland.

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	5·4	6·8	8·2	8·1
1952	5·4	6·8	8·0	8·0
1953	5·4	6·8	7·8	8·0
1954	5·4	6·6	7·7	8·2
1955	5·6	6·8	8·1	8·4
1956	5·8	6·7	7·9	8·5
1957	5·1	6·7	7·7	8·3
1958	5·3	6·6	7·5	8·0
1959	5·4	6·8	7·5	7·8
1960	5·5	7·0	7·5	7·7

*Exclusive of the Six Counties

Increases in the marriage rate occurred in Ireland and the Six Counties between 1959 and 1960, but in England and Wales there was no change, whilst in Scotland a slight decrease was recorded. The marriage rate in this country each year was appreciably lower than that in the Six Counties which was, in turn, low by comparison with the rates for England and Wales and Scotland.

Age at marriage

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained from the 1960 marriage registrations make possible an examination of the trends in age at marriage over the intervening period as may be seen from the following table.

TABLE II

PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND AVERAGE AGE AT MARRIAGE IN 1945–1946 AND IN EACH YEAR 1957 TO 1960.

Age group	Age of groom					Age of bride				
	1945–46	1957	1958	1959	1960	1945–46	1957	1958	1959	1960
	%	%	%	%	%	%	%	%	%	%
Under 20 years ...	1·0	1·3	1·3	1·4	1·5	6·6	6·9	6·6	7·1	7·4
20 to 24 years ...	14·3	19·7	20·3	21·8	23·1	29·5	35·1	36·6	38·6	39·0
25 to 29 years ...	25·7	30·3	30·9	32·1	32·1	31·1	29·7	29·9	29·2	28·6
30 to 34 years ...	24·2	20·5	20·3	18·8	18·9	19·9	15·4	14·8	13·8	13·6
35 to 44 years ...	25·8	20·8	19·6	18·7	17·6	11·1	10·4	9·9	9·0	9·1
45 years and over ...	9·0	7·5	7·6	7·1	6·8	1·9	2·5	2·2	2·2	2·3
Total ...	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**	**100·–**
Average age ...	33·1	31·7	31·5	31·1	30·9	28·0	27·6	27·4	27·1	27·1

Whereas, in 1945–46, 59 per cent of the men who married were aged 30 years and over the proportion over this age had fallen to 44·6 per cent in 1959 and to 43·3 per cent in 1960, the average age of men at marriage declining from 33·1 years in 1945–46 to 31·1 years in 1959 and 30·7 years in 1960. In 1945–46, 32·9 per cent of women marrying were aged 30 years and over, compared with 25·0 per cent in each year 1959 and 1960, while the average age at marriage declined from 28·0 years in 1945–46 to 27·1 years in 1959 and 1960. In TABLE 38 the marriages registered in 1960 are shown cross-classified by age of groom and age of bride in single years while in TABLE 39 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1960 were 30·8 and 27·1 respectively.

A comparison of marriage rates per 1,000 population by age groups in Ireland in 1960 and in England and Wales in 1959 is made in Table III. The figures for Ireland were obtained by dividing the number of males marrying in each age group by the estimated total number of single and widowed males in that age group and similarly for females. In obtaining the figures for England and Wales divorced persons were also included.

TABLE III

MARRIAGE RATES PER 1,000 POPULATION BY AGE GROUP IRELAND*, 1960 AND ENGLAND AND WALES, 1959

Age groups	Males		Females	
	Ireland* 1960	England and Wales, 1959	Ireland* 1960	England and Wales, 1959
15–19 years	1·6	11·5	9·5	56·5
20–24 years	36·9	159·8	85·5	266·3
25–29 years	81·8	169·4	100·4	169·3
30–34 years	62·9	114·5	74·5	98·6
35–39 years	43·7	68·6	38·4	50·3
40–44 years	30·0	48·2	15·3	36·6
45–49 years	16·3	41·8	7·0	22·7
50–54 years	8·9	31·2	2·5	13·9
55–59 years	5·9	28·0	1·7	7·7
60–64 years	2·9	25·0	0·6	5·3
65 years and over ...	0·7	9·0	0·1	1·2
Total, 15 years and over	25·0	68·5	27·4	51·2

*Exclusive of the Six Counties

For each sex and age group the marriage rates in Ireland were considerably below those in England and Wales. In the 15–19 year age group the marriage rate in England and Wales was seven times that in Ireland in the case of males and six times that in Ireland in the case of females. In the 20–24 year group the England and Wales rate for males was over four times that in Ireland and, for females, three times that in Ireland.

Mode of celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1960 amounted to 14,866 (equal to 96·1 per cent of the total) and other marriages numbered 599, of which 371 were according to the rites and ceremonies of the Church of Ireland, 115 in Presbyterian Churches, 34 in Methodist Churches, 18 according to Jewish Rites, one according to the usages of the Society of Friends, 3 in registered buildings belonging to other religious denominations and 57 by civil contract in Registrars' Offices.

The number of Catholic marriages recorded during 1960 corresponds to a rate of 5·56 per 1,000 of the estimated Catholic population, this being 0·06 above the rate for the preceding year. The rate for all other marriages in 1960 was 3·71 per 1,000 of all persons other than Catholics in the population, a decrease of 0·43 on the corresponding rate for 1959. Details of marriages registered in each of the years 1951 to 1960 are given in Table IV.

TABLE IV

MARRIAGES REGISTERED IN THE YEARS 1951 TO 1960 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 estimated corresponding population		
	Church of Ireland	Presbyterian	Jewish	Society of Friends	Other religious denominations	In Registrars' Offices	Total			Catholic marriages	All other marriages	Total marriages
1951	570	131	6	2	50	63	822	15,195	16,017	5·44	4·85	5·41
1952	582	147	30	2	32	98	891	14,985	15,876	5·38	5·30	5·38
1953	534	121	15	·	46	54	770	15,118	15,888	5·44	4·58	5·39
1954	582	121	21	2	41	64	831	15,000	15,831	5·42	4·95	5·38
1955	605	107	25	3	42	67	849	15,594	16,443	5·66	5·10	5·63
1956	483	95	12	4	51	75	720	16,041	16,761	5·87	4·36	5·78
1957	509	97	19	2	30	52	709	13,948	14,657	5·13	4·30	5·08
1958	389	91	17	2	34	45	578	14,483	15,061	5·38	3·55	5·28
1959	444	97	16	1	38	76	672	14,748	15,420	5·50	4·14	5·42
1960	371	115	18	1	37	57	599	14,866	15,465	5·56	3·71	5·46

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 40 and 41. There was little difference between the various religious denominations in respect of average age at marriage in 1960. For Catholic marriages the average age of groom was 30·8 years, compared with 31·8 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 27·1 years and, for other marriages, 27·3 years.

Social group

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation, although status (i.e., whether the person is an employer, own-account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1960 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 42 to 44.

TABLE 42 shows men classified by social group and age at marriage, the average age at marriage also being calculated. The average age at marriage of 36·0 years in the " Farmers, relatives assisting and farm managers " social group was appreciably higher than in any of the other social groups, while the lowest average age, of 28·4 years, occured in the " Skilled manual workers " group. In the case of females the difficulty arises that since many are not gainfully occupied immediately before marriage no information as to occupation is given, with the result that in many cases the social group code cannot be assigned. The average age of women at marriage ranged from 31·4 years in the case of the " Employers, and managers (including shopkeepers) " group to 24·7 years in the case of un-skilled manual workers, as may be seen from TABLE 43. The average age in the " Farmers, relatives assisting and farm managers " group was not exceptionally high by comparison with some of the other groups. The most striking feature of this table is the much lower average age in the case of the wage earner groups, and particularly the manual workers groups, than among the remaining groups.

TABLE 44 shows marriages registered in 1960 cross-classified by the social groups of groom and bride. Of the women marrying men in the " Farmers, relatives assisting and farm managers " social group, in the case of whom occupation was stated, 29 per cent were in the same social group, 22 per cent in the " Lower professional " group and 37 per cent in the " Clerks and other ' white collar ' workers " and the " Non-manual wage earner " groups, while there were small percentages in each of the other social groups. Of the women marrying men in the " Skilled manual worker " group 44 per cent were in the " Clerks and other ' white collar ' workers " and the " Non-manual wage earner " groups, 18 per cent were skilled manual workers and 24 per cent were unskilled manual workers, there being smaller percentages in each of the other groups. The distribution, by social group, of women marrying men in each of the remaining social groups may be considered in the same way. Alternatively the table may be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that less than one-sixth of the women in the social group " Farmers, relatives assisting and farm managers " married men in social groups other than their own. A substantial number of women in the " Clerks and other ' white collar ' workers " group married men in each of the other social groups, but in the case of women in the " Non-manual wage earner " group, the numbers marrying men in the " Higher professional ", " Lower professional " or " Salaried employee " groups were relatively small. In the case of the majority of women in the " Skilled ", " Semi-skilled " and " Unskilled manual worker " groups the husbands also belonged to these groups or to the " Clerks and other 'white collar ' workers " and the " Non-manual wage earner " groups.

Area of residence

Although the marriage registers in use prior to 1957 contained particulars of residence of bride and groom before marriage the difficulties of analysis by clerical methods prevented the information being summarised, and only figures for marriages registered in each area were compiled. Following the alteration in the form of the marriage register in 1957 punched-card summarisation methods were introduced, with the result that four districts may now be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 37 figures for marriages according to place of occurrence are given for 1960 in the same form as in earlier Reports in this series. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made for 1960 in Table V.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1960

Area in which registered	Total marriages	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2)
		Same area	Other areas*	
(1)	(2)	(3)	(4)	(5)
				%
Carlow	157	134	23	85·4
Dublin County Borough	4,979	4,021	958	80·8
Dun Laoghaire Borough	372	279	93	75·0
Dublin County (remainder)	458	344	114	75·1
Kildare	302	259	43	85·8
Kilkenny	255	213	42	83·5
Laois	167	149	18	89·2
Longford	130	118	12	90·8
Louth	430	387	43	90·0
Meath	288	241	47	83·7
Offaly	206	173	33	84·0
Westmeath	266	179	87	67·3
Wexford	377	332	45	88·1
Wicklow	319	263	56	82·4
Clare	304	258	46	84·9
Cork County Borough	774	451	323	58·3
Cork County	1,073	899	174	83·8
Kerry	460	394	66	85·7
Limerick County Borough	458	226	232	49·3
Limerick County	251	197	54	78·5
Tipperary N.R.	217	176	41	81·1
Tipperary S.R.	297	241	56	81·1
Waterford County Borough	207	161	46	77·8
Waterford County	193	142	51	73·6
Galway	557	458	99	82·2
Leitrim	129	113	16	87·6
Mayo	370	316	54	85·4
Roscommon	202	167	35	82·7
Sligo	230	191	39	83·0
Cavan	241	205	36	85·1
Donegal	548	467	81	85·2
Monaghan	248	215	33	86·7
Total	15,465	12,369	3,096	80·0

*Includes cases in which area of residence of bride was not stated.

In TABLES 45 and 46 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is appreciably lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of groom was under 30 years, whereas in the counties of Longford, Clare, Galway, Leitrim, Mayo and Roscommon the average age was over 34 years. The average age of women at marriage was under 27 years in the four county boroughs, the borough of Dun Laoghaire and in the counties of Carlow, Dublin, Kildare, Louth, Offaly, Wicklow and Wexford, while in the counties of Longford, Roscommon and Leitrim the average age exceeded 29 years.

TABLE 47 shows marriages cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. The remarkable feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 1,229 of the men married in the State in 1960 were returned as residing in England, Wales or Scotland, 263 in the Six Counties and 112 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 699, the number from the Six Counties was 117 and the number from other countries was 37. In 726 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area. In Table VI the rates calculated in this way are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population. It is evident that a more precise comparison of marriage rates between the different counties would be obtained by calculating, for example, marriages of men aged 20 and under 55 years from each county per 1,000 single men aged 20 and under 55 years in that county. However, the absence of the necessary population information from a recent census prevents this being done.

TABLE VI

MARRIAGE RATES PER 1,000 POPULATION OF EACH COUNTY AND COUNTY BOROUGH CALCULATED USING (a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA IN 1960.

Area	Rate (a)	Rate (b)	Area	Rate (a)	Rate (b)
Carlow	4·7	5·0	Clare	4·1	4·3
Dublin County Borough ...	9·5	7·3	Cork County Borough ...	10·0	7·1
Dun Laoghaire Borough ...	7·9	6·1	Cork County	4·2	4·6
Dublin County (remainder) ...	3·2	3·8	Kerry	3·9	3·6
Kildare	4·7	5·1	Limerick County Borough ...	9·1	4·9
Kilkenny	4·1	3·7	Limerick County	3·0	4·0
Laois	3·7	4·6	Tipperary N.R.	4·0	4·4
Longford	4·1	4·2	Tipperary S.R.	4·2	4·5
Louth	6·2	5·4	Waterford County Borough ...	7·2	5·7
Meath	4·3	4·6	Waterford County	4·4	4·2
Offaly	4·0	4·7	Munster	5·0	4·6
Westmeath	5·0	3·9			
Wexford	4·5	4·6	Galway	3·7	3·4
Wicklow	5·6	4·8	Leitrim	3·8	3·9
Leinster	6·5	5·6	Mayo	3·0	3·0
			Roscommon	3·4	3·7
Cavan	4·2	4·2	Sligo	4·3	3·8
Donegal	4·8	3·8			
Monaghan	5·0	4·4	Connacht	3·5	3·4
Ulster (part of)	4·7	4·0	**Total**	5·5	4·9

It will be observed that the total rates (a) and (b) differ on account of the fact that marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rates (a) and (b) is in the much lower figures for the county boroughs obtained using the new method of calculation. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 686 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a very high proportion of cases, the intended future residence was outside the State. Out of the total of 15,465 marriages registered in 1960 there were 2,395 or 15 per cent where the intended future residence was outside the State. These cases are examined in some detail in TABLES 48 to 54. In the case of 1,801 marriages the future residence was in England and Wales, 269 in the Six Counties, 84 in Scotland, 33 in other parts of Europe, 131 in the United States of America, 34 in Canada, 5 in Australia and New Zealand and 38 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in

TABLES 48 and 49 respectively. It will be seen that the average ages of the men and women marrying and then going abroad were appreciably below those for all marriages in the State. The average age in the case of men going to the Continent of Europe was somewhat lower than those going elsewhere. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 50 and 51 respectively. By comparing TABLES 42 and 50 it is possible to examine the proportions of men marrying in each social group who intended leaving the country, and it is found that this proportion varied widely between the different groups. Table VII contains the results obtained.

TABLE VII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1959 AND 1960.

Social group of groom	Percentage with intended future residence outside the State	
	1959	1960
	%	%
Farmers, relatives assisting and farm managers ...	3	3
Farm labourers	4	7
Higher professionals	30	34
Lower professionals	18	20
Employers and Managers (including shopkeepers) ...	11	11
Salaried employees	11	16
Clerks and other "white collar" workers	15	14
Non-manual wage earners	15	17
Skilled manual workers	21	22
Semi-skilled manual workers	23	25
Unskilled manual workers	18	20
Total, all groups combined ...	14	15

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 52. By comparison with TABLE 37, it will be seen that the proportions that these represent of all marriages in the State are as shown in the following table :—

TABLE VIII

PERCENTAGE OF MARRIAGES OF EACH DENOMINATION IN THE CASE OF WHICH THE FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1959 AND 1960.

Form of ceremony	Percentage with intended future residence outside the State	
	1959	1960
	%	%
Catholic	13	15
Church of Ireland	26	25
Presbyterian	31	41
Methodist	26*	35*
Jewish	50*	39*
Civil marriage	26*	28*
Total	14	15

* Percentages based on small numbers.

Finally, in TABLES 53 and 54 the marriages in the case of which the intended future residence is outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1959 AND 1960, IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1959	1960
	%	%
Dublin County Borough and Dun Laoghaire Borough	10	11
Remainder of Leinster	4	5
Munster	4	4
Connacht	5	4
Ulster (part of)	7	9
Outside the State	90	92

BIRTHS

Under a new system for the collection of statistics of births introduced in 1955 a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage has become available. These statistics in respect of births registered in 1960 are presented in TABLES 30 to 36.

The number of births registered during the year 1960 was 60,735, the males numbering 31,141 and the females 29,594. Births registered in 1959 numbered 60,188 and in 1958, 59,510. The birth rate in 1960 was 21·5 per 1,000 population, compared with 21·1 in 1959 and 20·9 in 1958.

Table X compares the birth rates in Ireland in the years 1951 to 1960 with those in the Six Counties, England and Wales and Scotland.

TABLE X

NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960.

Year	Numbers of births (in thousands) Ireland *	Birth rate per 1,000 population			
		Ireland *	Six Counties	England and Wales	Scotland
1951	62·9	21·2	20·7	15·5	17·7
1952	64·6	21·9	20·9	15·3	17·7
1953	62·6	21·2	20·9	15·5	17·8
1954	62·5	21·3	20·8	15·2	18·0
1955	61·6	21·1	20·8	15·0	18·0
1956	60·7	21·0	21·1	15·6	18·5
1957	61·2	21·2	21·5	16·1	19·0
1958	59·5	20·9	21·6	16·4	19·2
1959	60·2	21·1	21·9	16·5	19·1
1960	60·7	21·5	22·5	17·1	19·4

* Exclusive of the Six Counties.

The birth rates generally showed increases in 1960 compared with 1959. In the years 1951 to 1955 the rates for this country were higher than those of any of the other areas but from 1956 onwards, the Six County rates were highest.

Classification by age at maternity, parity and duration of marriage

In TABLE 34 is shown the total number of births registered in 1960, classified by age of mother at maternity and number of previous live-born children. The number of births in the case of which the mother's age was not stated was 476 or 0·7 per cent of the total, and the number where the parity was not stated was 376 or 0·6 per cent of the total. The results contained in TABLE 34 are summarised in Table XI.

TABLE XI

BIRTHS REGISTERED IN 1960 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years ...	990	798	158	27	6	·	·	·	·	1
20–24 years ...	8,183	4,065	2,302	1,073	455	185	88	1	·	14
25–29 years ...	15,682	4,232	4,112	3,193	1,936	1,042	1,127	18	·	22
30–34 years ...	16,832	2,281	2,864	3,231	2,798	1,961	3,453	200	3	41
35–39 years ...	13,415	1,073	1,262	1,741	2,017	1,900	4,657	710	27	28
40–44 years ...	4,799	201	270	417	562	636	2,134	514	50	15
45 years and over ...	358	13	14	14	29	40	172	66	9	1
Not stated ...	476	64	21	33	25	29	46	4	·	254
Total	**60,735**	**12,727**	**11,003**	**9,729**	**7,828**	**5,793**	**11,677**	**1,513**	**89**	**376**

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

There was little change from 1959 to 1960 in the distribution of births according to age of mother at maternity, as may be seen from Table XII in the calculation of which only those births where the age was stated are, of course, included. This table also illustrates the striking difference between this country and England and Wales and Scotland in respect of the distribution ages of mothers at maternity.

TABLE XII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND* IN 1959 AND 1960, AND IN ENGLAND AND WALES AND SCOTLAND IN 1959.

Age at maternity	Ireland *		England and Wales (1959)	Scotland (1959)
	1960	1959		
	%	%	%	%
Under 20 years ...	1·6	1·5	6·1	5·7
20–24 years	13·6	13·4	30·6	30·7
25–29 years	26·0	26·2	31·2	31·4
30–34 years	27·9	28·0	19·2	19·3
35–39 years	22·3	22·6	10·3	10·4
40–44 years	8·0	7·7	2·4	2·3
45 years and over ...	0·6	0·6	0·2	0·2
Total ...	**100·–**	**100·–**	**100·–**	**100·–**
Average age at maternity	31·6	31·6	27·9	27·8

* Exclusive of the Six Counties.

The difference between this country and England and Wales and Scotland shown by Table XII is due to the facts that (*a*) women in Ireland marry at a later age and (*b*) married women in Ireland have on the average a larger number of children and so continue bearing children for a greater number of years. When attention is confined to legitimate first births, in order to eliminate the effect of factor (*b*), the difference remains very pronounced (as may be seen from the Report for the year 1955 in this series).

Fertility rates in Ireland in 1960 and in England and Wales in 1959 are compared in Table XIII.

Table XIII

Births per 1,000 women in each age group, Ireland*, 1960 and England and Wales, 1959

Age of mother at maternity	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland*	England and Wales	Ireland*	England and Wales	Ireland*	England and Wales
15–19 years ...	8·9	31·6	734·7	426·0	2·6	5·8
20–24 years ...	101·5	160·2	524·2	267·6	4·8	19·7
25–29 years ...	205·0	163·8	437·7	191·1	4·4	31·2
30–34 years ...	217·9	94·7	329·4	103·0	3·4	30·8
35–39 years ...	157·8	44·1	221·9	48·1	2·5	17·0
40–44 years ...	54·2	12·3	74·7	13·4	0·5	5·6
45–49 years ...	4·1	0·8	6·0	0·9	—	0·3
Total, 15–49 years	100·0	70·0	207·9	94·0	3·0	12·2

* Exclusive of the Six Counties.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15–19 year group the Irish rate was over 70 per cent above that in England and Wales, in the 20–24 year group nearly 96 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed or divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined was higher in England and Wales than in Ireland in the 15–19 and 20–24 year groups, but at the later ages the Irish rate was considerably higher.

The precentage distribution of births according to the number of previous children in 1959 and 1960 is shown in Table XIV and a comparison made with the corresponding distributions in England and Wales and Scotland. The correspondence is not exact since the England and Wales figures relate to legitimate maternities to women married only once, while the figures for Scotland refer to all legitimate births and to previous live or stillborn children. The Irish figures include illegitimate births, whereas, if these had been excluded, the contrast with England and Wales and Scotland would have been still more pronounced.

Table XIV

Percentage distribution of births according to number of previous children in Ireland* in 1959 and 1960 and in England and Wales and Scotland in 1959

Number of previous children	Ireland*		England and Wales (1959)	Scotland (1959)
	1960	1959		
	%	%	%	%
0	21·1	21·2	38·8	34·9
1	18·2	18·9	30·5	28·8
2	16·1	15·9	15·5	17·0
3	13·0	12·6	7·4	8·7
4	9·6	9·7	3·6	4·7
5 to 9	19·4	19·3	4·0	5·7
10 to 14	2·5	2·4	0·2	0·2
15 and over ...	0·1	0·1	0·0	0·0
Total	**100·–**	**100·–**	**100·–**	**100·–**

*Exclusive of the Six Counties

The difference between the years 1959 and 1960 in respect of the precentage distribution according to number of previous children was very slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus, in Ireland in 1959, 19·3 per cent of the mothers had 5 to 9 previous children, the corresponding percentages being only 4·0 in England and Wales and 5·7 in Scotland.

Multiple births

The number of infants born alive in multiple births registered in 1960 was 1,825, consisting of 896 pairs of twins and 11 sets of triplets.

DEATHS

The number of deaths registered during the year 1960 was 32,660 of which 17,484 were those of males and 15,176 those of females. This is equivalent to a rate of 11·53 deaths per 1,000 total population, compared with 12·03 in the previous year and 12·00 in 1958.

In Table XV are shown the average annual death rates, by age group, for decennial periods since the beginning of this century, and for single years from 1951 to 1960.

TABLE XV

AGE SPECIFIC DEATH RATES PER 1,000 POPULATION FOR DECENNIAL PERIODS 1901–1960 AND EACH YEAR FROM 1951–1960

Period	Age groups											Crude rate per 1,000 population
	Under 5	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	
1901–10 ...	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79	16·91
1911–20 ...	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00	16·64
1921–30 ...	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72	14·45
1931–40 ...	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56	14·17
1941–50 ...	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26	13·97
1951–60 ...	8·84	0·59	0·45	0·73	1·15	1·68	2·99	7·00	16·74	43·81	111·41	245·14	12·18
1951 ...	11·25	0·81	0·65	1·29	2·04	2·58	4·07	8·56	20·31	52·19	134·68	272·64	14·32
1952 ...	10·27	0·77	0·59	1·08	1·46	2·08	3·46	7·61	16·69	43·54	104·97	216·57	11·89
1953 ...	9·50	0·69	0·48	0·78	1·30	1·92	3·09	7·29	16·40	42·72	104·65	229·86	11·73
1954 ...	9·13	0·54	0·47	0·72	1·07	1·77	3·05	7·18	16·82	44·52	108·61	243·64	12·08
1955 ...	8·69	0·57	0·48	0·65	1·13	1·78	2·74	6·95	17·14	47·54	111·77	272·93	12·59
1956 ...	8·53	0·55	0·40	0·47	1·12	1·43	2·86	6·66	16·04	40·44	110·46	231·81	11·70
1957 ...	7·95	0·54	0·39	0·59	0·91	1·42	2·88	6·79	16·46	41·85	110·99	239·65	11·89
1958 ...	8·19	0·41	0·34	0·57	0·86	1·26	2·74	6·34	16·33	41·71	112·92	257·27	12·00
1959 ...	7·66	0·47	0·32	0·61	0·92	1·33	2·61	6·40	15·79	42·87	111·69	247·43	12·03
1960 ...	7·20	0·51	0·34	0·57	0·72	1·24	2·44	6·27	15·45	40·72	103·39	239·62	11·53

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages. In the age groups above 65 years little change has occurred in the death rates since the period 1901–1910.

Table XVI compares the death rates in the years 1951–60 with those in the Six Counties, England and Wales and Scotland. In general the death rate in this country was somewhat higher than those in England and Wales and the Six Counties and of about the same order as that in Scotland. The death rate for Ireland in 1960, the lowest ever recorded, although higher than the Six Counties rate, was less than that for Scotland and equal to the rate for England and Wales.

TABLE XVI

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960

Year	Numbers of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1951 ...	42·4	14·3	12·8	12·5	12·9
1952 ...	35·1	11·9	10·8	11·3	12·0
1953 ...	34·6	11·7	10·7	11·4	11·5
1954 ...	35·5	12·1	10·9	11·3	12·0
1955 ...	36·8	12·6	11·1	11·7	12·0
1956 ...	33·9	11·7	10·6	11·7	12·0
1957 ...	34·3	11·9	10·9	11·5	11·9
1958 ...	34·2	12·0	10·8	11·7	12·0
1959 ...	34·2	12·0	10·9	11·6	12·1
1960 ...	32·7	11·5	10·8	11·5	11·9

*Exclusive of the Six Counties.

Comparison between counties

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared, as follows :—

For each county the death rate in each age group is calculated by dividing the deaths of persons whose normal residence was in that county in each age group by the corresponding population. By multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products, an estimate is obtained of the number of deaths to be expected in the whole country, if the rates in the county under investigation applied generally. This " expected number " of deaths is divided by the total population of the country to give the county standardised death rate.

Table XVII shows the crude and standardised death rates for each county and county borough in 1960.

Table XVII

Crude and standardised death rates in each county and county borough in 1960

Area	Deaths per 1,000 population	
	Crude	Standardised
Total	**11·53**	**11·53**
Carlow	11·35	11·63
Dublin County Borough	10·24	13·44
Dun Laoghaire Borough	11·89	12·74
Dublin County (remainder)	6·41	9·68
Kildare	9·99	12·49
Kilkenny	10·97	10·68
Laois	11·40	10·55
Longford	13·92	12·07
Louth	10·62	11·65
Meath	11·54	12·17
Offaly	11·53	11·79
Westmeath	12·06	11·86
Wexford	11·63	11·26
Wicklow	12·55	13·34
Leinster	**10·46**	**12·09**
Clare	14·40	12·03
Cork County Borough	12·83	14·39
Cork County	12·43	11·31
Kerry	13·07	11·50
Limerick County Borough	9·58	12·90
Limerick County	12·13	11·44
Tipperary N.R.	12·27	11·82
Tipperary S.R.	12·20	11·97
Waterford County Borough	11·73	13·50
Waterford County	12·50	11·33
Munster	**12·47**	**11·83**
Galway	11·85	11·05
Leitrim	13·45	10·51
Mayo	12·41	9·68
Roscommon	14·22	10·95
Sligo	12·45	10·30
Connacht	**12·55**	**10·43**
Cavan	13·21	11·49
Donegal	11·98	10·23
Monaghan	12·10	11·68
Ulster (part of)	**12·33**	**10·85**

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION) FROM ALL CAUSES 1960



In certain areas the standardised rates differ appreciably from the crude rates. Leinster, which had the lowest crude death rate among the provinces in 1960 had the highest standardised rate. The standardised death rates in 1960 were lowest in the counties of Mayo, Dublin, Donegal, Sligo and Leitrim, and highest in the County Boroughs of Cork, Limerick, Dublin and Waterford, Dun Laoghaire Borough and the counties of Wicklow and Kildare.

The standardised death rate for each county is illustrated in Diagram 2.

Causes of death

The tables in this Report showing cause of death are based on the Seventh Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1955, prepared by the World Health Organisation. The Seventh Revision was used for the first time in classifying deaths by causes in the 1958 Report. From 1940 to 1949 the Fifth Revision was used, and the Reports for the years 1950 to 1957 were based on the Sixth Revision.

Table XVIII shows the deaths and death rates in each of the years 1958, 1959 and 1960 from some of the principal groups of causes and the average numbers and rates for these causes in the periods 1935–37, 1945–47, 1950–52 and 1955–57.

TABLE XVIII

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935–37, 1945–47, 1950–52, 1955–57, AND EACH YEAR 1958, 1959 AND 1960

Causes	1935–37	1945–47	1950–52	1955–57	1958	1959	1960
	Annual Average				Number		
Tuberculosis of respiratory system	2,851	2,731	1,598	625	502	451	416
Tuberculosis, other forms	778	863	442	133	79	66	52
Diphtheria	339	144	7	12	6	9	2
Other infective and parasitic diseases	929	569	349	187	160	172	155
Cancer	3,601	3,980	4,194	4,695	4,682	4,777	4,761
Vascular lesions affecting central nervous system	2,350	2,810	2,907	3,738	3,696	3,790	3,818
Diseases of the heart	7,509	10,459	10,519	10,580	10,984	10,830	10,633
Other diseases of the circulatory system ...	907	948	1,620	2,172	2,006	1,953	1,875
Influenza	1,473	575	987	502	311	612	190
Other diseases of the respiratory system ...	5,253	3,473	2,667	2,407	2,403	2,702	2,407
Senility	6,176	6,229	4,436	2,680	2,631	2,339	2,104
Other diseases	9,924	9,069	7,762	6,275	5,848	5,601	5,236
Accidents and other external causes	982	910	921	988	940	941	1,011
All causes	**43,072**	**42,760**	**38,409**	**34,994**	**34,248**	**34,243**	**32,660**
	Rates per 100,000 population						
Tuberculosis of respiratory system	96·0	92·4	54·0	21·6	17·6	15·8	14·7
Tuberculosis, other forms	26·2	29·2	14·9	4·6	2·8	2·3	1·8
Diphtheria	11·4	4·9	0·2	0·4	0·2	0·3	0·1
Other infective and parasitic diseases	31·3	19·2	11·8	6·5	5·6	6·0	5·5
Cancer	121·3	134·7	141·6	162·0	164·1	167·8	168·1
Vascular lesions affecting central nervous system	79·2	95·1	98·2	129·0	129·5	133·2	134·8
Diseases of the heart	253·0	353·9	355·3	365·0	385·0	380·5	375·4
Other diseases of the circulatory system ...	30·6	32·1	54·7	74·9	70·3	68·6	66·3
Influenza	49·6	19·5	33·3	17·3	10·9	21·5	6·7
Other diseases of the respiratory system ...	177·0	117·5	90·1	83·0	84·2	94·9	85·1
Senility	208·0	210·8	149·8	92·5	92·2	82·2	74·3
Other diseases	334·3	306·9	262·4	216·5	205·1	197·0	184·8
Accidents and other external causes	33·1	30·8	31·1	34·1	32·9	33·1	35·7
All causes	**1,451·0**	**1,447·0**	**1,297·4**	**1,207·4**	**1,200·4**	**1,203·2**	**1,153·3**

The death rate from tuberculosis (all forms) in 1960 was less than one-seventh of its level in the periods 1935–37 and 1945–47. Deaths from cancer were slightly lower than in 1959 but represented 14·6 per cent of all deaths registered, compared with 8·4 per cent in 1935–37. The death rate from vascular lesions affecting the central nervous system continues to increase and the rate for 1960 was 70 per cent greater than that for the period 1935–37. A substantial increase in the death rate from diseases of the heart took place between 1935–37 and 1945–47 but, since then, relatively little change has occurred. Other diseases of the circulatory system have, however, accounted for a steadily increasing number of deaths, the death rate from these causes in 1960 being more than double its level in 1935–37. Deaths from influenza varied considerably in number from year to year but the death rate for 1960 was the lowest in the period under review. The number of deaths from other diseases of the respiratory system has declined fairly steadily, being, in 1960, less than half the figure in 1935–37. In each period a large number of deaths were stated to be due simply to senility, although a considerable reduction in this number has occurred over the twenty-three year interval (6,176 in 1935–37 compared with 2,104 in 1960). This reduction is largely explained by an increasing accuracy of certification of cause of death, as well as a falling proportion of deaths not medically certified. The question of medical certification is discussed in a later section, but it will be realised that the accuracy of the comparisons made in this table is appreciably reduced by the fact that many of the deaths are not medically certified.

Deaths registered in 1960, classified by sex, age group and cause are shown in TABLE 19 of this Report, the Detailed International List of Causes of Death being used. In Table XIX the principal causes of death in each age group are examined.

TABLE XIX

PROPORTIONS OF DEATHS FROM PRINCIPAL CAUSES IN CERTAIN AGE GROUPS IN 1960

Abbreviated List Nos.	Cause of death	All ages	Under 1	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
B 1	Tuberculosis of respiratory system ...	13	1	6	4	27	99	83	41	25	10	2
B 2	Tuberculosis, other forms	2	1	29	21	12	11	11	4	2	1	0
B 8	Diphtheria	0	.	3	4	.	.	.	.	.	.	.
B 9	Whooping cough ...	0	6	10	4	.	.	.	.	.	.	.
B 14	Measles	0	1	3	4	.	.	.	.	.	.	.
B 18 (a)	Malignant neoplasms of: Digestive organs and peritoneum ...	67	.	3	12	.	32	63	105	107	94	49
(b)	Respiratory system ...	20	.	6	4	4	11	23	50	60	26	5
(c)	Other sites including lymphatic system ...	58	2	130	98	97	88	134	132	94	65	33
B 20	Diabetes mellitus ...	7	.	3	4	16	11	11	7	8	10	5
B 22	Vascular lesions ...	117	2	.	16	47	45	48	89	118	144	131
B 25–B 27	Diseases of the heart ...	326	1	.	8	62	144	223	276	310	371	380
B 24, B 28 B 29 and B 46 (a)	Other diseases of the circulatory system ...	57	.	6	12	19	24	36	31	42	58	77
B 30	Influenza	6	4	13	8	8	11	6	2	4	4	7
B 31	Pneumonia (excluding that of newborn) ...	32	95	149	45	27	29	29	19	21	26	29
B 32	Bronchitis	32	5	30	4	8	3	11	29	43	40	31
B 33	Ulcer of stomach and duodenum	6	.	.	.	.	3	12	14	12	7	4
B 34	Appendicitis	1	1	23	12	4	3	2	2	1	1	1
B 35	Intestinal obstruction and hernia ...	5	5	3	8	8	.	5	9	5	6	4
B 38	Nephritis and nephrosis	13	1	.	33	50	35	25	19	15	14	11
B 39	Hyperplasia of prostate	6	.	.	.	.	.	.	1	2	6	10
B 40	Deliveries and complications of pregnancy and childbirth	1	.	.	.	8	45	18	.	.	.	.
B 41–B 44	Congenital malformations, birth injuries, etc. ...	45	758	149	115	43	24	7	6	1	0	.
B 45 (part of)	Senility without mention of psychosis ...	64	.	.	.	.	.	.	.	0	10	137
	Other diseases ...	91	94	249	277	203	198	163	124	105	86	67
BE 47 –BE 50	External causes— accidents, etc. ...	31	23	185	307	357	184	90	40	25	21	17
	Total	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**	**1,000**
	No. of deaths in 1960 ...	32,660	1,777	308	244	258	375	829	2,108	4,236	7,720	14,805

Diseases of the heart caused the largest proportion of all deaths, namely 326 in every 1,000 deaths. Next in order were malignant neoplasms (145), vascular lesions affecting the central nervous system (117) and senility without psychosis (64). At ages under one year congenital malformations, birth injuries and diseases peculiar to early infancy accounted for 758 out of every 1,000 deaths. In the age group 1–4 years 185 deaths in every 1,000 were due to accidents, whilst pneumonia and congenital malformations each accounted for 149 per 1,000 deaths and the proportions for malignant neoplasms and tuberculosis (all forms) were 142 and 35 respectively. At ages 5–14 years and 15–24 years accidents again caused the greatest number of deaths, the respective proportions being 307 and 357 per 1,000 deaths in these groups. In the 5–14 age group congenital malformations etc., accounted for 115 deaths in every 1,000 whilst the proportion due to malignant neoplasms was 114 per 1,000 deaths. Malignant neoplasms also caused 101 deaths per 1,000 at ages 15–24 years. Accidents were the chief cause of death in the 25–34 age group, amounting to 184 per 1,000 deaths. Malignant neoplasms followed with 101 deaths in every 1,000. The proportion of deaths from tuberculosis in this age group (110 per 1,000) was greater than that in any other group. At ages 35–44 years the principal causes of death were malignant neoplasms (220 per 1,000 deaths), diseases of the heart (223 per 1,000 deaths) and tuberculosis (94 per 1,000 deaths). Between the ages of 45 and 74 years deaths from diseases of the heart, malignant neoplasms and vascular lesions affecting the central nervous system predominated.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XX shows the number of deaths and the death rate per 1,000 population for each of the years 1951 to 1960.

TABLE XX

NUMBERS OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1951–1960

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1951	1,712	0·58	450	0·15	1·22	1·23
1952	1,207	0·41	372	0·13	1·45	1·27
1953	911	0·31	276	0·09	1·52	1·09
1954	797	0·27	208	0·07	1·59	0·93
1955	729	0·25	160	0·05	1·38	1·12
1956	562	0·19	127	0·04	1·81	1·31
1957	583	0·20	113	0·04	1·92	1·35
1958	502	0·18	79	0·03	1·80	1·93
1959	451	0·16	66	0·02	1·70	1·54
1960	416	0·15	52	0·02	1·81	1·00

In 1960 there were 468 deaths from tuberculosis of which 416 were caused by the respiratory form and 52 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period; the number of deaths in 1960 was the lowest recorded, showing a fall of 78 per cent since 1951. The trend in the death rate from tuberculosis (all forms) since 1938 is shown in Diagram 3.

In Table XXI tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XXI

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION IN THE PERIODS 1935–37, 1945–47, 1955–57, AND IN EACH YEAR 1958 TO 1960

Period	Under 15	15–19	20–24	25–34	35–44	45–54	55 and over	All ages
1935–37	0·53	1·36	2·25	2·18	1·63	1·32	0·71	1·22
1945–47	0·52	1·40	2·17	1·99	1·58	1·38	0·87	1·22
1955–57	0·07	0·06	0·16	0·29	0·34	0·41	0·51	0·26
1958	0·03	0·03	0·05	0·20	0·24	0·30	0·50	0·20
1959	0·03	0·01	0·05	0·13	0·23	0·33	0·42	0·18
1960	0·02	0·01	0·05	0·13	0·23	0·28	0·39	0·17

Diagram 3

DEATH RATE (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1939 — 1960



Diagram 4

DEATH RATES FROM LUNG CANCER (No's.161–165) PER 100,000 POPULATION.
(Logarithmic scale)



There was little change, either in the overall death rate or in the rates for individual age groups, between the periods 1935–37 and 1945–47. By 1950–52, however, the death rates in the younger age groups were roughly halved, while in the most recent years the rates for these groups were only a fraction of their level in 1945–47. Thus, between 1945–47 and 1960 the death rate in the age group under 15 years fell from 0·52 to 0·02 per 1,000 corresponding population and at ages 15–19 and 20–24 similar declines occurred. In the age group 55 years and over the reduction in the death rate was less marked, the 1960 rate being 0·39 per 1,000 corresponding population compared with 0·87 in the period 1945–47.

The death rates from tuberculosis in the years 1951 to 1960 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XXII.

TABLE XXII

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	0·73	0·45	0·32	0·43
1952	0·54	0·30	0·24	0·32
1953	0·40	0·23	0·20	0·26
1954	0·34	0·18	0·18	0·22
1955	0·30	0·15	0·15	0·19
1956	0·24	0·12	0·12	0·16
1957	0·24	0·13	0·11	0·14
1958	0·20	0·11	0·10	0·13
1959	0·18	0·10	0·08	0·11
1960	0·17	0·08	0·07	0·10

* Exclusive of the Six Counties

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. A feature of this table, however, is the extent to which Ireland, in which mortality from tuberculosis has for many years been heavier than in the other areas, has shared in the general improvement.

The mortality from tuberculosis in the counties and county boroughs in 1960 is compared in TABLE 12 of this Report. The highest death rates per 1,000 population from tuberculosis (all forms) were in Waterford County Borough (0·35), County Clare (0·30), Limerick County Borough (0·28) and Cork County Borough (0·26), while the lowest rates were in the counties Leitrim (0·03), Sligo (0·06), Dublin (0·08), Meath (0·08) and Monaghan (0·08).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while in the years 1950 to 1956, deaths were classified according to the Sixth Revision. The 1957 and subsequent Reports are based on the Seventh Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, but that for comparability with years prior to 1950 Nos. 140 to 205, excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia and aleukaemia) should also be shown.

In 1960 there were 4,761 deaths from cancer (Nos. 140 to 205). Of this number, 51 deaths were caused by Hodgkin's disease and 155 by leukaemia and aleukaemia.

Table XXIII shows the death rate from cancer in certain age groups in the years 1951 to 1960.

TABLE XXIII

DEATHS FROM CANCER (NOS. 140–205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1951 TO 1960

Year	Age group (years)							
	Under 25	25–34	35–44	45–54	55–64	65–74	75 and over	Total
	Males							
1951	8	22	53	179	415	829	1,058	161
1952	9	21	48	159	368	846	1,162	160
1953	8	20	54	169	406	808	1,188	164
1954	8	20	48	164	394	866	1,149	165
1955	8	22	42	164	428	910	1,310	176
1956	8	21	50	176	419	773	1,253	170
1957	8	15	47	178	440	835	1,283	177
1958	8	11	54	159	394	857	1,300	173
1959	7	23	56	154	431	875	1,396	182
1960	8	20	47	171	435	842	1,290	178
	Females							
1951	5	17	63	182	381	604	750	137
1952	5	18	75	183	340	568	755	135
1953	7	24	76	203	337	591	716	140
1954	6	19	61	196	367	644	810	147
1955	5	21	66	181	348	658	768	145
1956	6	19	68	188	349	609	846	145
1957	7	18	73	207	378	619	960	157
1958	5	16	73	190	363	629	977	155
1959	6	24	66	182	345	614	972	153
1960	7	13	60	189	375	664	908	158

In most of the age groups the death rate from cancer among males is appreciably higher than among females ; in 1960 the male death rate for all ages was nearly 13 per cent above that for females. Between the ages of 35 and 54 years the cancer death rates for males are below those for females but at other ages, particularly above 65 years, the excess of male deaths is very marked. The trend in the death rate from cancer since 1938 is shown in Diagram 3 ; for the reason given earlier, the figures plotted in this diagram exclude deaths from Hodgkin's disease and leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1951 to 1960 are compared in Table XXIV.

TABLE XXIV

DEATHS FROM CANCER (NOS. 140–205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951 TO 1960

Year	Ireland *	Six Counties	England and Wales	Scotland
1951	1·49	1·53	1·96	1·92
1952	1·48	1·53	1·99	1·98
1953	1·52	1·58	1·99	1·98
1954	1·56	1·54	2·03	2·05
1955	1·61	1·60	2·03	2·06
1956	1·58	1·63	2·08	2·09
1957	1·67	1·70	2·09	2·09
1958	1·64	1·67	2·12	2·10
1959	1·68	1·67	2·14	2·12
1960	1·68	1·62	2·16	2·12

* Exclusive of the Six Counties

The general upward trend in the cancer death rate in each area will be noted although in the Six Counties there has been a slight decline since 1957. With the exception of the years 1954, 1955, 1959 and 1960, the cancer death rate in this country was slightly below that in the Six Counties. The cancer death rates in England and Wales and in Scotland were considerably higher than the rates in Ireland.

The death rates from cancer in 1960 in counties and county boroughs are compared in Table XXV. Standardised rates, which eliminate the effect of different age distributions in the different areas, are also shown.

TABLE XXV

DEATH RATES FROM CANCER (NOS. 140–205) IN EACH COUNTY AND COUNTY BOROUGH (CRUDE AND STANDARDISED) IN 1960

Area	Rate per 1,000 population		Area	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1·80	1·83	Clare	1·61	1·37
Dublin County Borough	1·86	2·31	Cork County Borough	2·04	2·23
Dun Laoghaire Borough	1·69	1·77	Cork County	1·79	1·63
Dublin County (remainder)	1·09	1·60	Kerry	1·63	1·46
Kildare	1·60	1·98	Limerick County Borough	1·44	1·80
Kilkenny	1·48	1·40	Limerick County	1·62	1·54
Laois	1·51	1·41	Tipperary, N.R.	1·48	1·40
Longford	2·22	2·00	Tipperary, S.R.	1·88	1·83
Louth	1·62	1·75	Waterford County Borough	2·26	2·55
Meath	1·59	1·62	Waterford County	1·64	1·47
Offaly	1·61	1·63			
Westmeath	1·74	1·68	Munster	1·73	1·63
Wexford	1·60	1·53			
Wicklow	1·74	1·84	Galway	1·63	1·56
			Leitrim	1·36	1·10
Leinster	1·68	1·90	Mayo	1·52	1·30
			Roscommon	1·65	1·33
Cavan	1·80	1·56	Sligo	1·73	1·48
Donegal	1·64	1·46			
Monaghan	1·57	1·49	Connacht	1·59	1·39
Ulster (part of)	1·67	1·50	TOTAL	1·68	1·68

The crude death rate from cancer in 1960 varied from 2·26 per 1,000 population in Waterford County Borough to 1·09 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2·55 per 1,000 population in Waterford County Borough to 1·10 in Leitrim. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. 12–21 per cent) in the counties of Mayo, Leitrim, Kerry, Roscommon and Donegal, and low (i.e., less than 2 per cent) in the County Boroughs, the Borough of Dun Laoghaire and in the counties of Dublin, Kildare, Louth, Wexford and Wicklow. Thus the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1960, classified by site of the disease, and age group are contained in TABLE 19. The number of deaths and death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXVI and it will be observed that there is

TABLE XXVI

MORTALITY IN 1960 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE

1955 International List Nos.	Site	Males								Females							
		0–24	25–34	35–44	45–54	55–64	65–74	75 and over	All Ages	0–24	25–34	35–44	45–54	55–64	65–74	75 and over	All Ages
	Malignant neoplasms of:	Number of deaths															
140–148	Buccal cavity and pharynx	1	·	1	11	20	37	53	123	·	·	2	2	9	6	9	28
150–159	Digestive organs and peritoneum ...	1	8	25	131	241	378	361	1,145	3	4	27	90	214	345	366	1,049
160–165	Respiratory system ...	3	4	17	78	213	156	58	529	1	·	2	28	43	43	17	134
170–181	Breast and genito-urinary organs ...	4	·	1	19	47	110	117	298	4	9	57	141	170	157	112	650
190·199	Other and unspecified sites	16	5	19	25	48	79	100	292	15	6	12	31	56	61	68	249
200–205	Lymphatic and haemato-poietic tissues ...	31	12	14	30	35	27	10	159	22	1	5	20	15	26	16	105
	Total ...	**56**	**29**	**77**	**294**	**604**	**787**	**699**	**2,546**	**45**	**20**	**105**	**312**	**507**	**638**	**588**	**2,215**
	Malignant neoplasms of:	Rates per 100,000 corresponding population															
140–148	Buccal cavity and pharynx	0·2	·	0·6	6·4	14·4	39·6	97·8	8·6	·	·	1·1	1·2	6·6	6·2	13·9	2·0
150–159	Digestive organs and peritoneum ...	0·2	5·4	15·2	76·3	173·5	404·2	666·3	80·3	0·5	2·6	15·4	54·6	158·1	359·1	565·1	74·6
160–165	Respiratory system ...	0·5	2·7	10·3	45·5	153·4	166·8	107·0	37·0	0·2	·	1·1	17·0	31·8	44·8	26·3	9·5
170–181	Breast and genito-urinary organs ...	0·6	·	0·6	11·1	33·8	117·6	215·9	20·9	0·7	5·8	32·7	85·7	125·6	163·4	173·0	46·2
190–199	Other and unspecified sites	2·4	3·4	11·5	14·6	34·6	84·5	184·6	20·4	2·4	3·9	6·9	18·8	41·4	63·5	105·0	17·7
200–205	Lymphatic and haemato-poietic tissues ...	4·6	8·1	8·5	17·5	25·2	28·9	18·5	11·1	3·5	0·6	2·9	12·1	11·1	27·1	24·7	7·5
	Total ...	**8·5**	**19·6**	**46·7**	**171·4**	**434·9**	**841·6**	**1,290·1**	**178·5**	**7·3**	**12·9**	**60·1**	**189·4**	**374·6**	**664·1**	**908·0**	**157·8**

in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented almost half the total cancer deaths for each sex, the death rate being about 8 per cent higher for males than for females. The death rate from malignant neoplasms of the respiratory system was nearly four times as great for males as for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female death rate was more than double that of males, being high even in the younger age groups.

Cancer of the lung

The number of deaths from cancer of the bronchus, lung, trachea, larynx and mediastinum (commonly referred to simply as cancer of the lung) shows a very marked increase, year by year, up to 1960, although in 1958 a slight decrease occurred. In 1959 and 1960 deaths from cancer of the lung outnumbered deaths from tuberculosis of the respiratory system. Table XXVII shows the numbers of deaths from cancer of the lung at five yearly intervals from 1935 to 1950 and in each year 1955 to 1960, and the death rates per 100,000 population at each period in Ireland, the Six Counties, Scotland and England and Wales.

TABLE XXVII

DEATHS AND DEATH RATES IN CERTAIN YEARS IN IRELAND AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (NOS. 161–165)

Country	1935	1940	1945	1950	1955	1956	1957	1958	1959	1960
	Deaths									
Ireland*	120	158	209	298	524	542	606	564	601	648
Six Counties ...	73	124	122	204	304	364	342	340	377	335
Scotland	527	676	954	1,543	1,925	2,104	2,195	2,350	2,432	2,548
England and Wales	4,513	6,399	8,656	13,474	18,323	19,189	20,086	20,772	22,011	21,902
	Rates per 100,000 population									
Ireland*	4·0	5·3	7·0	10·0	17·9	18·7	21·0	19·8	21·1	22·9
Six Counties ...	5·7	9·6	9·2	14·9	21·8	26·1	24·5	24·2	26·8	23·6
Scotland	10·6	14·0	20·4	29·8	37·5	40·9	42·6	45·5	46·8	48·9
England and Wales	11·1	16·0	22·1	30·7	41·2	43·0	44·7	46·0	48·5	47·8

* Exclusive of the Six Counties

The death rate in this country was the lowest in each year shown, the rate in 1960 being less than half that in England and Wales and Scotland. Nevertheless, the percentage rate of increase has been about the same in each area over the whole period, and the mortality in Ireland at any particular time has been roughly the same as that in England and Wales fifteen years previously.

The trend in mortality in each area is illustrated in Diagram 4 in which a logarithmic scale is used to plot death rates. On account of the much larger population involved in the calculation of the rates for England and Wales than for the other areas the graph for England and Wales is the smoothest, being practically a straight line. Owing to random variations in numbers of deaths the graphs for the other areas are more irregular in shape, but each shows an underlying linear upward trend and the remarkable fact of this diagram is that the upward trend in each of the four areas is the same.

Table XXVIII shows the figures relating to Ireland in greater detail, the number and sex for each age group being given.

TABLE XXVIII

DEATHS AND DEATH RATES IN CERTAIN YEARS FROM CANCER OF THE BRONCHUS, LUNG, TRACHEA, LARYNX AND MEDIASTINUM (NOS. 161–165), CLASSIFIED BY SEX AND AGE GROUP

Year	Males						Females					
	Under 35 years	35–44 years	45–54 years	55–64 years	65 years and over	Total	Under 35 years	35–44 years	45–54 years	55–64 years	65 years and over	Total
	Deaths											
1935 ...	1	7	13	27	27	75	·	5	19	14	7	45
1940 ...	8	11	17	40	27	103	3	6	9	17	20	55
1945 ...	4	11	28	43	55	141	2	9	14	18	25	68
1950 ...	5	17	52	81	71	226	5	4	6	21	36	72
1955 ...	3	17	79	150	155	404	1	11	20	41	47	120
1956 ...	3	12	102	148	164	429	1	9	17	30	56	113
1957 ...	1	19	78	179	180	457	3	6	24	48	68	149
1958 ...	3	18	73	154	188	436	1	9	17	41	60	128
1959 ...	4	23	76	177	199	479	3	7	21	30	61	122
1960 ...	6	18	76	212	206	518	1	2	28	43	56	130
	Death rates per 100,000 population											
1935 ...	0·1	3·9	8·2	18·9	19·2	4·9	·	2·9	12·6	10·7	4·8	3·1
1940 ...	0·9	6·1	11·0	29·8	17·6	6·8	0·3	3·4	6·1	13·2	12·8	3·7
1945 ...	0·4	6·0	17·9	33·7	35·3	9·4	0·2	5·1	9·2	14·2	15·8	4·6
1950 ...	0·6	8·7	31·5	64·1	45·8	15·0	0·6	2·2	3·8	16·9	22·3	5·0
1955 ...	0·4	8·9	46·7	110·6	103·3	27·3	0·1	6·0	12·6	30·8	28·7	8·3
1956 ...	0·4	6·6	62·0	110·0	105·7	29·3	0·1	4·9	11·0	22·3	34·7	7·9
1957 ...	0·1	10·6	46·8	131·8	117·6	31·4	0·4	3·3	15·2	35·6	42·4	10·4
1958 ...	0·4	10·4	43·7	113·1	125·4	30·3	0·1	5·1	10·7	30·6	37·7	9·1
1959 ...	0·5	13·6	44·9	128·9	133·3	33·4	0·4	4·0	13·0	22·2	38·1	8·6
1960 ...	0·7	10·9	44·3	152·7	139·5	36·3	0·1	1·1	17·0	31·8	34·8	9·2

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1960, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1955 International List Nos.	Cause of death	Males								Females							
		0–24	25–34	35–44	45–54	55–64	65–74	75 and over	All ages	0–24	25–34	35–44	45–54	55–64	65–74	75 and over	All ages
		Numbers of deaths															
400–402	Rheumatic fever ...	1	2	1	1	·	·	·	5	1	1	·	1	1	·	·	4
410–416	Chronic rheumatic heart disease	3	11	19	26	27	27	31	144	4	10	24	40	35	32	41	186
421	Chronic endocarditis ...	2	2	4	11	32	54	61	166	1	1	5	12	22	46	90	177
420	Coronary and arterio-sclerotic heart disease	2	12	85	266	592	909	779	2,645	1	3	23	90	221	498	542	1,378
422	Other myocardial degeneration	·	·	7	31	116	480	1,633	2,267	·	3	7	29	104	410	1,700	2,253
430–434	Other diseases of heart	2	4	3	44	103	207	370	733	4	8	8	32	61	199	372	684
440–443	Hypertensive heart disease	·	·	4	5	35	98	130	272	·	1	1	14	36	90	225	367
444–447	Other hypertensive disease	4	1	6	18	23	40	66	158	2	2	6	14	31	49	88	192
450–468	Other diseases of circulatory system ...	·	1	4	8	34	98	332	477	2	1	8	5	19	70	295	400
400–468	**Total diseases of circulatory system ..**	**14**	**33**	**133**	**410**	**962**	**1,913**	**3,402**	**6,867**	**15**	**30**	**82**	**237**	**530**	**1,394**	**3,353**	**5,641**
		Rates per 100,000 corresponding population															
400–402	Rheumatic fever ...	0·2	1·4	0·6	0·6	·	·	·	0·4	0·2	0·6	·	0·6	0·7	·	·	0·3
410–416	Chronic rheumatic heart disease	0·5	7·4	11·6	15·2	19·4	28·9	57·2	10·1	0·6	6·6	13·7	24·3	25·9	33·3	63·3	13·2
421	Chronic endocarditis ...	0·3	1·4	2·4	6·4	23·0	57·7	112·6	11·6	0·2	0·6	2·9	7·3	16·3	47·9	139·0	12·6
420	Coronary and arterio-sclerotic heart disease	0·3	8·0	51·6	155·0	426·3	972·1	1,437·8	185·2	0·2	1·9	13·1	54·7	163·3	518·3	837·0	98·0
422	Other myoca dial degeneration	·	·	4·2	18·1	83·5	513·3	3,014·0	158·8	·	1·9	4·0	17·6	76·8	426·7	2,625·2	160·3
430–434	Other diseases of heart	0·3	2·7	1·8	25·6	74·2	221·4	682·9	51·3	0·6	5·3	4·6	19·4	45·1	207·1	574·5	48·6
440–443	Hypertensive heart disease	·	·	2·4	2·9	25·2	104·8	239·9	19·0	·	0·6	0·6	8·5	26·6	93·7	347·5	26·1
444–447	Other hypertensive disease	0·5	0·7	3·6	10·5	16·6	42·8	121·8	11·1	0·3	1·3	3·4	8·5	22·9	51·0	135·9	13·7
450–468	Other diseases of circulatory system ...	·	0·7	2·4	4·7	24·5	104·8	612·8	33·4	0·3	0·6	4·6	3·0	14·0	72·9	455·6	28·4
400–468	**Total diseases of circulatory system ...**	**2·1**	**22·3**	**80·6**	**239·0**	**692·7**	**2,045·8**	**6,279·0**	**481·6**	**2·4**	**19·4**	**46·9**	**143·9**	**391·6**	**1,450·9**	**5,178·0**	**401·8**

The first point that emerges from Table XXVIII is that deaths from lung cancer have always been much more common among males than among females. Over the period 1935 to 1960 the disparity has gradually increased so that, whereas in 1935 the number of male deaths was less than double that of females, in 1960 there were nearly four times as many male as female deaths from the disease. Between 1935 and 1960 eight-fold and three-fold increases occurred in the death rates among males and females respectively in the age group 55–64 years. Among males aged 65 years and over a seven-fold increase in the death rate occurred between 1935 and 1960 while among females in this age group a similar increase in the death rate occurred.

Diseases of the circulatory system

There were 12,508 deaths ascribed to diseases of the circulatory system (Nos. 400–468) registered in 1960, of which 6,867 were deaths of males and 5,641 deaths of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county or county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (2,645 males compared with 1,378 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced. In interpreting Table XXIX it should be borne in mind that a number of deaths (mainly of elderly persons), stated to be due to heart diseases, are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXX.

TABLE XXX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1960 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

Cause of Death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Rheumatic fever	5	.	.	4	.	.
Chronic rheumatic heart disease	144	2	1·4	186	2	1·1
Chronic endocarditis	166	2	1·2	177	2	1·1
Coronary and arteriosclerotic heart disease ...	2,645	62	2·3	1,378	35	2·5
Other myocardial degeneration	2,267	86	3·8	2,253	97	4·3
Other diseases of heart	733	41	5·6	684	28	4·1
Hypertension with heart disease	272	2	0·7	367	4	1·1
Hypertension without mention of heart ...	158	5	3·2	192	6	3·1
Other diseases of circulatory system ...	477	7	1·5	400	5	1·3

It appears that only in the case of " Other diseases of heart " are errors due to the incorrect assignment of uncertified deaths to the above groups likely to be significant. A more serious source of error is the large number of uncertified deaths ascribed simply to " senility ". Thus, out of a total of 2,104 deaths (945 male, 1,159 female) stated to be due to senility, 1,035 (461 male, 574 female) were not medically certified. Of these uncertified deaths it is fair to suppose that a substantial proportion were caused by heart diseases.

Respiratory diseases

Deaths from respiratory diseases (Nos. 470–527 on the International List) in 1960 numbered 2,597 These included 190 deaths caused by influenza, 1,029 by pneumonia, 1,041 by bronchitis and 337 due to other respiratory diseases.

Pregnancy, childbirth and puerperium

The number of deaths in this group in 1960 was 35 compared with 39 in 1959. The death rate was 0.58 per thousand births. Table XXXI shows the deaths in 1960 classified by age of mother and cause.

TABLE XXXI

DEATHS IN 1960 FROM PUERPERAL CONDITIONS CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of Death	All ages	Age group						
		15–19	20–24	25–29	30–34	35–39	40–44	45 years and upwards
Toxaemia of pregnancy	8	·	1	·	3	2	2	·
Placenta praevia and other haemorrhage of pregnancy	·	·	·	·	·	·	·	·
Other complications of pregnancy ...	1	·	·	·	1	·	·	·
Abortion with sepsis	·	·	·	·	·	·	·	·
Other abortion	·	·	·	·	·	·	·	·
Haemorrhage of childbirth	8	·	1	·	3	1	3	·
Delivery complicated by retained placenta	·	·	·	·	·	·	·	·
Other complications at childbirth ...	6	·	·	1	3	1	1	·
Puerperal pulmonary embolism ...	9	·	·	2	4	1	2	·
Sepsis of childbirth and the puerperium	2	·	·	·	2	·	·	·
Other puerperal complications ...	1	·	·	·	·	1	·	·
Total	**35**	·	**2**	**3**	**16**	**6**	**8**	·

Table XXXII shows the maternal mortality rates in Ireland and neighbouring countries for the years 1951 to 1960.

TABLE XXXII

MATERNAL DEATHS PER 100,000 BIRTHS IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960

Year	Number of deaths Ireland*	Deaths per 100,000 live births			
		Ireland*	Six Counties	England and Wales	Scotland
1951	103	164	109	84	109
1952	92	142	108	74	102
1953	83	133	59	77	95
1954	69	110	73	71	76
1955	70	114	83	66	46
1956	52	86	58	57	54
1957	81	132	110	48	47
1958	61	103	53	44	54
1959	39	65	58	39	36
1960	35	58	44	39	30

*Exclusive of the Six Counties.

The maternal mortality rates for Ireland, the Six Counties and Scotland in 1960 were the lowest ever recorded, but in the case of England and Wales the rate remained the same as that in 1959. Although the Irish rate for 1960 has declined to one-third of that for 1951 it has been higher than those in the Six Counties, England and Wales and Scotland over the period 1951–1960.

Infant Mortality

During the year 1960 the deaths of 1,777 infants under one year of age were registered, compared with 1,927 in the previous year and 2,109 in 1958. The 1960 rate was 29·3 per 1,000 live births registered, compared with 32·0 in 1959 and 35·4 in 1958.

Table XXXIII shows the mortality rates at different ages under one year for the years 1938 and 1946 to 1960.

TABLE XXXIII

INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1960

Year	Deaths per 1,000 births at ages											
	Under 24 hrs.	1–6 days	7–13 days	14–20 days	21 days and under 4 weeks	Total* under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1938	8·2	8·5	4·5	3·5	3·6	28·3	8·3	6·9	12·4	10·7	38·3	66·6
1946	7·0	8·7	5·1	4·5	4·0	29·3	8·4	6·9	11·5	8·5	35·3	64·6
1947	7·0	8·8	4·7	4·1	4·2	28·8	9·1	7·0	13·0	10·0	39·1	67·9
1948	6·4	8·2	3·3	2·2	3·1	23·2	6·0	5·0	8·7	7·3	27·0	50·2
1949	6·9	8·3	3·2	3·0	3·2	24·6	6·0	4·9	9·8	7·9	28·6	53·2
1950	6·5	9·1	3·0	2·5	2·0	23·1	5·1	3·8	8·1	5·9	22·9	46·0
1951	7·3	10·1	3·6	2·1	1·8	24·9	5·2	3·6	6·5	5·5	20·8	45·7
1952	6·9	9·6	3·1	1·8	1·6	23·0	5·0	2·9	5·8	4·7	18·4	41·4
1953	7·4	8·8	2·4	1·5	2·0	22·1	4·1	2·9	5·8	4·5	17·3	39·4
1954	8·0	8·9	2·5	1·7	1·5	22·6	3·6	2·7	4·8	4·1	15·2	37·8
1955	7·6	9·0	2·8	2·0	1·5	22·9	3·5	2·1	4·4	3·8	13·8	36·7
1956	7·4	8·2	3·0	2·5	1·6	22·7	3·5	2·4	3·9	3·1	12·9	35·6
1957	7·8	8·2	2·8	1·8	1·4	22·0	2·7	2·0	3·7	2·7	11·1	33·1
1958	8·4	9·0	2·3	2·4	1·5	23·6	3·5	2·1	3·4	2·8	11·8	35·4
1959	8·4	8·0	2·2	1·5	1·1	21·2	2·8	1·9	3·6	2·5	10·8	32·0
1960	8·7	7·4	1·9	1·3	1·1	20·4	2·2	1·7	2·7	2·2	8·9	29·3

*Under one month prior to 1950.

Infant mortality showed little change from 1938 to 1947 but since then a considerable reduction has occurred. The rate for 1960, at 29·3 per 1,000 births, was the lowest ever recorded and represented less than half that for 1947.

The greatest improvement has been in respect of mortality of infants over four weeks: deaths between the ages of four weeks and one year declined from 39·1 per 1,000 births in 1947 to 8·9 per 1,000 births in 1960. The reduction in neo-natal mortality (i.e., at ages under four weeks) has been less marked: whereas deaths under four weeks amounted to 28·8 per 1,000 births in 1947, the corresponding figure in 1960 was 20·4 No significant change has occurred since 1947 (or 1938) in mortality at ages under 24 hours or between one day and one week. Deaths occurring within 24 hours of birth represented 7·0 per 1,000 births in 1947, compared with 8·7 in 1960. Deaths occurring between one day and one week after birth represented 8·8 per 1,000 births in 1947 compared with 7·4 in 1960. The trends in the infant and neo-natal mortality rates are illustrated in Diagram 5.

Diagram 5.



In Table XXXIV the infant mortality rates in Ireland and neighbouring countries are compared for the years 1951 to 1960.

TABLE XXXIV

INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES, 1951–1960

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31
1955	37	32	25	30
1956	36	29	24	29
1957	33	29	23	29
1958	35	28	23	28
1959	32	28	22	28
1960	29	27	22	26

*Exclusive of the Six Counties

In each of the years shown the infant mortality rate in this country was the highest in the table, while that in England and Wales was the lowest. However over the period 1951–1960, the percentage decrease in infant mortality has been greater in Ireland than in any of the other areas.

Table XXXV compares the neo-natal and infant mortality rates in the year 1960 for counties and county boroughs.

Table XXXV

Neo-natal and infant mortality rates for counties and county boroughs in 1960

Area	Deaths of infants per 1,000 births			Area	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow	22	14	35	Clare	26	11	37
Dublin County Borough ...	21	9	30	Cork County Borough ...	24	8	32
Dun Laoghaire Borough ...	19	9	28	Cork County	16	7	24
Dublin County (remainder)	18	8	26	Kerry	19	11	30
Kildare	25	8	33	Limerick County Borough	10	11	22
Kilkenny	24	8	32	Limerick County ...	26	16	42
Laois	33	9	42	Tipperary, N.R.	19	13	32
Longford	26	6	32	Tipperary, S.R.	15	9	24
Louth	22	4	26	Waterford County Borough	18	4	22
Meath	15	9	24	Waterford County ...	11	5	16
Offaly	30	6	36				
Westmeath	30	12	41	Munster	19	9	28
Wexford	18	3	21				
Wicklow	16	13	29	Galway	21	10	30
				Leitrim	31	5	36
Leinster	22	8	30	Mayo	15	11	26
				Roscommon	20	10	30
Cavan	21	9	30	Sligo	21	8	29
Donegal	20	10	30				
Monaghan	20	9	29	Connacht	20	10	29
Ulster (part of)	20	10	30	**Total**	**20**	**9**	**29**

Note—In some cases the figures in the first two columns do not tot to that in the third column on account of rounding.

In 1960 the infant mortality rates were highest in the Counties Laois, Limerick, Westmeath and Clare, and lowest in counties Waterford and Wexford and the County Boroughs of Limerick and Waterford. The neo-natal rate ranged from 10 per 1,000 births in Limerick County Borough to 33 per 1,000 births in County Laois.

The causes of deaths of infants under one year, classified according to the Detailed International List are shown in Table 19. In Table 26 infant deaths are again classified by cause, and a more detailed age classification shown. These results are summarised in Table XXXVI.

Table XXXVI

Deaths of infants under one year registered in 1960, classified by cause and age

International List Nos.	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
001–019	Tuberculosis, all forms	·	·	·	3	3
340	Meningitis, except meningococcal and tuberculous	·	1	2	12	15
056, 470–475 480–483 490–493 500–502 510–527, 763	Whooping cough, influenza, pneumonia, bronchitis, and other respiratory diseases	2	30	61	207	300
530–587, 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn) ...	4	2	19	61	86
750–759	Congenital malformations	83	88	85	138	394
760, 761	Birth injuries	76	68	10	·	154
762	Asphyxia and atelectasis	110	69	7	5	191
770	Haemolytic disease (erythroblastosis)	28	24	8	·	60
771	Haemorrhagic disease	4	6	3	·	13
774, 776	Immaturity	149	96	24	11	280
773·0	Ill-defined diseases of early infancy:— Without mention of immaturity	24	16	6	5	51
773·5	With mention of immaturity	25	23	9	2	59
780·2	Convulsions	1	4	6	8	19
	Other causes	23	21	19	89	152
	Total	**529**	**448**	**259**	**541**	**1,777**

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. At ages under one week 25 per cent of all deaths were ascribed to immaturity, while, as may be seen from TABLE 26, many deaths ascribed to other underlying causes were with mention of immaturity. Postnatal asphyxia and atelectasis accounted for 18 per cent of deaths under one week, birth injuries for 15 per cent, and congenital malformations for 18 per cent. Nine per cent of the deaths under one week were assigned to the heading " Ill-defined diseases peculiar to early infancy " (No. 773 of the Detailed International List); deaths described by such terms as "asthenia", "athrepsia", "cachexia", "debility", "inanition", "marasmus", "cyanosis neonatorum", "hepatitis of newborn", or "sclerema neonatorum", and not otherwise specified must be allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic disease were at ages under one week. At ages over 4 weeks, congenital malformations were still an important cause of death, but only a small proportion of deaths were ascribed to immaturity or asphyxia. The majority of infant deaths from respiratory diseases and gastro-enteritis, occurred at ages over 4 weeks. Details of the 152 deaths ascribed to "other causes" may be obtained from TABLE 19. This figure includes 41 deaths from external causes (accidents etc.), 21 from neo-natal disorders arising from certain diseases of the mother during pregnancy, 12 from sepsis of the new-born, 12 from mental deficiency, 11 from diseases of the genito-urinary system and 3 from diseases of the thymus gland.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E800–999) registered in 1960 was 1,011, of which 660 were those of males and 351 those of females. The corresponding figures for 1959 were 941, 636 and 305 respectively. The excess of male mortality from these causes was very marked at all ages between 5 and 75 years. In the age groups between 10 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from TABLE 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXXVII shows the number of deaths from accidents, poisoning and violence in 1960 and certain previous years.

TABLE XXXVII

DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1938, 1946 AND 1951 TO 1960

Cause of death	1938	1946	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
Railway accidents ...	5	14	10	6	8	2	6	13	6	4	11	6
Road vehicle accidents ...	190	134	235	239	251	260	273	310	229	273	285	287
Accidental poisoning ...	10	20	29	22	20	13	19	19	18	15	10	27
Accidents caused by fire, explosion and burns ...	156	105	85	77	71	96	95	78	72	77	59	72
Accidental drowning ...	98	119	121	104	134	125	146	112	107	127	109	143
Accident falls ...	401	409	264	198	195	237	270	256	257	240	249	259
Other accidents and external causes ...			175	150	166	178	174	152	135	127	146	133
Suicide	97	79	77	66	62	59	68	76	73	77	72	84
Total ...	**957**	**880**	**996**	**862**	**907**	**970**	**1,051**	**1,016**	**897**	**940**	**941**	**1,011**

Particulars of deaths registered in 1960 due to accidents in the home are given in Table XXXVIII.

Table XXXVIII

Deaths due to accidents in the home registered in 1960, classified by cause and age group

International List Nos.	Cause of death		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
E870— E888	Poisoning by solid and liquid substances	M	1	·	·	·	·	·	·	1	·	·	·
		F	1	·	·	·	·	·	1	·	·	·	·
E890— E895	Poisoning by gases and vapours	M	8	·	3	·	1	·	·	·	1	1	2
		F	11	1	·	1	1	1	1	·	1	2	3
E900— E904	Accidental falls	M	20	·	2	1	·	2	·	2	2	8	3
		F	17	·	3	1	·	·	·	·	2	3	8
E910	Blow from falling object	M	2	·	·	·	·	·	·	1	·	1	·
		F	·	·	·	·	·	·	·	·	·	·	·
E914	Accident caused by electric current	M	·	·	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	1	·	·	·
E916	Accident caused by fire and explosion of combustible material	M	7	·	3	2	·	·	1	·	·	·	1
		F	8	·	2	1	1	1	·	·	·	1	2
E917	Accident caused by hot substance, corrosive liquid and steam	M	9	·	4	·	·	·	·	·	1	·	4
		F	13	·	4	2	·	·	·	·	·	3	4
E919	Accident caused by firearm	M	2	·	·	·	·	1	·	·	·	1	·
		F	·	·	·	·	·	·	·	·	·	·	·
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	8	5	2	1	·	·	·	·	·	·	·
		F	5	5	·	·	·	·	·	·	·	·	·
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	1	1	·	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
E924	Suffocation in bed and cradle	M	10	10	·	·	·	·	·	·	·	·	·
		F	4	4	·	·	·	·	·	·	·	·	·
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	3	1	·	·	·	·	·	·	·	2	·
		F	·	·	·	·	·	·	·	·	·	·	·
E926	Lack of care of infants under 1 year of age	M	·	·	·	·	·	·	·	·	·	·	·
		F	2	2	·	·	·	·	·	·	·	·	·
E929	Drowning and submersion	M	1	·	·	·	·	·	1	·	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
E936	Other and unspecified accidents	M	3	·	1	2	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
	Total deaths from accidents in the home	**M**	**75**	**17**	**15**	**6**	**1**	**3**	**2**	**4**	**4**	**13**	**10**
		F	**65**	**12**	**12**	**5**	**2**	**2**	**2**	**1**	**3**	**9**	**17**

There were 140 deaths due to accidents in the home registered in 1960. It will be seen that accidental falls resulted in 37 deaths of which the majority were deaths of elderly persons. Accidents caused by fire, hot liquids, etc., resulted in 37 deaths of which 13 were of children under 5 years and 11 were of persons aged 75 years and over.

Uncertified deaths

The number of cases in 1960 in which the cause of death was not certified by a medical practitioner was 1,815, which represents 5·6 per cent of the total deaths registered. In Table 23 uncertified deaths registered in 1960 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north-west regions of the country, being highest, in the year 1960, in the counties of Leitrim (20·7 per cent), Mayo (17·2 per cent), Roscommon (14·6 per cent), and Donegal (12·7 per cent).

Table XXXIX compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

Table XXXIX

Uncertified deaths as a percentage of the total registered in each province in the years 1938, and 1951 to 1960

Province	1938	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960
Leinster	7·3	4·6	4·6	3·6	3·4	3·5	2·6	2·6	2·0	1·8	1·6
Munster	14·7	12·1	9·4	9·3	8·4	7·8	7·4	7·2	6·5	6·0	5·5
Connacht	32·7	26·9	24·4	22·8	21·1	20·3	18·0	16·9	16·3	15·8	14·8
Ulster (part of) ...	26·2	18·6	16·2	15·7	16·0	14·7	13·6	10·8	11·0	10·3	8·1
Total	**16·0**	**12·2**	**10·6**	**9·8**	**9·2**	**8·8**	**7·7**	**7·1**	**6·6**	**6·1**	**5·6**

Table XL shows the percentage of deaths uncertified in 1960 by age group, in each province.

TABLE XL

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1960

Province	All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 and over
Leinster	1·6	0·5	·	·	0·8	1·1	0·3	0·4	0·7	1·2	2·8
Munster	5·5	0·6	2·4	2·8	1·2	1·6	1·8	0·9	1·2	2·5	9·8
Connacht	14·8	3·1	4·3	5·4	·	·	0·9	0·4	3·9	7·3	23·6
Ulster (part of) ...	8·1	1·7	4·2	13·3	·	2·8	1·4	2·8	2·2	3·3	13·2
Total ...	**5·6**	**1·0**	**1·6**	**2·5**	**0·8**	**1·3**	**1·0**	**0·7**	**1·4**	**2·7**	**10·1**
Actual number of deaths uncertified ...	1,815	17	5	6	2	5	8	15	58	206	1,493

The proportion of deaths uncertified was highest in the age groups 65–74 years and 75 years and over, while only a very small proportion of young adult deaths was uncertified. In most age groups the provinces of Connacht and Ulster (part of) compare very unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1960 was 1,590 compared with 1,601 in 1959 and 1,567 in 1958.

PART II—TABLES

In the following tables births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR,* 1851 TO 1960

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1888	3,554	1,766	1,788	1925	2,985	1,512	1,473
1852	4,927	2,413	2,514	1889	3,516	1,748	1,768	1926	2,971	1,507	1,464
1853	4,807	2,358	2,449	1890	3,482	1,733	1,749	1927	2,957	1,502	1,455
1854	4,704	2,311	2,393	1891	3,449	1,718	1,731	1928	2,944	1,498	1,446
1855	4,638	2,281	2,357	1892	3,408	1,697	1,711	1929	2,937	1,496	1,441
1856	4,594	2,261	2,333	1893	3,382	1,684	1,698	1930	2,927	1,493	1,434
1857	4,540	2,234	2,306	1894	3,362	1,675	1,687	1931	2,933	1,497	1,436
1858	4,506	2,217	2,289	1895	3,333	1,662	1,671	1932	2,949	1,505	1,444
1859	4,471	2,199	2,272	1896	3,314	1,653	1,661	1933	2,962	1,512	1,450
1860	4,428	2,179	2,249	1897	3,298	1,646	1,652	1934	2,971	1,518	1,453
1861	4,393	2,164	2,229	1898	3,283	1,640	1,643	1935	2,971	1,520	1,451
1862	4,377	2,158	2,219	1899	3,265	1,631	1,634	1936	2,967	1,520	1,447
1863	4,328	2,134	2,194	1900	3,234	1,616	1,618	1937	2,948	1,510	1,438
1864	4,263	2,103	2,160	1901	3,213	1,607	1,606	1938	2,937	1,505	1,432
1865	4,223	2,084	2,139	1902	3,200	1,603	1,597	1939	2,934	1,503	1,431
1866	4,163	2,051	2,112	1903	3,185	1,599	1,586	1940	2,958	1,515	1,443
1867	4,130	2,033	2,097	1904	3,175	1,597	1,578	1941	2,993	1,533	1,460
1868	4,109	2,022	2,087	1905	3,165	1,594	1,571	1942	2,963	1,499	1,464
1869	4,090	2,012	2,078	1906	3,160	1,593	1,567	1943	2,946	1,490	1,456
1870	4,062	1,996	2,066	1907	3,151	1,589	1,562	1944	2,944	1,487	1,457
1871	4,042	1,986	2,056	1908	3,145	1,588	1,557	1945	2,952	1,490	1,462
1872	4,023	1,975	2,048	1909	3,142	1,589	1,553	1946	2,957	1,496	1,461
1873	3,989	1,955	2,034	1910	3,139	1,588	1,551	1947	2,974	1,505	1,469
1874	3,966	1,944	2,022	1911	3,132	1,586	1,546	1948	2,985	1,512	1,473
1875	3,951	1,940	2,011	1912	3,120	1,581	1,539	1949	2,981	1,513	1,468
1876	3,949	1,942	2,007	1913	3,103	1,572	1,531	1950	2,969	1,510	1,459
1877	3,956	1,947	2,009	1914	3,092	1,568	1,524	1951	2,961	1,507	1,454
1878	3,952	1,948	2,004	1915	3,068	1,546	1,522	1952	2,953	1,501	1,452
1879	3,939	1,944	1,995	1916	3,068	1,549	1,519	1953	2,949	1,498	1,451
1880	3,891	1,920	1,971	1917	3,065	1,551	1,514	1954	2,941	1,493	1,448
1881	3,847	1,901	1,946	1918	3,066	1,553	1,513	1955	2,921	1,479	1,442
1882	3,808	1,882	1,926	1919	3,102	1,598	1,504	1956	2,898	1,463	1,435
1883	3,745	1,853	1,892	1920	3,103	1,598	1,505	1957	2,885	1,456	1,429
1884	3,703	1,834	1,869	1921	3,096	1,599	1,497	1958	2,853	1,439	1,414
1885	3,671	1,820	1,851	1922	3,022	1,529	1,493	1959	2,846	1,435	1,411
1886	3,642	1,808	1,834	1923	3,014	1,526	1,488	1960	2,832	1,427	1,405
1887	3,600	1,788	1,812	1924	3,005	1,521	1,484				

* For 1951 and subsequent years the figures relate to the month of April.

TABLE 2.—ESTIMATED CLASSIFICATION OF THE POPULATION ENUMERATED AT THE 1956 CENSUS ACCORDING TO AGE AND CONJUGAL CONDITION.

Age groups	Males				Females			
	Single	Married	Widowed	Total	Single	Married	Widowed	Total
0–4	151,302	·	·	151,302	146,777	·	·	146,777
5–9	151,608	·	·	151,608	144,481	·	·	144,481
10–14	140,282	·	·	140,282	136,310	·	·	136,310
15–19	120,666	119	11	120,796	110,356	957	22	111,335
20–24	86,320	5,240	32	91,592	71,138	16,291	39	87,468
25–29	62,026	21,872	55	83,953	45,708	39,710	356	85,774
30–34	48,140	37,873	253	86,266	29,607	58,478	813	88,898
35–39	39,143	49,408	555	89,106	25,412	65,725	1,679	92,816
40–44	33,200	59,615	1,158	93,973	21,412	65,638	3,601	90,651
45–49	27,874	58,944	1,853	88,671	20,554	57,353	5,766	83,673
50–54	22,825	50,408	2,566	75,799	17,443	45,635	8,307	71,385
55–59	21,837	50,652	4,249	76,738	19,219	41,756	14,109	75,084
60–64	15,582	36,490	5,678	57,750	14,228	29,286	15,632	59,146
65–69	16,390	31,722	7,125	55,237	13,390	20,913	19,362	53,665
70–74	12,748	23,646	8,784	45,178	11,929	14,175	21,734	47,838
75–79	9,062	14,426	8,823	32,311	8,324	7,061	18,256	33,641
80–84	3,490	5,860	5,842	15,192	4,191	2,641	10,520	17,352
85 and over	1,234	2,164	3,776	7,174	1,734	784	6,524	9,042
Total	**963,729**	**448,439**	**50,760**	**1,462,928**	**842,213**	**466,403**	**126,720**	**1,435,336**

Note.—Only the total numbers of males and females are exact, being derived at the Census. The other figures in this table are estimates based on data from various sources, and although shown to the nearest unit should not be regarded as accurate to this degree.

TABLE 3.—POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE CENSUS OF POPULATION, 1956

Area	Persons	Males	Females
Carlow	33,888	17,666	16,222
Dublin County Borough	539,476	250,817	288,659
Dun Laoghaire Borough	47,553	20,772	26,781
Dublin County (remainder)	118,752	58,038	60,714
Kildare	65,915	35,069	30,846
Kilkenny	64,089	33,927	30,162
Laois	47,087	25,233	21,854
Longford	32,969	17,477	15,492
Louth	69,194	34,788	34,406
Meath	66,762	34,830	31,932
Offaly	51,970	27,591	24,379
Westmeath	54,122	28,102	26,020
Wexford	87,259	44,210	43,049
Wicklow	59,906	29,933	29,973
Clare	77,176	40,868	36,308
Cork County Borough	80,011	37,544	42,467
Cork County	256,652	130,408	126,244
Kerry	122,072	63,965	58,107
Limerick County Borough	50,886	24,047	26,839
Limerick County	86,995	45,575	41,420
Tipperary, N.R.	55,697	29,228	26,469
Tipperary, S.R.	73,718	38,170	35,548
Waterford County Borough	28,878	13,460	15,418
Waterford County	45,153	23,517	21,636
Galway	155,553	82,223	73,330
Leitrim	37,056	19,986	17,070
Mayo	133,052	68,879	64,173
Roscommon	63,710	34,078	29,632
Sligo	56,850	29,392	27,458
Cavan	61,740	33,177	28,563
Donegal	122,059	62,664	59,395
Monaghan	52,064	27,294	24,770
TOTAL	**2,898,264**	**1,462,928**	**1,435,336**

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864–1960

PERIOD	MARRIAGES	BIRTHS							DEATHS			Natural increase
		TOTAL (including illegitimate)			Legitimate	Illegitimate						
		Total	Males	Females	Total	Total	Males	Females	Total	Males	Females	
Average 1864—1870	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—1880	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—1890	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—1910	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—1920	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—1930	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931—1940	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1951—1960	15,742	61,664	31,606	30,058	60,444	1,220	633	587	35,374	18,999	16,375	26,289
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861
1956	16,761	60,740	31,257	29,483	59,567	1,173	608	565	33,910	18,269	15,641	26,830
1957	14,657	61,242	31,335	29,907	60,210	1,032	526	506	34,311	18,355	15,956	26,931
1958	15,061	59,510	30,498	29,012	58,534	976	516	460	34,248	18,495	15,753	25,262
1959	15,420	60,188	30,685	29,503	59,229	959	493	466	34,243	18,603	15,640	25,945
1960	15,465	60,735	31,141	29,594	59,767	968	512	456	32,660	17,484	15,176	28,075

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864–1960

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864—1870	5·10	25·79	25·17	0·62	2·42	1,056	16·23	95·61	9·56
1871—1880	4·54	26·31	25·88	0·43	1·63	1,056	18·06	96·80	8·25
1881—1890	4·02	22·88	22·45	0·43	1·89	1,059	17·56	93·06	5·32
1891—1900	4·46	22·20	21·76	0·44	1·99	1,055	17·70	99·42	4·50
1901—1910	4·84	22·54	22·08	0·46	2·06	1,056	16·91	91·37	5·63
1911—1920	5·11	21·50	20·99	0·51	2·41	1,059	16·64	84·06	4·86
1921—1930	4·76	20·21	19·64	0·57	2·83	1,053	14·45	69·90	5·76
1931—1940	4·86	19·34	18·70	0·64	3·31	1,052	14·17	68·41	5·17
1941—1950	5·59	21·90	21·13	0·77	3·51	1,063	13·97	65·80	7·94
1951—1960	5·42	21·24	20·82	0·42	1·97	1,052	12·18	36·64	9·06
1951	5·41	21·24	20·70	0·54	2·53	1,057	14·32	45·74	6·92
1952	5·38	21·88	21·34	0·55	2·50	1,045	11·89	41·37	10·00
1953	5·39	21·21	20·76	0·45	2·14	1,063	11·73	39·37	9·48
1954	5·38	21·26	20·82	0·45	2·09	1,054	12·08	37·80	9·18
1955	5·63	21·10	20·68	0·42	2·00	1,045	12·59	36·74	8·51
1956	5·78	20·96	20·55	0·40	1·93	1,060	11·70	35·59	9·26
1957	5·08	21·23	20·87	0·36	1·69	1,048	11·89	33·10	9·33
1958	5·28	20·86	20·52	0·34	1·64	1,051	12·00	35·44	8·85
1959	5·42	21·15	20·81	0·34	1·59	1,040	12·03	32·02	9·12
1960	5·46	21·45	21·12	0·34	1·59	1,052	11·53	29·26	9·92

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1951–60 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1951–60 AND THE RATES FOR EACH YEAR FROM 1951 TO 1960 PER 1,000 OF THE POPULATION

Year	Marriages															Births					Deaths				
	Catholic					All others					Total														
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
1956	2,765	3,956	5,413	3,907	16,041	109	185	275	151	720	2,874	4,141	5,688	4,058	16,761	14,286	16,718	15,405	14,331	60,740	10,519	8,618	7,068	7,705	33,910
1957	2,572	3,194	5,182	3,000	13,948	146	171	278	114	709	2,718	3,365	5,460	3,114	14,657	14,910	16,576	15,453	14,303	61,242	9,788	8,324	7,216	8,983	34,311
1958	2,587	3,465	5,460	2,971	14,483	105	183	199	91	578	2,692	3,648	5,659	3,062	15,061	14,722	15,966	14,836	13,986	59,510	10,284	8,970	7,099	7,895	34,248
1959	2,412	3,762	5,385	3,189	14,748	121	143	266	142	672	2,533	3,905	5,651	3,331	15,420	14,687	16,342	15,275	13,884	60,188	10,621	9,554	6,667	7,401	34,243
1960	2,817	3,333	5,684	3,032	14,866	92	185	225	97	599	2,909	3,518	5,909	3,129	15,465	14,635	16,395	15,761	13,944	60,735	9,458	7,958	6,921	8,323	32,660
Average for ten years 1951—1960	2,864	3,559	5,309	3,266	14,998	125	205	274	140	744	2,989	3,764	5,583	3,406	15,742	15,154	16,638	15,659	14,213	61,664	11,081	8,987	7,195	8,112	35,375
EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION.																									
Average for ten years 1951—1960	4·2	5·2	7·8	4·8	5·5	3·0	5·0	6·6	3·4	4·5	4·1	5·2	7·7	4·7	5·4	20·9	22·9	21·6	19·6	21·2	15·3	12·4	9·9	11·2	12·2
1951	4·7	5·2	7·4	4·5	5·4	3·3	4·9	6·9	4·3	4·9	4·6	5·2	7·3	4·5	5·4	21·2	22·9	22·0	18·8	21·2	22·5	13·8	10·2	10·7	14·3
1952	4·6	5·0	7·1	4·9	5·4	3·7	6·6	6·7	4·2	5·3	4·6	5·1	7·1	4·8	5·4	22·2	23·7	21·8	20·0	21·9	14·5	11·8	9·8	11·5	11·9
1953	4·1	5·2	7·5	5·0	5·4	2·7	4·8	7·1	3·7	4·6	4·0	5·2	7·5	4·9	5·4	21·3	23·0	21·4	19·3	21·2	14·3	12·2	9·6	10·9	11·7
1954	4·6	4·9	7·5	4·6	5·4	2·9	6·1	7·0	3·7	4·9	4·5	5·0	7·5	4·6	5·4	21·0	22·5	21·8	20·0	21·3	14·3	12·1	10·5	11·7	12·1
1955	4·4	5·5	8·0	5·0	5·7	3·4	5·9	8·0	3·2	5·1	4·3	5·5	8·0	4·8	5·7	20·9	22·7	21·7	19·5	21·2	16·2	13·4	10·1	10·8	12·6
1956	4·0	5·8	7·9	5·7	5·9	2·6	4·5	6·7	3·7	4·4	4·0	5·7	7·9	5·6	5·8	19·7	23·1	21·3	19·8	21·0	14·5	11·9	9·8	10·6	11·7
1957	3·8	4·7	7·6	4·4	5·1	3·5	4·1	6·7	2·8	4·3	3·8	4·7	7·6	4·3	5·1	20·7	23·0	21·4	19·8	21·2	13·6	11·5	10·0	12·5	11·9
1958	3·8	5·2	8·1	4·4	5·4	2·6	4·5	4·9	2·2	3·6	3·8	5·1	7·9	4·3	5·3	20·6	22·4	20·8	19·6	20·9	14·4	12·6	10·0	11·1	12·0
1959	3·6	5·6	8·0	4·8	5·5	3·0	3·5	6·6	3·5	4·1	3·6	5·5	7·9	4·7	5·4	20·6	23·0	21·5	19·5	21·1	14·9	13·4	9·4	10·4	12·0
1960	4·2	5·0	8·5	4·5	5·6	2·3	4·6	5·6	2·4	3·7	4·1	5·0	8·3	4·4	5·5	20·7	23·1	22·2	19·7	21·5	13·3	11·2	9·8	11·7	11·5

TABLE 7.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1960, WITH RATES PER 100,000 POPULATION

NOTE.—The classification of cause of death in this table is based on the Abbreviated List, 1955

Detailed List No.	Cause of death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
	All causes	**32,660**	**1,153·3**	**15,296**	**1,077·3**
001–008	Tuberculosis of respiratory system	416	14·7	99	7·0
010–019	Tuberculosis, other forms	52	1·8	15	1·1
020–029	Syphilis and its sequelae	6	0·2	29	2·0
040	Typhoid fever	·	·	·	·
045–048	Dysentery, all forms	4	0·1	3	0·2
050–051	Scarlet fever and streptococcal sore throat ...	2	0·1	1	0·1
055	Diphtheria	2	0·1	·	·
056	Whooping cough	15	0·5	1	0·1
057	Meningococcal infections	13	0·5	4	0·3
080	Acute poliomyelitis	17	0·6	1	0·1
085	Measles	4	0·1	·	·
100–108	Typhus and other rickettsial diseases ...	·	·	·	·
110–117	Malaria	1	0·0	·	·
030–039, 041, 042, 044, 049, 052–054, 059–074, 081–083, 086–096, 120–138	All other diseases classified as infective and parasitic	93	3·3	51	3·6
140–205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140–205 (except 201 and 204)	(*a*) Cancer	4,555	160·8	2,301	162·1
201, 204	(*b*) Hodgkin's disease and leukaemia ...	206	7·3	100	7·0
210–239	Benign and unspecified neoplasms	125	4·4	54	3·8
260	Diabetes mellitus	218	7·7	88	6·2
290–293	Anaemias	148	5·2	60	4·2
330–334	Vascular lesions affecting central nervous system	3,818	134·8	2,190	154·2
340	Non-meningococcal meningitis	36	1·3	9	0·6
400–402	Rheumatic fever	9	0·3	5	0·4
410–416	Chronic rheumatic heart disease	330	11·6	233	16·4

* Exclusive of the Six Counties

TABLE 7.—(contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1960, WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland *		Six Counties	
		Number	Rate	Number	Rate
420–422	Arteriosclerotic and degenerative heart disease ...	8,886	313·5	4,499	316·9
430–434	Other diseases of heart	1,417	50·0	564	39·7
440–443	Hypertensive heart disease	639	22·5	334	23·5
444–447	Other hypertensive disease	350	12·4	151	10·6
480–483	Influenza	190	6·7	41	2·9
490–493	Pneumonia	1,029	36·3	523	36·8
500–502	Bronchitis	1,041	36·7	581	40·9
540–541	Ulcer of stomach and duodenum	210	7·4	119	8·4
550–553	Appendicitis	41	1·4	22	1·6
560, 561, 570	Intestinal obstruction and hernia	164	5·8	74	5·2
543, 571, 572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of newborn	155	5·5	73	5·1
581	Cirrhosis of liver	56	2·0	36	2·5
590–594	Nephritis and nephrosis	436	15·4	121	8·5
610	Hyperplasia of prostate	211	7·4	103	7·3
640–689	Deliveries and complications of pregnancy, childbirth and the puerperium	35	1·2	14	1·0
750–759	Congenital malformations	511	18·0	270	19·0
760–762	Birth injuries, post-natal asphyxia and atelectasis	345	12·2	176	12·4
763–768	Infections of newborn	120	4·2	39	2·7
769–776	Other diseases peculiar to early infancy and immaturity unqualified	488	17·2	264	18·6
780–795	Senility without mention of psychosis, ill-defined and unknown causes	2,551	90·0	306	21·6
	All other diseases	2,704	95·7	1,150	81·0
E810–E835	Motor vehicle accidents	252	8·9	177	12·5
E800—E802 E840–E962	All other accidents	670	23·6	340	23·9
E963, E970–E979	Suicide and self-inflicted injury	84	3·0	62	4·4
E964–E965, E980–E999	Homicide and operations of war	5	0·2	13	0·9

* Exclusive of the Six Counties

TABLE 8.—AVERAGE ANNUAL NUMBER OF DEATHS REGISTERED DURING THE PERIOD 1864–1960 AND THE NUMBER OF DEATHS REGISTERED IN EACH YEAR 1956–1960, CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85–94	95 and over
Males														
Average—														
1864–1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871–1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881–1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891–1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901–1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911–1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921–1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931–1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941–1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951–1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1956	18,269	1,456	90	62	71	120	265	555	1,254	2,500	4,544	5,631	1,641	80
1957	18,355	1,359	82	71	74	91	256	524	1,254	2,628	4,585	5,609	1,750	72
1958	18,495	1,402	72	54	91	90	217	499	1,164	2,598	4,595	5,711	1,918	84
1959	18,603	1,295	72	57	96	107	228	475	1,210	2,556	4,706	5,768	1,948	85
1960	17,484	1,214	78	60	91	68	207	444	1,185	2,535	4,282	5,271	1,963	86
Females														
Average—														
1864–1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871–1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881–1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891–1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901–1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911–1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921–1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931–1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941–1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951–1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1956	15,641	1,088	72	49	38	81	227	493	873	1,810	3,622	5,249	1,916	123
1957	15,956	995	77	38	63	71	221	514	950	1,827	3,721	5,307	2,028	144
1958	15,753	1,005	48	41	43	59	188	462	903	1,814	3,507	5,368	2,173	142
1959	15,640	940	63	35	48	51	189	427	911	1,744	3,534	5,353	2,175	170
1960	15,176	871	67	39	44	55	168	385	923	1,701	3,438	5,123	2,216	146
Persons														
Average—														
1864–1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871–1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881–1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891–1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901–1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911–1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921–1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931–1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941–1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951–1960	35,375	2,673	171	122	174	214	590	1,099	2,289	4,442	8,704	11,079	3,603	216
1956	33,910	2,544	162	111	109	201	492	1,048	2,127	4,310	8,166	10,880	3,557	203
1957	34,311	2,354	159	109	137	162	477	1,038	2,204	4,455	8,306	10,916	3,778	216
1958	34,248	2,407	120	95	134	149	405	961	2,067	4,412	8,102	11,079	4,091	226
1959	34,243	2,235	135	92	144	158	417	902	2,121	4,300	8,240	11,121	4,123	255
1960	32,660	2,085	145	99	135	123	375	829	2,108	4,236	7,720	10,394	4,179	232

*For the period 1864—1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

†For the period 1871–1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9.—AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864–1960 AND DEATH RATES FOR EACH YEAR 1956–1960 PER 1,000 CORRESPONDING POPULATION, CLASSIFIED BY SEX AND AGE.

Period	All ages	Under 5 years	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
Males													
1864–1870	16·49	36·85	5·53	3·00	4·22	7·07	8·24	9·55	14·86	25·55	60·25	125·94	239·09
1871–1880	18·55	39·78	5·26	3·05	5·08	7·32	8·88	10·76	15·38	29·21	66·54	144·84	295·18
1881–1890	17·71	36·33	4·55	2·91	4·62	7·31	9·05	10·44	15·56	28·84	65·40	136·47	279·81
1891–1900	17·65	37·57	3·97	2·70	4·47	7·16	9·00	10·32	15·12	28·03	60·82	137·46	298·23
1901–1910	16·90	34·68	3·51	2·44	4·12	6·32	8·44	9·48	14·40	28·73	50·27	111·41	283·22
1911–1920	16·73	30·81	3·35	2·45	4·31	6·32	7·72	9·60	13·99	25·45	46·20	116·64	254·29
1921–1930	14·39	23·58	2·58	1·77	3·21	4·92	5·33	7·08	11·44	24·50	48·08	107·81	217·55
1931–1940	14·21	21·19	2·19	1·50	2·61	3·81	4·48	6·02	10·94	25·34	57·22	105·78	174·77
1941–1950	14·45	20·74	1·53	1·05	2·18	3·13	3·56	5·02	9·75	21·33	52·20	126·93	216·07
1951–1960	12·92	9·94	0·63	0·48	0·82	1·26	1·80	3·13	7·77	19·31	48·87	121·93	272·16
1956	12·49	9·62	0·60	0·44	0·59	1·31	1·56	3·03	7·62	18·59	45·25	118·54	239·75
1957	12·61	9·04	0·55	0·50	0·60	1·00	1·55	2·93	7·52	19·35	46·49	118·76	253·87
1958	12·85	9·39	0·48	0·38	0·74	1·00	1·37	2·89	7·00	19·08	47·66	122·67	289·81
1959	12·96	8·74	0·49	0·39	0·76	1·19	1·49	2·81	7·14	18·61	49·48	122·77	280·84
1960	12·24	8·25	0·54	0·41	0·71	0·76	1·40	2·69	6·91	18·25	45·79	112·60	278·02
Females													
1864–1870	15·77	33·33	5·66	3·36	4·05	5·58	7·56	9·10	12·88	24·38	62·03	121·93	228·66
1871–1880	17·61	36·12	5·56	3·67	5·19	6·08	8·06	9·65	13·33	27·63	66·20	142·88	275·52
1881–1890	17·30	32·66	4·95	3·75	5·30	6·54	8·65	10·01	13·77	28·21	66·95	135·21	259·63
1891–1900	17·62	33·39	4·34	3·71	5·46	6·60	8·41	9·91	13·96	28·16	65·09	142·12	281·89
1901–1910	16·79	30·61	3·97	3·42	5·07	5·98	7·80	9·38	13·75	28·99	48·04	107·57	265·12
1911–1920	16·64	26·99	3·81	3·16	4·84	5·96	7·24	9·42	12·92	24·90	43·53	109·46	220·24
1921–1930	14·52	20·08	2·67	2·13	3·71	4·84	5·61	7·45	11·24	24·08	45·18	98·58	190·62
1931–1940	14·12	17·83	2·21	1·69	2·90	4·11	5·07	6·32	10·35	23·87	51·78	95·90	171·54
1941–1950	13·47	16·72	1·37	1·15	2·38	3·48	4·03	5·02	8·61	18·39	45·25	110·41	196·15
1951–1960	10·41	7·69	0·55	0·41	0·63	1·04	1·57	2·85	6·20	14·14	38·84	102·00	226·46
1956	10·90	7·41	0·50	0·36	0·34	0·93	1·30	2·69	5·63	13·48	35·68	102·94	225·50
1957	11·17	6·83	0·54	0·28	0·57	0·82	1·30	2·83	6·02	13·55	37·26	103·81	228·90
1958	11·14	6·95	0·34	0·30	0·39	0·70	1·15	2·59	5·68	13·54	35·84	104·12	234·50
1959	11·08	6·55	0·45	0·25	0·44	0·62	1·18	2·42	5·63	12·92	36·39	101·80	224·29
1960	10·79	6·11	0·48	0·28	0·40	0·68	1·08	2·20	5·60	12·57	35·78	95·37	213·99
Persons													
1864–1870	16·23	35·11	5·59	3·17	4·13	6·30	7·89	9·31	13·82	24·94	61·15	123·76	233·44
1871–1880	18·06	37·97	5·41	3·35	5·13	6·69	8·45	10·18	14·31	28·38	66·37	143·83	284·60
1881–1890	17·56	34·52	4·75	3·32	4·96	6·93	8·85	10·21	14·64	28·52	66·19	135·84	269·29
1891–1900	17·70	35·51	4·15	3·20	4·96	6·89	8·71	10·11	14·51	28·10	62·96	139·82	289·88
1901–1910	16·91	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79
1911–1920	16·64	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00
1921–1930	14·45	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72
1931–1940	14·17	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56
1941–1950	13·97	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26
1951–1960	12·18	8·84	0·59	0·45	0·73	1·15	1·68	2·99	7·00	16·74	43·81	111·41	245·14
1956	11·70	8·53	0·55	0·40	0·47	1·12	1·43	2·86	6·66	16·04	40·44	110·46	231·81
1957	11·89	7·95	0·54	0·39	0·59	0·91	1·42	2·88	6·79	16·46	41·85	110·99	239·65
1958	12·00	8·19	0·41	0·34	0·57	0·86	1·26	2·74	6·34	16·33	41·71	112·92	257·27
1959	12·03	7·66	0·47	0·32	0·61	0·92	1·33	2·61	6·40	15·79	42·87	111·69	247·43
1960	11·53	7·20	0·51	0·34	0·57	0·72	1·24	2·44	6·27	15·45	40·72	103·39	239·62

TABLE 10.—BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	**60,735**	—	—	**60,735**	**968**	—	—	**968**
Carlow	812	91	153	874	16	·	13	29
Dublin County Borough ...	18,577	5,798	69	12,848	282	93	34	223
Dun Laoghaire Borough ...	722	250	573	1,045	4	3	4	5
Dublin County (remainder) ...	790	103	2,768	3,455	96	87	28	37
Kildare	786	8	782	1,560	17	·	16	33
Kilkenny	1,044	42	264	1,266	6	1	23	28
Laois	772	2	224	994	3	·	12	15
Longford	579	112	189	656	3	1	8	10
Louth	2,280	725	65	1,620	6	1	15	20
Meath	544	2	914	1,456	4	·	26	30
Offaly	1,077	30	217	1,264	4	·	19	23
Westmeath	1,199	233	248	1,214	93	91	10	12
Wexford	1,539	58	249	1,730	23	·	27	50
Wicklow	736	26	606	1,316	12	2	29	39
Clare	1,224	11	195	1,408	5	1	9	13
Cork County Borough ...	2,056	925	782	1,913	5	2	7	10
Cork County	5,028	1,021	970	4,977	106	50	19	75
Kerry	2,083	33	133	2,183	10	·	24	34
Limerick County Borough ...	1,831	625	40	1,246	3	·	2	5
Limerick County	1,034	64	589	1,559	25	1	18	42
Tipperary, N.R.	1,300	238	145	1,207	120	97	5	28
Tipperary, S.R.	1,686	188	107	1,605	16	·	10	26
Waterford County Borough ...	1,134	522	71	683	10	7	3	6
Waterford County	595	144	361	812	9	4	9	14
Galway	3,449	474	48	3,023	32	7	8	33
Leitrim	475	19	159	615	·	·	7	7
Mayo	1,896	16	299	2,179	8	1	16	23
Roscommon	720	29	273	964	4	·	9	13
Sligo	1,119	109	35	1,045	5	·	8	13
Cavan	767	60	376	1,083	2	·	15	17
Donegal	1,945	9	33	1,969	33	·	8	41
Monaghan	936	63	93	966	6	·	8	14

1960 AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE.

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number		
32,660	—	—	**32,660**	**1,777**	—	—	**1,777**	**28,075**	**Total**
347	23	55	379	19	1	13	31	495	Carlow
6,505	1,340	228	5,393	633	262	12	383	7,455	Dublin County Borough
543	122	141	562	21	8	16	29	483	Dun Laoghaire Borough
717	263	460	914	29	13	73	89	2,541	Dublin County (remainder)
531	13	131	649	14	·	38	52	911	Kildare
663	23	48	688	35	·	5	40	578	Kilkenny
488	19	51	520	32	3	13	42	474	Laois
384	8	62	438	6	·	15	21	218	Longford
733	44	44	733	50	11	3	42	887	Louth
683	28	113	768	12	·	23	35	688	Meath
543	7	53	589	38	2	10	46	675	Offaly
627	57	74	644	28	2	24	50	570	Westmeath
928	4	58	982	24	2	14	36	748	Wexford
585	22	157	720	20	·	18	38	596	Wicklow
1,000	13	69	1,056	43	·	9	52	352	Clare
852	233	373	992	39	20	42	61	921	Cork County Borough
3,324	442	262	3,144	150	56	24	118	1,811	Cork County
1,492	11	55	1,536	57	·	8	65	647	Kerry
566	136	55	485	30	10	7	27	761	Limerick County Borough
957	82	139	1,014	75	19	10	66	545	Limerick County
625	20	60	665	35	4	8	39	542	Tipperary, N.R.
861	41	48	868	36	3	5	38	759	Tipperary, S.R.
304	50	83	337	25	15	5	15	346	Waterford County Borough
582	91	57	548	9	3	7	13	264	Waterford County
1,875	140	49	1,784	100	12	4	92	1,239	Galway
408	2	48	454	20	·	2	22	161	Leitrim
1,482	5	78	1,555	48	1	9	56	624	Mayo
788	20	83	851	15	1	15	29	113	Roscommon
669	29	28	668	30	1	1	30	377	Sligo
686	5	82	763	22	·	11	33	320	Cavan
1,339	8	35	1,366	58	·	1	59	599	Donegal
573	26	48	595	24	·	4	28	375	Monaghan

TABLE 11.—MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1960, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY.

Area	Marriages	Births						Deaths						
		Total (including illegitimate)			Illegitimate			Total			Under one year of age	Principal epidemic diseases*	Tuberculosis	Malignant neoplasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total	Total
Total	**15,465**	**31,141**	**29,594**	**60,735**	**512**	**456**	**968**	**17,484**	**15,176**	**32,660**	**1,777**	**111**	**468**	**4,761**
Carlow	157	451	423	874	15	14	29	217	162	379	31	4	4	60
Dublin County Borough ...	4,979	6,579	6,269	12,848	115	108	223	2,735	2,658	5,393	383	20	114	982
Dun Laoghaire Borough ...	372	533	512	1,045	3	2	5	287	275	562	29	1	7	80
Dublin County (remainder)	458	1,753	1,702	3,455	20	17	37	449	465	914	89	4	12	155
Kildare	302	829	731	1,560	15	18	33	350	299	649	52	3	9	104
Kilkenny	255	626	640	1,266	9	19	28	399	289	688	40	3	13	93
Laois	167	513	481	994	9	6	15	285	235	520	42	3	6	69
Longford	130	354	302	656	6	4	10	246	192	438	21	·	5	70
Louth	430	793	827	1,620	9	11	20	379	354	733	42	1	14	112
Meath	288	731	725	1,456	12	18	30	415	353	768	35	1	5	106
Offaly	206	662	602	1,264	15	8	23	338	251	589	46	3	10	82
Westmeath	266	635	579	1,214	6	6	12	367	277	644	50	2	2	93
Wexford	377	831	899	1,730	20	30	50	511	471	982	36	2	9	135
Wicklow	319	682	634	1,316	14	25	39	380	340	720	38	4	9	100
LEINSTER	8,706	15,972	15,326	31,298	268	286	554	7,358	6,621	13,979	934	51	219	2,241
Clare	304	732	676	1,408	7	6	13	595	461	1,056	52	5	22	118
Cork County Borough ...	774	992	921	1,913	7	3	10	476	516	992	61	8	20	158
Cork County	1,073	2,542	2,435	4,977	41	34	75	1,651	1,493	3,144	118	3	42	453
Kerry	460	1,118	1,065	2,183	19	15	34	860	676	1,536	65	11	20	191
Limerick County Borough	458	636	610	1,246	2	3	5	234	251	485	27	1	14	73
Limerick County ...	251	840	719	1,559	31	11	42	559	455	1,014	66	3	10	135
Tipperary, N.R. ...	217	635	572	1,207	20	8	28	382	283	665	39	3	8	80
Tipperary, S.R. ...	297	840	765	1,605	16	10	26	479	389	868	38	3	10	134
Waterford County Borough	207	325	358	683	4	2	6	154	183	337	15	·	10	65
Waterford County ...	193	433	379	812	7	7	14	305	243	548	13	1	8	72
MUNSTER	4,234	9,093	8,500	17,593	154	99	253	5,695	4,950	10,645	494	38	164	1,479
Galway	557	1,582	1,441	3,023	21	12	33	1,009	775	1,784	92	7	31	245
Leitrim	129	335	280	615	3	4	7	246	208	454	22	1	1	46
Mayo	370	1,115	1,064	2,179	14	9	23	837	718	1,555	56	4	16	190
Roscommon	202	479	485	964	6	7	13	491	360	851	29	2	9	99
Sligo	230	529	516	1,045	10	3	13	358	310	668	30	1	3	93
CONNACHT	1,488	4,040	3,786	7,826	54	35	89	2,941	2,371	5,312	229	15	60	673
Cavan	241	544	539	1,083	7	10	17	448	315	763	33	·	5	104
Donegal	548	1,002	967	1,969	20	21	41	714	652	1,366	59	4	16	187
Monaghan	248	490	476	966	9	5	14	328	267	595	28	3	4	77
ULSTER (part of) ...	1,037	2,036	1,982	4,018	36	36	72	1,490	1,234	2,724	120	7	25	368

* Whooping cough, diphtheria, dysentery, measles, gastro-enteritis (under two years) and poliomyelitis.

TABLE 12.—MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN 1960 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population				Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate % of total births	All causes	Principal epidemic diseases*	Tuberculosis	Malignant neoplasms	
Total	**5·46**	**21·45**	**1·59**	**11·53**	**0·04**	**0·17**	**1·68**	**29·26**
Carlow	4·70	26·18	3·32	11·35	0·12	0·12	1·80	35·47
Dublin County Borough ...	9·45	24·39	1·74	10·24	0·04	0·22	1·86	29·81
Dun Laoghaire Borough ...	7·87	22·11	0·48	11·89	0·02	0·15	1·69	27·75
Dublin County (remainder) ...	3·21	24·24	1·07	6·41	0·03	0·08	1·09	25·76
Kildare	4·65	24·02	2·12	9·99	0·05	0·14	1·60	33·33
Kilkenny	4·07	20·19	2·21	10·97	0·05	0·21	1·48	31·60
Laois	3·66	21·79	1·51	11·40	0·07	0·13	1·51	42·25
Longford	4·13	20·84	1·52	13·92	·	0·16	2·22	32·01
Louth	6·23	23·47	1·23	10·62	0·01	0·20	1·62	25·93
Meath	4·33	21·88	2·06	11·54	0·02	0·08	1·59	24·04
Offaly	4·03	24·75	1·82	11·53	0·06	0·20	1·61	36·39
Westmeath	4·98	22·74	0·99	12·06	0·04	0·04	1·74	41·19
Wexford	4·46	20·49	2·89	11·63	0·02	0·11	1·60	20·81
Wicklow	5·56	22·93	2·96	12·55	0·07	0·16	1·74	28·88
LEINSTER	6·51	23·42	1·77	10·46	0·04	0·16	1·68	29·84
Clare	4·14	19·19	0·92	14·40	0·07	0·30	1·61	36·93
Cork County Borough ...	10·01	24·74	0·52	12·83	0·10	0·26	2·04	31·89
Cork County	4·24	19·67	1·51	12·43	0·01	0·17	1·79	23·71
Kerry	3·91	18·57	1·56	13·07	0·09	0·17	1·63	29·78
Limerick County Borough ...	9·05	24·61	0·40	9·58	0·02	0·28	1·44	21·67
Limerick County	3·00	18·66	2·69	12·13	0·04	0·12	1·62	42·33
Tipperary, N.R.	4·00	22·26	2·32	12·27	0·06	0·15	1·48	32·31
Tipperary, S.R.	4·17	22·56	1·62	12·20	0·04	0·14	1·88	23·68
Waterford County Borough	7·20	23·77	0·88	11·73	·	0·35	2·26	21·96
Waterford County	4·40	18·52	1·72	12·50	0·02	0·18	1·64	16·01
MUNSTER	4·96	20·62	1·44	12·47	0·04	0·19	1·73	28·08
Galway	3·70	20·07	1·09	11·85	0·05	0·21	1·63	30·43
Leitrim	3·82	18·22	1·14	13·45	0·03	0·03	1·36	35·77
Mayo	2·95	17·39	1·06	12·41	0·03	0·13	1·52	25·70
Roscommon	3·37	16·11	1·35	14·22	0·03	0·15	1·65	30·08
Sligo	4·29	19·48	1·24	12·45	0·02	0·06	1·73	28·71
CONNACHT	3·52	18·49	1·14	12·55	0·04	0·14	1·59	29·26
Cavan	4·17	18·75	1·57	13·21	·	0·09	1·80	30·47
Donegal	4·81	17·28	2·08	11·98	0·04	0·14	1·64	29·96
Monaghan	5·04	19·64	1·45	12·10	0·06	0·08	1·57	28·99
ULSTER (part of) ...	4·69	18·19	1·79	12·33	0·03	0·11	1·67	29·87

* See footnote on page 14.

TABLE 13.—DEATHS REGISTERED IN 1960, CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	**17,484**	**6,435**	**7,231**	**3,818**	**15,176**	**4,830**	**3,682**	**6,664**
Under 15 years	1,352	1,352	·	·	977	977	·	·
15–19	91	91	·	·	44	44	·	·
20–24	68	64	4	·	55	44	11	·
25–29	95	78	17	·	54	36	18	·
30–34	112	75	36	1	114	48	65	1
35–39	168	91	76	1	159	42	113	4
40–44	276	130	143	3	226	73	149	4
45–49	444	168	261	15	353	108	212	33
50–54	741	264	456	21	570	196	324	50
55–59	1,018	327	634	57	662	189	362	111
60–64	1,517	449	910	158	1,039	297	470	272
65–69	1,862	586	1,014	262	1,328	377	509	442
70–74	2,420	810	1,140	470	2,110	592	547	971
75–79	2,729	813	1,087	829	2,588	653	481	1,454
80–84	2,542	682	893	967	2,535	601	284	1,650
85 and over	2,049	455	560	1,034	2,362	553	137	1,672

TABLE 14.—BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1960, CLASSIFIED BY SEX

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Carlow	97	93	190	35	32	67
Athy	56	33	89	26	23	49
Naas	56	44	100	22	23	45
Longford	37	42	79	20	19	39
Ceanannus Mor	26	33	59	17	13	30
An Uaimh	58	62	120	23	16	39
Trim	8	21	29	9	8	17
Birr	36	37	73	16	16	32
Tullamore	86	74	160	25	32	57
Athlone	130	121	251	49	37	86
Enniscorthy	44	46	90	20	23	43
New Ross	28	42	70	18	27	45
Arklow	79	67	146	29	27	56
Wicklow	35	29	64	22	11	33
Ennis	60	46	106	27	22	49
Kilrush	23	19	42	30	19	49
Clonakilty	23	21	44	9	11	20
Cobh	53	57	110	31	45	76
Fermoy	42	29	71	31	23	54
Kinsale	4	10	14	6	7	13
Macroom	14	6	20	14	6	20
Mallow	54	48	102	29	26	55
Midleton	31	35	66	11	13	24
Skibbereen	20	13	33	12	24	36
Youghal	47	41	88	17	22	39
Killarney	53	40	93	32	28	60
Listowel	25	25	50	18	14	32
Nenagh	50	37	87	19	22	41
Templemore	16	22	38	8	10	18
Thurles	77	77	154	33	25	58
Carrick-on-Suir	54	51	105	20	18	38
Cashel	23	20	43	12	13	25
Tipperary	52	46	98	29	24	53
Dungarvan	47	31	78	33	14	47
Ballinasloe	31	36	67	10	7	17
Ballina	60	50	110	29	26	55
Castlebar	46	51	97	20	12	32
Westport	31	24	55	13	14	27
Cavan	34	36	70	15	15	30
Buncrana	32	25	57	6	13	19
Bundoran	22	29	51	9	5	14
Letterkenny	42	36	78	13	4	17
Carrickmacross	30	19	49	6	8	14
Castleblayney	17	25	42	7	3	10
Clones	25	31	56	14	13	27
Monaghan	37	38	75	14	17	31

TABLE 15.—BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED IN 1960, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births						Deaths				
	Total (including illegitimate)			Illegitimate			Total			Tuberculosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Total ...	**31,141**	**29,594**	**60,735**	**512**	**456**	**968**	**17,484**	**15,176**	**32,660**	**468**	**4,761**
Dublin County Borough ...	6,579	6,269	12,848	115	108	223	2,735	2,658	5,393	114	982
Cork County Borough	992	921	1,913	7	3	10	476	516	992	20	158
Limerick County Borough ...	636	610	1,246	2	3	5	234	251	485	14	73
Waterford County Borough ...	325	358	683	4	2	6	154	183	337	10	65
Dun Laoghaire Borough ...	533	512	1,045	3	2	5	287	275	562	7	80
Galway Borough	232	188	420	3	·	3	89	84	173	2	38
Dundalk U.D.	211	222	433	1	2	3	109	104	213	6	25
Drogheda ,,	199	187	386	1	2	3	55	69	124	1	22
Sligo ,,	152	137	289	3	·	3	49	59	108	1	16
Tralee ,,	106	85	191	2	2	4	79	61	140	3	17
Bray ,,	145	131	276	·	1	1	58	77	135	5	30
Wexford ,,	128	104	232	·	1	1	64	58	122	2	16
Clonmel ,,	139	127	266	2	·	2	54	45	99	·	18
Kilkenny ,,	109	112	221	1	1	2	51	62	113	1	18
Total above Principal Towns ...	10,486	9,963	20,449	144	127	271	4,494	4,502	8,996	186	1,558
All Other Urban Districts ...	1,951	1,818	3,769	17	22	39	908	830	1,738	34	257
All Boroughs and Urban Districts:											
Leinster ...	8,680	8,281	16,961	129	127	256	3,690	3,610	7,300	148	1,271
Munster ...	2,966	2,775	5,741	21	15	36	1,418	1,442	2,860	67	447
Connacht ...	552	486	1,038	7	1	8	210	202	412	4	78
Ulster (part of)	239	239	478	4	6	10	84	78	162	1	19
Total—Boroughs and Urban Districts ...	12,437	11,781	24,218	161	149	310	5,402	5,332	10,734	220	1,815
All Rural Districts:—											
Leinster ...	7,292	7,045	14,337	139	159	298	3,668	3,011	6,679	71	970
Munster ...	6,127	5,725	11,852	133	84	217	4,277	3,508	7,785	97	1,032
Connacht ...	3,488	3,300	6,788	47	34	81	2,731	2,169	4,900	56	595
Ulster (part of)	1,797	1,743	3,540	32	30	62	1,406	1,156	2,562	24	349
Total—Rural Districts ...	18,704	17,813	36,517	351	307	658	12,082	9,844	21,926	248	2,946

TABLE 16.—BIRTH AND DEATH RATES IN 1960 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
Total	**21·45**	**1·59**	**11·53**	**0·17**	**1·68**
Dublin County Borough	24·39	1·74	10·24	0·22	1·86
Cork County Borough	24·74	0·52	12·83	0·26	2·04
Limerick County Borough	24·61	0·40	9·58	0·28	1·44
Waterford County Borough	23·77	0·88	11·73	0·35	2·26
Dun Laoghaire Borough	22·11	0·48	11·89	0·15	1·69
Galway Borough	19·24	0·71	7·92	0·09	1·74
Dundalk U.D.	21·87	0·69	10·76	0·30	1·26
Drogheda ,, ...	22·63	0·78	7·27	0·06	1·29
Sligo ,, ...	22·06	1·04	8·24	0·08	1·22
Tralee ,, ...	17·76	2·09	13·01	0·28	1·58
Bray ,, ...	23·65	0·36	11·57	0·43	2·57
Wexford ,, ...	22·79	0·43	11·98	0·20	1·57
Clonmel ,, ...	25·02	0·75	9·31	·	1·69
Kilkenny ,, ...	21·57	0·90	11·03	0·10	1·76
Total above Principal Towns	23·89	1·33	10·51	0·22	1·82
All other Urban Districts	20·35	1·03	9·38	0·18	1·39
All Boroughs and Urban Districts:—					
Leinster	23·64	1·51	10·17	0·21	1·77
Munster	22·34	0·63	11·13	0·26	1·74
Connacht	18·88	0·77	7·49	0·07	1·42
Ulster (part of)	21·49	2·09	7·28	0·04	0·85
Total—Boroughs and Urban Districts ...	23·03	1·28	10·21	0·21	1·73
All Rural Districts:—					
Leinster	23·35	2·08	10·88	0·12	1·58
Munster	19·85	1·83	13·04	0·16	1·73
Connacht	18·36	1·19	13·26	0·15	1·61
Ulster (part of)	17·80	1·75	12·88	0·12	1·75
Total—Rural Districts	20·52	1·80	12·32	0·14	1·66

TABLE 17.—DEATHS REGISTERED IN 1960 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total ...	**10,733**	**5,401**	**5,332**	**21,927**	**12,083**	**9,844**	**32,660**	**17,484**	**15,176**
Under 1 year ...	712	406	306	1,065	632	433	1,777	1,038	739
1 year ...	48	29	19	76	42	34	124	71	53
2 years ...	33	12	21	47	28	19	80	40	40
3 „ ...	16	7	9	45	31	14	61	38	23
4 „ ...	19	16	3	24	11	13	43	27	16
1–4 „ ...	116	64	52	192	112	80	308	176	132
5 „ ...	14	4	10	18	8	10	32	12	20
6 „ ...	11	6	5	20	9	11	31	15	16
7 „ ...	15	13	2	12	5	7	27	18	9
8 „ ...	10	6	4	16	10	6	26	16	10
9 „ ...	13	7	6	16	10	6	29	17	12
5–9 „ ...	63	36	27	82	42	40	145	78	67
10 „ ...	6	5	1	9	6	3	15	11	4
11 „ ...	6	3	3	11	4	7	17	7	10
12 „ ...	12	6	6	11	6	5	23	12	11
13 „ ...	9	6	3	16	9	7	25	15	10
14 „ ...	6	5	1	13	10	3	19	15	4
10–14 „ ...	39	25	14	60	35	25	99	60	39
15 „ ...	8	4	4	11	8	3	19	12	7
16 „ ...	13	8	5	20	13	7	33	21	12
17 „ ...	9	7	2	20	12	8	29	19	10
18 „ ...	8	5	3	21	16	5	29	21	8
19 „ ...	9	7	2	16	11	5	25	18	7
15–19 „ ...	47	31	16	88	60	28	135	91	44
20 „ ...	12	7	5	12	7	5	24	14	10
21 „ ...	5	2	3	13	5	8	18	7	11
22 „ ...	11	5	6	13	7	6	24	12	12
23 „ ...	7	3	4	26	16	10	33	19	14
24 „ ...	10	9	1	14	7	7	24	16	8
20–24 „ ...	45	26	19	78	42	36	123	68	55
25 „ ...	7	5	2	24	17	7	31	22	9
26 „ ...	5	4	1	14	7	7	19	11	8
27 „ ...	8	6	2	19	10	9	27	16	11
28 „ ...	18	11	7	18	12	6	36	23	13
29 „ ...	15	8	7	21	15	6	36	23	13
25–29 „ ...	53	34	19	96	61	35	149	95	54
30 „ ...	8	4	4	27	12	15	35	16	19
31 „ ...	11	4	7	27	14	13	38	18	20
32 „ ...	19	9	10	29	15	14	48	24	24
33 „ ...	16	7	9	34	22	12	50	29	21
34 „ ...	30	10	20	25	15	10	55	25	30
30–34 „ ...	84	34	50	142	78	64	226	112	114

TABLE 17—(contd.)—DEATHS REGISTERED IN 1960 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years ...	22	9	13	32	20	12	54	29	25
36 „ ...	20	11	9	35	17	18	55	28	27
37 „ ...	27	14	13	35	18	17	62	32	30
38 „ ...	30	17	13	54	27	27	84	44	40
39 „ ...	23	10	13	49	25	24	72	35	37
35–39 „ ...	122	61	61	205	107	98	327	168	159
40 „ ...	37	16	21	75	32	43	112	48	64
41 „ ...	24	12	12	46	29	17	70	41	29
42 „ ...	45	28	17	65	34	31	110	62	48
43 „ ...	48	31	17	58	29	29	106	60	46
44 „ ...	40	26	14	64	39	25	104	65	39
40–44 „ ...	194	113	81	308	163	145	502	276	226
45 „ ...	59	27	32	91	48	43	150	75	75
46 „ ...	61	37	24	103	54	49	164	91	73
47 „ ...	54	34	20	78	51	27	132	85	47
48 „ ...	44	24	20	114	62	52	158	86	72
49 „ ...	78	44	34	115	63	52	193	107	86
45–49 „ ...	296	166	130	501	278	223	797	444	353
50 „ ...	111	66	45	171	103	68	282	169	113
51 „ ...	83	51	32	103	58	45	186	109	77
52 „ ...	96	56	40	159	81	78	255	137	118
53 „ ...	111	67	44	145	85	60	256	152	104
54 „ ...	137	77	60	195	97	98	332	174	158
50–54 „ ...	538	317	221	773	424	349	1,311	741	570
55 „ ...	137	84	53	167	102	65	304	186	118
56 „ ...	153	89	64	177	98	79	330	187	143
57 „ ...	98	57	41	171	103	68	269	160	109
58 „ ...	155	97	58	217	139	78	372	236	136
59 „ ...	176	109	67	229	140	89	405	249	156
55–59 „ ...	719	436	283	961	582	379	1,680	1,018	662
60 „ ...	235	131	104	373	214	159	608	345	263
61 „ ...	158	103	55	210	136	74	368	239	129
62 „ ...	201	120	81	321	190	131	522	310	212
63 „ ...	208	131	77	315	189	126	523	320	203
64 „ ...	204	121	83	331	182	149	535	303	232
60–64 „ ...	1,006	606	400	1,550	911	639	2,556	1,517	1,039
65 „ ...	264	147	117	489	302	187	753	449	304
66 „ ...	228	122	106	308	179	129	536	301	235
67 „ ...	209	117	92	329	201	128	538	318	220
68 „ ...	222	121	101	451	257	194	673	378	295
69 „ ...	243	146	97	447	270	177	690	416	274
65–69 „	1,166	653	513	2,024	1,209	815	3,190	1,862	1,328

TABLE 17.—(contd.)—DEATHS REGISTERED IN 1960 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years ...	347	159	188	575	334	241	922	493	429
71 ,, ...	235	122	113	429	244	185	664	366	298
72 ,, ...	327	161	166	570	318	252	897	479	418
73 ,, ...	348	169	179	679	380	299	1,027	549	478
74 ,, ...	366	158	208	654	375	279	1,020	533	487
70–74 ,, ...	1,623	769	854	2,907	1,651	1,256	4,530	2,420	2,110
75 ,, ...	335	156	179	780	427	353	1,115	583	532
76 ,, ...	321	151	170	747	399	348	1,068	550	518
77 ,, ...	280	134	146	760	403	357	1,040	537	503
78 ,, ...	321	148	173	837	453	384	1,158	601	557
79 ,, ...	266	118	148	670	340	330	936	458	478
75–79 ,, ...	1,523	707	816	3,794	2,022	1,772	5,317	2,729	2,588
80 ,, ...	400	159	241	909	487	422	1,309	646	663
81 ,, ...	221	85	136	634	360	274	855	445	410
82 ,, ...	280	110	170	731	383	348	1,011	493	518
83 ,, ...	250	101	149	689	353	336	939	454	485
84 ,, ...	240	97	143	723	407	316	963	504	459
80–84 ,, ...	1,391	552	839	3,686	1,990	1,696	5,077	2,542	2,535
85 ,, ...	190	79	111	653	340	313	843	419	424
86 ,, ...	174	71	103	580	291	289	754	362	392
87 ,, ...	145	49	96	474	258	216	619	307	312
88 ,, ...	105	36	69	426	210	216	531	246	285
89 ,, ...	98	41	57	320	157	163	418	198	220
85–89 ,, ...	712	276	436	2,453	1,256	1,197	3,165	1,532	1,633
90 ,, ...	91	25	66	265	131	134	356	156	200
91 ,, ...	51	22	29	165	82	83	216	104	112
92 ,, ...	39	8	31	158	68	90	197	76	121
93 ,, ...	32	10	22	108	50	58	140	60	80
94 ,, ...	25	7	18	80	28	52	105	35	70
90–94 ,, ...	238	72	166	776	359	417	1,014	431	583
95 ,, ...	17	5	12	47	19	28	64	24	40
96 ,, ...	12	5	7	58	25	33	70	30	40
97 ,, ...	4	3	1	40	11	29	44	14	30
98 ,, ...	6	1	5	19	8	11	25	9	16
99 ,, ...	2	2	·	12	6	6	14	8	6
95–99 ,, ...	41	16	25	176	69	107	217	85	132
100 years and over	5	1	4	10	·	10	15	1	14

TABLE 18.—DEATHS REGISTERED IN 1960, CLASSIFIED BY SEX AND AGE,

Area		All ages	Under 1 year	Age at 1	2	3	4	Total under 5	5–9	10–14	15–19	20–24	25–29
Total	**Males**	**17,484**	**1,038**	**71**	**40**	**38**	**27**	**1,214**	**78**	**60**	**91**	**68**	**95**
	Females	**15,176**	**739**	**53**	**40**	**23**	**16**	**871**	**67**	**39**	**44**	**55**	**54**
LEINSTER	Males	7,358	531	28	24	19	14	616	42	32	42	34	45
	Females	6,621	403	28	23	11	5	470	29	18	24	26	21
MUNSTER	Males	5,695	301	31	9	5	6	352	20	21	32	22	31
	Females	4,950	193	10	14	6	4	227	19	11	13	18	22
CONNACHT	Males	2,941	133	9	6	10	4	162	13	5	12	7	9
	Females	2,371	96	8	1	2	7	114	12	7	4	11	9
ULSTER (part of)	Males	1,490	73	3	1	4	3	84	3	2	5	5	10
	Females	1,234	47	7	2	4	·	60	7	3	3	·	2
LEINSTER													
Carlow	Males	217	22	1	1	·	·	24	2	·	·	·	·
	Females	162	9	·	1	·	·	10	·	·	1	·	·
Dublin County Borough	Males	2,735	207	13	7	5	6	238	22	15	15	16	18
	Females	2,658	176	8	11	5	1	201	15	6	8	8	6
Dun Laoghaire Borough	Males	287	22	1	·	1	4	28	·	1	·	1	·
	Females	275	7	1	·	·	1	9	1	·	·	2	1
Dublin County (remainder)	Males	449	52	1	1	2	1	57	1	1	4	3	3
	Females	465	37	4	2	·	·	43	3	·	2	5	5
Kildare	Males	350	27	2	1	·	·	30	3	4	4	2	2
	Females	299	25	1	·	·	1	27	1	3	1	2	·
Kilkenny	Males	399	24	1	2	3	·	30	2	2	7	·	·
	Females	289	16	·	·	1	·	17	2	2	1	·	·
Laois	Males	285	26	1	1	1	2	31	2	1	4	·	1
	Females	235	16	3	·	1	·	20	1	·	3	·	2
Longford	Males	246	13	·	2	·	·	15	2	·	·	1	1
	Females	192	8	1	1	·	·	10	·	1	·	1	·
Louth	Males	379	23	1	2	1	·	27	2	3	1	2	5
	Females	354	19	1	2	1	·	23	2	1	3	2	1
Meath	Males	415	22	1	2	1	1	27	3	1	1	4	6
	Females	353	13	3	1	·	1	18	1	1	2	2	2
Offaly	Males	338	25	2	1	2	·	30	1	1	3	1	1
	Females	251	21	2	·	·	·	23	·	1	2	1	·
Westmeath	Males	367	28	1	·	1	·	30	·	·	1	1	2
	Females	277	22	1	1	·	1	25	2	·	·	1	1
Wexford	Males	511	21	3	4	2	·	30	1	2	·	2	3
	Females	471	15	1	4	3	·	23	1	1	·	·	1
Wicklow	Males	380	19	·	·	·	·	19	1	1	2	1	3
	Females	340	19	2	·	·	·	21	·	2	1	2	2

OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

death													
30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Area	
112	**168**	**276**	**444**	**741**	**1,018**	**1,517**	**1,862**	**2,420**	**2,729**	**2,542**	**2,049**	**Males**	
114	**159**	**226**	**353**	**570**	**662**	**1,039**	**1,328**	**2,110**	**2,588**	**2,535**	**2,362**	**Females**	
50	82	119	205	370	492	723	845	1,022	1,077	879	683	Males	LEINSTER
59	70	89	171	258	316	468	621	964	1,068	1,067	882	Females	
36	46	99	140	224	326	478	629	800	939	858	642	Males	MUNSTER
34	52	84	115	202	203	348	423	706	838	835	800	Females	
9	24	39	70	92	139	208	254	384	477	541	496	Males	CONNACHT
14	25	29	49	70	76	145	184	288	434	418	482	Females	
17	16	19	29	55	61	108	134	214	236	264	228	Males	ULSTER (part of)
7	12	24	18	40	67	78	100	152	248	215	198	Females	
													LEINSTER
2	3	1	7	7	15	21	21	38	30	29	17	Males	Carlow
3	2	2	5	4	10	13	11	22	34	21	24	Females	
21	36	63	76	168	241	319	328	389	335	246	189	Males	Dublin County Borough
26	27	39	60	108	144	198	278	424	408	406	296	Females	
1	3	2	13	18	21	30	39	43	42	19	26	Males	Dun Laoghaire Borough
·	1	4	5	9	19	18	25	41	49	48	43	Females	
2	·	5	15	25	26	56	49	55	55	50	42	Males	Dublin County (remainder)
3	10	10	14	17	17	30	42	53	72	72	67	Females	
4	2	2	11	13	14	32	39	48	57	53	30	Males	Kildare
3	3	5	10	9	17	25	27	30	59	45	32	Females	
·	6	4	9	13	33	35	38	61	65	45	49	Males	Kilkenny
3	7	4	11	16	16	18	31	27	50	51	33	Females	
3	·	5	8	10	8	14	27	41	49	47	34	Males	Laois
·	2	3	8	7	9	13	20	31	36	36	44	Females	
·	1	5	3	6	10	17	28	33	40	40	44	Males	Longford
2	1	4	8	4	5	19	18	32	29	27	31	Females	
1	10	9	12	10	26	34	35	53	59	50	40	Males	Louth
6	7	3	12	15	15	27	29	64	51	52	41	Females	
2	4	9	14	21	15	31	50	58	63	65	41	Males	Meath
4	1	4	9	11	13	22	26	49	72	62	54	Females	
4	6	1	8	14	19	21	43	42	58	51	34	Males	Offaly
4	·	4	6	9	12	18	15	33	45	45	33	Females	
2	7	2	7	12	22	32	45	48	62	43	51	Males	Westmeath
2	1	·	6	9	12	18	25	41	34	57	43	Females	
4	2	5	14	31	18	49	45	65	92	94	54	Males	Wexford
·	6	4	8	24	18	34	39	68	77	85	82	Females	
4	2	6	8	22	24	32	58	48	70	47	32	Males	Wicklow
3	2	3	9	16	9	15	35	49	52	60	59	Females	

TABLE 18—(contd.)—DEATHS REGISTERED IN 1960, CLASSIFIED BY SEX AND AGE

Area		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14	15–19	20–24	25–29
MUNSTER													
Clare	Males	595	30	3	·	1	·	34	3	·	5	2	2
	Females	461	22	1	1	1	1	26	3	2	1	3	2
Cork County Borough	Males	476	38	2	2	1	1	44	3	·	2	2	2
	Females	516	23	·	2	1	1	27	3	·	2	1	3
Cork County	Males	1,651	78	10	1	1	1	91	5	9	8	6	7
	Females	1,493	40	4	5	1	1	51	2	2	5	7	4
Kerry	Males	860	42	5	4	1	·	52	5	2	5	5	4
	Females	676	23	1	2	1	·	27	3	·	2	3	3
Limerick County Borough	Males	234	11	3	·	·	2	16	·	·	1	2	2
	Females	251	16	·	2	1	·	19	1	2	2	1	2
Limerick County	Males	559	38	4	2	·	1	45	2	2	3	2	7
	Females	455	28	2	·	1	·	31	3	2	·	1	4
Tipperary, North Riding	Males	382	26	·	·	1	·	27	1	1	1	3	2
	Females	283	13	·	·	·	1	14	·	1	·	1	1
Tipperary South Riding	Males	479	21	1	·	·	1	23	·	5	3	·	2
	Females	389	17	·	2	·	·	19	3	2	·	·	1
Waterford County Borough	Males	154	7	·	·	·	·	7	·	·	3	·	1
	Females	183	8	·	·	·	·	8	·	·	·	·	1
Waterford County	Males	305	10	3	·	·	·	13	1	2	1	·	2
	Females	243	3	2	·	·	·	5	1	·	1	1	1
CONNACHT													
Galway	Males	1,009	57	3	3	2	3	68	4	3	5	2	4
	Females	775	35	3	·	1	1	40	7	4	2	6	4
Leitrim	Males	246	13	·	·	1	·	14	1	·	·	·	1
	Females	208	9	·	·	·	1	10	1	·	·	·	1
Mayo	Males	837	32	2	1	5	·	40	4	1	3	3	1
	Females	718	24	4	1	1	1	31	1	2	1	4	2
Roscommon	Males	491	16	2	·	2	·	20	2	·	1	1	3
	Females	360	13	1	·	·	2	16	·	·	1	1	2
Sligo	Males	358	15	2	2	·	1	20	2	1	3	1	·
	Females	310	15	·	·	·	2	17	3	1	·	·	·
ULSTER (part of)													
Cavan	Males	448	22	1	·	1	1	25	·	·	·	3	3
	Females	315	11	3	·	2	·	16	2	·	·	·	1
Donegal	Males	714	34	·	1	1	2	38	2	2	4	1	3
	Females	652	25	2	1	2	·	30	3	3	2	·	1
Monaghan	Males	328	17	2	·	2	·	21	1	·	1	1	4
	Females	267	11	2	1	·	·	14	2	·	1	·	·

OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

death												Area
30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
												MUNSTER
4	5	9	15	14	27	43	51	82	96	109	94	Males Clare
4	3	9	6	22	16	22	33	51	75	88	95	Females
4	6	11	15	28	30	48	67	67	77	55	15	Males Cork County Borough
4	3	11	14	24	27	37	52	96	89	82	41	Females
9	19	27	36	56	103	137	189	225	281	255	188	Males Cork County
9	17	22	36	52	61	94	136	206	276	264	249	Females
8	5	16	25	30	39	70	93	104	149	134	114	Males Kerry
3	9	10	14	29	29	51	53	78	115	121	126	Females
2	2	5	4	13	19	34	28	31	33	28	14	Males Limerick County Borough
1	6	2	6	12	9	21	24	44	35	36	28	Females
3	1	8	13	25	33	41	58	90	84	82	60	Males Limerick County
3	2	8	11	12	14	34	38	73	85	61	73	Females
3	2	8	10	17	19	27	46	62	57	55	41	Males Tipperary, North Riding
3	3	5	8	10	13	18	20	34	46	47	59	Females
2	4	6	9	15	36	40	59	60	90	74	51	Males Tipperary, South Riding
4	3	6	9	17	20	30	33	66	55	64	57	Females
·	1	2	4	10	7	12	11	34	26	21	15	Males Waterford County Borough
3	2	4	6	12	8	16	15	31	22	29	26	Females
1	1	7	9	16	13	26	27	45	46	45	50	Males Waterford County
·	4	7	5	12	6	25	19	27	40	43	46	Females
												CONNACHT
·	7	13	30	41	48	79	90	129	160	170	156	Males Galway
4	12	7	18	23	24	49	53	101	142	126	153	Females
1	1	7	5	5	19	11	16	36	50	40	39	Males Leitrim
·	1	4	5	6	7	13	22	23	39	33	43	Females
5	5	10	19	25	36	51	63	104	128	167	172	Males Mayo
3	9	9	10	26	19	46	58	75	118	142	162	Females
3	5	2	10	8	24	43	49	74	89	95	62	Males Roscommon
4	3	4	4	8	10	18	24	52	80	62	71	Females
·	6	7	6	13	12	24	36	41	50	69	67	Males Sligo
3	·	5	12	7	16	19	27	37	55	55	53	Females
												ULSTER (part of)
4	4	3	9	15	17	39	37	72	71	83	63	Males Cavan
1	·	5	6	13	21	23	31	39	59	57	41	Females
11	7	14	11	28	25	45	68	93	115	125	122	Males Donegal
6	9	16	8	20	26	39	42	85	125	114	123	Females
2	5	2	9	12	19	24	29	49	50	56	43	Males Monaghan
·	3	3	4	7	20	16	27	28	64	44	34	Females

TABLE 19.—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Under 1 year	1	2	3	4	Total under 5	5–9	Age at 10–14
	Total deaths—All causes	**M**	**17,484**	**1,038**	**71**	**40**	**38**	**27**	**1,214**	**78**	**60**
		F	**15,176**	**739**	**53**	**40**	**23**	**16**	**871**	**67**	**39**
001–138	**I. Infective and parasitic diseases**	**M**	**379**	**15**	**12**	**4**	**5**	**4**	**40**	**14**	**4**
		F	**246**	**12**	**5**	**6**	**3**	**1**	**27**	**11**	**4**
001–019	*Tuberculosis—all forms*	*M*	*294*	*2*	*3*	*1*	*2*	*1*	*9*	*1*	*1*
		F	*174*	*1*	*1*	*1*	*1*	*1*	*5*	*2*	*2*
002	Pulmonary tuberculosis	M	261	1	·	·	·	·	1	·	1
		F	146	·	·	·	·	·	·	·	·
003	Pleural tuberculosis	M	1	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
004	Primary tuberculosis complex with symptoms	M	2	·	1	·	1	·	2	·	·
		F	·	·	·	·	·	·	·	·	·
008	Tuberculosis, unspecified site	M	4	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
010	Tuberculosis of meninges and central nervous system	M	9	1	1	1	1	1	5	1	·
		F	10	1	1	1	1	1	5	1	1
011	Tuberculosis of intestines, peritoneum and mesenteric glands	M	2	·	1	·	·	·	1	·	·
		F	4	·	·	·	·	·	·	·	·
012	Tuberculosis of bones and joints active or unspecified	M	6	·	·	·	·	·	·	·	·
		F	7	·	·	·	·	·	·	1	1
013	Late effects of tuberculosis of bones and joints	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
014	Tuberculosis of skin and subcutaneous cellular tissue	M	·	·	·	·	·		·	·	·
		F	1	·	·	·	·	·	·	·	·
016	Tuberculosis of genito-urinary system	M	8	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
018	Tuberculosis of other organs	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
019	Disseminated tuberculosis	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
020	Congenital syphilis	M	·	·	·	·	·	·	·	·	·
		F	1	1	·	·	·	·	1	·	·
022	Aneurysm of aorta	M	2	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
025	General paralysis of insane	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
029	Syphilis, unqualified	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
042	Other Salmonella infections	M	·	·	·	·	·	·	·	·	·
		F	1	1	·	·	·	·	1	·	·
044	Brucellosis (undulant fever)	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
045	Bacillary dysentery	M	1	·	·	1	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·
048	Unspecified forms of dysentery	M	·	·	·	·	·	·	·	·	·
		F	3	1	·	·	·	·	1	1	·
051	Streptococcal sore throat	M	1	·	·	1	·	·	1	·	·
		F	1	·	·	·	·	·	·	·	·
052	Erysipelas	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
053	Septicaemia and pyaemia	M	10	1	·	·	1	·	2	1	·
		F	6	·	·	·	·	·	·	3	·
055	Diphtheria	M	1	·	·	·	·	1	1	·	·
		F	1	·	·	·	·	·	·	1	·
056	Whooping cough	M	10	6	2	·	1	·	9	1	·
		F	5	5	·	·	·	·	5	·	·
057	Meningococcal infections	M	8	·	3	1	·	1	5	2	·
		F	5	·	1	·	1	·	2	1	·

DETAILED LIST, 7th REVISION, 1955) AND BY SEX AND AGE

death														Detailed List Number
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
91	**68**	**95**	**112**	**168**	**276**	**444**	**741**	**1,018**	**1,517**	**1,862**	**2,420**	**2,729**	**2,542**	**2,049**	
44	**55**	**54**	**114**	**159**	**226**	**353**	**570**	**662**	**1,039**	**1,328**	**2,110**	**2,588**	**2,535**	**2,362**	
3	**5**	**9**	**8**	**30**	**19**	**29**	**32**	**45**	**48**	**31**	**38**	**17**	**6**	**1**	**001–138**
·	**7**	**12**	**21**	**18**	**21**	**28**	**19**	**13**	**20**	**12**	**18**	**4**	**8**	**3**	
2	*3*	*8*	*6*	*27*	*17*	*28*	*26*	*43*	*44*	*27*	*33*	*13*	*5*	*1*	*001–019*
·	*5*	*9*	*18*	*16*	*18*	*24*	*16*	*11*	*15*	*10*	*15*	*3*	*4*	*1*	
·	2	8	4	24	15	27	24	38	42	26	31	13	4	1	002
·	5	9	16	16	14	19	15	11	12	8	15	2	4	·	
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	003
·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	004
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	1	1	·	·	1	·	1	·	008
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
1	·	·	·	·	1	1	·	·	·	·	·	·	·	·	010
·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	
·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	011
·	·	·	·	·	2	1	·	·	·	1	·	·	·	·	
1	·	·	·	1	1	·	1	2	·	·	·	·	·	·	012
·	·	·	1	·	1	2	·	·	·	·	·	·	·	1	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	013
·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	014
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
·	·	·	2	2	·	·	·	2	1	1	·	·	·	·	016
·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	018
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	019
·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	020
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	2	·	·	·	·	·	022
·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	025
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	029
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	042
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	044
·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	045
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	048
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	051
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	052
·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	
·	·	·	1	·	·	·	1	·	·	·	2	3	·	·	053
·	·	·	·	·	·	1	·	·	1	·	·	1	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	055
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	056
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	057
·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Age at Under 1 year	1	2	3	4	Total under 5	5–9	10–14
061	Tetanus	M	8	·	·	·	·	1	1	3	1
		F	2	·	·	·	·	·	·	·	·
072	Leptospirosis	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
080	Acute poliomyelitis	M	8	·	1	·	·	·	1	2	·
		F	9	2	·	1	1	·	4	1	2
081	Late effects of acute poliomyelitis	M	2	·	·	·	·	·	·	1	·
		F	2	·	·	·	·	·	·	·	·
082	Acute infectious encephalitis	M	2	·	1	·	·	·	1	·	·
		F	3	·	·	1	·	·	1	1	·
083	Late effects of acute infectious encephalitis	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
085	Measles	M	1	·	·	·	·	·	·	1	·
		F	3	1	1	·	·	·	2	·	·
086	Rubella (German Measles)	M	·	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	1	·	·
088	Herpes zoster	M	1	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
089	Mumps	M	1	1	·	·	·	·	1	·	·
		F	1	·	·	·	·	·	·	·	·
092	Infectious hepatitis	M	11	1	1	·	·	·	2	2	2
		F	9	·	·	·	·	·	·	1	·
096	Other diseases attributable to viruses	M	3	1	·	·	·	·	1	·	·
		F	4	·	·	2	·	·	2	·	·
115	Blackwater fever	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
122	Other protozoal diseases	M	1	1	·	·	·	·	1	·	·
		F	1	·	1	·	·	·	1	·	·
130	Infestation with worms of other, mixed, and unspecified type	M	2	·	1	·	1	·	2	·	·
		F	1	·	·	1	·	·	1	·	·
134	Fungus infections	M	2	2	·	·	·	·	2	·	·
		F	1	·	·	·	·	·	·	·	·
138	Other infective and parasitic diseases	M	2	·	·	·	·	·	·	·	·
		F	7	·	·	·	·	·	·	·	·
140–239	**II. Neoplasms**	**M**	**2,607**	**5**	**4**	**7**	**10**	**3**	**29**	**8**	**7**
		F	**2,279**	**2**	**4**	**10**	**6**	**3**	**25**	**9**	**9**
140–205	*Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues*	*M*	*2,546*	*3*	*4*	*5*	*10*	*3*	*25*	*8*	*6*
		F	*2,215*	*1*	*4*	*8*	*6*	*3*	*22*	*7*	*7*
140	Malignant neoplasm of lip	M	25	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
141	Malignant neoplasm of tongue	M	32	·	·	·	·	·	·	·	·
		F	5	·	·	·	·	·	·	·	·
142	Malignant neoplasm of salivary gland	M	7	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·
143	Malignant neoplasm of floor of mouth	M	3	·	·	·	·	·	·	·	
		F	·	·	·	·	·	·	·	·	·
144	Malignant neoplasm of other parts of mouth, and of mouth unspecified	M	12	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
145	Malignant neoplasm of oral mesopharynx	M	11	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
146	Malignant neoplasm of nasopharynx	M	5	·	·	·	·	·	·	1	·
		F	4	·	·	·	·	·	·	·	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death														
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	061
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	072
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	080
.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	081
.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	082
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	083
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	085
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	086
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	088
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	089
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	1	.	.	1	1	2	.	.	.	092
.	.	.	.	2	3	.	.	.	.	.	2	.	1	.	
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	096
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	115
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	122
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	134
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	138
.	1	1	1	.	.	2	1	.	.	1	.	.	.	.	
13	**6**	**17**	**14**	**31**	**52**	**121**	**182**	**261**	**357**	**389**	**410**	**350**	**249**	**111**	**140–239**
6	**5**	**6**	**18**	**36**	**74**	**129**	**190**	**221**	**297**	**310**	**340**	**301**	**187**	**116**	
12	*5*	*16*	*13*	*28*	*49*	*116*	*178*	*253*	*351*	*383*	*404*	*346*	*244*	*109*	*140–205*
6	*3*	*5*	*15*	*34*	*71*	*127*	*185*	*214*	*293*	*305*	*333*	*294*	*185*	*109*	
.	.	.	.	.	.	1	.	1	4	3	4	6	3	3	140
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	1	2	3	1	1	7	4	5	8	141
.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	
.	.	.	.	.	.	2	.	.	1	.	.	2	2	.	142
.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	
.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	143
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	1	5	2	3	.	144
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	1	.	.	1	.	5	2	1	1	145
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	2	.	.	.	.	.	146
.	.	.	.	1	1	.	1	.	.	.	.	1	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
147	Malignant neoplasm of hypopharynx	M	3	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
148	Malignant neoplasm of pharynx, unspecified	M	25	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus	M	97	.	.	.	.	.	.	.	.
		F	69	.	.	.	.	.	.	.	.
151	Malignant neoplasm of stomach	M	460	.	.	.	.	.	.	.	.
		F	389	.	1	.	.	.	1	1	.
152	Malignant neoplasm of small intestine, including duodenum	M	12	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
153	Malignant neoplasm of large intestine, except rectum	M	248	.	.	.	.	.	.	.	.
		F	274	.	.	.	.	.	.	.	.
154	Malignant neoplasm of rectum	M	141	.	.	.	.	.	.	.	.
		F	103	.	.	.	.	.	.	.	.
155	Malignant neoplasm of bilary passages and of liver (stated to be primary site)	M	24	.	.	.	.	.	.	.	.
		F	29	.	.	.	.	.	.	.	.
156	Malignant neoplasm of liver (secondary and unspecified)	M	40	.	.	.	.	.	.	.	.
		F	54	.	.	.	.	.	.	.	.
157	Malignant neoplasm of pancreas	M	108	.	.	.	.	.	.	.	.
		F	114	.	.	.	.	.	.	.	.
158	Malignant neoplasm of peritoneum	M	11	.	.	.	.	.	.	1	.
		F	11	.	.	.	.	.	.	1	.
159	Malignant neoplasm of unspecified digestive organs	M	4	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	11	.	.	.	.	1	1	.	.
		F	4	.	.	.	.	.	.	.	.
161	Malignant neoplasm of larynx	M	53	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	M	184	.	.	.	.	.	.	.	.
		F	45	.	.	.	.	.	.	1	.
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	M	276	.	.	.	.	.	.	.	.
		F	62	.	.	.	.	.	.	.	.
164	Malignant neoplasm of mediastinum	M	5	.	.	.	1	.	1	.	.
		F	2	.	.	.	.	.	.	.	.
165	Malignant neosplasm of thoracic organs (secondary)	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
170	Malignant neoplasm of breast	M	2	.	.	.	.	.	.	.	.
		F	357	.	.	.	.	.	.	.	.
171	Malignant neoplasm of cervix uteri	F	43	.	.	.	.	.	.	.	.
172	Malignant neoplasm of corpus uteri	F	10	.	.	.	.	.	.	.	.
174	Malignant neoplasm of uterus, unspecified	F	91	.	.	.	.	.	.	.	.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	F	89	.	.	.	.	.	.	.	1
176	Malignant neoplasm of other and unspecified female genital organs	F	13	.	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate	M	202	.	.	.	.	.	.	.	.
178	Malignant neoplasm of testis	M	8	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	147
.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	
.	.	.	.	.	.	.	1	.	4	3	6	5	5	1	148
.	.	.	.	.	.	1	.	1	1	2	1	1	1	.	
.	.	.	.	.	1	2	6	5	12	18	25	16	10	2	150
.	.	.	.	.	2	6	5	5	7	7	21	9	5	2	
.	.	2	.	2	10	23	34	45	62	75	72	69	47	19	151
.	.	.	1	2	5	14	19	36	41	66	67	78	43	15	
.	.	1	.	.	2	.	.	1	2	5	1	.	.	.	152
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
.	.	1	1	2	.	9	17	15	33	37	39	47	33	14	153
.	.	.	.	3	7	7	13	18	36	25	61	47	33	24	
.	.	1	.	.	2	3	12	10	12	14	35	23	23	6	154
.	.	.	.	.	4	3	8	9	15	9	17	16	12	10	
.	.	.	.	.	.	3	4	5	4	1	5	1	.	1	155
.	.	.	.	.	1	.	2	3	4	7	4	8	.	.	
.	.	.	.	1	.	.	6	5	5	3	6	7	6	1	156
.	.	.	1	.	2	1	3	4	2	12	8	11	8	2	
.	.	.	.	.	3	4	5	11	11	21	18	19	11	5	157
.	.	1	.	.	1	2	4	10	21	17	19	23	10	6	
.	.	1	1	.	1	1	1	2	1	1	1	.	.	.	158
.	.	.	.	.	.	1	1	.	2	3	.	2	.	1	
.	.	.	.	.	1	.	1	.	.	.	1	1	.	.	159
.	.	.	.	.	.	1	.	1	.	.	2	.	.	.	
.	.	.	.	.	.	.	1	1	.	3	2	2	1	.	160
.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	
.	.	1	.	.	2	1	1	3	8	7	10	8	8	4	161
.	.	.	.	.	.	1	8	1	1	3	2	4	.	.	
.	.	.	2	2	4	14	18	38	42	36	17	9	1	1	162
.	.	.	.	.	1	4	6	8	8	9	4	.	4	.	
.	1	.	1	4	5	16	24	52	68	40	41	13	9	2	163
.	.	.	.	1	.	3	6	11	13	13	10	1	3	1	
.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	164
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	165
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	170
.	.	1	6	11	21	34	46	45	51	41	40	32	16	13	
.	.	.	1	2	6	5	4	3	10	4	6	1	1	.	171
.	.	.	.	.	.	.	5	2	1	.	2	.	.	.	172
.	.	.	1	4	4	6	9	15	11	12	14	6	6	3	174
.	1	.	.	2	3	12	13	8	17	13	6	6	5	2	175
.	.	.	.	.	1	1	1	1	1	3	2	1	2	.	176
.	.	.	.	.	.	.	2	6	19	39	38	52	26	20	177
1	.	.	.	.	1	1	2	.	1	1	1	.	.	.	178

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Under 1 year	Age at 1	2	3	4	Total under 5	5–9	10–14
179	Malignant neoplasms of other and unspecified male genital organs	M	2	.	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney	M	20	1	.	1	.	.	2	.	.
		F	14	.	1	1	.	.	2	.	.
181	Malignant neoplasm of bladder and other urinary organs	M	64	.	1	.	.	.	1	.	.
		F	33	.	.	.	.	.	.	.	.
190	Malignant melanoma of skin	M	5	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin	M	48	.	.	.	.	.	.	.	.
		F	35	.	.	.	.	.	.	.	.
192	Malignant neoplasm of eye	M	3	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
193	Malignant neoplasm of brain and other parts of nervous system	M	40	.	2	1	.	.	3	.	1
		F	42	1	1	5	.	1	8	1	1
194	Malignant neoplasm of thyroid gland	M	5	.	.	.	.	.	.	.	.
		F	16	.	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands	M	1	.	.	.	.	.	.	.	.
		F	2	.	.	.	1	.	1	.	.
196	Malignant neoplasm of bone (including jaw bone)	M	43	.	.	1	.	.	1	1	1
		F	22	.	.	.	.	.	.	.	.
197	Malignant neoplasm of connective tissue	M	2	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	7	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites	M	138	.	.	.	1	1	2	.	.
		F	119	.	.	.	.	.	.	.	1
200	Lymphosarcoma and reticulosarcoma	M	14	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
201	Hodgkin's disease	M	36	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	1
202	Other forms of lymphoma (reticulosis)	M	2	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
203	Multiple myeloma (plasmocytoma)	M	11	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
204	Leukaemia and aluekaemia	M	96	2	1	2	8	1	14	5	4
		F	59	.	1	2	5	2	10	3	3
205	Mycosis fungoides	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
212	Benign neoplasm of respiratory system	M	2	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
214	Uterine fibromyoma	F	1	.	.	.	.	.	.	.	.
216	Benign neoplasm of ovary	F	7	.	.	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system	M	7	.	.	.	.	.	.	.	1
		F	3	.	.	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands	M	.	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	1	.
225	Benign neoplasm of bone and cartilage	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
227	Other benign neoplasm of muscular and connective tissue	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
228	Haemangioma and lymphangioma	M	3	1	.	.	.	.	1	.	.
		F	1	1	.	.	.	.	1	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	179
.	.	.	.	.	.	.	3	1	2	2	6	3	.	1	180
.	.	.	.	1	1	2	.	.	1	2	3	1	1	.	
.	.	.	.	.	.	6	4	5	12	13	9	7	5	2	181
.	.	.	.	.	1	2	1	3	1	5	4	8	6	2	
.	.	.	.	1	.	.	1	.	1	1	.	1	.	.	190
.	.	.	.	1	.	1	.	.	2	1	.	.	.	.	
.	.	.	.	1	1	2	2	3	1	6	4	8	14	6	191
.	.	.	.	1	1	.	.	2	1	1	2	5	12	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	192
.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	
2	1	1	1	5	5	2	5	5	3	5	1	.	.	.	193
1	.	.	3	.	.	4	7	6	5	4	1	1	.	.	
.	.	.	.	.	.	1	.	1	.	.	1	2	.	.	194
.	.	.	.	.	1	.	1	1	7	3	1	.	2	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	195
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
2	1	.	.	1	.	2	1	5	4	4	8	6	4	2	196
1	1	2	.	1	.	.	3	2	1	2	4	1	3	1	
.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	197
.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	
.	.	1	.	.	.	.	1	.	.	1	.	.	4	.	198
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
1	.	2	.	2	3	3	4	11	13	24	24	27	16	6	199
.	.	.	1	1	6	6	8	9	18	20	20	15	6	8	
1	.	1	1	.	1	.	5	.	3	1	1	.	.	.	200
.	.	.	.	.	.	3	2	1	1	2	2	2	1	.	
1	1	1	2	4	3	7	3	3	2	3	2	2	1	1	201
2	.	.	.	1	.	1	1	1	.	2	4	2	.	.	
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	202
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	2	2	.	3	2	1	.	.	.	203
.	.	.	.	.	.	1	2	2	4	1	2	3	.	.	
4	1	3	4	2	3	5	6	14	10	10	5	2	3	1	204
2	1	1	.	2	1	4	5	2	4	12	1	4	1	3	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	205
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	211
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	212
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	214
.	.	.	1	.	.	.	.	.	.	3	1	2	.	.	216
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	219
.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	
.	.	1	.	1	1	1	1	.	.	1	.	.	.	.	223
.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	224
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	225
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	227
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	228
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
230	Neoplasm of unspecified nature of digestive organs	M	10	·	·	·	·	·	·	·	·
		F	10	·	·	·	·	·	·	·	·
231	Neoplasm of unspecified nature of respiratory organs	M	9	·	·	·	·	·	·	·	·
		F	6	·	·	·	·	·	·	·	·
234	Neoplasm of unspecified nature of ovary	F	2	·	·	·	·	·	·	·	·
236	Neoplasm of unspecified nature of other genito-urinary organs	M	2	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
237	Neoplasm of unspecified nature of brain and other parts of nervous system	M	19	·	·	2	·	·	2	·	·
		F	19	·	·	2	·	·	2	1	2
238	Neoplasm of unspecified nature of skin and musculoskeletal system	M	2	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
239	Neoplasm of unspecified nature of other and unspecified organs	M	3	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·
240–289	**III.—Allergic, endocrine system, metabolic and nutritional diseases**	**M**	**218**	**3**	·	**2**	·	·	**5**	·	·
		F	**262**	**5**	**1**	·	·	**1**	**7**	**2**	**2**
241	Asthma	M	89	·	·	1	·	·	1	·	·
		F	52	1	·	·	·	1	2	1	·
250	Simple goitre	M	·	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
251	Non-toxic nodular goitre	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
252	Thyrotoxicosis with or without goitre	M	2	·	·	·	·	·	·	·	·
		F	28	·	·	·	·	·	·	·	·
253	Myxoedema and cretinism	M	3	·	·	·	·	·	·	·	·
		F	9	1	·	·	·	·	1	·	1
254	Other diseases of thyroid gland	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
260	Diabetes mellitus	M	85	·	·	1	·	·	1	·	·
		F	133	·	·	·	·	·	·	·	1
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
272	Diseases of pituitary gland	M	4	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·
273	Diseases of thymus gland	M	3	2	·	·	·	·	2	·	·
		F	1	1	·	·	·	·	1	·	·
274	Diseases of adrenal glands	M	8	·	·	·	·	·	·	·	·
		F	11	2	·	·	·	·	2	·	·
277	Polyglandular dysfunction and other diseases of endocrine glands	M	1	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
282	Scurvy	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
286	Other avitaminoses and nutritional deficiency states	M	8	·	·	·	·	·	·	·	·
		F	10	·	1	·	·	·	1	·	·
287	Obesity, not specified as of endocrine origin	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
289	Other metabolic diseases	M	12	1	·	·	·	·	1	·	·
		F	6	·	·	·	·	·	·	1	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	.	.	2	1	.	1	2	3	1	230
.	.	.	.	.	.	.	.	1	1	.	1	3	.	4	
.	.	.	.	.	.	.	.	4	1	1	1	.	2	.	231
.	.	.	.	1	1	.	2	.	.	.	1	1	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	234
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	236
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
1	1	.	1	1	2	2	3	2	2	1	1	.	.	.	237
.	1	1	.	.	2	.	2	4	2	2	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	238
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	239
.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	
1	**1**	**2**	**5**	**4**	**14**	**11**	**19**	**18**	**31**	**31**	**30**	**25**	**16**	**5**	**240–289**
.	**5**	**1**	**3**	**4**	**4**	**11**	**12**	**15**	**24**	**44**	**53**	**41**	**27**	**7**	
.	.	.	2	4	5	7	8	9	11	14	11	10	4	3	241
.	2	1	.	.	.	4	4	5	6	13	3	7	4	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	250
.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	251
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	252
.	.	.	.	.	.	3	3	5	3	7	5	2	.	.	
.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	253
.	.	.	.	1	.	1	.	.	.	1	2	.	1	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	254
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
1	1	.	2	.	7	2	8	6	12	10	10	13	11	1	260
.	2	.	2	.	2	1	4	3	11	19	37	27	20	4	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	270
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	2	1	.	.	272
.	.	.	.	1	.	1	.	1	.	1	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	273
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	3	.	2	1	1	.	.	.	274
.	.	.	1	1	1	.	.	1	.	1	2	2	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	277
.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	282
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	1	2	1	1	1	1	.	286
.	.	.	.	.	.	.	.	.	3	2	1	2	.	1	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	287
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	1	1	.	2	1	3	2	.	.	1	289
.	.	.	.	.	1	.	1	.	1	.	.	.	2	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
290–299	**IV.—Diseases of the blood and blood-forming organs**	**M**	**73**	**3**	·	·	·	·	**3**	**1**	·
		F	**111**	**2**	·	·	·	·	**2**	·	·
290	Pernicious and other hyperchromic anaemias	M	19	·	·	·	·	·	·	·	·
		F	30	·	·	·	·	·	·	·	·
291	Iron deficiency anaemias (hypochromic anaemias)	M	1	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
292	Other anaemias of specified type	M	12	·	·	·	·	·	·	·	·
		F	11	·	·	·	·	·	·	·	·
293	Anaemia of unspecified type	M	22	1	·	·	·	·	1	·	·
		F	50	·	·	·	·	·	·	·	·
294	Polycythaemia	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
296	Purpura and other haemorrhagic conditions	M	12	2	·	·	·	·	2	1	·
		F	9	1	·	·	·	·	1	·	·
297	Agranulocytosis	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
298	Diseases of spleen	M	6	·	·	·	·	·	·	·	·
		F	6	1	·	·	·	·	1	·	·
300–326	**V.—Mental, psychoneurotic, and personality disorders**	**M**	**34**	**7**	**1**	**1**	**2**	·	**11**	·	**2**
		F	**24**	**5**	**1**	**1**	**1**	·	**8**	·	**1**
301	Manic-depressive reaction	M	·	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
304	Senile psychosis	M	10	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·
305	Presenile psychosis	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
307	Alcoholic psychosis	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
309	Other and unspecified psychoses	M	·	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
311	Hysterical reaction without mention of anxiety reaction	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
322	Alcoholism	M	3	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
325	Mental deficiency	M	17	7	1	1	2	·	11	·	2
		F	12	5	1	1	1	·	8	·	1
330–398	**VI.—Diseases of the nervous system and sense organs**	**M**	**1,990**	**12**	**4**	**2**	**1**	**1**	**20**	**6**	**5**
		F	**2,392**	**11**	**1**	**1**	**1**	**1**	**15**	**4**	**5**
330	Subarachnoid haemorrhage	M	86	·	·	·	·	·	·	·	2
		F	89	1	·	·	·	·	1	·	1
331	Cerebral haemorrhage	M	707	1	·	·	·	·	1	·	·
		F	936	2	·	·	·	·	2	·	·
332	Cerebral embolism and thrombosis	M	712	·	·	·	·	·	·	·	·
		F	775	·	·	·	·	·	·	·	·
334	Other and ill-defined vascular lesions affecting central nervous system	M	222	·	·	·	·	·	·	·	·
		F	291	·	·	·	·	·	·	1	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
1	**1**	**2**	**.**	**2**	**2**	**2**	**5**	**8**	**3**	**7**	**13**	**11**	**9**	**3**	**290–299**
1	**.**	**.**	**3**	**.**	**1**	**2**	**5**	**14**	**4**	**9**	**17**	**22**	**17**	**14**	
.	.	.	.	.	.	.	2	1	1	2	5	3	4	1	290
.	.	.	.	.	.	1	2	4	1	2	5	5	8	2	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	291
.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	
.	1	1	.	.	.	.	.	1	1	3	4	1	.	.	292
.	.	.	2	.	.	.	1	3	1	.	.	2	2	.	
.	.	.	.	1	1	1	2	3	1	1	2	4	3	2	293
.	.	.	1	.	1	.	2	3	1	5	8	13	6	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	294
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	1	1	1	.	1	.	1	2	2	.	.	296
1	.	.	.	.	.	1	.	2	.	1	.	1	.	2	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	297
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
1	.	.	.	.	.	.	1	1	.	.	.	1	2	.	298
.	.	.	.	.	.	.	.	1	1	1	1	.	1	.	
.	**1**	**.**	**.**	**.**	**3**	**.**	**1**	**1**	**1**	**3**	**.**	**5**	**4**	**2**	**300–326**
1	**.**	**2**	**.**	**1**	**.**	**.**	**2**	**.**	**.**	**4**	**1**	**1**	**1**	**2**	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	301
.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	4	4	2	304
.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	305
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	307
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	309
.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	311
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	316
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	322
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	2	.	.	.	.	1	.	.	.	.	325
1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	
6	**8**	**10**	**10**	**12**	**23**	**39**	**68**	**113**	**178**	**222**	**346**	**389**	**330**	**205**	**330–398**
3	**9**	**7**	**6**	**23**	**24**	**51**	**82**	**107**	**186**	**251**	**435**	**472**	**421**	**291**	
3	2	3	6	1	6	7	11	8	15	8	7	1	4	2	330
1	3	3	1	5	4	11	13	5	8	10	14	7	2	.	
.	.	1	.	1	5	13	29	51	70	97	143	128	120	48	331
.	1	.	.	2	9	13	39	54	98	115	172	181	164	86	
1	1	.	.	1	2	6	13	24	58	65	122	165	145	109	332
.	.	2	1	1	2	8	10	23	36	80	154	180	148	130	
.	.	.	.	.	1	.	4	2	15	18	41	60	46	35	334
.	.	.	.	.	.	4	7	13	20	19	44	57	69	57	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Under 1 year	1	2	3	4	Total under 5	5–9	Age at 10–14
340	Meningitis, except meningococcal and tuberculous	M	20	8	1	·	·	·	9	·	·
		F	16	7	1	·	·	·	8	1	2
342	Intracranial and intraspinal abscess	M	5	1	·	·	·	·	1	·	·
		F	3	·	·	·	·	·	·	·	·
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	9	1	·	·	·	·	1	·	·
		F	5	·	·	·	·	·	·	1	·
344	Late effects of intracranial abscess or pyogenic infection	M	1	·	·	·	1	·	1	·	·
		F	·	·	·	·	·	·	·	·	·
345	Multiple sclerosis	M	36	·	·	·	·	·	·	·	·
		F	41	·	·	·	·	·	·	·	·
350	Paralysis agitans	M	41	·	·	·	·	·	·	·	·
		F	49	·	·	·	·	·	·	·	·
351	Cerebral spastic infantile paralysis	M	7	·	2	1	·	·	3	2	2
		F	4	·	·	·	·	·	·	1	·
352	Other cerebral paralysis	M	81	·	·	·	·	·	·	·	·
		F	131	·	·	·	·	·	·	·	·
353	Epilepsy	M	26	·	1	·	·	1	2	1	1
		F	25	·	·	·	1	1	2	·	2
355	Other diseases of the brain	M	6	·	·	·	·	·	·	1	·
		F	9	·	·	·	·	·	·	·	·
356	Motor neurone disease and muscular atrophy	M	23	·	·	1	·	·	1	1	·
		F	11	·	·	·	·	·	·	·	·
357	Other diseases of spinal cord	M	3	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
364	Polyneuritis and polyradiculitis	M	1	·	·	·	·	·	·	1	·
		F	2	·	·	·	·	·	·	·	·
367	Other diseases of cranial nerves	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
391	Otitis media without mention of mastoiditis	M	2	1	·	·	·	·	1	·	·
		F	3	1	·	1	·	·	2	·	·
393	Mastoiditis without mention of otitis media	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
400–468	**VII.—Diseases of the circulatory system**	**M**	**6,867**	·	·	·	·	**1**	**1**	·	**1**
		F	**5,641**	**1**	·	**1**	·	·	**2**	**2**	**2**
401	Rheumatic fever with heart involvement	M	5	·	·	·	·	1	1	·	·
		F	3	·	·	1	·	·	1	·	·
402	Chorea	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
410	Diseases of mitral valve	M	86	·	·	·	·	·	·	·	·
		F	126	·	·	·	·	·	·	·	·
411	Diseases of aortic valve, specified as rheumatic	M	3	·	·	·	·	·	·	·	·
		F	10	·	·	·	·	·	·	·	·
412	Diseases of tricuspid valve	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
413	Diseases of pulmonary valve specified as rheumatic	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
414	Other endocarditis specified as rheumatic	M	19	·	·	·	·	·	·	·	·
		F	16	·	·	·	·	·	·	·	·
415	Other myocarditis specified as rheumatic	M	8	·	·	·	·	·	·	·	·
		F	6	·	·	·	·	·	·	·	·
416	Other heart disease specified as rheumatic	M	27	·	·	·	·	·	·	·	·
		F	27	·	·	·	·	·	·	·	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	4	1	2	3	.	1	.	.	.	.	340
.	1	.	1	.	1	1	.	.	.	1	.	.	.	.	
.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	342
.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	
.	.	1	.	.	1	1	1	2	.	1	1	.	.	.	343
.	.	.	.	.	1	.	.	.	.	.	2	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	344
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	1	2	4	4	2	4	7	2	5	1	3	.	.	345
.	.	.	2	10	4	9	2	3	3	4	2	1	1	.	
.	.	.	.	.	.	2	.	3	7	5	13	7	4	.	350
.	.	.	.	.	.	.	1	1	7	8	14	8	8	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	351
.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	
1	.	.	.	.	.	1	1	5	5	12	14	23	9	10	352
.	.	.	.	.	1	3	4	3	8	9	28	33	27	15	
1	2	3	2	3	.	4	.	1	3	2	1	.	.	.	353
1	3	2	1	3	2	.	3	2	.	1	1	1	1	.	
.	.	.	.	.	.	2	.	1	.	1	.	1	.	.	355
.	.	.	.	.	.	1	1	1	.	.	3	2	1	.	
.	.	.	.	2	.	.	3	4	1	4	3	1	2	1	356
.	.	.	.	1	.	1	1	.	5	2	.	.	.	1	
.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	357
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	364
1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	367
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	391
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	393
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	**4**	**11**	**22**	**39**	**94**	**140**	**270**	**363**	**599**	**823**	**1,090**	**1,322**	**1,160**	**920**	**400–468**
3	**6**	**12**	**18**	**31**	**51**	**79**	**158**	**191**	**339**	**494**	**900**	**1,202**	**1,148**	**1,003**	
.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	401
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	402
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
2	1	2	4	6	6	4	7	9	8	9	10	9	6	3	410
1	1	4	5	8	9	12	10	13	10	2	16	19	10	6	
.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	411
.	1	.	.	2	.	3	1	.	1	.	1	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	412
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	413
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	2	.	5	.	1	1	3	4	1	.	414
.	1	.	1	.	.	2	2	2	4	2	2	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	3	2	.	2	415
.	.	.	.	.	.	.	.	.	1	2	1	.	1	1	
.	.	3	1	1	3	5	3	3	4	.	1	3	.	.	416
.	.	.	.	3	2	3	6	.	4	4	2	3	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
420	*Arteriosclerotic heart disease, including coronary disease*	*M*	*2,645*	.	.	.	.	.	.	.	.
		F	*1,378*	.	.	.	.	.	.	.	.
420·0	Arteriosclerotic heart disease so described	M	43	.	.	.	.	.	.	.	.
		F	26	.	.	.	.	.	.	.	.
420·1	Heart disease specified as involving coronary arteries	M	2,574	.	.	.	.	.	.	.	.
		F	1,340	.	.	.	.	.	.	.	.
420·2	Angina pectoris without mention of coronary disease	M	28	.	.	.	.	.	.	.	.
		F	12	.	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic	M	166	.	.	.	.	.	.	.	1
		F	177	.	.	.	.	.	.	.	1
422	Other myocardial degeneration	M	2,267	.	.	.	.	.	.	.	.
		F	2,253	.	.	.	.	.	.	.	.
430	Acute and subacute endocarditis	M	8	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
431	Acute myocarditis not specified as rheumatic	M	7	.	.	.	.	.	.	.	.
		F	10	.	.	.	.	.	.	.	.
433	Functional disease of heart	M	350	.	.	.	.	.	.	.	.
		F	397	.	.	.	.	.	.	.	.
434	Other and unspecified diseases of heart	M	368	.	.	.	.	.	.	.	.
		F	269	1	.	.	.	.	1	.	.
440	Essential benign hypertensive heart disease	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
441	Essential malignant hypertensive heart disease	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	3	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
443	Other and unspecified hypertensive heart disease	M	263	.	.	.	.	.	.	.	.
		F	363	.	.	.	.	.	.	.	.
444	Essential benign hypertension	M	115	.	.	.	.	.	.	.	.
		F	147	.	.	.	.	.	.	.	.
445	Essential malignant hypertension	M	28	.	.	.	.	.	.	.	.
		F	31	.	.	.	.	.	.	1	.
446	Hypertension with arteriolar nephrosclerosis	M	14	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
447	Other hypertensive disease	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
450	General arteriosclerosis	M	354	.	.	.	.	.	.	.	.
		F	294	.	.	.	.	.	.	.	.
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	30	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
452	Other aneurysm, except of heart and aorta	M	3	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
453	Peripheral vascular disease	M	3	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
454	Arterial embolism and thrombosis	M	4	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
455	Gangrene of unspecified cause	M	16	.	.	.	.	.	.	.	.
		F	17	.	.	.	.	.	.	.	.
456	Other diseases of arteries	M	7	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
460	Varicose veins of lower extremities	M	3	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	.	.
461	Haemorrhoids	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death														Detailed List Number
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
2	·	*3*	*9*	*25*	*60*	*86*	*180*	*239*	*353*	*443*	*466*	*413*	*220*	*146*	*420*
·	*1*	*2*	*1*	*7*	*16*	*28*	*62*	*82*	*139*	*201*	*297*	*263*	*177*	*102*	
·	·	·	·	·	·	·	·	1	2	2	11	9	7	11	420·0
·	·	·	·	·	·	·	·	·	·	6	4	8	4	4	
2	·	3	9	25	59	86	178	238	345	433	451	402	209	134	420·1
·	1	2	1	7	16	28	62	82	139	193	292	251	170	96	
·	·	·	·	·	1	·	2	·	6	8	4	2	4	1	420·2
·	·	·	·	·	·	·	·	·	·	2	1	4	3	2	
1	·	1	1	1	3	7	4	14	18	26	28	21	25	15	421
·	·	·	1	2	3	2	10	7	15	22	24	43	28	19	
·	·	·	·	·	7	10	21	32	84	166	314	540	586	507	422
·	·	1	2	2	5	10	19	32	72	129	281	485	614	601	
1	·	1	·	·	·	·	2	1	1	1	1	·	·	·	430
·	·	1	1	4	·	·	2	·	·	·	·	·	·	·	
1	·	·	·	·	·	·	2	·	·	1	·	·	1	2	431
1	·	·	1	·	·	1	1	·	·	·	3	2	·	1	
·	·	·	1	·	1	3	11	11	31	39	66	71	57	59	433
·	1	·	1	·	·	3	10	10	20	36	82	88	81	65	
·	·	1	1	·	2	8	18	25	34	39	60	64	66	50	434
·	1	2	2	1	3	6	9	9	22	27	51	49	42	44	
·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	440
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	2	1	·	1	·	1	·	·	·	·	441
·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	442
·	·	·	·	·	·	·	·	·	·	·	·	2	·	1	
·	·	·	·	·	2	2	2	11	23	40	56	47	40	40	443
·	·	·	1	·	1	1	13	10	26	35	54	107	74	41	
·	·	·	·	·	·	4	5	3	12	14	20	28	18	11	444
·	·	·	1	·	2	1	5	8	10	13	31	41	20	15	
1	3	·	1	3	3	6	2	2	4	1	1	·	·	1	445
1	·	1	·	2	2	4	3	5	6	3	1	2	·	·	
·	·	·	·	·	·	·	1	·	2	2	2	3	2	2	446
·	·	·	·	·	·	·	1	1	1	·	1	4	2	4	
·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	447
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	1	2	9	20	36	89	123	74	450
·	·	·	·	·	·	·	·	3	5	8	29	70	84	95	
·	·	·	·	·	·	1	1	1	3	6	9	6	3	·	451
·	·	·	·	·	·	·	·	2	·	2	5	4	2	·	
·	·	·	·	·	·	·	·	·	·	1	1	·	·	1	452
·	·	·	·	·	1	·	·	1	·	1	1	·	·	1	
·	·	·	·	·	·	·	·	·	·	·	1	·	·	2	453
·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	1	·	·	·	2	1	·	454
·	·	·	1	·	·	·	1	1	·	·	3	·	2	·	
·	·	·	·	·	·	·	·	1	1	1	·	6	3	4	455
·	·	·	·	·	·	·	·	·	·	1	4	4	4	4	
·	·	·	·	·	·	1	·	·	1	2	2	1	·	·	456
·	·	·	·	·	1	·	1	1	·	·	·	1	·	·	
·	·	·	·	·	·	·	1	·	·	·	1	·	1	·	460
·	·	·	·	·	1	·	·	·	1	1	2	1	2	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	461
·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Under 1 year	Age at 1	2	3	4	Total under 5	5–9	10–14
462	Varicose veins of other specified sites	M	1	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	1
463	Phlebitis and thrombophlebitis of lower extremities	M	3	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
464	Phlebitis and thrombophlebitis of other sites	M	1	·	·	·	·	·	·	·	·
		F	6	·	·	·	·	·	·	·	·
465	Pulmonary embolism and infarction	M	36	·	·	·	·	·	·	·	·
		F	18	·	·	·	·	·	·	·	·
466	Other venous embolism and thrombosis	M	11	·	·	·	·	·	·	·	·
		F	14	·	·	·	·	·	·	·	·
467	Other diseases of circulatory system	M	3	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·
468	Certain diseases of lymph nodes and lymph channels	M	2	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	1	·
470–527	**VIII.—Diseases of the respiratory system**	**M**	**1,508**	**128**	**17**	**10**	**5**	**5**	**165**	**6**	**5**
		F	**1,089**	**72**	**17**	**8**	**7**	**1**	**105**	**4**	**1**
473	Acute tonsilitis	M	·	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	1	·	·
474	Acute laryngitis and tracheitis	M	2	1	1	·	·	·	2	·	·
		F	1	·	·	·	1	·	1	·	·
475	Acute upper respiratory infection of multiple or unspecified sites	M	4	2	1	·	·	·	3	·	·
		F	·	·	·	·	·	·	·	·	·
480	Influenza with pneumonia	M	32	3	·	·	·	·	3	·	·
		F	34	2	1	·	·	·	3	·	·
481	Influenza with other respiratory manifestations, and influenza unqualified	M	65	1	·	2	·	·	3	2	·
		F	54	·	·	·	·	·	·	·	·
482	Influenza with digestive manifestations, but without respiratory symptoms	M	3	1	·	·	·	·	1	·	·
		F	1	·	·	1	·	·	1	·	·
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
490	Lobar pneumonia	M	55	11	·	·	1	·	12	·	2
		F	52	5	2	·	·	·	7	1	·
491	Bronchopneumonia	M	326	60	7	2	2	1	72	3	1
		F	322	48	8	2	4	1	63	·	·
492	Primary atypical pneumonia	M	17	9	1	·	·	·	10	1	·
		F	17	3	3	1	1	·	8	·	·
493	Pneumonia, other and unspecified	M	131	25	2	4	·	·	31	·	1
		F	109	8	2	2	·	·	12	2	·
500	Acute bronchitis	M	41	·	3	·	·	·	3	·	1
		F	32	·	·	1	1	·	2	·	·
501	Bronchitis unqualified	M	133	7	1	1	2	·	11	·	·
		F	107	2	·	1	·	·	3	·	·
502	Chronic bronchitis	M	499	·	·	·	·	·	·	·	·
		F	229	·	·	·	·	·	·	·	·
510	Hypertrophy of tonsils and adenoids	M	1	·	·	·	·	1	1	·	·
		F	·	·	·	·	·	·	·	·	·
511	Peritonsillar abscess (quinsy)	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
513	Chronic sinusitis	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
517	Other diseases of upper respiratory tract	M	2	·	·	·	·	1	1	·	·
		F	·	·	·	·	·	·	·	·	·
518	Empyema	M	3	·	1	·	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·
519	Pleurisy	M	9	1	·	·	·	·	1	·	·
		F	3	·	·	·	·	·	·	·	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	462
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	
.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	463
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	464
.	.	.	.	.	1	1	.	.	.	.	.	3	1	.	
.	.	.	1	1	1	.	1	4	5	8	4	6	5	.	465
.	.	.	.	.	1	.	1	2	.	3	1	6	1	3	
.	.	.	.	.	1	1	1	.	2	1	3	1	1	.	466
.	.	.	.	.	2	1	.	1	1	1	2	3	3	.	
.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	467
.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	468
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	**.**	**4**	**7**	**5**	**16**	**32**	**59**	**104**	**143**	**165**	**221**	**204**	**217**	**154**	**470–527**
7	**5**	**4**	**8**	**13**	**17**	**15**	**34**	**33**	**64**	**77**	**156**	**170**	**202**	**174**	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	473
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	474
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	475
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	3	4	2	4	2	10	3	480
1	.	.	1	1	.	1	1	2	1	1	2	9	5	6	
.	.	1	1	.	1	.	2	2	1	4	8	16	15	9	481
1	.	.	1	.	2	.	.	.	3	2	11	11	11	12	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	482
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	483
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	1	3	1	2	2	8	7	7	3	2	4	490
.	.	.	.	2	2	1	1	4	3	5	4	7	8	7	
.	.	.	2	2	3	4	7	11	22	23	38	43	52	43	491
2	2	.	2	5	2	2	9	1	12	24	40	49	62	47	
.	.	.	.	.	.	.	1	1	1	1	.	.	2	.	492
.	.	1	1	1	.	.	.	1	1	.	3	.	1	.	
.	.	1	1	.	2	3	3	8	6	12	15	15	20	13	493
1	2	.	2	.	1	.	6	1	7	7	16	10	22	20	
.	.	.	.	.	.	1	1	3	1	3	4	12	7	5	500
.	.	.	.	.	.	.	.	.	2	.	5	6	6	11	
.	.	.	.	.	1	2	4	5	16	6	24	19	26	19	501
2	.	.	.	.	1	1	2	5	6	8	16	18	26	19	
.	.	.	1	.	4	12	26	48	64	88	90	75	60	31	502
.	.	.	.	1	2	5	8	12	20	21	44	45	36	35	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	510
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	511
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	513
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	517
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	518
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	1	1	.	.	3	1	1	.	519
.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
520	Spontaneous pneumothorax	M	1	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
521	Abscess of lung	M	8	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
522	Pulmonary congestion and hypostasis	M	64	1	.	.	.	.	1	.	.
		F	53	1	.	.	.	.	1	1	.
523	Pneumoconiosis due to silica and silicates (occupational)	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
525	Other chronic interstitial pneumonia	M	14	2	.	.	.	.	2	.	.
		F	6	.	.	.	.	.	.	.	.
526	Bronchiectasis	M	48	.	.	1	.	.	1	.	.
		F	37	.	.	.	.	.	.	.	1
527	Other diseases of lung and pleural cavity	M	47	4	.	.	.	2	6	.	.
		F	25	3	.	.	.	.	3	.	.
530–587	**IX.—Diseases of the digestive system**	**M**	**460**	**40**	**7**	**1**	**5**	**4**	**57**	**3**	**3**
		F	**373**	**30**	**4**	.	.	**3**	**37**	**7**	.
537	Diseases of salivary glands	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
538	Other diseases of buccal cavity	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
539	Diseases of oesophagus	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
540	Ulcer of stomach	M	100	.	.	.	.	.	.	.	.
		F	49	.	.	.	.	.	.	.	.
541	Ulcer of duodenum	M	51	1	.	.	.	.	1	.	.
		F	10	.	.	.	.	.	.	.	.
542	Gastrojejunal ulcer	M	5	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
543	Gastritis and duodenitis	M	10	1	.	.	.	.	1	.	.
		F	8	.	.	.	.	.	.	.	.
544	Disorders of function of stomach	M	2	.	.	.	.	.	.	1	.
		F	2	.	.	.	.	.	.	.	.
545	Other diseases of stomach and duodenum	M	10	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	1	.
550	Acute appendicitis	M	23	.	1	.	1	3	5	.	1
		F	12	1	.	.	.	1	2	2	.
551	Appendicitis, unqualified	M	3	.	.	.	1	.	1	.	.
		F	2	.	.	.	.	.	.	.	.
553	Other diseases of appendix	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
560	Hernia of abdominal cavity without mention of obstruction	M	10	2	.	.	.	.	2	.	.
		F	6	2	.	.	.	.	2	.	.
561	Hernia of abdominal cavity with obstruction	M	22	.	.	.	.	.	.	.	.
		F	23	1	.	.	.	.	1	.	.
570	Intestinal obstruction, without mention of hernia	M	48	3	.	.	1	.	4	1	1
		F	55	1	.	.	.	.	1	.	.
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	40	28	5	1	.	.	34	.	.
		F	37	16	4	.	.	.	20	3	.
572	Chronic enteritis and ulcerative colitis	M	24	1	.	.	1	.	2	.	.
		F	36	2	.	.	.	.	2	.	.
573	Functional disorders of intestines	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
576	Peritonitis	M	9	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
577	Peritoneal adhesion	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum	M	21	1	.	.	1	1	3	.	.
		F	14	3	.	.	.	.	3	.	.
580	Acute and subacute yellow atrophy of liver	M	1	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	520
.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	
.	.	.	.	.	1	.	1	1	.	1	3	.	1	.	521
.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	
.	.	.	1	.	.	1	1	3	3	1	5	8	19	21	522
.	.	.	.	.	.	.	.	.	2	5	6	10	15	13	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	523
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	3	1	2	1	1	4	.	.	525
.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	
1	.	1	1	1	.	3	3	8	8	7	8	2	2	2	526
.	1	3	1	2	3	3	5	3	5	2	4	1	2	1	
.	.	.	.	1	.	3	4	6	6	8	7	3	.	3	527
.	.	.	.	1	3	2	1	1	1	1	2	3	5	2	
3	**4**	**3**	**4**	**9**	**6**	**26**	**44**	**35**	**53**	**55**	**51**	**51**	**37**	**16**	**530–587**
.	**1**	**2**	**7**	**9**	**8**	**10**	**28**	**21**	**33**	**39**	**41**	**60**	**40**	**30**	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	537
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	538
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	539
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	3	1	6	11	10	14	13	7	22	9	4	540
.	.	.	1	2	.	.	6	4	7	6	6	8	7	2	
.	.	.	.	3	1	2	4	3	9	6	11	5	3	3	541
.	.	.	.	.	.	1	.	2	1	3	.	.	2	1	
.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	542
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	1	.	2	1	3	543
.	.	.	.	.	1	.	.	.	1	.	1	3	1	1	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	544
.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	1	.	1	.	.	1	2	1	2	1	1	.	545
.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	
1	.	1	.	.	1	4	.	2	2	2	.	1	3	.	550
.	.	.	.	.	1	1	.	.	1	1	1	1	.	2	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	551
.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	553
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	2	1	.	2	3	.	.	.	560
.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	
.	.	.	.	1	.	.	2	.	4	1	5	3	6	.	561
.	.	.	.	.	1	1	.	2	1	3	4	4	2	4	
.	1	.	.	.	1	1	7	1	4	7	7	5	5	3	570
.	1	.	.	1	.	2	3	3	5	7	3	13	10	6	
.	.	.	.	.	.	1	.	.	1	1	1	.	2	.	571
.	.	.	.	.	.	.	1	.	.	3	1	3	2	4	
.	.	1	1	.	.	1	2	1	7	3	2	2	2	.	572
.	.	1	2	1	2	.	7	.	2	4	4	7	4	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	573
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	2	.	2	1	2	2	.	.	.	576
.	.	.	.	.	.	.	1	.	.	1	1	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	577
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
1	1	.	.	.	.	1	4	1	1	4	2	2	1	.	578
.	.	.	1	.	.	1	1	.	1	2	2	1	.	2	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	589
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
581	Cirrhosis of liver	M	38	.	.	.	.	.	.	1	1
		F	18	1	.	.	.	.	1	.	.
582	Suppurative hepatitis and liver abscess	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
583	Other diseases of liver	M	5	.	.	.	.	.	.	.	.
		F	8	.	.	.	.	.	.	1	.
584	Cholelithiasis	M	4	.	.	.	.	.	.	.	.
		F	18	.	.	.	.	.	.	.	.
585	Cholecystitis and cholangitis, without mention of calculi	M	7	.	.	.	.	.	.	.	.
		F	28	.	.	.	.	1	1	.	.
586	Other diseases of gallbladder and biliary ducts	M	5	.	.	.	.	.	.	.	.
		F	14	.	.	.	.	.	.	.	.
587	Diseases of pancreas	M	20	3	1	.	.	.	4	.	.
		F	15	3	.	.	.	1	4	.	.
590–637	**X,—Diseases of the genito-urinary system**	**M**	**531**	**8**	.	.	.	.	**8**	.	**4**
		F	**252**	**3**	.	.	.	.	**3**	**1**	**3**
590	Acute Nephritis	M	9	.	.	.	.	.	.	.	.
		F	11	.	.	.	.	.	.	.	1
591	Nephritis with oedema, including nephrosis	M	10	.	.	.	.	.	.	.	1
		F	5	.	.	.	.	.	.	.	.
592	Chronic nephritis	M	134	.	.	.	.	.	.	.	3
		F	108	.	.	.	.	.	.	1	2
593	Nephritis not specified as acute or chronic	M	84	1	.	.	.	.	1	.	.
		F	69	.	.	.	.	.	.	.	.
594	Other renal sclerosis	M	2	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
600	Infections of kidney	M	39	6	.	.	.	.	6	.	.
		F	34	2	.	.	.	.	2	.	.
601	Hydronephrosis	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
602	Calculi of kidney and ureter	M	2	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
603	Other diseases of kidney and ureter	M	4	.	.	.	.	.	.	.	.
		F	4	1	.	.	.	.	1	.	.
604	Calculi of other parts of urinary system	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
605	Cystitis	M	6	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
606	Other diseases of bladder	M	5	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
608	Stricture of urethra	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
609	Other diseases of urethra	M	5	1	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.
610	Hyperplasia of prostate	M	211	.	.	.	.	.	.	.	.
611	Prostatitis	M	7	.	.	.	.	.	.	.	.
612	Other diseases of prostate	M	4	.	.	.	.	.	.	.	.
614	Orchitis and epididymitis	M	1	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F	5	.	.	.	.	.	.	.	.
631	Uterovaginal prolapse	F	1	.	.	.	.	.	.	.	.

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death

15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	1	1	2	.	4	5	7	3	4	4	5	.	.	581
.	.	.	.	1	.	1	4	1	4	1	3	1	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	582
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	1	.	2	.	1	.	.	583
.	.	.	.	2	.	.	.	.	2	.	.	2	1	.	
.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	584
.	.	.	1	.	1	1	.	2	2	3	4	3	1	.	
.	.	.	.	.	.	.	1	1	1	1	1	.	2	.	585
.	.	.	.	.	1	1	.	.	2	.	8	7	5	3	
.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	586
.	.	.	.	.	.	.	1	1	3	3	2	1	.	3	
1	2	.	1	.	.	1	2	2	.	2	2	2	1	.	587
.	.	.	.	2	.	1	1	4	1	.	1	1	.	.	
7	**2**	**6**	**4**	**7**	**9**	**4**	**22**	**19**	**37**	**44**	**75**	**97**	**107**	**79**	**590–637**
6	**4**	**3**	**4**	**6**	**6**	**13**	**14**	**17**	**26**	**29**	**28**	**40**	**23**	**26**	
1	.	1	.	1	.	.	.	1	2	1	1	.	1	.	590
.	.	.	.	.	2	3	.	1	.	2	.	2	.	.	
.	.	1	.	.	.	.	.	.	1	2	3	.	2	.	591
.	1	.	1	.	.	.	.	.	.	2	.	.	.	1	
3	2	2	2	2	3	3	12	7	13	12	13	26	17	14	592
2	2	2	1	2	3	4	5	5	11	11	17	20	9	11	
.	.	1	.	3	4	1	6	4	9	12	11	11	9	12	593
1	.	.	1	1	.	4	3	4	6	13	8	12	8	8	
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	594
1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	
2	.	1	1	.	2	.	1	2	3	3	5	7	4	2	600
2	1	1	.	.	1	1	.	4	9	1	1	5	3	3	
.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	601
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	602
.	.	.	1	.	.	.	2	.	.	.	1	.	1	.	
.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	603
.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	
1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	604
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	1	.	.	1	1	2	605
.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	
.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	606
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	608
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	2	.	1	.	609
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	2	1	7	12	34	46	63	46	610
.	.	.	.	.	.	.	.	.	.	1	1	.	4	1	611
.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	612
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	614
.	.	.	.	2	.	1	1	.	.	.	.	.	1	.	626
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	631

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
633	Other diseases of uterus	F	1	·	·	·	·	·	·	·	·
634	Disorders of menstruation	F	1	·	·	·	·	·	·	·	·
640–689	**XI.—Deliveries and complications of pregnancy, childbirth and the puerperium**	**F**	**35**	·	·	·	·	·	·	·	·
642	Toxaemias of pregnancy	F	8	·	·	·	·	·	·	·	·
645	Ectopic pregnancy	F	1	·	·	·	·	·	·	·	·
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F	4	·	·	·	·	·	·	·	·
672	Delivery complicated by other postpartum haemorrhage	F	4	·	·	·	·	·	·	·	·
673	Delivery complicated by abnormality of bony pelvis	F	1	·	·	·	·	·	·	·	·
675	Delivery complicated by prolonged labour of other origin	F	1	·	·	·	·	·	·	·	·
677	Delivery with other trauma	F	2	·	·	·	·	·	·	·	·
678	Delivery with other complications of childbirth	F	2	·	·	·	·	·	·	·	·
681	Sepsis of childbirth and the puerperium	F	2	·	·	·	·	·	·	·	·
684	Puerperal pulmonary embolism	F	9	·	·	·	·	·	·	·	·
687	Cerebral haemorrhage in the puerperium	F	1	·	·	·	·	·	·	·	·
690–716	**XII.—Diseases of the skin and cellular tissue**	**M**	**23**	**2**	·	·	·	·	**2**	·	·
		F	**26**	**1**	·	·	·	·	**1**	·	·
692	Cellulitis and abscess without mention of lymphangitis	M	6	1	·	·	·	·	1	·	·
		F	2	·	·	·	·	·	·	·	·
698	Other local infections of skin and subcutaneous tissue	M	1	1	·	·	·	·	1	·	·
		F	2	1	·	·	·	·	1	·	·
704	Pemphigus	M	2	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															Detailed List Number
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	633
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	634
.	**2**	**3**	**14**	**7**	**8**	**1**	.	.	.	.	.	.	.	.	**640–689**
.	**1**	.	3	2	2	.	.	.	.	.	.	.	.	.	642
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	645
.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	670
.	**1**	.	1	1	1	.	.	.	.	.	.	.	.	.	672
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	673
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	675
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	677
.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	678
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	681
.	.	2	4	1	2	.	.	.	.	.	.	.	.	.	684
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	687
.	.	.	**1**	.	.	**1**	.	.	.	**2**	**5**	**5**	**4**	**3**	**690–716**
1	.	.	**2**	**1**	.	**1**	.	**2**	.	**2**	.	**3**	**9**	**4**	
.	.	.	.	.	.	1	.	.	.	1	1	1	1	.	692
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	698
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	704
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
705	Erythematous conditions	M	3	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
715	Chronic ulcer of skin	M	11	.	.	.	.	.	.	.	.
		F	15	.	.	.	.	.	.	.	.
720–749	**XIII.—Diseases of the bones and organs of movement**	**M**	**79**	**1**	.	.	.	.	**1**	.	**2**
		F	**135**	.	.	.	.	.	.	.	**1**
720	Acute arthritis due to pyogenic organisms	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
722	Rheumatoid arthritis and allied conditions	M	33	.	.	.	.	.	.	.	.
		F	87	.	.	.	.	.	.	.	.
723	Osteo-arthritis (arthrosis) and allied conditions	M	4	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
724	Other specified forms of arthritis	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
725	Arthritis, unspecified	M	15	.	.	.	.	.	.	.	.
		F	20	.	.	.	.	.	.	.	.
727	Rheumatism, unspecified	M	6	.	.	.	.	.	.	.	.
		F	9	.	.	.	.	.	.	.	.
730	Osteomyelitis and periositis	M	3	.	.	.	.	.	.	.	.
		F	2	.	.	.	.	.	.	.	.
731	Osteitis deformans	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
733	Other diseases of bone	M	.	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	.
735	Displacement of intervertebral disc	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
738	Other diseases of joint	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
744	Other diseases of muscle, tendon and fascia	M	8	1	.	.	.	.	1	.	2
		F	4	.	.	.	.	.	.	.	1
745	Curvature of spine	M	1	.	.	.	.	.	.	.	.
		F	4	.	.	.	.	.	.	.	.
750—759	**XIV.—Congenital malformations**	**M**	**258**	**188**	**15**	**5**	**3**	**1**	**212**	**6**	**9**
		F	**253**	**206**	**8**	**5**	**3**	**3**	**225**	**10**	**3**
750	Monstrosity	M	15	15	.	.	.	.	15	.	.
		F	23	23	.	.	.	.	23	.	.
751	Spina bifida and meningocele	M	30	25	4	.	.	.	29	.	.
		F	56	53	.	1	1	.	55	1	.
752	Congenital hydrocephalus	M	28	23	2	1	.	.	26	1	.
		F	38	31	1	.	1	2	35	3	.
753	Other congenital malformations of nervous system and sense organs	M	5	3	1	.	.	.	4	1	.
		F	3	3	.	.	.	.	3	.	.
754	Congenital malformations of circulatory system	M	107	70	5	3	2	1	81	2	9
		F	78	53	4	3	.	.	60	4	3

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	705
1	.	.	2	.	.	1	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	1	2	3	2	3	715
.	.	.	.	.	.	.	.	1	.	1	.	3	6	4	
5	.	.	.	.	**2**	**1**	**5**	**5**	**8**	**10**	**20**	**11**	**6**	**3**	**720–749**
.	.	.	**1**	.	**2**	**1**	**4**	**13**	**17**	**14**	**26**	**25**	**19**	**12**	
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	720
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	4	2	4	6	7	6	3	1	722
.	.	.	.	.	1	.	4	9	13	10	15	20	10	5	
.	.	.	.	.	.	.	.	1	.	.	1	1	.	1	723
.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	724
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	1	.	1	1	3	6	2	1	.	725
.	.	.	.	.	.	.	.	1	2	.	5	2	7	3	
.	.	.	.	.	.	.	.	.	.	1	2	1	1	1	727
.	.	.	.	.	.	.	.	.	.	1	2	2	2	2	
1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	730
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	731
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	733
.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	735
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	738
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	744
.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	745
.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	
3	**3**	**4**	**3**	**1**	**4**	**3**	**3**	**2**	**2**	**2**	.	**1**	.	.	**750–759**
3	**2**	.	**2**	**1**	.	**3**	**3**	.	**1**	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	750
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	751
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	752
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	753
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	3	2	2	1	.	2	1	.	1	.	.	.	.	.	754
2	2	.	2	1	.	1	2	.	1	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
755	Cleft palate and harelip	M	1	1	·	·	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·
756	Congenital malformations of digestive system	M	30	21	1	1	·	·	23	·	·
		F	20	18	2	·	·	·	20	·	·
757	Congenital malformations of genito-urinary system	M	10	5	1	·	·	·	6	1	·
		F	3	·	·	·	·	·	·	1	·
758	Congenital malformations of bone and joint	M	1	1	·	·	·	·	1	·	·
		F	2	1	·	·	·	1	2	·	·
759	Other and unspecified congenital malformations not elsewhere classified	M	31	24	1	·	1	·	26	1	·
		F	30	24	1	1	1	·	27	1	·
760–776	**XV.—Certain diseases of early infancy**	**M**	**588**	**588**	·	·	·	·	**588**	·	·
		F	**365**	**365**	·	·	·	·	**365**	·	·
760	Intracranial and spinal injury at birth	M	71	71	·	·	·	·	71	·	·
		F	45	45	·	·	·	·	45	·	·
761	Other birth injury	M	19	19	·	·	·	·	19	·	·
		F	19	19	·	·	·	·	19	·	·
762	Postnatal asphyxia and atelectasis	M	114	114	·	·	·	·	114	·	·
		F	77	77	·	·	·	·	77	·	·
763	Pneumonia of newborn	M	55	55	·	·	·	·	55	·	·
		F	34	34	·	·	·	·	34	·	·
764	Diarrhoea of newborn	M	13	13	·	·	·	·	13	·	·
		F	3	3	·	·	·	·	3	·	·
766	Pemphigus neonatorum	M	1	1	·	·	·	·	1	·	·
		F	2	2	·	·	·	·	2	·	·
767	Umbilical sepsis	M	1	1	·	·	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·
768	Other sepsis of newborn	M	7	7	·	·	·	·	7	·	·
		F	4	4	·	·	·	·	4	·	·
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	14	14	·	·	·	·	14	·	·
		F	7	7	·	·	·	·	7	·	·
770	Haemolytic disease of newborn (erythroblastosis)	M	39	39	·	·	·	·	39	·	·
		F	21	21	·	·	·	·	21	·	·
771	Haemorrhagic disease of newborn	M	8	8	·	·	·	·	8	·	·
		F	5	5	·	·	·	·	5	·	·
772	Nutritional maladjustment	M	3	3	·	·	·	·	3	·	·
		F	1	1	·	·	·	·	1	·	·
773	Ill-defined diseases peculiar to early infancy	M	77	77	·	·	·	·	77	·	·
		F	33	33	·	·	·	·	33	·	·
774	Immaturity with mention of any other subsidiary condition	M	8	8	·	·	·	·	8	·	·
		F	4	4	·	·	·	·	4	·	·
776	Immaturity, unqualified	M	158	158	·	·	·	·	158	·	·
		F	110	110	·	·	·	·	110	·	·
780–795	**XVI.—Symptoms, senility, and ill-defined conditions**	**M**	**1,209**	**13**	**1**	·	·	·	**14**	·	**1**
		F	**1,342**	**8**	·	·	·	**1**	**9**	**1**	·
780	Certain symptoms referable to nervous system and special senses	M	11	11	·	·	·	·	11	·	·
		F	9	8	·	·	·	·	8	1	·
782	Symptoms referable to cardio-vascular and lymphatic system	M	163	·	·	·	·	·	·	·	·
		F	123	·	·	·	·	·	·	·	·

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death														
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	1	1	.	2	.	1	.	.	756
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	757
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	758
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	.	.	1	1	.	.	.	.	.	759
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	**760–776**
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	**1**	**2**	**1**	**2**	**3**	**5**	**15**	**24**	**73**	**196**	**361**	**511**	**780–795**
2	**1**	.	.	**1**	.	**1**	**3**	**4**	**16**	**21**	**57**	**204**	**391**	**631**	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	780
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	2	5	12	18	25	43	31	25	782
2	.	.	.	.	.	1	2	2	11	14	16	27	25	23	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		All ages	Age at Under 1 year	1	2	3	4	Total under 5	5–9	10–14
784	Symptoms referable to upper gastro-intestinal tract	M	6	1	·	·	·	·	1	·	·
		F	5	·	·	·	·	·	·	·	·
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	1	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
786	Symptoms referable to genito-urinary system	M	5	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
790	Nervousness and debility	M	2	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	1	1	·	·
792	Uraemia	M	44	·	1	·	·	·	1	·	·
		F	18	·	·	·	·	·	·	·	·
794	Senility without mention of psychosis	M	945	·	·	·	·	·	·	·	·
		F	1,159	·	·	·	·	·	·	·	·
795	Ill-defined and unknown causes of morbidity and mortality	M	32	1	·	·	·	·	1	·	1
		F	24	·	·	·	·	·	·	·	·
E800–E999	**XVII.—Accidents, poisonings, and violence**	**M**	**660**	**25**	**10**	**8**	**7**	**8**	**58**	**34**	**17**
		F	**351**	**16**	**12**	**8**	**2**	**2**	**40**	**16**	**8**
E800	Railway accident involving railroad employee	M	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E801	Railway accident involving passenger	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E802	Railway accident involving other and unspecified person	M	3	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E812	Motor vehicle traffic accident to pedestrian	M	78	·	1	2	1	3	7	13	2
		F	34	·	·	2	·	1	3	7	1
E813	Motor vehicle traffic accident to pedal cyclist	M	27	·	·	·	·	·	·	2	2
		F	5	·	·	·	·	·	·	·	1
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	M	16	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	24	·	·	·	·	·	·	·	·
		F	5	·	·	·	·	·	·	·	·
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	M	4	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	M	9	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
E822	Motor vehicle traffic accident involving overturning in roadway	M	5	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E823	Motor vehicle traffic accident involving running off roadway	M	11	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	1

DETAILED LIST, 7TH REVISION, 1955) AND BY SEX AND AGE

death 15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	784
.	.	.	.	.	.	.	.	.	.	.	.	2	2	1	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	785
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	786
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	790
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	1	.	1	1	9	10	9	11	792
.	.	.	.	1	.	.	.	2	1	.	2	2	6	4	
.	.	.	.	.	.	.	.	.	1	3	32	138	304	467	794
.	.	.	.	.	.	.	.	.	.	6	37	167	352	597	
.	.	.	.	.	.	1	.	.	1	1	6	2	13	6	795
.	.	.	.	.	.	.	.	.	3	1	2	6	6	6	
40	**33**	**27**	**33**	**26**	**31**	**33**	**28**	**39**	**42**	**54**	**48**	**45**	**36**	**36**	**E800–**
11	**8**	**2**	**7**	**8**	**10**	**8**	**16**	**11**	**12**	**22**	**38**	**43**	**42**	**49**	**E999**
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E800
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E801
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	E802
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	3	.	3	2	3	3	2	4	1	12	10	6	2	1	E812
3	.	.	.	.	1	.	3	1	1	4	5	2	2	1	
4	1	.	1	1	1	2	.	2	.	3	3	2	1	2	E813
2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	E814
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	3	3	1	.	2	1	2	1	1	.	.	.	.	.	E815
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	2	4	1	.	2	2	3	1	2	2	1	.	.	.	E816
1	2	.	.	.	.	.	1	.	.	1	.	.	.	.	
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	E818
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	2	.	.	.	.	.	.	1	.	.	E819
1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	
1	3	1	1	1	.	1	.	1	.	.	.	.	.	.	E821
1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	2	1	.	.	1	.	1	.	.	.	.	.	E822
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	2	1	2	.	.	2	.	.	.	.	3	.	.	.	E823
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
E824	Other non-collision motor vehicle traffic accident	M	6	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E825	Motor vehicle traffic accident of unspecified nature	M	6	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	2
E830	Motor vehicle non-traffic accident to pedestrian	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E835	Motor vehicle non-traffic accident of other and unspecified nature	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E841	Other street car accident, except collision with motor vehicle	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E842	Accident to pedestrian caused by pedal cycle	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M	16	.	.	.	.	.	.	.	.
		F	3	.	.	.	.	.	.	.	1
E845	Other non-motor road vehicle accidents	M	12	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E850	Submersion of occupant of small boat	M	4	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E851	Other water transport injury by submersion	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E857	Other specified accidents in water transport	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E861	Injury to occupant by accident to commercial "transport" aircraft	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E871	Accidental poisoning by barbituric acid and derivatives	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E874	Accidental poisoning by other analgesic and soporific drugs	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E876	Accidental poisoning by strychnine	M	2	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E880	Accidental poisoning by alcohol	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E886	Accidental poisoning by arsenic and antimony, and their compounds	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E888	Accidental poisoning by other and unspecified solid and liquid substances	M	1	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.
E890	Accidental poisoning by utility (illuminating) gas	M	5	.	.	.	.	1	1	.	.
		F	8	.	.	.	.	.	.	.	.
E892	Accidental poisoning by other carbon monoxide gas	M	3	.	2	.	.	.	2	.	.
		F	3	1	.	.	.	.	1	1	.
E894	Accidental poisoning by other specified gases and vapours	M	.	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E900	Fall on stairs	M	12	.	.	.	.	.	.	.	.
		F	5	.	.	.	.	.	.	.	.
E902	Other falls from one level to another	M	27	.	.	.	.	.	.	1	1
		F	5	.	1	1	.	.	2	.	.
E903	Fall on same level	M	11	.	2	.	.	.	2	1	.
		F	5	.	.	.	.	.	.	.	.
E904	Unspecified falls	M	62	.	.	.	.	.	.	.	1
		F	132	.	.	1	.	.	1	1	.
E910	Blow from falling or projected object or missile	M	12	.	.	.	.	.	.	2	1
		F	.	.	.	.	.	.	.	.	.
E912	Accident caused by machinery	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	1	.	.	1	.	.
E914	Accident caused by electric current	M	5	.	.	.	.	.	.	.	.
		F	1	.	.	.	.	.	.	.	.
E916	Accident caused by fire and explosion of combustible material	M	16	.	.	3	1	.	4	2	.
		F	11	.	1	.	1	.	2	1	.

death															
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	2	.	.	.	1	1	.	1	1	.	.	.	.	.	E824
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	1	.	.	.	1	1	1	.	.	1	.	.	E825
.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E830
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	E835
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E841
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	E842
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	3	2	.	6	2	1	1	1	.	E843
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
2	.	.	.	1	.	.	1	2	.	4	.	2	.	.	E845
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	E850
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E851
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E857
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E861
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E871
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E874
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	E876
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E880
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E883
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E886
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E888
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	E890
.	1	.	.	.	1	.	.	.	1	1	1	1	2	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E892
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E894
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	3	.	1	3	1	2	.	.	E900
.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	
2	1	3	2	1	1	1	.	3	2	4	2	1	2	.	E902
.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	
.	.	.	1	.	.	.	.	.	1	1	2	.	2	1	E903
.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	
.	.	.	.	.	.	.	1	1	.	2	6	15	14	22	E904
.	.	.	.	.	.	.	1	1	2	5	20	29	32	40	
1	1	3	1	.	.	1	.	.	1	.	1	.	.	.	E910
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	E912
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	2	2	.	.	.	.	.	1	.	.	.	.	.	.	E914
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	1	1	1	.	.	.	.	.	.	1	5	1	E916
.	1	.	1	.	.	.	.	.	.	1	3	.	1	1	

TABLE 19—(contd.)—DEATHS IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed List Number	Cause of death		Age at All ages	Under 1 year	1	2	3	4	Total under 5	5–9	10–14
E917	Accident caused by hot substance, corrosive liquid, and steam	M	20	·	2	1	4	·	7	·	·
		F	25	·	5	·	1	·	6	3	1
E919	Accident caused by firearm	M	8	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	16	9	·	1	·	1	11	1	·
		F	7	6	·	·	·	·	6	·	·
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	1	1	·	·	·	·	1	·	·
		F	1	·	1	·	·	·	1	·	·
E923	Foreign body entering other orifice	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E924	Accidental mechanical suffocation in bed and cradle	M	11	11	·	·	·	·	11	·	·
		F	4	4	·	·	·	·	4	·	·
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	4	1	·	·	·	1	2	·	·
		F	·	·	·	·	·	·	·	·	·
E926	Lack of care of infants under 1 year of age	M	1	1	·	·	·	·	1	·	·
		F	5	5	·	·	·	·	5	·	·
E928	Accidents caused by animals	M	4	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E929	Accidental drowning and submersion	M	107	·	2	1	1	1	5	12	6
		F	36	·	3	3	·	1	7	1	1
E932	Excessive cold	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E933	Hunger, thirst, and exposure	M	4	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E936	Other and unspecified accidents	M	20	1	1	·	·	1	3	·	3
		F	2	·	1	·	·	·	1	·	·
E954	Therapeutic misadventure in anaesthesia	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	1	·
E960	Late effect of motor vehicle accident	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E962	Late effect of other accidental injury	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	1	·
E965	Late effects of injuries due to war operations	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	M	·	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M	3	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
E972	Suicide and self-inflicted poisoning by gases in domestic use	M	3	·	·	·	·	·	·	·	·
		F	6	·	·	·	·	·	·	·	·
E973	Suicide and self-inflicted poisoning by other gases	M	4	·	·	·	·	·	·	·	·
		F	3	·	·	·	·	·	·	·	·
E974	Suicide and self-inflicted injury by hanging and strangulation	M	30	·	·	·	·	·	·	·	1
		F	1	·	·	·	·	·	·	·	·
E975	Suicide and self-inflicted injury by submersion (drowning)	M	9	·	·	·	·	·	·	·	·
		F	8	·	·	·	·	·	·	·	·
E976	Suicide and self-inflicted injury by firearms and explosives	M	5	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E977	Suicide and self-inflicted injury by cutting and piercing instruments	M	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·
E978	Suicide and self-inflicted injury by jumping from high place	M	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E979	Suicide and self-inflicted injury by other and unspecified means	M	3	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E981	Assault by firearm and explosive	M	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·
E983	Assault by other means	M	1	1	·	·	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·

death														
15–19	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60–64	65–69	70–74	75–79	80–84	85 and over	Detailed List Number
.	.	1	.	.	.	.	.	.	2	.	2	3	3	2	E917
.	.	.	1	.	.	.	.	1	.	2	2	2	1	6	
1	2	.	2	1	.	.	.	.	1	.	1	.	.	.	E919
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	E921
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E922
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E923
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E924
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	E925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	1	1	.	.	1	.	.	.	.	.	E928
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
10	4	3	8	4	4	3	5	8	8	9	7	6	4	1	E929
1	2	.	1	6	2	2	4	2	1	2	.	3	1	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E932
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	E933
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
2	4	1	.	1	1	.	.	.	1	.	.	1	1	2	E936
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E954
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E960
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E962
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	E965
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E970
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	E971
.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	E972
.	.	.	1	.	.	1	.	.	2	.	2	.	.	.	
.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	E973
.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	
2	1	.	2	2	4	5	2	2	3	4	1	1	.	.	E974
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	1	.	1	.	2	1	2	2	.	.	.	.	.	E975
.	.	.	1	.	1	.	1	.	1	1	2	1	.	.	
.	.	.	1	1	.	.	.	1	1	1	.	.	.	.	E976
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	E977
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E978
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	E979
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E981
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E983
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE 20.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

International Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
		Total	**M**	**17,484**	**876**
			F	**15,176**	**939**
001–008	B 1	Tuberculosis of respiratory system	M	268	1
			F	148	·
010–019	B 2	Tuberculosis, other forms	M	26	·
			F	26	·
020–029	B 3	Syphilis and its sequelae	M	4	·
			F	2	·
040	B 4	Typhoid fever	M	·	·
			F	·	·
045–048	B 6	Dysentery, all forms	M	1	·
			F	3	·
050	B 7a	Scarlet fever	M	·	·
			F	·	·
051	B 7b	Streptococcal sore throat	M	1	1
			F	1	·
055	B 8	Diphtheria	M	1	·
			F	1	·
056	B 9	Whooping cough	M	10	·
			F	5	1
057	B 10	Meningococcal infections	M	8	·
			F	5	·
080	B 12	Acute poliomyelitis	M	8	·
			F	9	·
085	B 14	Measles	M	1	·
			F	3	·
110–117	B 16	Malaria	M	1	·
			F	·	·
030–039, 041,042, 044, 049, 052–054, 059–074, 081–083, 086–096, 120–138	B 17	Other infective and parasitic diseases	M	50	·
			F	43	·
		Malignant neoplasms:—			
151	B 18a	of stomach	M	460	1
			F	389	3
150, 152–159	B 18b	of other digestive organs and peritoneum	M	685	3
			F	660	2
160–165	B 18c	of respiratory system	M	529	1
			F	134	3
170	B 18d	of breast	M	2	·
			F	357	·
171–181	B 18e	of genito-urinary system	M	296	2
			F	293	·
200–205	B 18f	of lymphatic and haematopoietic tissues	M	159	1
			F	105	·
140–148, 190–199	B 18g	other	M	415	10
			F	277	1
210–239	B 19	Benign and unspecified neoplasms	M	61	1
			F	64	2
260	B 20	Diabetes mellitus	M	85	·
			F	133	2
290–293	B 21	Anaemias	M	54	·
			F	94	·
330–334	B 22	Vascular lesions affecting central nervous system	M	1,727	38
			F	2,091	43
340	B 23	Non-meningococcal meningitis	M	20	·
			F	16	·
400–402	B 24	Rheumatic fever	M	5	·
			F	4	·
410–416	B 25	Chronic rheumatic heart disease	M	144	2
			F	186	2
421	B 26a	Chronic endocarditis	M	166	2
			F	177	2
420	B 26b	Coronary and arteriosclerotic heart disease	M	2,645	62
			F	1,378	35

NOTE.—No deaths were recorded due to causes B 5 (Cholera), B 11 (Plague), B 13 (Smallpox) or B 15 (Typhus and other rickettsial diseases).

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Detailed List Numbers	Abbreviated List Number	Cause of death		Total	Uncertified
422	B 26c	Other myocardial degeneration	M	2,267	86
			F	2,253	97
430–434	B 27	Other diseases of heart	M	733	41
			F	684	28
440–443	B 28	Hypertension with heart disease	M	272	2
			F	367	4
444–447	B 29	Hypertension without mention of heart	M	158	5
			F	192	6
450–468	B 46a	Other diseases of circulatory system	M	477	7
			F	400	5
480–483	B 30	Influenza	M	101	8
			F	89	6
490–493	B 31	Pneumonia	M	529	7
			F	500	6
500–502	B 32	Bronchitis	M	673	3
			F	368	6
526	B 46b	Bronchiectasis	M	48	·
			F	37	·
470–475, 510–525, 527	B 46c	Other diseases of respiratory system	M	157	·
			F	95	1
540, 541	B 33	Ulcer of stomach and duodenum	M	151	1
			F	59	·
550–553	B 34	Appendicitis	M	27	·
			F	14	1
560, 561, 570	B 35	Intestinal obstruction and hernia	M	80	·
			F	84	1
543, 571, 572	B 36	Gastritis and enteritis (except of newborn)	M	74	·
			F	81	1
764, 571·0	*B 36, 43, parts of*	*Gastro-enteritis (under 2 years)*	*M*	*46*	·
			F	*23*	*1*
581	B 37	Cirrhosis of liver	M	38	·
			F	18	·
530–539, 542, 544, 545, 573–578, 580, 582–587	B 46d	Other diseases of digestive system	M	90	2
			F	117	1
590–594	B 38	Nephritis and nephrosis	M	239	3
			F	197	1
610	B 39	Hyperplasia of prostate	M	211	1
640–689	B 40	Deliveries and complications of pregnancy and childbirth	F	35	·
750–759	B 41	Congenital malformations	M	258	·
			F	253	2
760–762	B 42	Birth injuries, asphyxia and atelectasis	M	204	·
			F	141	·
763–768	B 43	Infections of the newborn	M	77	·
			F	43	1
769–776	B 44	Other diseases of early infancy	M	307	3
			F	181	3
794	B 45a	Senility without psychosis	M	945	461
			F	1,159	574
780–793, 795	B 45b	Ill-defined and unknown causes	M	264	96
			F	183	75
240–245, 250–254, 270–277, 280–289, 294–326, 341–345, 350–357, 360–398, 600–609, 611–637, 690–716, 720–727, 730–738, 740–749	B 46e	All other diseases	M	612	24
			F	671	23
		External Causes			
E810–E835	B 47	Motor vehicle accidents	M	195	·
			F	57	·
E800–E802, E840–E962	B 48	All other accidents	M	402	·
			F	268	1
E963, E970–E979	B 49	Suicide and self-inflicted injury	M	59	1
			F	25	·
E964, E965, E980–E999	B 50	Homicide and operations of war	M	4	·
			F	1	·

TABLE 20.—*(continued)*—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**7,358**	**105**	**5,695**	**279**	**2,941**	**388**	**1,490**	**104**
		F	**6,621**	**118**	**4,950**	**304**	**2,371**	**400**	**1,234**	**117**
B 1	Tuberculosis of respiratory system	M	131	·	99	·	27	·	11	1
		F	66	·	51	·	20	·	11	·
B 2	Tuberculosis, other forms	M	12	·	8	·	6	·	·	·
		F	10	·	6	·	7	·	3	·
B 3	Syphilis and its sequelae	M	3	·	1	·	·	·	·	·
		F	1	·	·	·	1	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	1	·	·	·	·	·
		F	·	·	1	·	2	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	1	1	·	·
		F	1	·	·	·	·	·	·	·
B 8	Diphtheria	M	1	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·
B 9	Whooping cough	M	3	·	7	·	·	·	·	·
		F	2	·	1	·	1	1	1	·
B 10	Meningococcal infections	M	4	·	3	·	1	·	·	·
		F	·	·	2	·	2	·	1	·
B 12	Acute poliomyelitis	M	6	·	2	·	·	·	·	·
		F	7	·	·	·	1	·	1	·
B 14	Measles	M	1	·	·	·	·	·	·	·
		F	1	·	·	·	1	·	1	·
B 16	Malaria	M	1	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	22	·	16	·	6	·	6	·
		F	22	·	13	·	4	·	4	·
	Malignant neoplasms :—									
B 18a	of stomach	M	211	·	141	·	53	1	55	·
		F	178	2	113	1	53	·	45	·
B 18b	of other digestive organs and peritoneum	M	317	1	222	·	103	1	43	1
		F	311	·	222	1	89	1	38	·
B 18c	of respiratory system	M	325	·	147	1	42	·	15	·
		F	65	1	46	1	18	1	5	·
B 18d	of breast	M	·	·	2	·	·	·	·	·
		F	165	·	116	·	51	·	25	·
B 18e	of genito-urinary system	M	130	·	89	1	48	1	29	·
		F	141	·	90	·	39	·	23	·
B 18f	of lymphatic and haematopoietic tissues	M	70	·	45	·	30	·	14	1
		F	50	·	35	·	16	·	4	·
B 18g	other	M	155	2	122	3	96	4	42	1
		F	123	·	89	1	35	·	30	·
B 19	Benign and unspecified neoplasms	M	31	·	16	1	8	·	6	·
		F	30	·	18	1	12	1	4	·
B 20	Diabetes mellitus	M	43	·	25	·	12	·	5	·
		F	58	·	39	1	22	·	14	1
B 21	Anaemias	M	17	·	17	·	13	·	7	·
		F	43	·	27	·	13	·	11	·
B 22	Vascular lesions affecting central nervous system	M	741	5	527	12	264	10	195	11
		F	988	4	640	10	280	18	183	11
B 23	Non-meningococcal meningitis	M	12	·	6	·	1	·	1	·
		F	8	·	4	·	1	·	3	·
B 24	Rheumatic fever	M	1	·	1	·	1	·	2	·
		F	3	·	1	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	67	·	43	1	21	1	13	·
		F	98	1	63	1	18	·	7	·
B 26a	Chronic endocarditis	M	69	·	70	2	17	·	10	·
		F	67	·	72	1	18	·	20	1
B 26b	Coronary and arteriosclerotic heart disease	M	1,261	16	796	23	378	15	210	8
		F	677	7	409	10	170	8	122	10

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	755	10	823	12	470	45	219	19
		F	840	18	837	26	387	34	189	19
B 27	Other diseases of heart	M	289	4	280	16	105	19	59	2
		F	304	11	255	8	89	7	36	2
B 28	Hypertension with heart disease	M	114	.	85	2	59	.	14	.
		F	196	.	86	2	66	2	19	.
B 29	Hypertension without mention of heart	M	62	.	50	4	27	.	19	1
		F	100	1	51	1	28	2	13	2
B 46a	Other diseases of circulatory system	M	191	2	158	4	100	.	28	1
		F	179	1	120	2	71	.	30	2
B 30	Influenza	M	25	1	39	5	26	1	11	1
		F	31	.	29	2	21	1	8	3
B 31	Pneumonia	M	230	1	135	2	101	4	63	.
		F	228	.	144	.	69	2	59	4
B 32	Bronchitis	M	371	.	184	2	79	1	39	.
		F	178	1	120	3	38	.	32	2
B 46b	Bronchiectasis	M	15	.	24	.	4	.	5	.
		F	15	.	15	.	6	.	1	.
B 46c	Other diseases of respiratory system	M	65	.	49	.	27	.	16	.
		F	40	.	30	.	20	1	5	.
B 33	Ulcer of stomach and duodenum	M	50	.	69	.	15	1	17	.
		F	22	.	23	.	10	.	4	.
B 34	Appendicitis	M	10	.	7	.	7	.	3	.
		F	5	.	4	.	3	.	2	1
B 35	Intestinal obstruction and hernia	M	44	.	21	.	12	.	3	.
		F	41	.	23	.	14	1	6	.
B 36	Gastritis and enteritis (except of newborn)	M	27	.	28	.	14	.	5	.
		F	40	.	28	1	8	.	5	.
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*17*	.	*18*	.	*8*	.	*3*	.
		F	*12*	.	*8*	*1*	*2*	.	*1*	.
B 37	Cirrhosis of liver	M	24	.	11	.	2	.	1	.
		F	9	.	8	.	.	.	1	.
B 46d	Other diseases of digestive system	M	43	.	24	.	14	2	9	.
		F	50	.	37	.	21	1	9	.
B 38	Nephritis and nephrosis	M	103	.	81	.	35	3	20	.
		F	97	.	63	1	22	.	15	.
B 39	Hyperplasia of prostate	M	76	.	68	.	52	1	15	.
B 40	Deliveries and complications of pregnancy and childbirth	F	12	.	15	.	7	.	1	.
B 41	Congenital malformations	M	120	.	87	.	34	.	17	.
		F	159	.	60	.	24	1	10	1
B 42	Birth injuries, asphyxia and atelectasis	M	127	.	49	.	17	.	11	.
		F	76	.	38	.	19	.	8	.
B 43	Infections of the newborn	M	43	.	20	.	14	.	.	.
		F	25	1	8	.	9	.	1	.
B 44	Other diseases of early infancy	M	147	1	92	.	41	1	27	1
		F	85	1	53	.	21	2	22	.
B 45a	Senility without psychosis	M	166	34	372	147	325	242	82	38
		F	225	48	457	196	373	285	104	45
B 45b	Ill-defined and unknown causes	M	86	24	93	35	52	26	33	11
		F	70	19	52	24	39	23	22	9
B 46e	All other diseases	M	238	4	227	5	90	8	57	7
		F	304	2	232	10	84	7	51	4
	External Causes									
B 47	Motor vehicle accidents	M	112	.	56	.	15	.	12	.
		F	38	.	13	.	3	.	3	.
B 48	All other accidents	M	161	.	138	.	66	.	37	.
		F	117	.	88	.	42	1	21	.
B 49	Suicide and self-inflicted injury	M	27	.	19	1	9	.	4	.
		F	18	.	3	.	3	.	1	.
B 50	Homicide and operations of war	M	3	.	.	.	1	.	.	.
		F	1	.	.	.	.	.	.	.

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**217**	**3**	**2,735**	**3**	**287**	·	**449**	·
		F	**162**	**6**	**2,658**	**3**	**275**	·	**465**	·
B 1	Tuberculosis of respiratory system	M	1	·	82	·	5	·	5	·
		F	1	·	26	·	2	·	4	·
B 2	Tuberculosis, other forms	M	2	·	3	·	·	·	1	·
		F	·	·	3	·	·	·	2	·
B 3	Syphilis and its sequelae	M	·	·	2	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	1	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	
B 10	Meningococcal infections	M	·	·	2	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	1	·	3	·	·	·	·	·
		F	·	·	3	·	1	·	1	·
B 14	Measles	M	·	·	1	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 16	Malaria	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	·	·	11	·	1	·	2	·
		F	1	·	11	·	1	·	·	·
	Malignant neoplasms :—									
B 18a	of stomach	M	5	·	83	·	4	·	19	·
		F	4	1	64	·	4	·	13	·
B 18b	of other digestive organs and peritoneum	M	8	·	127	·	12	·	18	·
		F	11	·	140	·	12	·	20	·
B 18c	of respiratory system	M	9	·	185	·	16	·	26	·
		F	1	·	32	·	5	·	3	·
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	3	·	83	·	7	·	11	·
B 18e	of genito-urinary system	M	7	·	51	·	3	·	9	·
		F	6	·	53	·	6	·	10	·
B 18f	of lymphatic and haematopoietic tissues	M	1	·	24	·	4	·	4	·
		F	·	·	23	·	2	·	5	·
B 18g	other	M	5	·	57	·	4	·	9	·
		F	·	·	60	·	1	·	8	·
B 19	Benign and unspecified neoplasms	M	·	·	11	·	4	·	·	·
		F	·	·	12	·	·	·	2	·
B 20	Diabetes mellitus	M	2	·	14	·	2	·	2	·
		F	·	·	25	·	4	·	·	·
B 21	Anaemias	M	1	·	2	·	·	·	·	·
		F	·	·	18	·	·	·	3	·
B 22	Vascular lesions affecting central nervous system	M	28	·	257	1	34	·	40	·
		F	23	·	405	·	59	·	61	·
B 23	Non-meningococcal meningitis	M	1	·	5	·	1	·	·	·
		F	·	·	4	·	·	·	1	·
B 24	Rheumatic fever	M	·	·	·	·	1	·	·	·
		F	·	·	·	·	1	·	·	·
B 25	Chronic rheumatic heart disease	M	6	·	19	·	1	·	5	·
		F	7	·	45	·	4	·	8	·
B 26a	Chronic endocarditis	M	3	·	23	·	·	·	1	·
		F	1	·	22	·	1	·	1	·
B 26b	Coronary and arteriosclerotic heart disease	M	32	·	545	·	62	·	85	·
		F	12	·	337	·	35	·	47	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	13	·	143	1	18	·	41	·
		F	20	1	235	1	30	·	59	·
B 27	Other diseases of heart	M	20	·	105	·	11	·	19	·
		F	19	·	130	2	13	·	30	·
B 28	Hypertension with heart disease	M	1	·	41	·	5	·	10	·
		F	2	·	75	·	12	·	30	·
B 29	Hypertension without mention of heart	M	4	·	23	·	2	·	2	·
		F	2	·	41	·	2	·	5	·
B 46a	Other diseases of circulatory system	M	2	·	51	·	14	·	9	·
		F	2	·	62	·	13	·	9	·
B 30	Influenza	M	·	·	6	·	2	·	·	·
		F	·	·	13	·	·	·	4	·
B 31	Pneumonia	M	8	1	122	·	4	·	15	·
		F	1	·	127	·	10	·	21	·
B 32	Bronchitis	M	5	·	189	·	13	·	19	·
		F	3	·	103	·	9	·	10	·
B 46b	Bronchiectasis	M	·	·	7	·	·	·	1	·
		F	·	·	4	·	·	·	3	·
B 46c	Other diseases of respiratory system	M	1	·	30	·	6	·	3	·
		F	1	·	17	·	4	·	2	·
B 33	Ulcer of stomach and duodenum	M	1	·	20	·	·	·	·	·
		F	1	·	9	·	·	·	1	·
B 34	Appendicitis	M	·	·	4	·	1	·	2	·
		F	1	·	1	·	·	·	1	·
B 35	Intestinal obstruction and hernia	M	·	·	18	·	·	·	3	·
		F	·	·	20	·	1	·	2	·
B 36	Gastritis and enteritis (except of newborn)	M	5	·	8	·	1	·	1	·
		F	2	·	25	·	1	·	4	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*2*	·	*4*	·	·	·	*1*	·
		F	·	·	*6*	·	·	·	*2*	·
B 37	Cirrhosis of liver	M	1	·	7	·	5	·	3	·
		F	·	·	4	·	1	·	1	·
B 46d	Other diseases of digestive system	M	3	·	22	·	2	·	2	·
		F	·	·	25	·	2	·	5	·
B 38	Nephritis and nephrosis	M	1	·	34	·	9	·	5	·
		F	3	·	40	·	2	·	5	·
B 39	Hyperplasia of prostate	M	1	·	10	·	·	·	5	·
B 40	Deliveries and complications of pregnancy and childbirth	F	2	·	4	·	·	·	1	·
B 41	Congenital malformations	M	4	·	45	·	5	·	12	·
		F	5	·	62	·	3	·	20	·
B 42	Birth injuries, asphyxia and atelectasis	M	4	·	52	·	3	·	8	·
		F	1	·	31	·	3	·	5	·
B 43	Infections of the newborn	M	2	·	18	·	3	·	3	·
		F	·	·	14	·	·	·	3	·
B 44	Other diseases of early infancy	M	5	·	52	·	7	·	16	·
		F	1	·	35	·	·	·	8	·
B 45a	Senility without psychosis	M	10	2	17	·	1	·	4	·
		F	6	3	22	·	5	·	5	·
B 45b	Ill-defined and unknown causes	M	1	·	11	1	·	·	1	·
		F	5	1	13	·	·	·	·	·
B 46e	All other diseases	M	7	·	77	·	13	·	17	·
		F	10	·	110	·	11	·	17	·
	External Causes									
B 47	Motor vehicle accidents	M	·	·	41	·	4	·	11	·
		F	·	·	16	·	·	·	3	·
B 48	All other accidents	M	3	·	65	·	4	·	10	·
		F	3	·	38	·	8	·	11	·
B 49	Suicide and self-inflicted injury	M	2	·	7	·	·	·	1	·
		F	1	·	13	·	·	·	·	·
B 50	Homicide and operations of war	M	1	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**350**	**8**	**399**	**7**	**285**	**9**	**246**	**20**
		F	**299**	**1**	**289**	**9**	**235**	**9**	**192**	**22**
B 1	Tuberculosis of respiratory system	M	4	.	3	.	1	.	4	.
		F	3	.	7	.	3	.	1	.
B 2	Tuberculosis, other forms	M	.	.	1	.	2	.	.	.
		F	2	.	2	.	.	.	.	.
B 3	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 4	Typhoid fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 6	Dysentery, all forms	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7a	Scarlet fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 7b	Streptococcal sore throat	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 8	Diphtheria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 9	Whooping cough	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 10	Meningococcal infections	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 12	Acute poliomyelitis	M	.	.	1	.	.	.	.	.
		F	1	.	.	.	.	.	.	.
B 14	Measles	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 16	Malaria	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 17	Other infective and parasitic diseases	M	.	.	.	.	.	.	1	.
		F	1	.	.	.	.	.	1	.
	Malignant neoplasms :—									
B 18a	of stomach	M	9	.	8	.	7	.	9	.
		F	15	.	11	.	3	.	7	1
B 18b	of other digestive organs and peritoneum	M	12	.	10	.	12	.	15	.
		F	12	.	13	.	10	.	8	.
B 18c	of respiratory system	M	12	.	10	.	4	.	2	.
		F	4	.	1	.	1	.	2	.
B 18d	of breast	M	.	.	.	.	.	.	.	.
		F	7	.	6	.	5	.	4	.
B 18e	of genito-urinary system	M	1	.	8	.	3	.	5	.
		F	8	.	7	.	8	.	7	.
B 18f	of lymphatic and haematopoietic tissues	M	2	.	3	.	4	.	3	.
		F	1	.	4	.	3	.	2	.
B 18g	other	M	13	.	9	.	6	.	3	.
		F	8	.	3	.	3	.	3	.
B 19	Benign and unspecified neoplasms	M	1	.	1	.	2	.	.	.
		F	.	.	1	.	1	.	.	.
B 20	Diabetes mellitus	M	2	.	1	.	3	.	2	.
		F	7	.	1	.	3	.	1	.
B 21	Anaemias	M	.	.	1	.	1	.	1	.
		F	2	.	2	.	1	.	1	.
B 22	Vascular lesions affecting central nervous system	M	31	.	40	.	26	.	17	.
		F	30	.	38	.	24	.	21	1
B 23	Non-meningococcal meningitis	M	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	1	.
B 24	Rheumatic fever	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.
B 25	Chronic rheumatic heart disease	M	3	.	4	.	3	.	5	.
		F	7	.	2	.	4	.	3	.
B 26a	Chronic endocarditis	M	1	.	5	.	4	.	6	.
		F	3	.	3	.	8	.	4	.
B 26b	Coronary and arteriosclerotic heart disease	M	45	.	57	.	35	3	27	2
		F	16	.	23	1	17	.	13	1

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	42	·	57	1	46	·	62	2
		F	39	·	42	2	44	2	44	4
B 27	Other diseases of heart	M	22	1	12	·	10	1	2	·
		F	16	·	6	1	15	1	3	·
B 28	Hypertension with heart disease	M	5	·	7	·	3	·	9	·
		F	5	·	9	·	6	·	10	·
B 29	Hypertension without mention of heart	M	2	·	3	·	4	·	·	·
		F	2	·	4	·	7	·	1	·
B 46a	Other diseases of circulatory system	M	5	·	17	·	8	·	3	·
		F	5	·	11	·	5	·	3	·
B 30	Influenza	M	1	·	1	·	2	·	2	1
		F	2	·	·	·	1	·	1	·
B 31	Pneumonia	M	13	·	5	·	4	·	4	·
		F	6	·	7	·	6	·	3	·
B 32	Bronchitis	M	28	·	17	·	11	·	3	·
		F	5	·	6	1	3	·	4	·
B 46b	Bronchiectasis	M	·	·	2	·	·	·	2	·
		F	2	·	4	·	·	·	1	·
B 46c	Other diseases of respiratory system	M	·	·	1	·	5	·	1	·
		F	1	·	2	·	1	·	1	·
B 33	Ulcer of stomach and duodenum	M	2	·	2	·	2	·	3	·
		F	1	·	4	·	·	·	2	·
B 34	Appendicitis	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 35	Intestinal obstruction and hernia	M	2	·	1	·	3	·	·	·
		F	3	·	2	·	1	·	1	·
B 36	Gastritis and enteritis (except of newborn)	M	2	·	2	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*1*	·	*2*	·	*1*	·	·	·
		F	*1*	·	·	·	*1*	·	·	·
B 37	Cirrhosis of liver	M	3	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 46d	Other diseases of digestive system	M	·	·	1	·	·	·	·	·
		F	3	·	·	·	·	·	1	·
B 38	Nephritis and nephrosis	M	9	·	5	·	1	·	3	·
		F	6	·	3	·	3	·	3	·
B 39	Hyperplasia of prostate	M	5	·	6	·	5	·	4	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	2	·	1	·	2	·
B 41	Congenital malformations	M	7	·	4	·	7	·	3	·
		F	5	·	4	·	6	·	3	·
B 42	Birth injuries, asphyxia and atelectasis	M	7	·	1	·	7	·	2	·
		F	8	·	3	·	3	·	·	·
B 43	Infections of the newborn	M	3	·	2	·	4	·	1	·
		F	2	·	·	·	3	·	·	·
B 44	Other diseases of early infancy	M	7	·	14	·	5	·	6	·
		F	7	·	6	·	4	·	4	·
B 45a	Senility without psychosis	M	4	·	33	6	16	3	14	13
		F	12	·	24	3	18	5	10	10
B 45b	Ill-defined and unknown causes	M	15	6	2	·	6	2	3	1
		F	6	1	4	1	6	1	4	4
B 46e	All other diseases	M	14	1	17	·	8	·	10	1
		F	24	·	13	·	6	·	7	1
	External Causes									
B 47	Motor vehicle accidents	M	9	·	6	·	6	·	1	·
		F	4	·	1	·	1	·	1	·
B 48	All other accidents	M	7	·	12	·	5	·	7	·
		F	7	·	5	·	1	·	4	·
B 49	Suicide and self-inflicted injury	M	·	·	4	·	2	·	1	·
		F	1	·	2	·	·	·	·	·
B 50	Homicide and operations of war	M	·	·	·	·	·	·	·	·
		F	·	·	1	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**379**	**1**	**415**	**13**	**338**	**14**	**367**	**16**
		F	**354**	**4**	**353**	**18**	**251**	**19**	**277**	**17**
B 1	Tuberculosis of respiratory system	M	7	·	2	·	4	·	2	·
		F	6	·	1	·	6	·	·	·
B 2	Tuberculosis, other forms	M	1	·	2	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 3	Syphilis and its sequelae	M	·	·	·	·	·	·	1	·
		F	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	1	·	·	·	·	·	1	·
		F	·	·	·	·	1	·	·	·
B 10	Meningococcal infections	M	1	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	1	·	3	·	1	·	1	·
		F	1	·	1	·	·	·	2	·
	Malignant neoplasms :—									
B 18a	of stomach	M	11	·	9	·	17	·	7	·
		F	7	·	11	·	13	·	9	·
B 18b	of other digestive organs and peritoneum	M	18	·	17	·	10	·	20	1
		F	20	·	19	·	7	·	8	·
B 18c	of respiratory system	M	10	·	7	·	7	·	12	·
		F	1	·	2	·	1	·	6	1
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	10	·	7	·	3	·	·	·
B 18e	of genito-urinary system	M	6	·	6	·	6	·	10	·
		F	5	·	5	·	6	·	4	·
B 18f	of lymphatic and haematopoietic tissues	M	3	·	5	·	1	·	3	·
		F	2	·	1	·	1	·	2	·
B 18g	other	M	12	1	10	·	7	1	5	·
		F	7	·	7	·	3	·	7	·
B 19	Benign and unspecified neoplasms	M	4	·	1	·	1	·	1	·
		F	3	·	3	·	1	·	2	·
B 20	Diabetes mellitus	M	4	·	4	·	2	·	1	·
		F	3	·	2	·	1	·	2	·
B 21	Anaemias	M	·	·	2	·	1	·	4	·
		F	5	·	2	·	1	·	2	·
B 22	Vascular lesions affecting central nervous system	M	36	·	40	·	33	2	39	·
		F	58	·	66	·	35	·	50	1
B 23	Non-meningococcal meningitis	M	2	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 24	Rheumatic fever	M	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	6	·	3	·	1	·	3	·
		F	7	1	2	·	2	·	·	·
B 26a	Chronic endocarditis	M	3	·	8	·	4	·	3	·
		F	3	·	12	·	2	·	5	·
B 26b	Coronary and arteriosclerotic heart disease	M	46	·	60	·	49	4	63	7
		F	31	·	23	·	14	2	29	3

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	60	·	54	·	48	1	41	·
		F	57	2	38	·	41	·	46	2
B 27	Other diseases of heart	M	13	·	18	·	14	·	17	1
		F	6	·	15	2	12	3	12	2
B 28	Hypertension with heart disease	M	4	·	11	·	5	·	3	·
		F	8	·	6	·	5	·	5	·
B 29	Hypertension without mention of heart	M	4	·	3	·	·	·	4	·
		F	6	·	8	·	2	·	4	1
B 46a	Other diseases of circulatory system	M	3	·	11	·	6	·	9	1
		F	5	·	4	·	2	·	6	1
B 30	Influenza	M	1	·	3	·	3	·	2	·
		F	4	·	2	·	3	·	·	·
B 31	Pneumonia	M	10	·	8	·	8	·	7	·
		F	4	·	7	·	7	·	4	·
B 32	Bronchitis	M	17	·	22	·	10	·	8	·
		F	3	·	16	·	4	·	·	·
B 46b	Bronchiectasis	M	·	·	1	·	1	·	·	·
		F	1	·	·	·	·	·	·	·
B 46c	Other diseases of respiratory system	M	6	·	3	·	·	·	3	·
		F	1	·	·	·	·	·	4	·
B 33	Ulcer of stomach and duodenum	M	·	·	3	·	6	·	4	·
		F	·	·	·	·	·	·	·	·
B 34	Appendicitis	M	2	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 35	Intestinal obstruction and hernia	M	8	·	3	·	1	·	·	·
		F	2	·	4	·	·	·	1	·
B 36	Gastritis and enteritis (except of newborn)	M	·	·	1	·	2	·	1	·
		F	·	·	4	·	·	·	1	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	·	·	*1*	·	*2*	·	*1*	·
		F	·	·	·	·	·	·	·	·
B 37	Cirrhosis of liver	M	·	·	·	·	3	·	1	·
		F	1	·	·	·	·	·	·	·
B 46d	Other diseases of digestive system	M	2	·	4	·	3	·	·	·
		F	2	·	3	·	1	·	4	·
B 38	Nephritis and nephrosis	M	7	·	2	·	15	·	3	·
		F	5	·	3	·	5	·	4	·
B 39	Hyperplasia of prostate	M	8	·	16	·	3	·	1	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	·	·	·	·	·	·
B 41	Congenital malformations	M	3	·	12	·	4	·	5	·
		F	14	·	8	·	6	·	6	·
B 42	Birth injuries, asphyxia and atelectasis	M	7	·	5	·	9	·	8	·
		F	5	·	2	·	5	·	4	·
B 43	Infections of the newborn	M	1	·	1	·	3	·	1	·
		F	1	·	2	1	·	·	·	·
B 44	Other diseases of early infancy	M	6	·	2	·	9	1	8	·
		F	2	·	·	·	4	·	8	·
B 45a	Senility without psychosis	M	13	·	13	5	6	2	17	3
		F	26	1	30	13	15	8	15	3
B 45b	Ill-defined and unknown causes	M	4	·	12	7	11	3	11	3
		F	2	·	7	2	12	6	3	2
B 46e	All other diseases	M	13	·	11	1	13	·	18	·
		F	16	·	21	·	17	·	12	1
	External Causes									
B 47	Motor vehicle accidents	M	7	·	3	·	3	·	12	·
		F	6	·	2	·	1	·	·	·
B 48	All other accidents	M	8	·	10	·	6	·	4	·
		F	6	·	6	·	10	·	10	·
B 49	Suicide and self-inflicted injury	M	·	·	3	·	2	·	3	·
		F	1	·	·	·	·	·	·	·
B 50	Homicide and operations of war	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**511**	**9**	**380**	**2**	**476**	·	**1,651**	**57**
		F	**471**	**6**	**340**	**4**	**516**	·	**1,493**	**96**
B 1	Tuberculosis of respiratory system	M	6	·	5	·	13	·	26	·
		F	3	·	3	·	5	·	12	·
B 2	Tuberculosis, other forms	M	·	·	·	·	2	·	3	·
		F	·	·	1	·	·	·	1	·
B 3	Syphilis and its sequelae	M	·	·	·	·	1	·	·	·
		F	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	2	·	1	·
		F	·	·	·	·	·	·	·	·
B 10	Meningococcal infections	M	·	·	·	·	·	·	1	·
		F	·	·	·	·	1	·	1	·
B 12	Acute poliomyelitis	M	1	·	·	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	·	·	1	·	2	·	6	·
		F	2	·	1	·	·	·	6	·
	Malignant neoplasms :—									
B 18a	of stomach	M	18	·	5	·	15	·	56	·
		F	9	·	8	·	10	·	35	·
B 18b	of other digestive organs and peritoneum	M	20	·	18	·	27	·	69	·
		F	17	·	14	·	25	·	63	1
B 18c	of respiratory system	M	14	·	11	·	19	·	42	·
		F	5	·	1	·	6	·	12	·
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	9	·	10	·	10	·	41	·
B 18e	of genito-urinary system	M	8	·	7	·	7	·	21	1
		F	10	·	6	·	14	·	20	·
B 18f	of lymphatic and haematopoietic tissues	M	6	·	7	·	2	·	14	·
		F	1	·	3	·	6	·	11	·
B 18g	other	M	7	·	8	·	7	·	35	1
		F	11	·	2	·	10	·	34	1
B 19	Benign and unspecified neoplasms	M	3	·	2	·	2	·	6	·
		F	2	·	3	·	2	·	7	·
B 20	Diabetes mellitus	M	1	·	3	·	3	·	4	·
		F	5	·	4	·	4	·	10	·
B 21	Anaemias	M	3	·	1	·	·	·	9	·
		F	4	·	2	·	4	·	10	·
B 22	Vascular lesions affecting central nervous system	M	62	2	58	·	33	·	183	5
		F	58	1	60	1	61	·	187	4
B 23	Non-meningococcal meningitis	M	·	·	1	·	·	·	·	·
		F	1	·	1	·	1	·	2	·
B 24	Rheumatic fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 25	Chronic rheumatic heart disease	M	1	·	7	·	8	·	4	·
		F	2	·	5	·	9	·	15	·
B 26a	Chronic endocarditis	M	6	·	2	·	·	·	22	1
		F	2	·	·	·	7	·	23	1
B 26b	Coronary and arteriosclerotic heart disease	M	74	·	81	·	71	·	238	8
		F	47	·	33	·	59	·	147	5

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	88	4	42	1	56	·	226	5
		F	104	3	41	1	96	·	268	11
B 27	Other diseases of heart	M	7	1	19	·	25	·	77	5
		F	10	·	17	·	23	·	74	5
B 28	Hypertension with heart disease	M	5	·	5	·	8	·	37	·
		F	15	·	8	·	8	·	31	·
B 29	Hypertension without mention of heart	M	7	·	4	·	2	·	12	1
		F	12	·	4	·	5	·	19	·
B 46a	Other diseases of circulatory system	M	47	1	6	·	15	·	51	·
		F	43	·	9	·	14	·	30	1
B 30	Influenza	M	1	·	1	·	5	·	8	·
		F	1	·	·	·	1	·	10	1
B 31	Pneumonia	M	7	·	15	·	12	·	32	·
		F	8	·	17	·	14	·	34	·
B 32	Bronchitis	M	20	·	9	·	31	·	45	1
		F	6	·	6	·	20	·	21	2
B 46b	Bronchiectasis	M	·	·	1	·	5	·	5	·
		F	·	·	·	·	4	·	4	·
B 46c	Other diseases of respiratory system	M	3	·	3	·	7	·	9	·
		F	·	·	6	·	5	·	15	·
B 33	Ulcer of stomach and duodenum	M	2	·	5	·	8	·	20	·
		F	2	·	2	·	1	·	8	·
B 34	Appendicitis	M	·	·	·	·	1	·	3	·
		F	1	·	·	·	·	·	3	·
B 35	Intestinal obstruction and hernia	M	2	·	3	·	2	·	8	·
		F	1	·	3	·	2	·	12	·
B 36	Gastritis and enteritis (except of newborn)	M	3	·	1	·	5	·	7	·
		F	1	·	2	·	2	·	9	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*1*	·	*1*	·	*3*	·	*2*	·
		F	·	·	*2*	·	*2*	·	·	·
B 37	Cirrhosis of liver	M	·	·	·	·	1	·	4	·
		F	2	·	·	·	·	·	4	·
B 46d	Other diseases of digestive system	M	2	·	2	·	1	·	7	·
		F	2	·	2	·	2	·	11	·
B 38	Nephritis and nephrosis	M	9	·	·	·	5	·	28	·
		F	12	·	3	·	8	·	20	1
B 39	Hyperplasia of prostate	M	11	·	1	·	6	·	22	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	·	·	4	·	2	·
B 41	Congenital malformations	M	7	·	2	·	6	·	26	·
		F	8	·	9	·	6	·	14	·
B 42	Birth injuries, asphyxia and atelectasis	M	6	·	8	·	8	·	23	·
		F	2	·	4	·	6	·	12	·
B 43	Infections of the newborn	M	·	·	1	·	3	·	2	·
		F	·	·	·	·	1	·	2	·
B 44	Other diseases of early infancy	M	8	·	2	·	13	·	19	·
		F	5	·	1	1	7	·	7	·
B 45a	Senility without psychosis	M	10	·	8	·	6	·	78	19
		F	17	2	20	·	16	·	127	50
B 45b	Ill-defined and unknown causes	M	2	1	7	·	2	·	30	10
		F	5	·	3	1	3	·	14	10
B 46e	All other diseases	M	16	·	4	1	15	·	63	·
		F	22	·	18	·	22	·	80	3
	External Causes									
B 47	Motor vehicle accidents	M	4	·	5	·	6	·	21	·
		F	1	·	2	·	1	·	2	·
B 48	All other accidents	M	12	·	8	·	8	·	43	·
		F	3	·	5	·	9	·	22	·
B 49	Suicide and self-inflicted injury	M	2	·	·	·	·	·	5	·
		F	·	·	·	·	·	·	1	·
B 50	Homicide and operations of war	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**595**	**61**	**860**	**94**	**234**	**3**	**559**	**25**
		F	**461**	**47**	**676**	**92**	**251**	**4**	**455**	**22**
B 1	Tuberculosis of respiratory system	M	11	·	15	·	7	·	6	·
		F	10	·	3	·	4	·	4	·
B 2	Tuberculosis, other forms	M	1	·	1	·	·	·	·	·
		F	·	·	1	·	3	·	·	·
B 3	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	2	·	2	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 10	Meningococcal infections	M	·	·	·	·	·	·	2	·
		F	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	1	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	2	·	3	·	·	·	1	·
		F	1	·	2	·	1	·	·	·
	Malignant neoplasms :—									
B 18a	of stomach	M	10	·	13	·	4	·	9	·
		F	13	·	18	1	4	·	6	·
B 18b	of other digestive organs and peritoneum	M	19	·	24	·	11	·	15	·
		F	17	·	20	·	15	·	25	·
B 18c	of respiratory system	M	6	·	16	·	12	·	11	1
		F	4	1	3	·	2	·	7	·
B 18d	of breast	M	·	·	1	·	1	·	·	·
		F	6	·	19	·	6	·	11	·
B 18e	of genito-urinary system	M	10	·	16	·	4	·	12	·
		F	5	·	14	·	3	·	10	·
B 18f	of lymphatic and haematopoietic tissues	M	5	·	11	·	1	·	5	·
		F	3	·	6	·	2	·	3	·
B 18g	other	M	13	·	21	2	3	·	15	·
		F	7	·	9	·	5	·	6	·
B 19	Benign and unspecified neoplasms	M	1	·	4	·	1	·	·	·
		F	1	·	2	·	1	·	1	·
B 20	Diabetes mellitus	M	2	·	4	·	1	·	4	·
		F	6	·	8	1	2	·	4	·
B 21	Anaemias	M	2	·	1	·	·	·	1	·
		F	3	·	1	·	1	·	2	·
B 22	Vascular lesions affecting central nervous system	M	39	2	80	4	19	·	52	1
		F	40	1	80	3	40	·	65	1
B 23	Non-meningococcal meningitis	M	1	·	·	·	1	·	4	·
		F	·	·	·	·	1	·	·	·
B 24	Rheumatic fever	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	5	·	8	1	2	·	5	·
		F	3	·	7	1	4	·	10	·
B 26a	Chronic endocarditis	M	17	·	15	1	1	·	9	·
		F	11	·	14	·	1	·	4	·
B 26b	Coronary and arteriosclerotic heart disease	M	61	1	99	7	35	·	91	2
		F	34	1	48	3	13	·	34	·

TABLE 20.—*(continued)*—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	129	2	137	3	20	1	76	.
		F	102	3	112	6	20	1	73	1
B 27	Other diseases of heart	M	37	2	41	1	18	.	22	4
		F	25	1	32	.	24	.	19	.
B 28	Hypertension with heart disease	M	5	2	8	.	3	.	8	.
		F	2	.	10	1	3	.	10	1
B 29	Hypertension without mention of heart	M	4	.	10	2	5	.	5	.
		F	3	.	3	.	4	1	7	.
B 46a	Other diseases of circulatory system	M	15	2	38	1	6	.	10	.
		F	10	.	26	.	10	.	8	.
B 30	Influenza	M	4	.	16	5	1	.	2	.
		F	2	1	10	.	1	.	3	.
B 31	Pneumonia	M	13	1	17	1	7	.	14	.
		F	14	.	19	.	10	.	12	.
B 32	Bronchitis	M	11	.	21	1	15	.	20	.
		F	10	1	15	.	13	.	18	.
B 46b	Bronchiectasis	M	6	.	.	.	1	.	1	.
		F	.	.	2	.	.	.	.	.
B 46c	Other diseases of respiratory system	M	5	.	6	.	4	.	3	.
		F	.	.	4	.	2	.	4	.
B 33	Ulcer of stomach and duodenum	M	5	.	8	.	7	.	5	.
		F	3	.	2	.	2	.	1	.
B 34	Appendicitis	M	.	.	.	.	1	.	.	.
		F	.	.	.	.	.	.	.	.
B 35	Intestinal obstruction and hernia	M	.	.	1	.	3	.	2	.
		F	3	.	2	.	1	.	1	.
B 36	Gastritis and enteritis (except of newborn)	M	3	.	3	.	1	.	2	.
		F	2	.	4	1	.	.	3	.
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*2*	.	*3*	.	*1*	.	*3*	.
		F	.	.	*3*	*1*	.	.	.	.
B 37	Cirrhosis of liver	M	.	.	1	.	.	.	5	.
		F	1	.	.	.	.	.	.	.
B 46d	Other diseases of digestive system	M	1	.	1	.	1	.	8	.
		F	4	.	4	.	5	.	4	.
B 38	Nephritis and nephrosis	M	8	.	11	.	2	.	7	.
		F	6	.	7	.	4	.	6	.
B 39	Hyperplasia of prostate	M	5	.	13	.	.	.	5	.
B 40	Deliveries and complications of pregnancy and childbirth	F	2	.	3	.	.	.	1	.
B 41	Congenital malformations	M	9	.	10	.	3	.	9	.
		F	7	.	4	.	6	.	15	.
B 42	Birth injuries, asphyxia and atelectasis	M	2	.	4	.	2	.	5	.
		F	5	.	1	.	1	.	4	.
B 43	Infections of the newborn	M	3	.	4	.	.	.	4	.
		F	1	.	.	.	1	.	1	.
B 44	Other diseases of early infancy	M	8	.	20	.	2	.	9	.
		F	6	.	10	.	3	.	6	.
B 45a	Senility without psychosis	M	55	42	72	54	6	1	35	15
		F	50	33	89	68	7	.	37	19
B 45b	Ill-defined and unknown causes	M	11	5	18	9	5	1	14	1
		F	7	4	9	3	2	1	8	.
B 46e	All other diseases	M	32	1	33	2	11	.	23	1
		F	20	1	36	4	11	1	14	.
	External Causes									
B 47	Motor vehicle accidents	M	5	.	6	.	2	.	6	.
		F	1	.	2	.	3	.	3	.
B 48	All other accidents	M	9	.	21	.	5	.	14	.
		F	10	.	14	.	9	.	5	.
B 49	Suicide and self-inflicted injury	M	2	1	3	.	.	.	3	.
		F	1	.	.	.	1	.	.	.
B 50	Homicide and operations of war	M	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.

TABLE 20.—*(continued)*—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**382**	**16**	**479**	**11**	**154**	·	**305**	**12**
		F	**283**	**22**	**389**	**15**	**183**	·	**243**	**6**
B 1	Tuberculosis of respiratory system	M	6	·	4	·	8	·	3	·
		F	1	·	5	·	2	·	5	·
B 2	Tuberculosis, other forms	M	1	·	·	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 3	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 10	Meningococcal infections	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	·	·	2	·	·	·	·	·
		F	1	·	2	·	·	·	·	·
	Malignant neoplasms :—									
B 18a	of stomach	M	9	·	17	·	3	·	5	·
		F	6	·	7	·	7	·	7	·
B 18b	of other digestive organs and peritoneum	M	8	·	25	·	11	·	13	·
		F	13	·	17	·	14	·	13	·
B 18c	of respiratory system	M	9	·	12	·	10	·	10	·
		F	2	·	6	·	1	·	3	·
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	5	·	7	·	4	·	7	·
B 18e	of genito-urinary system	M	8	·	6	·	2	·	3	·
		F	8	·	10	·	6	·	·	·
B 18f	of lymphatic and haematopoietic tissues	M	·	·	6	·	·	·	1	·
		F	1	·	2	·	·	·	1	·
B 18g	other	M	5	·	13	·	5	·	5	·
		F	6	·	6	·	2	·	4	·
B 19	Benign and unspecified neoplasms	M	2	1	·	·	·	·	·	·
		F	1	·	2	·	·	·	1	1
B 20	Diabetes mellitus	M	4	·	1	·	·	·	2	·
		F	3	·	1	·	·	·	1	·
B 21	Anaemias	M	·	·	2	·	·	·	2	·
		F	·	·	6	·	·	·	·	·
B 22	Vascular lesions affecting central nervous system	M	32	·	47	·	11	·	31	·
		F	31	1	63	·	26	·	47	·
B 23	Non-meningococcal meningitis	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 24	Rheumatic fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	2	·	4	·	1	·	4	·
		F	4	·	3	·	4	·	4	·
B 26a	Chronic endocarditis	M	·	·	5	·	·	·	1	·
		F	1	·	10	·	1	·	·	·
B 26b	Coronary and arteriosclerotic heart disease	M	56	·	73	2	27	·	45	3
		F	19	·	20	1	16	·	19	·

TABLE 20.—*(continued)*—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	65	·	65	1	16	·	33	·
		F	48	1	58	2	26	·	34	1
B 27	Other diseases of heart	M	22	1	12	2	5	·	21	1
		F	12	·	19	1	15	·	12	1
B 28	Hypertension with heart disease	M	3	·	11	·	·	·	2	·
		F	4	·	10	·	4	·	4	·
B 29	Hypertension without mention of heart	M	1	·	5	·	2	·	4	1
		F	1	·	4	·	1	·	4	·
B 46a	Other diseases of circulatory system	M	3	·	8	·	2	·	10	1
		F	4	·	7	·	2	·	9	1
B 30	Influenza	M	1	·	1	·	·	·	1	·
		F	1	·	1	·	·	·	·	·
B 31	Pneumonia	M	7	·	11	·	12	·	10	·
		F	9	·	7	·	17	·	8	·
B 32	Bronchitis	M	6	·	13	·	10	·	12	·
		F	4	·	7	·	4	·	8	·
B 46b	Bronchiectasis	M	1	·	3	·	1	·	1	·
		F	1	·	2	·	2	·	·	·
B 46c	Other diseases of respiratory system	M	1	·	3	·	1	·	10	·
		F	·	·	·	·	·	·	·	·
B 33	Ulcer of stomach and duodenum	M	7	·	5	·	1	·	3	·
		F	1	·	3	·	1	·	1	·
B 34	Appendicitis	M	·	·	1	·	1	·	·	·
		F	1	·	·	·	·	·	·	·
B 35	Intestinal obstruction and hernia	M	2	·	1	·	1	·	1	·
		F	·	·	1	·	·	·	1	·
B 36	Gastritis and enteritis (except of newborn)	M	4	·	3	·	·	·	·	·
		F	1	·	4	·	·	·	3	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*2*	·	*2*	·	·	·	·	·
		F	*1*	·	*1*	·	·	·	*1*	·
B 37	Cirrhosis of liver	M	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	1	·
B 46d	Other diseases of digestive system	M	2	·	2	·	1	·	·	·
		F	1	·	3	·	2	·	1	·
B 38	Nephritis and nephrosis	M	4	·	10	·	3	·	3	·
		F	3	·	6	·	2	·	1	·
B 39	Hyperplasia of prostate	M	6	·	7	·	·	·	4	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	1	·	·	·	2	·
B 41	Congenital malformations	M	7	·	7	·	3	·	7	·
		F	1	·	3	·	2	·	2	·
B 42	Birth injuries, asphyxia and atelectasis	M	2	·	2	·	·	·	1	·
		F	1	·	4	·	3	·	1	·
B 43	Infections of the newborn	M	4	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·
B 44	Other diseases of early infancy	M	8	·	8	·	2	·	3	·
		F	6	·	5	·	2	·	1	·
B 45a	Senility without psychosis	M	48	8	47	5	2	·	23	3
		F	50	14	49	11	7	·	25	1
B 45b	Ill-defined and unknown causes	M	6	5	2	1	·	·	5	3
		F	9	6	·	·	·	·	·	·
B 46e	All other diseases	M	11	1	17	·	9	·	13	·
		F	16	·	17	·	7	·	9	1
	External Causes									
B 47	Motor vehicle accidents	M	1	·	4	·	·	·	5	·
		F	·	·	·	·	·	·	1	·
B 48	All other accidents	M	16	·	12	·	4	·	6	·
		F	5	·	8	·	3	·	3	·
B 49	Suicide and self-inflicted injury	M	2	·	2	·	·	·	2	·
		F	·	·	·	·	·	·	·	·
B 50	Homicide and operations of war	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**1,009**	**106**	**246**	**44**	**837**	**137**	**491**	**63**
		F	**775**	**125**	**208**	**50**	**718**	**130**	**360**	**61**
B 1	Tuberculosis of respiratory system	M	16	·	1	·	4	·	5	·
		F	10	·	·	·	6	·	3	·
B 2	Tuberculosis, other forms	M	4	·	·	·	1	·	1	·
		F	1	·	·	·	5	·	·	·
B 3	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	1	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	1	·	·
B 10	Meningococcal infections	M	·	·	·	·	·	·	1	·
		F	2	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	3	·	·	·	2	·	·	·
		F	1	·	·	·	·	·	1	·
	Malignant neoplasms :—									
B 18a	of stomach	M	16	·	7	·	12	1	8	·
		F	11	·	4	·	19	·	10	·
B 18b	of other digestive organs and peritoneum	M	33	1	4	·	30	·	20	·
		F	35	·	7	1	23	·	10	·
B 18c	of respiratory system	M	13	·	3	·	15	·	4	·
		F	8	·	1	·	6	·	1	·
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	19	·	4	·	12	·	6	·
B 18e	of genito-urinary system	M	19	1	1	·	15	·	8	·
		F	16	·	2	·	11	·	6	·
B 18f	of lymphatic and haematopoietic tissues	M	15	·	4	·	4	·	7	·
		F	8	·	1	·	3	·	3	·
B 18g	other	M	43	1	7	·	28	2	12	1
		F	9	·	1	·	12	·	4	·
B 19	Benign and unspecified neoplasms	M	2	·	·	·	3	·	2	·
		F	3	·	·	·	8	1	·	·
B 20	Diabetes mellitus	M	5	·	2	·	1	·	3	·
		F	9	·	1	·	4	·	3	·
B 21	Anaemias	M	6	·	1	·	4	·	1	·
		F	1	·	4	·	4	·	3	·
B 22	Vascular lesions affecting central nervous system	M	107	4	18	·	71	2	45	2
		F	105	9	19	2	85	6	37	·
B 23	Non-meningococcal meningitis	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·
B 24	Rheumatic fever	M	·	·	·	·	·	·	1	·
		F	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	5	1	1	·	6	·	6	·
		F	4	·	3	·	6	·	1	·
B 26a	Chronic endocarditis	M	4	·	2	·	7	·	·	·
		F	7	·	2	·	6	·	1	·
B 26b	Coronary and arteriosclerotic heart disease	M	149	5	29	1	92	5	54	3
		F	70	6	8	·	52	·	26	2

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	109	15	59	3	131	13	134	11
		F	105	9	52	2	103	13	100	10
B 27	Other diseases of heart	M	35	5	3	1	43	4	17	9
		F	31	5	10	1	26	1	11	·
B 28	Hypertension with heart disease	M	18	·	7	·	11	·	14	·
		F	15	·	5	1	26	1	14	·
B 29	Hypertension without mention of heart	M	14	·	1	·	4	·	4	·
		F	12	1	2	·	3	1	6	·
B 46a	Other diseases of circulatory system	M	41	·	5	·	25	·	6	·
		F	19	·	2	·	25	·	8	·
B 30	Influenza	M	8	·	1	·	10	1	7	·
		F	8	1	1	·	5	·	5	·
B 31	Pneumonia	M	43	2	5	·	26	2	23	·
		F	23	1	9	·	24	·	7	1
B 32	Bronchitis	M	41	1	6	·	13	·	7	·
		F	16	·	3	·	10	·	4	·
B 46b	Bronchiectasis	M	3	·	·	·	1	·	·	·
		F	2	·	·	·	1	·	2	·
B 46c	Other diseases of respiratory system	M	9	·	2	·	9	·	4	·
		F	9	1	5	·	4	·	1	·
B 33	Ulcer of stomach and duodenum	M	6	·	3	1	4	·	1	·
		F	1	·	·	·	6	·	·	·
B 34	Appendicitis	M	3	·	·	·	2	·	1	·
		F	·	·	·	·	1	·	·	·
B 35	Intestinal obstruction and hernia	M	2	·	2	·	4	·	2	·
		F	5	1	1	·	7	·	1	·
B 36	Gastritis and enteritis (except of newborn)	M	9	·	·	·	4	·	1	·
		F	3	·	2	·	1	·	2	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*4*	·	·	·	*3*	·	*1*	·
		F	*1*	·	·	·	·	·	*1*	·
B 37	Cirrhosis of liver	M	2	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 46d	Other diseases of digestive system	M	5	·	1	·	4	1	2	1
		F	6	·	·	·	3	·	4	1
B 38	Nephritis and nephrosis	M	11	·	1	·	10	3	4	·
		F	8	·	1	·	9	·	2	·
B 39	Hyperplasia of prostate	M	18	·	3	·	18	1	4	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	2	·	2	·	3	·
B 41	Congenital malformations	M	13	·	4	·	5	·	6	·
		F	6	·	4	·	7	·	5	·
B 42	Birth injuries, asphyxia and atelectasis	M	10	·	·	·	3	·	2	·
		F	7	·	·	·	2	·	3	·
B 43	Infections of the newborn	M	5	·	1	·	3	·	3	·
		F	5	·	·	·	2	·	1	·
B 44	Other diseases of early infancy	M	17	1	6	·	11	·	1	·
		F	7	1	5	1	5	·	2	·
B 45a	Senility without psychosis	M	74	63	36	32	130	90	34	28
		F	104	87	33	33	131	94	47	43
B 45b	Ill-defined and unknown causes	M	9	4	8	5	21	10	7	5
		F	8	1	8	8	11	7	4	4
B 46e	All other diseases	M	37	2	4	1	20	2	15	3
		F	33	2	4	1	27	4	8	·
	External Causes									
B 47	Motor vehicle accidents	M	4	·	·	·	5	·	3	·
		F	3	·	·	·	·	·	·	·
B 48	All other accidents	M	22	·	5	·	21	·	10	·
		F	16	·	1	·	13	1	4	·
B 49	Suicide and self-inflicted injury	M	1	·	2	·	4	·	1	·
		F	1	·	·	·	1	·	·	·
B 50	Homicide and operations of war	M	·	·	1	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 20.—(*continued*)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	**M**	**358**	**38**	**448**	**21**	**714**	**75**	**328**	**8**
		F	**310**	**34**	**315**	**14**	**652**	**99**	**267**	**4**
B 1	Tuberculosis of respiratory system	M	1	·	3	·	5	1	3	·
		F	1	·	2	·	8	·	1	·
B 2	Tuberculosis, other forms	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	3	·	·	·
B 3	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	1	1	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 10	Meningococcal infections	M	·	·	·	·	·	·	·	·
		F	·	·	1	·	·	·	·	·
B 12	Acute poliomyelitis	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	1	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	1	·
B 16	Malaria	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	1	·	3	·	3	·	·	·
		F	2	·	1	·	2	·	1	·
	Malignant neoplasms :—									
B 18a	of stomach	M	10	·	13	·	33	·	9	·
		F	9	·	22	·	14	·	9	·
B 18b	of other digestive organs and peritoneum	M	16	·	13	·	19	1	11	·
		F	14	·	9	·	18	·	11	·
B 18c	of respiratory system	M	7	·	4	·	9	·	2	·
		F	2	1	1	·	2	·	2	·
B 18d	of breast	M	·	·	·	·	·	·	·	·
		F	10	·	3	·	15	·	7	·
B 18e	of genito-urinary system	M	5	·	12	·	15	·	2	·
		F	4	·	3	·	17	·	3	·
B 18f	of lymphatic and haematopoietic tissues	M	·	·	4	·	8	1	2	·
		F	1	·	·	·	3	·	1	·
B 18g	other	M	6	·	11	·	23	1	8	·
		F	9	·	9	·	11	·	10	·
B 19	Benign and unspecified neoplasms	M	1	·	1	·	5	·	·	·
		F	1	·	2	·	2	·	·	·
B 20	Diabetes mellitus	M	1	·	1	·	1	·	3	·
		F	5	·	4	·	4	1	6	·
B 21	Anaemias	M	1	·	3	·	2	·	2	·
		F	1	·	1	·	5	·	5	·
B 22	Vascular lesions affecting central nervous system	M	23	2	80	5	74	5	41	1
		F	34	1	61	1	91	10	31	·
B 23	Non-meningococcal meningitis	M	1	·	·	·	·	·	1	·
		F	·	·	1	·	2	·	·	·
B 24	Rheumatic fever	M	·	·	·	·	2	·	·	·
		F	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	3	·	7	·	1	·	5	·
		F	4	·	2	·	4	·	1	·
B 26a	Chronic endocarditis	M	4	·	2	·	3	·	5	·
		F	2	·	7	·	8	1	5	·
B 26b	Coronary and arteriosclerotic heart disease	M	54	1	57	·	97	8	56	·
		F	14	·	18	·	69	10	35	·

TABLE 20.—*(continued)*—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1960, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List No.	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B 26c	Other myocardial degeneration	M	37	3	87	2	92	15	40	2
		F	27	·	70	·	77	16	42	3
B 27	Other diseases of heart	M	7	·	15	·	30	1	14	1
		F	11	·	9	·	13	1	14	1
B 28	Hypertension with heart disease	M	9	·	7	·	4	·	3	·
		F	6	·	6	·	11	·	2	·
B 29	Hypertension without mention of heart	M	4	·	5	·	10	1	4	·
		F	5	·	1	·	8	2	4	·
B 46a	Other diseases of circulatory system	M	23	·	7	1	17	·	4	·
		F	17	·	10	1	16	1	4	·
B 30	Influenza	M	·	·	2	·	6	1	3	·
		F	2	·	2	·	6	3	·	·
B 31	Pneumonia	M	4	·	6	·	45	·	12	·
		F	6	·	5	·	49	4	5	·
B 32	Bronchitis	M	12	·	15	·	11	·	13	·
		F	5	·	3	·	16	2	13	·
B 46b	Bronchiectasis	M	·	·	2	·	1	·	2	·
		F	1	·	·	·	1	·	·	·
B 46c	Other diseases of respiratory system	M	3	·	5	·	7	·	4	·
		F	1	·	3	·	1	·	1	·
B 33	Ulcer of stomach and duodenum	M	1	·	6	·	9	·	2	·
		F	3	·	1	·	2	·	1	·
B 34	Appendicitis	M	1	·	·	·	3	·	·	·
		F	2	·	2	1	·	·	·	·
B 35	Intestinal obstruction and hernia	M	2	·	·	·	3	·	·	·
		F	·	·	1	·	2	·	3	·
B 36	Gastritis and enteritis (except of newborn)	M	·	·	·	·	4	·	1	·
		F	·	·	1	·	3	·	1	·
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	·	·	·	·	*2*	·	*1*	·
		F	·	·	·	·	·	·	*1*	·
B 37	Cirrhosis of liver	M	·	·	·	·	1	·	·	·
		F	·	·	·	·	·	·	1	·
B 46d	Other diseases of digestive system	M	2	·	5	·	2	·	2	·
		F	8	·	1	·	8	·	·	·
B 38	Nephritis and nephrosis	M	9	·	3	·	13	·	4	·
		F	2	·	3	·	7	·	5	·
B 39	Hyperplasia of prostate	M	9	·	1	·	12	·	2	·
B 40	Deliveries and complications of pregnancy and childbirth	F	·	·	·	·	·	·	1	·
B 41	Congenital malformations	M	6	·	5	·	6	·	6	·
		F	2	1	2	1	7	·	1	·
B 42	Birth injuries, asphyxia and atelectasis	M	2	·	4	·	3	·	4	·
		F	7	·	2	·	5	·	1	·
B 43	Infections of the newborn	M	2	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·
B 44	Other diseases of early infancy	M	6	·	8	·	13	1	6	·
		F	2	·	6	·	10	·	6	·
B 45a	Senility without psychosis	M	51	29	21	10	40	25	21	3
		F	58	28	21	10	67	35	16	·
B 45b	Ill-defined and unknown causes	M	7	2	9	2	21	8	3	1
		F	8	3	4	·	18	9	·	·
B 46e	All other diseases	M	14	·	10	1	33	6	14	·
		F	12	·	8	·	33	4	10	·
	External Causes									
B 47	Motor vehicle accidents	M	3	·	2	·	7	·	3	·
		F	·	·	1	·	1	·	1	·
B 48	All other accidents	M	8	·	8	·	20	·	9	·
		F	8	·	5	·	11	·	5	·
B 49	Suicide and self-inflicted injury	M	1	·	1	·	1	·	2	·
		F	1	·	·	·	·	·	1	·
B 50	Homicide and operations of war	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·

TABLE 21.—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death: All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
	All causes	**M**	**2,735**	**207**	**31**	**37**	**31**	**39**	**99**	**244**	**560**	**717**	**770**
		F	**2,658**	**176**	**25**	**21**	**16**	**32**	**66**	**168**	**342**	**702**	**1,110**
B 1	Tuberculosis of respiratory system	M	82	·	·	·	·	1	10	22	25	18	6
		F	26	·	·	·	·	4	6	6	3	5	2
B 2	Tuberculosis, other forms	M	3	·	1	·	2	·	·	·	·	·	·
		F	3	1	·	1	·	·	·	1	·	·	·
B 3	Syphilis and its sequelae	M	2	·	·	·	·	·	·	·	1	1	·
		F	1	1	·	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	1	·	1	·	·	·	·	·	·	·	·
		F	1	·	·	1	·	·	·	·	·	·	·
B 9	Whooping cough	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 10	Meningococcal infections	M	2	·	2	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	3	·	·	·	1	1	1	·	·	·	·
		F	3	1	2	·	·	·	·	·	·	·	·
B 14	Measles	M	1	·	·	1	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
B 16	Malaria	M	1	·	·	·	·	·	1	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	11	2	2	·	·	·	·	2	1	2	2
		F	11	·	1	2	·	·	1	1	1	3	2
	Malignant neoplasms :—												
B 18a	of stomach	M	83	·	·	·	·	·	3	14	28	21	17
		F	64	·	·	·	·	·	·	5	12	28	19
B 18b	of other digestive organs and peritoneum	M	127	·	·	1	·	2	2	17	26	41	38
		F	140	·	·	·	·	·	5	12	30	45	48
B 18c	of respiratory system	M	185	·	·	·	1	3	4	24	81	58	14
		F	32	·	·	·	·	·	1	2	16	9	4
B 18d	of breast	M	·	·	·	·	·	·	·	·	·	·	·
		F	83	·	·	·	·	4	3	21	26	19	10
B 18e	of genito-urinary system	M	51	·	1	·	1	·	·	4	11	13	21
		F	53	·	1	·	·	·	2	11	11	18	10
B 18f	of lymphatic and haematopoietic tissues	M	24	2	1	1	1	·	3	5	4	6	1
		F	23	·	1	2	·	·	2	2	3	9	4
B 18g	other	M	57	·	1	1	4	2	3	5	13	11	17
		F	60	·	2	1	·	1	5	5	17	17	12
B 19	Benign and unspecified neoplasms	M	11	·	·	·	·	1	1	2	3	3	1
		F	12	1	·	·	1	1	·	·	1	4	4
B 20	Diabetes mellitus	M	14	·	·	·	·	1	3	1	4	2	3
		F	25	·	·	·	·	1	·	·	2	13	9
B 21	Anaemias	M	2	·	·	·	1	·	·	·	·	1	·
		F	18	·	·	·	·	·	·	·	2	1	15
B 22	Vascular lesions affecting central nervous system	M	257	·	·	2	1	4	2	18	49	78	103
		F	405	·	·	·	1	·	2	20	53	112	217
B 23	Non-meningococcal meningitis	M	5	1	1	·	·	·	1	1	1	·	·
		F	4	3	·	·	·	1	·	·	·	·	·
B 24	Rheumatic fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	19	·	·	·	·	1	5	5	4	2	2
		F	45	·	·	·	·	3	7	11	7	14	3
B 26a	Chronic endocarditis	M	23	·	·	·	·	·	1	2	8	7	5
		F	22	·	·	1	·	·	·	1	1	9	10
B 26b	Coronary and arteriosclerotic heart disease	M	545	·	·	·	·	4	22	55	133	167	164
		F	337	·	·	·	·	·	3	16	55	128	135

TABLE 21.—(*continued*)—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 26c	Other myocardial degeneration	M	143	·	·	·	·	·	·	4	13	35	91
		F	235	·	·	·	·	·	·	5	11	43	176
B 27	Other diseases of heart	M	105	·	·	·	·	2	1	4	23	33	42
		F	130	·	·	·	·	2	4	5	11	40	68
B 28	Hypertension with heart disease	M	41	·	·	·	·	·	1	1	5	18	16
		F	75	·	·	·	·	·	·	5	7	20	43
B 29	Hypertension without mention of heart	M	23	·	·	·	·	·	3	2	5	4	9
		F	41	·	·	1	·	1	2	2	5	9	21
B 46a	Other diseases of circulatory system	M	51	·	·	·	·	·	1	3	5	12	30
		F	62	·	·	·	·	·	·	·	3	15	44
B 30	Influenza	M	6	1	·	·	·	·	·	·	1	1	3
		F	13	·	1	·	·	1	1	·	1	3	6
B 31	Pneumonia	M	122	25	6	3	·	2	3	5	11	32	35
		F	127	17	6	1	1	1	5	3	6	24	63
B 32	Bronchitis	M	189	·	2	·	·	1	1	10	43	70	62
		F	103	·	1	·	2	·	1	5	11	31	52
B 46b	Bronchiectasis	M	7	·	·	·	·	1	·	1	1	2	2
		F	4	·	·	·	·	1	1	·	1	·	1
B 46c	Other diseases of respiratory system	M	30	3	2	·	·	·	1	2	8	6	8
		F	17	2	·	·	·	·	1	1	·	2	11
B 33	Ulcer of stomach and duodenum	M	20	·	·	·	·	·	2	1	5	8	4
		F	9	·	·	·	·	·	·	1	1	4	3
B 34	Appendicitis	M	4	·	·	·	1	1	1	·	·	1	·
		F	1	·	·	·	·	·	·	·	·	·	1
B 35	Intestinal obstruction and hernia	M	18	1	·	·	1	·	·	5	3	6	2
		F	20	2	·	·	1	·	·	2	3	4	8
B 36	Gastritis and enteritis (except of newborn)	M	8	3	·	·	·	2	·	1	·	1	1
		F	25	6	1	1	·	·	1	3	·	3	10
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*4*	*4*	·	·	·	·	·	·	·	·	·
		F	*6*	*5*	*1*	·	·	·	·	·	·	·	·
B 37	Cirrhosis of liver	M	7	·	·	1	·	·	·	2	1	2	1
		F	4	1	·	·	·	·	·	1	·	2	·
B 46d	Other diseases of digestive system	M	22	1	2	1	1	·	1	4	2	7	3
		F	25	·	·	1	·	1	2	3	4	7	7
B 38	Nephritis and nephrosis	M	34	·	·	1	·	·	4	3	7	10	9
		F	40	·	·	1	3	1	1	5	9	9	11
B 39	Hyperplasia of prostate	M	10	·	·	·	·	·	·	·	2	2	6
B 40	Deliveries and complications of pregnancy and childbirth	F	4	·	·	·	·	2	2	·	·	·	·
B 41	Congenital malformations	M	45	36	2	4	·	·	1	1	1	·	·
		F	62	51	4	4	1	·	·	1	1	·	·
B 42	Birth injuries, asphyxia and atelectasis	M	52	52	·	·	·	·	·	·	·	·	·
		F	31	31	·	·	·	·	·	·	·	·	·
B 43	Infections of the newborn	M	18	18	·	·	·	·	·	·	·	·	·
		F	14	14	·	·	·	·	·	·	·	·	·
B 44	Other diseases of early infancy	M	52	52	·	·	·	·	·	·	·	·	·
		F	35	35	·	·	·	·	·	·	·	·	·
B 45a	Senility without psychosis	M	17	·	·	·	·	·	·	·	·	3	14
		F	22	·	·	·	·	·	·	·	·	1	21
B 45b	Ill-defined and unknown causes	M	11	·	·	·	·	·	·	·	1	4	6
		F	13	·	·	·	·	·	·	1	2	4	6
B 46e	All other diseases	M	77	5	·	2	4	3	8	6	18	17	14
		F	110	6	·	2	1	4	4	7	21	35	30
	External Causes												
B 47	Motor vehicle accidents	M	41	·	·	8	6	1	6	8	3	4	5
		F	16	·	2	2	2	·	1	1	·	5	3
B 48	All other accidents	M	65	4	7	11	6	6	2	2	7	7	13
		F	38	4	2	·	3	1	1	·	3	5	19
B 49	Suicide and self-inflicted injury	M	7	·	·	·	·	·	1	2	3	1	·
		F	13	·	·	·	·	2	2	3	2	2	2
B 50	Homicide and operations of war	M	1	1	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·

TABLE 21.—(*continued*)—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death: All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
	All causes	**M**	**2,666**	**199**	**33**	**24**	**26**	**29**	**75**	**239**	**482**	**705**	**854**
		F	**2,674**	**130**	**27**	**20**	**19**	**37**	**76**	**183**	**341**	**665**	**1,176**
B 1	Tuberculosis of respiratory system	M	60	1	1	·	1	4	9	13	15	11	5
		F	32	·	·	·	2	7	8	2	7	5	1
B 2	Tuberculosis, other forms	M	7	·	2	1	·	·	1	·	2	1	·
		F	7	·	1	·	·	1	·	4	·	·	1
B 3	Syphilis and its sequelae	M	1	·	·	·	·	·	·	·	·	·	1
		F	·	·	·	·	·	·	·	·	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	·	·	·	·	·	·	·	·	·	·	·
		F	2	1	·	·	·	·	·	·	1	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	4	3	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 10	Meningococcal infections	M	1	·	1	·	·	·	·	·	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis	M	1	·	·	1	·	·	·	·	·	·	·
		F	3	1	·	2	·	·	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 16	Malaria	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	8	1	·	4	·	·	·	1	1	1	·
		F	4	·	·	·	1	·	1	2	·	·	·
	Malignant neoplasms :—												
B 18a	of stomach	M	63	·	·	·	·	·	1	12	19	17	14
		F	59	·	·	·	·	1	2	5	13	21	17
B 18b	of other digestive organs and peritoneum	M	131	·	·	·	·	1	4	20	23	46	37
		F	141	·	·	·	·	1	4	13	30	43	50
B 18c	of respiratory system	M	117	·	1	·	·	1	4	18	48	35	10
		F	31	·	·	·	·	·	1	8	7	14	1
B 18d	of breast	M	1	·	·	·	·	·	·	·	1	·	·
		F	71	·	·	·	·	2	10	16	15	18	10
B 18e	of genito-urinary system	M	32	1	·	·	·	·	·	5	2	18	6
		F	54	·	1	·	1	·	5	10	16	15	6
B 18f	of lymphatic and haematopoietic tissues	M	18	·	2	·	1	·	2	3	7	1	2
		F	20	·	1	1	·	·	·	4	4	6	4
B 18g	other	M	50	·	·	1	·	·	4	5	4	13	23
		F	45	·	2	1	2	1	·	4	12	10	13
B 19	Benign and unspecified neoplasms	M	15	1	·	·	1	·	2	3	5	2	1
		F	13	·	·	1	·	2	2	1	1	4	2
B 20	Diabetes mellitus	M	13	·	1	·	·	·	1	·	4	2	5
		F	24	·	·	1	·	·	·	3	6	8	6
B 21	Anaemias	M	6	·	·	·	·	·	·	·	·	3	3
		F	18	·	·	·	·	1	·	2	4	6	5
B 22	Vascular lesions affecting central nervous system	M	257	·	·	·	1	1	4	21	45	83	102
		F	375	1	·	1	·	1	10	21	50	116	175
B 23	Non-meningococcal meningitis	M	6	3	·	·	·	·	2	1	·	·	·
		F	5	2	·	2	·	·	·	·	·	1	·
B 24	Rheumatic fever	M	2	·	1	·	·	1	·	·	·	·	·
		F	3	·	·	·	·	1	·	1	1	·	·
B 25	Chronic rheumatic heart disease	M	29	·	·	·	2	3	3	3	5	6	7
		F	38	·	·	·	2	3	4	8	9	7	5
B 26a	Chronic endocarditis	M	12	·	·	·	1	1	·	·	3	4	3
		F	22	·	·	·	·	·	1	2	5	7	7
B 26b	Coronary and arteriosclerotic heart disease	M	453	·	·	·	1	2	14	60	117	154	105
		F	248	·	·	·	·	2	2	16	40	88	100

TABLE 21.—(*continued*)—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 26c	Other myocardial degeneration	M	266	·	·	·	·	·	·	7	17	65	177
		F	387	·	·	·	·	·	1	8	16	86	276
B 27	Other diseases of heart	M	119	·	·	·	·	·	·	7	21	39	52
		F	145	·	·	·	·	1	·	9	13	43	79
B 28	Hypertension with heart disease	M	39	·	·	·	·	·	1	·	9	15	14
		F	54	·	·	·	·	·	·	2	4	14	34
B 29	Hypertension without mention of heart	M	20	·	·	·	1	1	·	3	2	6	7
		F	33	·	·	·	·	1	1	6	6	11	8
B 46a	Other diseases of circulatory system	M	74	·	·	·	·	1	·	2	9	19	43
		F	79	·	·	·	·	·	3	·	8	13	55
B 30	Influenza	M	18	3	·	1	·	2	·	·	3	3	6
		F	5	·	·	·	·	·	·	·	·	1	4
B 31	Pneumonia	M	75	12	3	1	·	·	3	3	18	17	18
		F	91	10	7	1	·	·	1	4	7	24	37
B 32	Bronchitis	M	139	2	2	·	·	·	1	10	31	52	41
		F	72	·	2	·	·	·	·	4	12	17	37
B 46b	Bronchiectasis	M	11	·	·	·	·	·	1	2	5	3	·
		F	15	·	·	·	·	·	1	5	5	3	1
B 46c	Other diseases of respiratory system	M	35	3	1	·	·	·	·	5	7	9	10
		F	22	1	·	1	·	·	·	2	4	3	11
B 33	Ulcer of stomach and duodenum	M	28	·	·	·	·	·	1	2	10	6	9
		F	11	·	·	·	·	·	1	·	4	2	4
B 34	Appendicitis	M	7	·	2	·	·	·	·	1	1	1	2
		F	2	·	·	·	·	·	·	·	1	·	1
B 35	Intestinal obstruction and hernia	M	17	·	·	1	·	·	1	3	1	4	7
		F	12	·	·	·	·	·	1	1	1	2	7
B 36	Gastritis and enteritis (except of newborn)	M	21	10	3	·	·	·	·	1	3	1	3
		F	11	3	1	1	·	·	1	1	1	·	3
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*11*	*9*	*2*	·	·	·	·	·	·	·	·
		F	*5*	*4*	*1*	·	·	·	·	·	·	·	·
B 37	Cirrhosis of liver	M	9	·	·	·	·	·	·	2	2	3	2
		F	3	·	·	·	·	·	·	1	1	·	1
B 46d	Other diseases of digestive system	M	10	·	·	·	1	·	·	2	3	1	3
		F	18	1	·	·	·	1	2	·	5	4	5
B 38	Nephritis and nephrosis	M	35	·	·	2	2	1	·	4	6	9	11
		F	34	·	·	1	·	1	2	5	4	10	11
B 39	Hyperplasia of prostate	M	25	·	·	·	·	·	·	·	1	5	19
B 40	Deliveries and complications of pregnancy and childbirth	F	6	·	·	·	1	4	·	1	·	·	·
B 41	Congenital malformations	M	43	35	2	1	3	1	·	·	1	·	·
		F	41	35	3	·	1	·	·	2	·	·	·
B 42	Birth injuries, asphyxia and atelectasis	M	34	34	·	·	·	·	·	·	·	·	·
		F	27	27	·	·	·	·	·	·	·	·	·
B 43	Infections of the newborn	M	8	8	·	·	·	·	·	·	·	·	·
		F	6	6	·	·	·	·	·	·	·	·	·
B 44	Other diseases of early infancy	M	73	73	·	·	·	·	·	·	·	·	·
		F	31	31	·	·	·	·	·	·	·	·	·
B 45a	Senility without psychosis	M	59	·	·	·	·	·	·	·	·	3	56
		F	134	·	·	·	·	·	·	·	·	6	128
B 45b	Ill-defined and unknown causes	M	22	2	·	·	·	·	1	1	3	5	10
		F	26	2	·	1	·	·	·	·	3	7	13
B 46e	All other diseases	M	107	4	1	3	4	3	9	9	16	32	26
		F	118	5	3	1	4	4	10	4	23	29	35
	External Causes												
B 47	Motor vehicle accidents	M	22	·	3	3	2	1	3	4	2	4	·
		F	13	·	1	1	4	·	·	2	·	4	1
B 48	All other accidents	M	59	3	6	5	5	5	3	6	7	5	14
		F	60	4	4	4	1	2	2	3	2	16	22
B 49	Suicide and self-inflicted injury	M	2	·	·	·	·	·	·	·	2	·	·
		F	2	·	·	·	·	·	·	1	·	1	·
B 50	Homicide and operations of war	M	2	·	·	·	·	·	·	·	1	1	·
		F	·	·	·	·	·	·	·	·	·	·	·

TABLE 21.—(*continued*)—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death: All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
	All causes	**M**	**12,083**	**632**	**112**	**77**	**102**	**139**	**270**	**702**	**1,493**	**2,860**	**5,696**
		F	**9,844**	**433**	**80**	**65**	**64**	**99**	**243**	**572**	**1,018**	**2,071**	**5,199**
B 1	Tuberculosis of respiratory system	M	126	·	1	1	1	7	20	17	42	29	8
		F	90	·	·	·	3	14	16	26	14	13	4
B 2	Tuberculosis, other forms	M	16	1	2	·	1	2	4	2	3	1	·
		F	16	·	3	3	·	1	4	1	2	2	·
B 3	Syphilis and its sequelae	M	1	·	·	·	·	·	·	·	1	·	·
		F	1	·	·	·	·	·	·	1	·	·	·
B 4	Typhoid fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms	M	1	·	1	·	·	·	·	·	·	·	·
		F	1	·	·	1	·	·	·	·	·	·	·
B 7a	Scarlet fever	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat	M	1	·	1	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	1	·	·
B 8	Diphtheria	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 9	Whooping cough	M	6	3	2	1	·	·	·	·	·	·	·
		F	5	5	·	·	·	·	·	·	·	·	·
B 10	Meningococcal infections	M	5	·	2	2	·	·	·	·	1	·	·
		F	4	·	1	1	·	2	·	·	·	·	·
B 12	Acute poliomyelitis	M	4	·	1	1	1	1	·	·	·	·	·
		F	3	·	·	1	·	2	·	·	·	·	·
B 14	Measles	M	·	·	·	·	·	·	·	·	·	·	·
		F	2	1	·	·	·	·	·	·	·	·	1
B 16	Malaria	M	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·
B 17	Other infective and parasitic diseases	M	31	4	4	6	1	1	3	4	1	5	2
		F	28	1	5	3	1	2	3	3	4	2	4
	Malignant neoplasms :—												
B 18a	of stomach	M	314	·	·	·	·	2	8	31	60	109	104
		F	266	·	1	1	·	·	5	23	52	84	100
B 18b	of other digestive organs and peritoneum	M	427	·	·	·	·	3	7	37	85	144	151
		F	379	·	·	1	·	2	11	32	77	124	132
B 18c	of respiratory system	M	227	·	1	·	·	·	9	36	84	63	34
		F	71	·	·	1	·	·	·	18	20	20	12
B 18d	of breast	M	1	·	·	·	·	·	·	1	·	·	·
		F	203	·	·	·	·	1	19	43	55	44	41
B 18e	of genito-urinary system	M	213	·	1	·	·	·	1	9	33	79	90
		F	186	·	·	1	·	2	18	40	47	43	35
B 18f	of lymphatic and haematopoietic tissues	M	117	·	9	8	6	12	9	22	24	20	7
		F	62	·	8	4	5	1	3	14	8	11	8
B 18g	other	M	308	·	5	2	3	3	13	26	51	92	113
		F	172	1	4	1	1	4	9	24	36	40	52
B 19	Benign and unspecified neoplasms	M	35	1	2	1	1	1	3	4	6	7	9
		F	39	·	2	3	1	1	3	6	9	4	10
B 20	Diabetes mellitus	M	58	·	·	·	2	1	3	9	10	16	17
		F	84	·	·	·	2	1	2	2	6	35	36
B 21	Anaemias	M	46	1	·	·	·	1	2	5	9	13	15
		F	58	·	·	·	·	2	1	4	7	15	29
B 22	Vascular lesions affecting central nervous system	M	1,213	1	·	·	5	5	11	44	149	340	658
		F	1,311	2	·	1	4	6	11	64	154	380	689
B 23	Non-meningococcal meningitis	M	9	4	·	·	·	·	1	1	2	1	·
		F	7	2	1	1	1	·	1	1	·	·	·
B 24	Rheumatic fever	M	3	·	·	·	·	1	1	1	·	·	·
		F	1	·	1	·	·	·	·	·	·	·	·
B 25	Chronic rheumatic heart disease	M	96	·	·	·	1	7	11	18	18	19	22
		F	103	·	·	·	2	4	13	21	19	11	33
B 26a	Chronic endocarditis	M	131	·	·	1	·	1	3	9	21	43	53
		F	133	·	·	·	·	1	4	9	16	30	73
B 26b	Coronary and arteriosclerotic heart disease	M	1,647	·	·	·	1	6	49	151	342	588	510
		F	793	·	·	·	1	1	18	58	126	282	307

TABLE 21.—(*continued*)—DEATHS REGISTERED IN 1960, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
B 26c	Other myocardial degeneration	M	1,858	·	·	·	·	·	7	20	86	380	1,365
		F	1,631	·	·	·	·	3	6	16	77	281	1,248
B 27	Other diseases of heart	M	509	·	·	·	2	2	2	33	59	135	276
		F	409	1	·	·	3	5	4	18	37	116	225
B 28	Hypertension with heart disease	M	192	·	·	·	·	·	2	4	21	65	100
		F	238	·	·	·	·	1	1	7	25	56	148
B 29	Hypertension without mention of heart	M	115	·	·	·	3	·	3	13	16	30	50
		F	118	·	·	·	1	·	3	6	20	29	59
B 46a	Other diseases of circulatory system	M	352	·	·	·	·	·	3	3	20	67	259
		F	259	·	·	2	·	1	5	5	8	42	196
B 30	Influenza	M	77	1	2	1	·	·	2	3	6	14	48
		F	71	2	1	·	2	1	2	2	5	12	44
B 31	Pneumonia	M	332	68	11	4	·	3	5	13	30	54	144
		F	282	37	13	1	6	5	7	12	17	51	133
B 32	Bronchitis	M	345	5	3	1	·	·	3	26	63	93	151
		F	193	2	·	·	·	·	3	7	22	46	113
B 46b	Bronchiectasis	M	30	·	1	·	1	1	·	3	10	10	4
		F	18	·	·	1	1	3	3	3	2	3	2
B 46c	Other diseases of respiratory system	M	92	5	4	·	·	1	1	8	10	20	43
		F	56	1	2	·	·	·	4	1	4	13	31
B 33	Ulcer of stomach and duodenum	M	103	1	·	·	·	·	5	20	21	23	33
		F	39	·	·	·	·	1	1	6	9	9	13
B 34	Appendicitis	M	16	·	4	1	·	·	·	3	4	1	3
		F	11	1	1	2	·	·	1	1	·	2	3
B 35	Intestinal obstruction and hernia	M	45	4	1	1	·	·	1	4	6	15	13
		F	52	2	·	·	·	·	1	4	7	12	26
B 36	Gastritis and enteritis (except of newborn)	M	45	17	4	·	·	·	·	3	7	6	8
		F	45	9	2	1	·	3	2	4	2	10	12
B 36, 43, parts of	*Gastro-enteritis (under 2 years)*	*M*	*31*	*28*	*3*	·	·	·	·	·	·	·	·
		F	*12*	*10*	*2*	·	·	·	·	·	·	·	·
B 37	Cirrhosis of liver	M	22	·	·	1	·	2	2	5	7	3	2
		F	11	·	·	·	·	·	1	3	4	2	1
B 46d	Other diseases of digestive system	M	58	3	1	·	3	2	1	11	12	17	8
		F	74	5	2	1	·	3	3	7	11	17	25
B 38	Nephritis and nephrosis	M	170	1	·	1	4	7	9	15	24	36	73
		F	123	·	·	2	4	3	5	9	15	35	50
B 39	Hyperplasia of prostate	M	176	·	·	·	·	·	·	2	5	39	130
B 40	Deliveries and complications of pregnancy and childbirth	F	25	·	·	·	1	11	13	·	·	·	·
B 41	Congenital malformations	M	170	117	20	10	3	6	4	5	2	2	1
		F	150	120	12	9	3	2	1	3	·	·	·
B 42	Birth injuries, asphyxia and atelectasis	M	118	118	·	·	·	·	·	·	·	·	·
		F	83	83	·	·	·	·	·	·	·	·	·
B 43	Infections of the newborn	M	51	51	·	·	·	·	·	·	·	·	·
		F	23	23	·	·	·	·	·	·	·	·	·
B 44	Other diseases of early infancy	M	182	182	·	·	·	·	·	·	·	·	·
		F	115	115	·	·	·	·	·	·	·	·	·
B 45a	Senility without psychosis	M	869	·	·	·	·	·	·	·	1	29	839
		F	1,003	·	·	·	·	·	·	·	·	36	967
B 45b	Ill-defined and unknown causes	M	231	11	1	1	·	1	2	4	15	53	143
		F	144	6	1	·	3	·	1	3	15	24	91
B 46e	All other diseases	M	428	16	11	9	9	13	18	38	70	119	125
		F	443	6	5	6	10	6	23	51	69	108	159
	External Causes												
B 47	Motor vehicle accidents	M	132	·	4	8	24	23	12	10	14	26	11
		F	28	·	·	9	5	1	1	5	5	1	1
B 48	All other accidents	M	278	17	13	15	27	19	20	19	31	45	72
		F	170	8	15	8	3	2	9	7	8	24	86
B 49	Suicide and self-inflicted injury	M	50	·	·	1	3	4	10	10	11	9	2
		F	10	·	·	·	·	1	2	2	3	2	·
B 50	Homicide and operations of war	M	1	·	·	·	·	1	·	·	·	·	·
		F	1	·	·	·	1	·	·	·	·	·	·

TABLE 22.—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH REGISTERED IN 1960, CLASSIFIED BY PLACE OF OCCURRENCE

Area		Total deaths	Place of occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere
Total	**M**	**17,484**	**2,928**	**573**	**5,306**	**8,677**
	F	**15,176**	**2,489**	**517**	**4,104**	**8,066**
LEINSTER	M	7,358	1,905	270	1,936	3,247
	F	6,621	1,612	223	1,603	3,183
MUNSTER	M	5,695	704	147	1,992	2,852
	F	4,950	654	173	1,543	2,580
CONNACHT	M	2,941	214	129	938	1,660
	F	2,371	167	88	623	1,493
ULSTER (part of)	M	1,490	105	27	440	918
	F	1,234	56	33	335	810
LEINSTER						
Carlow	M	217	34	3	66	114
	F	162	26	6	43	87
Dublin County Borough	M	2,735	1,131	98	556	950
	F	2,658	928	101	559	1,070
Dun Laoghaire Borough	M	287	121	15	40	111
	F	275	107	5	41	122
Dublin County (remainder)	M	449	146	14	99	190
	F	465	120	14	70	261
Kildare	M	350	59	8	102	181
	F	299	56	7	86	150
Kilkenny	M	399	29	16	162	192
	F	289	35	16	111	127
Laois	M	285	17	13	100	155
	F	235	17	4	84	130
Longford	M	246	98	9	26	113
	F	192	83	9	14	86
Louth	M	379	61	17	125	176
	F	354	58	7	101	188
Meath	M	415	47	16	145	207
	F	353	39	6	101	207
Offaly	M	338	17	8	140	173
	F	251	14	3	91	143
Westmeath	M	367	45	18	123	181
	F	277	27	14	102	134
Wexford	M	511	37	21	171	282
	F	471	46	17	133	275
Wicklow	M	380	63	14	81	222
	F	340	56	14	67	203
MUNSTER						
Clare	M	595	38	26	231	300
	F	461	52	23	160	226
Cork County Borough	M	476	126	10	139	201
	F	516	138	20	142	216
Cork County	M	1,651	254	41	516	840
	F	1,493	224	50	413	806
Kerry	M	860	82	12	322	444
	F	676	53	22	217	384
Limerick County Borough	M	234	60	5	86	83
	F	251	64	7	92	88
Limerick County	M	559	48	13	179	319
	F	455	36	16	141	262
Tipperary North Riding	M	382	24	7	170	181
	F	283	19	9	101	154
Tipperary South Riding	M	479	45	15	174	245
	F	389	50	11	135	193
Waterford County Borough	M	154	5	9	48	92
	F	183	10	8	54	111
Waterford County	M	305	22	9	127	147
	F	243	8	7	88	140
CONNACHT						
Galway	M	1,009	118	44	347	500
	F	775	101	35	211	428
Leitrim	M	246	17	9	70	150
	F	208	5	11	46	146
Mayo	M	837	29	34	254	520
	F	718	28	18	179	493
Roscommon	M	491	31	30	159	271
	F	360	21	15	97	227
Sligo	M	358	19	12	108	219
	F	310	12	9	90	199
ULSTER (part of)						
Cavan	M	448	27	16	160	245
	F	315	16	9	116	174
Donegal	M	714	51	·	156	507
	F	652	25	13	129	485
Monaghan	M	328	27	11	124	166
	F	267	15	11	90	151

TABLE 23.—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1960 WHICH WERE NOT MEDICALLY CERTIFIED, CLASSIFIED BY AGE.

Area	Age at death											Percentage of deaths uncertified
	All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over	
Total	**1,815**	**17**	**5**	**6**	**2**	**5**	**8**	**15**	**58**	**206**	**1,493**	**5·6**
LEINSTER	223	5	·	·	1	2	1	4	13	41	156	1·6
MUNSTER	583	3	2	2	1	2	5	6	16	64	482	5·5
CONNACHT	788	7	2	2	·	·	1	1	22	81	672	14·8
ULSTER (part of) ...	221	2	1	2	·	1	1	4	7	20	183	8·1
Carlow	9	1	·	·	·	·	·	·	·	1	7	2·4
Dublin County Borough ...	6	·	·	·	·	·	·	·	·	3	3	0·1
Dun Laoghaire Borough ...	·	·	·	·	·	·	·	·	·	·	·	·
Dublin County (remainder)	·	·	·	·	·	·	·	·	·	·	·	·
Kildare	9	·	·	·	·	1	·	1	1	2	4	1·4
Kilkenny	16	·	·	·	·	·	·	·	·	1	15	2·3
Laois	18	·	·	·	·	·	1	·	·	3	14	3·5
Longford	42	·	·	·	·	·	·	1	5	5	31	9·6
Louth	5	·	·	·	·	·	·	·	·	1	4	0·7
Meath	31	1	·	·	1	·	·	·	2	4	23	4·0
Offaly	33	1	·	·	·	1	·	·	3	7	21	5·6
Westmeath	33	1	·	·	·	·	·	1	2	9	20	5·1
Wexford	15	·	·	·	·	·	·	1	·	3	11	1·5
Wicklow	6	1	·	·	·	·	·	·	·	2	3	0·8
Clare	108	·	1	·	·	·	·	1	·	8	98	10·2
Cork County Borough ...	·	·	·	·	·	·	·	·	·	·	·	·
Cork County	153	1	·	·	·	2	2	2	7	29	110	4·9
Kerry	186	2	1	1	1	·	1	1	4	9	166	12·1
Limerick County Borough	7	·	·	·	·	·	·	·	2	1	4	1·4
Limerick County ...	47	·	·	1	·	·	·	·	2	2	42	4·6
Tipperary, North Riding ...	38	·	·	·	·	·	2	2	1	4	29	5·7
Tipperary, South Riding ...	26	·	·	·	·	·	·	·	·	5	21	3·0
Waterford County Borough	·	·	·	·	·	·	·	·	·	·	·	·
Waterford County ...	18	·	·	·	·	·	·	·	·	6	12	3·3
Galway	231	4	·	2	·	·	·	·	9	20	196	12·9
Leitrim	94	1	·	·	·	·	·	·	3	16	74	20·7
Mayo	267	1	·	·	·	·	·	1	5	26	234	17·2
Roscommon	124	·	1	·	·	·	1	·	5	14	103	14·6
Sligo	72	1	1	·	·	·	·	·	·	5	65	10·8
Cavan	35	·	1	1	·	·	·	·	·	2	31	4·6
Donegal	174	2	·	1	·	1	1	4	7	17	141	12·7
Monaghan	12	·	·	·	·	·	·	·	·	1	11	2·0

TABLE 24.—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		TOTAL										
Tuberculosis of respiratory system	M	268	1	2	1	2	12	39	52	82	58	19
	F	148	·	·	·	5	25	30	34	24	23	7
Tuberculosis, other forms	M	26	1	5	1	3	2	5	2	5	2	·
	F	26	1	4	4	·	2	4	6	2	2	1
Other infective and parasitic diseases	M	85	13	18	16	3	3	5	7	6	9	5
	F	72	11	11	11	2	6	5	7	7	5	7
Malignant neoplasms	M	2,546	3	22	14	17	29	77	294	604	787	699
	F	2,215	1	21	14	9	20	105	312	507	638	588
Vascular lesions affecting central nervous system	M	1,727	1	·	2	7	10	17	83	243	501	863
	F	2,091	3	·	2	5	7	23	105	257	608	1,081
Diseases of the heart	M	5,955	·	·	1	8	29	118	378	870	1,677	2,874
	F	4,678	1	·	1	8	25	67	203	443	1,185	2,745
Other diseases of the circulatory system	M	912	·	1	·	4	4	15	32	92	236	528
	F	963	·	1	3	1	5	15	34	87	209	608
Diseases of the respiratory system	M	1,508	128	37	11	1	11	21	91	247	386	575
	F	1,089	72	33	5	12	12	30	49	97	233	546
Senility	M	945	·	·	·	·	·	·	·	1	35	909
	F	1,159	·	·	·	·	·	·	·	·	43	1,116
Other diseases	M	2,852	866	58	41	41	47	90	185	304	489	731
	F	2,384	634	38	42	38	57	88	149	254	432	652
Accidents and other external causes	M	660	25	33	51	73	60	57	61	81	102	117
	F	351	16	24	24	19	9	18	24	23	60	134
All causes	**M**	**17,484**	**1,038**	**176**	**138**	**159**	**207**	**444**	**1,185**	**2,535**	**4,282**	**7,320**
	F	**15,176**	**739**	**132**	**106**	**99**	**168**	**385**	**923**	**1,701**	**3,438**	**7,485**
		LEINSTER										
Tuberculosis of respiratory system	M	131	·	·	1	·	2	20	31	39	30	8
	F	66	·	·	·	1	14	12	12	12	12	3
Tuberculosis, other forms	M	12	1	3	·	3	2	1	·	2	·	·
	F	10	1	·	2	·	·	3	3	1	·	·
Other infective and parasitic diseases	M	41	6	9	2	2	3	4	4	3	5	3
	F	35	5	6	5	2	2	1	4	3	3	4
Malignant neoplasms	M	1,208	3	12	9	11	13	35	135	323	365	302
	F	1,033	·	9	4	3	10	41	143	242	315	266
Vascular lesions affecting central nervous system	M	741	1	·	2	3	8	7	39	114	219	348
	F	988	2	·	·	2	2	8	50	128	279	517
Diseases of the heart	M	2,441	·	·	1	1	11	50	183	412	703	1,080
	F	1,986	1	·	1	4	11	30	95	192	527	1,125
Other diseases of the circulatory system	M	368	·	1	·	2	1	5	13	41	107	198
	F	478	·	1	1	·	2	9	18	42	105	300
Diseases of the respiratory system	M	706	63	21	5	·	6	9	51	125	181	245
	F	492	35	17	4	7	5	13	23	41	109	238
Senility	M	166	·	·	·	·	·	·	·	·	7	159
	F	225	·	·	·	·	·	·	·	·	5	220
Other diseases	M	1,241	442	24	16	20	19	47	84	123	210	256
	F	1,134	350	23	20	17	29	32	65	112	202	284
Accidents and other external causes	M	303	15	15	38	34	30	23	35	33	40	40
	F	174	9	11	10	14	5	10	16	11	28	60
All causes	**M**	**7,358**	**531**	**85**	**74**	**76**	**95**	**201**	**575**	**1,215**	**1,867**	**2,639**
	F	**6,621**	**403**	**67**	**47**	**50**	**80**	**159**	**429**	**784**	**1,585**	**3,017**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		MUNSTER										
Tuberculosis of respiratory system	M	99	1	2	·	2	8	13	14	28	22	9
	F	51	·	·	·	4	8	10	14	6	7	2
Tuberculosis, other forms	M	8	·	2	·	·	·	2	1	2	1	·
	F	6	·	2	·	·	·	·	2	1	·	1
Other infective and parasitic diseases	M	30	4	6	12	1	·	1	·	1	3	2
	F	17	3	3	1	·	1	3	2	2	1	1
Malignant neoplasms	M	768	·	5	4	5	7	20	108	165	242	212
	F	711	1	6	7	3	6	36	115	156	193	188
Vascular lesions affecting central nervous system	M	527	·	·	·	2	1	8	26	76	149	265
	F	640	1	·	1	·	3	10	29	72	214	310
Diseases of the heart	M	2,012	·	·	·	3	9	41	115	284	619	941
	F	1,636	·	·	·	2	9	20	82	160	423	940
Other diseases of the circulatory system	M	294	·	·	·	1	2	2	10	28	74	177
	F	258	·	·	·	1	2	6	12	24	57	156
Diseases of the respiratory system	M	431	35	9	4	1	3	10	21	80	109	159
	F	338	21	9	·	4	1	10	11	37	72	173
Senility	M	372	·	·	·	·	·	·	·	1	6	365
	F	457	·	·	·	·	·	·	·	·	12	445
Other diseases	M	941	255	18	15	16	18	24	55	103	173	264
	F	732	162	9	13	14	22	38	47	84	129	214
Accidents and other external causes	M	213	6	9	6	23	19	24	14	36	31	45
	F	104	5	5	8	3	4	3	3	9	21	43
All causes	**M**	**5,695**	**301**	**51**	**41**	**54**	**67**	**145**	**364**	**804**	**1,429**	**2,439**
	F	**4,950**	**193**	**34**	**30**	**31**	**56**	**136**	**317**	**551**	**1,129**	**2,473**
		CONNACHT										
Tuberculosis of respiratory system	M	27	·	·	·	·	·	3	5	13	4	2
	F	20	·	·	·	·	2	4	6	5	2	1
Tuberculosis, other forms	M	6	·	·	1	·	·	2	1	1	1	·
	F	7	·	2	·	·	2	·	1	·	2	·
Other infective and parasitic diseases	M	8	1	3	2	·	·	·	·	2	·	·
	F	12	1	·	4	·	2	·	1	2	·	2
Malignant neoplasms	M	372	·	2	1	·	5	11	35	81	121	116
	F	301	·	5	3	3	2	19	33	67	96	73
Vascular lesions affecting central nervous system	M	264	·	·	·	2	1	1	11	31	80	138
	F	280	·	·	1	3	1	2	17	31	69	156
Diseases of the heart	M	991	·	·	·	3	3	21	51	112	214	587
	F	682	·	·	·	2	3	7	17	49	144	460
Other diseases of the circulatory system	M	187	·	·	·	·	·	7	6	17	47	110
	F	165	·	·	2	·	1	·	1	13	34	114
Diseases of the respiratory system	M	237	18	4	2	·	1	1	15	28	65	103
	F	154	12	4	·	1	5	6	11	13	31	71
Senility	M	325	·	·	·	·	·	·	·	·	21	304
	F	373	·	·	·	·	·	·	·	·	22	351
Other diseases	M	433	111	13	7	4	5	10	30	54	65	134
	F	329	82	4	5	5	5	12	27	39	66	84
Accidents and other external causes	M	91	3	7	5	10	3	7	8	8	20	20
	F	48	1	3	4	1	·	4	5	2	6	22
All causes	**M**	**2,941**	**133**	**29**	**18**	**19**	**18**	**63**	**162**	**347**	**638**	**1,514**
	F	**2,371**	**96**	**18**	**19**	**15**	**23**	**54**	**119**	**221**	**472**	**1,334**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		ULSTER (part of)										
Tuberculosis of respiratory system	M	11	·	·	·	·	2	3	2	2	2	·
	F	11	·	·	·	·	1	4	2	1	2	1
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	3	·	·	2	·	·	1	·	·	·	·
Other infective and parasitic diseases	M	6	2	·	·	·	·	·	3	·	1	·
	F	8	2	2	1	·	1	1	·	·	1	·
Malignant neoplasms	M	198	·	3	·	1	4	11	16	35	59	69
	F	170	·	1	·	·	2	9	21	42	34	61
Vascular lesions affecting central nervous system	M	195	·	·	·	·	·	1	7	22	53	112
	F	183	·	·	·	·	1	3	9	26	46	98
Diseases of the heart	M	511	·	·	·	1	6	6	29	62	141	266
	F	374	·	·	·	·	2	10	9	42	91	220
Other diseases of the circulatory system	M	63	·	·	·	1	1	1	3	6	8	43
	F	62	·	·	·	·	·	·	3	8	13	38
Diseases of the respiratory system	M	134	12	3	·	·	1	1	4	14	31	68
	F	105	4	3	1	·	1	1	4	6	21	64
Senility	M	82	·	·	·	·	·	·	·	·	1	81
	F	104	·	·	·	·	·	·	·	·	4	100
Other diseases	M	237	58	3	3	1	5	9	16	24	41	77
	F	189	40	2	4	2	1	6	10	19	35	70
Accidents and other external causes	M	53	1	2	2	6	8	3	4	4	11	12
	F	25	1	5	2	1	·	1	·	1	5	9
All causes	**M**	**1,490**	**73**	**11**	**5**	**10**	**27**	**35**	**84**	**169**	**348**	**728**
	F	**1,234**	**47**	**13**	**10**	**3**	**9**	**36**	**58**	**145**	**252**	**661**
		COUNTY CARLOW										
Tuberculosis of respiratory system	M	1	·	·	·	·	·	·	1	·	·	·
	F	1	·	·	·	·	·	·	·	1	·	·
Tuberculosis, other forms	M	2	1	·	·	·	1	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	·	1	·	·	·	·	·
	F	2	1	1	·	·	·	·	·	·	·	·
Malignant neoplasms	M	35	·	1	·	·	·	·	1	11	13	9
	F	25	·	·	·	·	·	2	3	6	9	5
Vascular lesions affecting central nervous system	M	28	·	·	·	·	·	2	1	1	14	10
	F	23	·	·	·	1	·	·	·	5	5	12
Diseases of the heart	M	74	·	·	·	·	·	1	6	15	22	30
	F	59	·	·	·	·	·	1	3	6	12	37
Other diseases of the circulatory system	M	7	·	·	·	·	·	·	·	·	5	2
	F	6	·	·	·	·	·	·	1	·	1	4
Diseases of the respiratory system	M	14	3	1	·	·	·	·	2	1	·	7
	F	5	·	·	·	·	·	·	·	1	·	4
Senility	M	10	·	·	·	·	·	·	·	·	·	10
	F	6	·	·	·	·	·	·	·	·	·	6
Other diseases	M	39	17	·	2	·	·	·	1	7	4	8
	F	31	7	·	·	·	2	1	1	4	6	10
Accidents and other external causes	M	6	1	·	·	·	·	1	2	1	1	·
	F	4	1	·	·	·	1	·	1	·	·	1
All causes	**M**	**217**	**22**	**2**	**2**	·	**2**	**4**	**14**	**36**	**59**	**76**
	F	**162**	**9**	**1**	·	**1**	**3**	**4**	**9**	**23**	**33**	**79**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		DUBLIN COUNTY BOROUGH										
Tuberculosis of respiratory system	M	82	·	·	·	·	1	10	22	25	18	6
	F	26	·	·	·	·	4	6	6	3	5	2
Tuberculosis, other forms	M	3	·	1	·	2	·	·	·	·	·	·
	F	3	1	·	1	·	·	·	1	·	·	·
Other infective and parasitic diseases	M	21	2	5	1	1	1	2	2	2	3	2
	F	17	2	4	3	·	·	1	1	1	3	2
Malignant neoplasms	M	527	2	3	3	7	7	15	69	163	150	108
	F	455	·	4	3	·	5	18	58	115	145	107
Vascular lesions affecting central nervous system	M	257	·	·	2	1	4	2	18	49	78	103
	F	405	·	·	·	1	·	2	20	53	112	217
Diseases of the heart	M	835	·	·	·	·	7	29	70	181	244	304
	F	769	·	·	1	·	5	14	38	85	234	392
Other diseases of the circulatory system	M	115	·	·	·	·	·	5	6	15	34	55
	F	178	·	·	1	·	1	2	7	15	44	108
Diseases of the respiratory system	M	354	29	10	3	·	4	5	18	64	111	110
	F	264	19	8	1	3	3	9	9	19	60	133
Senility	M	17	·	·	·	·	·	·	·	·	3	14
	F	22	·	·	·	·	·	·	·	·	1	21
Other diseases	M	410	169	5	9	8	8	22	27	48	64	50
	F	452	150	5	9	7	11	10	24	46	86	104
Accidents and other external causes	M	114	5	7	19	12	7	9	12	13	12	18
	F	67	4	4	2	5	3	4	4	5	12	24
All causes	**M**	**2,735**	**207**	**31**	**37**	**31**	**39**	**99**	**244**	**560**	**717**	**770**
	F	**2,658**	**176**	**25**	**21**	**16**	**32**	**66**	**168**	**342**	**702**	**1,110**
		DUN LAOGHAIRE BOROUGH										
Tuberculosis of respiratory system	M	5	·	·	·	·	·	·	2	2	1	·
	F	2	·	·	·	·	·	·	1	1	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	·	·	·	1	·	·	·
	F	2	1	·	·	·	·	·	1	·	·	·
Malignant neoplasms	M	43	1	1	·	·	·	2	5	12	14	8
	F	37	·	·	·	·	·	2	3	13	9	10
Vascular lesions affecting central nervous system	M	34	·	·	·	·	·	·	3	6	11	14
	F	59	·	·	·	·	·	·	4	8	16	31
Diseases of the heart	M	92	·	·	·	·	·	·	10	19	30	33
	F	83	·	·	·	·	·	1	3	6	21	52
Other diseases of the circulatory system	M	22	·	1	·	·	1	·	1	4	8	7
	F	28	·	·	·	·	1	·	·	·	7	20
Diseases of the respiratory system	M	25	2	·	·	·	·	·	2	3	7	11
	F	23	·	1	1	·	·	·	1	4	4	12
Senility	M	1	·	·	·	·	·	·	·	·	·	1
	F	5	·	·	·	·	·	·	·	·	1	4
Other diseases	M	56	19	2	1	·	·	2	7	5	8	12
	F	28	6	1	·	1	·	·	1	5	6	8
Accidents and other external causes	M	8	·	2	·	1	·	1	·	·	3	1
	F	8	·	·	·	1	·	2	·	·	2	3
All causes	**M**	**287**	**22**	**6**	**1**	**1**	**1**	**5**	**31**	**51**	**82**	**87**
	F	**275**	**7**	**2**	**1**	**2**	**1**	**5**	**14**	**37**	**66**	**140**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		DUBLIN COUNTY (remainder)										
Tuberculosis of respiratory system	M	5	·	·	·	·	·	·	1	3	1	·
	F	4	·	·	·	·	1	1	·	1	·	1
Tuberculosis, other forms	M	1	·	1	·	·	·	·	·	·	·	·
	F	2	·	·	·	·	·	2	·	·	·	·
Other infective and parasitic diseases	M	2	·	·	·	·	·	·	·	·	1	1
	F	1	·	·	·	·	1	·	·	·	·	·
Malignant neoplasms	M	85	·	1	·	2	1	1	9	29	23	19
	F	70	·	1	·	·	1	6	8	18	14	22
Vascular lesions affecting central nervous system	M	40	·	·	·	·	1	·	·	8	13	18
	F	61	1	·	·	·	·	·	2	6	18	34
Diseases of the heart	M	151	·	·	·	·	·	3	18	22	42	66
	F	145	·	·	·	·	1	3	7	8	40	86
Other diseases of the circulatory system	M	21	·	·	·	·	·	·	·	5	4	12
	F	44	·	·	·	·	·	2	1	4	7	30
Diseases of the respiratory system	M	38	7	1	·	·	·	·	3	8	11	8
	F	40	1	2	·	3	1	·	4	4	10	15
Senility	M	4	·	·	·	·	·	·	·	·	·	4
	F	5	·	·	·	·	·	·	·	·	·	5
Other diseases	M	80	44	2	·	·	1	·	5	6	6	16
	F	79	35	1	2	3	3	5	8	3	6	13
Accidents and other external causes	M	22	1	·	2	5	2	1	4	1	3	3
	F	14	·	2	1	1	·	1	1	3	·	5
All causes	**M**	**449**	**52**	**5**	**2**	**7**	**5**	**5**	**40**	**82**	**104**	**147**
	F	**465**	**37**	**6**	**3**	**7**	**8**	**20**	**31**	**47**	**95**	**211**
		COUNTY KILDARE										
Tuberculosis of respiratory system	M	4	·	·	·	·	·	2	1	·	1	·
	F	3	·	·	·	·	1	2	·	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	2	·	·	·	·	·	1	·	1	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	2	·	·	1	1	·	·	·	·	·	·
Malignant neoplasms	M	49	·	·	1	·	1	·	1	14	17	15
	F	55	·	·	·	·	·	1	10	14	20	10
Vascular lesions affecting central nervous system	M	31	·	·	·	1	1	·	1	4	7	17
	F	30	·	·	·	·	·	·	1	2	10	17
Diseases of the heart	M	113	·	·	·	·	·	·	8	12	39	54
	F	81	1	·	·	·	1	·	4	9	13	53
Other diseases of the circulatory system	M	12	·	·	·	1	·	·	·	2	3	6
	F	12	·	·	·	·	·	1	1	1	·	9
Diseases of the respiratory system	M	42	5	1	·	·	·	1	4	6	7	18
	F	16	1	1	·	·	·	·	·	2	2	10
Senility	M	4	·	·	·	·	·	·	·	·	·	4
	F	12	·	·	·	·	·	·	·	·	·	12
Other diseases	M	79	22	2	1	1	1	1	8	7	12	24
	F	74	23	·	·	1	·	2	3	13	11	21
Accidents and other external causes	M	16	·	·	5	3	3	·	1	1	1	2
	F	12	·	1	3	1	1	1	·	·	1	4
All causes	**M**	**350**	**27**	**3**	**7**	**6**	**6**	**4**	**24**	**46**	**87**	**140**
	F	**299**	**25**	**2**	**4**	**3**	**3**	**8**	**19**	**42**	**57**	**136**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY KILKENNY										
Tuberculosis of respiratory system	M	3	·	·	·	·	·	·	·	2	·	1
	F	7	·	·	·	·	1	1	2	1	2	·
Tuberculosis, other forms	M	1	·	·	·	·	·	·	·	1	·	·
	F	2	·	·	1	·	·	·	1	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	1	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	48	·	1	1	1	·	1	7	12	13	12
	F	45	·	1	·	·	·	1	10	10	10	13
Vascular lesions affecting central nervous system	M	40	·	·	·	1	·	·	·	8	9	22
	F	38	·	·	·	·	·	1	·	7	11	19
Diseases of the heart	M	135	·	·	·	·	·	2	5	25	48	55
	F	76	·	·	·	·	·	3	5	9	15	44
Other diseases of the circulatory system	M	27	·	·	·	·	·	·	1	3	8	15
	F	24	·	·	·	·	·	·	2	2	10	10
Diseases of the respiratory system	M	26	1	1	·	·	·	1	2	7	5	9
	F	19	2	·	1	·	·	1	4	1	1	9
Senility	M	33	·	·	·	·	·	·	·	·	1	32
	F	24	·	·	·	·	·	·	·	·	1	23
Other diseases	M	63	22	1	·	1	·	3	5	6	12	13
	F	45	13	·	1	·	2	2	2	3	8	14
Accidents and other external causes	M	22	1	3	3	3	·	3	2	4	3	·
	F	9	1	·	1	1	·	2	1	1	·	2
All causes	**M**	**399**	**24**	**6**	**4**	**7**	**·**	**10**	**22**	**68**	**99**	**159**
	F	**289**	**16**	**1**	**4**	**1**	**3**	**11**	**27**	**34**	**58**	**134**
		COUNTY LAOIS										
Tuberculosis of respiratory system	M	1	·	·	·	·	·	·	·	·	1	·
	F	3	·	·	·	·	1	·	1	1	·	·
Tuberculosis, other forms	M	2	·	·	·	·	1	·	·	1	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	2	·	2	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	36	·	1	1	·	·	·	·	5	11	18
	F	33	·	1	·	1	·	1	8	7	10	5
Vascular lesions affecting central nervous system	M	26	·	·	·	·	·	1	2	2	9	12
	F	24	·	·	·	·	1	1	1	·	8	13
Diseases of the heart	M	98	·	·	1	1	1	2	5	7	27	54
	F	88	·	·	·	·	·	1	4	6	19	58
Other diseases of the circulatory system	M	15	·	·	·	·	·	·	·	2	5	8
	F	18	·	·	·	·	·	·	·	4	6	8
Diseases of the respiratory system	M	22	2	·	1	·	·	·	3	3	5	8
	F	11	1	·	·	·	·	·	·	2	2	6
Senility	M	16	·	·	·	·	·	·	·	·	1	15
	F	18	·	·	·	·	·	·	·	·	·	18
Other diseases	M	54	23	2	·	·	·	·	5	2	7	15
	F	38	15	2	1	1	·	2	1	2	6	8
Accidents and other external causes	M	13	1	·	·	3	2	2	3	·	2	·
	F	2	·	1	·	1	·	·	·	·	·	·
All causes	**M**	**285**	**26**	**5**	**3**	**4**	**4**	**5**	**18**	**22**	**68**	**130**
	F	**235**	**16**	**4**	**1**	**3**	**2**	**5**	**15**	**22**	**51**	**116**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY LONGFORD										
Tuberculosis of respiratory system	M	4	·	·	·	·	·	1	1	1	1	·
	F	1	·	·	·	·	·	·	·	1	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	·	1	·	·	·	·	·	·	·
	F	1	·	·	·	·	·	·	·	·	·	1
Malignant neoplasms	M	37	·	·	1	·	·	·	1	11	13	11
	F	33	·	·	·	·	·	1	4	8	10	10
Vascular lesions affecting central nervous system	M	17	·	·	·	·	·	·	1	1	5	10
	F	21	·	·	·	·	·	·	1	·	9	11
Diseases of the heart	M	102	·	·	·	·	·	2	5	5	24	66
	F	67	·	·	·	1	·	·	4	10	17	35
Other diseases of the circulatory system	M	12	·	·	·	·	·	·	·	1	4	7
	F	14	·	·	·	·	·	1	1	1	3	8
Diseases of the respiratory system	M	12	·	1	·	·	·	·	·	2	3	6
	F	10	·	1	·	·	1	1	·	2	1	4
Senility	M	14	·	·	·	·	·	·	·	·	1	13
	F	10	·	·	·	·	·	·	·	·	·	10
Other diseases	M	38	12	1	·	·	·	1	1	6	9	8
	F	30	8	·	·	·	1	2	2	2	8	7
Accidents and other external causes	M	9	1	·	·	1	1	2	·	·	1	3
	F	5	·	1	1	·	·	·	·	·	2	1
All causes	**M**	**246**	**13**	**2**	**2**	**1**	**1**	**6**	**9**	**27**	**61**	**124**
	F	**192**	**8**	**2**	**1**	**1**	**2**	**5**	**12**	**24**	**50**	**87**
		COUNTY LOUTH										
Tuberculosis of respiratory system	M	7	·	·	1	·	·	4	·	1	1	·
	F	6	·	·	·	·	2	1	·	1	2	·
Tuberculosis, other forms	M	1	·	1	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	3	1	1	·	·	·	1	·	·	·	·
	F	1	·	·	·	1	·	·	·	·	·	·
Malignant neoplasms	M	60	·	·	·	·	·	5	8	15	14	18
	F	52	·	1	·	2	·	4	6	11	16	12
Vascular lesions affecting central nervous system	M	36	·	·	·	·	1	1	2	4	18	10
	F	58	·	·	·	·	·	·	8	12	21	17
Diseases of the heart	M	128	·	·	·	·	·	1	5	21	30	71
	F	104	·	·	·	1	·	1	7	11	23	61
Other diseases of the circulatory system	M	11	·	·	·	·	·	·	1	1	2	7
	F	20	·	·	·	·	·	·	1	2	6	11
Diseases of the respiratory system	M	34	2	1	·	·	·	1	2	6	11	11
	F	13	·	·	1	·	·	1	·	1	5	5
Senility	M	13	·	·	·	·	·	·	·	·	·	13
	F	26	·	·	·	·	·	·	·	·	·	26
Other diseases	M	71	19	1	1	3	2	6	2	10	10	17
	F	61	19	3	1	·	5	3	2	3	15	10
Accidents and other external causes	M	15	1	·	3	·	3	·	2	2	2	2
	F	13	·	·	1	1	·	·	3	1	5	2
All causes	**M**	**379**	**23**	**4**	**5**	**3**	**6**	**19**	**22**	**60**	**88**	**149**
	F	**354**	**19**	**4**	**3**	**5**	**7**	**10**	**27**	**42**	**93**	**144**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY MEATH										
Tuberculosis of respiratory system	M	2	·	·	·	·	·	·	1	1	·	·
	F	1	·	·	·	·	·	·	·	·	1	·
Tuberculosis, other forms	M	2	·	·	·	1	·	1	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	3	1	·	·	·	·	1	1	·	·	·
	F	1	·	·	·	·	1	·	·	·	·	·
Malignant neoplasms	M	54	·	2	1	·	1	3	9	9	15	14
	F	52	·	·	·	·	1	1	9	7	17	17
Vascular lesions affecting central nervous system	M	40	·	·	·	·	·	·	1	10	7	22
	F	66	1	·	·	·	·	2	2	6	17	38
Diseases of the heart	M	143	·	·	·	·	2	3	10	11	50	67
	F	90	·	·	·	·	1	·	3	8	22	56
Other diseases of the circulatory system	M	25	·	·	·	1	·	·	3	·	8	13
	F	19	·	1	·	·	·	·	1	2	1	14
Diseases of the respiratory system	M	37	2	2	·	·	2	1	3	6	4	17
	F	25	2	1	·	·	·	·	·	3	5	14
Senility	M	13	·	·	·	·	·	·	·	·	·	13
	F	30	·	·	·	·	·	·	·	·	1	29
Other diseases	M	80	16	1	1	3	1	4	5	7	22	20
	F	61	10	2	2	2	3	2	4	9	10	17
Accidents and other external causes	M	16	3	·	2	·	2	·	2	2	2	3
	F	8	·	1	·	2	·	·	1	·	1	3
All causes	**M**	**415**	**22**	**5**	**4**	**5**	**8**	**13**	**35**	**46**	**108**	**169**
	F	**353**	**13**	**5**	**2**	**4**	**6**	**5**	**20**	**35**	**75**	**188**
		COUNTY OFFALY										
Tuberculosis of respiratory system	M	4	·	·	·	·	·	2	·	·	2	·
	F	6	·	·	·	·	3	·	·	2	1	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	·	·	·	·	·	1	·
	F	2	1	·	·	·	·	·	·	1	·	·
Malignant neoplasms	M	48	·	1	·	·	·	1	3	6	22	15
	F	34	·	·	·	·	·	·	2	5	9	18
Vascular lesions affecting central nervous system	M	33	·	·	·	·	·	·	2	5	9	17
	F	35	·	·	·	·	·	·	2	10	2	21
Diseases of the heart	M	116	·	·	·	·	·	2	10	20	26	58
	F	71	·	·	·	1	1	1	3	4	23	38
Other diseases of the circulatory system	M	11	·	·	·	·	·	·	·	1	3	7
	F	9	·	·	·	·	·	2	1	·	2	4
Diseases of the respiratory system	M	22	1	1	·	·	·	·	1	4	4	11
	F	14	3	·	·	1	·	1	·	1	2	6
Senility	M	6	·	·	·	·	·	·	·	·	·	6
	F	15	·	·	·	·	·	·	·	·	1	14
Other diseases	M	86	24	2	·	1	3	2	5	2	18	29
	F	54	16	1	1	1	·	·	4	7	7	17
Accidents and other external causes	M	11	·	1	2	3	2	·	1	2	·	·
	F	11	1	1	·	·	·	·	3	·	1	5
All causes	**M**	**338**	**25**	**5**	**2**	**4**	**5**	**7**	**22**	**40**	**85**	**143**
	F	**251**	**21**	**2**	**1**	**3**	**4**	**4**	**15**	**30**	**48**	**123**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY WESTMEATH										
Tuberculosis of respiratory system	M	2	·	·	·	·	·	1	·	1	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	3	2	·	·	·	·	·	·	1	·	·
	F	2	·	1	·	·	·	·	1	·	·	·
Malignant neoplasms	M	57	·	1	·	·	1	2	4	11	23	15
	F	36	·	1	1	·	2	·	8	10	10	4
Vascular lesions affecting central nervous system	M	39	·	·	·	·	·	·	2	3	10	24
	F	50	·	·	·	·	1	·	·	8	14	27
Diseases of the heart	M	127	·	·	·	·	·	1	7	22	31	66
	F	92	·	·	·	·	·	·	3	7	25	57
Other diseases of the circulatory system	M	16	·	·	·	·	·	·	·	2	6	8
	F	15	·	·	·	·	·	·	·	2	3	10
Diseases of the respiratory system	M	20	4	·	·	·	·	·	1	3	3	9
	F	8	2	·	·	·	·	·	1	·	3	2
Senility	M	17	·	·	·	·	·	·	·	·	1	16
	F	15	·	·	·	·	·	·	·	·	·	15
Other diseases	M	67	22	1	·	1	1	3	3	6	14	16
	F	49	19	1	·	1	·	1	2	3	9	13
Accidents and other external causes	M	19	·	·	·	1	2	2	2	5	5	2
	F	10	1	·	1	·	·	·	·	·	2	6
All causes	**M**	**367**	**28**	**2**	**·**	**2**	**4**	**9**	**19**	**54**	**93**	**156**
	F	**277**	**22**	**3**	**2**	**1**	**3**	**1**	**15**	**30**	**66**	**134**
		COUNTY WEXFORD										
Tuberculosis of respiratory system	M	6	·	·	·	·	·	·	2	1	3	·
	F	3	·	·	·	·	·	·	2	·	1	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	1	·	·	·	·	·	·	·	·
	F	2	·	·	·	·	·	·	1	1	·	·
Malignant neoplasms	M	73	·	·	·	1	1	2	6	16	19	28
	F	62	·	·	·	·	1	3	5	15	19	19
Vascular lesions affecting central nervous system	M	62	1	·	·	·	1	1	3	8	14	34
	F	58	·	·	·	·	·	1	6	7	18	26
Diseases of the heart	M	176	·	·	·	·	·	1	14	27	44	90
	F	165	·	·	·	·	·	3	6	14	36	106
Other diseases of the circulatory system	M	59	·	·	·	·	·	·	1	2	10	46
	F	70	·	·	·	·	·	1	1	7	12	49
Diseases of the respiratory system	M	31	1	2	1	·	·	·	8	4	5	10
	F	15	1	3	·	·	·	·	3	1	5	2
Senility	M	10	·	·	·	·	·	·	·	·	·	10
	F	17	·	·	·	·	·	·	·	·	·	17
Other diseases	M	75	19	4	1	1	2	2	7	8	12	19
	F	75	14	5	2	·	·	2	7	7	15	23
Accidents and other external causes	M	18	·	2	1	·	3	1	4	1	3	3
	F	4	·	·	·	·	·	·	1	·	1	2
All causes	**M**	**511**	**21**	**9**	**3**	**2**	**7**	**7**	**45**	**67**	**110**	**240**
	F	**471**	**15**	**8**	**2**	**·**	**1**	**10**	**32**	**52**	**107**	**244**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY WICKLOW										
Tuberculosis of respiratory system	M	5	·	·	·	·	1	·	·	2	1	1
	F	3	·	·	·	1	1	1	·	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	·	·	·	·	1	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	·	1	·	·	·	·	·
	F	2	·	·	1	·	·	·	·	·	·	1
Malignant neoplasms	M	56	·	·	1	·	1	3	12	9	18	12
	F	44	·	·	·	·	·	1	9	3	17	14
Vascular lesions affecting central nervous system	M	58	·	·	·	·	·	·	3	5	15	35
	F	60	·	·	·	·	·	1	3	4	18	34
Diseases of the heart	M	151	·	·	·	·	1	3	10	25	46	66
	F	96	·	·	·	1	2	2	5	9	27	50
Other diseases of the circulatory system	M	15	·	·	·	·	·	·	·	3	7	5
	F	21	·	·	·	·	·	·	1	2	3	15
Diseases of the respiratory system	M	29	4	·	·	·	·	·	2	8	5	10
	F	29	3	·	·	·	·	·	1	·	9	16
Senility	M	8	·	·	·	·	·	·	·	·	·	8
	F	20	·	·	·	·	·	·	·	·	·	20
Other diseases	M	43	14	·	·	1	·	1	3	3	12	9
	F	57	15	2	1	·	2	·	4	5	9	19
Accidents and other external causes	M	14	1	·	1	2	3	1	·	1	2	3
	F	7	1	·	·	1	·	·	1	1	1	2
All causes	**M**	**380**	**19**	·	**2**	**3**	**7**	**8**	**30**	**56**	**106**	**149**
	F	**340**	**19**	**2**	**2**	**3**	**5**	**5**	**25**	**24**	**84**	**171**
		COUNTY CLARE										
Tuberculosis of respiratory system	M	11	·	1	·	·	2	2	2	2	2	·
	F	10	·	·	·	3	1	2	3	1	·	·
Tuberculosis, other forms	M	1	·	1	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	5	2	·	2	1	·	·	·	·	·	·
	F	1	·	1	·	·	·	·	·	·	·	·
Malignant neoplasms	M	63	·	·	·	1	·	3	3	9	25	22
	F	55	·	·	·	·	2	4	9	10	12	18
Vascular lesions affecting central nervous system	M	39	·	·	·	·	·	1	1	7	11	19
	F	40	·	·	·	·	·	·	3	6	8	23
Diseases of the heart	M	249	·	·	·	·	·	1	10	36	65	137
	F	175	·	·	·	·	·	1	8	12	41	113
Other diseases of the circulatory system	M	24	·	·	·	·	·	·	·	·	6	18
	F	15	·	·	·	·	·	·	·	2	·	13
Diseases of the respiratory system	M	39	3	1	·	1	·	1	2	4	12	15
	F	26	3	1	·	1	·	·	·	1	6	14
Senility	M	55	·	·	·	·	·	·	·	·	·	55
	F	50	·	·	·	·	·	·	·	·	2	48
Other diseases	M	93	25	1	1	2	2	5	11	8	9	29
	F	77	17	2	4	·	2	5	5	5	14	23
Accidents and other external causes	M	16	·	·	·	2	2	1	·	4	3	4
	F	12	2	·	1	·	1	·	·	1	1	6
All causes	**M**	**595**	**30**	**4**	**3**	**7**	**6**	**14**	**29**	**70**	**133**	**299**
	F	**461**	**22**	**4**	**5**	**4**	**6**	**12**	**28**	**38**	**84**	**258**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		CORK COUNTY BOROUGH										
Tuberculosis of respiratory system	M	13	1	1	·	1	·	2	·	4	2	2
	F	5	·	·	·	·	2	·	·	1	2	·
Tuberculosis, other forms	M	2	·	·	·	·	·	·	·	1	1	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	5	1	1	2	·	·	·	·	·	·	1
	F	2	1	1	·	·	·	·	·	·	·	·
Malignant neoplasms	M	77	·	1	·	·	1	4	13	16	24	18
	F	81	·	·	·	·	·	7	7	20	24	23
Vascular lesions affecting central nervous system	M	33	·	·	·	·	·	1	5	4	11	12
	F	61	1	·	·	·	·	1	4	9	23	23
Diseases of the heart	M	160	·	·	·	1	1	4	14	21	57	62
	F	194	·	·	·	1	1	1	11	17	51	112
Other diseases of the circulatory system	M	25	·	·	·	·	1	·	·	7	6	11
	F	28	·	·	·	·	·	1	4	1	9	13
Diseases of the respiratory system	M	60	1	·	·	·	1	4	4	14	21	15
	F	44	·	2	·	·	·	·	4	6	20	12
Senility	M	6	·	·	·	·	·	·	·	·	·	6
	F	16	·	·	·	·	·	·	·	·	2	14
Other diseases	M	81	34	1	1	1	1	·	5	10	11	17
	F	75	21	·	1	2	4	4	8	9	14	12
Accidents and other external causes	M	14	1	2	·	1	1	2	2	1	1	3
	F	10	·	1	2	·	·	·	·	1	3	3
All causes	**M**	**476**	**38**	**6**	**3**	**4**	**6**	**17**	**43**	**78**	**134**	**147**
	F	**516**	**23**	**4**	**3**	**3**	**7**	**14**	**38**	**64**	**148**	**212**
		COUNTY CORK										
Tuberculosis of respiratory system	M	26	·	·	·	·	2	5	4	6	7	2
	F	12	·	·	·	1	·	2	4	1	3	1
Tuberculosis, other forms	M	3	·	1	·	·	·	1	1	·	·	·
	F	1	·	1	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	8	1	·	4	·	·	·	·	1	1	1
	F	7	1	1	·	·	1	1	1	1	1	·
Malignant neoplasms	M	237	·	3	2	2	2	8	26	57	67	70
	F	216	1	2	1	2	·	9	36	46	57	62
Vascular lesions affecting central nervous system	M	183	·	·	·	1	·	2	6	22	51	101
	F	187	·	·	·	·	·	2	6	20	53	106
Diseases of the heart	M	567	·	·	·	·	·	13	29	75	178	272
	F	527	·	·	·	1	4	7	22	47	130	316
Other diseases of the circulatory system	M	100	·	·	·	·	·	·	3	12	25	60
	F	80	·	·	·	1	·	3	4	3	18	51
Diseases of the respiratory system	M	99	6	1	·	·	1	2	7	21	20	41
	F	84	3	1	·	2	1	2	1	11	19	44
Senility	M	78	·	·	·	·	·	·	·	·	2	76
	F	127	·	·	·	·	·	·	·	·	3	124
Other diseases	M	281	68	5	6	5	5	7	12	34	55	84
	F	227	35	4	1	5	7	12	12	24	52	75
Accidents and other external causes	M	69	3	3	2	6	6	8	4	12	8	17
	F	25	·	2	2	·	·	1	2	2	6	10
All causes	**M**	**1,651**	**78**	**13**	**14**	**14**	**16**	**46**	**92**	**240**	**414**	**724**
	F	**1,493**	**40**	**11**	**4**	**12**	**13**	**39**	**88**	**155**	**342**	**789**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY KERRY										
Tuberculosis of respiratory system	M	15	·	·	·	·	·	1	1	6	5	2
	F	3	·	·	·	·	1	·	1	1	·	·
Tuberculosis, other forms	M	1	·	·	·	·	·	1	·	·	·	·
	F	1	·	·	·	·	·	·	1	·	·	·
Other infective and parasitic diseases	M	7	·	3	2	·	·	1	·	·	1	·
	F	3	1	·	1	·	·	·	·	1	·	·
Malignant neoplasms	M	102	·	·	2	1	3	3	18	23	30	22
	F	89	·	2	1	·	1	4	16	25	23	17
Vascular lesions affecting central nervous system	M	80	·	·	·	1	·	1	3	13	19	43
	F	80	·	·	·	·	2	2	5	11	24	36
Diseases of the heart	M	300	·	·	·	1	3	6	21	43	77	149
	F	213	·	·	·	·	1	3	10	20	58	121
Other diseases of the circulatory system	M	57	·	·	·	·	1	·	2	4	12	38
	F	39	·	·	·	·	·	·	1	6	6	26
Diseases of the respiratory system	M	60	5	1	3	·	1	2	2	8	10	28
	F	50	5	1	·	1	·	3	1	5	6	28
Senility	M	72	·	·	·	·	·	·	·	·	·	72
	F	89	·	·	·	·	·	·	·	·	2	87
Other diseases	M	136	37	5	·	2	3	3	7	9	35	35
	F	93	17	1	1	2	1	7	8	10	10	36
Accidents and other external causes	M	30	·	1	·	5	1	3	1	3	8	8
	F	16	·	·	·	2	·	·	·	1	2	11
All causes	**M**	**860**	**42**	**10**	**7**	**10**	**12**	**21**	**55**	**109**	**197**	**397**
	F	**676**	**23**	**4**	**3**	**5**	**6**	**19**	**43**	**80**	**131**	**362**
		LIMERICK COUNTY BOROUGH										
Tuberculosis of respiratory system	M	7	·	·	·	·	1	·	2	2	1	1
	F	4	·	·	·	·	1	1	·	·	1	1
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	3	·	1	·	·	·	·	1	·	·	1
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	·	·	·	1	·	·	·	·
Malignant neoplasms	M	36	·	1	·	·	·	1	5	12	10	7
	F	37	·	1	1	1	1	1	11	4	9	8
Vascular lesions affecting central nervous system	M	19	·	·	·	·	·	·	·	6	3	10
	F	40	·	·	·	·	·	3	2	2	17	16
Diseases of the heart	M	76	·	·	·	·	2	2	8	11	25	28
	F	62	·	·	·	·	·	2	1	7	23	29
Other diseases of the circulatory system	M	14	·	·	·	1	·	·	·	·	6	7
	F	17	·	·	·	·	·	·	·	4	2	11
Diseases of the respiratory system	M	28	3	1	·	·	·	·	1	8	7	8
	F	26	3	1	·	·	·	·	1	4	7	10
Senility	M	6	·	·	·	·	·	·	·	·	1	5
	F	7	·	·	·	·	·	·	·	·	·	7
Other diseases	M	41	8	1	·	2	·	3	1	12	5	9
	F	41	12	·	1	1	·	·	1	9	4	13
Accidents and other external causes	M	7	·	2	·	·	1	1	·	2	1	·
	F	13	1	·	1	1	1	·	1	·	5	3
All causes	**M**	**234**	**11**	**5**	**·**	**3**	**4**	**7**	**17**	**53**	**59**	**75**
	F	**251**	**16**	**3**	**3**	**3**	**3**	**8**	**18**	**30**	**68**	**99**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY LIMERICK										
Tuberculosis of respiratory system	M	6	·	·	·	1	·	1	1	1	1	1
	F	4	·	·	·	·	2	1	·	·	1	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	3	·	2	1	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	67	·	·	·	·	1	·	11	12	28	15
	F	68	·	·	1	·	1	1	10	17	22	16
Vascular lesions affecting central nervous system	M	52	·	·	·	·	1	1	3	5	17	25
	F	65	·	·	1	·	1	·	2	5	30	26
Diseases of the heart	M	203	·	·	·	·	2	5	8	27	61	100
	F	140	·	·	·	·	·	2	8	16	35	79
Other diseases of the circulatory system	M	23	·	·	·	·	·	·	2	·	9	12
	F	25	·	·	·	·	·	·	·	2	5	18
Diseases of the respiratory system	M	40	7	2	·	·	·	1	4	7	10	9
	F	37	2	2	·	·	·	2	1	·	6	24
Senility	M	35	·	·	·	·	·	·	·	1	2	32
	F	37	·	·	·	·	·	·	·	·	1	36
Other diseases	M	107	31	2	2	·	3	1	9	16	16	27
	F	71	26	·	3	1	2	3	2	6	9	19
Accidents and other external causes	M	23	·	1	1	4	3	·	·	5	4	5
	F	8	·	1	·	·	1	1	·	2	2	1
All causes	**M**	**559**	**38**	**7**	**4**	**5**	**10**	**9**	**38**	**74**	**148**	**226**
	F	**455**	**28**	**3**	**5**	**1**	**7**	**10**	**23**	**48**	**111**	**219**
		COUNTY TIPPERARY, N.R.										
Tuberculosis of respiratory system	M	6	·	·	·	·	1	·	·	4	1	·
	F	1	·	·	·	·	1	·	·	·	·	·
Tuberculosis, other forms	M	1	·	·	·	·	·	·	·	1	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	·	·	·	·	1	·	·	·
Malignant neoplasms	M	39	·	·	·	·	·	·	8	4	17	10
	F	41	·	·	1	·	1	4	6	5	8	16
Vascular lesions affecting central nervous system	M	32	·	·	·	·	·	·	2	5	12	13
	F	31	·	·	·	·	·	·	2	3	12	14
Diseases of the heart	M	145	·	·	·	·	1	4	7	20	58	55
	F	84	·	·	·	·	·	1	5	14	23	41
Other diseases of the circulatory system	M	7	·	·	·	·	·	1	·	·	1	5
	F	9	·	·	·	·	1	1	·	·	5	2
Diseases of the respiratory system	M	16	2	·	1	·	·	·	1	5	3	4
	F	15	3	·	·	·	·	·	1	5	·	6
Senility	M	48	·	·	·	·	·	·	·	·	·	48
	F	50	·	·	·	·	·	·	·	·	·	50
Other diseases	M	69	22	1	·	2	2	3	5	5	13	16
	F	46	10	1	·	1	1	2	3	4	6	18
Accidents and other external causes	M	19	2	·	1	2	1	2	4	2	3	2
	F	5	·	·	·	·	·	·	·	·	·	5
All causes	**M**	**382**	**26**	**1**	**2**	**4**	**5**	**10**	**27**	**46**	**108**	**153**
	F	**283**	**13**	**1**	**1**	**1**	**4**	**8**	**18**	**31**	**54**	**152**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY TIPPERARY, S.R.										
Tuberculosis of respiratory system	M	4	·	·	·	·	·	1	·	2	1	·
	F	5	·	·	·	·	·	1	2	2	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	·	·	·	·	·	1	·	·
Other infective and parasitic diseases	M	2	·	·	1	·	·	·	·	·	1	·
	F	2	·	·	·	·	·	1	·	·	·	1
Malignant neoplasms	M	79	·	·	·	1	·	1	10	19	22	26
	F	55	·	1	2	·	·	·	9	12	18	13
Vascular lesions affecting central nervous system	M	47	·	·	·	·	·	1	1	8	12	25
	F	63	·	·	·	·	·	1	·	9	22	31
Diseases of the heart	M	159	·	·	·	·	·	2	8	31	52	66
	F	110	·	·	·	·	1	1	8	12	41	47
Other diseases of the circulatory system	M	24	·	·	·	·	·	·	1	5	7	11
	F	21	·	·	·	·	·	1	1	3	5	11
Diseases of the respiratory system	M	31	4	1	·	·	·	·	·	4	10	12
	F	17	2	·	·	·	·	1	·	3	2	9
Senility	M	47	·	·	·	·	·	·	·	·	·	47
	F	49	·	·	·	·	·	·	·	·	1	48
Other diseases	M	68	17	1	3	2	1	1	3	5	11	24
	F	58	14	·	2	·	3	3	6	8	9	13
Accidents and other external causes	M	18	·	·	1	·	3	4	1	2	3	4
	F	8	1	1	1	·	1	·	·	·	1	3
All causes	**M**	**479**	**21**	**2**	**5**	**3**	**4**	**10**	**24**	**76**	**119**	**215**
	F	**389**	**17**	**2**	**5**	·	**5**	**9**	**26**	**50**	**99**	**176**
		WATERFORD COUNTY BOROUGH										
Tuberculosis of respiratory system	M	8	·	·	·	·	1	1	3	1	1	1
	F	2	·	·	·	·	·	1	1	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	31	·	·	·	·	·	·	5	6	11	9
	F	34	·	·	·	·	·	3	7	4	14	6
Vascular lesions affecting central nervous system	M	11	·	·	·	·	·	·	1	1	2	7
	F	26	·	·	·	·	·	·	3	4	7	12
Diseases of the heart	M	49	·	·	·	1	·	1	3	7	18	19
	F	62	·	·	·	·	2	1	5	8	14	32
Other diseases of the circulatory system	M	4	·	·	·	·	·	·	·	·	1	3
	F	7	·	·	·	·	1	·	·	2	1	3
Diseases of the respiratory system	M	24	2	·	·	·	·	·	·	4	7	11
	F	23	·	·	·	·	·	·	2	1	4	16
Senility	M	2	·	·	·	·	·	·	·	·	·	2
	F	7	·	·	·	·	·	·	·	·	1	6
Other diseases	M	21	5	·	·	·	·	·	1	·	5	10
	F	19	7	·	·	·	1	1	·	4	4	2
Accidents and other external causes	M	4	·	·	·	2	·	1	1	·	·	·
	F	3	1	·	·	·	·	·	·	1	1	·
All causes	**M**	**154**	**7**	·	·	**3**	**1**	**3**	**14**	**19**	**45**	**62**
	F	**183**	**8**	·	·	·	**4**	**6**	**18**	**24**	**46**	**77**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY WATERFORD										
Tuberculosis of respiratory system	M	3	·	·	·	·	1	·	1	·	1	·
	F	5	·	·	·	·	·	2	3	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	37	·	·	·	·	·	·	9	7	8	13
	F	35	·	·	·	·	·	3	4	13	6	9
Vascular lesions affecting central nervous system	M	31	·	·	·	·	·	1	4	5	11	10
	F	47	·	·	·	·	·	1	2	3	18	23
Diseases of the heart	M	104	·	·	·	·	·	3	7	13	28	53
	F	69	·	·	·	·	·	1	4	7	7	50
Other diseases of the circulatory system	M	16	·	·	·	·	·	1	2	·	1	12
	F	17	·	·	·	·	·	·	2	1	6	8
Diseases of the respiratory system	M	34	2	2	·	·	·	·	·	5	9	16
	F	16	·	1	·	·	·	2	·	1	2	10
Senility	M	23	·	·	·	·	·	·	·	·	1	22
	F	25	·	·	·	·	·	·	·	·	·	25
Other diseases	M	44	8	1	2	·	1	1	1	4	13	13
	F	25	3	1	·	2	1	1	2	5	7	3
Accidents and other external causes	M	13	·	·	1	1	1	2	1	5	·	2
	F	4	·	·	1	·	·	1	·	1	·	1
All causes	**M**	**305**	**10**	**3**	**3**	**1**	**3**	**8**	**25**	**39**	**72**	**141**
	F	**243**	**3**	**2**	**1**	**2**	**1**	**11**	**17**	**31**	**46**	**129**
		COUNTY GALWAY										
Tuberculosis of respiratory system	M	16	·	·	·	·	·	2	2	7	3	2
	F	10	·	·	·	·	2	1	3	2	1	1
Tuberculosis, other forms	M	4	·	·	1	·	·	2	1	·	·	·
	F	1	·	·	·	·	·	·	·	·	1	·
Other infective and parasitic diseases	M	3	·	2	1	·	·	·	·	·	·	·
	F	5	·	·	2	·	1	·	·	·	·	2
Malignant neoplasms	M	139	·	1	1	·	2	5	16	29	42	43
	F	106	·	1	2	1	1	7	11	29	35	19
Vascular lesions affecting central nervous system	M	107	·	·	·	1	·	1	4	19	35	47
	F	105	·	·	·	1	·	1	7	10	20	66
Diseases of the heart	M	302	·	·	·	1	·	4	19	31	64	183
	F	217	·	·	·	2	2	2	5	14	48	144
Other diseases of the circulatory system	M	73	·	·	·	·	·	1	4	8	16	44
	F	46	·	·	·	·	·	·	·	3	13	30
Diseases of the respiratory system	M	104	7	2	·	·	·	1	10	11	28	45
	F	58	5	2	·	1	1	4	4	5	9	27
Senility	M	74	·	·	·	·	·	·	·	·	1	73
	F	104	·	·	·	·	·	·	·	·	4	100
Other diseases	M	160	48	3	4	1	2	2	13	19	24	44
	F	103	30	·	3	2	1	3	7	10	21	26
Accidents and other external causes	M	27	2	3	·	4	·	2	2	3	6	5
	F	20	·	2	4	1	·	1	4	·	2	6
All causes	**M**	**1,009**	**57**	**11**	**7**	**7**	**4**	**20**	**71**	**127**	**219**	**486**
	F	**775**	**35**	**5**	**11**	**8**	**8**	**19**	**41**	**73**	**154**	**421**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY LEITRIM										
Tuberculosis of respiratory system	M	1	·	·	·	·	·	·	·	1	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	1	·	·	·	·	·	·	·
Malignant neoplasms	M	26	·	·	·	·	1	·	5	7	7	6
	F	20	·	·	·	·	·	1	3	7	6	3
Vascular lesions affecting central nervous system	M	18	·	·	·	·	·	·	2	1	6	9
	F	19	·	·	·	·	·	1	1	3	10	4
Diseases of the heart	M	94	·	·	·	·	·	5	1	10	20	58
	F	75	·	·	·	·	·	1	2	5	14	53
Other diseases of the circulatory system	M	13	·	·	·	·	·	2	·	·	4	7
	F	9	·	·	·	·	·	·	·	1	4	4
Diseases of the respiratory system	M	14	2	·	·	·	·	·	·	3	5	4
	F	18	1	·	·	·	·	·	1	1	5	10
Senility	M	36	·	·	·	·	·	·	·	·	3	33
	F	33	·	·	·	·	·	·	·	·	1	32
Other diseases	M	36	11	·	1	·	·	·	1	6	6	11
	F	32	8	1	·	·	1	2	3	3	5	9
Accidents and other external causes	M	8	·	1	·	·	1	1	1	2	1	1
	F	1	·	·	·	·	·	·	1	·	·	·
All causes	**M**	**246**	**13**	**1**	**1**	·	**2**	**8**	**10**	**30**	**52**	**129**
	F	**208**	**9**	**1**	**1**	·	**1**	**5**	**11**	**20**	**45**	**115**
		COUNTY MAYO										
Tuberculosis of respiratory system	M	4	·	·	·	·	·	·	·	3	1	·
	F	6	·	·	·	·	·	3	1	1	1	·
Tuberculosis, other forms	M	1	·	·	·	·	·	·	·	1	·	·
	F	5	·	2	·	·	1	·	1	·	1	·
Other infective and parasitic diseases	M	2	1	·	·	·	·	·	·	1	·	·
	F	1	1	·	·	·	·	·	·	·	·	·
Malignant neoplasms	M	104	·	1	·	·	·	4	9	20	32	38
	F	86	·	2	1	1	1	4	9	19	21	28
Vascular lesions affecting central nervous system	M	71	·	·	·	·	·	·	3	7	17	44
	F	85	·	·	·	2	1	·	4	7	23	48
Diseases of the heart	M	279	·	·	·	1	2	4	17	31	60	164
	F	193	·	·	·	·	·	2	8	16	42	125
Other diseases of the circulatory system	M	40	·	·	·	·	·	2	·	6	11	21
	F	54	·	·	1	·	·	·	·	4	7	42
Diseases of the respiratory system	M	59	6	2	2	·	·	·	3	4	16	26
	F	44	5	1	·	·	2	2	4	5	7	18
Senility	M	130	·	·	·	·	·	·	·	·	9	121
	F	131	·	·	·	·	·	·	·	·	8	123
Other diseases	M	117	24	3	1	1	3	2	9	12	16	46
	F	99	17	1	1	2	·	6	9	12	21	30
Accidents and other external causes	M	30	1	2	2	4	1	3	3	2	5	7
	F	14	1	1	·	·	·	1	·	1	2	8
All causes	**M**	**837**	**32**	**8**	**5**	**6**	**6**	**15**	**44**	**87**	**167**	**467**
	F	**718**	**24**	**7**	**3**	**5**	**5**	**18**	**36**	**65**	**133**	**422**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY ROSCOMMON										
Tuberculosis of respiratory system	M	5	·	·	·	·	·	1	2	2	·	·
	F	3	·	·	·	·	·	·	1	2	·	·
Tuberculosis, other forms	M	1	·	·	·	·	·	·	·	·	1	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	1	·	·	·	·	·	·	·	1	·	·
	F	2	·	·	·	·	·	·	1	1	·	·
Malignant neoplasms	M	59	·	·	·	·	2	1	2	15	22	17
	F	40	·	2	·	1	·	4	4	3	16	10
Vascular lesions affecting central nervous system	M	45	·	·	·	·	1	·	1	3	15	25
	F	37	·	·	·	·	·	·	2	6	8	21
Diseases of the heart	M	211	·	·	·	·	1	3	8	26	45	128
	F	139	·	·	·	·	·	2	1	6	29	101
Other diseases of the circulatory system	M	25	·	·	·	·	·	1	1	2	11	10
	F	28	·	·	·	·	1	·	·	2	7	18
Diseases of the respiratory system	M	41	3	·	·	·	1	·	1	7	11	18
	F	19	·	·	·	·	2	·	1	1	5	10
Senility	M	34	·	·	·	·	·	·	·	·	2	32
	F	47	·	·	·	·	·	·	·	·	4	43
Other diseases	M	55	13	4	·	1	·	1	1	11	12	12
	F	41	13	1	·	1	3	·	2	7	6	8
Accidents and other external causes	M	14	·	·	2	1	1	·	2	·	4	4
	F	4	·	·	·	·	·	1	·	·	1	2
All causes	**M**	**491**	**16**	**4**	**2**	**2**	**6**	**7**	**18**	**67**	**123**	**246**
	F	**360**	**13**	**3**	·	**2**	**6**	**7**	**12**	**28**	**76**	**213**
		COUNTY SLIGO										
Tuberculosis of respiratory system	M	1	·	·	·	·	·	·	1	·	·	·
	F	1	·	·	·	·	·	·	1	·	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	1	·	·	·	·	1	·	·	·	·	·
Other infective and parasitic diseases	M	2	·	1	1	·	·	·	·	·	·	·
	F	3	·	·	1	·	1	·	·	1	·	·
Malignant neoplasms	M	44	·	·	·	·	·	1	3	10	18	12
	F	49	·	·	·	·	·	3	6	9	18	13
Vascular lesions affecting central nervous system	M	23	·	·	·	1	·	·	1	1	7	13
	F	34	·	·	1	·	·	·	3	5	8	17
Diseases of the heart	M	105	·	·	·	1	·	5	6	14	25	54
	F	58	·	·	·	·	1	·	1	8	11	37
Other diseases of the circulatory system	M	36	·	·	·	·	·	1	1	1	5	28
	F	28	·	·	1	·	·	·	1	3	3	20
Diseases of the respiratory system	M	19	·	·	·	·	·	·	1	3	5	10
	F	15	1	1	·	·	·	·	1	1	5	6
Senility	M	51	·	·	·	·	·	·	·	·	6	45
	F	58	·	·	·	·	·	·	·	·	5	53
Other diseases	M	65	15	3	1	1	·	5	6	6	7	21
	F	54	14	1	1	·	·	1	6	7	13	11
Accidents and other external causes	M	12	·	1	1	1	·	1	·	1	4	3
	F	9	·	·	·	·	·	1	·	1	1	6
All causes	**M**	**358**	**15**	**5**	**3**	**4**	·	**13**	**19**	**36**	**77**	**186**
	F	**310**	**15**	**2**	**4**	·	**3**	**5**	**19**	**35**	**64**	**163**

TABLE 24.—*(continued)*—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY CAVAN										
Tuberculosis of respiratory system	M	3	·	·	·	·	1	1	·	1	·	·
	F	2	·	·	·	·	·	·	·	·	2	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	3	1	·	·	·	·	·	1	·	1	·
	F	2	·	1	1	·	·	·	·	·	·	·
Malignant neoplasms	M	57	·	·	·	·	3	3	4	10	16	21
	F	47	·	·	·	·	2	1	7	8	10	19
Vascular lesions affecting central nervous system	M	80	·	·	·	·	·	1	1	10	22	46
	F	61	·	·	·	·	·	2	2	11	20	26
Diseases of the heart	M	168	·	·	·	·	1	2	8	18	47	92
	F	106	·	·	·	·	·	·	5	13	21	67
Other diseases of the circulatory system	M	19	·	·	·	1	·	·	1	4	2	11
	F	17	·	·	·	·	·	·	1	2	2	12
Diseases of the respiratory system	M	30	3	3	·	·	1	·	1	3	8	11
	F	13	·	1	·	·	·	·	1	3	2	6
Senility	M	21	·	·	·	·	·	·	·	·	·	21
	F	21	·	·	·	·	·	·	·	·	1	20
Other diseases	M	56	18	·	·	1	·	·	7	8	9	13
	F	40	11	1	1	·	·	1	3	7	10	6
Accidents and other external causes	M	11	·	·	·	1	1	·	1	2	4	2
	F	6	·	2	·	·	·	1	·	·	2	1
All causes	**M**	**448**	**22**	**3**	·	**3**	**7**	**7**	**24**	**56**	**109**	**217**
	F	**315**	**11**	**5**	**2**	·	**2**	**5**	**19**	**44**	**70**	**157**
		COUNTY DONEGAL										
Tuberculosis of respiratory system	M	5	·	·	·	·	·	1	2	1	1	·
	F	8	·	·	·	·	1	4	2	1	·	·
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	3	·	·	2	·	·	1	·	·	·	·
Other infective and parasitic diseases	M	3	1	·	·	·	·	·	2	·	·	·
	F	4	1	·	·	·	1	1	·	·	1	·
Malignant neoplasms	M	107	·	2	·	1	1	6	6	18	36	37
	F	80	·	1	·	·	·	7	12	18	16	26
Vascular lesions affecting central nervous system	M	74	·	·	·	·	·	·	4	8	19	43
	F	91	·	·	·	·	1	·	3	12	19	56
Diseases of the heart	M	223	·	·	·	1	5	3	12	27	57	118
	F	171	·	·	·	·	2	9	2	20	46	92
Other diseases of the circulatory system	M	33	·	·	·	·	1	1	1	1	5	24
	F	35	·	·	·	·	·	·	1	3	9	22
Diseases of the respiratory system	M	70	8	·	·	·	·	1	2	5	10	44
	F	73	3	1	1	·	1	1	3	3	17	43
Senility	M	40	·	·	·	·	·	·	·	·	·	40
	F	67	·	·	·	·	·	·	·	·	2	65
Other diseases	M	131	25	1	2	·	3	7	7	9	28	49
	F	108	20	1	3	1	1	2	5	7	16	52
Accidents and other external causes	M	28	·	1	2	3	4	2	3	1	5	7
	F	12	1	2	·	1	·	·	·	1	1	6
All causes	**M**	**714**	**34**	**4**	**4**	**5**	**14**	**21**	**39**	**70**	**161**	**362**
	F	**652**	**25**	**5**	**6**	**2**	**7**	**25**	**28**	**65**	**127**	**362**

TABLE 24.—(*continued*)—DEATHS IN 1960 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75 years and over
		COUNTY MONAGHAN										
Tuberculosis of respiratory system	M	3	·	·	·	·	1	1	·	·	1	·
	F	1	·	·	·	·	·	·	·	·	·	1
Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·
	F	·	·	·	·	·	·	·	·	·	·	·
Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·	·
	F	2	1	1	·	·	·	·	·	·	·	·
Malignant neoplasms	M	34	·	1	·	·	·	2	6	7	7	11
	F	43	·	·	·	·	·	1	2	16	8	16
Vascular lesions affecting central nervous system	M	41	·	·	·	·	·	·	2	4	12	23
	F	31	·	·	·	·	·	1	4	3	7	16
Diseases of the heart	M	120	·	·	·	·	·	1	9	17	37	56
	F	97	·	·	·	·	·	1	2	9	24	61
Other diseases of the circulatory system	M	11	·	·	·	·	·	·	1	1	1	8
	F	10	·	·	·	·	·	·	1	3	2	4
Diseases of the respiratory system	M	34	1	·	·	·	·	·	1	6	13	13
	F	19	1	1	·	·	·	·	·	·	2	15
Senility	M	21	·	·	·	·	·	·	·	·	1	20
	F	16	·	·	·	·	·	·	·	·	1	15
Other diseases	M	50	15	2	1	·	2	2	2	7	4	15
	F	41	9	·	·	1	·	3	2	5	9	12
Accidents and other external causes	M	14	1	1	·	2	3	1	·	1	2	3
	F	7	·	1	2	·	·	·	·	·	2	2
All causes	**M**	**328**	**17**	**4**	**1**	**2**	**6**	**7**	**21**	**43**	**78**	**149**
	F	**267**	**11**	**3**	**2**	**1**	·	**6**	**11**	**36**	**55**	**142**

TABLE 25.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

International List Nos.	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**715**	**323**	**163**	**66**	**40**	**16**	**33**	**13**	**50**	**25**	**429**	**203**
		F	**521**	**218**	**128**	**55**	**30**	**17**	**24**	**8**	**34**	**11**	**305**	**127**
010	Tuberculosis of meninges and central nervous system	M	·	1	·	·	·	·	·	·	·	·	·	1
		F	·	1	·	1	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	1	·	·	·	1	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	1	·	1	·	·	·	·	·	·	·	·
056	Whooping cough	M	·	6	·	·	·	1	·	1	·	1	·	3
		F	·	5	·	·	·	·	·	·	·	·	·	5
030–055 057–138	Other infective and parasitic diseases	M	3	4	·	2	·	·	·	·	·	1	3	1
		F	·	5	·	2	·	1	·	·	·	·	·	2
340	Meningitis except meningococcal and tuberculous	M	2	6	1	·	·	·	1	1	·	1	·	4
		F	1	6	1	2	·	1	·	·	·	1	·	2
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	4	·	·	·	·	·	·	·	·	·	4
		F	·	4	·	1	·	1	·	·	·	·	·	2
480–483	Influenza	M	·	5	·	2	·	1	·	·	·	1	·	1
		F	1	1	·	·	·	·	·	·	·	·	1	1
490–493	Pneumonia	M	·	105	·	26	·	3	·	2	·	6	·	68
		F	·	64	·	17	·	3	·	3	·	4	·	37
500–502	Bronchitis	M	·	7	·	·	·	1	·	·	·	1	·	5
		F	·	2	·	·	·	·	·	·	·	·	·	2
470–475 510–527	Other diseases of the respiratory system	M	2	9	1	2	·	1	·	1	·	1	1	4
		F	1	3	·	2	·	·	·	·	·	1	1	·
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M	13	28	1	3	·	4	·	3	·	2	12	16
		F	3	16	·	5	·	2	·	1	1	·	2	8
530–570 572–587	Other diseases of the digestive system	M	4	8	1	1	·	·	·	·	·	1	3	6
		F	5	9	3	1	·	·	·	1	·	·	2	7
750–759	Congenital malformations	M	112	76	24	17	9	2	2	2	8	7	69	48
		F	144	62	41	13	5	7	10	2	8	1	80	39
760–761	Birth injuries	M	90	·	22	·	3	·	6	·	3	·	56	·
		F	64	·	10	·	4	·	2	·	3	·	45	·
762	Post-natal asphyxia and atelectasis	M	111	3	31	2	7	·	3	·	9	·	61	1
		F	75	2	24	·	6	·	3	·	6	·	36	2
763	Pneumonia of newborn	M	55	·	17	·	2	·	·	·	2	·	34	·
		F	34	·	13	·	1	·	1	·	2	·	17	·
765–768	Other infections of newborn	M	7	2	2	1	1	·	·	·	·	·	4	1
		F	4	2	·	1	1	·	·	·	·	·	3	1
	Other and ill-defined diseases of early infancy:—													
769·0–773·0	Without mention of immaturity	M	68	4	13	·	7	·	2	1	4	1	42	2
		F	38	2	5	·	3	·	2	·	4	·	24	2
769·5–773·5	With mention of immaturity	M	67	2	11	·	4	·	6	·	9	·	37	2
		F	26	1	6	·	2	·	1	·	4	·	13	1
774	Immaturity with mention of any other subsidiary condition	M	5	3	3	1	·	·	·	·	1	·	1	2
		F	2	2	1	1	·	·	·	·	·	1	1	·
776	Immaturity unqualified	M	156	2	31	·	6	·	11	·	14	·	94	2
		F	106	4	22	·	7	·	4	·	3	·	70	4
780·2	Convulsions	M	7	4	·	·	1	·	1	·	·	·	5	4
		F	4	4	·	·	·	·	·	·	1	1	3	3
	Other causes	M	13	43	5	9	·	2	1	2	·	2	7	28
		F	13	22	2	8	1	2	1	1	2	2	7	9

TABLE 26.—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed International List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days 1	2	3	4	5	6
	All causes	**M**	**1,038**	**55**	**251**	**306**	**110**	**55**	**33**	**27**	**21**	**11**
		F	**739**	**53**	**170**	**223**	**75**	**43**	**29**	**19**	**15**	**10**
010	Tuberculosis of meninges and central nervous system	M	1	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	1	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·	·
056	Whooping cough	M	6	·	·	·	·	·	·	·	·	·
		F	5	·	·	·	·	·	·	·	·	·
030–055 057–138	Other infective and parasitic diseases	M	7	·	1	1	·	·	·	·	·	·
		F	5	·	·	·	·	·	·	·	·	·
340	Meningitis, except meningococcal and tuberculous	M	8	·	·	·	·	·	·	1	·	·
		F	7	·	·	·	·	·	·	·	·	·
330–334 341–398	Other diseases of the nervous system and sense organs	M	4	·	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	·	·	·	·	·
480–483	Influenza	M	5	·	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·	·
490–493	Pneumonia	M	105	·	·	·	·	·	·	·	·	·
		F	64	·	·	·	·	·	·	·	·	·
500–502	Bronchitis	M	7	·	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	11	·	·	·	·	·	·	·	·	·
		F	4	·	·	·	·	1	·	·	·	·
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	41	·	·	·	·	·	·	·	·	·
		F	19	·	·	·	·	·	·	·	·	·
530–570 572–587	Other diseases of the digestive system	M	12	·	1	1	·	1	·	·	·	·
		F	14	1	2	3	·	1	·	·	·	·
	Congenital malformations :—											
750	Monstrosity	M	15	4	5	9	4	·	·	·	1	·
		F	23	11	9	20	1	·	1	·	·	1
751	Spina bifida and meningocele	M	25	·	·	·	1	1	1	·	·	·
		F	53	2	7	9	4	2	·	4	1	2
752	Congenital hydrocephalus	M	23	1	5	6	1	1	·	·	1	·
		F	31	4	4	8	5	1	1	·	·	·
753	Other congenital malformations of nervous system and sense organs	M	3	·	·	·	1	·	·	·	·	·
		F	3	·	·	·	1	·	·	·	·	·
754	Congenital malformations of circulatory system	M	70	1	2	3	8	3	3	2	1	1
		F	53	·	5	5	1	6	2	2	1	·
755	Cleft palate and harelip	M	1	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
756	Congenital malformations of digestive system	M	21	·	·	·	2	1	5	·	·	·
		F	18	·	1	1	1	1	1	1	1	1
757	Congenital malformations of genito-urinary system	M	5	·	1	1	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
758	Congenital malformations of bone and joint	M	1	·	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	·	·	·
759	Other and unspecified congenital malformations	M	24	3	11	14	·	1	1	·	1	·
		F	24	1	6	7	·	1	·	1	3	·
	Intracranial and spinal injury at birth :—											
760·0	Without mention of immaturity	M	56	4	24	28	14	6	1	4	·	·
		F	34	1	9	10	9	6	1	1	2	·
760·5	With immaturity	M	15	1	6	7	4	1	1	2	·	·
		F	11	·	4	4	2	1	2	·	·	1
	Other birth injury :—											
761·0	Without mention of immaturity	M	13	5	7	12	·	·	·	·	·	·
		F	16	5	5	10	2	2	2	·	·	·
761·5	With immaturity	M	6	1	3	4	1	·	·	·	1	·
		F	3	1	·	1	2	·	·	·	·	·

IN 1960, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7	7–13	14–20	21–27	Total under 4 weeks	Months: 4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	Detailed International List Nos.
563	**66**	**47**	**39**	**715**	**86**	**60**	**37**	**32**	**30**	**23**	**15**	**18**	**12**	**8**	**2**	
414	**50**	**32**	**25**	**521**	**49**	**46**	**32**	**21**	**12**	**13**	**9**	**10**	**7**	**11**	**8**	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	010
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	001–008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	011–019
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020–029
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	1	3	1	.	.	.	.	.	.	.	056
.	.	.	.	.	.	.	.	1	.	1	.	1	2	.	.	
1	1	1	.	3	2	1	.	.	.	.	.	.	1	.	.	030–055
.	.	.	.	.	.	1	.	1	.	.	.	2	.	1	.	057–138
1	1	.	.	2	.	1	.	2	.	.	1	.	1	1	.	340
.	.	.	1	1	1	.	.	.	.	1	2	.	.	1	1	
.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	330–334
.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	341–398
.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	480–483
.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	26	22	15	9	9	9	3	7	4	.	1	490–493
.	.	.	.	.	7	16	13	6	5	5	3	2	2	4	1	
.	.	.	.	.	2	1	.	.	1	.	.	3	.	.	.	500–502
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	
.	.	1	1	2	.	2	1	1	2	1	1	.	.	1	.	470–475
1	.	.	.	1	1	.	1	.	1	.	.	.	.	.	.	510–527
.	2	7	4	13	9	6	.	4	2	2	1	1	1	1	1	571, 764
.	.	2	1	3	5	4	2	2	.	.	.	.	1	.	2	
2	1	1	.	4	2	1	1	2	2	.	.	.	.	.	.	530–570
4	.	1	.	5	1	2	.	1	1	1	1	1	.	.	1	572–587
14	.	1	.	15	.	.	.	.	.	.	.	.	.	.	.	750
23	.	.	.	23	.	.	.	.	.	.	.	.	.	.	.	
3	3	3	3	12	4	4	1	1	2	.	.	1	.	.	.	751
22	7	3	1	33	5	2	3	4	3	1	.	1	.	1	.	
9	3	1	1	14	3	2	.	2	.	.	1	.	.	1	.	752
15	2	2	2	21	2	2	.	2	1	1	.	1	.	1	.	
1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	753
1	.	.	.	1	.	.	1	.	.	.	.	.	.	1	.	
21	6	4	2	33	12	5	4	1	4	3	3	2	1	2	.	754
17	7	5	4	33	7	6	4	1	.	.	.	.	.	.	2	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	755
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	5	.	1	14	3	2	.	.	.	.	.	.	1	1	.	756
7	4	1	3	15	2	1	.	.	.	.	.	.	.	.	.	
1	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	757
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	758
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
17	.	1	1	19	1	.	1	1	.	1	1	.	.	.	.	759
12	3	2	1	18	3	2	.	.	.	.	.	.	.	.	1	
53	2	1	.	56	.	.	.	.	.	.	.	.	.	.	.	760·0
29	4	1	.	34	.	.	.	.	.	.	.	.	.	.	.	
15	.	.	.	15	.	.	.	.	.	.	.	.	.	.	.	760·5
10	1	.	.	11	.	.	.	.	.	.	.	.	.	.	.	
12	1	.	.	13	.	.	.	.	.	.	.	.	.	.	.	761·0
16	.	.	.	16	.	.	.	.	.	.	.	.	.	.	.	
6	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	761·5
3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	

TABLE 26.—(continued)—INFANT MORTALITY—TOTAL DEATHS UNDER ONE YEAR OF

Detailed International List Nos.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days 1	2	3	4	5	6
	Post-natal asphyxia and atelectasis:—											
762·0	Without mention of immaturity	M	50	8	21	29	5	5	2	·	2	·
		F	37	5	20	25	5	2	2	1	·	·
762·5	With immaturity	M	64	1	37	38	13	6	1	1	2	·
		F	40	2	16	18	12	5	2	1	1	1
	Pneumonia of newborn :—											
763·0	Without mention of immaturity	M	37	·	2	2	·	3	2	1	1	2
		F	29	·	·	·	1	3	2	3	2	·
763·5	With immaturity	M	18	·	·	·	1	1	1	·	3	1
		F	5	·	·	·	1	·	1	·	·	·
	Ophthalmia neonatorum :—											
765·0	Without mention of immaturity	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
	Pemphigus neonatorum :—											
766·0	Without mention of immaturity	M	1	·	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	·	1	·	·	·
	Umbilical sepsis :—											
767·0	Without mention of immaturity	M	1	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
767·5	With immaturity	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
	Other sepsis of newborn :—											
768·0	Without mention of immaturity	M	6	·	·	·	1	·	1	·	2	·
		F	4	·	·	·	·	·	·	1	·	·
768·5	With immaturity	M	1	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
	Neonatal disorders arising from certain diseases of the mother during pregnancy :—											
769·0–769·4	Without mention of immaturity	M	6	1	2	3	3	·	·	·	·	·
		F	1	·	1	1	·	·	·	·	·	·
769·5–769·9	With immaturity	M	8	·	4	4	2	1	1	·	·	·
		F	6	·	3	3	2	·	1	·	·	·
	Haemolytic disease of newborn (erythroblastosis) :—											
770·0–770·2	Without mention of immaturity	M	24	4	7	11	4	1	1	3	1	·
		F	18	4	9	13	1	·	1	2	·	1
770·5–770·7	With immaturity	M	15	·	3	3	2	1	2	·	1	1
		F	3	·	1	1	·	1	1	·	·	·
	Haemorrhagic disease of newborn :—											
771·0	Without mention of immaturity	M	5	·	2	2	·	1	·	2	·	·
		F	5	1	1	2	·	·	·	·	·	1
771·5	With immaturity	M	3	·	·	·	·	·	1	·	·	1
		F	·	·	·	·	·	·	·	·	·	·
	Nutritional maladjustment :—											
772·0	Without mention of immaturity	M	1	·	·	·	·	·	·	·	·	·
		F	1	·	1	1	·	·	·	·	·	·
772·5	With immaturity	M	2	·	·	·	·	·	·	·	·	1
		F	·	·	·	·	·	·	·	·	·	·
	Ill-defined diseases of early infancy :—											
773·0	Without mention of immaturity	M	36	2	16	18	8	1	2	·	1	·
		F	15	1	5	6	2	·	1	·	·	1
773·5	With immaturity	M	41	3	15	18	9	3	2	1	·	1
		F	18	·	7	7	3	3	1	·	·	·
774	Immaturity with mention of any other subsidiary condition	M	8	·	·	·	·	·	·	·	1	·
		F	4	·	·	·	·	·	·	·	·	·
776	Immaturity unqualified	M	158	12	75	87	25	16	4	10	2	2
		F	110	9	53	62	20	7	5	2	2	·
780·2	Convulsions	M	11	·	1	1	·	1	1	·	·	·
		F	8	·	·	·	·	·	1	·	1	·
	Other causes	M	56	4	·	4	1	·	·	·	·	1
		F	35	5	1	6	·	·	·	·	1	1

AGE IN 1960, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST).

Total under 7	7–13	14–20	21–27	Total under 4 weeks	Months: 4 weeks & under 2 months	2	3	4	5	6	7	8	9	10	11	Detailed International List Nos.
43	2	2	·	47	·	1	·	1	1	·	·	·	·	·	·	762·0
35	·	·	·	35	1	1	·	·	·	·	·	·	·	·	·	
61	2	·	1	64	·	·	·	·	·	·	·	·	·	·	·	762·5
40	·	·	·	40	·	·	·	·	·	·	·	·	·	·	·	
11	11	5	10	37	·	·	·	·	·	·	·	·	·	·	·	763·0
11	6	8	4	29	·	·	·	·	·	·	·	·	·	·	·	
7	4	3	4	18	·	·	·	·	·	·	·	·	·	·	·	763·5
2	1	·	2	5	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	765·0
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	766·0
1	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	
·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	767·0
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	767·5
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
4	·	·	·	4	1	1	·	·	·	·	·	·	·	·	·	768·0
1	1	·	·	2	1	1	·	·	·	·	·	·	·	·	·	
·	·	1	·	1	·	·	·	·	·	·	·	·	·	·	·	768·5
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
6	·	·	·	6	·	·	·	·	·	·	·	·	·	·	·	769·0–
1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	769·4
8	·	·	·	8	·	·	·	·	·	·	·	·	·	·	·	769·5–
6	·	·	·	6	·	·	·	·	·	·	·	·	·	·	·	769·9
21	2	·	1	24	·	·	·	·	·	·	·	·	·	·	·	770·0–
18	·	·	·	18	·	·	·	·	·	·	·	·	·	·	·	770·2
10	3	2	·	15	·	·	·	·	·	·	·	·	·	·	·	770·5–
3	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	770·7
5	·	·	·	5	·	·	·	·	·	·	·	·	·	·	·	771·0
3	1	1	·	5	·	·	·	·	·	·	·	·	·	·	·	
2	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	771·5
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	772·0
1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	
1	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	772·5
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
30	2	·	1	33	1	·	1	·	·	·	·	1	·	·	·	773·0
10	2	1	·	13	·	·	2	·	·	·	·	·	·	·	·	
34	3	2	1	40	·	·	·	·	·	1	·	·	·	·	·	773·5
14	1	1	1	17	1	·	·	·	·	·	·	·	·	·	·	
1	1	2	1	5	2	1	·	·	·	·	·	·	·	·	·	774
·	1	1	·	2	2	·	·	·	·	·	·	·	·	·	·	
146	4	6	·	156	1	1	·	·	·	·	·	·	·	·	·	776
98	6	2	·	106	3	·	·	·	·	·	·	·	·	1	·	
3	2	1	1	7	1	·	2	·	·	·	1	·	·	·	·	780·2
2	1	·	1	4	1	1	·	1	·	·	·	·	1	·	·	
6	3	2	2	13	10	6	8	4	6	4	1	1	2	1	·	
8	1	1	3	13	2	4	6	2	·	2	3	1	1	1	·	

TABLE 27.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN IN 1960 UNDER ONE YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE.

International List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	**M**	**35**	**10**	**6**	**3**	**19**	**9**	**4**	**3**
		F	**26**	**7**	**2**	**5**	**14**	**4**	**4**	**4**
010	Tuberculosis of meninges and central nervous system	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
056	Whooping cough	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
030–055 057–138	Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
340	Meningitis except meningococcal and tuberculous	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	·	1
330–334 341–398	Other diseases of the nervous system and sense organs	M	1	·	·	·	·	·	·	1
		F	·	·	·	·	·	·	·	·
480–483	Influenza	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
490–493	Pneumonia	M	5	·	·	·	·	1	2	2
		F	1	·	·	·	·	·	·	1
500–502	Bronchitis	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	1	·
571, 764	Gastro-enteritis and colitis and diarrhoea of newborn	M	·	·	·	·	·	·	·	·
		F	2	·	·	·	·	1	·	1
530–570 572–587	Other diseases of the digestive system	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
750–759	Congenital malformations	M	12	·	2	2	4	8	·	·
		F	11	1	1	4	6	2	2	1
760, 761	Birth injuries	M	4	2	2	·	4	·	·	·
		F	·	·	·	·	·	·	·	·
762	Post-natal asphyxia and atelectasis	M	·	·	·	·	·	·	·	·
		F	3	2	1	·	3	·	·	·
763	Pneumonia of newborn	M	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·
765–768	Other infections of newborn	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	1	·	·
	Other and ill-defined diseases of early infancy :—									
769·0– 773·0	Without mention of immaturity	M	3	3	·	·	3	·	·	·
		F	·	·	·	·	·	·	·	·
769·5– 773·5	With mention of immaturity	M	2	1	·	1	2	·	·	·
		F	·	·	·	·	·	·	·	·
774	Immaturity with mention of any other subsidiary condition	M	·	·	·	·	·	·	·	·
		F	1	·	·	1	1	·	·	·
776	Immaturity unqualified	M	4	2	2	·	4	·	·	·
		F	1	1	·	·	1	·	·	·
780·2	Convulsions	M	·	·	·	·	·	·	·	·
		F	1	·	·	·	·	·	1	·
	Other causes	M	4	2	·	·	2	·	2	·
		F	3	3	·	·	3	·	·	·

TABLE 28.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**715**	**323**	**385**	**146**	**198**	**103**	**87**	**46**	**45**	**28**
		F	**521**	**218**	**288**	**115**	**130**	**63**	**67**	**29**	**36**	**11**
010	Tuberculosis of meninges and central nervous system	M	·	1	·	1	·	·	·	·	·	·
		F	·	1	·	1	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	1	·	·	·	1	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·
		F	·	1	·	1	·	·	·	·	·	·
056	Whooping cough	M	·	6	·	2	·	4	·	·	·	·
		F	·	5	·	2	·	1	·	1	·	1
030–055 057–138	Other infective and parasitic diseases	M	3	4	2	2	·	·	·	1	1	1
		F	·	5	·	2	·	2	·	·	·	1
340	Meningitis except meningococcal and tuberculous	M	2	6	2	2	·	4	·	·	·	·
		F	1	6	1	3	·	1	·	1	·	1
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	4	·	3	·	1	·	·	·	·
		F	·	4	·	3	·	1	·	·	·	·
480–483	Influenza	M	·	5	·	3	·	1	·	·	·	1
		F	1	1	·	1	1	·	·	·	·	·
490–493	Pneumonia	M	·	105	·	54	·	25	·	16	·	10
		F	·	64	·	31	·	20	·	10	·	3
500–502	Bronchitis	M	·	7	·	1	·	5	·	·	·	1
		F	·	2	·	1	·	·	·	1	·	·
470–475 510–527	Other diseases of the respiratory system	M	2	9	1	4	1	3	·	2	·	·
		F	1	3	·	2	·	·	1	·	·	1
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	13	28	4	12	6	9	3	4	·	3
		F	3	16	2	7	·	7	1	1	·	1
530–570 572–587	Other diseases of the digestive system	M	4	8	3	1	1	2	·	3	·	2
		F	5	9	3	4	2	2	·	3	·	·
750–759	Congenital malformations	M	112	76	57	33	36	25	12	12	7	6
		F	144	62	96	36	24	21	17	5	7	·
760, 761	Birth injuries	M	90	·	53	·	22	·	10	·	5	·
		F	64	·	31	·	19	·	8	·	6	·
762	Postnatal asphyxia and atelectasis	M	111	3	72	2	27	·	6	1	6	·
		F	75	2	45	·	18	1	10	1	2	·
763	Pneumonia of newborn	M	55	·	34	·	11	·	10	·	·	·
		F	34	·	22	·	6	·	5	·	1	·
765–768	Other infections of newborn	M	7	2	4	1	2	1	1	·	·	·
		F	4	2	·	1	2	·	2	1	·	·
	Other and ill-defined diseases of early infancy :—											
769·0–773·0	Without mention of immaturity	M	68	4	27	·	21	3	15	·	5	1
		F	38	2	16	1	12	1	8	·	2	·
769·5–773·5	With mention of immaturity	M	67	2	31	·	25	2	8	·	3	·
		F	26	1	11	1	8	·	4	·	3	·
774	Immaturity with mention of any other subsidiary condition	M	5	3	4	3	1	·	·	·	·	·
		F	2	2	1	2	1	·	·	·	·	·
776	Immaturity unqualified	M	156	2	82	·	39	1	17	1	18	·
		F	106	4	52	1	31	·	9	·	14	3
780·2	Convulsions	M	7	4	2	1	4	·	1	1	·	2
		F	4	4	2	1	1	2	1	1	·	·
	Other causes	M	13	43	7	21	2	16	4	5	·	1
		F	13	22	6	14	5	4	1	4	1	·

TABLE 28.—(*continued*)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CARLOW COUNTY		DUBLIN CO. BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN CO. (remainder of)		KILDARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**12**	**10**	**148**	**59**	**15**	**7**	**34**	**18**	**20**	**7**
		F	**7**	**2**	**123**	**53**	**5**	**2**	**27**	**10**	**19**	**6**
010	Tuberculosis of meninges and central nervous system	M	·	1	·	·	·	·	·	·	·	·
		F	·	·	·	1	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	1	·	·	·	·	·	·
056	Whooping cough	M	·	·	·	·	·	·	·	·	·	·
		F	·	1	·	·	·	·	·	·	·	·
030–055 057–138	Other infective and parasitic diseases	M	·	·	·	2	·	·	·	·	·	·
		F	·	·	·	1	·	1	·	·	·	·
340	Meningitis except meningococcal and tuberculous	M	·	1	1	·	·	·	·	·	·	·
		F	·	·	1	2	·	·	·	·	·	·
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	·	·	·	·	·	·	2	·	·
		F	·	·	·	1	·	·	·	1	·	·
480–483	Influenza	M	·	·	·	1	·	1	·	·	·	·
		F	·	·	·	·	·	·	·	1	·	·
490–493	Pneumonia	M	·	3	·	25	·	1	·	7	·	4
		F	·	·	·	17	·	·	·	·	·	1
500–502	Bronchitis	M	·	·	·	·	·	·	·	·	·	1
		F	·	·	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	·	·	1	2	·	·	·	·	·	·
		F	·	·	·	2	·	·	·	·	·	·
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	·	2	1	3	·	·	·	1	·	·
		F	·	·	·	5	·	·	·	2	1	·
530–570 572–587	Other diseases of the digestive system	M	·	·	1	1	·	·	1	·	·	·
		F	·	·	3	1	·	·	·	·	·	·
750–759	Congenital malformations	M	1	2	22	14	2	3	6	5	3	2
		F	4	1	39	12	2	1	13	4	2	3
760, 761	Birth injuries	M	2	·	21	·	1	·	5	·	1	·
		F	·	·	10	·	·	·	4	·	6	·
762	Postnatal asphyxia and atelectasis	M	2	·	29	2	2	·	3	·	6	·
		F	1	·	21	·	3	·	1	·	2	·
763	Pneumonia of newborn	M	2	·	15	·	2	·	3	·	3	·
		F	·	·	13	·	·	·	3	·	1	·
765–768	Other infections of newborn	M	·	·	1	1	1	·	·	·	·	·
		F	·	·	·	1	·	·	·	·	·	·
	Other and ill-defined diseases of early infancy :—											
769·0–773·0	Without mention of immaturity	M	·	·	10	·	3	·	5	·	2	·
		F	·	·	5	·	·	·	2	·	1	·
769·5–773·5	With mention of immaturity	M	3	·	11	·	·	·	4	·	·	·
		F	1	·	6	·	·	·	2	1	·	·
774	Immaturity with mention of any other subsidiary condition	M	·	·	2	1	1	·	·	·	·	·
		F	·	·	1	1	·	·	·	·	·	1
776	Immaturity unqualified	M	2	·	28	·	3	·	7	·	5	·
		F	·	·	22	·	·	·	2	1	5	·
780·2	Convulsions	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
	Other causes	M	·	1	5	7	·	2	·	3	·	·
		F	1	·	2	8	·	·	·	·	1	1

TABLE 28.—(*continued*)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**20**	**4**	**19**	**7**	**11**	**2**	**19**	**4**	**13**	**9**
		F	**10**	**6**	**14**	**2**	**6**	**2**	**16**	**3**	**9**	**4**
010	Tuberculosis of meninges and central nervous system	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
056	Whooping cough	M	·	·	·	·	·	·	·	1	·	·
		F	·	·	·	·	·	·	·	·	·	·
030–055 057–138	Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	1	·
		F	·	·	·	·	·	·	·	·	·	·
340	Meningitis except meningococcal and tuberculous	M	·	·	·	·	·	·	1	·	·	·
		F	·	·	·	·	·	1	·	·	·	·
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	1
480–483	Influenza	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
490–493	Pneumonia	M	·	1	·	1	·	·	·	2	·	2
		F	·	2	·	1	·	·	·	·	·	2
500–502	Bronchitis	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	·	·	·	1	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	1	1	1	·	·	·	·	·	·	1
		F	·	·	1	·	·	·	·	·	·	·
530–570 572–587	Other diseases of the digestive system	M	·	·	1	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
750–759	Congenital malformations	M	3	·	3	1	2	1	3	·	3	4
		F	1	2	3	1	2	1	7	3	5	1
760, 761	Birth injuries	M	·	·	6	·	·	·	4	·	2	·
		F	1	·	1	·	·	·	2	·	·	·
762	Postnatal asphyxia and atelectasis	M	1	·	1	·	2	·	3	·	3	·
		F	2	·	2	·	·	·	3	·	2	·
763	Pneumonia of newborn	M	·	·	2	·	1	·	1	·	1	·
		F	·	·	2	·	·	·	1	·	2	·
765–768	Other infections of newborn	M	1	·	1	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
	Other and ill-defined diseases of early infancy :—											
769·0– 773·0	Without mention of immaturity	M	·	·	1	·	·	·	3	·	1	·
		F	1	·	1	·	·	·	2	·	·	·
769·5– 773·5	With mention of immaturity	M	1	·	1	·	2	·	1	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
774	Immaturity with mention of any other subsidiary condition	M	·	1	·	1	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
776	Immaturity unqualified	M	12	·	2	·	4	·	2	·	1	·
		F	5	·	3	·	4	·	·	·	·	·
780·2	Convulsions	M	·	·	·	1	·	·	1	·	·	·
		F	·	1	1	·	·	·	·	·	·	·
	Other causes	M	1	1	·	2	·	1	·	1	1	2
		F	·	1	·	·	·	·	1	·	·	·

TABLE 28.—*(continued)*—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		OFFALY COUNTY		WEST-MEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**23**	**2**	**21**	**7**	**18**	**3**	**12**	**7**	**19**	**11**
		F	**15**	**6**	**15**	**7**	**13**	**2**	**9**	**10**	**18**	**4**
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
001–008 011–019	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
020–029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	1	.	.	.	.	.	2
		F	.	1	.	.	.	.	.	.	.	.
030–055 057–138	Other infective and parasitic diseases	M	.	.	1	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
340	Meningitis except meningococcal and tuberculous	M	.	.	.	.	.	.	.	1	.	1
		F	.	.	.	.	.	.	.	.	.	.
330–334 341–398	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	1	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
480–483	Influenza	M	.	.	.	1	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
490–493	Pneumonia	M	.	1	.	3	.	1	.	3	.	3
		F	.	3	.	2	.	1	.	2	.	3
500–502	Bronchitis	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	1	.	.
470–475 510–527	Other diseases of the respiratory system	M	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	.
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	1	1	.	1	.	1	.	1	1	.
		F	.	.	.	.	.	.	.	.	.	.
530–570 572–587	Other diseases of the digestive system	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	2	.	.	.	1	1	.
750–759	Congenital malformations	M	2	.	2	1	4	.	1	.	5	3
		F	5	.	3	2	5	1	5	4	3	1
760, 761	Birth injuries	M	2	.	4	.	2	.	3	.	1	.
		F	2	.	2	.	.	.	3	.	3	.
762	Postnatal asphyxia and atelectasis	M	7	.	4	.	4	.	5	.	1	.
		F	3	.	2	.	2	.	1	.	2	.
763	Pneumonia of newborn	M	2	.	1	.	.	.	1	.	2	.
		F	.	.	.	.	.	.	.	.	1	.
765–768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
	Other and ill-defined diseases of early infancy :—											
769·0– 773·0	Without mention of immaturity	M	1	.	1	.	.	.	.	.	.	.
		F	.	.	3	.	1	.	.	1	2	.
769·5– 773·5	With mention of immaturity	M	4	.	3	.	1	.	.	.	.	1
		F	1	.	1	.	.	.	.	.	.	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	1	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	4	.	4	.	6	.	2	.	7	.
		F	3	.	4	.	4	.	.	.	4	.
780·2	Convulsions	M	.	.	1	.	.	.	.	.	1	.
		F	.	.	.	.	1	.	.	.	.	.
	Other causes	M	.	.	.	.	.	.	.	1	1	1
		F	1	2	.	1	.	.	.	1	2	.

TABLE 28.—*(continued)*—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of death		CORK CO. BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK CO. BOROUGH		LIMERICK COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**30**	**8**	**54**	**24**	**29**	**13**	**6**	**5**	**23**	**15**
		F	**15**	**8**	**28**	**12**	**13**	**10**	**7**	**9**	**18**	**10**
010	Tuberculosis of meninges and central nervous system	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·
056	Whooping cough	M	·	1	·	1	·	·	·	·	·	·
		F	·	·	·	·	·	1	·	·	·	·
030–055 057–138	Other infective and parasitic diseases	M	·	·	·	·	·	·	·	·	·	·
		F	·	1	·	1	·	·	·	·	·	·
340	Meningitis except meningococcal and tuberculous	M	·	·	·	·	·	·	·	·	·	3
		F	·	1	·	·	·	·	·	·	·	·
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	·	·	1	·	·	·	·	·	·
		F	·	1	·	·	·	·	·	·	·	·
480–483	Influenza	M	·	·	·	·	·	·	·	1	·	·
		F	·	·	·	·	1	·	·	·	·	·
490–493	Pneumonia	M	·	·	·	4	·	4	·	1	·	4
		F	·	·	·	3	·	4	·	3	·	2
500–502	Bronchitis	M	·	·	·	2	·	·	·	1	·	2
		F	·	·	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	·	1	·	·	·	1	·	·	·	1
		F	·	·	·	·	·	·	·	·	·	·
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	·	3	·	1	1	1	·	1	3	·
		F	·	2	·	·	·	3	·	·	·	·
530–570 572–587	Other diseases of the digestive system	M	·	·	·	1	·	·	·	·	·	1
		F	·	·	·	2	·	·	·	·	1	·
750–759	Congenital malformations	M	6	·	10	8	2	2	1	1	5	2
		F	1	3	5	4	1	2	2	4	6	7
760, 761	Birth injuries	M	3	·	8	·	3	·	·	·	4	·
		F	1	·	5	·	·	·	1	·	3	·
762	Postnatal asphyxia and atelectasis	M	5	·	15	·	1	·	2	·	1	·
		F	5	·	6	1	1	·	·	·	1	·
763	Pneumonia of newborn	M	2	·	1	·	3	·	·	·	·	·
		F	·	·	2	·	·	·	1	·	·	·
765–768	Other infections of newborn	M	1	·	·	1	·	·	·	·	1	·
		F	1	·	·	·	·	·	·	·	1	·
	Other and ill-defined diseases of early infancy :—											
769·0–773·0	Without mention of immaturity	M	7	·	5	·	5	1	·	·	2	·
		F	1	·	2	·	2	·	2	·	2	·
769·5–773·5	With mention of immaturity	M	3	·	7	·	8	1	1	·	1	·
		F	2	·	·	·	3	·	·	·	·	·
774	Immaturity with mention of any other subsidiary condition	M	·	·	·	·	1	·	·	·	·	·
		F	·	·	1	·	·	·	·	·	·	·
776	Immaturity unqualified	M	3	·	7	·	3	1	1	·	6	·
		F	4	·	4	·	5	·	1	·	4	·
780·2	Convulsions	M	·	·	·	·	2	·	1	·	·	·
		F	·	·	1	·	·	·	·	·	·	1
	Other causes	M	·	2	1	5	·	2	·	·	·	2
		F	·	·	2	1	·	·	·	2	·	·

TABLE 28.—*(continued)*—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

Detailed International List Nos.	Cause of Death		TIPPERARY CO., N.R.		TIPPERARY CO., S.R.		WATERFORD CO. BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**16**	**10**	**11**	**10**	**4**	**3**	**6**	**4**	**38**	**19**	**11**	**2**
		F	**7**	**6**	**13**	**4**	**8**		**3**		**24**	**11**	**8**	**1**
010	Tuberculosis of meninges and central nervous system	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
001–008 011–019	Tuberculosis, other forms	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
020–029	Syphilis and its sequelae	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
056	Whooping cough	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
030–055 057–138	Other infective and parasitic diseases	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
340	Meningitis except meningococcal and tuberculous	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	1	.	.
330–334 341–398	Other diseases of the nervous system and sense organs	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
480–483	Influenza	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
490–493	Pneumonia	M	.	2	.	4	.	2	.	1	.	7	.	1
		F	.	3	.	2	.	.	.	.	.	4	.	1
500–502	Bronchitis	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
470–475 510–527	Other diseases of the respiratory system	M	.	.	.	.	.	.	1	.	.	.	.	1
		F	.	.	.	.	.	.	.	.	1	.	.	.
571, 764	Gastro-enteritis, colitis and diarrhoea of newborn	M	1	1	.	2	.	.	.	.	1	3	.	.
		F	.	1	.	1	.	.	.	.	1	.	.	.
530–570 572–587	Other diseases of the digestive system	M	1	.	.	.	.	.	.	.	.	1	.	.
		F	.	.	.	.	.	.	.	.	.	1	.	.
750–759	Congenital malformations	M	2	4	2	1	2	1	1	3	5	3	4	.
		F	.	.	3	.	2	.	1	.	4	2	3	.
760, 761	Birth injuries	M	1	.	1	.	.	.	1	.	7	.	.	.
		F	1	.	2	.	2	.	1	.	3	.	.	.
762	Postnatal asphyxia and atelectasis	M	1	.	1	.	.	.	.	.	3	.	.	.
		F	.	.	2	.	1	.	.	.	4	.	.	.
763	Pneumonia of newborn	M	3	.	.	.	.	.	.	.	4	.	1	.
		F	1	.	1	.	.	.	.	.	3	.	.	.
765–768	Other infections of newborn	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	1	.	.	.
	Other and ill-defined diseases of early infancy:—													
769·0–773·0	Without mention of immaturity	M	2	1	.	1	.	.	.	.	4	.	3	.
		F	.	1	1	.	.	.	.	.	1	.	4	.
769·5 773·5	With mention of immaturity	M	.	.	5	.	.	.	.	.	4	.	.	.
		F	.	.	3	.	.	.	.	.	1	.	1	.
774	Immaturity with mention of any other subsidiary condition	M	.	.	.	.	.	.	.	.	.	.	.	.
		F	.	.	.	.	.	.	.	.	.	.	.	.
776	Immaturity unqualified	M	5	.	2	.	2	.	3	.	8	1	3	.
		F	5	.	1	.	2	.	1	.	5	.	.	.
780·2	Convulsions	M	.	.	.	.	.	.	.	.	1	.	.	.
		F	.	1	.	.	.	.	.	.	.	1	.	.
	Other causes	M	.	2	.	2	.	.	.	.	1	4	.	.
		F	.	.	.	1	1	.	.	.	.	2	.	.

TABLE 28.—*(continued)*—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER ONE YEAR IN 1960, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH

International List Nos.	Cause of death		MAYO COUNTY		ROS-COMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
	All causes	**M**	**18**	**14**	**9**	**7**	**11**	**4**	**14**	**8**	**20**	**14**	**11**	**6**
		F	**14**	**10**	**10**	**3**	**11**	**4**	**9**	**2**	**19**	**6**	**8**	**3**
010	Tuberculosis of meninges and central nervous system	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
001–008 011–019	Tuberculosis, other forms	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
020–029	Syphilis and its sequelae	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
056	Whooping cough	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	1	·	·	·	·	·	·	·	1	·	·
030–055 057–138	Other infective and parasitic diseases	M	·	1	·	·	·	·	·	1	1	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	1
340	Meningitis except meningococcal and tuberculous	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	1	·	·	·	·
330–334 341–398	Other diseases of the nervous system and sense organs	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
480–483	Influenza	M	·	·	·	·	·	·	·	1	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
490–493	Pneumonia	M	·	6	·	2	·	·	·	2	·	7	·	1
		F	·	4	·	·	·	1	·	·	·	3	·	·
500–502	Bronchitis	M	·	·	·	·	·	·	·	·	·	1	·	·
		F	·	1	·	·	·	·	·	·	·	·	·	·
470–475 510–527	Other diseases of the respiratory system	M	·	·	·	1	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	1
571, 764	Gastro-enteritis colitis and diarrhoea of newborn	M	1	1	1	·	·	·	·	·	·	2	·	1
		F	·	·	·	1	·	·	·	·	·	·	·	1
530–570 572–587	Other diseases of the digestive system	M	·	2	·	·	·	·	·	1	·	1	·	·
		F	·	·	·	·	·	2	·	·	·	·	·	·
750–759	Congenital malformations	M	2	1	1	4	·	4	2	2	4	1	1	3
		F	4	2	4	1	2	·	1	·	5	·	1	·
760, 761	Birth injuries	M	2	·	1	·	·	·	2	·	2	·	1	·
		F	2	·	1	·	2	·	1	·	4	·	1	·
762	Post-natal asphyxia and atelectasis	M	·	1	1	·	2	·	2	·	1	·	3	·
		F	·	·	2	·	4	1	1	·	1	·	·	·
763	Pneumonia of newborn	M	2	·	1	·	2	·	·	·	·	·	·	·
		F	1	·	·	·	1	·	1	·	·	·	·	·
765–768	Other infections of newborn	M	·	·	1	·	·	·	·	·	·	·	·	·
		F	·	1	1	·	·	·	·	·	·	·	·	·
	Other and ill-defined diseases of early infancy:—													
769·0–773·0	Without mention of immaturity	M	4	·	1	·	3	·	3	·	1	1	1	·
		F	1	·	2	·	·	·	1	·	1	·	·	·
769·5–773·5	With mention of immaturity	M	3	·	·	·	1	·	1	·	1	·	1	·
		F	2	·	·	·	·	·	1	·	2	·	·	·
774	Immaturity with mention of any other subsidiary condition	M	·	·	·	·	·	·	·	·	·	·	·	·
		F	·	·	·	·	·	·	·	·	·	·	·	·
776	Immaturity unqualified	M	4	·	·	·	2	·	4	·	10	·	4	·
		F	2	·	·	·	2	·	3	1	5	2	6	·
780·2	Convulsions	M	·	1	·	·	·	·	·	1	·	1	·	·
		F	1	·	·	·	·	·	·	·	·	·	·	·
	Other causes	M	·	1	2	·	1	·	·	·	·	·	·	1
		F	1	1	·	1	·	·	·	·	1	·	·	·

TABLE 29.—DEATHS REGISTERED IN 1960 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	**5,107**	**4,351**	**4,190**	**3,768**	**3,768**	**3,153**	**4,419**	**3,904**	**17,484**	**15,176**
Carlow	60	39	62	37	46	37	49	49	217	162
Dublin Co. Borough	809	718	639	657	551	538	736	745	2,735	2,658
Dun Laoghaire Boro'	83	80	64	55	64	61	76	79	287	275
Dublin Co. (remainder)	130	129	100	123	102	105	117	108	449	465
Kildare	95	81	90	76	82	71	83	71	350	299
Kilkenny	117	73	113	66	74	69	95	81	399	289
Laois	75	75	81	61	53	41	76	58	285	235
Longford	71	62	61	53	58	33	56	44	246	192
Louth	107	113	103	74	72	70	97	97	379	354
Meath	125	110	86	77	83	69	121	97	415	353
Offaly	118	74	82	58	68	47	70	72	338	251
Westmeath ...	112	88	76	60	83	66	96	63	367	277
Wexford	134	133	120	112	107	106	150	120	511	471
Wicklow	105	100	85	84	88	66	102	90	380	340
Leinster	**2,141**	**1,875**	**1,762**	**1,593**	**1,531**	**1,379**	**1,924**	**1,774**	**7,358**	**6,621**
Clare	177	141	128	103	138	107	152	110	595	461
Cork Co. Borough ...	140	146	117	122	107	101	112	147	476	516
Cork County ...	495	428	390	379	349	308	417	378	1,651	1,493
Kerry	248	179	205	181	176	144	231	172	860	676
Limerick Co. Borough	70	83	53	57	47	51	64	60	234	251
Limerick County ...	181	146	131	103	108	93	139	113	559	455
Tipperary, N.R. ...	110	89	84	71	90	58	98	65	382	283
Tipperary, S.R. ...	143	110	113	101	111	82	112	96	479	389
Waterford Co. Borough	53	48	33	53	33	42	35	40	154	183
Waterford County ...	83	63	68	61	72	45	82	74	305	243
Munster	**1,700**	**1,433**	**1,322**	**1,231**	**1,231**	**1,031**	**1,442**	**1,255**	**5,695**	**4,950**
Galway	260	207	293	207	225	179	231	182	1,009	775
Leitrim	69	57	62	65	55	37	60	49	246	208
Mayo	239	215	212	193	184	152	202	158	837	718
Roscommon ...	169	114	116	91	96	62	110	93	491	360
Sligo	93	74	88	85	73	61	104	90	358	310
Connacht	**830**	**667**	**771**	**641**	**633**	**491**	**707**	**572**	**2,941**	**2,371**
Cavan	124	103	98	96	108	50	118	66	448	315
Donegal	225	188	158	147	176	140	155	177	714	652
Monaghan ...	87	85	79	60	89	62	73	60	328	267
Ulster (part of) ...	**436**	**376**	**335**	**303**	**373**	**252**	**346**	**303**	**1,490**	**1,234**

TABLE 30.—BIRTHS REGISTERED IN 1960 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	**7,518**	**7,117**	**8,432**	**7,963**	**8,130**	**7,631**	**7,061**	**6,883**	**31,141**	**29,594**
Carlow	88	94	133	121	121	108	109	100	451	423
Dublin Co. Borough	1,618	1,480	1,784	1,765	1,700	1,580	1,477	1,444	6,579	6,269
Dun Laoghaire Boro'	137	123	139	144	138	116	119	129	533	512
Dublin Co. (remainder)	444	425	470	428	493	459	346	390	1,753	1,702
Kildare	187	159	203	200	227	192	212	180	829	731
Kilkenny	171	151	144	146	165	188	146	155	626	640
Laois	128	102	127	131	153	139	105	109	513	481
Longford	89	81	76	65	117	83	72	73	354	302
Louth	193	215	213	213	187	211	200	188	793	827
Meath	173	187	207	188	181	193	170	157	731	725
Offaly	147	136	177	171	196	151	142	144	662	602
Westmeath ...	153	144	156	156	171	153	155	126	635	579
Wexford	199	180	237	255	216	259	179	205	831	899
Wicklow	161	155	170	168	204	169	147	142	682	634
Leinster	**3,888**	**3,632**	**4,236**	**4,151**	**4,269**	**4,001**	**3,579**	**3,542**	**15,972**	**15,326**
Clare	179	151	175	183	216	206	162	136	732	676
Cork Co. Borough ...	221	231	290	238	256	219	225	233	992	921
Cork County ...	595	571	728	689	661	571	558	604	2,542	2,435
Kerry	252	265	330	277	270	271	266	252	1,118	1,065
Limerick Co. Borough	145	139	167	150	155	171	169	150	636	610
Limerick County ...	209	178	254	199	216	184	161	158	840	719
Tipperary, N.R. ...	145	153	201	146	157	147	132	126	635	572
Tipperary, S.R. ...	197	190	246	180	193	193	204	202	840	765
Waterford Co. Borough	71	85	89	108	88	99	77	66	325	358
Waterford County ...	100	92	118	103	125	100	90	84	433	379
Munster	**2,114**	**2,055**	**2,593**	**2,273**	**2,337**	**2,161**	**2,044**	**2,011**	**9,093**	**8,500**
Galway	392	353	434	403	378	365	378	320	1,582	1,441
Leitrim	97	76	89	74	79	59	70	71	335	280
Mayo	280	272	271	286	270	273	294	233	1,115	1,064
Roscommon ...	112	115	125	121	125	135	117	114	479	485
Sligo	141	149	153	125	128	115	107	127	529	516
Connacht	**1,022**	**965**	**1,072**	**1,009**	**980**	**947**	**966**	**865**	**4,040**	**3,786**
Cavan	153	134	143	155	136	149	112	101	544	539
Donegal	211	227	252	249	288	252	251	239	1,002	967
Monaghan ...	130	104	131	126	120	121	109	125	490	476
Ulster (part of) ...	**494**	**465**	**526**	**530**	**544**	**522**	**472**	**465**	**2,036**	**1,982**

TABLE 31.—BIRTHS REGISTERED IN 1960 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE.

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	**46,610**	**14,125**	—	—	—	—	**46,610**	**14,125**
Carlow	484	328	88	3	152	1	548	326
Dublin Co. Borough	15,642	2,935	5,753	45	62	7	9,951	2,897
Dun Laoghaire Boro'	550	172	242	8	570	3	878	167
Dublin Co. (remainder)	99	691	89	14	2,711	57	2,721	734
Kildare	291	495	6	2	779	3	1,064	496
Kilkenny	745	299	41	1	264	·	968	298
Laois	455	317	2	·	223	1	676	318
Longford	496	83	112	·	189	·	573	83
Louth	2,006	274	724	1	64	1	1,346	274
Meath	278	266	2	·	911	3	1,187	269
Offaly	635	442	30	·	216	1	821	443
Westmeath ...	869	330	231	2	247	1	885	329
Wexford	985	554	53	5	248	1	1,180	550
Wicklow	250	486	21	5	603	3	832	484
Clare	892	332	9	2	189	6	1,072	336
Cork Co. Borough ...	1,661	395	915	10	775	7	1,521	392
Cork County ...	4,399	629	1,016	5	963	7	4,346	631
Kerry	1,721	362	31	2	131	2	1,821	362
Limerick Co. Borough	1,467	364	622	3	40	·	885	361
Limerick County ...	715	319	64	·	588	1	1,239	320
Tipperary, N.R. ...	1,079	221	238	·	141	4	982	225
Tipperary, S.R. ...	1,408	278	187	1	106	1	1,327	278
Waterford Co. Borough	877	257	517	5	70	1	430	253
Waterford County ...	354	241	141	3	356	5	569	243
Galway	2,883	566	473	1	44	4	2,454	569
Leitrim	382	93	17	2	158	1	523	92
Mayo	1,176	720	12	4	296	3	1,460	719
Roscommon ...	541	179	28	1	272	1	785	179
Sligo	903	216	107	2	35	·	831	214
Cavan	487	280	60	·	376	·	803	280
Donegal	1,038	907	9	·	31	2	1,060	909
Monaghan ...	842	94	63	·	93	·	872	94

* Including registered private maternity homes.

TABLE 32.—BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND SEX AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS.

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Male	Female	Total	Male	Female
All ages	**60,735**	**31,141**	**29,594**	**968**	**512**	**456**
15 and under	40	21	19	32	15	17
16	66	36	30	44	24	20
17	164	80	84	62	30	32
18	265	126	139	75	37	38
19	455	236	219	75	39	36
Under 20	**990**	**499**	**491**	**288**	**145**	**143**
20	845	438	407	84	50	34
21	1,158	602	556	68	31	37
22	1,615	862	753	56	25	31
23	2,109	1,047	1,062	51	29	22
24	2,456	1,232	1,224	42	21	21
20—24	**8,183**	**4,181**	**4,002**	**301**	**156**	**145**
25	2,713	1,420	1,293	55	37	18
26	2,974	1,509	1,465	43	24	19
27	3,383	1,749	1,634	24	15	9
28	3,317	1,703	1,614	24	13	11
29	3,295	1,737	1,558	29	12	17
25—29	**15,682**	**8,118**	**7,564**	**175**	**101**	**74**
30	3,539	1,766	1,773	24	14	10
31	3,379	1,766	1,613	17	10	7
32	3,295	1,652	1,643	16	6	10
33	3,444	1,764	1,680	14	10	4
34	3,175	1,586	1,589	16	7	9
30—34	**16,832**	**8,534**	**8,298**	**87**	**47**	**40**
35	3,240	1,674	1,566	21	5	16
36	2,920	1,569	1,351	15	13	2
37	2,604	1,322	1,282	12	6	6
38	2,574	1,351	1,223	7	5	2
39	2,077	1,082	995	5	5	.
35—39	**13,415**	**6,998**	**6,417**	**60**	**34**	**26**
40	1,746	864	882	5	3	2
41	1,210	609	601	1	.	1
42	853	413	440	2	1	1
43	582	277	305	1	1	.
44	408	209	199	2	1	1
40—44	**4,799**	**2,372**	**2,427**	**11**	**6**	**5**
45	197	111	86	.	.	.
46	101	51	50	.	.	.
47	38	22	16	.	.	.
48	15	11	4	.	.	.
49	3	1	2	.	.	.
45—49	**354**	**196**	**158**	.	.	.
50	4	2	2	.	.	.
51	.	.	.	.	.	.
52	.	.	.	.	.	.
53	.	.	.	.	.	.
54	.	.	.	.	.	.
50—54	**4**	**2**	**2**	.	.	.
Age not stated	476	241	235	46	23	23

TABLE 33.—BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at Maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	CARLOW						DUBLIN COUNTY BOROUGH					
Under 20 years	32	18	14	10	5	5	215	108	107	54	28	26
20–24 years	142	69	73	13	6	7	2,198	1,128	1,070	75	34	41
25–29 years	223	117	106	4	3	1	3,755	1,942	1,813	49	33	16
30–34 years	218	108	110	·	·	·	3,430	1,738	1,692	21	9	12
35–39 years	196	107	89	1	·	1	2,426	1,263	1,163	15	7	8
40–44 years	55	28	27	·	·	·	766	367	399	2	1	1
45 years and over ...	3	1	2	·	·	·	43	25	18	·	·	·
Age not stated	5	3	2	1	1	·	15	8	7	7	3	4
All ages	**874**	**451**	**423**	**29**	**15**	**14**	**12,848**	**6,579**	**6,269**	**223**	**115**	**108**
	DUN LAOGHAIRE BOROUGH						DUBLIN COUNTY (remainder)					
Under 20 years	12	4	8	·	·	·	35	15	20	7	2	5
20–24 years	160	77	83	1	1	·	485	243	242	12	8	4
25–29 years	319	176	143	2	1	1	1,014	508	506	7	4	3
30–34 years	308	151	157	·	·	·	1,021	535	486	5	2	3
35–39 years	196	99	97	·	·	·	671	340	331	4	2	2
40–44 years	44	22	22	1	·	1	218	107	111	1	1	·
45 years and over ...	5	3	2	·	·	·	9	3	6	·	·	·
Age not stated	1	1	·	1	1	·	2	2	·	1	1	·
All ages	**1,045**	**533**	**512**	**5**	**3**	**2**	**3,455**	**1,753**	**1,702**	**37**	**20**	**17**
	KILDARE						KILKENNY					
Under 20 years	44	22	22	11	6	5	30	14	16	13	3	10
20–24 years	300	160	140	13	4	9	170	84	86	9	3	6
25–29 years	389	206	183	3	2	1	297	164	133	3	1	2
30–34 years	396	197	199	1	·	1	344	156	188	1	1	·
35–39 years	310	178	132	2	1	1	302	158	144	1	·	1
40–44 years	96	51	45	·	·	·	90	35	55	·	·	·
45 years and over ...	4	3	1	·	·	·	16	7	9	·	·	·
Age not stated	21	12	9	3	2	1	17	8	9	1	1	·
All ages	**1,560**	**829**	**731**	**33**	**15**	**18**	**1,266**	**626**	**640**	**28**	**9**	**19**
	LAOIS						LONGFORD					
Under 20 years	16	10	6	9	6	3	10	5	5	5	4	1
20–24 years	138	75	63	6	3	3	71	32	39	3	1	2
25–29 years	226	120	106	·	·	·	135	63	72	1	1	·
30–34 years	276	131	145	·	·	·	182	109	73	1	·	1
35–39 years	224	117	107	·	·	·	165	89	76	·	·	·
40–44 years	94	47	47	·	·	·	81	52	29	·	·	·
45 years and over ...	2	2	·	·	·	·	3	·	3	·	·	·
Age not stated	18	11	7	·	·	·	9	4	5	·	·	·
All ages	**994**	**513**	**481**	**15**	**9**	**6**	**656**	**354**	**302**	**10**	**6**	**4**

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	LOUTH						MEATH					
Under 20 years	23	12	11	5	4	1	25	12	13	8	3	5
20–24 years	237	118	119	7	1	6	191	103	88	11	4	7
25–29 years	428	205	223	4	1	3	394	210	184	7	3	4
30–34 years	433	219	214	2	1	1	388	179	209	2	·	2
35–39 years	358	166	192	2	2	·	324	156	168	1	1	·
40–44 years	134	69	65	·	·	·	122	63	59	·	·	·
45 years and over ...	7	4	3	·	·	·	6	4	2	·	·	·
Age not stated	·	·	·	·	·	·	6	4	2	1	1	·
All ages	**1,620**	**793**	**827**	**20**	**9**	**11**	**1,456**	**731**	**725**	**30**	**12**	**18**
	OFFALY						WESTMEATH					
Under 20 years	30	21	9	8	5	3	25	14	11	4	1	3
20–24 years	187	100	87	7	4	3	149	79	70	2	·	2
25–29 years	303	162	141	3	3	·	297	157	140	3	2	1
30–34 years	355	190	165	3	2	1	351	176	175	·	·	·
35–39 years	282	140	142	1	1	·	273	160	113	3	3	·
40–44 years	90	44	46	·	·	·	99	42	57	·	·	·
45 years and over ...	6	2	4	·	·	·	7	4	3	·	·	·
Age not stated	11	3	8	1	·	1	13	3	10	·	·	·
All ages	**1,264**	**662**	**602**	**23**	**15**	**8**	**1,214**	**635**	**579**	**12**	**6**	**6**
	WEXFORD						WICKLOW					
Under 20 years	44	20	24	10	6	4	32	13	19	16	4	12
20–24 years	276	136	140	10	2	8	227	111	116	11	5	6
25–29 years	435	212	223	5	1	4	338	197	141	7	2	5
30–34 years	468	225	243	5	1	4	363	180	183	3	2	1
35–39 years	348	168	180	4	1	3	248	115	133	2	1	1
40–44 years	117	44	73	·	·	·	90	55	35	·	·	·
45 years and over ...	9	5	4	·	·	·	9	4	5	·	·	·
Age not stated	33	21	12	16	9	7	9	7	2	·	·	·
All ages	**1,730**	**831**	**899**	**50**	**20**	**30**	**1,316**	**682**	**634**	**39**	**14**	**25**
	CORK COUNTY BOROUGH						CORK COUNTY					
Under 20 years	24	11	13	3	1	2	62	33	29	21	10	11
20–24 years	293	158	135	3	3	·	518	254	264	23	14	9
25–29 years	594	303	291	·	·	·	1,255	641	614	17	8	9
30–34 years	482	250	232	2	2	·	1,430	729	701	6	4	2
35–39 years	394	216	178	2	1	1	1,184	598	586	3	2	1
40–44 years	118	50	68	·	·	·	429	235	194	1	1	·
45 years and over ...	8	4	4	·	·	·	36	25	11	·	·	·
Age not stated	·	·	·	·	·	·	63	27	36	4	2	2
All ages	**1,913**	**992**	**921**	**10**	**7**	**3**	**4,977**	**2,542**	**2,435**	**75**	**41**	**34**

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	CLARE						KERRY					
Under 20 years	19	8	11	6	2	4	30	18	12	12	7	5
20–24 years	105	57	48	·	·	·	216	101	115	13	8	5
25–29 years	345	179	166	5	4	1	500	249	251	2	·	2
30–34 years	422	225	197	·	·	·	619	327	292	2	2	·
35–39 years	354	182	172	1	1	·	544	276	268	3	2	1
40–44 years	142	70	72	·	·	·	212	107	105	·	·	·
45 years and over ...	9	5	4	·	·	·	21	14	7	·	·	·
Age not stated	12	6	6	1	·	1	41	26	15	2	·	2
All ages	**1,408**	**732**	**676**	**13**	**7**	**6**	**2,183**	**1,118**	**1,065**	**34**	**19**	**15**
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years	22	9	13	1	·	1	21	11	10	10	7	3
20–24 years	203	111	92	3	1	2	186	112	74	19	15	4
25–29 years	370	183	187	1	1	·	339	187	152	6	4	2
30–34 years	339	172	167	·	·	·	422	211	211	4	3	1
35–39 years	234	127	107	·	·	·	407	217	190	3	2	1
40–44 years	70	31	39	·	·	·	150	86	64	·	·	·
45 years and over ...	8	3	5	·	·	·	11	5	6	·	·	·
Age not stated	·	·	·	·	·	·	23	11	12	·	·	·
All ages	**1,246**	**636**	**610**	**5**	**2**	**3**	**1,559**	**840**	**719**	**42**	**31**	**11**
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years	22	16	6	10	8	2	25	8	17	4	1	3
20–24 years	134	67	67	6	6	·	181	91	90	10	8	2
25–29 years	306	154	152	3	2	1	395	220	175	2	1	1
30–34 years	311	165	146	3	3	·	498	250	248	4	2	2
35–39 years	311	176	135	2	1	1	355	200	155	3	2	1
40–44 years	100	47	53	1	·	1	142	66	76	3	2	1
45 years and over ...	10	6	4	·	·	·	6	3	3	·	·	·
Age not stated	13	4	9	3	·	3	3	2	1	·	·	·
All ages	**1,207**	**635**	**572**	**28**	**20**	**8**	**1,605**	**840**	**765**	**26**	**16**	**10**
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years	14	7	7	·	·	·	23	12	11	4	1	3
20–24 years	138	65	73	2	2	·	100	53	47	1	1	·
25–29 years	198	102	96	3	2	1	175	94	81	5	3	2
30–34 years	164	76	88	1	·	1	216	112	104	2	2	·
35–39 years	117	54	63	·	·	·	201	112	89	·	·	·
40–44 years	47	20	27	·	·	·	71	40	31	·	·	·
45 years and over ...	5	1	4	·	·	·	6	3	3	·	·	·
Age not stated	·	·	·	·	·	·	20	7	13	2	·	2
All ages	**683**	**325**	**358**	**6**	**4**	**2**	**812**	**433**	**379**	**14**	**7**	**7**

TABLE 33.—(continued)—BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of mother at maternity	Total births inc. illegitimate			Illegitimate births			Total births inc. illegitimate			Illegitimate births		
	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.	Total	Males	Fem.
	GALWAY						LEITRIM					
Under 20 years	37	22	15	11	7	4	7	1	6	3	1	2
20–24 years	302	162	140	8	4	4	46	18	28	2	1	1
25–29 years	694	369	325	6	4	2	123	66	57	2	1	1
30–34 years	843	427	416	5	4	1	182	109	73	·	·	·
35–39 years	781	427	354	1	1	·	186	98	88	·	·	·
40–44 years	287	131	156	1	·	1	61	38	23	·	·	·
45 years and over ...	37	23	14	·	·	·	4	2	2	·	·	·
Age not stated	42	21	21	1	1	·	6	3	3	·	·	·
All ages	**3,023**	**1,582**	**1,441**	**33**	**21**	**12**	**615**	**335**	**280**	**7**	**3**	**4**
	MAYO						ROSCOMMON					
Under 20 years	23	12	11	11	7	4	6	4	2	1	1	·
20–24 years	177	88	89	5	3	2	78	34	44	5	1	4
25–29 years	504	243	261	4	2	2	223	120	103	4	3	1
30–34 years	608	304	304	1	1	·	292	147	145	2	·	2
35–39 years	551	301	250	1	·	1	235	121	114	·	·	·
40–44 years	247	132	115	·	·	·	121	50	71	1	1	·
45 years and over ...	27	15	12	·	·	·	5	2	3	·	·	·
Age not stated	42	20	22	1	1	·	4	1	3	·	·	·
All ages	**2,179**	**1,115**	**1,064**	**23**	**14**	**9**	**964**	**479**	**485**	**13**	**6**	**7**
	SLIGO						CAVAN					
Under 20 years	10	4	6	2	2	·	17	5	12	7	1	6
20–24 years	106	48	58	4	4	·	104	57	47	4	3	1
25–29 years	217	112	105	5	3	2	219	111	108	3	2	1
30–34 years	318	155	163	1	·	1	320	155	165	3	1	2
35–39 years	269	146	123	1	1	·	288	157	131	·	·	·
40–44 years	109	56	53	·	·	·	119	46	73	·	·	·
45 years and over ...	8	4	4	·	·	·	7	7	·	·	·	·
Age not stated	8	4	4	·	·	·	9	6	3	·	·	·
All ages	**1,045**	**529**	**516**	**13**	**10**	**3**	**1,083**	**544**	**539**	**17**	**7**	**10**
	DONEGAL						MONAGHAN					
Under 20 years	42	24	18	16	8	8	13	6	7	6	4	2
20–24 years	250	125	125	8	2	6	115	65	50	5	4	1
25–29 years	444	235	209	8	4	4	228	111	117	1	·	1
30–34 years	546	283	263	5	4	1	287	143	144	2	1	1
35–39 years	454	223	231	4	2	2	227	111	116	·	·	·
40–44 years	193	91	102	·	·	·	85	50	35	·	·	·
45 years and over ...	15	7	8	·	·	·	6	2	4	·	·	·
Age not stated	25	14	11	·	·	·	5	2	3	·	·	·
All ages	**1,969**	**1,002**	**967**	**41**	**20**	**21**	**966**	**490**	**476**	**14**	**9**	**5**

TABLE 34—TOTAL BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE

Age of mother at maternity	Number of previous									
	Total	0	1	2	3	4	5	6	7	8	9
All ages	**60,735**	**12,727**	**11,003**	**9,729**	**7,828**	**5,793**	**4,151**	**2,971**	**2,101**	**1,473**	**981**
15 & under	40	39	1	.	.	.	.	.	.	.	.
16	66	60	6	.	.	.	.	.	.	.	.
17	164	148	14	2	.	.	.	.	.	.	.
18	265	219	37	8	1	.	.	.	.	.	.
19	455	332	100	17	5	.	.	.	.	.	.
Under 20	**990**	**798**	**158**	**27**	**6**	.	.	.	.	.	.
20	845	558	197	65	17	5	1	.	.	.	.
21	1,158	683	315	117	32	8	1	1	.	.	.
22	1,615	855	448	179	87	34	5	2	1	.	.
23	2,109	992	603	308	121	52	24	4	.	.	.
24	2,456	977	739	404	198	86	29	16	3	1	.
20–24	**8,183**	**4,065**	**2,302**	**1,073**	**455**	**185**	**60**	**23**	**4**	**1**	.
25	2,713	995	781	461	260	113	62	23	9	.	2
26	2,974	970	829	536	323	182	87	31	10	4	.
27	3,383	905	906	722	396	231	107	53	38	15	4
28	3,317	732	822	763	456	232	145	88	43	15	12
29	3,295	630	774	711	501	284	179	104	59	26	11
25–29	**15,682**	**4,232**	**4,112**	**3,193**	**1,936**	**1,042**	**580**	**299**	**159**	**60**	**29**
30	3,539	634	703	726	572	357	244	123	91	39	25
31	3,379	488	631	670	569	364	259	153	110	69	35
32	3,295	414	587	658	540	391	258	158	119	76	52
33	3,444	404	529	603	586	443	309	226	121	103	63
34	3,175	341	414	574	531	406	295	218	158	88	61
30–34	**16,832**	**2,281**	**2,864**	**3,231**	**2,798**	**1,961**	**1,365**	**878**	**599**	**375**	**236**
35	3,240	331	388	493	519	425	362	263	157	120	79
36	2,920	212	294	398	459	426	323	250	190	132	83
37	2,604	202	230	347	380	376	289	222	165	147	91
38	2,574	197	203	305	361	391	266	253	184	130	108
39	2,077	131	147	198	298	282	255	215	158	136	79
35–39	**13,415**	**1,073**	**1,262**	**1,741**	**2,017**	**1,900**	**1,495**	**1,203**	**854**	**665**	**440**
40	1,746	90	110	172	227	247	203	174	162	111	85
41	1,210	52	72	105	143	152	155	153	102	80	55
42	853	28	43	77	103	108	128	82	72	64	44
43	582	24	27	40	54	79	73	58	56	47	31
44	408	7	18	23	35	50	45	53	41	37	23
40–44	**4,799**	**201**	**270**	**417**	**562**	**636**	**604**	**520**	**433**	**339**	**238**
45	197	10	9	8	16	23	25	19	18	12	16
46	101	3	2	5	8	9	8	11	16	8	8
47	38	.	2	.	5	5	2	3	4	4	5
48	15	.	1	1	.	3	1	1	3	1	3
49 and over	7	.	.	.	.	.	2	.	1	.	1
45 and over	**358**	**13**	**14**	**14**	**29**	**40**	**38**	**34**	**42**	**25**	**33**
Age not stated	476	64	21	33	25	29	9	14	10	8	5

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

liveborn children														Age of mother at maternity
10	11	12	13	14	15	16	17	18	19	20	21	22 and over	Not stated	
640	**391**	**270**	**131**	**81**	**39**	**18**	**16**	**6**	**8**	·	**2**	·	**376**	**All ages**
·	·	·	·	·	·	·	·	·	·	·	·	·	·	15 and under
·	·	·	·	·	·	·	·	·	·	·	·	·	·	16
·	·	·	·	·	·	·	·	·	·	·	·	·	·	17
·	·	·	·	·	·	·	·	·	·	·	·	·	·	18
·	·	·	·	·	·	·	·	·	·	·	·	·	1	19
·	·	·	·	·	·	·	·	·	·	·	·	·	1	**Under 20**
·	·	·	·	·	·	·	·	·	·	·	·	·	2	20
·	·	·	·	·	·	·	·	·	·	·	·	·	1	21
·	·	·	·	·	·	·	·	·	·	·	·	·	4	22
1	·	·	·	·	·	·	·	·	·	·	·	·	4	23
·	·	·	·	·	·	·	·	·	·	·	·	·	3	24
1	·	·	·	·	·	·	·	·	·	·	·	·	**14**	**20–24**
1	·	·	·	·	·	·	·	·	·	·	·	·	6	25
·	·	·	·	·	·	·	·	·	·	·	·	·	2	26
·	·	·	·	·	·	·	·	·	·	·	·	·	6	27
3	1	1	·	·	·	·	·	·	·	·	·	·	4	28
7	3	·	2	·	·	·	·	·	·	·	·	·	4	29
11	**4**	**1**	**2**	·	·	·	·	·	·	·	·	·	**22**	**25–29**
8	4	2	·	·	·	·	·	·	·	·	·	·	11	30
15	5	2	·	·	·	·	·	·	·	·	·	·	9	31
17	14	4	·	·	·	·	·	·	·	·	·	·	7	32
33	11	3	4	·	1	1	·	·	·	·	·	·	4	33
36	19	17	4	2	1	·	·	·	·	·	·	·	10	34
109	**53**	**28**	**8**	**2**	**2**	**1**	·	·	·	·	·	·	**41**	**30–34**
44	23	21	6	3	1	·	·	·	·	·	·	·	5	35
62	43	20	15	3	·	·	1	·	·	·	·	·	9	36
60	36	28	10	7	2	3	3	·	·	·	·	·	6	37
75	42	31	11	8	2	·	2	·	·	·	·	·	5	38
73	37	28	13	11	9	3	·	·	1	·	·	·	3	39
314	**181**	**128**	**55**	**32**	**14**	**6**	**6**	·	**1**	·	·	·	**28**	**35–39**
53	40	25	22	10	3	3	2	1	·	·	·	·	6	40
54	28	22	9	9	8	1	2	·	3	·	·	·	5	41
26	31	16	8	8	6	1	2	1	2	·	·	·	3	42
28	23	21	6	6	4	1	1	1	·	·	1	·	1	43
24	18	13	7	7	·	3	1	3	·	·	·	·	·	44
185	**140**	**97**	**52**	**40**	**21**	**9**	**8**	**6**	**5**	·	**1**	·	**15**	**40–44**
10	8	10	6	3	·	1	1	·	1	·	·	·	1	45
6	4	5	4	1	1	1	1	·	·	·	·	·	·	46
1	1	·	3	1	1	·	·	·	1	·	·	·	·	47
1	·	·	·	·	·	·	·	·	·	·	·	·	·	48
·	·	1	·	1	·	·	·	·	·	·	1	·	·	49 and over
18	**13**	**16**	**13**	**6**	**2**	**2**	**2**	·	**2**	·	**1**	·	**1**	**45 and over**
2	·	·	1	1	·	·	·	·	·	·	·	·	254	Age not stated

TABLE 35.—LEGITIMATE BIRTHS REGISTERED IN 1960, CLASSIFIED

Age of mother at maternity	Legitimate births : the year of											
	Total	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
All ages	**59,767**	**1,044**	**7,806**	**5,755**	**5,472**	**4,965**	**4,440**	**4,155**	**3,408**	**3,251**	**2,680**	**2,821**
15	8	3	5	·	·	·	·	·	·	·	·	·
16	22	11	8	3	·	·	·	·	·	·	·	·
17	102	36	49	11	3	1	·	·	·	·	·	·
18	190	55	103	25	4	2	1	·	·	·	·	·
19	380	67	185	82	38	4	2	1	·	·	·	·
Under 20	**702**	**172**	**350**	**121**	**45**	**7**	**3**	**1**	·	·	·	·
20	761	88	381	158	80	32	11	10	1	·	·	·
21	1,090	93	489	266	135	64	24	10	6	1	·	·
22	1,559	88	626	372	209	140	66	36	12	5	·	·
23	2,058	74	718	457	336	209	118	77	41	11	10	2
24	2,414	83	695	467	435	283	191	136	65	32	13	10
20–24	**7,882**	**426**	**2,909**	**1,720**	**1,195**	**728**	**410**	**269**	**125**	**49**	**23**	**12**
25	2,658	67	679	454	434	359	271	179	101	51	37	14
26	2,931	69	635	462	468	375	314	236	159	118	47	34
27	3,359	55	604	457	497	439	373	305	230	176	99	68
28	3,293	37	454	410	413	441	411	335	252	215	125	103
29	3,266	28	373	327	386	438	350	348	266	262	161	140
25–29	**15,507**	**256**	**2,745**	**2,110**	**2,198**	**2,052**	**1,719**	**1,403**	**1,008**	**822**	**469**	**359**
30	3,515	39	366	335	363	359	367	355	297	275	208	219
31	3,362	25	279	276	302	309	338	312	267	274	226	234
32	3,279	17	233	252	285	302	251	341	248	272	221	211
33	3,430	19	223	196	261	247	290	276	278	263	254	241
34	3,159	18	160	185	175	210	264	234	230	256	222	265
30–34	**16,745**	**118**	**1,261**	**1,244**	**1,386**	**1,427**	**1,510**	**1,518**	**1,320**	**1,340**	**1,131**	**1,170**
35	3,219	19	156	146	148	201	197	255	238	227	202	266
36	2,905	9	105	98	127	142	163	204	157	186	204	221
37	2,592	12	83	79	102	121	101	142	153	184	170	204
38	2,567	7	74	92	90	102	98	120	123	146	146	156
39	2,072	9	49	55	55	81	73	91	95	92	104	148
35–39	**13,355**	**56**	**467**	**470**	**522**	**647**	**632**	**812**	**766**	**835**	**826**	**995**
40	1,741	4	34	41	47	40	75	49	68	86	96	98
41	1,209	4	11	22	26	24	43	32	47	45	51	81
42	851	2	12	8	15	16	19	28	38	32	45	46
43	581	1	3	11	12	11	16	15	16	19	17	25
44	406	1	1	1	4	3	3	11	10	8	9	16
40–44	**4,788**	**12**	**61**	**83**	**104**	**94**	**156**	**135**	**179**	**190**	**218**	**266**
45	197	·	2	2	5	2	·	4	4	3	6	7
46	101	·	1	·	2	·	2	3	·	3	·	4
47	38	·	·	·	1	·	·	1	·	·	·	2
48	15	·	·	·	·	·	·	1	1	·	1	·
49 and over	7	·	·	·	·	·	·	·	·	·	·	·
45 and over	**358**	·	**3**	**2**	**8**	**2**	**2**	**9**	**5**	**6**	**7**	**13**
Age not stated	430	4	10	5	14	8	8	8	5	9	6	6

BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

marriage being													Age of mother at maternity
1949	1948	1947	1946	1945	1944	1943	1942	1941	1940	1935–1939	1934 and earlier	Not stated	
2,252	**2,015**	**1,791**	**1,611**	**1,361**	**1,182**	**887**	**818**	**446**	**398**	**757**	**64**	**388**	**All ages**
·	·	·	·	·	·	·	·	·	·	·	·	·	15
·	·	·	·	·	·	·	·	·	·	·	·	·	16
·	·	·	·	·	·	·	·	·	·	·	·	2	17
·	·	·	·	·	·	·	·	·	·	·	·	·	18
·	·	·	·	·	·	·	·	·	·	·	·	1	19
·	·	·	·	·	·	·	·	·	·	·	·	**3**	**Under 20**
·	·	·	·	·	·	·	·	·	·	·	·	·	20
·	·	·	·	·	·	·	·	·	·	·	·	2	21
·	·	·	·	·	·	·	·	·	·	·	·	5	22
·	·	·	·	·	·	·	·	·	·	·	·	5	23
·	·	·	·	·	·	·	·	·	·	·	·	4	24
·	·	·	·	·	·	·	·	·	·	·	·	**16**	**20–24**
6	1	·	·	·	·	·	·	·	·	·	·	5	25
8	3	2	·	·	·	·	·	·	·	·	·	1	26
30	18	3	2	·	·	·	·	·	·	·	·	3	27
52	23	7	7	2	1	·	·	·	·	·	·	5	28
85	49	31	12	5	·	·	·	·	·	·	·	5	29
181	**94**	**43**	**21**	**7**	**1**	·	·	·	·	·	·	**19**	**25–29**
129	90	62	24	16	2	2	1	1	·	·	·	5	30
170	145	93	63	33	11	2	3	·	·	·	·	·	31
178	153	132	93	47	27	10	2	1	·	·	·	3	32
198	195	188	144	77	42	24	11	1	1	·	·	1	33
198	171	163	147	106	82	35	19	7	4	3	·	5	34
873	**754**	**638**	**471**	**279**	**164**	**73**	**36**	**10**	**5**	**3**	·	**14**	**30–34**
220	178	172	172	165	116	67	35	20	9	5	·	5	35
208	196	182	162	162	136	115	69	32	12	9	·	6	36
172	170	146	163	151	146	94	97	47	31	23	·	1	37
182	175	162	180	151	157	136	113	53	45	56	·	3	38
129	132	135	134	134	121	103	123	66	56	84	2	1	39
911	**851**	**797**	**811**	**763**	**676**	**515**	**437**	**218**	**153**	**177**	**2**	**16**	**35–39**
103	107	108	121	95	112	109	99	79	67	100	1	2	40
68	74	92	80	87	65	60	74	51	51	118	1	2	41
50	50	43	36	59	60	50	72	29	44	89	7	1	42
27	35	36	34	36	38	36	36	17	33	98	9	·	43
23	28	14	18	21	39	26	34	20	21	80	14	1	44
271	**294**	**293**	**289**	**298**	**314**	**281**	**315**	**196**	**216**	**485**	**32**	**6**	**40–44**
7	7	9	11	9	14	8	13	12	10	50	12	·	45
3	1	3	4	4	9	3	13	6	8	23	9	·	46
·	2	3	2	·	2	3	1	2	4	11	4	·	47
·	2	1	2	·	·	1	1	2	·	3	·	·	48
·	·	·	·	·	·	·	1	·	1	1	4	·	49 and over
10	**12**	**16**	**19**	**13**	**25**	**15**	**29**	**22**	**23**	**88**	**29**	·	**45 and over**
6	10	4	·	1	2	3	1	·	1	4	1	314	Age not stated

TABLE 36.—LEGITIMATE FIRST BIRTHS REGISTERED IN 1960, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

Age of mother at maternity	Legitimate first births : the year of marriage being															
	Total	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1946–1950	1941–1945	1936–1940	1935 and earlier	Not stated
All ages	**11,912**	**965**	**7,175**	**2,038**	**689**	**334**	**194**	**122**	**71**	**77**	**59**	**122**	**34**	**9**	**2**	**21**
15	7	3	4	·	·	·	·	·	·	·	·	·	·	·	·	·
16	17	11	6	·	·	·	·	·	·	·	·	·	·	·	·	·
17	87	36	46	4	·	·	·	·	·	·	·	·	·	·	·	1
18	146	51	87	7	1	·	·	·	·	·	·	·	·	·	·	·
19	258	67	167	20	4	·	·	·	·	·	·	·	·	·	·	·
20	481	83	334	56	6	2	·	·	·	·	·	·	·	·	·	·
21	621	91	433	81	11	2	1	1	1	·	·	·	·	·	·	·
22	808	85	585	115	18	5	·	·	·	·	·	·	·	·	·	·
23	948	70	667	160	26	14	4	1	1	3	·	1	·	·	·	1
24	939	79	654	143	41	11	7	1	1	1	·	·	·	·	·	1
25	954	61	640	159	55	18	9	6	·	1	2	3	·	·	·	·
26	935	65	584	174	57	24	16	9	3	3	·	·	·	·	·	·
27	889	54	568	150	62	20	14	11	5	3	·	2	·	·	·	·
28	713	34	423	152	42	24	18	8	4	3	3	1	·	·	·	1
29	612	25	353	112	49	30	18	6	3	5	6	4	·	·	·	1
Under 20	515	168	310	31	5	·	·	·	·	·	·	·	·	·	·	1
20–24	3,797	408	2,673	555	102	34	12	3	3	4	·	1	·	·	·	2
25–29	4,103	239	2,568	747	265	116	75	40	15	15	11	10	·	·	·	2
30–34	2,224	99	1,161	448	194	104	61	37	32	30	17	37	3	·	·	1
35–39	1,036	40	408	211	98	64	34	36	16	26	25	59	17	1	·	1
40–44	195	8	45	43	20	15	12	6	5	2	6	14	13	6	·	·
45 and over	13	·	2	2	3	1	·	·	·	·	·	1	1	1	2	·
Age not stated	29	3	8	1	2	·	·	·	·	·	·	·	·	1	·	14

TABLE 37.—MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic							
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religious denominations	Civil marriages
Total	**15,465**	**14,866**	**599**	**371**	**115**	**34**	**18**	**1**	**3**	**57**
Carlow	157	149	8	7	·	·	·	·	·	1
Dublin County Borough	4,979	4,813	166	75	11	13	18	·	2	47
Dun Laoghaire Borough	372	339	33	30	2	1	·	·	·	·
Dublin County (remainder)	458	437	21	19	1	·	·	1	·	·
Kildare	302	289	13	12	·	1	·	·	·	·
Kilkenny	255	248	7	7	·	·	·	·	·	·
Laois	167	161	6	6	·	·	·	·	·	·
Longford	130	127	3	1	1	1	·	·	·	·
Louth	430	421	9	6	2	·	·	·	·	1
Meath	288	285	3	3	·	·	·	·	·	·
Offaly	206	201	5	3	·	2	·	·	·	·
Westmeath	266	259	7	5	1	1	·	·	·	·
Wexford	377	363	14	14	·	·	·	·	·	·
Wicklow	319	277	42	37	1	2	·	·	·	2
Leinster	**8,706**	**8,369**	**337**	**225**	**19**	**21**	**18**	**1**	**2**	**51**
Clare	304	302	2	2	·	·	·	·	·	·
Cork County Borough ...	774	759	15	7	2	3	·	·	·	3
Cork County	1,073	1,044	29	26	·	1	·	·	1	1
Kerry	460	455	5	5	·	·	·	·	·	·
Limerick County Borough	458	452	6	2	·	3	·	·	·	1
Limerick County ...	251	247	4	3	·	·	·	·	·	1
Tipperary, N.R. ...	217	211	6	6	·	·	·	·	·	·
Tipperary, S.R. ...	297	296	1	1	·	·	·	·	·	·
Waterford Co. Borough ...	207	205	2	·	2	·	·	·	·	·
Waterford County ...	193	190	3	3	·	·	·	·	·	·
Munster	**4,234**	**4,161**	**73**	**55**	**4**	**7**	·	·	**1**	**6**
Galway	557	557	·	·	·	·	·	·	·	·
Leitrim	129	120	9	7	2	·	·	·	·	·
Mayo	370	364	6	5	·	1	·	·	·	·
Roscommon	202	202	·	·	·	·	·	·	·	·
Sligo	230	222	8	7	·	1	·	·	·	·
Connacht	**1,488**	**1,465**	**23**	**19**	**2**	**2**	·	·	·	·
Cavan	241	213	28	21	6	1	·	·	·	·
Donegal	548	445	103	38	62	3	·	·	·	·
Monaghan	248	213	35	13	22	·	·	·	·	·
Ulster (part of) ...	**1,037**	**871**	**166**	**72**	**90**	**4**	·	·	·	·

COUNTY AND COUNTY BOROUGH DURING 1960

Total marriages registered in the Quarter ending the last day of				Marriages				Area
				Contracted between				
March	June	Sept.	Dec.	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
2,909	**3,518**	**5,909**	**3,129**	**14,989**	**123**	**275**	**78**	**Total**
29	29	70	29	149	4	3	1	Carlow
960	993	2,034	992	4,820	29	105	25	Dublin County Borough
43	112	162	55	355	4	10	3	Dun Laoghaire Borough
75	97	222	64	446	1	7	4	Dublin County (rem'der)
57	70	103	72	295	2	4	1	Kildare
42	71	85	57	248	4	3	·	Kilkenny
34	36	68	29	162	4	1	·	Laois
31	19	40	40	126	1	2	1	Longford
69	96	209	56	412	4	9	5	Louth
40	78	117	53	280	1	5	2	Meath
36	56	73	41	201	2	3	·	Offaly
38	60	108	60	250	8	7	1	Westmeath
77	100	142	58	362	3	6	6	Wexford
56	70	123	70	311	2	5	1	Wicklow
1,587	**1,887**	**3,556**	**1,676**	**8,417**	**69**	**170**	**50**	**Leinster**
55	75	104	70	299	2	2	1	Clare
151	209	248	166	752	3	16	3	Cork County Borough
186	243	381	263	1,047	7	17	2	Cork County
144	97	139	80	451	3	5	1	Kerry
84	101	157	116	448	2	7	1	Limerick County Borough
72	60	70	49	244	4	2	1	Limerick County
41	61	59	56	206	5	5	1	Tipperary, N.R.
53	60	125	59	285	4	7	1	Tipperary, S.R.
37	45	86	39	202	1	2	2	Waterford Co. Borough
37	58	63	35	189	1	2	1	Waterford County
860	**1,009**	**1,432**	**933**	**4,123**	**32**	**65**	**14**	**Munster**
100	134	204	119	546	2	9	·	Galway
17	27	52	33	124	1	3	1	Leitrim
79	86	110	95	356	6	7	1	Mayo
37	60	67	38	194	2	2	4	Roscommon
55	56	78	41	221	3	4	2	Sligo
288	**363**	**511**	**326**	**1,441**	**14**	**25**	**8**	**Connacht**
37	66	106	32	232	3	4	2	Cavan
102	129	205	112	535	5	5	3	Donegal
35	64	99	50	241	·	6	1	Monaghan
174	**259**	**410**	**194**	**1,008**	**8**	**15**	**6**	**Ulster (part of)**

TABLE 38—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY

ALL

Age of groom	Age of bride																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	**4**	**29**	**57**	**185**	**291**	**564**	**863**	**1,134**	**1,297**	**1,397**	**1,243**	**1,159**	**1,063**	**813**	**725**	**595**	**503**	**453**	**414**	**377**	**326**	**269**
15	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
16	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
17	·	6	1	4	1	6	3	3	1	·	·	·	·	·	1	·	·	·	·	·	·	·
18	·	1	5	20	8	7	12	3	2	2	·	1	·	·	·	·	·	·	·	·	·	·
19	·	6	5	23	23	25	23	11	5	3	4	3	·	2	·	2	·	·	·	·	·	·
20	2	5	11	26	19	41	49	40	26	22	5	6	3	·	2	2	1	2	·	2	·	·
21	·	3	6	23	36	69	96	94	82	48	20	19	14	4	6	1	2	·	·	2	1	·
22	1	2	8	12	36	84	99	145	117	81	45	31	25	13	13	9	6	4	3	1	1	1
23	1	2	1	16	26	66	114	146	152	147	103	51	40	18	19	11	2	3	1	4	1	·
24	·	1	4	11	32	49	85	130	155	170	131	101	71	39	26	10	11	7	11	2	4	1
25	·	·	4	7	19	34	71	112	139	156	161	118	90	56	43	16	16	15	4	7	3	1
26	·	·	1	6	20	32	60	91	126	154	130	139	111	50	38	33	29	11	10	9	4	6
27	·	1	3	7	12	33	53	81	108	136	125	109	98	66	51	45	19	13	16	10	10	3
28	·	·	4	4	10	24	41	50	91	98	91	80	92	90	44	43	28	27	13	17	10	7
29	·	·	1	5	8	15	36	47	76	71	85	86	82	72	66	45	42	22	31	16	14	6
30	·	1	1	2	7	14	24	38	39	55	67	87	73	70	65	56	38	32	21	23	16	6
31	·	·	·	2	5	12	20	21	40	42	44	56	62	46	44	41	41	32	22	14	18	11
32	·	·	·	2	5	10	16	19	27	38	46	53	58	48	55	41	28	32	28	20	18	10
33	·	·	1	1	4	6	11	18	20	41	34	41	37	38	40	40	26	21	25	23	13	12
34	·	·	·	2	3	6	13	11	17	23	33	32	46	29	35	31	27	27	29	28	15	15
35	·	·	·	1	5	·	7	14	16	21	20	30	30	32	30	26	29	23	25	22	22	13
36	·	·	·	2	2	4	8	9	10	9	26	18	27	24	24	21	24	24	16	20	25	23
37	·	·	1	2	1	4	6	10	12	14	15	25	19	28	24	22	28	21	27	20	20	22
38	·	·	·	2	1	6	3	10	5	14	7	13	15	14	17	13	11	20	18	18	18	14
39	·	·	·	·	2	·	3	6	7	10	15	16	13	19	16	10	11	19	14	18	19	17
40	·	·	·	1	2	2	4	5	2	9	6	9	13	7	8	17	11	14	20	15	16	15
41	·	·	·	1	·	3	1	1	6	6	7	6	7	8	8	10	13	16	12	10	17	14
42	·	·	·	1	1	2	2	2	2	5	6	8	7	10	12	10	7	14	13	5	8	8
43	·	·	·	·	·	2	·	2	1	5	1	5	5	6	6	7	8	4	9	15	9	12
44	·	·	·	·	·	2	·	1	·	4	4	4	4	5	6	5	13	11	10	7	9	9
45	·	·	·	·	·	·	·	4	2	2	1	2	8	7	4	6	4	7	7	6	6	8
46	·	·	·	·	·	·	·	1	4	3	2	1	2	2	6	6	3	4	4	6	2	5
47	·	·	·	·	1	·	·	1	1	2	1	2	2	3	3	2	4	7	2	5	2	7
48	·	·	·	·	·	·	1	·	·	1	1	1	1	2	6	1	4	4	4	6	7	7
49	·	·	·	1	·	·	·	1	2	·	·	3	1	1	·	2	2	1	1	6	4	·
50–54	·	·	·	·	1	1	·	2	·	1	2	·	5	3	3	9	7	10	12	14	6	6
55–59	·	1	·	1	·	·	·	1	1	·	1	·	1	·	1	3	4	2	3	3	6	7
60–64	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	1	·	1	1	1
65–69	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	1	1
70–74	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	·
75 and over	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not stated	·	·	·	·	1	5	1	4	2	4	3	3	1	1	1	·	2	3	3	2	·	1

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS
MARRIAGES

bride																					Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50–54	55–59	60–64	65–69	70–74	75 & over	Not stated	All ages	
222	**184**	**147**	**167**	**116**	**93**	**61**	**48**	**68**	**51**	**53**	**27**	**36**	**28**	**78**	**53**	**19**	**6**	**1**	·	**245**	**15,465**	**All ages**
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	15
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	16
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	26	17
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	61	18
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	137	19
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	265	20
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	527	21
1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	7	747	22
·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	9	935	23
1	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	4	1,059	24
2	1	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	3	1,079	25
1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6	1,068	26
6	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	6	1,014	27
6	2	1	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	11	888	28
3	3	2	1	3	2	·	·	·	·	1	·	·	·	·	·	·	·	·	·	7	848	29
8	2	3	1	2	2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	3	758	30
5	4	4	2	1	1	·	·	1	·	1	·	·	·	·	·	·	·	·	·	4	596	31
7	7	4	6	6	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·	3	590	32
7	6	5	3	2	3	·	1	·	1	·	1	·	·	·	·	·	·	·	·	5	486	33
13	10	4	3	1	2	2	2	1	1	·	·	·	·	·	·	·	·	·	·	3	464	34
16	5	8	5	1	3	1	1	2	·	·	·	·	·	2	·	·	·	·	·	2	412	35
12	10	7	7	1	2	1	1	3	2	·	·	·	·	·	·	·	·	·	·	1	363	36
13	11	7	7	4	2	1	1	·	1	2	1	·	·	·	·	·	·	·	·	·	371	37
12	13	9	16	5	3	2	1	2	·	1	2	1	·	·	·	·	·	·	·	2	288	38
10	11	10	10	3	1	1	3	6	·	1	1	·	·	2	·	·	·	·	·	·	274	39
12	8	9	7	12	8	3	3	2	·	1	1	·	2	·	·	·	·	·	·	3	247	40
9	13	9	13	9	5	3	1	2	4	1	1	2	·	3	·	·	·	·	·	1	222	41
12	9	5	8	8	4	2	1	1	·	3	·	2	·	1	1	·	·	·	·	1	181	42
6	7	10	10	3	2	6	3	7	3	·	1	1	1	·	·	·	·	·	·	·	157	43
10	10	8	8	4	6	4	3	5	4	4	·	·	2	3	·	·	·	·	·	·	165	44
6	7	7	7	5	3	1	2	·	1	3	1	1	·	1	·	·	·	·	·	2	121	45
4	7	8	6	3	4	7	2	·	3	1	1	1	2	6	·	1	·	·	·	·	107	46
4	5	3	4	4	6	·	1	·	4	4	3	3	·	·	·	·	·	·	·	2	88	47
7	3	4	8	11	7	3	4	5	1	4	2	2	2	3	1	1	·	·	·	1	115	48
7	3	5	5	2	7	1	3	4	5	1	1	·	2	3	1	·	·	·	·	1	76	49
16	15	7	16	16	9	9	7	14	11	6	4	8	4	21	6	1	·	·	·	1	253	50–54
3	6	3	9	8	4	8	5	6	7	8	3	8	5	16	14	4	·	1	·	·	153	55–59
1	1	3	1	1	4	2	1	2	2	7	3	2	4	7	15	7	3	·	·	2	75	60–64
·	·	·	1	·	2	·	·	2	1	2	·	1	2	4	10	3	3	·	·	·	34	65–69
·	·	1	·	·	·	·	·	1	·	·	1	·	1	5	2	·	·	·	·	·	13	70–74
·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	3	2	·	·	·	·	6	75 and over
2	1	1	·	·	·	1	·	·	·	·	·	1	·	1	·	·	·	·	·	151	195	Not stated

TABLE 39.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY AGE OF GROOM AND AGE OF BRIDE AT FIRST MARR

Age of groom	Age of bride																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	**4**	**29**	**57**	**183**	**289**	**558**	**862**	**1,132**	**1,292**	**1,393**	**1,240**	**1,154**	**1,058**	**805**	**721**	**588**	**488**	**441**	**407**	**364**	**311**	**252**
15	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
16	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
17	·	6	1	4	1	6	3	3	1	·	·	·	·	·	1	·	·	·	·	·	·	·
18	·	1	5	20	8	7	12	3	2	2	·	1	·	·	·	·	·	·	·	·	·	·
19	·	6	5	23	23	25	23	11	5	3	4	3	·	2	·	2	·	·	·	·	·	·
20	2	5	11	26	19	41	49	40	26	22	5	6	3	·	2	2	1	2	·	2	·	·
21	·	3	6	23	36	69	96	94	82	48	20	19	14	4	6	1	2	·	·	2	1	·
22	1	2	8	12	36	84	99	145	117	81	45	31	25	13	13	8	6	3	3	1	1	1
23	1	2	1	16	26	66	114	146	152	147	103	51	40	18	19	11	2	3	1	4	1	·
24	·	1	4	11	32	49	85	130	155	170	131	101	71	39	26	10	11	6	11	1	4	1
25	·	·	4	7	19	34	71	112	137	156	161	118	89	56	43	15	16	15	4	7	3	1
26	·	·	1	6	20	32	60	91	126	154	130	139	111	50	38	33	29	11	10	9	4	5
27	·	1	3	7	12	33	53	81	107	136	125	109	98	65	51	45	19	13	16	9	10	2
28	·	·	4	4	10	24	41	50	91	98	91	80	92	89	44	43	28	27	13	17	10	7
29	·	·	1	5	8	14	36	47	75	71	85	86	82	71	66	45	42	22	31	16	14	6
30	·	1	1	2	6	14	24	38	39	54	67	87	72	69	64	56	37	32	21	22	16	6
31	·	·	·	2	5	11	20	21	40	42	44	56	62	46	44	41	40	32	22	14	18	11
32	·	·	·	2	5	10	16	19	27	38	46	53	58	47	55	41	27	32	27	20	18	10
33	·	·	1	1	4	6	11	18	20	41	34	41	37	38	40	40	26	21	25	23	13	12
34	·	·	·	2	3	5	12	11	17	23	33	31	46	29	35	31	27	27	28	28	14	14
35	·	·	·	1	4	·	7	14	16	21	20	29	30	32	30	26	29	23	25	21	22	13
36	·	·	·	1	2	3	8	9	10	9	26	17	26	24	24	21	24	24	16	19	24	22
37	·	·	1	2	1	4	6	10	12	14	14	25	19	27	23	22	28	20	27	20	20	22
38	·	·	·	1	1	5	3	10	5	13	7	13	15	14	16	13	11	20	18	18	17	14
39	·	·	·	·	2	·	3	6	7	10	15	16	13	19	15	10	10	18	14	18	19	15
40	·	·	·	1	2	2	4	5	2	9	6	9	12	7	8	15	11	14	20	14	15	14
41	·	·	·	1	·	3	1	1	6	6	7	6	7	8	8	10	13	14	11	10	17	14
42	·	·	·	1	1	2	2	2	2	4	6	8	7	10	12	10	6	14	12	5	7	8
43	·	·	·	·	·	2	·	2	1	5	1	4	5	6	6	7	8	4	8	14	8	11
44	·	·	·	·	·	2	·	1	·	4	3	4	4	5	6	5	11	10	10	7	8	9
45	·	·	·	·	·	·	·	4	2	2	1	2	7	7	4	6	4	7	7	6	6	8
46	·	·	·	·	·	·	·	1	3	2	2	1	2	2	6	6	3	4	4	5	2	4
47	·	·	·	·	1	·	·	1	1	2	1	2	2	2	3	2	3	6	2	4	·	7
48	·	·	·	·	·	·	1	·	·	1	1	1	1	1	6	1	3	2	4	6	4	7
49	·	·	·	1	·	·	·	1	2	·	·	2	1	1	·	1	1	1	1	5	4	·
50–54	·	·	·	·	1	·	·	1	·	1	2	·	5	3	3	7	5	9	11	11	5	2
55–59	·	1	·	1	·	·	·	1	1	·	1	·	1	·	1	2	2	2	2	3	4	4
60–64	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	1	1	·	1	1	·
65–69	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1
70–74	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·
75 and over	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Not stated	·	·	·	·	1	5	1	3	2	4	3	3	1	1	1	·	2	2	3	2	·	1

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
IAGES ONLY.

bride																					Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50–54	55–59	60–64	65–69	70–74	75 & over	Not stated	All ages	
205	**164**	**131**	**153**	**99**	**73**	**44**	**33**	**42**	**36**	**31**	**20**	**20**	**17**	**39**	**13**	**6**	**2**	·	·	**233**	**14,989**	**All ages**
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	15
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	16
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	26	17
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	61	18
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	137	19
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	265	20
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	527	21
1	1	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	7	745	22
·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	9	934	23
1	·	·	1	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	4	1,057	24
2	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3	1,074	25
1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	6	1,067	26
6	1	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	6	1,010	27
6	2	1	2	1	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	11	887	28
3	2	2	1	3	1	·	·	·	·	1	·	·	·	·	·	·	·	·	·	7	843	29
8	1	3	1	2	2	·	1	·	·	·	·	1	·	·	·	·	·	·	·	3	750	30
4	4	4	2	1	1	·	·	1	·	1	·	·	·	·	·	·	·	·	·	4	593	31
7	7	4	6	6	·	1	·	1	·	·	·	1	·	·	·	·	·	·	·	3	587	32
7	6	4	3	2	3	·	·	·	1	·	1	·	·	·	·	·	·	·	·	5	484	33
12	9	4	2	1	2	2	2	1	1	·	·	·	·	·	·	·	·	·	·	3	455	34
15	5	7	5	1	3	1	1	1	·	·	·	·	·	2	·	·	·	·	·	1	405	35
12	10	7	7	1	2	·	1	2	2	·	·	·	·	·	·	·	·	·	·	1	354	36
12	11	7	7	4	2	1	1	·	·	2	1	·	·	·	·	·	·	·	·	·	365	37
12	13	9	16	5	2	2	1	2	·	·	2	1	·	·	·	·	·	·	·	2	281	38
9	11	9	10	2	·	1	3	4	·	1	1	·	·	1	·	·	·	·	·	·	262	39
12	7	8	7	11	7	2	1	2	·	1	·	·	2	·	·	·	·	·	·	3	233	40
8	11	9	12	7	4	2	1	2	3	1	1	2	·	3	·	·	·	·	·	1	210	41
12	7	5	8	7	4	2	1	1	·	1	·	2	·	1	·	·	·	·	·	1	171	42
5	6	10	10	3	2	6	3	7	3	·	1	·	1	·	·	·	·	·	·	·	149	43
10	8	8	6	3	5	3	2	4	3	4	·	·	2	3	·	·	·	·	·	·	150	44
5	4	6	7	5	2	1	1	·	·	3	1	1	·	1	·	·	·	·	·	1	111	45
3	6	7	5	2	3	5	1	·	1	1	1	1	2	3	·	1	·	·	·	·	89	46
3	5	3	2	3	5	·	1	·	3	3	3	2	·	·	·	·	·	·	·	2	74	47
6	3	3	8	9	6	3	3	3	1	4	1	2	1	·	·	·	·	·	·	1	93	48
6	3	5	2	2	5	·	1	2	5	·	1	·	1	1	·	·	·	·	·	1	56	49
14	12	4	15	14	6	5	4	8	8	3	2	4	3	12	4	1	·	·	·	·	185	50–54
1	4	1	7	3	3	3	3	·	5	2	3	2	1	7	4	1	·	·	·	·	76	55–59
·	1	·	1	1	1	1	·	·	·	2	1	1	2	3	·	3	·	·	·	·	23	60–64
·	·	·	·	·	1	·	·	·	·	1	·	·	·	1	4	·	2	·	·	·	11	65–69
·	·	1	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	3	70–74
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	1	75 and over
2	1	·	·	·	·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	144	184	Not stated

TABLE 40.—MARRIAGES REGISTERED IN 1960 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM

Form of ceremony	Age of groom												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 and over	Not stated	All ages	Average age of groom
Catholic	217	3,409	4,720	2,770	1,638	937	491	245	142	112	185	14,866	30·8
Church of Ireland ...	4	72	105	82	49	22	10	5	4	9	9	371	31·9
Presbyterian ...	·	28	35	24	15	6	3	2	·	2	·	115	31·0
Other religions ...	·	10	20	11	4	4	3	1	2	·	1	56	32·0
Civil marriage ...	4	14	17	7	2	3	·	·	5	5	·	57	33·0
Total	**225**	**3,533**	**4,897**	**2,894**	**1,708**	**972**	**507**	**253**	**153**	**128**	**195**	**15,465**	**30·9**

TABLE 41.—MARRIAGES REGISTERED IN 1960 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE

Form of ceremony	Age of bride												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 and over	Not stated	All ages	Average age of bride
Catholic	1,087	5,692	4,198	1,996	955	370	185	75	49	22	237	14,866	27·1
Church of Ireland ...	20	152	97	51	20	10	7	3	2	2	7	371	27·4
Presbyterian ...	10	49	31	14	7	4	·	·	·	·	·	115	26·2
Other religions ...	3	21	19	7	3	1	1	·	·	·	1	56	26·9
Civil marriage ...	10	20	11	5	4	1	2	·	2	2	·	57	28·4
Total	**1,130**	**5,934**	**4,356**	**2,073**	**989**	**386**	**195**	**78**	**53**	**26**	**245**	**15,465**	**27·1**

TABLE 42.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM

Social group of groom	Age of groom												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 & over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	8	156	556	781	676	457	203	93	47	26	83	3,086	36·0
Farm labourers	19	105	159	105	69	49	30	11	7	4	10	559	32·1
Higher professional	·	70	294	178	55	28	11	6	4	5	3	654	30·8
Lower professional	6	91	203	80	30	16	5	6	7	3	6	453	29·7
Employers and managers (including shopkeepers)	3	137	321	233	154	69	44	26	14	8	11	1,020	32·7
Salaried employees	2	79	164	87	31	21	9	10	5	10	5	423	31·2
Clerks and other "white collar" workers	24	535	845	371	167	74	39	14	16	15	15	2,115	29·3
Non-manual wage earners ...	21	419	447	229	119	53	28	15	9	7	17	1,355	29·2
Skilled manual workers	48	1,035	1,030	417	180	97	62	29	17	11	16	2,942	28·4
Semi-skilled manual workers ...	12	156	159	73	33	16	11	7	3	2	·	472	28·8
Unskilled manual workers ...	73	687	635	299	169	83	57	36	21	21	21	2,102	29·3
Unknown	18	72	84	41	25	9	8	·	3	16	8	284	30·6
Total	**225**	**3,533**	**4,897**	**2,894**	**1,708**	**972**	**507**	**253**	**153**	**128**	**195**	**15,465**	**30·9**

TABLE 43.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE

Social group of bride	Age of bride												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 & over	Not stated	All ages	Average age
Farmers, relatives assisting and farm managers	15	98	157	106	63	31	14	4	5	1	9	503	30·6
Farm labourers	1	4	4	1	4	1	·	·	·	·	·	15	29·5
Higher professional	2	17	30	23	6	2	2	·	1	·	1	84	29·5
Lower professional	22	411	545	249	101	28	13	4	3	1	22	1,399	28·1
Employers and managers (including shopkeepers)	5	47	57	46	38	13	7	3	4	·	2	222	31·4
Salaried employees	1	29	33	14	6	1	1	·	1	·	1	87	28·0
Clerks and other "white collar" workers	132	1,348	1,048	405	143	47	11	6	1	1	39	3,181	26·4
Non-manual wage earners ...	194	672	397	174	80	38	25	7	5	1	27	1,620	26·1
Skilled manual workers	83	462	213	85	32	16	7	1	·	·	8	907	25·3
Semi-skilled manual workers ...	28	145	70	24	7	5	3	·	2	·	2	286	25·3
Unskilled manual workers ...	219	986	385	138	46	11	6	2	2	·	14	1,809	24·7
Unknown	428	1,715	1,417	808	463	193	106	51	29	22	120	5,352	28·2
Total	**1,130**	**5,934**	**4,356**	**2,073**	**989**	**386**	**195**	**78**	**53**	**26**	**245**	**15,465**	**27·1**

TABLE 44.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY SOCIAL GROUPS OF GROOM AND BRIDE

Social group of groom	Social group of bride												
	Total	Farmers, relatives assisting, and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Farmers, relatives assisting and farm managers	3,086	422	4	4	317	45	4	309	219	41	13	59	1,649
Farm labourers	559	14	2	·	26	5	·	45	145	17	12	41	252
Higher professional	654	·	·	47	139	13	17	210	29	10	·	15	174
Lower professional	453	5	·	9	165	4	7	113	24	10	5	14	97
Employers and managers (including shopkeepers)	1,020	15	2	4	161	55	10	305	83	32	2	39	312
Salaried employees	423	3	·	4	53	9	16	154	32	10	6	6	130
Clerks and other "white collar" workers	2,115	10	1	7	231	27	20	837	161	84	36	158	543
Non-manual wage earners ...	1,355	2	1	2	66	9	3	274	186	145	33	241	393
Skilled manual workers	2,942	16	3	4	161	37	9	638	307	390	82	513	782
Semi-skilled manual workers ...	472	3	·	·	22	2	1	65	63	49	38	96	133
Unskilled manual workers ...	2,102	11	2	2	44	11	·	206	347	115	56	605	703
Unknown	284	2	·	1	14	5	·	25	24	4	3	22	184
Total	**15,465**	**503**	**15**	**84**	**1,399**	**222**	**87**	**3,181**	**1,620**	**907**	**286**	**1,809**	**5,352**

TABLE 45.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 and over	Not stated	All ages	Average age
Total	**225**	**3,533**	**4,897**	**2,894**	**1,708**	**972**	**507**	**253**	**153**	**128**	**195**	**15,465**	**30·9**
Carlow	3	34	50	34	14	9	9	7	1	2	3	166	31·8
Dublin County Borough	74	1,242	1,406	551	256	121	59	42	33	34	10	3,828	28·7
Dun Laoghaire Borough	8	84	101	54	12	14	6	5	1	3	2	290	29·2
Dublin County (remainder)	9	158	188	92	49	16	8	5	7	7	2	541	29·4
Kildare	3	93	97	47	44	21	11	5	4	2	7	334	30·6
Kilkenny	3	38	70	59	19	23	12	4	2	.	3	233	31·9
Laois	2	26	44	57	34	25	10	4	2	.	4	208	33·4
Longford	.	10	21	31	28	22	8	5	1	4	3	133	36·5
Louth	3	101	130	60	31	17	14	8	2	4	1	371	30·2
Meath	2	55	87	61	40	19	12	6	7	1	13	303	32·1
Offaly	3	45	65	60	28	19	10	6	1	.	1	238	31·7
Westmeath	4	47	50	32	31	16	8	4	3	4	7	206	32·1
Wexford	7	88	127	71	39	23	10	11	6	4	4	390	31·1
Wicklow	5	72	104	34	25	11	13	3	6	2	3	278	30·3
Leinster	**126**	**2,093**	**2,540**	**1,243**	**650**	**356**	**190**	**115**	**76**	**67**	**63**	**7,519**	**29·9**
Clare	1	24	79	84	56	32	16	8	6	2	9	317	34·3
Cork County Borough	14	152	202	102	36	19	9	5	5	4	4	552	29·1
Cork County	10	170	327	250	178	103	58	21	14	8	17	1,156	32·8
Kerry	2	47	114	111	61	44	21	6	3	4	11	424	33·2
Limerick County Borough	5	97	88	34	16	5	4	.	.	.	1	250	27·3
Limerick County	3	41	89	69	57	41	15	7	3	3	5	333	33·5
Tipperary N.R.	2	26	64	55	41	27	9	6	2	2	2	236	33·5
Tipperary S.R.	5	63	87	63	37	31	15	7	2	5	2	317	32·2
Waterford County Borough	5	51	60	22	12	4	3	3	1	2	.	163	28·8
Waterford County	1	40	50	36	23	18	8	4	5	1	.	186	32·4
Munster	**48**	**711**	**1,160**	**826**	**517**	**324**	**158**	**67**	**41**	**31**	**51**	**3,934**	**31·9**
Galway	1	45	129	121	91	55	28	13	6	4	12	505	34·2
Leitrim	.	10	29	32	26	22	8	1	.	1	2	131	34·6
Mayo	1	25	106	90	65	31	21	9	5	2	24	379	34·0
Roscommon	.	14	51	54	37	22	20	6	4	3	11	222	35·4
Sligo	2	29	48	39	36	24	16	4	3	.	2	203	33·8
Connacht	**4**	**123**	**363**	**336**	**255**	**154**	**93**	**33**	**18**	**10**	**51**	**1,440**	**34·3**
Cavan	.	24	65	54	43	32	6	10	2	1	7	244	33·9
Donegal	6	75	127	95	57	25	23	11	3	8	6	436	32·4
Monaghan	2	22	70	50	31	15	9	5	3	5	2	214	33·3
Ulster (part of)	**8**	**121**	**262**	**199**	**131**	**72**	**38**	**26**	**8**	**14**	**15**	**894**	**33·0**
Ireland*	**186**	**3,048**	**4,325**	**2,604**	**1,553**	**906**	**479**	**241**	**143**	**122**	**180**	**13,787**	**31·1**
Six Counties	2	65	75	48	40	17	6	1	3	4	2	263	31·0
England and Wales	16	360	410	203	93	37	18	8	6	1	9	1,161	28·6
Scotland	.	16	20	12	12	4	3	1	.	.	.	68	31·1
Elsewhere	3	20	50	23	6	6	.	2	1	.	1	112	29·4
Not stated	18	24	17	4	4	2	1	.	.	1	3	74	25·3

*Exclusive of the Six Counties.

TABLE 46.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 and over	Not stated	All ages	Average age
Total	**1,130**	**5,934**	**4,356**	**2,073**	**989**	**386**	**195**	**78**	**53**	**26**	**245**	**15,465**	**27·2**
Carlow	24	68	32	25	6	7	3	3	1	·	3	172	26·8
Dublin County Borough	316	1,931	1,090	440	174	83	41	16	15	11	30	4,147	26·1
Dun Laoghaire Borough	12	157	97	30	14	10	2	2	·	1	2	327	26·5
Dublin County (remainder)	35	243	158	59	24	11	6	3	3	1	8	551	26·5
Kildare	39	135	73	26	17	3	2	1	1	·	7	304	25·4
Kilkenny	24	90	69	47	24	3	4	·	·	·	4	265	27·2
Laois	22	62	64	36	15	10	4	·	·	·	6	219	27·6
Longford	6	32	35	31	18	5	3	·	1	·	4	135	29·6
Louth	35	178	122	45	26	12	4	·	1	1	2	426	26·5
Meath	22	121	72	34	17	12	6	2	1	·	15	302	27·1
Offaly	19	94	51	31	12	6	·	2	·	·	3	218	26·4
Westmeath	20	77	54	26	8	6	6	5	2	·	9	213	27·6
Wexford	34	157	93	52	26	15	3	4	·	·	7	391	26·9
Wicklow	24	147	75	31	17	3	5	2	2	·	7	313	26·2
Leinster	**632**	**3,492**	**2,085**	**913**	**398**	**186**	**89**	**40**	**27**	**14**	**107**	**7,983**	**26·4**
Clare	17	80	98	60	34	13	4	1	·	2	7	316	28·9
Cork County Borough	30	249	168	71	26	10	4	4	6	·	1	569	25·8
Cork County	59	370	392	188	115	27	20	7	5	1	23	1,207	28·4
Kerry	27	125	140	86	39	8	7	·	·	1	10	443	28·0
Limerick County Borough	28	132	67	28	9	5	2	·	·	·	6	277	25·3
Limerick County	19	90	95	56	36	19	7	·	1	·	9	332	28·9
Tipperary N.R.	19	54	81	44	18	7	6	1	1	·	·	231	28·5
Tipperary S.R.	28	107	88	36	34	7	1	1	1	·	2	305	27·1
Waterford County Borough	17	97	42	13	8	4	5	1	·	·	2	189	25·8
Waterford County	19	62	56	25	18	4	2	·	·	1	·	187	27·2
Munster	**263**	**1,366**	**1,227**	**607**	**337**	**104**	**58**	**15**	**14**	**5**	**60**	**4,056**	**27·7**
Galway	23	132	188	94	52	15	9	·	·	2	11	526	28·6
Leitrim	4	27	52	33	10	4	3	3	1	·	1	138	29·8
Mayo	15	96	113	69	37	14	6	2	2	2	29	385	29·2
Roscommon	5	49	74	50	25	11	1	1	2	·	11	229	29·7
Sligo	11	75	62	36	24	10	3	·	1	·	1	223	28·3
Connacht	**58**	**379**	**489**	**282**	**148**	**54**	**22**	**6**	**6**	**4**	**53**	**1,501**	**29·0**
Cavan	12	69	79	39	15	8	5	4	1	·	3	235	28·5
Donegal	38	194	138	71	30	8	9	4	1	1	9	503	27·0
Monaghan	15	64	73	42	17	10	5	1	2	2	3	234	28·9
Ulster (part of)	**65**	**327**	**290**	**152**	**62**	**26**	**19**	**9**	**4**	**3**	**15**	**972**	**27·8**
Ireland*	**1,018**	**5,564**	**4,091**	**1,954**	**945**	**370**	**188**	**70**	**51**	**26**	**235**	**14,512**	**27·1**
Six Counties	14	34	30	16	13	4	1	2	1	·	2	117	28·0
England and Wales	54	292	199	81	25	8	4	4	1	·	4	672	26·0
Scotland	1	6	13	6	·	1	·	·	·	·	·	27	27·7
Elsewhere	·	10	9	8	4	2	1	1	·	·	2	37	30·5
Not stated	43	28	14	8	2	1	1	1	·	·	2	100	22·9

*Exclusive of the Six Counties.

TABLE 47.—MARRIAGES REGISTERED IN 1960 CLASSIFIED BY AREA OF

Area of

Area of residence of groom	Total	Carlow	Dublin Co. Borough	Dun Laoghaire Borough	Dublin Co. (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork Co. Borough	Cork County
Total	**15,465**	**172**	**4,147**	**327**	**551**	**304**	**265**	**219**	**135**	**426**	**302**	**218**	**213**	**391**	**313**	**7,983**	**316**	**569**	**1,207**
Carlow	166	122	9	·	2	7	5	2	·	·	·	·	·	5	9	161	·	·	·
Dublin Co. Borough ...	3,828	3	3,284	75	215	9	3	12	2	11	15	5	7	11	29	3,681	8	11	9
Dun Laoghaire Borough ...	290	1	65	162	26	3	1	·	1	·	·	·	·	1	11	271	2	·	3
Dublin Co. (remainder) ...	541	2	242	31	194	6	·	·	·	5	11	1	1	3	16	512	·	·	1
Kildare	334	8	31	3	9	236	6	3	·	·	8	7	1	3	8	323	·	·	1
Kilkenny	233	3	3	1	·	·	184	4	·	·	·	·	·	7	2	204	·	1	1
Laois	208	2	8	3	·	3	11	152	·	·	·	11	·	2	3	195	·	·	1
Longford	133	1	4	·	·	·	·	·	100	1	1	3	6	·	·	116	·	·	·
Louth	371	1	18	·	5	·	·	·	·	308	18	·	·	2	1	353	·	·	3
Meath	303	·	22	1	9	2	1	1	·	20	210	·	9	4	1	280	·	·	1
Offaly	238	·	9	1	4	6	·	20	2	2	·	160	11	2	1	218	3	·	1
Westmeath	206	1	10	·	·	·	·	·	6	·	4	12	142	·	5	180	1	·	1
Wexford	390	6	13	4	8	1	8	·	·	3	1	·	1	318	7	370	2	1	2
Wicklow	278	9	25	5	12	4	1	3	1	·	·	·	·	6	196	262	·	·	1
Leinster ...	**7,519**	**159**	**3,743**	**286**	**484**	**277**	**220**	**197**	**112**	**350**	**268**	**199**	**178**	**364**	**289**	**7,126**	**16**	**13**	**25**
Clare	317	·	12	·	·	·	·	1	·	·	·	1	·	·	·	14	259	1	1
Cork Co. Borough ...	552	·	9	1	2	·	2	·	·	·	·	1	·	1	·	16	·	382	140
Cork County	1,156	2	15	2	1	·	4	·	·	1	1	1	·	3	1	31	·	134	922
Kerry	424	·	6	·	3	·	·	·	·	1	1	·	·	·	1	12	1	·	16
Limerick Co. Borough ...	250	·	6	2	2	·	1	2	·	·	·	·	·	·	·	13	7	3	3
Limerick County ...	333	·	4	1	1	1	·	·	·	·	1	1	2	·	·	11	9	·	10
Tipperary N.R.	236	·	9	2	1	·	4	3	·	·	1	5	·	·	1	26	5	1	4
Tipperary S.R.	317	·	7	·	·	·	11	2	·	·	·	1	·	1	1	23	2	·	9
Waterford Co. Borough ...	163	1	·	1	·	3	·	·	·	·	·	·	·	2	·	7	·	2	1
Waterford County ...	186	·	3	3	2	·	2	·	·	·	·	·	·	3	·	13	·	1	11
Munster ...	**3,934**	**3**	**71**	**12**	**12**	**4**	**24**	**8**	·	**2**	**4**	**10**	**2**	**10**	**4**	**166**	**283**	**524**	**1,117**
Galway	505	·	9	·	1	1	·	1	·	1	2	1	7	·	1	24	5	·	1
Leitrim	131	2	6	·	2	·	·	·	1	·	1	·	1	·	·	13	·	·	·
Mayo	379	·	5	1	2	·	·	·	3	3	1	2	·	·	·	17	1	1	1
Roscommon	222	·	4	1	·	1	1	·	7	1	·	·	10	·	1	26	2	·	1
Sligo	203	·	1	·	2	·	·	·	·	·	·	·	1	·	·	4	1	·	3
Connacht ...	**1,440**	**2**	**25**	**2**	**7**	**2**	**1**	**1**	**11**	**5**	**4**	**3**	**19**	·	**2**	**84**	**9**	**1**	**6**
Cavan	244	1	8	·	2	·	1	·	6	3	9	1	1	·	·	32	1	·	3
Donegal	436	·	7	2	·	·	2	·	·	1	1	·	1	·	·	14	1	·	2
Monaghan	214	1	4	·	1	·	·	·	1	11	·	·	·	·	·	18	·	·	·
Ulster (part of) ...	**894**	**2**	**19**	**2**	**3**	·	**3**	·	**7**	**15**	**10**	**1**	**2**	·	·	**64**	**2**	·	**5**
Ireland* ...	**13,787**	**166**	**3,858**	**302**	**506**	**283**	**248**	**206**	**130**	**372**	**286**	**213**	**201**	**374**	**295**	**7,440**	**310**	**538**	**1,153**
Six Counties	263	·	28	1	3	4	2	4	1	29	1	·	·	2	2	77	·	1	5
England and Wales ...	1,161	5	213	21	37	15	13	9	2	23	12	5	12	13	11	391	5	28	36
Scotland	68	1	18	1	·	1	1	·	·	1	·	·	·	·	3	26	·	1	3
Elsewhere	112	·	25	2	5	1	1	·	2	1	2	·	·	2	1	42	1	1	9
Not stated	74	·	5	·	·	·	·	·	·	·	1	·	·	·	1	7	·	·	1

*Exclusive of the Six Counties

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick Co. Borough	Limerick County	Tipperary N.R.	Tipperary S.R.	Waterford Co. Borough	Waterford County	**Munster**	Galway	Leitrim	Mayo	Roscommon	Sligo	**Connacht**	Cavan	Donegal	Monaghan	**Ulster (part of)**	**Ireland***	Six Counties	England and Wales	Scotland	Elsewhere	Not stated
443	**277**	**332**	**231**	**305**	**189**	**187**	**4,056**	**526**	**138**	**385**	**229**	**223**	**1,501**	**235**	**503**	**234**	**972**	**14,512**	**117**	**672**	**27**	**37**	**100**
·	·	·	·	1	·	1	2	·	·	2	·	·	2	·	·	·	·	165	·	1	·	·	·
11	5	3	8	1	6	4	66	9	2	5	5	9	30	6	6	2	14	3,791	3	27	·	1	6
·	1	3	1	·	·	·	10	1	1	·	1	·	3	·	·	·	·	284	·	5	·	·	1
1	2	·	2	1	2	1	10	3	1	3	1	1	9	·	·	·	·	531	2	2	1	1	4
2	·	·	3	2	·	·	8	·	1	1	·	·	2	·	·	·	·	333	·	·	·	·	1
1	1	1	1	7	11	4	28	1	·	·	·	·	1	·	·	·	·	233	·	·	·	·	·
1	·	·	2	·	·	1	5	2	·	2	1	·	5	1	·	1	2	207	·	1	·	·	·
·	·	·	·	1	·	·	1	·	4	1	2	·	7	7	2	·	9	133	·	·	·	·	·
2	1	·	·	·	·	·	6	·	1	·	·	·	1	2	1	5	8	368	3	·	·	·	·
1	·	2	·	·	·	·	4	2	1	·	·	·	3	10	1	·	11	298	·	3	·	1	1
·	1	·	4	·	·	·	9	5	·	·	2	1	8	·	1	·	1	236	·	1	·	·	1
1	·	·	·	·	·	·	3	3	·	3	8	1	15	2	1	1	4	202	·	3	·	·	1
·	·	1	1	1	2	2	12	1	·	1	1	2	5	·	·	·	·	387	·	1	·	·	2
1	·	·	·	·	·	·	2	1	1	·	2	·	4	2	2	·	4	272	1	5	·	·	·
21	**11**	**10**	**22**	**14**	**21**	**13**	**166**	**28**	**12**	**18**	**23**	**14**	**95**	**30**	**14**	**9**	**53**	**7,440**	**9**	**49**	**1**	**3**	**17**
·	8	12	3	·	·	·	284	11	·	2	1	·	14	·	·	1	1	313	·	4	·	·	·
3	2	1	·	1	1	1	531	1	·	·	·	1	2	·	·	·	·	549	·	3	·	·	·
16	6	14	·	7	1	13	1,113	2	·	·	1	1	4	·	·	·	·	1,148	1	3	·	·	4
375	4	6	·	1	1	1	405	1	·	2	·	·	3	1	·	·	1	421	·	2	·	·	1
2	188	18	2	1	1	1	226	1	1	1	1	2	6	·	·	·	·	245	·	3	·	2	·
11	34	231	7	10	·	·	312	1	·	1	2	·	4	2	1	·	3	330	·	3	·	·	·
1	2	7	171	10	·	·	201	5	·	·	1	·	6	·	·	·	·	233	·	2	·	·	1
3	4	9	12	238	3	6	286	1	·	1	·	·	2	1	1	·	2	313	1	2	·	·	1
·	1	·	·	1	132	17	154	·	·	1	·	·	1	·	·	·	·	162	·	1	·	·	·
2	·	·	·	10	19	128	171	·	·	·	·	·	·	·	·	·	·	184	·	1	·	·	1
413	**249**	**298**	**195**	**279**	**158**	**167**	**3,683**	**23**	**1**	**8**	**6**	**4**	**42**	**4**	**2**	**1**	**7**	**3,898**	**2**	**24**	·	**2**	**8**
1	2	5	3	1	·	·	18	426	·	12	14	2	454	·	4	·	4	500	·	3	·	·	2
·	·	2	·	·	·	·	2	2	94	1	6	6	109	4	1	1	6	130	1	·	·	·	·
3	1	4	2	·	·	·	13	15	·	313	4	8	340	·	2	·	2	372	1	5	1	·	·
·	·	·	2	2	·	·	7	9	5	4	162	4	184	·	1	1	2	219	·	·	·	·	3
1	·	·	·	·	·	·	5	·	5	6	5	171	187	·	4	·	4	200	2	·	·	·	1
5	**3**	**11**	**7**	**3**	·	·	**45**	**452**	**104**	**336**	**191**	**191**	**1,274**	**4**	**12**	**2**	**18**	**1,421**	**4**	**8**	**1**	·	**6**
·	·	1	·	·	·	·	5	2	8	·	3	2	15	174	1	16	191	243	1	·	·	·	·
·	1	2	·	·	·	·	6	·	3	4	·	2	9	2	388	1	391	420	11	5	·	·	·
·	·	2	·	·	·	·	2	1	·	·	1	2	4	8	2	173	183	207	6	1	·	·	·
·	**1**	**5**	·	·	·	·	**13**	**3**	**11**	**4**	**4**	**6**	**28**	**184**	**391**	**190**	**765**	**870**	**18**	**6**	·	·	·
439	**264**	**324**	**224**	**296**	**179**	**180**	**3,907**	**506**	**128**	**366**	**224**	**215**	**1,439**	**222**	**419**	**202**	**843**	**13,629**	**33**	**87**	**2**	**5**	**31**
1	2	2	·	·	1	·	12	2	4	6	·	·	12	7	52	21	80	181	79	2	·	1	·
2	6	6	5	6	8	5	107	13	5	11	5	4	38	2	19	9	30	566	5	581	2	1	6
·	·	·	·	·	·	·	4	·	1	·	·	1	2	1	11	·	12	44	·	·	23	·	1
1	5	·	2	2	1	2	24	4	·	2	·	2	8	2	2	2	6	80	·	1	·	30	1
·	·	·	·	1	·	·	2	1	·	·	·	1	2	1	·	·	1	12	·	1	·	·	61

*Exclusive of the Six Counties

TABLE 48.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM.

Country of future permanent residence	Age of groom												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 & over	Not stated	All ages	Average age
Six Counties ...	3	74	75	49	36	16	6	3	2	4	1	269	30·6
England and Wales ...	58	655	609	267	120	47	16	12	8	2	7	1,801	27·7
Scotland	·	18	25	21	12	3	4	1	·	·	·	84	30·9
Europe (remainder) ...	·	13	11	9	·	·	·	·	·	·	·	33	26·9
U.S.A.	2	29	51	25	10	5	1	2	2	3	1	131	30·3
Canada	·	6	20	6	1	1	·	·	·	·	·	34	28·2
Australia and New Zealand	·	1	2	1	·	1	·	·	·	·	·	5	30·5
Elsewhere	·	2	15	15	3	2	1	·	·	·	·	38	31·3
Total ...	**63**	**798**	**808**	**393**	**182**	**75**	**28**	**18**	**12**	**9**	**9**	**2,395**	**28·3**

TABLE 49.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE.

Country of future permanent residence	Age of bride												
	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–54	55–59	60 & over	Not stated	All ages	Average age
Six Counties ...	26	92	80	33	26	4	2	·	2	·	4	269	27·0
England and Wales ...	189	850	453	190	64	20	13	4	1	·	17	1,801	25·4
Scotland	5	29	25	16	5	4	·	·	·	·	·	84	27·4
Europe (remainder) ...	2	16	10	3	2	·	·	·	·	·	·	33	25·5
U.S.A.	3	65	36	14	5	2	1	2	1	1	1	131	27·0
Canada	1	15	16	1	·	·	1	·	·	·	·	34	25·7
Australia and New Zealand	·	3	2	·	·	·	·	·	·	·	·	5	24·5
Elsewhere	1	13	18	4	1	1	·	·	·	·	·	38	26·7
Total ...	**227**	**1,083**	**640**	**261**	**103**	**31**	**17**	**6**	**4**	**1**	**22**	**2,395**	**25·7**

TABLE 50.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties	269	40	9	31	18	25	9	37	20	53	5	20	2
England and Wales ...	1,801	50	27	133	54	68	41	205	187	525	107	369	35
Scotland	84	2	1	4	1	8	3	6	10	21	5	21	2
Europe (remainder) ...	33	·	·	5	8	3	1	10	·	6	·	·	·
U.S.A.	131	3	·	22	4	4	8	29	13	35	3	6	4
Canada	34	1	1	9	3	1	2	7	2	7	·	1	·
Australia and New Zealand	5	·	·	1	·	·	·	1	2	1	·	·	·
Elsewhere	38	·	·	21	2	1	4	6	1	2	·	·	1
Total ...	**2,395**	**96**	**38**	**226**	**90**	**110**	**68**	**301**	**235**	**650**	**120**	**417**	**44**

TABLE 51.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE.

Country of future permanent residence	Social group of bride												
	Total	Farmers, relatives assisting and farm managers	Farm labourers	Higher professional	Lower professional	Employers and managers (including shopkeepers)	Salaried employees	Clerks and other "white collar" workers	Non-manual wage earners	Skilled manual workers	Semi-skilled manual workers	Unskilled manual workers	Unknown
Six Counties	269	·	·	2	57	2	1	46	35	5	8	24	89
England and Wales ...	1,801	6	·	16	210	12	20	405	200	131	39	307	455
Scotland	84	·	·	1	13	·	·	14	12	3	3	11	27
Europe (remainder) ...	33	·	·	·	5	1	2	9	2	·	·	2	12
U.S.A.	131	1	·	4	15	·	2	35	17	9	2	6	40
Canada	34	·	·	3	8	·	·	9	2	·	3	1	8
Australia and New Zealand	5	·	·	1	1	·	1	·	·	·	·	·	2
Elsewhere	38	1	·	·	7	1	1	14	2	1	·	1	10
Total ...	**2,395**	**8**	**·**	**27**	**316**	**16**	**27**	**532**	**270**	**149**	**55**	**352**	**643**

TABLE 52.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY.

Country of future permanent residence	Total marriages	Form of ceremony							
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Society of Friends	Other religions	Civil marriage
Six Counties ...	269	194	29	35	5	1	·	·	5
England and Wales ...	1,801	1,723	50	10	4	6	·	·	8
Scotland	84	77	6	·	·	·	·	·	1
Europe (remainder) ...	33	30	3	·	·	·	·	·	·
U.S.A.	131	128	1	1	·	·	·	·	1
Canada	34	29	1	1	2	·	·	·	1
Australia & New Zealand	5	5	·	·	·	·	·	·	·
Elsewhere	38	34	3	·	1	·	·	·	·
Total ...	**2,395**	**2,220**	**93**	**47**	**12**	**7**	**·**	**·**	**16**

TABLE 53.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	269	9	7	1	1	18	232	1
England and Wales ...	1,801	365	137	136	53	36	1,070	4
Scotland	84	2	1	·	1	17	63	·
Europe (remainder) ...	33	5	3	·	·	·	25	·
U.S.A.	131	26	12	15	6	6	65	1
Canada	34	11	1	8	1	·	13	·
Australia and New Zealand	5	4	·	·	·	1	·	·
Elsewhere	38	16	5	4	1	·	12	·
Total	**2,395**	**438**	**166**	**164**	**63**	**78**	**1,480**	**6**

TABLE 54.—MARRIAGES REGISTERED IN 1960 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Six Counties	269	36	44	10	11	83	84	1
England and Wales ...	1,801	605	241	226	81	56	578	14
Scotland	84	21	8	5	2	27	20	1
Europe (remainder) ...	33	14	5	8	1	1	4	·
U.S.A.	131	41	17	28	10	10	24	1
Canada	34	14	4	11	3	·	2	·
Australia and New Zealand	5	3	1	·	·	1	·	·
Elsewhere	38	23	5	6	3	1	·	·
Total	**2,395**	**757**	**325**	**294**	**111**	**179**	**712**	**17**

TABLE 55.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1960

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro-spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
COUNTY BOROUGHS												
Cork	1	·	1	23	·	15	·	2	30	·	1	·
Dublin	83	·	7	930	55	179	·	35	513	48	27	·
Limerick	·	·	·	31	3	1	·	2	·	·	4	·
Waterford	·	·	·	·	·	·	·	·	·	·	·	·
COUNTIES												
Carlow												
Urban	·	·	·	·	·	·	·	·	·	·	·	·
Rural	2	·	·	4	·	·	·	1	3	·	1	·
Cavan												
Urban	·	·	·	11	·	·	·	·	8	·	21	·
Rural	1	·	1	6	·	·	1	4	18	·	12	·
Clare												
Urban	1	1	·	4	·	·	·	1	1	·	11	·
Rural	3	·	·	2	·	·	·	1	11	·	16	·
Cork												
Urban	·	·	·	1	·	·	·	·	·	·	·	·
Rural	·	1	2	7	1	19	·	6	74	2	·	·
Donegal												
Urban	·	·	·	·	·	·	·	·	·	·	·	·
Rural	5	2	·	1	·	1	·	4	29	1	·	·
Dublin												
Urban	9	·	1	47	·	4	·	3	44	22	1	·
Rural	9	1	2	73	8	22	·	1	89	20	5	·
Galway												
Urban	3	·	·	31	·	2	·	·	33	45	·	·
Rural	3	1	4	47	·	1	·	3	22	·	·	·
Kerry												
Urban	·	·	1	·	·	·	·	·	·	·	·	·
Rural	2	·	2	1	·	·	·	·	10	·	·	·
Kildare												
Urban	4	·	·	·	·	1	·	1	3	·	·	·
Rural	6	·	2	11	·	1	·	4	6	2	·	·
Kilkenny												
Urban	·	·	·	3	·	·	1	·	10	·	·	·
Rural	5	·	·	1	·	·	1	4	17	·	10	·
Laois												
Rural	·	·	·	·	·	·	·	·	·	·	·	·
Leitrim												
Rural	·	·	·	·	·	·	·	·	7	·	·	·
Limerick												
Rural	1	·	·	1	1	·	·	1	43	·	3	·
Longford												
Urban	·	·	·	·	·	·	·	·	·	·	·	·
Rural	·	·	·	·	·	·	·	·	·	·	·	·
Louth												
Urban	2	1	3	·	·	3	·	2	·	·	·	·
Rural	3	·	·	·	·	2	·	1	3	1	1	·

TABLE 55.—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1960.

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro-spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infective hepatitis	Infective mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	·	·	·	11	·	·	·	·	5	·	·	·
Rural	4	·	2	4	·	·	·	1	12	·	·	·
Meath												
Urban	·	·	·	2	·	8	·	·	4	·	·	·
Rural	6	1	4	13	·	5	·	·	18	3	·	·
Monaghan												
Urban	·	·	·	·	·	4	·	·	·	·	·	·
Rural	·	·	·	·	·	·	·	1	3	·	·	·
Offaly												
Urban	2	·	·	2	·	·	·	·	·	·	·	·
Rural	2	·	·	11	·	·	·	·	38	·	2	·
Roscommon†												
Rural	4	·	3	·	·	·	·	·	11	1	·	·
Sligo												
Urban	1	·	·	·	·	·	·	1	3	·	1	·
Rural	1	·	·	10	·	·	·	1	·	·	1	·
Tipperary (N.R.)												
Urban	·	·	1	·	·	·	·	·	·	·	·	·
Rural	2	1	1	1	·	·	·	1	17	1	·	·
Tipperary (S.R.)												
Urban	4	1	1	1	·	·	·	1	9	·	1	·
Rural	3	·	1	·	·	·	·	·	47	·	3	·
Waterford												
Urban	·	·	1	·	·	·	·	·	·	·	·	·
Rural	1	·	·	12	·	·	·	3	26	1	·	·
Westmeath												
Urban	·	·	·	·	·	·	·	·	·	·	·	·
Rural	3	·	·	·	·	·	·	1	27	·	·	·
Wexford												
Urban	1	·	1	12	·	6	·	2	2	·	6	·
Rural	2	1	1	15	·	7	·	7	9	·	5	·
Wicklow												
Urban	3	·	·	8	·	3	·	8	17	1	·	·
Rural	2	·	·	7	·	1	·	3	12	·	·	·
All County Boroughs ...	84	·	8	984	58	195	·	39	543	48	32	·
All Urban Districts ...	30	3	9	133	·	31	1	19	139	68	41	·
All Rural Districts ...	70	8	25	227	10	59	2	48	552	32	59	·
Total	**184**	**11**	**42**	**1,344**	**68**	**285**	**3**	**106**	**1,234**	**148**	**132**	·

TABLE 55.—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1960.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHS													
Cork	1	.	.	.	47	1	7	.	.	.	.	131	.
Dublin	833	.	.	4	228	318	375	12	.	.	.	648	3c, 52d
Limerick	12	.	.	.	4	1	15	.	.	.	.	6	.
Waterford ...	.	1	.	.	.	.	.	.	.	.	.	.	.
COUNTIES													
Carlow													
Urban ...	.	.	.	.	.	.	7	.	.	.	.	29	.
Rural ...	1	.	.	.	.	.	13	.	.	.	.	117	.
Cavan													
Urban ...	.	.	.	.	.	5	.	2	.	.	.	5	.
Rural ...	7	.	.	.	6	.	17	.	.	.	.	59	1b
Clare													
Urban ...	.	.	.	.	3	2	4	.	.	.	.	7	.
Rural ...	23	.	.	.	27	.	7	5	.	.	.	43	.
Cork													
Urban ...	.	.	1	.	.	4	2	.	.	.	.	29	.
Rural ...	18	.	1	1	7	.	53	2	.	1	2	232	.
Donegal													
Urban ...	.	.	.	.	.	.	.	.	.	1	.	.	.
Rural ...	8	2	.	.	.	.	14	.	.	4	1	30	.
Dublin													
Urban ...	44	.	.	.	46	.	41	3	.	.	.	9	5d
Rural ...	66	.	1	.	54	.	70	.	.	.	.	84	1a, 1c, 11d
Galway													
Urban ...	2	.	.	.	9	.	29	.	.	.	.	15	2c, 1d
Rural ...	15	.	1	.	5	.	33	.	.	.	1	92	1c
Kerry													
Urban ...	3	.	.	.	.	.	4	10	.	.	1	.	.
Rural ...	2	.	.	.	1	.	3	.	.	1	3	15	.
Kildare													
Urban ...	.	.	.	.	.	.	1	.	.	.	.	.	.
Rural ...	3	.	.	.	7	.	14	.	.	.	.	22	4d
Kilkenny													
Urban ...	1	.	.	.	.	.	2	.	.	.	.	15	.
Rural ...	7	.	.	.	1	.	9	2	.	.	.	72	1d
Laois													
Rural ...	3	.	.	.	.	.	6	.	.	.	.	83	.
Leitrim													
Rural ...	18	.	.	.	.	.	1	.	.	.	.	14	.
Limerick													
Rural ...	.	.	.	.	1	.	17	2	.	1	.	7	1c
Longford													
Urban ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Rural ...	.	.	.	.	.	.	9	.	.	.	.	1	.
Louth													
Urban ...	.	.	.	.	2	.	14	.	.	.	.	.	.
Rural ...	.	.	.	.	.	.	9	.	.	.	.	22	.

(a) Pemphigus neonatorum.

(b) Ophthalmia neonatorum.

(c) Salmonella infection.

(d) Acute lymphocytic meningitis.

TABLE 55.—(continued)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1960.

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Puerperal sepsis	Rubella	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban ...	129	·	·	·	·	·	3	·	·	·	·	12	1a, 1c
Rural ...	38	·	·	·	·	·	4	·	·	·	2	47	·
Meath													
Urban ...	105	·	·	·	·	1	3	·	·	·	·	61	·
Rural ...	153	5	·	·	3	·	16	·	·	·	1	138	1d
Monaghan													
Urban ...	1	·	1	·	·	·	2	·	·	·	·	8	·
Rural ...	1	·	·	·	·	·	16	·	·	1	·	2	1d
Offaly													
Urban ...	3	·	·	·	·	·	1	·	·	·	·	1	·
Rural ...	205	·	·	·	·	·	3	3	·	·	·	9	·
Roscommon													
Rural ...	2	·	·	·	2	·	6	·	·	·	·	2	2a
Sligo													
Urban ...	40	·	·	·	3	·	34	·	·	·	·	16	·
Rural ...	3	·	·	·	3	·	12	·	·	·	·	·	·
Tipperary (N.R.)													
Urban ...	4	·	·	·	·	·	·	·	·	·	1	4	·
Rural ...	2	·	·	·	1	·	3	·	·	·	·	12	·
Tipperary (S.R.)													
Urban ...	2	·	·	·	1	·	11	·	·	·	·	·	·
Rural ...	1	2	·	·	·	·	13	·	·	·	·	10	·
Waterford													
Urban ...	·	26	·	·	·	·	·	·	·	·	·	·	·
Rural ...	2	1	1	·	15	·	2	4	·	·	·	1	·
Westmeath													
Urban ...	1	·	·	·	·	·	·	·	·	·	·	·	·
Rural ...	13	·	·	·	·	·	29	·	·	·	·	114	·
Wexford													
Urban ...	·	·	·	·	·	·	5	·	·	·	·	10	·
Rural ...	·	·	·	·	1	·	14	·	·	1	·	70	1c
Wicklow													
Urban ...	2	·	·	·	15	15	7	·	·	·	·	30	·
Rural ...	11	·	·	·	2	·	8	·	·	·	·	41	·
All County Boroughs	846	1	·	4	279	320	397	12	·	·	·	785	3c, 52d
All Urban Districts	337	26	2	·	79	27	170	15	·	1	2	251	1a, 3c, 6d
All Rural Districts ...	602	10	4	1	136	·	401	18	·	9	10	1,339	3a, 1b, 4c, 18d
Total	**1,785**	**37**	**6**	**5**	**494**	**347**	**968**	**45**	·	**10**	**12**	**2,375**	4a, 1b, 10c, 76d

(a) Pemphigus neonatorum.

(b) Ophthalmia neonatorum.

(c) Salmonella infection.

(d) Acute lymphocytic meningitis.