

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.

Margaret Meade



AN ROINN SLÁINTE

Tuarascail

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1973

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: 70p

(Pri. 4778)

1-2-73



AN ROINN SLÁINTE

Tuarascáil

AR

Staidreamh Beatha

REPORT

ON

VITAL STATISTICS

1973

COMPILED BY THE CENTRAL STATISTICS OFFICE

PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the

GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN 1

or through any Bookseller

Price: 70p

(Pr. 4778)

Printed by Mount Salus Press Ltd., Tritonville Road, Sandymount, Dublin 4

CONTENTS

PART I – TEXT

	Page
GENERAL SUMMARY	vii
MARRIAGES	
Number and rate	ix
Age at marriage	ix
Mode of celebration	x
Social group	xi
Area of residence	xi
BIRTHS	
Number and rate	xvi
Age at maternity, parity, duration of marriage	xvi
Multiple births	xix
DEATHS	
Number and rate	xx
Comparison between counties	xx
Causes of death	xxiii
Tuberculosis	xxvi
Cancer	xxviii
Diseases of the circulatory system	xxxii
Respiratory diseases	xxxiv
Pregnancy, childbirth and the puerperium	xxxiv
Infant and late foetal mortality	xxxv
Accidents, poisoning and violence	xli
Uncertified deaths	xliv
Inquests and post-mortems	xliv
DIAGRAM 1 – Birth, marriage and death rates (per 1,000 population) 1941 to 1973	viii
" 2 – Standardised death rates (per 1,000 population) from all causes, 1973	xxi
" 3 – Death rates (per 1,000 population) from tuberculosis and cancer, 1944-1973	xxvii
" 4 – Death rates from lung cancer (per 100,000 population), 1962-1973	xxvii
" 5 – Infant and neo-natal mortality (per 1,000 live births), 1944-1973	xxxvii

CONTENTS - PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1 - Estimated population in thousands in each year 1851-1973.	2
Population by age	State	Table 2 - Estimated population by age 1973.	3
Population	Counties	Table 3 - Population by sex of each county and county borough according to the Census of Population, 1971.	4
Marriages, births and deaths, 1864-1973	State	Table 4 - Marriages, births and deaths and natural increase (excess of births over deaths) 1864-1973.	5
Marriage, birth and death rate, 1864-1973	State	Table 5 - Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1973.	6
Marriages, births and deaths 1961-1973	State	Table 6 - Marriages, births and deaths for the years 1961-1973 with rates per 1,000 of the population.	7
Deaths by principal causes, 1973 with rates	State and Northern Ireland	Table 7 - Deaths from principal causes in Ireland and Northern Ireland, 1973, with rates per 100,000 population.	8
Deaths by age, 1864-1973	State	Table 8 - Average annual number of deaths during the period 1864-1970 and the number of deaths in the years 1971 to 1973 classified by sex and age.	10
Death rates by age, 1864-1973	State	Table 9 - Average annual death rates for the period 1864-1970 and death rates for the years 1971 to 1973 per 1,000 corresponding population classified by sex and age.	11
Births, deaths, infant mortality and illegitimate births showing county transfers, 1973	Counties	Table 10 - Births and deaths in each county and county borough in 1973 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under one year of age.	12
Marriage, births and deaths by sex, 1973	Counties	Table 11 - Marriages, births and deaths assigned to each county and county borough during 1973 showing separately illegitimate births and deaths from some principal causes.	14
Marriage, birth and death rates 1973	Counties	Table 12 - Marriage, birth and death rates and the proportion of illegitimate births in each county and county borough and the death rates for some of the principal diseases in 1973.	15
Deaths by conjugal conditions, 1973	State	Table 13 - Deaths in 1973 classified by conjugal condition and sex in certain age groups.	16
Births and deaths, 1973	Urban Districts	Table 14 - Births and deaths assigned to each urban district in 1973 classified by sex.	16
Births and deaths, 1973	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 15 - Births and deaths classified by sex in 1973 assigned to the principal towns and aggregate urban and rural districts, showing separately illegitimate births and the deaths from tuberculosis and malignant neoplasms.	17
Birth and death rates, 1973	Principal Towns, Agg. U.D.'s and Agg. R.D.'s	Table 16 - Birth and death rates in 1973 in the principal towns and in aggregate urban and aggregate rural districts, the proportion of illegitimate births and the death rates from tuberculosis and malignant neoplasms.	18
Deaths by age, 1973	Agg. Urban and Agg. Rural	Table 17 - Deaths occurring in 1973 at each year of age of residents in the aggregate urban districts and in the aggregate rural districts.	19
Deaths by sex and age, 1973	Counties	Table 18 - Deaths occurring in 1973 classified by sex and age of residents in each county borough and county.	22
Deaths by cause and age, 1973	State	Table 19 - Deaths in 1973, classified by cause (International Detailed List, 8th Revision, 1965) and by sex and age.	26
Deaths by cause and uncertified deaths, 1973	Counties	Table 20 - Deaths of residents of each county and county borough in 1973, classified by cause and showing the number of uncertified deaths.	60

CONTENTS—PART II—TABLES

Contents	Area	Title	Page
Deaths by cause, sex and age, 1973	Dublin C.B. Other U.D.'s and Agg. R.D.'s	Table 21 – Deaths occurring in 1973, classified by cause (International Abbreviated List), sex and age of residents in Dublin County Borough, remaining urban districts and aggregate rural districts.	80
Deaths in hospitals, 1973	Counties	Table 22 – Deaths of residents of each province, county and county borough in 1973 classified by place of occurrence.	86
Deaths not medically certified by age, 1973	Counties	Table 23 – Deaths of residents of each county and county borough in 1973 which were not medically certified, classified by age.	87
Deaths by age, sex and principal causes, 1973	Counties	Table 24 – Deaths in 1973 classified by principal groups of causes, sex and age, of residents in each county and county borough.	88
Infant mortality, 1973	Principal Towns, U.D.'s and R.D.'s	Table 25 – Infant mortality—deaths at ages under 4 weeks and 4 weeks and under one year in 1973, classified by sex and cause assigned to the principal towns, other urban districts and rural districts.	107
Infant mortality, 1973	State	Table 26 – Infant mortality—deaths under one year in 1973 classified by sex, age and cause (International Detailed List).	108
Infant mortality, 1973 (illegitimate infants)	State	Table 27 – Infant mortality—deaths of illegitimate infants in 1973 classified by sex, age and cause.	112
Infant mortality, 1973	Counties	Table 28 – Infant mortality—deaths at ages under 4 weeks and 4 weeks and under one year in 1973, classified by sex and cause assigned to each county and county borough.	113
Late foetal deaths, 1973	State	Table 29 – Late foetal deaths notified in 1973 classified by cause and age of mother at maternity.	120
Late foetal deaths, 1973	State	Table 30 – Late foetal deaths notified in 1973 classified by cause and period of gestation.	122
Late foetal deaths, 1973	State	Table 31 – Late foetal deaths notified in 1973 classified by cause and number of previous children.	123
Late foetal deaths, 1973	State	Table 32 – Late foetal deaths notified in 1973 classified by sex and period of gestation.	124
Late foetal deaths, 1973	State	Table 33 – Late foetal deaths notified in 1973 classified by age of mother and number of previous children.	124
Deaths occurring in each quarter, 1973	Counties	Table 34 – Deaths showing the numbers occurring in each quarter in 1973 assigned to the counties and county boroughs.	125
Births occurring in each quarter, 1973	Counties	Table 35 – Births showing the numbers in each quarter in 1973 assigned to the counties and county boroughs.	126
Births, hospital and domiciliary, 1973	Counties	Table 36 – Births in 1973 in each county and county borough showing place of occurrence and areas of normal residence.	127
Births by age of mother, 1973	State	Table 37 – Births in 1973 classified by sex and age of mother at maternity and showing the number of illegitimate births.	128
Births by age of mother, 1973	Counties	Table 38 – Births in 1973 classified by age of mother at maternity and county of normal residence.	129
Births, by age of mother and previous children, 1973	State	Table 39 – Total births in 1973 classified by age of mother at maternity and number of previous liveborn children.	134
Legitimate births by age at maternity and year of marriage, 1973	State	Table 40 – Legitimate births in 1973, classified by age of mother at maternity and year of marriage.	136

CONTENTS—PART II—TABLES

Contents	Area	Title	Page
Legitimate first births, by age of mother at maternity and year of marriage, 1973	State	Table 41 — Legitimate first births in 1973 classified by age of mother at maternity and year of marriage.	138
Marriages, 1973	Counties	Table 42 — Marriages registered in each county and county borough during 1973.	140
All marriages by ages of groom and bride, 1973	State	Table 43 — Marriages registered in 1973 classified by age of groom and age of bride in single years. All marriages.	142
First marriages by ages of groom and bride, 1973	State	Table 44 — Marriages registered in 1973 classified by age of groom and age of bride in single years. First marriages only.	144
Marriages by form of ceremony and age of groom, 1973	State	Table 45 — Marriages registered in 1973 classified according to form of ceremony and age of groom.	146
Marriages by form of ceremony and age of bride, 1973	State	Table 46 — Marriages registered in 1973 classified according to form of ceremony and age of bride.	146
Marriages by social group and age of groom, 1973	State	Table 47 — Marriages registered in 1973 classified by social group and age of groom.	146
Marriages by social group and age of bride, 1973	State	Table 48 — Marriages registered in 1973 classified by social group and age of bride.	147
Marriages by social group of groom and bride, 1973	State	Table 49 — Marriages registered in 1973 classified by social group of groom and bride.	147
Marriage by age and age of residence of groom, 1973	Counties	Table 50 — Marriages registered in 1973 classified by age and area of residence of groom before marriage.	148
Marriages by age and area of residence of bride, 1973	Counties	Table 51 — Marriages registered in 1973 classified by age and area of residence of bride before marriage.	149
Marriages by areas of residence of groom and bride, 1973	Counties	Table 52 — Marriages registered in 1973 classified by area of residence of groom and area of residence of bride before marriage.	150
Marriages with intended future residence abroad by age of groom, 1973	State	Table 53 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified by age of groom.	152
Marriages with intended future residence abroad by age of bride, 1973	State	Table 54 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country classified by age of bride.	152
Marriages with intended future residence abroad by social group of groom, 1973	State	Table 55 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified by social group of groom.	152
Marriages with intended future residence abroad by social group of bride, 1973	State	Table 56 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified by social group of bride.	153
Marriages with intended future residence abroad by form of ceremony, 1973	State	Table 57 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified according to form of ceremony.	153
Marriages with intended future residence abroad by area of residence of groom before marriage, 1973	State	Table 58 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified according to area of residence of groom before marriage.	154
Marriages with intended future residence abroad by area of residence of bride before marriage, 1973	State	Table 59 — Marriages registered in 1973 in which the future permanent residence was stated to be outside the country, classified according to area of residence of bride before marriage.	154
Notification of infectious diseases, 1973	State	Table 60 — Summary of cases of infectious diseases notified to the Department of Health during the year, 1973.	155

REPORT ON VITAL STATISTICS FOR THE YEAR 1973

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952.

The statistics relate to the area in Ireland exclusive of Northern Ireland.

Births are classified according to the area of residence of the mother and deaths according to the area of residence of the deceased.

The number of births for each of the years 1943 to 1973 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1967 is exclusive of non-residents. From 1968 however the number of deaths includes non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

NOTE: Prior to 1970 births and deaths were classified according to year of registration. In order to comply with United Nations regulation it was decided to classify births and deaths by year of occurrence from 1970 onwards.

Because of this change in the basis of classification, those births and deaths which occurred in 1969 but were registered in 1970 have been recorded neither in the 1969 nor in the 1970 Report on Vital Statistics. The number of births excluded on this account was 2,545 and the number of deaths, 2,279. Appendix tables to the 1971 Report show these births classified by age of mother at maternity and number of previous children, while deaths are classified by cause, sex and age group.

GENERAL SUMMARY

Marriages.—There were 22,816 marriages registered during the year 1973 compared with 22,302 in 1972. The marriage rate per 1,000 population was 7.48 compared with 7.40 in 1972.

Births.—The number of births occurring during 1973 was 68,713 and the birth rate was 22.52 per 1,000 population, compared with 22.74 per 1,000 population in 1972. The number of illegitimate births registered in 1973 was 2,167 or 3.15 per cent of all births.

Deaths.—The number of deaths occurring during 1973 was 34,192 and the death rate was 11.21 per 1,000 population. In 1972 deaths numbered 34,381 and the rate was 11.41.

Of the deaths occurring in 1973, 30.67 per cent were stated to be due to ischaemic and other forms of heart disease, 16.97 per cent to malignant neoplasms, 13.91 per cent to cerebrovascular disease and 0.51 per cent to tuberculosis (all forms).

The number of deaths in 1973 from tuberculosis of all forms was 173 and the rate was 0.06 per 1,000 population, thus remaining at the same level as in 1972.

There were 5,583 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1973 was 1.83 per 1,000 population, showing a slight decrease compared with 1972.

During 1973 the number of deaths occurring of infants under one year was 1,234 compared with 1,236 in 1972 giving rates of 17.96 and 18.04 respectively per 1,000 live births.

The total number of deaths from accidents and other external causes in 1973 was 1,583 of which road vehicle accidents accounted for 624.


Marriage, birth and death rates per 1,000 population for the years 1941 to 1973 are illustrated in Diagram 1.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can be registered only on the authority of An tArd Chlaraitheoir. The number of births registered on the authority of An tArd Chlaraitheoir in 1973 was 815 and the number of deaths registered was 183. Throughout the tables in this Report these births and deaths have been excluded.

Population.—The estimated population in April 1973 was 3,051,000.

Diagram 1

BIRTH, MARRIAGE AND DEATH RATES, (PER 1,000 POPULATION) 1941-1973



MARRIAGES

The number of marriages registered in 1973 was 22,816, an increase of 514 on the previous year; the rate was 7.5 per 1,000 population, being the highest rate ever recorded. TABLES 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten-year periods since 1864 and by single years since 1971. The following table compares the marriage rate in Ireland in the years 1941 to 1973 with those in Northern Ireland, England and Wales and Scotland.

TABLE I
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960
AND IN EACH YEAR 1964-1973

Year	Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	5.6	7.6	8.6	8.5
1951-1960†	5.4	6.8	7.8	8.1
1964	5.6	7.3	7.5	7.7
1965	5.9	7.1	7.8	7.8
1966	5.8	7.3	8.0	8.1
1967	6.1	7.3	8.0	8.1
1968	6.5	7.5	8.4	8.4
1969	7.0	7.7	8.1	8.3
1970	7.1	8.1	8.5	8.3
1971	7.4	7.9	8.3	8.1
1972	7.4	7.7	8.2	8.1
1973	7.5	7.3	8.1	8.1

*Exclusive of Northern Ireland.

†Average annual number of marriages per 1,000 population for decennial periods from 1941-1960.

From this table it will be seen that over the period under review, while the marriage rate in this country has been consistently lower than the rates in the other areas, the difference has been decreasing due to the rate in this country rising faster than in the other areas. In 1973, however, it will be noted that the marriage rate was 0.2 above that for Northern Ireland.

AGE AT MARRIAGE

Particulars of the ages of persons marrying in this country were obtained at the 1946 Census of Population. At that Census persons were asked to state their date of marriage and a special analysis was made of 14,338 marriages which had taken place in the preceding twelve months and in the case of which the husband and wife were enumerated on the same census schedule. Corresponding data have been available since 1957 from marriage registrations and the results obtained since have made possible an examination of the trends in age at marriage over the intervening period, which are summarised in the following table.

TABLE II
PERCENTAGE DISTRIBUTION OF MARRIAGES ACCORDING TO AGE OF GROOM AND AGE OF BRIDE AND
AVERAGE AGE AT MARRIAGE IN 1945-1946 AND IN EACH YEAR 1970 TO 1973

Age group	Distribution according to age of groom					Distribution according to age of bride				
	1945-46	1970	1971	1972	1973	1945-46	1970	1971	1972	1973
	Per cent									
Under 20 years	1.0	3.3	3.6	4.3	4.2	6.6	11.3	12.0	13.5	13.2
20 to 24 "	14.3	39.4	39.7	40.9	41.1	29.5	52.4	52.2	51.0	51.5
25 to 29 "	25.7	33.5	34.1	33.1	33.8	31.1	23.1	23.2	22.9	23.2
30 to 34 "	24.2	12.0	11.4	10.9	10.6	19.9	6.9	6.5	6.9	6.3
35 to 44 "	25.8	8.2	7.6	7.2	7.1	11.1	4.5	4.4	4.1	4.0
45 years and over	9.0	3.7	3.6	3.5	3.2	1.9	1.9	1.7	1.8	1.6
TOTAL	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-	100.-
Average age	33.1	27.7	27.5	27.3	27.2	28.0	25.1	25.0	24.8	24.8

Whereas, in 1945-46, 59.0 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 20.9 in 1973, the average age of men at marriage declining from 33.1 years in 1945-46 to 27.2 years in 1973. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 12.0 per cent in 1973 while the average age at marriage declined from 28.0 years in 1945-46 to 24.8 in 1973. In TABLE 43 the marriages registered in 1973 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1973 were 26.9 and 24.5 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1973 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IN IRELAND* AND ENGLAND AND WALES 1973

Age groups	Bachelors		Spinsters	
	Ireland* 1973	England and Wales 1973	Ireland* 1973	England and Wales 1973
15-19 years†	7.0	24.7	23.4	88.2
20-24 "	100.4	153.2	161.2	225.5
25-29 "	177.9	163.4	197.7	170.2
30-34 "	97.5	87.9	97.9	81.7
35-39 "	45.0	45.7	44.8	42.7
40-44 "	25.8	25.3	19.2	23.9
45-49 "	11.2	16.8	8.5	16.1
50-54 "	6.3	11.5	3.9	11.4
55 and over	1.3	4.4	0.3	2.4
Total, 15 years and over	48.2	76.6	59.8	91.8

*Exclusive of Northern Ireland.

†16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was almost four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was one and a half times the Irish rate and for females was more than one and a third times the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age groups above 45 the rate for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1973 amounted to 21,993 (equal to 96 per cent of the total) and other marriages numbered 823, of which 491 were according to the rites and ceremonies of the Church of Ireland, 113 in Presbyterian Churches, 25 in Methodist Churches, 12 according to Jewish Rites, 3 in registered buildings belonging to other religious denominations and 179 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1973 was 7.59 per 1,000 of the Catholic population, an increase of 0.11 on the corresponding rate for 1972. The rate for all other marriages combined was 5.39 per 1,000 of the population other than Catholic, a decrease of 0.51 on the 1972 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1960 AND IN EACH YEAR 1964-1973 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06
1971	566	111	30	6	13	170	896	21,118	22,014	7.55	4.91	7.39
1972	528	130	43	7	13	168	889	21,413	22,302	7.48	5.90	7.40
1973	491	113	25	12	3	179	823	21,993	22,816	7.59	5.39	7.48

†Average annual number of marriages and rates for decennial periods 1941-1960.

Whereas, in 1945-46, 59.0 per cent of the men who married were aged 30 years and over, the proportion over this age had fallen to 20.9 in 1973, the average age of men at marriage declining from 33.1 years in 1945-46 to 27.2 years in 1973. In 1945-46, 32.9 per cent of women marrying were aged 30 years and over compared with 12.0 per cent in 1973 while the average age at marriage declined from 28.0 years in 1945-46 to 24.8 in 1973. In TABLE 43 the marriages registered in 1973 are shown cross classified by age of groom and age of bride in single years while in TABLE 44 similar particulars are shown for marriages between bachelors and spinsters. From the latter table it may be calculated that the average ages of bachelors and spinsters marrying in 1973 were 26.9 and 24.5 respectively.

A comparison of first marriage rates per 1,000 single population in each age group in Ireland and in England and Wales in 1973 is made in Table III. The figures were obtained by dividing the number of single males marrying in each group by the total number of single males in that age group and similarly for females.

TABLE III
FIRST MARRIAGE RATES PER 1,000 SINGLE POPULATION IN EACH AGE GROUP IN IRELAND* AND ENGLAND AND WALES 1973

Age groups	Bachelors		Spinsters	
	Ireland* 1973	England and Wales 1973	Ireland* 1973	England and Wales 1973
15-19 years†	7.0	24.7	23.4	88.2
20-24 "	100.4	153.2	161.2	225.5
25-29 "	177.9	163.4	197.7	170.2
30-34 "	97.5	87.9	97.9	81.7
35-39 "	45.0	45.7	44.8	42.7
40-44 "	25.8	25.3	19.2	23.9
45-49 "	11.2	16.8	8.5	16.1
50-54 "	6.3	11.5	3.9	11.4
55 and over	1.3	4.4	0.3	2.4
Total, 15 years and over	48.2	76.6	59.8	91.8

*Exclusive of Northern Ireland.

†16-19 years for England and Wales.

For each sex the marriage rates in Ireland were considerably below those in England and Wales in the younger age groups. In the 15-19 age groups the marriage rate in England and Wales was almost four times that in Ireland in the case of both males and females. In the 20-24 age group the England and Wales rate for males was one and a half times the Irish rate and for females was more than one and a third times the Irish rate. There was very little difference between the rates in the age groups between 30-49 for males and between 25-44 for females. In the age groups above 45 the rate for England and Wales were significantly higher than the Irish rates.

MODE OF CELEBRATION

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1973 amounted to 21,993 (equal to 96 per cent of the total) and other marriages numbered 823, of which 491 were according to the rites and ceremonies of the Church of Ireland, 113 in Presbyterian Churches, 25 in Methodist Churches, 12 according to Jewish Rites, 3 in registered buildings belonging to other religious denominations and 179 by civil contract in Registrar's Office.

The rate for Catholic marriages in 1973 was 7.59 per 1,000 of the Catholic population, an increase of 0.11 on the corresponding rate for 1972. The rate for all other marriages combined was 5.39 per 1,000 of the population other than Catholic, a decrease of 0.51 on the 1972 rate.

TABLE IV
MARRIAGES REGISTERED IN THE YEARS 1941 TO 1960 AND IN EACH YEAR 1964-1973 ACCORDING TO THE MODE OF CELEBRATION, AND THE RATES PER 1,000 CORRESPONDING POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Year	Marriages registered other than Catholic							Catholic marriages registered	Total marriages registered	Rate per 1,000 corresponding population		
	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages	Total			Catholic marriages	All other marriages	Total marriages
1941-50†	641	136	51	9	9	54	900	15,685	16,585	5.63	4.94	5.60
1951-60†	507	112	37	18	5	65	744	14,998	15,742	5.48	4.48	5.42
1964	412	103	31	7	3	66	622	15,506	16,128	5.70	4.32	5.63
1965	429	83	33	9	7	56	617	16,329	16,946	5.98	4.30	5.89
1966	444	117	33	8	4	79	685	16,164	16,849	5.90	4.79	5.84
1967	475	103	30	3	6	74	691	17,097	17,788	6.22	4.67	6.14
1968	465	120	31	8	13	96	733	18,260	18,993	6.60	5.15	6.53
1969	567	116	36	15	5	124	863	19,441	20,304	6.99	6.09	6.95
1970	518	104	29	7	10	121	789	19,989	20,778	7.14	5.53	7.06
1971	566	111	30	6	13	170	896	21,118	22,014	7.55	4.91	7.39
1972	528	130	43	7	13	168	889	21,413	22,302	7.48	5.90	7.40
1973	491	113	25	12	3	179	823	21,993	22,816	7.59	5.39	7.48

†Average annual number of marriages and rates for decennial periods 1941-1960.

Marriages are classified according to form of ceremony, age of groom and age of bride in TABLES 45 and 46. For Catholic marriages the average age of the groom was 27.1 years compared with 29.6 years for other marriages (including Civil marriages). The average age of bride for Catholic marriages was 24.7 years and for other marriages, 26.3 years.

SOCIAL GROUP

A classification which has been widely used in recent years in census of population statistics is that by Social Group. This classification, when applied to a person at work, is determined by his or her occupation although status (i.e. whether the person is an employer, own account worker or employee) is also taken into account. The social group of a person not at work is considered to be that of the gainfully occupied person on whom he or she is dependent. The men and women married in 1973 were classified by social group on the basis of the information as to occupation given in the marriage register, and the results obtained are given in TABLES 47 to 49.

In TABLES 47 and 48 grooms and brides are classified by social group and age at marriage in each group. In the case of grooms and brides the average marriage age in 1973 was higher in the social group "Farmers, relatives assisting and farm managers" than in any other group. The lowest average age was in the "Skilled and other manual workers" for grooms and in the group "Other agricultural occupations and fishermen" for brides.

TABLE 49 shows marriages registered in 1973 cross-classified by the social groups of groom and bride. Of the women marrying men in the "Skilled manual workers" group, in the case of whom occupation was stated, 59 per cent were in the "Intermediate and other non-manual workers" group, 27 per cent were other manual workers and 10 per cent were in the lower professional group, there being smaller percentages in each of the other groups. The distribution by social group of women marrying men in each of the remaining social groups may be considered in the same way. The table may also be examined by considering the social groups of the men marrying the women in each particular social group. Thus it will be seen that only 23 per cent of the women stated to be in the social group "Farmers, relatives assisting and farm managers" married men in social groups other than their own. A substantial number of women in the "Intermediate and other non-manual workers" groups married men in each of the other social groups. In the case of the majority of women in the "manual workers" groups the husbands belonged to the same groups.

AREA OF RESIDENCE

Four districts may be considered in relation to each marriage, namely that in which the marriage took place, the areas of residence of the bride and groom prior to marriage, and the intended future residence. In TABLE 42 figures for marriages according to place of occurrence are given for 1973. A comparison between the area of residence of the bride before the ceremony and the area in which the marriage took place is made in TABLE V.

In TABLES 50 and 51 marriages are shown classified by area of residence prior to marriage and age group of groom and bride. Confining attention to the marriages in the case of which the area of residence was within the State, it will be seen that the average age at marriage is lower in predominantly urban than in rural areas. Thus in the four county boroughs the average age of grooms was not over 27 years, whereas in the counties Clare, Mayo and Monaghan the average age was 28.7 years, Roscommon 29.3 years and Leitrim 30.4 years. The average age of brides was not over 25 years in the four county boroughs. The lowest average age in the counties for brides is in Wexford 24.1, and the highest in Mayo 26.1.

In TABLE 52 marriages are cross-classified by area of residence before marriage of groom and bride. As is to be expected, in the great majority of cases the groom and bride were from the same or neighbouring counties. A feature of the table is the large number of cases in which the address of the groom or bride or both groom and bride was outside the State. Thus 835 of the men married in the State in 1973 were returned as residing in England, Wales or Scotland, 380 in the Six Counties and 254 in other countries. The number of brides who were resident before marriage in England, Wales or Scotland was 518, the number from Northern Ireland was 162 and the number from other countries was 89. In 637 cases both the groom and bride were from outside the State. In the past it has been the practice to compute marriage rates for counties and county boroughs by relating the marriages registered in each area to the resident population of that area.

TABLE V

COMPARISON OF AREA IN WHICH MARRIAGE TOOK PLACE WITH AREA OF RESIDENCE OF BRIDE, 1973

Area in which registered (1)	Total Marriages (2)	Marriages in the case of which bride was resident in		Col. (3) as percentage of col. (2) (5)
		Same area (3)	Other areas* (4)	
Carlow	244	198	46	81.1
Dublin County Borough	5,866	5,158	708	87.9
Dun Laoghaire	427	339	88	79.4
Dublin County (remainder)	1,315	776	539	59.0
Kildare	508	413	95	81.3
Kilkenny	505	385	120	76.2
Laois	319	250	69	78.4
Longford	183	155	28	84.7
Louth	582	531	51	91.2
Meath	543	451	92	83.1
Offaly	359	313	46	87.2
Westmeath	427	347	80	81.3
Wexford	681	618	63	90.7
Wicklow	539	432	107	80.1
Clare	455	358	97	78.7
Cork County Borough	1,056	907	149	85.9
Cork County	1,476	1,322	154	89.6
Kerry	732	636	96	86.9
Limerick County Borough	649	435	214	67.0
Limerick County	508	428	80	84.3
Tipperary, N.R.	390	330	60	84.6
Tipperary, S.R.	517	442	75	85.5
Waterford County Borough	271	223	48	82.3
Waterford County	318	247	71	77.7
Galway	1,013	825	188	81.4
Leitrim	170	145	25	85.3
Mayo	625	494	131	79.0
Roscommon	264	202	62	76.5
Sligo	322	257	65	79.8
Cavan	334	268	66	80.2
Donegal	870	710	160	81.6
Monaghan	348	315	33	90.5
TOTAL	22,816	18,910	3,906	82.9

*Includes 45 cases in which residence was not stated and 769 cases in which residence was outside the country.

In Table VI the rates calculated are compared with rates obtained by relating marriages classified by area of residence of groom before marriage to total resident population.

TABLE VI
MARRIAGE RATES PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH CALCULATED USING
(a) TOTAL MARRIAGES REGISTERED IN EACH AREA AND (b) MARRIAGES OF MEN FROM THAT AREA, IN 1973

Area	Rate (a)	Rate (b)
Carlow	7.0	7.3
Dublin County Borough	10.3	10.1
Dun Laoghaire Borough	7.9	7.1
Dublin County (remainder)	5.1	4.4
Kildare	6.7	7.3
Kilkenny	8.1	6.8
Laois	6.9	5.8
Longford	6.5	6.1
Louth	7.5	7.5
Meath	7.3	6.6
Offaly	6.9	6.3
Westmeath	7.9	7.1
Wexford	7.7	7.6
Wicklow	7.7	7.0
LEINSTER	8.1	7.7
Clare	5.9	5.5
Cork County Borough	8.0	6.8
Cork County	6.4	6.7
Kerry	6.4	5.9
Limerick County Borough	11.1	7.9
Limerick County	6.0	7.0
Tipperary, N.R.	7.1	8.0
Tipperary, S.R.	7.4	6.6
Waterford County Borough	8.2	7.4
Waterford County	6.8	6.4
MUNSTER	7.1	6.7
Galway	6.7	6.0
Leitrim	6.1	5.4
Mayo	5.8	4.9
Roscommon	5.0	4.7
Sligo	6.4	5.2
CONNACHT	6.1	5.4
Cavan	6.4	5.8
Donegal	8.0	5.9
Monaghan	7.4	5.9
ULSTER (part of)	7.4	5.9
TOTAL	7.5	7.0

It will be observed that rates (a) and (b) differ on account of the fact the marriages of men whose area of residence was outside the country were included in the calculation of rate (a) and excluded from rate (b). The main difference between rate (a) and (b) is in the much lower figures for the county boroughs. In the case of the question on intended future permanent residence the accuracy of many of the entries was not as high as for the other information supplied. There were 747 marriages registered in which no information on future residence was provided. Nevertheless the answers to this question revealed that, in a proportion of cases, i.e. 8.1 per cent, the intended future residence was outside the State.

TABLE VII
PERCENTAGE OF MARRIAGES WITH FUTURE INTENDED RESIDENCE
OUTSIDE THE STATE 1964-1973

Year	Total Marriages	Marriages with intended future residence abroad	Col. (3) as percentage of col. (2)
(1)	(2)	(3)	(4)
1964	16,128	1,995	12.4
1965	16,946	2,004	11.8
1966	16,849	2,272	13.5
1967	17,788	2,242	12.6
1968	18,993	2,293	12.1
1969	20,304	2,396	11.8
1970	20,778	2,224	10.7
1971	22,014	2,090	9.5
1972	22,302	1,986	8.9
1973	22,816	1,841	8.1

Since 1962 the proportion of marriages with intended future residence outside the State has shown a decline with the exception of 1966 when there was a big increase. Since 1966, however, there has been a continuous downward trend and as can be seen from Table VII the proportion of these marriages has now dropped more than a third below the 1965 level. In the case of 1,031 marriages the future residence was in England and Wales, 315 in Northern Ireland, 40 in Scotland, 107 in other parts of Europe, 144 in the United States of America, 87 in Canada, 61 in Australia and New Zealand and 29 elsewhere. The age distributions and average ages of the grooms and brides going to the various countries are shown in TABLES 53 and 54 respectively. It will be seen that the average age of the men marrying and then going abroad was the same as that for all marriages in the State while the average age of the women marrying and then going abroad was slightly above the level of that for all marriages. The marriages of persons going abroad are shown classified by social groups of groom and bride in TABLES 55 and 56 respectively. By comparing TABLES 47 and 55 it is possible to examine the proportions of men marrying in each social group who intended to reside outside the country, and it is found that this proportion varied considerably between the different groups. Table VII contains the results obtained.

TABLE VIII

PERCENTAGE OF MEN MARRYING IN EACH SOCIAL GROUP WHOSE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE IN 1972 AND 1973

Social group of groom	Percentage with intended future residence outside the State	
	1972	1973
	Per cent	
Farmers, relatives assisting and farm managers	2	2
Other agricultural occupations and fishermen	3	2
Higher professionals	18	20
Lower professionals	15	14
Employers and managers	14	11
Salaried employees	12	11
Intermediate non-manual workers	9	7
Other non-manual workers	7	6
Skilled manual workers	10	10
Other manual workers	6	6
TOTAL ALL GROUPS COMBINED	9	8

A classification of marriages of persons going abroad, by form of marriage ceremony, is made in TABLE 57. With the aid of this Table it may be calculated that in 1973 in the case of Catholic marriages the percentage with intended future residence outside the State was 8 per cent maintaining the same level as in 1972. The corresponding figures for all other marriages was 17 per cent in 1973 and 23 per cent in 1972.

Finally, in TABLES 58 and 59 the marriages in the case of which the intended future residence was outside the State are shown classified by area of residence before marriage of groom and bride. The proportions which these marriages represent of the total when classified according to area of residence of groom are shown in Table IX.

TABLE IX

PERCENTAGE OF MARRIAGES IN 1972 AND 1973 IN THE CASE OF WHICH THE INTENDED FUTURE RESIDENCE WAS OUTSIDE THE STATE, ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom before marriage	Percentage with intended future residence outside the State	
	1972	1973
	Per cent	
Dublin County Borough and Dun Laoghaire	4	3
Remainder of Leinster	2	2
Munster	2	2
Connacht	4	3
Ulster (part of)	5	5
Outside the State	88	85

BIRTHS

The number of births occurring during the year 1973 was 68,713, comprised of 35,304 males and 33,409 females. The corresponding figures for 1972 were 68,527, 35,375 and 33,152 respectively. The birth rate in 1973 was 22.5 per 1,000 population, compared with 22.7 in 1972.

TABLE X
NUMBER OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1941-1960 AND IN EACH YEAR 1964-1973

Period	Numbers of births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	65.0	21.9	22.4	16.9	18.8
1951-1960†	61.7	21.2	21.3	15.8	18.5
1964	64.1	22.4	23.6	18.5	20.0
1965	63.5	22.1	23.1	18.1	19.3
1966	62.2	21.6	22.5	17.7	18.6
1967	61.3	21.1	22.4	17.2	18.6
1968	61.0	21.0	22.1	16.9	18.3
1969	62.9	21.5	21.4	16.3	17.4
1970	64.4	21.9	21.1	16.0	16.8
1971	67.6	22.7	20.7	16.0	16.6
1972	68.5	22.7	19.4	14.8	15.1
1973	68.7	22.5	18.9	13.7	14.3

*Exclusive of Northern Ireland.

†Average annual number of births and birth rates for decennial periods from 1941-1960.

CLASSIFICATION BY AGE AT MATERNITY, PARITY AND DURATION OF MARRIAGE

In TABLE 39 is shown the total number of births registered in 1973 classified by age of mother at maternity and number of previous liveborn children. The number of births in the case of which the mother's age was not stated was 221 or 0.3 per cent of the total. In 1972 the corresponding figure was 309 or 0.5 per cent of the total. The results contained in TABLE 39 are summarised in Table XI.

TABLE XI
BIRTHS OCCURRING IN 1973 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS CHILDREN.

Age at maternity	Number of previous children									
	Total	0	1	2	3	4	5 to 9	10 to 14	15 and over	Not stated
Under 20 years	3,048	2,490	482	60	14	2	-	-	-	-
20-24 years	16,634	8,999	4,924	1,820	591	195	105	-	-	-
25-29 "	21,758	6,139	6,856	4,664	2,254	1,003	827	14	1	-
30-34 "	14,843	1,910	2,736	3,430	2,815	1,735	2,111	106	-	-
35-39 "	8,836	649	848	1,271	1,551	1,399	2,762	336	20	-
40-44 "	3,160	152	214	278	385	446	1,373	286	26	-
45 years and over	213	9	9	8	20	16	112	34	5	-
Not stated	221	219	2	-	-	-	-	-	-	-
TOTAL	68,713	20,567	16,071	11,531	7,630	4,796	7,290	776	52	-

In preparing this table the procedure in the case of multiple births was to count each child as an individual birth. For instance if a fifth pregnancy produced twins the children would be classified as a fifth and sixth child in parity order.

Continuing the trend observed since 1967 and 1968 there is in 1973 a shift towards the younger age groups in the distribution of births according to the age of mother at maternity. As may be calculated from Table XII, in 1973 mothers aged under 30 years at maternity accounted for 60.6 per cent of the births compared with 59.6 per cent in 1972, corresponding figures for England and Wales and Scotland for 1973 being 79.9 per cent and 79.1 per cent respectively, illustrating the difference between the countries.

TABLE XII
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY IN IRELAND*
IN 1972 AND 1973 AND IN ENGLAND AND WALES AND SCOTLAND IN 1973

Age at maternity	Ireland*		England and Wales 1973	Scotland 1973
	1972	1973		
	Per cent			
Under 20 years	4.2	4.5	10.8	12.0
20-24 years	24.0	24.3	33.1	33.9
25-29 "	31.4	31.8	36.0	33.2
30-34 "	21.4	21.7	13.6	13.9
35-39 "	13.8	13.0	5.1	5.5
40-44 "	4.8	4.6	1.3	1.3
45 years and over	0.4	0.3	0.1	0.1
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	29.1	29.0	26.1	25.5

*Exclusive of Northern Ireland.

The difference between this country and England and Wales and Scotland shown in Table XII is due to the facts that (a) women in Ireland marry at a later age and (b) married women in Ireland have on the average more children, as may be seen from Table XV. When attention is confined to legitimate first births, in order to eliminate the effect of factor (b), the difference is still pronounced in the under 20 age group and in the age groups above 30 as may be seen from Table XIII.

TABLE XIII
PERCENTAGE DISTRIBUTION OF LEGITIMATE FIRST BIRTHS ACCORDING TO AGE OF MOTHER AT MATERNITY
IN IRELAND* IN 1972 AND 1973 AND IN ENGLAND AND WALES AND SCOTLAND IN 1973

Age at maternity	Ireland*		England and Wales 1973	Scotland 1973
	1972	1973		
	Per cent			
Under 20 years	9.0	9.6	17.0	20.4
20-24 years	45.1	44.2	42.3	43.3
25-29 "	31.7	32.1	32.4	27.8
30-34 "	9.5	10.0	6.4	6.1
35-39 "	3.8	3.3	1.6	2.0
40-44 "	0.9	0.8	0.3	0.3
45 years and over	0.1	0.0	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-
Average age at maternity	25.3	25.3	24.2	23.3

*Exclusive of Northern Ireland.

Fertility rates in Ireland and in England and Wales in 1973 are compared in Table XIV.

TABLE XIV
BIRTHS PER 1,000 WOMEN IN EACH AGE GROUP, IRELAND* AND ENGLAND AND WALES, 1973

Age of mother	Legitimate and illegitimate births (all women)		Legitimate births per 1,000 married women		Illegitimate births per 1,000 single, widowed and divorced women	
	Ireland* 1973	England and Wales 1973	Ireland* 1973	England and Wales 1973	Ireland* 1973	England and Wales 1973
15-19 years	23.2	43.9	827.1	355.5	5.9	13.6
20-24 "	158.0	131.0	480.3	205.5	12.9	25.7
25-29 "	255.2	135.4	367.0	154.5	10.8	35.9
30-34 "	199.2	63.6	247.5	67.7	6.4	32.1
35-39 "	120.0	24.6	146.2	25.5	4.2	17.6
40-44 "	41.4	6.1	52.1	6.3	0.8	4.6
45-49 "	2.5	0.4	3.4	0.4	-	0.3
Total 15-49 years	109.3	61.9	197.8	80.2	7.4	18.0

*Exclusive of Northern Ireland.

In each age group the number of legitimate births per 1,000 married women was considerably higher in Ireland than in England and Wales. In the 15-19 year group the Irish rate was 132.6 per cent above that in England and Wales, in the 20-24 year group 133.7 per cent greater, while the excess in the Irish rate rose steadily with increasing age. The number of illegitimate births per 1,000 single, widowed and divorced women was appreciably lower at all ages in Ireland than in England and Wales. On account of the much higher proportion of women married at the younger ages in England and Wales the fertility rates for all women combined were higher in England and Wales than in Ireland in the 15-19 year group, but at the later ages the Irish rate was considerably higher.

The total number of illegitimate births was 2,167 being 162 more than in 1972. This was equivalent to an annual rate of 7.4 per 1,000 unmarried females and was 3.2 per cent of total births. The number of illegitimate births has shown an increase every year since 1959 when the lowest ever number was recorded.

The percentage distribution of births according to the number of previous children in 1973 and 1972 is shown in Table XV and a comparison made with the corresponding distributions in England and Wales in 1972 and Scotland in 1973.

TABLE XV
PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS CHILDREN IN IRELAND* IN 1972 AND 1973 IN ENGLAND AND WALES IN 1972 AND SCOTLAND IN 1973

Number of previous children	Ireland*		England and Wales 1972	Scotland 1973
	1972	1973		
	Per cent			
0	29.3	29.9	40.8	40.8
1	22.5	23.4	34.8	33.7
2	16.5	16.8	14.6	14.6
3	11.2	11.1	5.7	6.2
4	7.3	7.0	2.2	2.6
5 to 9	11.5	10.6	1.8	2.0
10 to 14	1.3	1.1	0.1	0.1
15 and over	0.1	0.1	0.0	0.0
TOTAL	100.-	100.-	100.-	100.-

*Exclusive of Northern Ireland.

The difference between the years 1972 and 1973 in respect of the percentage distribution according to number of previous children was slight. The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. In Ireland in 1973, 11.8 per cent of the mothers had 5 or more previous children, the corresponding percentages being only 1.9 in England and Wales in 1972 and 2.1 in Scotland in 1973.

MULTIPLE BIRTHS

The number of maternities in 1973 which resulted in multiple live births was 845 consisting of 838 sets of twins and 7 of triplets. This is equivalent to a "twinning rate" (number of live twins per 1,000 maternities which resulted in live births) of 12.4. Table XVI summarises the number of multiple births and the "twinning rate" for the years 1964-1973.

TABLE XVI
NUMBER OF MULTIPLE BIRTHS AND THE NUMBER OF TWINS PER 1,000 MATERNITIES, 1964-1973.

Year	Live Births	Maternities which resulted in live issue	Twins	Triplets	Quadruplets	Twinning rate
1964	64,072	63,177	873	11	-	13.8
1965	63,525	62,648	850	12	1	13.6
1966	62,215	61,339	858	9	-	14.0
1967	61,307	60,457	836	7	-	13.8
1968	61,004	60,165	821	9	-	13.6
1969	62,912	62,033	849	15	-	13.7
1970	64,382	63,528	834	10	-	13.1
1971	67,551	66,688	839	12	-	12.6
1972	68,527	67,657	854	8	-	12.6
1973	68,713	67,861	838	7	-	12.4

DEATHS

The number of deaths occurring during the year 1973 was 34,192 of which 18,689 were those of males and 15,503 those of females equivalent to a rate of 11.21 deaths per 1,000 total population, compared with 11.41 in the previous year, and 10.71 in 1971.

In Table 9 are shown the average annual death rates, by age group, for decennial periods from 1864 to 1970 and the death rates for each year 1971 to 1973.

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls occurred in the death rates at the younger ages.

Table XVII compares the death rates in the years 1941-1973 with those in Northern Ireland, England and Wales and Scotland. The death rate in this country in 1973 was lower than in Northern Ireland, England and Wales and Scotland. Over the period covered in the table the decrease in this country has been greater than that in any of the other areas.

Attention should be drawn to the fact that these comparisons are based on crude death rates, which are to some extent affected by differences in the age-sex structures of the population in the different countries, while comparisons over a period of years are also affected by changes in the age-sex structures of the populations.

TABLE XVII
DEATH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960
AND IN EACH YEAR 1964-1973

Period	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Northern Ireland	England and Wales	Scotland
1941-1950†	41.5	14.0	12.6	12.3	13.2
1951-1960†	35.4	12.2	11.0	11.6	12.0
1964	32.6	11.4	10.5	11.3	11.7
1965	33.0	11.5	10.6	11.5	12.1
1966	35.1	12.2	11.1	11.7	12.3
1967	31.4	10.8	9.8	11.2	11.5
1968	33.2	11.4	10.6	11.9	12.2
1969	33.7	11.6	10.8	11.9	12.3
1970	33.7	11.4	10.9	11.7	12.2
1971	31.9	10.7	10.6	11.6	11.8
1972	34.4	11.4	11.0	12.1	12.5
1973	34.2	11.2	11.4	11.9	12.4

*Exclusive of Northern Ireland.

†Average annual number of deaths and death rates for decennial periods from 1941-1960.

COMPARISON BETWEEN COUNTIES

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised rates are prepared. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to decide the standardised rate for the county.

In certain areas the standardised death rates differ appreciably from the crude rates, the extremes being in Dublin County (Remainder) which had a crude death rate of 4.93 and a standardised rate of 9.28, reflecting the very young age structure in Dublin County and in Leitrim where standardisation has the effect of lowering the death rate from 16.58 to 10.89 because of the comparatively old age structure in that county. The standardised rates in 1973 were lowest in Dublin County and Mayo and highest in the County Borough of Limerick.

Diagram 2.

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1973




TABLE XVIII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1973

Area	Deaths per 1,000 Population	
	Crude	Standardised
TOTAL	11.21	11.21
Carlow	11.27	11.67
Dublin County Borough	10.03	11.93
Dun Laoghaire Borough	11.81	11.18
Dublin County (Remainder)	4.93	9.28
Kildare	9.06	12.08
Kilkenny	11.86	11.66
Laois	11.38	11.02
Longford	14.42	12.55
Louth	9.86	11.77
Meath	11.26	12.53
Offaly	11.04	11.42
Westmeath	11.85	11.16
Wexford	12.08	11.92
Wicklow	10.64	12.20
LEINSTER	9.70	11.56
Clare	13.08	11.10
Cork County Borough	10.58	12.81
Cork County	12.76	11.90
Kerry	13.27	11.24
Limerick County Borough	10.58	13.45
Limerick County	12.67	12.30
Tipperary, N.R.	12.42	11.87
Tipperary, S.R.	13.33	13.01
Waterford County Borough	10.64	12.81
Waterford County	11.59	10.72
MUNSTER	12.27	12.00
Galway	11.39	10.19
Leitrim	16.58	10.89
Mayo	13.95	10.09
Roscommon	14.45	10.26
Sligo	14.35	11.58
CONNACHT	13.27	10.41
Cavan	15.26	12.45
Donegal	13.50	10.80
Monaghan	13.55	12.32
ULSTER (part of)	13.96	11.51

CAUSES OF DEATH

The tables in this Report showing causes of death are based on the Eighth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death prepared by the World Health Organisation. The Eighth Revision was used for the first time in classifying deaths by causes in the 1968 Report. The Reports from 1958 to 1967 were based on the Seventh Revision.

TABLE XIX
AVERAGE ANNUAL NUMBER OF DEATHS AND DEATH RATES FROM SOME OF THE PRINCIPAL CAUSES
IN EACH PERIOD 1955-57, 1960-62, 1965-67, 1970-72 AND 1973

I.L. Nos. 8th Revision	Cause of death	1955-57	1960-62	1965-67	1970-72	1973
		Average annual number				
010-019	Tuberculosis, all forms	758	438	309	196	173
Rem. 000-136	Other infective and parasitic diseases	335	234	228	178	154
140-209	Cancer	4,722	4,810	5,117	5,662	5,803
393-398, 410-429	Diseases of heart	10,580	10,884	10,690	10,037	10,486
Rem. 390-458	Other diseases of circulatory system	5,910	5,918	6,275	6,846	6,966
470-474	Influenza	554	554	397	351	262
Rem. 460-519	Other diseases of respiratory system	2,469	2,880	3,357	4,223	4,495
794	Senility	2,680	2,010	1,251	573	428
	Other diseases	5,997	5,028	4,404	3,728	3,842
800-999	Accidents and other external causes	988	998	1,151	1,525	1,583
	ALL CAUSES	34,993	33,754	33,179	33,319	34,192
		Average annual rates per 100,000 population				
010-019	Tuberculosis, all forms	26.1	15.5	10.7	6.6	5.67
Rem. 000-136	Other infective and parasitic diseases	11.5	8.3	7.9	6.0	5.04
140-209	Cancer	162.8	170.1	177.3	189.9	190.19
393-398, 410-429	Diseases of the heart	364.7	385.0	370.4	336.7	343.69
Rem. 390-458	Other diseases of circulatory system	203.7	209.3	217.4	229.7	228.31
470-474	Influenza	19.1	19.6	13.8	11.8	8.58
Rem. 460-519	Other diseases of respiratory system	85.1	101.9	116.3	141.7	147.32
794	Senility	92.4	71.1	43.3	19.2	14.02
	Other diseases	206.7	177.9	152.6	125.1	125.92
800-999	Accidents and other external causes	34.1	35.3	39.9	51.2	51.88
	ALL CAUSES	1,206.2	1,194.0	1,149.7	1,117.7	1,120.68

In Table XIX the number of deaths in the various disease groups in the years prior to 1968 have been adjusted to conform to the structure of the groups under the 8th Revision of the International Classification of Diseases.

From Table XIX it can be seen that the major difference between the periods 1955-57 and the year 1973 has been the drop in deaths from tuberculosis. The rate for 1973 was less than one-quarter of the rate in 1955-57. In the case of other infective and parasitic diseases the rate dropped to less than one-half of the 1955-57 rate. There were also significant falls in death rates from influenza and senility; in the case of senility the drop can be attributed to a decrease in the number of uncertified deaths and better certification of cause of death. Heart diseases remained the single biggest cause of death, almost twice as many people dying from heart disease as from the next biggest cause of death, i.e. cancer, the rate for which showed an increase of 17 per cent.

TABLE
AGE-SEX SPECIFIC DEATH RATES FOR THE

I.D.L. Nos.	Cause of Death	Death rates per 100,000 corresponding population									
		All ages		0-4		5-14		15-24		25-34	
		M	F	M	F	M	F	M	F	M	F
	All causes	1,220.6	1,020.0	503.2	379.8	29.8	22.9	114.2	37.3	128.7	67.6
008, 009	Enteritis and other diarrhoeal diseases	2.4	2.0	14.9	8.8	0.3	-	-	0.4	-	-
010-019	Tuberculosis	8.3	3.0	-	0.6	-	-	-	0.4	2.8	0.6
000-136 (rem.)	All other infective and parasitic diseases	2.9	2.9	8.3	10.6	0.3	1.0	0.4	0.8	0.6	-
	Malignant neoplasms of										
150	oesophagus	7.8	6.6	-	-	-	-	-	-	-	-
151	stomach	25.6	20.3	-	-	-	-	-	-	1.7	-
153	large intestine	19.9	22.2	-	-	0.3	-	-	-	0.6	2.3
154	rectum	10.7	6.0	-	-	-	-	-	-	1.1	0.6
157	pancreas	11.1	8.4	0.6	-	-	-	-	-	0.6	-
161	larynx	2.0	1.3	-	-	-	-	-	-	-	-
162	trachea, bronchus and lung	54.7	14.7	-	-	-	0.3	0.4	-	2.3	1.2
174	breast	0.3	32.4	-	-	-	-	-	0.4	-	4.1
180	cervix uteri	-	5.1	-	-	-	-	-	-	-	0.6
181, 182	Other uterus	-	6.2	-	-	-	-	-	-	-	-
183	ovary, fallopian tube and broad ligament	-	8.2	-	-	-	-	-	0.4	-	1.7
185	prostate	19.1	-	-	-	-	-	-	-	-	-
188, 189	bladder and other urinary organs	8.7	4.4	1.8	-	-	-	0.8	0.4	-	1.2
204-207	leukaemia, aleukaemia	5.6	5.5	4.8	1.3	2.8	2.9	3.1	3.2	1.1	1.7
140-209 (rem.)	all other malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	40.2	33.4	2.4	1.3	4.1	3.3	6.6	2.0	13.0	4.1
210-239	Benign neoplasm and neoplasms of unspecified nature	2.5	2.0	0.6	1.3	-	0.3	-	-	1.1	-
250	Diabetes mellitus	9.9	14.1	-	-	0.3	-	1.6	-	2.3	1.7
280-285	Anaemias	3.1	3.3	-	-	-	-	-	-	-	-
320	Meningitis	1.6	0.9	9.5	4.4	0.3	0.7	0.4	-	0.6	-
393-398	Chronic rheumatic heart disease	10.5	10.0	-	-	-	-	0.8	-	2.8	0.6
400-404	Hypertensive disease	17.6	22.8	-	-	-	-	-	-	-	1.2
410-414	Ischaemic heart disease	343.7	218.0	-	-	-	-	1.2	-	6.2	2.3
420-429	Other forms of heart disease	48.9	55.9	-	-	0.3	-	1.2	0.8	0.6	-
430-438	Cerebrovascular disease	141.7	170.1	-	1.3	0.3	1.0	2.3	1.6	5.6	5.8
440	Arteriosclerosis	27.3	31.6	-	-	-	-	-	-	-	-
470-474	Influenza	8.0	9.1	2.4	-	-	-	-	-	1.1	1.2
480-486	Pneumonia	70.1	75.4	44.7	36.9	0.9	2.3	4.7	1.6	2.3	4.7
490-493	Bronchitis, emphysema and asthma	77.7	38.6	0.6	0.6	-	0.3	1.6	0.4	2.8	-
531-533	Peptic ulcer	10.8	5.7	-	-	-	-	-	0.4	1.1	-
550-553, 560	Intestinal obstruction and hernia	3.8	4.1	0.6	-	-	-	0.4	0.8	-	-
571	Cirrhosis of liver	4.0	2.9	-	-	-	0.3	-	-	0.6	1.7
580-584	Nephritis and nephrosis	8.9	5.5	-	-	-	-	2.7	1.2	1.7	1.7
600	Hyperplasia of prostate	7.1	-	-	-	-	-	-	-	-	-
640-645	Abortion	-	0.1	-	-	-	-	-	-	-	-
630-639 } 650-678 }	Other complications of pregnancy, childbirth and the puerperium	-	0.4	-	-	-	-	-	0.4	-	0.6
740-759	Congenital anomalies	15.6	14.6	128.6	124.5	2.5	1.3	1.2	1.2	1.1	2.9
764-768, } 772, 776 }	Birth injury, difficult labour and other anoxic and hypoxic conditions	13.1	7.6	119.7	72.6	-	-	-	-	-	-
760-763, } 769-771, } 773-775, } 777-779 }	Other causes of perinatal mortality	8.7	6.0	79.2	56.9	-	-	-	-	-	-
794	Senility without mention of psychosis	11.8	16.3	-	-	-	-	-	-	-	-
780-796 (rem.)	Other symptoms and ill-defined conditions	2.5	2.6	-	0.6	-	-	-	-	0.6	-
240-738 (rem.)	All other diseases	84.4	84.2	47.6	34.4	3.5	2.6	3.5	4.9	9.6	11.1
E810-E823	Motor vehicle accidents	31.8	8.3	12.5	6.9	7.2	3.6	50.9	8.1	33.3	7.0
E800-E807 } E825-E949 }	All other accidents	27.3	23.5	24.4	16.3	6.0	2.9	22.1	4.1	22.0	4.7
E950-E959	Suicide and self-inflicted injuries	5.0	1.9	-	-	-	-	3.9	2.0	5.6	1.7
E960-E999	All other external causes	4.1	1.8	-	0.3	0.6	-	4.7	1.6	4.0	0.6

Of the deaths occurring in 1973, 75 per cent were due to four main causes, i.e. ischaemic and other forms of heart disease, malignant neoplasms, cerebrovascular disease and respiratory diseases. Diseases of the heart were responsible for the highest rates, 403.1 per 100,000 population for males and 283.9 per 100,000 females. Most of these deaths occurred at ages over 55. Malignant neoplasms were the next major cause, the rates for which were 205.5 and 174.6 for males and females respectively per 100,000 population. The rates for cerebrovascular disease were 141.7 and 170.1 respectively for males and females per 100,000 population; as in the case of heart diseases the greater number of these deaths occurred at ages over 55. The deaths from respiratory diseases were due mainly to pneumonia and bronchitis. Between the ages 5 to 34 years accidents were the greatest single cause.

Some of the principal causes of deaths are considered in greater detail in the following sections.

TUBERCULOSIS

In 1973 there were 173 deaths from tuberculosis, of which 140 were caused by the respiratory form and 33 by other forms of the disease. Between the period 1941-1950 and the year 1973 death rates from tuberculosis, particularly in the younger age groups, fell to a fraction of their former level. Of the 173 deaths in 1973 91 per cent were in the age groups 45 and over.

The mortality from tuberculosis in the counties and county boroughs in 1973 is compared in Table 12 of this Report. The highest death rates from all forms per 1,000 population were in Leitrim (0.18), and Kilkenny (0.13), while the lowest rates were in Counties Wexford and Limerick (0.01).

TABLE XXI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS, 1941-1960 AND IN EACH YEAR 1964-1973.

Period	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1941-1950*	2,739	0.92	779	0.26	1.05	1.07
1951-1960*	787	0.27	190	0.06	1.62	1.28
1964	368	0.13	33	0.01	2.41	1.75
1965	302	0.11	32	0.01	2.15	1.67
1966	308	0.11	33	0.01	2.71	1.75
1967	213	0.07	38	0.01	2.04	0.90
1968	265	0.09	28	0.01	2.44	1.00
1969	226	0.08	29	0.01	2.77	1.23
1970	199	0.07	22	0.01	2.06	1.75
1971	165	0.06	18	0.01	2.44	1.24
1972	154	0.05	29	0.01	2.58	1.23
1973	140	0.05	33	0.01	2.89	2.30

*Average annual number of deaths and death rates for decennial periods from 1941-1960.

Diagram 3

DEATH RATES (PER 1,000 POPULATION) FROM TUBERCULOSIS & CANCER 1944 — 1973





Diagram 4

DEATH RATES FROM LUNG CANCER PER 100,000 POPULATION



CANCER

Prior to 1950 under the Fifth Revision of the International List of causes of death, cancer deaths were those classified under 045-055. With the introduction of the Sixth Revision in 1950 the World Health Organisation recommended that total cancer deaths should be based upon Nos. 140-205 (Nos. 140-209 in Eight Revision) of the International Statistical classification which now included Hodgkins disease and leukaemia, but for comparability with the years prior to 1950 the total cancer figures less Hodgkins disease and leukaemia should also be shown.

In 1973 there were 5,803 deaths from cancer (Nos. 140 to 209). Of this number, 52 deaths were caused by Hodgkins disease and 168 by leukaemia and aleukaemia.

Table XXII shows the death rate from cancer in certain age groups in the years 1964 to 1973.

TABLE XXII
DEATHS FROM CANCER (Nos. 140-209) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION AT THE SAME AGES, 1964 TO 1973.

Year	Age group (years)							Total
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	
Males								
1964	10	20	59	158	451	901	1,404	187
1965	9	22	55	154	433	970	1,409	190
1966	8	13	49	174	423	997	1,570	195
1967	9	19	43	166	466	912	1,469	189
1968	8	16	46	159	455	1,018	1,472	194
1969	6	17	47	178	481	1,035	1,607	204
1970	7	20	57	173	479	983	1,624	202
1971	8	22	57	196	495	1,036	1,651	207
1972	9	19	53	173	499	1,013	1,817	208
1973	9	20	59	173	472	1,023	1,798	206
Females								
1964	7	31	66	188	373	614	954	160
1965	6	21	70	198	325	618	967	157
1966	6	14	69	182	365	693	988	164
1967	5	21	67	201	376	647	956	162
1968	6	23	78	191	375	641	1,104	170
1969	7	23	76	196	392	685	1,089	175
1970	6	18	71	200	390	691	1,079	174
1971	6	19	59	195	388	683	1,173	174
1972	6	20	67	190	373	702	1,168	174
1973	6	17	72	239	402	642	1,113	175

TABLE XXV

MORTALITY IN 1973 FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE, SEX AND AGE.

Detailed International List Nos.	Site	Males							Females								
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
140-149	Buccal cavity and pharynx	-	1	-	6	21	27	46	101	1	-	1	7	14	7	9	39
150-159	Digestive organs and peritoneum	4	10	33	108	247	412	422	1,236	1	5	21	77	199	333	434	1,070
160-163	Respiratory system	2	6	23	86	269	334	160	880	1	2	6	41	75	85	45	255
170-174	Bone, connective tissue, skin and breast	8	2	4	9	13	27	28	91	3	8	46	128	137	108	130	560
180-189	Genito-urinary organs	6	2	8	19	48	137	223	443	2	6	16	68	102	102	94	390
190-199	Other and unspecified sites	17	5	8	17	49	54	38	188	10	2	10	31	37	39	44	173
200-209	Lymphatic and haematopoietic tissues	30	10	13	26	45	52	33	209	22	7	8	24	18	51	38	168
	TOTAL	67	36	89	271	692	1,043	950	3,148	40	30	108	376	582	725	794	2,655
		Rates per 100,000 corresponding population															
140-149	Buccal cavity and pharynx	-	0.5	-	3.8	14.3	26.4	87.0	6.5	0.1	-	0.6	4.4	9.6	6.2	12.6	2.5
150-159	Digestive organs and peritoneum	0.5	5.6	21.6	68.9	168.4	404.0	798.8	80.7	0.1	2.9	14.0	48.8	137.4	295.0	608.3	70.4
160-163	Respiratory system	0.2	3.3	15.1	54.9	183.4	327.5	302.8	57.4	0.1	1.1	4.0	26.0	51.8	75.3	63.0	16.7
170-174	Bone, connective tissue, skin and breast	1.0	1.1	2.6	5.7	8.8	26.4	53.0	5.9	0.4	4.6	30.7	81.1	94.6	95.6	182.2	36.8
180-189	Genito-urinary organs	0.8	1.1	5.2	12.1	32.7	134.3	422.1	28.9	0.2	3.4	10.7	43.1	70.4	90.3	131.7	25.6
190-199	Other and unspecified sites	2.2	2.8	5.2	10.8	33.4	52.9	71.9	12.2	1.4	1.1	6.6	19.6	25.5	34.5	61.6	11.3
200-209	Lymphatic and haematopoietic tissues	4.0	5.6	8.5	16.6	30.6	50.9	62.4	13.6	3.0	4.0	5.3	15.2	12.4	45.1	53.2	11.0
	TOTAL	9.0	20.3	58.5	173.0	471.8	1,022.7	1,798.3	205.5	5.6	17.4	72.2	238.5	402.1	642.2	1,112.9	174.6

The crude death rate from cancer in 1973 varied from 3.03 per 1,000 population in Leitrim to 0.89 in Dublin County (remainder). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and north-west standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 2.62 per 1,000 population in Cork County Borough to 1.20 in Monaghan. The proportion of deaths not medically certified varies widely between the different areas (see Table 23), thus, the possibility that some cancer deaths in the areas with low medical certification may escape detection should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer occurring in 1973, classified by site of the disease and age group are contained in TABLE 19. The number of deaths and death rates from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXV and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented nearly half the total cancer deaths for each sex, the death rate for males being 13 per cent higher than that for females. The death rate from malignant neoplasms of the respiratory system was nearly three times greater for males than for females.

CANCER OF THE BRONCHUS, TRACHEA AND LUNG

The number of deaths and death rates from cancer of the bronchus, trachea and lung in each year 1964 to 1973, classified by sex and age group, are shown in Table XXVI.

TABLE XXVI

DEATHS AND DEATH RATES PER 100,000 CORRESPONDING POPULATION IN EACH YEAR 1964 TO 1973 FROM
CANCER OF THE BRONCHUS, TRACHEA AND LUNG, CLASSIFIED BY SEX AND AGE GROUP.

Year	Males						Females					
	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total	Under 35 years	35-44 years	45-54 years	55-64 years	65 years and over	Total
	Number of deaths											
1964	-	17	66	196	245	524	2	5	22	42	52	123
1965	-	14	67	216	273	570	1	8	23	38	76	146
1966	1	22	92	205	311	631	-	2	24	44	76	146
1967	1	16	79	221	325	642	1	5	33	54	72	165
1968	6	8	86	250	371	721	3	7	20	64	93	187
1969	3	12	94	223	342	674	2	6	27	48	95	178
1970	5	21	100	259	370	755	-	8	27	57	110	202
1971	3	16	96	246	406	767	-	4	31	67	135	237
1972	3	15	79	246	426	769	1	5	31	76	140	253
1973	5	19	81	264	469	838	3	5	37	68	110	223
	Death rates per 100,000 corresponding population											
1964	-	10.8	39.3	143.4	164.0	36.4	0.3	3.1	13.5	31.0	30.6	8.6
1965	-	9.0	40.5	155.3	180.6	39.4	0.1	5.0	14.1	28.0	44.3	10.2
1966	0.1	14.1	54.8	149.1	207.4	43.5	-	1.2	14.7	33.0	43.9	10.2
1967	0.1	10.3	47.6	158.2	216.0	44.1	0.1	3.2	20.2	40.0	41.4	11.4
1968	0.7	5.2	52.2	177.2	245.9	49.3	0.4	4.5	12.4	46.7	52.8	12.9
1969	0.4	7.8	57.7	156.4	226.2	46.0	0.2	3.9	16.8	34.6	53.5	12.2
1970	0.6	13.7	61.7	178.4	242.8	51.1	-	5.3	16.9	40.5	61.3	13.8
1971	0.3	10.5	60.2	167.9	269.5	51.3	-	2.7	19.4	47.1	75.3	16.0
1972	0.3	9.9	50.0	167.8	279.1	50.8	0.1	3.3	19.5	53.0	77.1	16.9
1973	0.5	12.5	51.7	180.0	303.0	54.7	0.3	3.3	23.5	47.0	59.7	14.7

The main point that emerges from this table is that deaths from cancer of the bronchus, trachea and lung are much more common among males than among females. In 1964 the death rate in the case of males was 36.4 compared with 8.6 in the case of females. In 1973 the corresponding rates were 54.7 and 14.7 respectively. However, it should be noted that in the period under review deaths of women from cancer of the bronchus, trachea and lung have shown a remarkable increase. In the years 1971, 1972 and 1973 the death rate has been almost double that in 1964.

The following table shows deaths and death rates from cancer of the bronchus, trachea and lung in Ireland and neighbouring countries during the years 1968 to 1973.

TABLE XXVII

DEATHS AND DEATH RATES IN IRELAND* AND NEIGHBOURING COUNTRIES FROM CANCER OF THE BRONCHUS, TRACHEA AND LUNG IN EACH YEAR 1968 TO 1973

Area	1968	1969	1970	1971	1972	1973
	Number of deaths					
Ireland*	908	852	957	1,004	1,022	1,061
Northern Ireland	525	544	524	582	542	611
Scotland	3,209	3,273	3,443	3,416	3,573	3,637
England and Wales	28,836	29,763	30,284	30,754	31,659	32,176
	Rates per 100,000 population					
Ireland*	31	29	33	34	34	35
Northern Ireland	35	36	34	38	35	39
Scotland	62	63	66	65	69	70
England and Wales	59	61	62	63	65	65

*Exclusive of Northern Ireland.

The most significant feature of this table is the low rate in Ireland in each year compared with those in the other areas. Throughout the period under review the yearly rates for England and Wales were, in some years, more than double the Irish rates.

DISEASES OF THE CIRCULATORY SYSTEM

There were 17,452 deaths ascribed to diseases of the circulatory system (Nos. 390-458) in 1973 of which 9,401 were deaths of males and 8,051 of females. Details of these deaths, classified by cause and age may be obtained from TABLE 19 of this Report while the numbers assigned to each county and county borough are shown in TABLE 20. Deaths and death rates from certain groups of causes are given in Table XXIX.

The excess of male over female deaths in the case of diseases of the circulatory system is largely accounted for by the greater number of deaths of males from ischaemic heart disease (5,263 males compared with 3,313 females); in respect of the remaining groups of causes the difference between the male and female death rates is not nearly so pronounced.

TABLE XXVIII

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1973 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

Cause of death	Males			Females		
	Total	Uncertified	Per cent	Total	Uncertified	Per cent
Active rheumatic fever	-	-	-	1	-	-
Chronic rheumatic heart disease	161	-	-	152	1	0.7
Hypertensive disease	270	-	-	346	5	1.4
Ischaemic heart disease	5,263	34	0.6	3,313	12	0.4
Other forms of heart disease	748	17	2.3	849	12	1.4
Cerebrovascular disease	2,170	9	0.4	2,585	5	0.2
Diseases of arteries, arterioles and capillaries	650	1	0.2	649	1	0.2
Disease of veins and lymphatics and other diseases of the circulatory system	139	-	-	156	-	-
TOTAL	9,401	61	0.6	8,051	36	0.4

TABLE XXIX

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM IN 1973, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION.

Detailed 1965 Inter- national List Nos.	Cause of death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages	0-24	25-34	35-44	45-54	55-64	65-74	75 and over	All ages
		Number of deaths															
✓ 390-392	Active rheumatic fever	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
✓ 393-398	Chronic rheumatic heart disease	2	5	9	21	31	49	44	161	-	1	10	9	38	47	47	152
✓ 400-404	Hypertensive disease	-	-	11	20	58	68	113	270	-	2	1	6	38	87	212	346
✓ 410-414	Ischaemic heart disease	3	11	94	467	1,059	1,710	1,919	5,263	-	4	13	107	373	965	1,851	3,313
✓ 420-429	Other forms of heart disease	4	1	7	17	38	135	546	748	2	-	2	14	26	109	696	849
✓ 430-438	Cerebrovascular disease	7	10	26	71	233	632	1,191	2,170	9	10	28	89	208	594	1,647	2,585
440-448	Diseases of arteries, arterioles and capillaries	-	2	4	16	45	133	450	650	1	3	-	7	18	88	532	649
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	1	2	5	27	52	52	139	1	2	5	14	25	52	57	156
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	16	30	153	617	1,491	2,779	4,315	9,401	14	22	59	246	726	1,942	5,042	8,051
		Rates per 100,000 corresponding population															
390-392	Active rheumatic fever	-	-	-	-	-	-	-	-	0.14	-	-	-	-	-	-	0.06
393-398	Chronic rheumatic heart disease	0.27	2.82	5.91	13.40	21.13	48.05	83.29	10.51	-	0.58	6.68	5.70	26.25	41.63	65.88	10.00
400-404	Hypertensive disease	-	-	7.23	12.77	39.54	66.68	213.91	17.63	-	1.16	0.66	3.80	26.25	77.07	297.16	22.76
410-414	Ischaemic heart disease	0.40	6.21	61.79	298.19	722.10	1,676.88	3,632.74	343.70	-	2.33	8.69	67.87	257.71	854.90	2,594.58	217.97
420-429	Other forms of heart disease	0.54	0.56	4.60	10.85	25.91	132.38	1,033.60	48.84	0.28	-	1.33	8.88	17.96	96.56	975.59	55.86
430-438	Cerebrovascular disease	0.94	5.65	17.09	45.33	158.87	619.75	2,254.61	141.71	1.26	5.82	18.72	56.45	143.71	526.23	2,308.63	170.08
440-448	Diseases of arteries, arterioles and capillaries	-	1.13	2.62	10.21	30.68	130.42	851.86	42.44	0.14	1.74	-	4.44	12.43	77.96	745.71	42.70
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	-	0.56	1.31	3.19	18.41	50.99	98.43	9.07	0.14	1.16	3.34	8.88	17.27	46.06	79.89	10.26
390-458	TOTAL DISEASES OF CIRCULATORY SYSTEM	2.15	16.94	100.59	393.97	1,016.67	2,725.17	8,168.48	613.94	1.96	12.81	39.46	156.05	501.60	1,720.44	7,067.46	529.71

RESPIRATORY DISEASES

Deaths from respiratory diseases (Nos. 460-519) in the International List) in 1973 numbered 4,757. These included 262 deaths caused by influenza, 2,219 by pneumonia, 1,438 by bronchitis and 838 due to other respiratory diseases.

PREGNANCY, CHILDBIRTH AND PUERPERIUM

The number of maternal deaths in 1973 was 8 compared with 28 in 1972. The death rate was 0.12 per thousand maternities. TABLE XXX shows the maternal deaths in 1973 classified by age of mother and cause and also deaths associated with pregnancy, childbirth and puerperium, but not classified as maternal, for the same year.

TABLE XXX

MATERNAL DEATHS IN 1973 CLASSIFIED BY AGE OF MOTHER AND PRINCIPAL CAUSE

Cause of death	All ages	Age group						
		15-19	20-24	25-29	30-34	35-39	40-44	45 years and over
Other toxæmias of pregnancy and the puerperium	1	1	-	-	-	-	-	-
Spontaneous abortion	2	-	-	-	-	2	-	-
Delivery complicated by prolonged labour	1	-	-	-	1	-	-	-
Delivery with other complications	1	-	-	-	-	-	1	-
Puerperal pulmonary embolism	1	-	-	-	-	1	-	-
Cerebral haemorrhage in the puerperium	2	-	-	-	-	-	-	2
TOTAL	8	1	-	-	1	3	1	2

Deaths associated with pregnancy, childbirth or the puerperium, but not classified as maternal, in 1973

Other heart disease specified as rheumatic	1	-	-	-	1	-	-	-
Malignant neoplasm of breast	1	-	-	-	-	1	-	-
Chronic ischaemic heart disease	1	-	-	-	-	-	1	-
Ruptured renal artery aneurysm	1	-	-	-	1	-	-	-
TOTAL	4	-	-	-	2	1	1	-

Table XXXI shows the maternal mortality rates in Ireland and the neighbouring countries for the years 1964 to 1973.

TABLE XXXI

MATERNAL DEATHS PER 100,000 TOTAL LIVE AND STILL BIRTHS IN IRELAND* AND NEIGHBOURING COUNTRIES, 1964-1973

Year	Number of deaths	Deaths per 100,000 live and still births			
		Ireland*	Northern Ireland	England and Wales	Scotland
1964	30	46	17	25	23
1965	18	28	32	25	37
1966	18	28	18	26	24
1967	14	22	24	20	23
1968	22	36	27	24	15
1969	20	31	15	19	14
1970	20	31	-	18	19
1971	17	25	19	17	16
1972	28	40	10	15	16
1973	8	12	17	13	21

*Exclusive of Northern Ireland.

INFANT AND LATE FOETAL MORTALITY

The terms used in relation to infant and late foetal mortality are defined as follows:—

Infant death: Death at ages under 1 year of live born infant.

Early neo-natal death: Death at ages under 1 week of live born infant.

Neo-natal death: Death at ages under 4 weeks of live born infant.

Post-neo-natal death: Death between the ages of 4 weeks and 1 year of live born infant.

Late foetal death (stillbirth): Foetal death at or over 28 weeks gestation.

Perinatal deaths: Late foetal plus early neo-natal deaths.

Infant mortality rate: Infant deaths divided by total live births, multiplied by 1,000.

Neo-natal mortality rate: Neo-natal deaths divided by total live births, multiplied by 1,000.

Early neo-natal mortality rate: Early neo-natal deaths divided by total live births, multiplied by 1,000.

Late foetal mortality rate: Late foetal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

Perinatal mortality rate: Perinatal deaths divided by total live births plus late foetal deaths, multiplied by 1,000.

While statistics of infant mortality are obtained in the course of the usual procedure for registration of deaths, which has been in operation since the year 1863, particulars of late foetal mortality are obtained through a scheme of notification to the County Medical Officer of Health. The scheme of notifying late foetal deaths was introduced in 1957, but comparisons between different areas of the country showed marked differences in the coverage of the scheme in the early years. Consequently the number of late foetal deaths in the early years of the scheme is believed to be understated.

It will be seen from Table XXXII that the highest individual rate for infant mortality was in Cavan and the lowest in Leitrim. The rate for perinatal mortality was highest in Longford and lowest in Wexford while for late foetal mortality the highest rate was in Leitrim and the lowest in Wexford.

TABLE XXXII
 INFANT AND LATE FOETAL MORTALITY*, 1973

Area	Infant mortality		Neo-natal mortality		Late foetal mortality		Perinatal mortality	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
TOTAL	1,234	18.0	873	12.7	829	11.9	1,590	22.9
Carlow	21	24.5	16	18.6	12	13.8	27	31.0
Dublin Co. Borough and County	430	20.6	310	14.8	257	12.2	526	24.9
Kildare	47	20.5	37	16.1	32	13.7	60	25.8
Kilkenny	24	18.2	19	14.4	12	9.0	29	21.7
Laois	10	10.3	7	7.2	8	8.2	15	15.3
Longford	12	20.5	7	12.0	12	20.1	19	31.8
Louth	33	16.9	18	9.2	24	12.2	39	19.8
Meath	31	16.7	22	11.9	26	13.8	48	25.5
Offaly	12	9.4	8	6.3	23	17.7	29	22.4
Westmeath	15	12.1	8	6.4	20	15.8	26	20.6
Wexford	38	17.7	26	12.1	1	0.5	23	10.7
Wicklow	28	15.4	18	9.9	14	7.6	31	16.9
LEINSTER	701	18.9	496	13.3	441	11.7	872	23.2
Clare	30	17.2	23	13.2	14	8.0	35	19.9
Cork Co. Borough and County	139	17.3	99	12.3	73	9.0	160	19.8
Kerry	31	13.9	20	8.9	25	11.1	43	19.0
Limerick Co. Borough and County	75	22.0	50	14.6	59	17.0	99	28.5
Tipperary, N.R.	18	15.0	11	9.2	16	13.2	24	19.8
Tipperary, S.R.	29	19.0	26	17.0	24	15.5	48	31.0
Waterford Co. Borough and County	21	12.1	15	8.6	23	13.1	37	21.0
MUNSTER	343	17.3	244	12.3	234	11.6	446	22.2
Galway	42	12.8	26	7.9	45	13.6	67	20.2
Leitrim	2	4.6	2	4.6	9	20.5	11	25.0
Mayo	28	14.3	14	7.2	25	12.6	37	18.7
Roscommon	14	15.9	9	10.2	11	12.3	19	21.3
Sligo	24	25.7	18	18.9	9	9.3	27	28.0
CONNACHT	110	14.7	69	9.2	99	13.0	161	21.2
Cavan	27	26.1	22	21.3	13	12.4	32	30.6
Donegal	33	14.9	25	11.3	30	13.3	53	23.5
Monaghan	20	22.5	17	19.1	12	13.3	26	28.8
ULSTER (part of)	80	19.3	64	15.4	55	13.1	111	26.4

*For definition—see page xxxv.

INFANT MORTALITY

During the year 1973 there were 1,234 deaths of infants under one year, a decrease of 2 on 1972. The rate of 18.0 per 1,000 live births in 1973 has remained at the same level since 1971 which was the lowest rate ever recorded.¹

TABLE XXXIII
INFANT MORTALITY BY AGE, 1941-1960 AND 1964-1973.

Period	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 4 weeks	Total under 4 weeks	4 weeks and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 4 weeks to 1 year	Total under 1 year
1941-50	7.0	8.7	4.3	4.2	4.3	28.5	8.7	6.9	12.3	9.4	37.3	65.8
1951-60	7.8	8.7	2.7	1.9	1.5	22.5	3.6	2.4	4.5	3.6	14.1	36.6
1964	7.8	7.0	1.5	1.2	0.7	18.2	2.3	1.5	2.6	2.1	8.5	26.7
1965	7.6	6.0	1.2	1.4	1.0	17.2	2.2	1.5	2.6	1.7	8.0	25.2
1966	7.3	5.5	1.3	1.1	0.9	16.3	2.4	1.6	2.7	1.9	8.6	24.9
1967	7.3	5.4	1.4	1.1	0.8	16.0	2.0	1.7	2.8	1.9	8.4	24.4
1968	6.6	5.1	1.1	0.6	0.5	13.9	1.4	1.1	2.4	2.2	7.1	21.0
1969	5.9	6.0	1.0	0.8	0.6	14.3	1.4	0.9	2.1	1.8	6.2	20.6
1970	6.1	4.4	1.1	0.5	0.5	12.8	1.5	0.9	2.5	1.8	6.7	19.5
1971	5.8	4.2	1.1	0.7	0.4	12.2	1.4	1.0	1.8	1.6	5.8	18.0
1972	5.7	4.6	1.0	0.4	0.4	12.1	1.4	1.2	1.7	1.6	6.0	18.0
1973	6.2	4.9	0.9	0.3	0.5	12.7	1.3	0.8	1.7	1.4	5.3	18.0

Infant mortality has shown a considerable decrease in the period covered by the Table, the greatest reductions being in ages between 14 days and under 4 weeks, where the 1968 rates were about one-seventh of those at the start of the period, and in ages over 4 weeks, where the 1968 rate was less than one-fifth of that in the period 1941-50. No significant changes were shown at ages 1-6 days until 1963, since then, apart from an increase in 1964 and again in 1969 and 1973 there has been a downward trend. No significant changes were shown at ages under 24 hours until 1968 when there was a drop of about 10 per cent in the rate with a further drop of 11 per cent in 1969, the rate rising again in 1970 by 3 per cent. In 1971 and 1972 there was a further decline, the rate then rising once again in 1973 by 9 per cent.

Diagram 5
INFANT AND NEO-NATAL MORTALITY (PER 1,000 LIVE BIRTHS) 1943—1973




TABLE XXXIV
 INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1941-1960 AND 1964-1973

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Northern Ireland	England and Wales	Scotland
1941-50	66	60	43	57
1951-60	37	32	25	30
1964	27	26	20	24
1965	25	25	19	25
1966	25	26	19	23
1967	24	23	18	21
1968	21	24	18	21
1969	21	24	18	21
1970	19	23	18	20
1971	18	23	18	20
1972	18	21	18	19
1973	18	21	18	19

*Exclusive of Northern Ireland.

As can be seen from Table XXXIV the decline in infant mortality has been greater in Ireland than in any of the other areas.

The causes of deaths of infants under one year, classified according to the Detailed International List, are shown in TABLE 19. In TABLE 26 infant deaths are again classified by cause and a more detailed age classification shown. These results are summarised in Table XXXV.

TABLE XXXV
 LATE FOETAL DEATHS AND DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1973 CLASSIFIED BY CAUSE AND AGE.

International List Numbers	Cause	Late foetal deaths	Deaths of infants under 1 year				
			Under 1 day	1 day to 1 week	1 week to 4 weeks	4 weeks to 1 year	Total under 1 year
008, 009	Enteritis and other diarrhoeal diseases	-	-	5	5	23	33
Rem. 000-136	Other infective and parasitic diseases	-	1	1	3	13	18
320	Meningitis	-	1	1	7	10	19
460-519	Influenza, pneumonia, bronchitis, emphysema, asthma and other respiratory diseases	-	2	3	6	61	72
520-577	Diseases of the digestive system	-	-	-	-	3	3
740-759	Congenital anomalies	197	108	96	57	109	370
764-768, 772	Birth injuries	19	26	35	2	3	66
774, 775	Haemolytic disease of newborn	45	15	5	-	-	20
776	Anoxic and hypoxic conditions not elsewhere classified (including asphyxia and atelectasis)	110	131	112	6	2	251
777	Immaturity, unqualified	14	108	44	4	-	156
778	Other conditions of foetus or newborn (including haemorrhagic disease)	6	6	11	2	2	21
	Other causes	438	28	22	20	135	205
	TOTAL	829	426	335	112	361	1,234

It will be seen that the relative importance of the various groups of causes differ appreciably between deaths at ages under one week and deaths at ages 4 weeks to one year. Of all deaths at ages under one week, 13 per cent were ascribed to immaturity, congenital anomalies accounted for 29 per cent, anoxic, and hypoxic conditions not elsewhere specified (including asphyxia and atelectasis) 33 per cent and birth injuries 10 per cent.

At ages over 4 weeks congenital anomalies, respiratory diseases, and enteritis and other diarrhoeal diseases were the main causes of death. Details of the 205 deaths included as other causes will be found in Table 19 where it will be noted that 33 of these were due to accidents.

LATE FOETAL DEATHS

The number of late foetal deaths notified in each year since the scheme was introduced is as follows:—

Year	Late Foetal Deaths
Average 1957-1966	1,215
1967	1,000
1968	934
1969	893
1970	904
1971	881
1972	901
1973	829

The causes of late foetal deaths notified in 1973 classified according to the Detailed International List are given in Table 29. The results are summarised in Table XXXVI.

TABLE XXXVI

LATE FOETAL DEATHS AND RATES* PER 1,000 TOTAL BIRTHS BY CAUSE, 1973.

International List Numbers	Cause	Number of Late foetal Deaths	Rate per 1,000 total Births
740	Anencephalus	120	1.73
741	Spina bifida	18	0.26
742	Congenital hydrocephalus	35	0.50
743	Other congenital anomalies of nervous system	4	0.06
746	Congenital anomalies of heart	3	0.04
747	Other congenital anomalies of circulatory system	1	0.01
750	Other congenital anomalies of upper alimentary tract	1	0.01
758	Other and unspecified congenital anomalies	4	0.06
759	Congenital syndromes affecting multiple systems	11	0.16
761	Other maternal conditions unrelated to pregnancy	9	0.13
762	Toxaemia of pregnancy	43	0.62
763	Maternal ante- and intrapartum infection	2	0.03
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	1	0.01
766	Difficult labour with malposition of foetus	7	0.10
767	Difficult labour with abnormality of forces of labour	1	0.01
768	Difficult labour with other and unspecified complications	7	0.10
769	Other complications of pregnancy and childbirth	14	0.20
770	Conditions of placenta	169	2.43
771	Conditions of umbilical cord	53	0.76
772	Birth injury without mention of cause	3	0.04
775	Haemolytic disease of newborn, without mention of kernicterus	45	0.65
776	Anoxic and hypoxic conditions not elsewhere classified	110	1.58
777	Immaturity, unqualified	14	0.20
778	Other conditions of foetus or newborn	6	0.09
779	Foetal deaths of unknown cause	148	2.13
	ALL CAUSES	829	11.92

*For definition—see page xxxv.

More late foetal deaths resulted from placental and cord injuries than from any other group, being 27 per cent of the total deaths. Congenital anomalies of foetus was next at 22 per cent and haemolytic disease of the newborn at 5 per cent. Of the total deaths 18 per cent were classified as being due to ill-defined or unknown causes.

As can be seen from Table XXXVII 795 late foetal deaths in 1973 occurred in hospitals; this is equivalent to 96 per cent of the total number of late foetal deaths. From the same table it may be observed that over half of all late foetal deaths were of period of gestation 37 weeks and over.

TABLE XXXVII
LATE FOETAL DEATHS NOTIFIED IN THE YEAR 1973 CLASSIFIED BY PERIOD OF GESTATION AND PLACE IN WHICH CONFINEMENT OCCURRED.

Period of gestation	Place of confinement			
	Hospital	Maternity Home	Domiciliary	Total
28-36 weeks	376	6	10	392
37 weeks and over	419	14	4	437
TOTAL	795	20	14	829

The perinatal and late foetal mortality rates in Ireland and neighbouring countries from 1965 to 1973 compare as follows:—

TABLE XXXVIII
PERINATAL AND LATE FOETAL MORTALITY RATES* IN IRELAND† AND NEIGHBOURING COUNTRIES, 1965-1973.

Year	Late foetal mortality rate				Perinatal mortality rate			
	Ireland†	Northern Ireland	England and Wales	Scotland	Ireland†	Northern Ireland	England and Wales	Scotland
1965	16.6	19.1	15.8	17.9	30.0	34.5	26.9	31.5
1966	15.8	16.3	15.3	16.2	28.6	31.3	26.3	29.3
1967	16.0	17.0	14.4	15.8	28.5	31.0	25.4	27.5
1968	15.1	16.3	14.4	14.8	26.6	29.4	24.7	25.9
1969	14.0	15.3	13.2	14.0	25.8	28.8	23.4	25.0
1970	13.8	14.3	12.8	13.9	24.2	27.6	23.4	24.8
1971	12.9	14.3	12.5	13.1	22.8	27.2	22.2	24.5
1972	13.0	14.3	12.0	13.2	23.2	26.0	21.7	23.7
1973	11.9	13.1	11.6	11.6	22.9	25.6	21.0	22.5

*For definition see page xxxv.

†Exclusive of Northern Ireland.

ACCIDENTS, POISONING AND VIOLENCE

The number of deaths from external causes (Numbers E800-E999) occurring in 1973 was 1,583 of which 1,044 were males and 539 females. The corresponding figures for 1972 were 1,680, 1077 and 603 respectively. In the Eighth Revision there is also a classification for deaths from external causes which are not specified as accidental or suicidal and which accounted for 79 deaths in 1973 (Table XL). In the Seventh Revision, 49 of these deaths would have been in the category Accidental drowning and 25 in the category Accidental poisoning, so for comparison with former years, they have been grouped with these categories in Table XXXIX.

TABLE XXXIX
DEATHS FROM ACCIDENTS, POISONING AND VIOLENCE, 1964 TO 1973

International List Numbers 8th Revision	Cause of death	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973
E800-E807	Railway accidents	4	4	4	7	2	4	6	3	2	6
E810-E827	Road vehicle accidents	312	327	371	398	430	466	500	575	647	624
E850-E877	Accidental poisoning					23	20	30	18	36	44
		25	39	27	18						
E980-E982	Poisoning undetermined whether accidentally or purposely inflicted					18	24	27	35	24	25
E890-E899; E924	Accidents caused by fire, explosion and burns	79	64	73	84	56	69	78	81	82	58
E910	Accidental drowning					90	74	83	64	84	77
		124	118	138	146						
E984	Drowning undetermined whether accidentally or purposely inflicted					61	51	54	70	39	49
E880-E887	Accidental falls	309	329	336	304	352	394	376	358	465	400
Rem. E800-E999	Other accidents and external causes	161	156	151	168	235	206	208	196	211	195
E950-E959	Suicide and self-inflicted injury	58	51	69	72	71	52	52	81	90	105
	TOTAL	1,072	1,088	1,169	1,197	1,338	1,360	1,414	1,481	1,680	1,583

As can be seen from Table XL there is an excess of male mortality from accidents at all ages between 1 and 75 years. In these age groups the excess of male deaths may be largely attributed to the category Road Vehicle Accidents. At ages over 75 years, the excess of female deaths may be attributed to accidental falls, as can be seen from Table XLI. The vast majority of these falls occurred in the home (Table XLI).

TABLE XL
DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE IN 1973, CLASSIFIED BY AGE AND SEX.

International List Numbers (8th Revision)	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E800-E807	Railway accidents	M	6	-	-	-	2	-	-	1	3	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E810-E827	Road vehicle accidents	M	495	2	19	24	131	59	53	49	77	53	28
		F	129	1	11	11	20	12	12	11	13	17	21
E850-E877	Accidental poisoning	M	27	1	4	-	4	5	2	2	6	2	1
		F	17	-	1	-	2	2	2	2	5	2	1
E880-E887	Accidental falls	M	150	2	3	2	5	10	4	5	14	23	82
		F	250	-	-	1	-	2	4	4	7	39	193
E890-E899; E924	Accidents caused by fire, explosion and burns	M	25	-	3	2	1	1	2	-	3	5	8
		F	33	1	4	3	1	1	1	1	3	4	14
E910	Accidental drowning	M	63	-	8	7	17	6	3	11	6	3	2
		F	14	-	2	4	4	1	-	-	1	2	-
E950-E959	Suicide and self-inflicted injury	M	76	-	-	-	10	10	13	10	17	11	5
		F	29	-	-	-	5	3	4	8	3	5	1
E980-E989	Injury undetermined whether accidentally or purposely inflicted	M	54	-	-	1	10	6	9	14	6	4	4
		F	25	-	-	-	3	1	4	8	3	4	2
Rem. E800-E999	Other accidents and external causes	M	148	16	4	8	30	18	18	14	23	9	8
		F	42	10	8	1	4	2	-	4	4	5	4
TOTAL		M	1,044	21	41	44	210	115	104	106	155	110	138
		F	539	12	26	20	39	24	27	38	39	78	236

TABLE XLI

DEATHS DUE TO ACCIDENTS IN THE HOME IN 1973, CLASSIFIED BY CAUSE AND AGE GROUP.

Inter-national List Numbers	Cause of death		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
E850-E869	Accidental poisoning by drugs, medicaments, other solids and liquid substances	M	10	-	1	-	3	2	1	-	2	1	-
		F	9	-	-	-	-	1	2	1	3	2	-
E870-E877	Accidental poisoning by gases and vapours	M	3	1	1	-	-	1	-	-	-	-	-
		F	5	-	1	-	1	1	-	1	-	-	1
E880-E887	Accidental falls	M	114	2	3	-	1	2	1	2	5	20	78
		F	235	-	-	-	-	1	3	3	5	36	187
E890-E899	Accident caused by fires and flames	M	18	-	2	2	1	-	2	-	1	4	6
		F	28	1	4	1	-	1	1	1	3	4	12
E904	Exposure and neglect	M	4	1	-	-	-	-	1	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
E911	Inhalation and ingestion of food causing obstruction or suffocation	M	18	7	1	-	-	-	1	2	5	-	2
		F	17	7	3	-	1	2	-	1	2	-	1
E912	Inhalation and ingestion of other object causing obstruction or suffocation	M	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-
E913	Accidental mechanical suffocation	M	5	4	-	1	-	-	-	-	-	-	-
		F	4	2	2	-	-	-	-	-	-	-	-
E922	Accident caused by firearm missiles	M	2	-	-	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
E924	Accident caused by hot substance, corrosive liquid and steam	M	2	-	1	-	-	-	-	-	-	-	1
		F	2	-	-	1	-	-	-	-	-	-	1
E925	Accident caused by electric current	M	1	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified accidents	M	8	-	1	-	-	1	1	2	1	2	-
		F	4	-	3	-	-	-	-	1	-	-	-
TOTAL		M	185	15	10	3	5	7	7	6	16	27	89
		F	305	10	14	2	2	6	6	8	13	42	202

There were 490 deaths resulting from accidents in the home recorded in 1973, compared with 580 in 1972. As will be seen from Table XLI 349 deaths in 1973 were attributed to accidental falls in the home and these were mostly of elderly persons. Accidents caused by fire, hot liquids, etc., accounted for 50 deaths, of which 8 were of children under 5 years of age and 33 of persons aged 45 years and over. Fourteen deaths of children under one year old were due to obstruction and suffocation by food and 6 to accidental mechanical suffocation. There were 27 deaths from accidental poisoning, 19 of which were of persons aged 25 years and over.

UNCERTIFIED DEATHS

The number of cases in 1973 in which the cause of death was not certified by a medical practitioner was 301 which represents 0.9 per cent of the total deaths. In TABLE 23 uncertified deaths in 1973 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west, being highest in the year 1973 in the counties Mayo (5.4 per cent) and Leitrim (2.8 per cent).

Table XLII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XLII
UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL IN EACH PROVINCE IN THE
YEARS 1941 TO 1960 AND 1964 TO 1973

Province	1941-50	1951-60	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973
Leinster	5.6	3.1	1.2	1.1	1.0	0.8	0.7	0.7	0.6	0.6	0.5	0.4
Munster	12.1	8.1	3.3	3.0	2.5	2.3	1.6	1.6	1.3	1.1	0.9	0.6
Connacht	28.1	20.0	8.9	9.3	6.9	6.0	4.9	4.8	4.2	3.6	3.1	2.8
Ulster (part of)	22.0	13.8	5.3	4.8	3.7	3.5	3.2	2.1	2.0	1.8	1.6	1.2
TOTAL	13.0	8.5	3.4	3.3	2.6	2.3	1.9	1.7	1.5	1.3	1.1	0.9

TABLE XLIII
PERCENTAGE OF DEATHS UNCERTIFIED BY AGE GROUPS, IN EACH PROVINCE IN 1973

Province	All ages	Under 1 year	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	0.4	-	-	-	-	0.3	0.7	0.2	0.3	0.5
Munster	0.6	-	-	-	-	-	0.2	0.1	0.3	1.1
Connacht	2.8	-	-	-	-	-	0.4	0.6	1.0	4.5
Ulster (part of)	1.2	-	-	-	-	-	-	0.8	0.4	2.0
TOTAL	0.9	-	-	-	-	0.1	0.4	0.3	0.4	1.5
Actual number of deaths uncertified	301	-	-	-	-	1	9	13	36	242

The proportion of deaths uncertified was highest in the age group 75 years and over; this age group accounted for more than four-fifths of the uncertified deaths. In most age groups the provinces of Connacht and Ulster (part of) compare unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

INQUEST AND POST-MORTEMS

The number of deaths registered on certificates issued by coroners as the result of inquest and post-mortem examinations during 1973 was 2,954 compared with 2,967 in 1972.

TABLES

TABLE 1—ESTIMATED POPULATION IN THOUSANDS IN EACH YEAR 1851 TO 1973

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1892	3,408	1,697	1,711	1933	2,962	1,512	1,450
1852	4,927	2,413	2,514	1893	3,382	1,684	1,698	1934	2,971	1,518	1,453
1853	4,807	2,358	2,449	1894	3,362	1,675	1,687	1935	2,971	1,520	1,451
1854	4,704	2,311	2,393	1895	3,333	1,662	1,671	1936	2,967	1,520	1,447
1855	4,638	2,281	2,357	1896	3,314	1,653	1,661	1937	2,948	1,510	1,438
1856	4,594	2,261	2,333	1897	3,298	1,646	1,652	1938	2,937	1,505	1,432
1857	4,540	2,234	2,306	1898	3,283	1,640	1,643	1939	2,934	1,503	1,431
1858	4,506	2,217	2,289	1899	3,265	1,631	1,634	1940	2,958	1,515	1,443
1859	4,471	2,199	2,272	1900	3,234	1,616	1,618	1941	2,993	1,533	1,460
1860	4,428	2,179	2,249	1901	3,213	1,607	1,606	1942	2,963	1,499	1,464
1861	4,393	2,164	2,229	1902	3,200	1,603	1,597	1943	2,946	1,490	1,456
1862	4,377	2,158	2,219	1903	3,185	1,599	1,586	1944	2,944	1,487	1,457
1863	4,328	2,134	2,194	1904	3,175	1,597	1,578	1945	2,952	1,490	1,462
1864	4,263	2,103	2,160	1905	3,165	1,594	1,571	1946	2,957	1,496	1,461
1865	4,223	2,084	2,139	1906	3,160	1,593	1,567	1947	2,974	1,505	1,469
1866	4,163	2,051	2,112	1907	3,151	1,589	1,562	1948	2,985	1,512	1,473
1867	4,130	2,033	2,097	1908	3,145	1,588	1,557	1949	2,981	1,513	1,468
1868	4,109	2,022	2,087	1909	3,142	1,589	1,553	1950	2,969	1,510	1,459
1869	4,090	2,012	2,078	1910	3,139	1,588	1,551	1951	2,961	1,507	1,454
1870	4,062	1,996	2,066	1911	3,132	1,586	1,546	1952	2,953	1,501	1,452
1871	4,042	1,986	2,056	1912	3,120	1,581	1,539	1953	2,949	1,498	1,451
1872	4,023	1,975	2,048	1913	3,103	1,572	1,531	1954	2,941	1,493	1,448
1873	3,989	1,955	2,034	1914	3,092	1,568	1,524	1955	2,921	1,479	1,442
1874	3,966	1,944	2,022	1915	3,068	1,546	1,522	1956	2,898	1,463	1,435
1875	3,951	1,940	2,011	1916	3,068	1,549	1,519	1957	2,885	1,456	1,429
1876	3,949	1,942	2,007	1917	3,065	1,551	1,514	1958	2,853	1,439	1,414
1877	3,956	1,947	2,009	1918	3,066	1,553	1,513	1959	2,846	1,435	1,411
1878	3,952	1,948	2,004	1919	3,102	1,598	1,504	1960	2,832	1,427	1,405
1879	3,939	1,944	1,995	1920	3,103	1,598	1,505	1961	2,818	1,417	1,402
1880	3,891	1,920	1,971	1921	3,096	1,599	1,497	1962	2,830	1,423	1,407
1881	3,847	1,901	1,946	1922	3,022	1,529	1,493	1963	2,850	1,433	1,417
1882	3,808	1,882	1,926	1923	3,014	1,526	1,488	1964	2,864	1,440	1,424
1883	3,745	1,853	1,892	1924	3,005	1,521	1,484	1965	2,876	1,446	1,430
1884	3,703	1,834	1,869	1925	2,985	1,512	1,473	1966	2,884	1,449	1,435
1885	3,671	1,820	1,851	1926	2,971	1,507	1,464	1967	2,900	1,457	1,443
1886	3,642	1,808	1,834	1927	2,957	1,502	1,455	1968	2,913	1,464	1,449
1887	3,600	1,788	1,812	1928	2,944	1,498	1,446	1969	2,926	1,470	1,455
1888	3,554	1,766	1,788	1929	2,937	1,496	1,441	1970	2,950	1,482	1,468
1889	3,516	1,748	1,768	1930	2,927	1,493	1,434	1971	2,978	1,496	1,482
1890	3,482	1,733	1,749	1931	2,933	1,497	1,436	1972	3,014	1,513	1,501
1891	3,449	1,718	1,731	1932	2,949	1,505	1,444	1973	3,051	1,531	1,520

TABLE 2—ESTIMATED POPULATION BY AGE 1973

Age Group	Total	Males	Females
Under 1	68,500	35,300	33,200
1-4	259,200	132,600	126,600
5-9	318,100	162,600	155,500
10-14	305,800	155,900	149,900
15-19	277,400	141,500	135,900
20-24	227,000	115,900	111,100
25-29	187,600	95,400	92,200
30-34	161,100	81,700	79,400
35-39	150,600	76,300	74,300
40-44	151,000	75,800	75,200
45-49	156,500	77,800	78,700
50-54	157,800	78,800	79,000
55-59	153,800	77,400	76,400
60-64	137,600	69,300	68,300
65-69	116,000	56,800	59,200
70-74	98,800	45,200	53,600
75-79	66,100	29,000	37,100
80-84	36,700	15,600	21,100
85+	21,400	8,300	13,100
All Ages	3,051,000	1,531,200	1,519,800

**TABLE 3 - POPULATION, BY SEX, OF EACH COUNTY AND COUNTY BOROUGH ACCORDING TO THE
CENSUS OF POPULATION, 1971.**

Area	Persons	Males	Females
Carlow	34,237	17,502	16,735
Dublin County Borough	567,866	267,801	300,065
Dun Laoghaire Borough	53,171	24,063	29,108
Dublin County (remainder)	231,182	114,144	117,038
Kildare	71,977	37,279	34,698
Kilkenny	61,473	31,828	29,645
Laois	45,259	23,805	21,454
Longford	28,250	14,891	13,359
Louth	74,951	37,511	37,440
Meath	71,729	36,977	34,752
Offaly	51,829	27,029	24,800
Westmeath	53,570	27,544	26,026
Wexford	86,351	43,768	42,583
Wicklow	66,295	33,318	32,977
Clare	75,008	39,002	36,006
Cork County Borough	128,645	61,731	66,914
Cork County	224,238	115,055	109,183
Kerry	112,772	58,404	54,368
Limerick County Borough	57,161	27,626	29,535
Limerick County	83,298	43,160	40,138
Tipperary, N.R.	54,337	28,190	26,147
Tipperary, S.R.	69,228	35,333	33,895
Waterford County Borough	31,968	15,421	16,547
Waterford County	45,347	23,349	21,998
Galway	149,223	77,842	71,381
Leitrim	23,360	15,269	13,091
Mayo	109,525	56,402	53,123
Roscommon	53,519	28,294	25,225
Sligo	50,275	25,887	24,388
Cavan	52,618	27,819	24,799
Donegal	108,344	55,424	52,920
Monaghan	46,242	24,092	22,150
Total	2,978,248	1,495,760	1,482,488

TABLE 4—MARRIAGES, BIRTHS AND DEATHS AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1973.

Period	Marriages	Births							Deaths			Natural increase
		Total (including illegitimate)			Legitimate	Illegitimate			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
Average 1864 - 1870	21,150	103,928	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 1880	18,014	104,379	53,804	50,775	102,874	1,705	878	827	71,811	36,224	35,587	32,768
1881 - 1890	14,692	83,762	43,077	40,885	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,488	753	715	58,994	29,468	29,526	15,001
1901 - 1910	15,325	71,380	36,668	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 1920	15,785	68,507	34,208	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 1930	14,245	60,408	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 1940	14,359	57,105	29,279	27,828	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,728	19,724	23,560
1951 - 1960	15,742	61,664	31,608	30,058	60,444	1,220	683	587	36,374	18,999	16,375	26,290
1961 - 1970	17,430	62,417	32,058	30,364	61,085	1,382	700	682	33,574	18,221	15,353	26,843
1971	22,014	67,551	34,751	32,800	65,709	1,842	922	920	31,890	17,357	14,533	35,661
1972	22,302	68,527	35,375	33,152	66,522	2,005	1,014	991	34,381	18,731	15,650	34,146
1973	22,816	68,713	35,304	33,409	66,546	2,167	1,144	1,023	34,192	18,689	15,503	34,521

TABLE 5—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE, 1864-1973.

Period	Marriages	Births					Deaths		Natural increase per 1,000 population
	Per 1,000 population	Per 1,000 population	Legitimate Per 1,000 population	Illegitimate		Births of males per 1,000 births of females	Per 1,000 population	Infant mortality per 1,000 births	
				Per 1,000 population	Per cent of total births				
1864-1870	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-1880	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-1890	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-1910	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-1920	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-1930	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-1940	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-1950	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951-1960	5.42	21.24	20.82	0.42	1.97	1,052	12.18	36.64	9.06
1961-1970	6.05	21.67	21.19	0.48	2.21	1,056	11.66	24.83	10.01
1971	7.39	22.68	22.06	0.62	2.73	1,059	10.71	17.97	11.97
1972	7.40	22.74	22.07	0.67	2.93	1,067	11.41	18.04	11.33
1973	7.48	22.52	21.81	0.71	3.15	1,057	11.21	17.96	11.31

TABLE 6—MARRIAGES, BIRTHS AND DEATHS DURING EACH OF THE YEARS 1961 TO 1973 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1961 TO 1970 AND THE RATES FOR THE YEAR 1971 AND 1973 PER 1,000 OF THE POPULATION

Year	Marriages											Births					Deaths								
	Catholic					All others					Total														
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total					
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
Average 961-1970	3,133	3,709	6,299	3,601	16,742	118	171	271	128	688	3,251	3,880	6,570	3,729	17,430	15,354	16,743	15,949	14,371	62,417	10,299	8,484	7,060	7,731	33,574
1961	2,200	3,676	5,660	3,236	14,772	70	167	194	126	557	2,270	3,843	5,854	3,362	15,329	14,745	16,187	15,473	13,420	59,825	12,060	8,184	6,885	7,634	34,763
1962	2,728	3,232	5,972	3,045	14,977	113	183	258	96	650	2,841	3,415	6,230	3,141	15,627	15,331	16,539	15,738	14,174	61,782	10,822	8,517	6,974	7,525	33,838
1963	2,679	3,221	5,692	3,296	14,888	116	160	253	139	668	2,795	3,381	5,945	3,435	15,556	15,445	16,876	16,376	14,549	63,246	10,687	8,472	7,141	7,495	33,795
1964	2,413	3,999	5,853	3,241	15,506	87	155	272	108	622	2,500	4,154	6,125	3,349	16,128	15,224	17,347	16,565	14,936	64,072	9,291	8,897	6,964	7,478	32,630
1965	3,433	3,346	6,173	3,377	16,329	91	131	268	127	617	3,524	3,477	6,441	3,504	16,946	15,853	17,082	16,144	14,446	63,525	9,818	7,923	7,319	7,962	33,022
1966	3,320	3,231	6,158	3,455	16,164	118	168	265	134	685	3,438	3,399	6,423	3,589	16,849	15,190	16,590	16,143	14,292	62,215	11,070	9,133	6,897	8,013	35,113
1967	3,114	3,884	6,260	3,839	17,097	141	171	280	99	691	3,255	4,055	6,540	3,938	17,788	15,023	16,691	15,363	14,230	61,307	8,643	7,840	7,095	7,822	31,400
1968	3,725	3,747	6,769	4,019	18,260	151	161	286	135	733	3,876	3,908	7,055	4,154	18,993	15,508	16,030	15,301	14,165	61,004	10,362	8,305	6,959	7,531	33,157
1969	4,118	4,000	7,216	4,107	19,441	149	232	315	167	863	4,267	4,232	7,531	4,274	20,304	15,361	16,861	16,235	14,455	62,912	10,035	8,657	7,177	7,865	33,734
1970	3,598	4,751	7,242	4,398	19,989	141	187	315	146	789	3,739	4,938	7,557	4,544	20,778	15,857	17,232	16,155	15,040	64,284	10,199	8,910	7,195	7,987	34,291
1971	4,312	4,717	7,376	4,713	21,118	151	250	332	163	896	4,463	4,967	7,708	4,876	22,014	16,838	17,762	16,941	16,010	67,551	8,917	7,976	7,071	7,926	31,890
1972	4,599	4,814	7,270	4,730	21,413	164	192	356	177	889	4,763	5,006	7,626	4,907	22,302	16,992	18,063	17,118	16,354	68,527	10,260	8,263	7,621	8,237	34,381
1973	4,918	4,806	7,498	4,771	21,993	170	200	295	158	823	5,088	5,006	7,793	4,929	22,816	17,328	18,175	17,030	16,180	68,713	9,938	8,166	7,626	8,462	34,192

EQUIVALENT ANNUAL RATE PER 1,000 CORRESPONDING POPULATION

Average 961-1970	4.6	5.4	9.2	5.3	6.1	3.2	4.6	7.3	3.5	4.7	4.5	5.4	9.1	5.2	6.1	21.3	23.3	22.2	20.0	21.7	14.3	11.8	9.8	10.7	11.7
1971	6.2	6.7	10.6	6.7	7.6	3.3	5.5	7.3	3.6	4.9	6.0	6.7	10.4	6.6	7.4	22.6	23.9	22.8	21.5	22.7	12.0	10.7	9.5	10.7	10.7
1972	6.4	6.7	10.1	6.6	7.5	4.5	5.3	9.7	4.8	6.1	6.3	6.6	10.1	6.5	7.4	22.6	24.0	22.7	21.7	22.7	13.6	11.0	10.1	10.9	11.4
1973	6.7	6.6	10.3	6.5	7.5	4.4	5.2	7.7	4.1	5.3	6.6	6.5	10.2	6.4	7.4	22.7	23.8	22.3	21.2	22.5	13.0	10.7	9.9	11.0	11.2

TABLE 7—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1973, WITH RATES PER 100,000 POPULATION

Note—The classification of cause of death in this table is based on the Abbreviated List, 1965.

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
	All causes	34,192	1,120.7	17,669	1,142.1
001	Typhoid fever	—	—	—	—
004, 006	Bacillary dysentery and amoebiasis	—	—	—	—
008, 009 ✓	Enteritis and other diarrhoeal diseases	66	2.2	27	1.7
010-012 ✓	Tuberculosis of respiratory system	140	4.6	49	3.2
013-019 ✓	Other tuberculosis, including late effects	33	1.1	17	1.1
032 ✓	Diphtheria	—	—	—	—
033 ✓	Whooping cough	1	0.0	1	0.1
034 ✓	Streptococcal sore throat and scarlet fever	—	—	—	—
036 ✓	Meningococcal infection	13	0.4	10	0.6
038 ✓	Septicaemia	21	0.7	11	0.7
040-043 ✓	Acute poliomyelitis	—	—	1	0.1
055 ✓	Measles	1	0.0	5	0.3
070 ✓	Infectious hepatitis	12	0.4	7	0.5
084	Malaria	—	—	1	0.1
090-097	Syphilis and its sequelae	1	0.0	2	0.1
Rem. 000-136	All other infective and parasitic diseases	39	1.3	19	1.2
140-209	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissue:—				
140-209 (except 201 and 204-207)	(a) Cancer	5,583	183.0	2,810	181.6
201, 204-207	(b) Hodgkin's disease and leukaemia	220	7.2	114	7.4
210-239	Benign neoplasms and neoplasms of unspecified nature	69	2.3	35	2.3
250	Diabetes mellitus	367	12.0	185	12.0
260-269	Avitaminoses and other nutritional deficiency	15	0.5	11	0.7
280-285	Anaemias	98	3.2	52	3.4
320	Meningitis	38	1.2	8	0.5
390-392	Active Rheumatic fever	1	0.0	3	0.2
393-398	Chronic rheumatic heart disease	313	10.3	162	10.5
400-404	Hypertensive disease	616	20.2	264	17.1
410-414	Ischaemic heart disease	8,576	281.1	4,717	304.9
420-429	Other forms of heart disease	1,597	52.3	973	62.9

*Exclusive of Northern Ireland

TABLE 7 (contd.)—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND NORTHERN IRELAND, 1973, WITH RATES PER 100,000 POPULATION

Detailed List No.	Cause of death	Ireland*		Northern Ireland	
		Number	Rate	Number	Rate
430-438	Cerebrovascular disease	4,755	155.9	2,537	164.0
470-474	Influenza	262	8.6	139	9.0
480-486	Pneumonia	2,219	72.7	1,058	68.4
490-493	Bronchitis, emphysema and asthma	1,776	58.2	799	51.6
✓ 531-534	Peptic ulcer	257	8.4	119	7.7
✓ 540-543	Appendicitis	21	0.7	10	0.6
✓ 550-553, 560	Intestinal obstruction and hernia	121	4.0	69	4.5
✓ 571	Cirrhosis of liver	105	3.4	65	4.2
580-584	Nephritis and nephrosis	220	7.2	92	5.9
600	Hyperplasia of prostate	109	3.6	33	2.1
640-645	Abortion	2	0.1	—	—
630-639, 650-678	Other complications of pregnancy, childbirth and the puerperium	6	0.2	5	0.3
740-759	Congenital anomalies	461	15.1	197	12.7
764-768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions	317	10.4	155	10.0
760-763, 769-771 } 773-775, 777-779 }	Other causes of peri-natal mortality —	224	7.3	150	9.7
780-796	Senility without mention of psychosis, ill-defined and unknown causes	506	16.6	110	7.1
	All other diseases	3,428	112.4	1,419	91.7
E810-E823	Motor vehicle accidents	613	20.1	385	24.9
E800-E807 } E825-E949 }	All other accidents	775	25.4	382	24.7
E950-E959	Suicide and self-inflicted injuries	105	3.4	70	4.5
E960-E999	All other external causes	90	2.9	391	25.3

*Exclusive of Northern Ireland

+ Late foetal deaths not included

TABLE 8—AVERAGE ANNUAL NUMBER OF DEATHS DURING THE PERIOD 1864-1970 AND THE NUMBER OF DEATHS IN THE YEARS 1971 TO 1973 CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
Males														
Average-1864-1870	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-1880	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-1890	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-1910	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-1920	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-1930	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-1940	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-1950	21,726	2,971	207	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951-1960	18,999	1,534	93	67	102	121	312	580	1,302	2,582	4,812	5,745	1,671	78
1961-1970	18,190	1,005	73	55	94	100	193	430	1,224	2,784	4,825	5,204	2,097	106
1971	17,357	819	82	60	106	129	194	355	1,191	2,850	4,729	4,859	1,878	105
1972	18,731	815	99	65	131	156	211	415	1,221	3,019	5,122	5,272	2,070	135
1973	18,689	845	53	42	134	160	228	422	1,224	2,969	5,131	5,313	2,024	144
Females														
Average-1864-1870	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-1880	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-1890	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-1910	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-1920	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-1930	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-1940	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-1950	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951-1960	16,375	1,139	77	55	72	93	278	519	987	1,859	3,892	5,334	1,932	138
1961-1970	15,324	780	52	39	47	48	133	331	854	1,688	3,539	5,040	2,565	208
1971	14,533	597	41	27	54	57	132	214	785	1,686	3,415	4,723	2,555	247
1972	15,650	627	60	34	68	61	113	276	809	1,724	3,582	5,301	2,720	275
1973	15,503	607	37	33	40	52	116	260	837	1,723	3,601	5,183	2,726	288
Persons														
Average-1864-1870	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-1880	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-1890	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-1910	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-1920	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-1930	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-1940	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-1950	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951-1960	35,374	2,673	170	122	174	214	590	1,099	2,289	4,441	8,704	11,079	3,603	216
1961-1970	33,514	1,785	125	94	141	148	326	761	2,078	4,472	8,364	10,244	4,662	314
1971	31,890	1,416	123	87	160	186	326	569	1,976	4,536	8,144	9,582	4,433	352
1972	34,381	1,442	159	99	199	217	324	691	2,030	4,743	8,704	10,573	4,790	410
1973	34,192	1,452	90	75	174	212	344	682	2,061	4,692	8,732	10,496	4,750	432

*For the period 1864-1870 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 females. These numbers are included in the totals.

†For the period 1871-1880 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9—AVERAGE ANNUAL DEATH RATES FOR THE PERIOD 1864-1970 AND DEATH RATES FOR THE YEARS 1971 TO 1973 PER 1,000 CORRESPONDING POPULATION CLASSIFIED BY SEX AND AGE

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
Males													
1864-1870	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-1880	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	298.18
1881-1890	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-1910	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-1920	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-1930	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931-1940	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-1950	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951-1960	12.92	9.94	0.63	0.48	0.82	1.26	1.80	3.13	7.77	19.31	48.87	121.93	272.16
1961-1970	12.60	6.42	0.48	0.37	0.74	1.10	1.26	2.64	7.32	20.31	49.66	113.52	287.11
1971	11.60	5.06	0.51	0.39	0.78	1.17	1.18	2.34	7.46	19.45	47.73	111.86	244.39
1972	12.38	4.94	0.61	0.42	0.94	1.38	1.24	2.73	7.72	20.60	50.97	119.82	268.90
1973	12.20	5.03	0.33	0.27	0.95	1.38	1.29	2.77	7.82	20.24	50.32	119.13	261.20
Females													
1864-1870	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-1880	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-1890	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-1910	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-1920	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-1930	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-1940	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-1950	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951-1960	10.41	7.69	0.55	0.41	0.63	1.04	1.57	2.85	6.20	14.14	38.84	102.00	226.46
1961-1970	10.73	5.20	0.36	0.28	0.39	0.55	0.87	2.01	5.31	12.47	33.78	92.67	247.10
1971	9.80	3.88	0.26	0.18	0.41	0.54	0.83	1.43	4.92	11.84	30.59	86.32	218.60
1972	10.43	4.00	0.39	0.23	0.51	0.56	0.68	1.84	5.10	12.01	31.92	93.99	232.17
1973	10.20	3.80	0.24	0.22	0.29	0.47	0.68	1.74	5.31	11.91	31.92	89.05	230.08
Persons													
1864-1870	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-1880	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-1890	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-1910	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-1920	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-1930	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-1940	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-1950	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951-1960	12.18	8.84	0.59	0.45	0.73	1.15	1.68	2.99	7.01	16.74	43.81	111.41	145.14
1961-1970	11.67	5.82	0.42	0.32	0.57	0.83	1.06	2.32	6.33	16.42	41.42	102.21	263.35
1971	10.71	4.49	0.39	0.29	0.60	0.86	1.01	1.89	6.19	15.70	38.65	97.63	228.60
1972	11.41	4.48	0.50	0.33	0.73	0.98	0.96	2.29	6.41	16.35	40.92	105.31	246.45
1973	11.21	4.43	0.28	0.25	0.63	0.93	0.99	2.26	6.56	16.10	40.65	102.10	242.15

TABLE 10—BIRTHS AND DEATHS IN EACH COUNTY AND COUNTY BOROUGH IN CORRESPONDING PARTICULARS FOR ILLEGITIMATE BIRTHS

Area	Births (including illegitimate)				Illegitimate births			
	Total number registered	Transferred from area	Transferred to area	Net number	Total number registered	Transferred from area	Transferred to area	Net number
Total	68,713			68,713	2,167			2,167
Carlow	700	104	262	858	16	6	14	24
Dublin County Borough	24,703	12,476	141	12,368	1,108	475	71	704
Dun Laoghaire Borough	1,559	1,127	674	1,106	25	15	53	63
Dublin County (remainder)	300	240	7,342	7,402	240	229	200	211
Kildare	294	11	2,013	2,296	3	—	48	51
Kilkenny	1,184	132	270	1,322	18	1	15	32
Laois	590	16	397	971	12	—	20	32
Longford	284	30	331	585	—	—	14	14
Louth	3,490	1,595	54	1,949	47	13	16	50
Meath	231	4	1,627	1,854	7	1	49	55
Offaly	1,099	62	237	1,274	14	—	11	25
Westmeath	1,001	164	405	1,242	12	5	39	46
Wexford	1,822	53	379	2,148	38	2	36	72
Wicklow	218	6	1,609	1,821	2	—	35	37
Clare	1,015	8	734	1,741	13	1	23	35
Cork County Borough	7,857	4,780	23	3,100	346	267	15	94
Cork County	711	27	4,241	4,925	11	1	97	107
Kerry	1,773	11	475	2,237	18	1	21	38
Limerick County Borough	4,896	3,342	30	1,584	71	40	14	45
Limerick County	11	—	1,818	1,829	1	—	54	55
Tipperary, N.R.	455	13	756	1,198	5	2	23	26
Tipperary, S.R.	1,429	96	193	1,526	27	—	27	54
Waterford County Borough	1,819	1,039	14	794	30	14	4	20
Waterford County	157	1	787	943	3	—	21	24
Galway	4,236	1,057	94	3,273	29	7	54	76
Leitrim	167	10	274	431	1	—	6	7
Mayo	1,870	104	188	1,954	14	2	24	36
Roscommon	325	18	576	883	6	—	12	18
Sligo	950	99	103	954	8	1	18	25
Cavan	792	83	324	1,033	8	1	20	27
Donegal	2,167	23	78	2,222	29	—	23	52
Monaghan	608	14	296	890	5	2	9	12

1973, AND THE NUMBERS RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH
AND DEATHS OF INFANTS UNDER ONE YEAR OF AGE

Deaths				Deaths of infants (under one year)				Natural increase (excess of births over deaths)	Area
Total number registered	Trans- ferred from area	Trans- ferred to area	Net number	Total number registered	Trans- ferred from area	Trans- ferred to area	Net number		
34,192			34,192	1,234			1,234	34,521	Total
332	23	84	393	16	—	5	21	465	Carlow
7,244	1,928	426	5,742	601	315	3	289	6,626	Dublin County Borough
687	233	184	638	18	5	14	27	468	Dun Laoghaire Borough
1,023	507	766	1,282	10	3	107	114	6,120	Dublin County (remainder)
508	28	204	684	8	1	40	47	1,612	Kildare
686	36	93	743	14	1	11	24	579	Kilkenny
481	31	73	523	3	—	7	10	448	Laois
354	17	71	408	7	1	6	12	177	Longford
831	112	51	770	53	25	5	33	1,179	Louth
704	23	157	838	5	—	26	31	1,016	Meath
504	12	85	577	4	—	8	12	697	Offaly
632	65	75	642	8	2	9	15	600	Westmeath
985	15	98	1,068	18	1	21	38	1,080	Wexford
476	43	310	743	3	—	25	28	1,078	Wicklow
894	17	125	1,002	12	—	18	30	739	Clare
2,205	853	53	1,405	129	68	4	65	1,695	Cork County Borough
2,193	89	824	2,928	19	4	59	74	1,997	Cork County
1,436	14	87	1,509	14	—	17	31	728	Kerry
766	305	158	619	78	49	8	37	965	Limerick County Borough
1,005	211	283	1,077	19	11	30	38	752	Limerick County
627	17	75	685	5	—	13	18	513	Tipperary, N.R.
906	53	79	932	22	2	9	29	594	Tipperary, S.R.
578	249	22	351	12	6	2	8	443	Waterford County Borough
322	7	226	541	1	—	12	13	402	Waterford County
1,891	231	63	1,723	49	8	1	42	1,550	Galway
383	4	81	460	—	—	2	2	29	Leitrim
1,400	17	126	1,509	20	2	10	28	445	Mayo
690	23	97	764	10	—	4	14	119	Roscommon
719	44	49	724	26	6	4	24	230	Sligo
729	16	89	802	18	2	11	27	231	Cavan
1,418	10	68	1,476	24	—	9	33	746	Donegal
583	19	70	634	8	—	12	20	256	Monaghan

TABLE 11—MARRIAGES REGISTERED IN AND BIRTHS AND DEATHS ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH DURING 1973 SHOWING SEPARATELY ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES

Area	Marriages	BIRTHS						DEATHS					
		Total (including illegitimate)			Illegitimate			Total			Under 1 year	Tuber- culosis	Malign- nant neo- plasms
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
TOTAL	22,816	35,304	33,409	68,713	1,144	1,023	2,167	18,689	15,503	34,192	1,234	173	5,803
Carlow	244	422	436	858	13	11	24	211	182	393	21	2	68
Dublin Co. Borough	5,866	6,349	6,019	12,368	356	348	704	2,859	2,883	5,742	289	42	1,201
Dun Laoghaire Borough	427	578	528	1,106	27	36	63	290	348	638	27	4	118
Dublin Co. (remainder)	1,315	3,859	3,543	7,402	100	111	211	660	622	1,282	114	7	232
Kildare	508	1,158	1,138	2,296	24	27	51	371	313	684	47	3	121
Kilkenny	505	691	631	1,322	16	16	32	411	332	743	24	8	109
Laois	319	485	486	971	18	14	32	286	237	523	10	3	79
Longford	183	288	297	585	4	10	14	246	162	408	12	2	58
Louth	582	989	960	1,949	31	19	50	444	326	770	33	3	146
Meath	543	956	898	1,854	27	28	55	468	370	838	31	5	128
Offaly	359	630	644	1,274	17	8	25	319	258	577	12	1	88
Westmeath	427	606	636	1,242	25	21	46	361	281	642	15	3	109
Wexford	681	1,122	1,026	2,148	39	33	72	551	517	1,068	38	1	161
Wicklow	539	942	879	1,821	23	14	37	397	346	743	28	5	143
LEINSTER	12,498	19,075	18,121	37,196	720	696	1,416	7,874	7,177	15,051	701	89	2,761
Clare	455	895	846	1,741	19	16	35	562	440	1,002	30	5	154
Cork Co. Borough	1,056	1,661	1,439	3,100	50	44	94	707	698	1,405	65	3	293
Cork County	1,476	2,565	2,360	4,925	65	42	107	1,694	1,234	2,928	74	14	453
Kerry	732	1,137	1,100	2,237	22	16	38	851	658	1,509	31	8	216
Limerick Co. Borough	649	850	734	1,584	27	18	45	307	312	619	37	4	99
Limerick County	508	917	912	1,829	32	23	55	649	428	1,077	38	1	169
Tipperary, N.R.	390	638	560	1,198	13	13	26	381	304	685	18	4	113
Tipperary, S.R.	517	794	732	1,526	23	31	54	527	405	932	29	3	157
Waterford Co. Borough	271	396	398	794	15	5	20	179	172	351	8	2	67
Waterford County	318	473	470	943	12	12	24	329	212	541	13	2	93
MUNSTER	6,372	10,326	9,551	19,877	278	220	498	6,186	4,863	11,049	343	46	1,814
Galway	1,013	1,633	1,640	3,273	43	33	76	983	740	1,723	42	13	280
Leitrim	170	212	219	431	2	5	7	275	185	460	2	5	84
Mayo	625	997	957	1,954	23	13	36	887	622	1,509	28	9	218
Roscommon	264	457	426	883	10	8	18	436	328	764	14	—	115
Sligo	322	480	474	954	15	10	25	399	325	724	24	3	122
CONNACHT	2,394	3,779	3,716	7,495	93	69	162	2,980	2,200	5,180	110	30	819
Cavan	334	501	532	1,033	16	11	27	468	334	802	27	—	125
Donegal	870	1,148	1,074	2,222	31	21	52	820	656	1,476	33	6	221
Monaghan	348	475	415	890	6	6	12	361	273	634	20	2	63
ULSTER (part of)	1,552	2,124	2,021	4,145	53	38	91	1,649	1,263	2,912	80	8	409

TABLE 12—MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES IN 1973.

Area	Marriages per 1,000 population	Births		Death rate per 1,000 population			Deaths under one year per 1,000 births
		Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms	
TOTAL	7.48	22.52	3.15	11.21	0.06	1.90	17.96
Carlow	7.00	24.60	2.80	11.27	0.06	1.95	24.48
Dublin County Borough	10.25	21.60	5.69	10.03	0.07	2.10	23.37
Dun Laoghaire Borough	7.90	20.47	5.70	11.81	0.07	2.18	24.41
Dublin County (remainder)	5.06	28.46	2.85	4.93	0.03	0.89	15.40
Kildare	6.73	30.40	2.22	9.06	0.04	1.60	20.47
Kilkenny	8.06	21.10	2.42	11.86	0.13	1.74	18.15
Laois	6.94	21.14	3.30	11.38	0.07	1.72	10.30
Longford	6.47	20.67	2.39	14.42	0.07	2.05	20.51
Louth	7.45	24.96	2.57	9.86	0.04	1.87	16.93
Meath	7.30	24.91	2.97	11.26	0.07	1.72	16.72
Offaly	6.87	24.37	1.96	11.04	0.02	1.68	9.42
Westmeath	7.88	22.93	3.70	11.85	0.06	2.01	12.08
Wexford	7.70	24.29	3.35	12.08	0.01	1.82	17.69
Wicklow	7.72	26.08	2.03	10.64	0.07	2.05	15.38
LEINSTER	8.06	23.98	3.81	9.70	0.06	1.78	18.85
Clare	5.94	22.72	2.01	13.08	0.07	2.01	17.23
Cork County Borough	7.95	23.35	3.03	10.58	0.02	2.21	20.97
Cork County	6.43	21.47	2.17	12.76	0.06	1.97	15.03
Kerry	6.44	19.67	1.70	13.27	0.07	1.90	13.86
Limerick County Borough	11.10	27.08	2.84	10.58	0.07	1.69	23.36
Limerick County	5.98	21.51	3.01	12.67	0.01	1.99	20.78
Tipperary, N.R.	7.07	21.72	2.17	12.42	0.07	2.05	15.03
Tipperary, S.R.	7.39	21.83	3.54	13.33	0.04	2.25	19.00
Waterford County Borough	8.22	24.08	2.52	10.64	0.06	2.03	10.08
Waterford County	6.81	20.21	2.55	11.59	0.04	1.99	13.79
MUNSTER	7.07	22.07	2.51	12.27	0.05	2.01	17.26
Galway	6.70	21.64	2.32	11.39	0.09	1.85	12.83
Leitrim	6.13	15.54	1.62	16.58	0.18	3.03	4.64
Mayo	5.78	18.06	1.84	13.95	0.08	2.02	14.33
Roscommon	4.99	16.70	2.04	14.45	—	2.18	15.86
Sligo	6.38	18.91	2.62	14.35	0.06	2.42	25.16
CONNACHT	6.13	19.19	2.16	13.27	0.08	2.10	14.68
Cavan	6.35	19.65	2.61	15.26	—	2.38	26.14
Donegal	7.96	20.33	2.34	13.50	0.05	2.02	14.85
Monaghan	7.44	19.03	1.35	13.55	0.04	1.35	22.47
ULSTER (part of)	7.44	19.87	2.20	13.96	0.04	1.96	19.30

TABLE 13—DEATHS IN 1973 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS.

Ages	Males				Females			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	18,689	6,544	8,643	3,502	15,503	4,567	3,760	7,176
Under 15 years	940	940	—	—	677	677	—	—
15-19	134	133	1	—	40	40	—	—
20-24	160	153	7	—	52	42	10	—
25-29	115	60	55	—	56	27	29	—
30-34	113	62	51	—	60	20	40	—
35-39	158	63	94	1	101	27	70	4
40-44	264	115	147	2	159	41	112	6
45-49	440	139	292	9	334	83	231	20
50-54	784	285	479	20	503	127	320	56
55-59	1,192	407	736	49	677	164	412	101
60-64	1,777	541	1,114	122	1,046	267	491	288
65-69	2,264	692	1,323	249	1,397	402	524	471
70-74	2,867	918	1,454	495	2,204	602	589	1,013
75-79	2,849	841	1,333	675	2,612	684	490	1,438
80-84	2,464	699	936	829	2,571	662	299	1,610
85 and over	2,168	496	621	1,051	3,014	702	143	2,169

TABLE 14—BIRTHS AND DEATHS ASSIGNED TO EACH URBAN DISTRICT IN 1973 CLASSIFIED BY SEX.

Urban Districts	Births			Deaths		
	Males	Females	Total	Males	Females	Total
Total	2,534	2,381	4,915	1,089	1,029	2,118
Carlow	109	124	233	55	45	100
Athy	77	59	136	22	18	40
Naas	92	86	178	19	21	40
Longford	42	54	96	19	19	38
Ceanannus Mor	40	36	76	18	9	27
An Uaimh	75	73	148	31	33	64
Trim	30	16	46	12	12	24
Birr	38	33	71	16	16	32
Tullamore	86	89	175	29	27	56
Athlone	151	142	293	52	38	90
Enniscorthy	73	66	139	38	45	83
New ross	64	53	117	13	21	34
Arklow	104	82	186	32	31	63
Wicklow	51	50	101	24	14	38
Ennis	132	140	272	49	47	96
Kilrush	24	29	53	12	15	27
Clonakilty	24	16	40	19	13	32
Cobh	102	82	184	53	48	101
Fermoy	44	43	87	18	24	42
Kinsale	12	13	25	16	19	35
Macroom	16	18	34	16	14	30
Mallow	90	84	174	29	35	64
Midleton	40	31	71	30	16	46
Skibbereen	36	25	61	15	14	29
Youghal	65	51	116	24	32	56
Killarney	70	80	150	29	37	66
Listowel	33	31	64	11	15	26
Nenagh	69	68	137	29	31	60
Templemore	16	13	29	9	5	14
Thurles	80	62	142	37	26	63
Carrick-on-Suir	54	53	107	14	23	37
Cashel	54	56	110	20	25	45
Tipperary	51	55	106	35	40	75
Dungarvan	51	65	116	25	24	49
Ballinasloe	32	26	58	8	14	22
Ballina	65	70	135	19	28	47
Castlebar	57	50	107	25	12	37
Westport	28	29	57	22	16	38
Cavan	38	41	79	20	19	39
Buncrana	38	26	64	27	17	44
Bundoran	8	8	16	10	5	15
Letterkenny	45	45	90	16	13	29
Carrickmacross	35	30	65	15	13	28
Castleblayney	24	18	42	20	10	30
Clones	24	21	45	12	16	28
Monaghan	45	39	84	25	14	39

TABLE 15—BIRTHS AND DEATHS CLASSIFIED BY SEX, IN 1973, ASSIGNED TO THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS, SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

Area	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant neoplasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
TOTAL	35,304	33,409	68,713	1,144	1,023	2,167	18,689	15,503	34,192	173	5,803
Dublin County Borough	6,349	6,019	12,368	356	348	704	2,859	2,883	5,742	42	1,201
Cork County Borough	1,661	1,439	3,100	50	44	94	707	698	1,405	3	293
Limerick County Borough	850	734	1,584	27	18	45	307	312	619	4	99
Waterford County Borough	396	398	794	15	5	20	179	172	351	2	67
Dun Laoghaire Borough	578	528	1,106	27	36	63	290	348	638	4	118
Municipal Boroughs:											
Galway	406	415	821	16	9	25	130	104	234	6	43
Drogheda	246	251	497	3	3	6	95	90	185	—	44
Sligo	145	152	297	6	6	12	87	80	167	—	34
Wexford	147	131	278	2	5	7	70	68	138	—	23
Clonmel	126	130	256	8	12	20	59	65	124	2	28
Kilkenny	160	153	313	4	4	8	56	75	131	2	15
Urban Districts:											
Dundalk	268	287	555	11	8	19	137	94	231	2	39
Bray	246	216	462	2	5	7	85	80	165	2	31
Tralee	156	173	329	8	3	11	67	76	143	1	25
Total above Principal Towns	11,734	11,026	22,760	535	506	1,041	5,128	5,145	10,273	70	2,060
Total other Urban Districts	2,534	2,381	4,915	72	56	128	1,089	1,029	2,118	14	330
All Boroughs and Urban Districts:											
Leinster	9,026	8,548	17,574	428	424	852	3,972	3,987	7,959	55	1,594
Munster	4,252	3,889	8,141	146	121	267	1,809	1,826	3,635	21	662
Connacht	733	742	1,475	32	16	48	291	254	545	7	101
Ulster (part of)	257	228	485	1	1	2	145	107	252	1	33
Total—Boroughs and Urban Districts	14,268	13,407	27,675	607	562	1,169	6,217	6,174	12,391	84	2,390
All Rural Districts:											
Leinster	10,049	9,573	19,622	292	272	564	3,902	3,190	7,092	34	1,167
Munster	6,074	5,662	11,736	132	99	231	4,377	3,037	7,414	25	1,152
Connacht	3,046	2,974	6,020	61	53	114	2,689	1,946	4,635	23	718
Ulster (part of)	1,867	1,793	3,660	52	37	89	1,504	1,156	2,660	7	376
Total—Rural Districts	21,036	20,002	41,038	537	461	998	12,472	9,329	21,801	89	3,413

TABLE 16—BIRTH AND DEATH RATES IN 1973 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS

Area	Births		Death rate per 1,000 population		
	Total births per 1,000 population	Illegitimate % of total births	All causes	Tuberculosis	Malignant neoplasms
TOTAL	22.52	3.15	11.21	0.06	1.90
Dublin County Borough	21.60	5.69	10.03	0.07	2.10
Cork County Borough	23.35	3.03	10.58	0.02	2.21
Limerick County Borough	27.08	2.84	10.58	0.07	1.69
Waterford County Borough	24.08	2.52	10.64	0.06	2.03
Dun Laoghaire Borough	20.47	5.70	11.81	0.07	2.18
Municipal Boroughs:					
Galway	29.61	3.05	8.44	0.22	1.55
Drogheda	25.15	1.21	9.36	—	2.23
Sligo	21.09	4.04	11.86	—	2.41
Wexford	23.46	2.52	11.65	—	1.94
Clonmel	22.03	7.81	10.67	0.17	2.41
Kilkenny	31.82	2.56	13.32	0.20	1.52
Urban Districts:					
Dundalk	25.61	3.42	10.66	0.09	1.80
Bray	31.93	1.52	11.41	0.14	2.14
Tralee	26.78	3.34	11.64	0.08	2.03
Total above Principal Towns	22.90	4.57	10.33	0.07	2.07
All other Urban Districts	24.47	2.60	10.55	0.07	1.64
All Boroughs and Urban Districts:					
Leinster	22.62	4.85	10.25	0.07	2.05
Munster	24.59	3.28	10.98	0.06	2.00
Connacht	23.47	3.25	8.67	0.11	1.61
Ulster (part of)	20.10	0.41	10.44	0.04	1.37
Total—Boroughs and Urban Districts	23.16	4.22	10.37	0.07	2.00
All Rural Districts:					
Leinster	27.00	2.87	9.76	0.05	1.61
Munster	21.06	1.97	13.30	0.04	2.07
Connacht	18.35	1.89	14.13	0.07	2.19
Ulster (part of)	19.99	2.43	14.53	0.04	2.05
Total—Rural Districts	22.86	2.43	12.14	0.05	1.90

TABLE 17- DEATHS OCCURRING IN 1973 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Total	12,391	6,218	6,173	21,801	12,471	9,330	34,192	18,689	15,503
Under 1 year	560	323	237	674	390	284	1,234	713	521
1 year	39	22	17	44	22	22	83	44	39
2 years	20	15	5	28	18	10	48	33	15
3 "	19	15	4	30	17	13	49	32	17
4 "	15	8	7	23	15	8	38	23	15
1-4 "	93	60	33	125	72	53	218	132	86
5 "	8	7	1	4	4	—	12	11	1
6 "	10	6	4	13	7	6	23	13	10
7 "	7	4	3	13	8	5	20	12	8
8 "	4	4	—	12	5	7	16	9	7
9 "	5	2	3	14	6	8	19	8	11
5-9 "	34	23	11	56	30	26	90	53	37
10 "	4	3	1	9	7	2	13	10	3
11 "	11	5	6	5	3	2	16	8	8
12 "	10	7	3	6	3	3	16	10	6
13 "	9	6	3	5	2	3	14	8	6
14 "	3	1	2	13	5	8	16	6	10
10-14 "	37	22	15	38	20	18	75	42	33
15 "	9	7	2	14	9	5	23	16	7
16 "	8	4	4	19	16	3	27	20	7
17 "	17	16	1	27	17	10	44	33	11
18 "	11	9	2	32	25	7	43	34	9
19 "	13	11	2	24	20	4	37	31	6
15-19 "	58	47	11	116	87	29	174	134	40
20 "	19	15	4	28	22	6	47	37	10
21 "	19	14	5	29	21	8	48	35	13
22 "	9	6	3	30	28	2	39	34	5
23 "	18	12	6	25	17	8	43	29	14
24 "	14	9	5	21	16	5	35	25	10
20-24 "	79	56	23	133	104	29	212	160	52
25 "	12	8	4	22	16	6	34	24	10
26 "	13	7	6	19	13	6	32	20	12
27 "	14	10	4	17	12	5	31	22	9
28 "	19	12	7	18	12	6	37	24	13
29 "	12	7	5	25	18	7	37	25	12
25-29 "	70	44	26	101	71	30	171	115	56
30 "	14	6	8	25	20	5	39	26	13
31 "	13	8	5	16	12	4	29	20	9
32 "	10	7	3	26	17	9	36	24	12
33 "	11	7	4	21	15	6	32	22	10
34 "	16	7	9	21	14	7	37	21	16
30-34 "	64	35	29	109	78	31	173	113	60

TABLE 17 (contd.)—DEATHS OCCURRING IN 1973 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
35 years	17	12	5	26	17	9	43	29	14
36 "	18	7	11	27	15	12	45	22	23
37 "	19	10	9	31	20	11	50	30	20
38 "	30	18	12	37	25	12	67	43	24
39 "	32	23	9	22	11	11	54	34	20
35-39 "	116	70	46	143	88	55	259	158	101
40 "	37	20	17	32	21	11	69	41	28
41 "	30	18	12	29	16	13	59	34	25
42 "	56	35	21	55	41	14	111	76	35
43 "	36	22	14	43	31	12	79	53	26
44 "	44	26	18	61	34	27	105	60	45
40-44 "	203	121	82	220	143	77	423	264	159
45 "	62	34	28	77	47	30	139	81	58
46 "	49	27	22	70	37	33	119	64	55
47 "	54	34	20	71	33	38	125	67	58
48 "	80	45	35	88	53	35	168	98	70
49 "	93	49	44	130	81	49	223	130	93
45-49 "	338	189	149	436	251	185	774	440	334
50 "	93	49	44	135	78	57	228	127	101
51 "	87	53	34	103	61	42	190	114	76
52 "	126	71	55	159	98	61	285	169	116
53 "	126	81	45	183	117	66	309	198	111
54 "	124	79	45	151	97	54	275	176	99
50-54 "	556	333	223	731	451	280	1,287	784	503
55 "	117	67	50	148	90	58	265	157	108
56 "	145	75	70	219	146	73	364	221	143
57 "	168	103	65	209	135	74	377	238	139
58 "	149	95	54	260	178	82	409	273	136
59 "	199	129	70	255	174	81	454	303	151
55-59 "	778	469	309	1,091	723	368	1,869	1,192	677
60 "	202	123	79	339	209	130	541	332	209
61 "	209	125	84	266	170	96	475	295	180
62 "	229	136	93	357	233	124	586	369	217
63 "	230	132	98	397	271	126	627	403	224
64 "	226	142	84	368	236	132	594	378	216
60-64 "	1,096	658	438	1,727	1,119	608	2,823	1,777	1,046
65 "	299	179	120	482	328	154	781	507	274
66 "	235	144	91	336	229	107	571	373	198
67 "	258	151	107	409	269	140	667	420	247
68 "	312	164	148	477	299	178	789	463	326
69 "	364	193	171	489	308	181	853	501	352
65-69 "	1,468	831	637	2,193	1,433	760	3,661	2,264	1,397

TABLE 17 (contd.)—DEATHS OCCURRING IN 1973 AT EACH YEAR OF AGE OF RESIDENTS IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

Ages	Aggregate Urban Districts			Aggregate Rural Districts			Total		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
70 years	373	183	190	619	357	262	992	540	452
71 "	292	159	133	470	298	172	762	457	305
72 "	385	229	156	717	439	278	1,102	668	434
73 "	449	221	228	806	458	348	1,255	679	576
74 "	359	174	185	601	349	252	960	523	437
70-74 "	1,858	966	892	3,213	1,901	1,312	5,071	2,867	2,204
75 "	389	186	203	792	459	333	1,181	645	536
76 "	391	184	207	732	392	340	1,123	576	547
77 "	358	176	182	734	393	341	1,092	569	523
78 "	356	157	199	746	406	340	1,102	563	539
79 "	340	162	178	623	334	289	963	496	467
75-79 "	1,834	865	969	3,627	1,984	1,643	5,461	2,849	2,612
80 "	382	148	234	858	437	421	1,240	585	655
81 "	257	116	141	567	318	249	824	434	390
82 "	308	120	188	684	363	321	992	483	509
83 "	287	119	168	703	369	334	990	488	502
84 "	312	108	204	677	366	311	989	474	515
80-84 "	1,546	611	935	3,489	1,853	1,636	5,035	2,464	2,571
85 "	276	114	162	556	285	271	832	399	433
86 "	236	72	164	540	282	258	776	354	422
87 "	220	72	148	410	195	215	630	267	363
88 "	171	49	122	409	199	210	580	248	332
89 "	134	43	91	341	163	178	475	206	269
85-89 "	1,037	350	687	2,256	1,124	1,132	3,293	1,474	1,819
90 "	130	33	97	337	150	187	467	183	284
91 "	101	30	71	208	88	120	309	118	191
92 "	97	28	69	183	82	101	280	110	170
93 "	75	21	54	176	70	106	251	91	160
94 "	43	12	31	107	36	71	150	48	102
90-94 "	446	124	322	1,011	426	585	1,457	550	907
95 "	41	7	34	91	44	47	132	51	81
96 "	25	5	20	85	35	50	110	40	70
97 "	21	4	17	56	15	41	77	19	58
98 "	14	-	14	37	18	19	51	18	33
99 "	7	3	4	23	6	17	30	9	21
95-99 "	108	19	89	292	118	174	400	137	263
100 "	8	2	6	11	3	8	19	5	14
101 "	-	-	-	5	1	4	5	1	4
102 "	4	-	4	1	1	-	5	1	4
103 "	-	-	-	2	-	2	2	-	2
104 "	-	-	-	-	-	-	-	-	-
105 "	-	-	-	1	-	1	1	-	1
100 years and over	12	2	10	20	5	15	32	7	25

TABLE 18—DEATHS OCCURRING IN 1973 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
Total	Males	18,689	713	44	33	32	23	845	53	42	134	160	115
	Females	15,503	521	39	15	17	15	607	37	33	40	52	56
LEINSTER	Males	7,874	407	20	16	18	9	470	23	18	68	74	64
	Females	7,177	294	22	9	7	9	341	20	22	19	29	33
MUNSTER	Males	6,186	196	15	11	12	7	241	22	18	44	48	34
	Females	4,863	147	8	4	7	1	167	9	7	12	16	15
CONNACHT	Males	2,980	64	7	4	1	4	80	4	3	12	25	9
	Females	2,200	46	7	2	1	1	57	6	3	6	5	5
ULSTER (part of)	Males	1,649	46	2	2	1	3	54	4	3	10	13	8
	Females	1,263	34	2	-	2	4	42	2	1	3	2	3
LEINSTER													
Carlow	Males	211	13	1	1	-	-	15	1	1	1	-	2
	Females	182	8	2	-	-	-	10	1	-	-	-	-
Dublin County Borough	Males	2,859	163	12	8	7	2	192	13	9	23	23	19
	Females	2,883	126	6	3	1	3	139	7	8	5	8	13
Dun Laoghaire Borough	Males	290	17	1	1	-	-	19	-	-	3	2	3
	Females	348	10	-	1	-	1	12	-	-	-	1	1
Dublin County (remainder)	Males	660	71	-	1	3	2	77	3	2	8	13	9
	Females	622	43	5	1	3	1	53	3	3	4	7	6
Kildare	Males	371	25	-	1	-	-	26	3	1	6	5	2
	Females	313	22	-	-	-	-	22	2	1	-	2	1
Kilkenny	Males	411	13	2	-	1	-	16	-	-	3	3	6
	Females	332	11	-	-	-	-	11	3	-	1	1	1
Laois	Males	286	7	-	-	-	-	7	-	-	1	2	-
	Females	237	3	-	-	-	1	4	-	-	-	1	-
Longford	Males	246	6	1	-	-	-	7	-	2	1	1	-
	Females	162	6	-	-	-	1	7	1	-	-	2	-
Louth	Males	444	24	2	-	2	2	30	1	2	5	6	7
	Females	326	9	1	1	-	-	11	2	2	1	1	3
Meath	Males	468	16	1	2	2	1	22	1	1	4	3	5
	Females	370	15	1	1	2	2	21	1	-	-	1	-
Offaly	Males	319	6	-	-	-	-	6	-	-	-	5	1
	Females	258	6	-	-	1	-	7	-	2	2	1	1
Westmeath	Males	361	10	-	-	-	1	11	-	-	2	3	3
	Females	281	5	2	-	-	-	7	-	-	1	-	1
Wexford	Males	551	20	-	2	1	1	24	-	-	9	5	6
	Females	517	18	2	1	-	-	21	-	1	2	2	2
Wicklow	Males	397	16	-	-	2	-	18	1	-	2	3	1
	Females	346	12	3	1	-	-	16	-	5	3	2	4

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
113	158	264	440	784	1,192	1,777	2,264	2,867	2,849	2,464	2,168	Males	
60	101	159	334	503	677	1,046	1,397	2,204	2,612	2,571	3,014	Females	
50	76	137	218	390	557	773	985	1,216	1,103	895	757	Males	LEINSTER
31	60	80	161	250	337	486	684	1,043	1,125	1,114	1,342	Females	
38	53	87	147	254	388	589	771	946	977	822	707	Males	MUNSTER
20	30	48	110	149	214	342	434	688	842	824	936	Females	
14	19	26	50	90	151	276	319	440	502	502	458	Males	CONNACHT
2	5	21	33	65	82	124	175	309	403	416	483	Females	
11	10	14	25	50	96	139	189	265	267	245	246	Males	ULSTER (part of)
7	6	10	30	39	44	94	104	164	242	217	253	Females	
													LEINSTER
-	3	4	7	7	23	16	24	36	28	30	13	Males	Carlow
1	3	3	6	4	6	15	13	22	30	40	28	Females	
20	33	59	103	164	235	297	390	422	371	280	206	Males	Dublin County Borough
17	22	35	71	107	147	199	287	411	455	423	529	Females	
1	2	4	7	18	15	28	44	40	48	25	31	Males	Dun Laoghaire Borough
-	5	6	7	6	12	27	36	44	44	64	83	Females	
5	7	9	11	42	49	54	83	88	76	59	65	Males	Dublin County (remainder)
4	7	9	21	25	27	47	54	88	55	85	124	Females	
6	4	5	15	18	21	25	42	54	51	47	40	Males	Kildare
2	2	4	6	14	16	23	30	57	52	41	38	Females	
2	7	5	6	19	28	45	45	80	56	55	35	Males	Kilkenny
-	2	2	7	9	19	25	25	60	52	56	58	Females	
1	3	4	5	18	22	35	29	37	44	43	35	Males	Loais
1	5	1	7	11	13	16	21	26	47	32	52	Females	
2	-	6	11	12	17	20	27	43	38	33	26	Males	Longford
1	1	1	-	7	4	10	15	26	20	28	39	Females	
5	5	9	10	23	35	46	49	72	55	36	48	Males	Louth
1	-	9	9	11	14	18	31	45	56	60	52	Females	
1	4	4	4	15	25	48	68	79	77	50	57	Males	Meath
-	3	2	2	14	14	17	36	68	69	59	63	Females	
1	1	3	2	13	18	30	35	59	54	51	40	Males	Offaly
-	-	1	7	8	16	10	25	38	58	37	45	Females	
2	2	8	10	12	19	32	42	51	61	57	46	Males	Westmeath
1	2	1	6	7	9	19	25	36	46	56	64	Females	
2	-	10	20	10	30	57	60	84	77	82	75	Males	Wexford
2	4	2	8	16	23	34	50	71	91	88	100	Females	
2	5	7	7	19	20	40	47	71	67	47	40	Males	Wicklow
1	4	4	4	11	17	26	36	51	50	45	67	Females	

TABLE 18 (contd.)—DEATHS OCCURRING IN 1973 CLASSIFIED BY SEX AND AGE,

Area		Age at											
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	20-24	25-29
MUNSTER													
Clare	Males	562	16	-	1	-	-	17	3	-	7	4	4
	Females	440	14	-	1	-	-	15	2	1	1	-	1
Cork County Borough	Males	707	35	3	2	2	1	43	3	5	4	6	4
	Females	698	30	1	-	1	1	33	2	3	1	3	2
Cork County	Males	1,694	40	4	5	4	1	54	5	2	17	10	9
	Females	1,234	34	1	2	2	-	39	2	1	2	5	6
Kerry	Males	851	18	2	-	2	-	22	3	3	6	8	6
	Females	658	13	1	-	-	-	14	1	1	1	3	1
Limerick County Borough	Males	307	23	1	-	1	1	26	1	1	-	3	2
	Females	312	14	1	-	-	-	15	-	-	1	-	2
Limerick County	Males	649	24	1	1	-	1	27	3	2	2	1	2
	Females	428	14	1	-	1	-	16	1	-	3	1	1
Tipperary, North Riding	Males	381	7	2	1	1	2	13	2	1	2	4	1
	Females	304	11	-	1	-	-	12	-	-	-	2	1
Tipperary, South Riding	Males	527	21	1	1	-	-	23	-	2	3	4	4
	Females	405	8	2	-	2	-	12	1	1	1	-	-
Waterford County Borough	Males	179	4	1	-	1	1	7	-	1	1	3	-
	Females	172	4	-	-	-	-	4	-	-	-	2	1
Waterford County	Males	329	8	-	-	1	-	9	2	1	2	5	2
	Females	212	5	1	-	1	-	7	-	-	2	-	-
CONNACHT													
Galway	Males	983	27	3	2	-	2	34	2	-	5	7	4
	Females	740	15	1	1	-	-	17	4	-	2	2	2
Leitrim	Males	275	-	-	-	-	-	-	-	2	3	3	-
	Females	185	2	-	-	-	-	2	-	-	-	-	-
Mayo	Males	887	18	2	1	1	1	23	2	-	4	8	3
	Females	622	10	3	1	-	1	15	-	1	1	1	1
Roscommon	Males	436	7	1	-	-	-	8	-	-	-	1	1
	Females	328	7	-	-	-	-	7	1	-	1	-	1
Sligo	Males	399	12	1	1	-	1	15	-	1	-	6	1
	Females	325	12	3	-	1	-	16	1	2	2	2	1
ULSTER (part of)													
Cavan	Males	468	16	-	2	-	1	19	1	2	4	4	3
	Females	334	11	-	-	-	1	12	1	-	2	-	-
Donegal	Males	820	19	2	-	1	1	23	1	1	3	6	3
	Females	656	14	1	-	1	2	18	-	1	-	1	3
Monaghan	Males	361	11	-	-	-	1	12	2	-	3	3	2
	Females	273	9	1	-	1	1	12	1	-	1	1	-

OF RESIDENTS IN EACH COUNTY BOROUGH AND COUNTY.

death												Area	
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over		
												MUNSTER	
3	7	5	14	21	22	48	59	90	96	91	71	Males	Clare
1	2	1	6	14	21	24	46	51	74	76	104	Females	
5	6	17	16	33	55	88	94	104	107	64	53	Males	Cork County Borough
6	6	6	22	31	36	50	76	85	106	108	122	Females	
9	15	22	41	70	92	158	213	239	285	239	214	Males	Cork County
6	5	12	25	31	49	89	102	169	230	233	228	Females	
2	4	9	17	33	51	82	93	104	146	160	102	Males	Kerry
2	5	4	13	15	24	42	48	113	129	108	134	Females	
1	4	7	10	11	24	36	36	55	35	28	27	Males	Limerick County Borough
-	4	7	9	6	23	26	34	53	43	46	43	Females	
2	5	7	13	27	39	57	82	116	96	86	82	Males	Limerick County
2	3	3	12	20	19	35	28	66	69	61	88	Females	
6	2	5	11	17	28	32	53	65	58	44	37	Males	Tipperary, North Riding
1	2	3	9	11	10	23	22	30	54	63	61	Females	
5	1	4	12	20	36	44	76	96	75	56	66	Males	Tipperary, South Riding
2	1	7	8	7	23	26	36	70	70	66	74	Females	
2	4	8	4	10	13	16	27	27	26	15	15	Males	Waterford County Borough
-	-	2	2	5	6	14	23	24	27	32	30	Females	
3	5	3	9	12	28	28	38	50	53	39	40	Males	Waterford County
-	2	3	4	9	3	13	19	27	40	31	52	Females	
												CONNACHT	
3	11	9	19	35	53	86	119	147	156	161	132	Males	Galway
-	2	7	17	26	28	47	59	113	134	136	144	Females	
3	1	2	2	11	16	27	20	36	66	39	44	Males	Leitrim
-	1	2	2	8	8	8	12	26	45	33	38	Females	
4	3	8	13	19	36	83	88	134	135	162	162	Males	Mayo
2	1	3	4	16	23	30	52	81	106	119	166	Females	
1	4	2	7	10	15	51	45	62	81	71	77	Males	Roscommon
-	1	1	5	7	12	20	27	38	74	68	65	Females	
3	-	5	9	15	31	29	47	61	64	69	43	Males	Sligo
-	-	8	5	8	11	19	25	51	44	60	70	Females	
												ULSTER (part of)	
2	2	5	7	10	33	37	48	83	78	68	62	Males	Cavan
4	-	2	9	8	13	32	22	37	67	69	56	Females	
4	7	6	13	28	42	74	101	124	133	119	132	Males	Donegal
3	5	6	16	22	21	46	62	87	119	107	139	Females	
5	1	3	5	12	21	28	40	58	56	58	52	Males	Monaghan
-	1	2	5	9	10	16	20	40	56	41	58	Females	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
134 40	160 52	115 56	113 60	158 101	264 159	440 334	784 503	1,192 677	1,777 1,046	2,264 1,397	2,867 2,204	2,849 2,612	2,464 2,571	2,168 3,014	
1	-	2	4	5	4	13	9	17	19	25	27	19	9	12	000-136
1	3	-	1	2	-	5	11	5	10	9	13	12	4	9	003
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	008
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	009
1	-	-	-	-	-	-	-	-	1	1	4	3	-	2	010-019
-	1	1	4	3	3	13	9	11	15	23	20	13	7	5	011
-	-	-	1	2	3	12	9	8	10	19	17	12	7	3	012
-	1	-	1	2	-	4	7	3	2	5	5	2	1	1	013
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	014
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	015
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	016
-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	017
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	018
-	-	-	-	1	-	-	-	3	3	4	1	1	-	-	019
-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	033
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	036
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	037
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	038
-	-	1	-	-	-	-	-	2	1	1	1	1	1	1	039
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	045
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	053
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	054
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	055
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	065
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	066
-	-	-	-	1	-	1	1	-	-	-	1	1	-	1	070
-	1	-	-	-	-	-	-	-	-	-	1	2	-	1	079
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	094
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	100
-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	117
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	135
14	14	19	19	27	65	95	177	284	415	500	556	468	308	185	140-239
6	10	13	17	39	71	170	212	249	336	336	398	346	263	193	
14	14	18	18	26	63	95	176	280	412	490	553	464	305	181	140-209
6	10	13	17	39	69	167	209	248	334	333	392	342	261	191	
-	-	-	-	-	-	-	-	1	2	-	5	2	4	1	140
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	
-	-	-	1	-	-	1	-	2	7	1	2	8	4	3	141
-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	-	2	1	1	-	1	142
-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	143
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	144
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	144
-	-	-	-	-	-	-	-	1	2	1	4	6	2	2	145
-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	
-	-	-	-	-	-	1	1	-	-	1	1	1	-	2	146
-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	147
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	147
-	-	-	-	-	1	-	4	2	-	1	-	1	-	-	148
-	-	-	-	-	-	-	-	1	1	3	4	3	6	-	149
-	-	-	-	-	-	1	-	1	3	1	1	1	1	-	
-	-	-	-	1	2	5	5	14	18	22	21	12	10	9	150
-	-	-	-	1	4	5	3	12	12	8	20	19	10	6	
-	-	-	3	3	9	12	22	32	48	53	90	52	44	24	151
-	-	-	-	3	3	2	11	19	35	46	55	55	44	35	
-	-	1	1	-	1	2	1	1	1	2	1	3	-	-	152
-	-	-	-	-	-	-	-	3	1	-	-	1	1	-	
-	-	1	-	4	5	6	19	28	20	42	54	60	40	24	153
-	-	2	2	2	3	14	14	15	31	48	55	62	55	35	
-	-	-	2	2	3	3	10	8	20	23	25	31	21	16	154
-	-	1	-	-	2	1	9	5	9	13	16	10	13	12	
1	-	-	-	-	1	-	5	3	2	5	6	2	7	5	155
-	-	-	-	1	1	1	2	4	5	4	5	6	6	1	
-	-	-	-	-	-	1	2	-	6	5	4	1	1	-	156
-	-	-	-	-	-	-	3	7	7	9	6	8	4	4	
-	-	-	1	-	1	3	12	21	21	26	28	30	17	9	157
-	-	-	-	-	1	6	6	12	18	16	27	21	12	9	
-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	158
-	-	-	-	-	-	-	-	1	2	1	2	2	2	1	
-	-	-	1	-	-	-	-	1	1	-	4	3	-	-	159
-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	
-	-	1	-	-	2	-	-	-	2	1	2	1	-	-	160
-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	
-	-	-	-	-	2	2	3	1	2	3	4	4	4	5	161
-	-	-	-	1	-	2	2	2	1	4	3	4	4	1	
-	1	1	3	6	13	31	50	115	149	179	144	101	33	12	162
-	-	-	2	1	4	14	23	24	44	40	34	15	19	2	
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	162.0
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
-	1	1	3	6	13	31	50	114	148	179	144	100	33	12	162.1
-	-	-	2	1	4	14	22	24	44	39	34	15	19	2	

TABLE 19 (contd.)—DEATHS IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	
163	Malignant neoplasm of other and unspecified respiratory organs	M	3	-	-	-	-	-	-	-	-	1
		F	5	-	-	-	-	-	-	-	-	-
170	Malignant neoplasm of bone	M	34	-	-	-	-	-	-	-	-	-
		F	21	-	-	-	-	-	-	-	-	-
171	Malignant neoplasm of connective and other soft tissue	M	8	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	-	-	-	-	-
172	Malignant melanoma of skin	M	12	-	-	-	-	-	-	-	-	-
		F	18	-	-	-	-	-	-	-	-	-
173	Other malignant neoplasm of skin	M	32	-	-	-	-	-	-	-	-	-
		F	24	-	-	-	-	-	-	-	-	-
174	Malignant neoplasm of breast	M	5	-	-	-	-	-	-	-	-	-
		F	493	-	-	-	-	-	-	-	-	-
180	Malignant neoplasm of cervix uteri	F	78	-	-	-	-	-	-	-	-	-
182.0	Malignant neoplasm of corpus uteri	F	68	-	-	-	-	-	-	-	-	-
182.9	Malignant neoplasm of uterus unspecified	F	26	-	-	-	-	-	-	-	-	-
183	Malignant neoplasm of ovary, fallopian tube, and broad ligament	F	125	-	-	-	-	-	-	-	-	-
184	Malignant neoplasm of other and unspecified female genital organs	F	26	-	-	-	-	-	-	-	-	-
185	Malignant neoplasm of prostate	M	293	-	-	-	-	-	-	-	-	-
186	Malignant neoplasm of testis	M	9	-	-	-	-	-	-	-	-	-
187	Malignant neoplasm of other and unspecified male genital organs	M	8	-	-	-	-	-	-	-	-	-
188	Malignant neoplasm of bladder	M	86	-	-	-	-	-	-	-	-	-
		F	46	-	-	-	-	-	-	-	-	-
189	Malignant neoplasm of other and unspecified urinary organs	M	47	-	2	-	1	-	3	-	-	-
		F	21	-	-	-	-	-	-	-	-	-
190	Malignant neoplasm of eye	M	5	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
191	Malignant neoplasm of brain	M	51	-	-	-	1	-	1	1	4	-
		F	35	-	-	-	-	1	1	5	-	-
192	Malignant neoplasm of other parts of nervous system	M	22	-	-	1	-	2	3	1	2	-
		F	19	-	-	1	-	-	1	1	-	-
193	Malignant neoplasm of thyroid gland	M	8	-	-	-	-	-	-	-	1	-
		F	17	-	-	-	-	-	-	-	-	-
194	Malignant neoplasm of other endocrine glands	M	3	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
195	Malignant neoplasm of ill-defined sites	M	38	-	-	-	-	-	-	-	-	-
		F	27	-	-	-	-	-	-	-	-	-
196	Secondary and unspecified malignant neoplasm of lymph nodes	M	11	-	-	-	-	-	-	-	-	-
		F	7	-	-	-	-	-	-	-	-	-
197	Secondary malignant neoplasm of respiratory and digestive systems	M	15	-	-	-	-	-	-	-	-	-
		F	11	-	-	-	-	-	-	-	-	-
198	Other secondary malignant neoplasm	M	3	-	-	-	-	-	-	-	-	-
		F	8	-	-	-	-	-	-	-	-	-
199	Malignant neoplasm without specification of site	M	32	-	-	-	-	-	-	-	-	-
		F	44	-	-	-	-	-	-	-	-	-
200	Lymphosarcoma and reticulum-cell sarcoma	M	30	-	-	-	-	-	-	-	-	1
		F	18	-	-	-	-	-	-	-	-	1
201	Hodgkin's disease	M	32	-	-	-	-	-	-	-	1	-
		F	20	-	-	-	-	-	-	-	-	2
202	Other neoplasm of lymphoid tissue	M	12	-	-	-	-	-	-	-	-	-
		F	13	-	-	-	-	-	-	-	-	-
203	Multiple myeloma	M	41	-	-	-	-	-	-	-	-	-
		F	25	-	-	-	-	-	-	-	-	-
204	Lymphatic leukaemia	M	32	-	1	-	1	3	5	4	2	-
		F	28	-	-	-	1	1	2	4	2	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	163
-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	170
4	2	-	-	-	1	1	4	1	5	6	5	2	1	2	171
1	-	-	-	2	1	1	2	1	-	2	4	3	2	2	172
-	1	-	-	1	1	1	-	-	2	-	-	1	1	-	173
-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	174
-	1	1	-	-	-	2	-	2	1	1	1	1	1	1	175
-	1	-	-	-	3	2	2	3	2	2	1	1	-	1	176
-	-	1	-	-	1	1	-	1	-	3	10	5	6	4	177
-	-	-	-	-	-	-	1	1	1	3	2	4	5	7	178
-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	179
-	1	3	4	16	24	54	66	64	65	47	45	43	32	29	180
-	-	-	1	-	4	10	5	14	18	11	7	4	3	1	181
-	-	-	-	-	1	2	7	11	11	6	14	9	4	3	182.0
-	-	-	-	-	1	4	2	3	1	1	4	3	4	3	182.9
-	1	1	2	5	3	13	16	11	19	15	20	12	5	2	183
-	-	-	-	2	-	4	-	1	2	2	2	5	4	4	184
-	-	-	-	-	-	1	1	8	20	35	56	70	69	33	185
-	1	2	-	1	2	-	1	-	-	-	-	1	1	-	186
-	-	-	-	-	1	-	1	-	-	1	1	2	1	1	187
-	-	-	-	-	1	1	4	2	11	15	19	17	6	10	188
-	-	-	-	-	-	2	1	3	4	10	5	6	8	7	189
1	1	-	-	1	2	3	7	3	4	4	6	7	4	1	190
-	1	1	1	-	-	1	1	1	3	2	3	1	4	2	191
-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	192
1	-	-	1	2	3	5	4	8	11	5	5	-	-	-	193
1	-	-	-	2	1	3	5	5	6	-	3	2	1	-	194
2	1	1	-	-	2	1	-	1	4	2	-	2	-	-	195
-	-	1	1	-	1	3	-	-	4	2	2	1	1	1	196
-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	197
-	-	-	-	-	1	-	-	1	1	3	6	4	1	-	198
-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	199
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	200
-	-	-	1	-	-	2	2	4	5	7	8	7	6	5	201
1	1	1	1	1	1	1	2	5	6	-	5	1	-	3	202
-	-	-	1	-	-	1	-	-	3	3	3	2	2	2	203
-	-	3	1	1	3	2	4	5	2	4	5	-	-	1	204
-	-	1	-	-	4	3	2	1	1	3	-	2	-	1	205
-	1	1	1	1	-	-	1	-	1	2	1	1	2	-	206
-	-	-	-	-	-	-	2	1	-	-	5	1	1	1	207
-	-	-	-	1	-	3	2	2	13	6	5	5	4	-	208
-	-	-	-	-	-	1	2	2	1	4	10	5	-	-	209
-	1	2	-	-	-	1	1	1	1	6	4	3	1	-	210
1	-	-	-	-	-	1	-	4	-	3	3	4	2	2	211

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2	2	-	-	-	2	1	2	2	-	5	-	2	-	-	205
3	2	2	1	2	-	5	3	2	2	1	4	3	2	3	206
-	-	-	-	-	1	1	1	1	2	1	-	-	-	1	207
-	-	-	-	-	1	1	2	2	1	2	3	4	2	-	208
2	1	-	-	1	2	1	2	2	1	2	3	2	-	1	209
-	2	-	-	-	-	1	-	1	-	3	3	2	-	-	210
-	-	-	-	-	-	2	-	-	-	2	-	-	-	1	211
-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	212
-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	213
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	214
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	215
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	216
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	217
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	218
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	219
-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	220
-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	221
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222
-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	223
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	226
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	227
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	228
-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	229
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	230
-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	231
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	232
-	-	1	-	-	1	-	1	1	1	3	1	1	-	-	233
-	-	-	-	-	1	1	1	-	1	-	1	1	-	-	234
-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	235
-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	236
2	2	1	5	3	3	6	9	11	23	27	28	36	18	12	240-279
-	-	1	2	2	4	4	6	15	31	37	57	51	42	27	241
-	-	-	-	-	-	-	-	2	7	4	3	4	1	1	242
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	243
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	244
-	-	-	-	-	-	1	-	-	1	2	5	1	1	3	245
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	246
2	2	1	3	2	3	5	5	6	19	20	25	32	15	11	250
-	-	1	2	1	3	2	4	11	19	26	43	43	39	21	251
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	252
-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	253
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	2	-	-	1	-	1	-	-	-	1	-	-	255
-	-	-	-	-	1	1	-	-	1	1	4	1	1	-	256
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	258

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	263
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
-	-	-	-	-	-	-	-	2	1	2	-	1	1	-	269
-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	270
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	273
-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	274
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	275
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	276
-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	277
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	279
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	280-289
-	-	-	2	-	-	1	3	4	3	6	9	12	10	6	280
-	-	-	-	-	-	-	-	2	6	4	4	15	13	10	281
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	282
-	-	-	-	-	-	-	-	-	1	1	3	2	3	3	283
-	-	-	-	-	-	-	-	-	1	1	1	4	1	4	284
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	285
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	286
-	-	-	-	-	-	1	-	-	1	2	2	1	-	-	287
-	-	-	-	-	-	-	-	1	1	1	1	2	2	-	288
-	-	-	-	-	-	-	-	1	-	1	3	6	6	3	289
-	-	-	-	-	-	-	-	-	1	1	1	6	9	6	290-315
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	290
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	291
-	-	-	-	-	-	-	-	-	-	-	-	-	6	4	295
-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	303
-	-	1	-	-	3	1	-	2	-	1	-	1	-	-	306
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
4 1	3 5	2 3	5 2	1 4	2 3	6 10	13 6	16 18	12 12	27 24	36 31	32 35	30 35	17 23	320-389
1	-	1	-	-	-	-	1	-	1	-	-	3	-	-	320
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	322
-	-	1	-	-	-	1 2	-	-	1	-	1	-	-	-	323
1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	330
-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	331
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	332
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	333
-	1	-	2 1	2	1	2 4	4 2	5 5	3 3	3 3	4	-	1	-	340
-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	341
-	-	-	-	-	-	1	1	2 1	2 2	11 7	11 8	12 12	14 9	2 1	342
1	-	-	1	-	-	-	1	1	-	-	-	-	-	1	343
-	-	-	-	-	-	1	-	1	1	4 7	12 9	14 16	12 22	10 17	344
1 1	1 4	2	2 1	1 1	2 1	1	3 1	-	-	-	-	-	2	-	345
-	-	-	-	-	-	-	-	2 1	1 1	-	3 3	1	1	4 3	347
-	-	-	-	1	-	1 2	3	5 5	3 2	7 2	2 7	2 3	-	-	348
-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	349
-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	354
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	381
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
6 4	8 3	6 9	24 13	48 18	105 41	216 81	401 165	586 262	905 464	1,194 715	1,585 1,227	1,584 1,561	1,446 1,584	1,285 1,897	390-458
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	393
1	-	-	3	1	1 5	1 2	6 2	5 10	8 11	13 12	9 15	12 11	10 11	8 9	394
-	-	1	1	-	2	2 1	1	1	7 3	6 4	5 3	5 9	4 4	2 2	395
-	-	-	-	1	-	1	1	1	1	-	2 1	1	-	-	396
-	-	-	-	-	-	-	2	2 1	1	2 2	2	-	1	-	397
1	-	-	1	2 1	2 3	6 2	1 2	4 5	2 5	6 7	4 3	-	1	-	398
-	-	-	1	1	6	3	6	3	5	7	5	2	2	1	400

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	1	2	3	4	5	1	5	6	4	401
-	-	-	-	-	-	-	-	1	6	5	10	17	17	17	
-	-	-	-	2	1	2	4	10	19	14	28	40	24	20	402
-	-	-	-	-	-	4	2	7	16	24	39	50	50	45	
-	-	-	-	-	1	-	2	5	8	5	3	4	1	2	403
-	-	-	-	-	-	-	-	1	2	5	3	-	7	2	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	404
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	3	1	10	23	71	165	302	437	622	771	939	825	599	495	410-414
-	-	2	2	4	9	31	76	133	240	375	590	621	580	650	
-	-	-	-	2	3	10	20	34	54	66	74	50	20	10	410.0
-	-	-	-	1	-	6	7	19	23	45	78	54	28	28	
-	3	1	9	19	61	137	243	354	502	580	654	534	328	236	410.9
-	-	2	2	3	8	23	59	91	170	256	364	345	257	253	
-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	411.0
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	1	2	1	4	6	2	5	4	411.9
-	-	-	-	-	-	-	1	-	1	-	-	7	5	6	
-	-	-	-	-	1	-	3	1	6	11	11	12	9	5	412.0
-	-	-	-	-	-	1	1	1	4	5	9	15	7	9	
-	-	-	1	2	6	17	35	46	58	110	191	225	235	239	412.9
-	-	-	-	-	1	1	8	22	42	68	138	198	283	354	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	413.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	-	2	1	2	-	413.9
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	420
-	-	-	-	2	1	-	2	2	3	1	-	-	1	-	421
-	-	-	-	1	1	1	1	-	1	-	1	1	-	-	
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	422
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	2	1	1	3	-	-	1	-	423
-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	
1	-	-	-	-	-	1	2	2	4	9	11	12	12	11	424
-	-	-	-	-	-	2	3	2	2	7	8	22	18	28	
1	-	1	-	-	-	2	-	4	2	1	-	-	-	-	425
1	-	-	-	-	-	-	-	1	-	-	2	-	1	1	
-	-	-	-	-	-	1	-	-	-	1	3	3	-	1	426
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	2	2	1	4	7	13	34	48	57	61	427
-	-	-	-	-	-	2	-	4	8	12	34	52	65	100	
-	-	-	-	-	-	1	1	1	4	9	43	82	120	128	428
-	-	-	-	-	-	1	3	-	2	9	30	70	114	215	
-	-	-	-	-	1	-	2	-	3	2	4	3	4	2	429
-	-	-	-	-	-	-	-	1	2	-	5	1	2	3	
-	-	-	1	-	1	1	1	5	6	3	5	1	1	-	430.0
-	-	-	1	-	1	-	6	3	10	4	11	3	4	1	
2	-	2	4	7	3	5	9	12	14	11	14	7	11	5	430.9
-	2	2	2	5	7	10	18	13	14	17	15	8	5	2	
-	-	-	-	1	4	2	10	9	23	44	49	37	22	24	431.0
-	-	1	-	3	3	4	12	10	25	34	51	55	35	31	
-	3	1	2	4	4	7	8	16	23	46	72	74	47	44	431.9
1	-	1	1	2	3	5	8	12	21	32	68	93	69	60	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	432.9
-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	

TABLE 19 (contd.)—DEATHS IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at								
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
433.0	Cerebral thrombosis with hypertension	M F	71 124	- -	- -	- -	- -	- -	- -	- -	- -
433.9	Cerebral thrombosis without hypertension	M F	711 887	- -	- -	- -	- -	- -	- -	- -	- 1
434.0	Cerebral embolism with hypertension	M F	7 5	- -	- -	- -	- -	- -	- -	- -	- -
434.9	Cerebral embolism without hypertension	M F	37 42	- -	- -	- -	- -	- -	- -	- -	- -
435.9	Transient cerebral ischaemia without hypertension	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -
436.0	Acute but ill-defined cerebrovascular disease with hypertension	M F	84 117	- -	- -	- -	- -	- -	- -	- -	- -
436.9	Acute but ill-defined cerebrovascular disease without hypertension	M F	302 313	- -	- -	- -	- -	- -	- -	- -	- -
437.0	Generalised ischaemic cerebrovascular disease with hypertension	M F	7 4	- -	- -	- -	- -	- -	- -	- -	- -
437.9	Generalised ischaemic cerebrovascular disease without hypertension	M F	150 189	- -	- -	- -	- -	- -	- -	- -	- -
438.0	Other and ill-defined cerebrovascular disease with hypertension	M F	36 45	- -	- -	- -	- -	- -	- -	- -	- -
438.9	Other and ill-defined cerebrovascular disease without hypertension	M F	52 52	- 1	- -	- -	- -	- -	- 1	- -	- -
440	Arteriosclerosis	M F	418 480	- -	- -	- -	- -	- -	- -	- -	- -
441	Aortic aneurysm (non-syphilitic)	M F	86 40	- -	- -	- -	- -	- -	- -	- -	- -
442	Other aneurysm	M F	7 4	- -	- -	- -	- -	- -	- -	- -	- -
443	Other peripheral vascular disease	M F	10 7	- -	- -	- -	- -	- -	- -	- -	- -
444	Arterial embolism and thrombosis	M F	45 47	- 1	- -	- -	- -	- -	- 1	- -	- -
445	Gangrene	M F	73 67	- -	- -	- -	- -	- -	- -	- -	- -
446	Polyarteritis nodosa and allied conditions	M F	6 4	- -	- -	- -	- -	- -	- -	- -	- -
447	Other diseases of arteries and arterioles	M F	5 -	- -	- -	- -	- -	- -	- -	- -	- -
450	Pulmonary embolism and infarction	M F	122 131	- -	- 1	- -	- -	- -	- 1	- -	- -
451	Phlebitis and thrombophlebitis	M F	2 4	- -	- -	- -	- -	- -	- -	- -	- -
453	Other venous embolism and thrombosis	M F	5 9	- -	- -	- -	- -	- -	- -	- -	- -
454	Varicose veins of lower extremities	M F	1 4	- -	- -	- -	- -	- -	- -	- -	- -
455	Haemorrhoids	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -
456	Varicose veins of other sites	M F	4 5	- -	- -	- -	- -	- -	- -	- -	- -
458	Other diseases of circulatory system	M F	5 2	- -	- -	- -	- -	- -	- -	- -	- -
460-519	VIII. Diseases of the respiratory system	M F	2,659 2,098	111 73	10 10	4 1	2 3	3 -	131 87	4 4	- 5
463	Acute tonsillitis	M F	1 -	- -	- -	- -	1 -	- -	1 -	- -	- -
464	Acute laryngitis and tracheitis	M F	- 3	- 2	- 1	- -	- -	- -	- 3	- -	- -

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death														Detailed International List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 and over
3	4	1	2	3	8	12	11	15	22	49	52	75	66	75	580-629
2	3	2	3	1	4	8	7	10	22	17	45	33	39	33	
-	-	-	-	-	-	-	-	3	1	2	3	-	1	-	580
-	-	-	1	-	-	-	-	1	2	1	1	2	-	1	
-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	581
-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	
1	1	1	1	2	5	5	3	2	7	14	13	15	10	16	582
1	2	1	1	-	1	2	2	-	6	3	11	8	12	8	
2	3	-	1	-	1	1	1	5	1	2	3	3	1	1	583
-	-	-	-	-	1	1	-	-	1	2	2	-	3	-	
1	1	1	-	1	2	4	4	4	2	14	8	13	9	5	590
-	-	-	-	-	1	3	3	5	4	6	16	13	13	14	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	591
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	592
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	-	2	-	3	5	8	9	15	11	18	593
-	-	-	-	-	-	-	-	-	3	2	7	4	7	7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	594
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	595
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	596
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	4	1	5	1	2	2	599
-	-	-	-	-	-	1	1	1	-	1	1	2	3	2	
-	-	-	-	-	-	-	1	1	3	7	10	24	30	32	600
-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	601
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	622
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	623
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	625
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	626
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	629
1	-	-	1	3	1	2	-	-	-	-	-	-	-	-	630-678
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	643
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	657
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	661
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	673
-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	674
-	-	-	-	-	1	-	-	1	3	1	1	3	4	1	680-709
-	-	-	-	-	-	-	1	-	-	2	1	8	8	2	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	682
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	694
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	695
-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	707
-	-	-	-	-	-	-	-	-	1	-	1	6	8	2	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed International List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	759
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	759
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760-779
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	1	-	-	-	2	2	2	3	6	39	63	101	780-796
-	-	-	-	-	-	-	-	-	1	1	14	31	75	164	780-796
-	-	-	-	-	-	-	1	1	1	2	1	10	4	4	782
-	-	-	-	-	-	-	-	-	-	-	4	7	7	10	782
-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	784
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	785
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	786
-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	788

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death															Detailed Inter- national List Number
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	790
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791
-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	792
-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	793
-	-	-	-	-	-	-	-	-	1	1	2	28	54	94	794
-	-	-	-	-	-	-	-	-	1	-	8	22	66	151	795
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	796
-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	797
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	798
94	116	74	41	44	49	48	58	75	80	52	58	53	41	55	E800-E999
16	23	14	10	14	13	15	23	16	23	28	50	74	69	93	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E804
2	-	-	-	-	-	-	-	3	-	-	-	-	-	-	E805
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	E810
21	25	16	6	16	7	11	6	13	11	7	4	1	2	1	E812
2	3	3	1	2	4	4	3	1	4	2	-	5	1	-	
6	2	1	-	4	2	1	7	6	9	1	5	1	1	-	E813
-	-	1	-	1	-	1	-	1	2	-	2	-	-	-	
12	17	6	6	3	4	4	11	11	13	14	16	14	5	1	E814
5	3	1	1	-	3	-	1	3	1	4	8	7	3	3	
4	3	-	-	1	1	-	1	-	-	-	-	-	-	-	E815
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
17	20	16	7	5	5	3	1	3	6	2	1	1	-	-	E816
5	2	1	2	1	-	-	2	-	-	-	-	1	-	1	
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	E817
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	E818
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E820
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E822
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	E823
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	3	-	-	1	1	-	-	E826
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E827
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	4	2	1	2	1	-	-	-	1	-	-	-	-	-	E830
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	2	1	-	3	1	-	-	1	-	-	-	-	-	E832
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E833
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	E837
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E850

TABLE 19 (contd.)—DEATHS IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of death		Age at									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	
E851	Accidental poisoning by hormones and synthetic substitutes	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E852	Accidental poisoning by systemic and haematologic agents	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E853	Accidental poisoning by analgesics and antipyretics	M	3	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-
E854	Accidental poisoning by other sedatives and hypnotics	M	3	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs	M	2	-	1	-	-	-	-	1	-	-
		F	3	-	-	-	-	-	-	-	-	-
E856	Accidental poisoning by other central nervous system depressants and stimulants	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E859	Accidental poisoning by other and unspecified drugs and medicaments	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E860	Accidental poisoning by alcohol	M	5	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E861	Accidental poisoning by cleansing and polishing agents	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E865	Accidental poisoning by pesticides, fertilizers or plant foods	M	3	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E866	Accidental poisoning by heavy metals and their fumes	M	2	-	-	-	2	-	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E867	Accidental poisoning by corrosives and caustics, not elsewhere classified	M	1	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E870	Accidental poisoning by gas distributed by pipe-line	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E871	Accidental poisoning by liquefied petroleum gas distributed in mobile containers	M	3	1	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels	M	1	-	-	-	1	-	1	-	-	-
		F	3	-	1	-	-	-	1	-	-	-
E875	Accidental poisoning by other carbon monoxide	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
E880	Fall on or from stairs or steps	M	7	1	-	-	-	-	1	-	-	-
		F	13	-	-	-	-	-	-	-	-	-
E881	Fall on or from ladders or scaffolding	M	10	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E882	Fall from or out of building or other structure	M	6	-	1	-	-	-	1	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
E883	Fall into or other opening in surface	M	6	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E884	Other fall from one level to another	M	18	1	-	1	-	-	2	1	-	-
		F	4	-	-	-	-	-	-	1	-	-
E885	Fall on same level from slipping, tripping or stumbling	M	6	-	-	-	-	-	-	-	-	1
		F	4	-	-	-	-	-	-	-	-	-
E887	Other and unspecified fall	M	97	-	-	-	-	-	-	-	-	-
		F	227	-	-	-	-	-	-	-	-	-
E890	Accident caused by conflagration in private dwelling	M	6	-	1	-	-	-	1	1	-	-
		F	8	1	-	1	-	1	3	1	-	-
E891	Accident caused by conflagration in other building or structure	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
E893	Accident caused by ignition of clothing	M	2	-	-	-	-	-	-	1	-	-
		F	8	-	1	-	-	-	1	1	-	-

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death														Detailed International List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 and over
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E851
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E852
-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	E853
-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	E854
-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	E855
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E856
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E859
-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	E860
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	E861
-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	E865
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	E866
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	E867
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E870
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	E871
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E874
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E875
-	-	-	1	-	-	-	-	-	2	-	1	-	1	1	E880
-	-	1	1	-	2	1	1	-	1	2	1	2	1	-	E881
-	3	-	2	-	1	-	-	1	2	-	-	1	-	-	E882
-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	E883
-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	E884
-	1	1	-	-	1	-	3	4	-	1	-	2	1	1	E885
-	-	2	-	-	1	-	-	-	1	-	1	-	1	-	E887
-	-	-	-	-	1	-	1	-	3	5	13	20	20	34	E888
-	-	-	-	-	-	-	-	-	4	8	28	46	56	85	E889
-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	E890
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	E891
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E893
-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	

DETAILED LIST, 8th REVISION, 1965) AND BY SEX AND AGE.

death														Detailed Inter- national List Number	
15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84		85 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E932
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	E940
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	E943
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	E946
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E950
-	2	-	1	1	3	4	-	3	-	-	1	-	-	-	E951
-	3	1	-	-	1	2	-	1	-	-	-	-	-	-	E952
-	-	2	-	1	-	-	-	-	-	1	1	-	-	-	E953
-	-	-	1	-	-	-	3	1	-	2	-	-	-	-	E954
1	-	-	-	3	-	-	-	1	-	-	-	-	-	-	E955
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E956
3	4	2	1	1	3	2	-	3	2	3	1	2	1	-	E957
-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	E960
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E963
-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	E965
-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	E966
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	E968
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	E970
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E973
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E975
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	E976
-	1	1	-	2	2	2	1	1	-	-	-	-	-	-	E980
-	2	-	1	1	1	2	1	-	1	1	-	-	-	-	E981
-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	E982
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	E983
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E984
2	4	3	2	3	1	3	7	4	1	3	1	1	1	1	E987
-	1	-	-	2	-	1	4	-	1	1	2	1	-	-	E988
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E989
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	E990
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	E991

TABLE 20—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of Death	Total		Uncertified
			M	F	
		Total	18,689	15,503	160
					141
008, 009	B 4	Enteritis and other diarrhoeal diseases	M	36	-
			F	30	-
010-012	B 5	Tuberculosis of respiratory system	M	104	-
			F	36	-
013-019	B 6	Other tuberculosis, including late effects	M	23	-
			F	10	-
032	B 8	Diphtheria	M	-	-
			F	-	-
033	B 9	Whooping cough	M	1	-
			F	-	-
034	B10	Streptococcal sore throat and scarlet fever	M	-	-
			F	-	-
036	B11	Meningococcal infection	M	5	-
			F	8	-
038	B18a	Septicaemia	M	12	-
			F	9	-
040-043	B12	Acute poliomyelitis	M	-	-
			F	-	-
055	B14	Measles	M	1	-
			F	-	-
070	B18b	Infectious hepatitis	M	5	-
			F	7	-
009.2	B18c	<i>Gastro-enteritis (under 2 years)</i>	M	23	-
			F	14	-
000-007, 020-031, 035, 037, 039, 044-054, 056-068, 071-136	B18	All other infective and parasitic diseases	M	20	-
			F	20	-
151	B19a	Malignant neoplasms:— of stomach	M	392	-
			F	308	-
150, 152-159	B19b	of other digestive organs and peritoneum	M	844	-
			F	762	-
162	B19c	of trachea, bronchus and lung	M	838	-
			F	223	-
174	B19d	of breast	M	5	-
			F	493	-
180-189	B19e	of genito-urinary organs	M	443	1
			F	390	-
200-209	B19f	of lymphatic and haematopoietic tissue	M	209	-
			F	168	-
140-149, 160, 161, 163-173, 190-199	B19g	Other	M	417	2
			F	311	1
210-239	B20	Benign neoplasms and neoplasms of unspecified nature	M	38	-
			F	31	-
250	B21	Diabetes mellitus	M	152	1
			F	215	-
260-269	B22	Avitaminoses and other nutritional deficiency	M	8	-
			F	7	-
280-285	B23	Anaemias	M	48	-
			F	50	-
320	B24	Meningitis	M	24	-
			F	14	-
390-392	B25	Active rheumatic fever	M	-	-
			F	1	-
393-398	B26	Chronic rheumatic heart disease	M	161	-
			F	152	1
400-404	B27	Hypertensive disease	M	270	-
			F	346	5

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Detailed International List Number	Abbreviated List Number	Cause of Death		Total	Uncertified
410-414	B28	Ischaemic heart disease	M	5,263	34
			F	3,313	12
420-429	B29	Other forms of heart disease	M	748	17
			F	849	12
430-438	B30	Cerebrovascular disease	M	2,170	9
			F	2,585	5
440-458	B46a	Other diseases of circulatory system	M	789	1
			F	805	1
470-474	B31	Influenza	M	123	3
			F	139	3
480-486	B32	Pneumonia	M	1,073	2
			F	1,146	4
490-493	B33	Bronchitis, emphysema and asthma	M	1,189	2
			F	587	1
518	B46b	Bronchiectasis	M	21	-
			F	19	-
460-466, 500-517, 519	B46c	Other diseases of respiratory system	M	253	1
			F	207	-
531-533	B34	Peptic ulcer	M	165	-
			F	87	1
540-543	B35	Appendicitis	M	14	-
			F	7	-
550-553, 560	B36	Intestinal obstruction and hernia	M	58	-
			F	63	-
571	B37	Cirrhosis of liver	M	61	-
			F	44	-
520-530, 534-537, 561-570, 572-577	B46d	Other diseases of digestive system	M	135	-
			F	134	-
580-584	B38	Nephritis and nephrosis	M	136	-
			F	84	-
600	B39	Hyperplasia of prostate	M	109	-
640-645	B40	Abortion	F	2	-
630-639, 650-678	B41	Other complications of pregnancy, childbirth and the puerperium	F	6	-
740-759	B42	Congenital anomalies	M	239	-
			F	222	-
764-768, 772, 776	B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	201	-
			F	116	-
760-763, 769-771, 773-775, 777-779	B44	Other causes of perinatal mortality*	M	33	-
			F	91	-
794	B45a	Senility without mention of psychosis	M	180	77
			F	248	86
780-793, 795-796	B45b	Ill-defined conditions	M	39	2
			F	39	6
240-246, 251-258, 270-279, 286-289, 290-315, 321-389, 590-599, 601-629, 680-738	B46e	All other disease	M	490	7
			F	580	3
External Causes					
E810-E823	B47	Motor vehicle accidents	M	487	-
			F	126	-
E800-E807, E825-E949	B48	All other accidents	M	418	1
			F	357	-
E950-E959	B49	Suicide and self-inflicted injuries	M	76	-
			F	29	-
E960-E999	B50	All other external causes	M	63	-
			F	27	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	7,874 7,177	35 19	6,186 4,863	39 29	2,980 2,200	72 71
B 4	Enteritis and other diarrhoeal diseases	M	22	-	7	-	4	-	3	-
		F	14	-	12	-	4	-	-	-
B 5	Tuberculosis of respiratory system	M	50	-	30	-	19	-	5	-
		F	22	-	8	-	5	-	1	-
B 6	Other tuberculosis, including late effects	M	12	-	5	-	4	-	2	-
		F	5	-	3	-	2	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	3	-	2	-	-	-	-	-
		F	3	-	3	-	1	-	1	-
B18a	Septicaemia	M	2	-	6	-	-	-	4	-
		F	4	-	2	-	2	-	1	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	3	-	-	-	2	-
		F	3	-	3	-	1	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	16	-	4	-	2	-	1	-
		F	6	-	7	-	1	-	-	-
B18	All other infective and parasitic diseases	M	10	-	6	-	3	-	1	-
		F	6	-	6	-	7	-	1	-
B19a	Malignant neoplasms:— of stomach	M	154	-	124	-	74	-	40	-
		F	139	-	90	-	45	-	34	-
B19b	of other digestive organs and peritoneum	M	383	-	276	-	127	-	58	-
		F	356	-	235	-	107	-	64	-
B19c	of trachea, bronchus and lung	M	486	-	235	-	79	-	38	-
		F	137	-	63	-	18	-	5	-
B19d	of breast	M	3	-	2	-	-	-	-	-
		F	227	-	159	-	66	-	41	-
B19e	of genito-urinary organs	M	175	-	143	1	89	-	36	-
		F	180	-	144	-	42	-	24	-
B19f	of lymphatic and haematopoietic tissue	M	84	-	70	-	39	-	16	-
		F	104	-	36	-	20	-	8	-
B19g	Other	M	180	-	146	1	66	1	25	-
		F	153	-	91	-	47	-	20	1
B20	Benign neoplasms and neoplasms of unspecified nature	M	14	-	17	-	4	-	3	-
		F	16	-	8	-	4	-	3	-
B21	Diabetes mellitus	M	81	1	44	-	16	-	11	-
		F	102	-	51	-	40	-	22	-
B22	Avitaminoses and other nutritional deficiency	M	3	-	2	-	1	-	2	-
		F	6	-	-	-	1	-	-	-
B23	Anaemias	M	12	-	21	-	12	-	3	-
		F	22	-	13	-	13	-	2	-
B24	Meningitis	M	13	-	9	-	1	-	1	-
		F	10	-	3	-	1	-	-	-
B25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	72	-	57	-	22	-	10	-
		F	85	1	39	-	21	-	7	-
B27	Hypertensive disease	M	113	-	87	-	43	-	27	-
		F	168	2	96	1	54	2	28	-
B28	Ischaemic heart disease	M	2,222	15	1,711	7	867	6	463	6
		F	1,466	2	1,083	3	492	2	272	5
B29	Other forms of heart disease	M	209	7	310	3	144	5	85	2
		F	333	2	318	2	136	4	62	4

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Leinster		Munster		Connacht		Ulster (part of)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	842	1	711	-	381	6	236	2
		F	1,140	1	845	1	365	3	235	-
B46a	Other diseases of circulatory system	M	298	1	301	-	121	-	69	-
		F	363	-	267	-	118	-	57	1
B31	Influenza	M	32	-	40	1	31	1	20	1
		F	57	1	37	-	23	1	22	1
B32	Pneumonia	M	469	1	339	-	144	1	121	-
		F	592	1	347	2	105	1	102	-
B33	Bronchitis, emphysema and asthma	M	534	-	429	2	151	-	75	-
		F	309	-	175	-	65	-	38	1
B46b	Bronchiectasis	M	11	-	4	-	4	-	2	-
		F	10	-	6	-	2	-	1	-
B46c	Other diseases of respiratory system	M	119	-	79	1	35	-	20	-
		F	97	-	64	-	21	-	25	-
B34	Peptic ulcer	M	59	-	57	-	34	-	15	-
		F	40	-	23	-	15	1	9	-
B35	Appendicitis	M	6	-	6	-	1	-	1	-
		F	3	-	3	-	-	-	1	-
B36	Intestinal obstruction and hernia	M	24	-	16	-	10	-	8	-
		F	36	-	13	-	7	-	7	-
B37	Cirrhosis of liver	M	30	-	16	-	10	-	5	-
		F	22	-	16	-	5	-	1	-
B46d	Other diseases of digestive system	M	49	-	46	-	25	-	15	-
		F	73	-	37	-	19	-	5	-
B38	Nephritis and nephrosis	M	53	-	49	-	18	-	16	-
		F	40	-	22	-	14	-	8	-
B39	Hyperplasia of prostate	M	37	-	43	-	17	-	12	-
B40	Abortion	F	2	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	2	-	1	-	1	-	2	-
B42	Congenital anomalies	M	137	-	64	-	23	-	15	-
		F	130	-	59	-	17	-	16	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	109	-	60	-	12	-	20	-
		F	63	-	34	-	12	-	7	-
B44	Other causes of perinatal mortality*	M	75	-	35	-	14	-	9	-
		F	50	-	22	-	11	-	8	-
B45a	Senility without mention of psychosis	M	32	8	62	23	74	44	12	2
		F	51	9	86	20	87	50	24	7
B45b	Ill-defined conditions	M	11	-	14	-	8	2	6	-
		F	14	-	14	-	7	4	4	2
B46e	All other diseases	M	164	-	181	-	96	6	49	1
		F	257	-	164	-	109	3	50	-
External Causes										
B47	Motor vehicle accidents	M	236	-	143	-	63	-	45	-
		F	79	-	27	-	11	-	9	-
B48	All other accidents	M	174	1	132	-	75	-	37	-
		F	152	-	120	-	52	-	33	-
B49	Suicide and self-inflicted injuries	M	40	-	25	-	10	-	1	-
		F	18	-	8	-	2	-	1	-
B50	All other external causes	M	29	-	20	-	9	-	5	-
		F	15	-	7	-	3	-	2	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)			
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified		
		M	F	M	F	M	F	M	F		
	Total			211	-	2,859	2	290	-	660	1
				182	-	2,883	1	348	-	622	-
B 4	Enteritis and other diarrhoeal diseases	M	F	2	-	10	-	1	-	2	-
				-	-	6	-	-	-	1	-
B 5	Tuberculosis of respiratory system	M	F	2	-	26	-	1	-	3	-
				-	-	9	-	2	-	3	-
B 6	Other tuberculosis, including late effects	M	F	-	-	5	-	-	-	1	-
				-	-	2	-	1	-	-	-
B 8	Diphtheria	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B 9	Whooping cough	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	F	-	-	-	-	-	-	2	-
				-	-	1	-	1	-	-	-
B18a	Septicaemia	M	F	1	-	-	-	-	-	-	-
				-	-	1	-	-	-	1	-
B12	Acute poliomyelitis	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B14	Measles	M	F	-	-	1	-	-	-	-	-
				-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	F	-	-	-	-	-	-	-	-
				-	-	2	-	-	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	F	1	-	8	-	1	-	1	-
				-	-	2	-	-	-	1	-
B18	All other infective and parasitic diseases	M	F	-	-	6	-	-	-	3	-
				-	-	4	-	-	-	1	-
B19a	Malignant neoplasms:- of stomach	M	F	4	-	67	-	6	-	12	-
				4	-	64	-	10	-	11	-
B19b	of other digestive organs and peritoneum	M	F	9	-	153	-	17	-	35	-
				6	-	159	-	21	-	22	-
B19c	of trachea, bronchus and lung	M	F	9	-	225	-	20	-	50	-
				8	-	64	-	7	-	9	-
B19d	of breast	M	F	-	-	3	-	-	-	-	-
				6	-	104	-	5	-	30	-
B19e	of genito-urinary organs	M	F	5	-	71	-	7	-	13	-
				4	-	88	-	8	-	13	-
B19f	of lymphatic and haematopoietic tissue	M	F	1	-	35	-	5	-	5	-
				4	-	37	-	3	-	8	-
B19g	Other	M	F	4	-	66	-	4	-	10	-
				4	-	65	-	5	-	14	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	F	-	-	4	-	-	-	-	-
				-	-	9	-	1	-	2	-
B21	Diabetes mellitus	M	F	2	-	20	-	4	-	10	-
				3	-	37	-	7	-	2	-
B22	Avitaminoses and other nutritional deficiency	M	F	-	-	-	-	-	-	-	-
				-	-	5	-	-	-	-	-
B23	Anaemias	M	F	-	-	4	-	-	-	-	-
				-	-	10	-	-	-	-	-
B24	Meningitis	M	F	-	-	8	-	-	-	3	-
				-	-	5	-	-	-	2	-
B25	Active rheumatic fever	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	1	-
B26	Chronic rheumatic heart disease	M	F	3	-	28	-	3	-	2	-
				3	-	43	-	2	-	5	-
B27	Hypertensive disease	M	F	7	-	42	-	7	-	4	-
				9	-	67	-	7	-	13	-
B28	Ischaemic heart disease	M	F	61	-	786	2	85	-	182	-
				36	-	599	-	75	-	103	-
B29	Other forms of heart disease	M	F	6	-	48	-	7	-	12	1
				19	-	91	-	18	-	21	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Carlow County		Dublin County Borough		Dun Laoghaire Borough		Dublin County (remainder)	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	31	-	213	-	23	-	58	-
		F	26	-	359	-	56	-	109	-
B46a	Other diseases of circulatory system	M	5	-	74	-	13	-	24	-
		F	15	-	115	-	24	-	31	-
B31	Influenza	M	-	-	6	-	2	-	4	-
		F	1	-	21	-	-	-	5	-
B32	Pneumonia	M	9	-	226	-	15	-	38	-
		F	8	-	329	-	28	-	61	-
B33	Bronchitis, emphysema and asthma	M	11	-	220	-	24	-	31	-
		F	2	-	129	-	14	-	31	-
B46b	Bronchiectasis	M	-	-	7	-	-	-	2	-
		F	1	-	5	-	-	-	2	-
B46c	Other diseases of respiratory system	M	1	-	34	-	11	-	16	-
		F	-	-	43	-	5	-	7	-
B34	Peptic ulcer	M	1	-	23	-	-	-	1	-
		F	1	-	21	-	1	-	2	-
B35	Appendicitis	M	-	-	4	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	2	-	8	-	1	-	3	-
		F	1	-	17	-	-	-	2	-
B37	Cirrhosis of liver	M	1	-	15	-	-	-	3	-
		F	1	-	10	-	1	-	-	-
B46d	Other diseases of digestive system	M	1	-	17	-	1	-	3	-
		F	-	-	27	-	6	-	9	-
B38	Nephritis and nephrosis	M	-	-	17	-	5	-	5	-
		F	3	-	17	-	3	-	-	-
B39	Hyperplasia of prostate	M	2	-	9	-	1	-	2	-
B40	Abortion	F	-	-	1	-	1	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	4	-	60	-	3	-	19	-
		F	2	-	52	-	5	-	23	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	45	-	4	-	25	-
		F	3	-	25	-	-	-	11	-
B44	Other causes of perinatal mortality*	M	2	-	42	-	2	-	9	-
		F	2	-	22	-	1	-	6	-
B45a	Senility without mention of psychosis	M	-	-	4	-	-	-	-	-
		F	-	-	14	1	2	-	4	-
B45b	Ill-defined conditions	M	1	-	2	-	-	-	-	-
		F	-	-	6	-	-	-	3	-
B46e	All other diseases	M	6	-	61	-	8	-	12	-
		F	4	-	103	-	14	-	31	-
External Causes										
B47	Motor vehicle accidents	M	11	-	66	-	5	-	29	-
		F	2	-	21	-	3	-	9	-
B48	All other accidents	M	3	-	66	-	3	-	18	-
		F	4	-	53	-	8	-	11	-
B49	Suicide and self-inflicted injuries	M	1	-	18	-	2	-	4	-
		F	-	-	12	-	-	-	1	-
B50	All other external causes	M	-	-	14	-	-	-	4	-
		F	-	-	8	-	3	-	2	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	371 313	2 -	411 332	2 2	286 237	2 2
B 4	Enteritis and other diarrhoeal diseases	M F	2 2	- -	- -	- -	1 -	- -	1 -	- -
B 5	Tuberculosis of respiratory system	M F	2 -	- -	3 4	- -	- 2	- -	2 -	- -
B 6	Other tuberculosis, including late effects	M F	1 -	- -	- 1	- -	1 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18c	Gastro-enteritis (under 2 years)	M F	- 2	- -	- -	- -	1 -	- -	1 -	- -
B18	All other infective and parasitic diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -
B19a	Malignant neoplasms:— of stomach	M F	6 8	- -	10 5	- -	4 2	- -	6 -	- -
B19b	of other digestive organs and peritoneum	M F	15 19	- -	13 13	- -	11 13	- -	7 4	- -
B19c	of trachea, bronchus and lung	M F	18 7	- -	20 2	- -	14 5	- -	11 1	- -
B19d	of breast	M F	- 7	- -	- 11	- -	- 6	- -	- 5	- -
B19e	of genito-urinary organs	M F	5 11	- -	7 5	- -	2 4	- -	5 4	- -
B19f	of lymphatic and haematopoietic tissue	M F	4 3	- -	3 5	- -	2 6	- -	3 1	- -
B19g	Other	M F	11 7	- -	10 5	- -	5 5	- -	8 3	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	- -	- -	2 -	- -	3 -	- -	- -	- -
B21	Diabetes mellitus	M F	4 4	- -	7 4	- -	1 5	- -	4 1	1 -
B22	Avitaminoses and other nutritional deficiency	M F	1 -	- -	- -	- -	- -	- -	- -	- -
B23	Anaemias	M F	- 1	- -	- 2	- -	1 1	- -	1 -	- -
B24	Meningitis	M F	- 1	- -	- -	- -	- -	- -	- -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	9 9	- -	4 3	- -	7 3	- 1	2 1	- -
B27	Hypertensive disease	M F	8 8	- -	2 7	- -	6 9	- -	1 1	- -
B28	Ischaemic heart disease	M F	81 51	1 -	118 71	1 1	90 44	1 1	80 36	1 -
B29	Other forms of heart disease	M F	10 17	- -	14 17	- -	12 15	- -	6 15	- -

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Kildare County		Kilkenny County		Laois County		Longford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	45	-	53	-	50	1	42	-
		F	49	-	63	-	49	-	43	-
B46a	Other diseases of circulatory system	M	12	-	31	-	11	-	11	-
		F	11	-	41	-	13	-	10	-
B31	Influenza	M	3	-	1	-	-	-	3	-
		F	3	-	1	-	3	-	3	-
B32	Pneumonia	M	13	1	18	-	14	-	11	-
		F	15	-	15	-	9	-	8	-
B33	Bronchitis, emphysema and asthma	M	32	-	22	-	12	-	5	-
		F	19	-	11	-	11	-	4	-
B46b	Bronchiectasis	M	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B46c	Other diseases of respiratory system	M	17	-	4	-	4	-	4	-
		F	6	-	1	-	8	-	2	-
B34	Peptic ulcer	M	2	-	3	-	2	-	2	-
		F	4	-	2	-	1	-	-	-
B35	Appendicitis	M	1	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	1	-	2	-	1	-	-	-
		F	2	-	1	-	1	-	1	-
B37	Cirrhosis of liver	M	2	-	-	-	1	-	-	-
		F	4	-	2	-	-	-	-	-
B46d	Other diseases of digestive system	M	2	-	2	-	5	-	3	-
		F	2	-	3	-	3	-	1	-
B38	Nephritis and nephrosis	M	4	-	1	-	-	-	3	-
		F	2	-	1	-	1	-	-	-
B39	Hyperplasia of prostate	M	-	-	4	-	1	-	1	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	-	-
B42	Congenital anomalies	M	9	-	7	-	3	-	2	-
		F	7	-	3	-	3	-	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	4	-	1	-	-	-
		F	6	-	5	-	-	-	2	-
B44	Other causes of perinatal mortality*	M	4	-	1	-	1	-	1	-
		F	1	-	3	-	-	-	1	-
B45a	Senility without mention of psychosis	M	3	-	3	1	4	-	3	3
		F	4	-	2	1	-	-	2	2
B45b	Ill-defined conditions	M	1	-	-	-	1	-	1	-
		F	-	-	-	-	1	-	-	-
B46e	All other diseases	M	8	-	13	-	2	-	2	-
		F	8	-	10	-	7	-	4	-
External Causes										
B47	Motor vehicle accidents	M	20	-	13	-	5	-	8	-
		F	6	-	5	-	4	-	1	-
B48	All other accidents	M	6	-	9	-	8	-	5	-
		F	5	-	7	-	3	-	4	-
B49	Suicide and self-inflicted injuries	M	1	-	5	-	-	-	2	-
		F	1	-	-	-	-	-	1	-
B50	All other external causes	M	1	-	2	-	-	-	-	-
		F	1	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	444 326	1 1	468 370	7 3	319 258	- 2
B 4	Enteritis and other diarrhoeal diseases	M F	- 1	- -	- 1	- -	- -	- -	2 -	- -
B 5	Tuberculosis of respiratory system	M F	3 -	- -	3 1	- -	1 -	- -	1 -	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	1 -	- -	- -	- -	2 -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	1 -	- -	- 1	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	- -	- -	1 -	- -	- 1	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	- -	- -	- -	- -	- -	- -	2 -	- -
B18	All other infective and parasitic diseases	M F	1 1	- -	- -	- -	- -	- -	- -	- -
B19a	Malignant neoplasms:— of stomach	M F	8 7	- -	8 6	- -	5 3	- -	6 6	- -
B19b	of other digestive organs and peritoneum	M F	26 16	- -	22 12	- -	13 10	- -	15 16	- -
B19c	of trachea, bronchus and lung	M F	26 11	- -	24 3	- -	11 6	- -	12 4	- -
B19d	of breast	M F	- 7	- -	- 8	- -	- 7	- -	- 8	- -
B19e	of genito-urinary organs	M F	10 6	- -	15 7	- -	6 7	- -	6 5	- -
B19f	of lymphatic and haematopoietic tissue	M F	4 6	- -	7 3	- -	4 3	- -	2 9	- -
B19g	Other	M F	10 9	- -	8 5	- -	9 4	- -	10 10	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	2 1	- -	1 -	- -	1 -	- -	- 1	- -
B21	Diabetes mellitus	M F	5 5	- -	10 5	- -	- 7	- -	4 9	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	1 -	- -	- -	- -	- -	- -
B23	Anaemias	M F	- 1	- -	1 1	- -	- -	- -	2 2	- -
B24	Meningitis	M F	1 1	- -	- -	- -	- -	- -	1 1	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	1 4	- -	1 2	- -	5 2	- -	1 2	- -
B27	Hypertensive disease	M F	3 6	- -	9 11	- 1	8 9	- -	1 9	- -
B28	Ischaemic heart disease	M F	126 61	1 -	130 88	2 -	77 47	- -	107 51	6 -
B29	Other forms of heart disease	M F	16 24	- -	13 8	- -	12 17	1 -	37 38	6 1

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Louth County		Meath County		Offaly County		Westmeath County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	53	-	55	-	59	-	44	-
		F	61	-	95	-	62	1	35	-
B46a	Other diseases of circulatory system	M	6	-	10	-	17	-	15	1
		F	12	-	4	-	15	-	11	-
B31	Influenza	M	-	-	-	-	3	-	1	-
		F	-	-	1	-	3	-	2	-
B32	Pneumonia	M	23	-	22	-	12	-	29	-
		F	22	-	20	1	8	-	23	-
B33	Bronchitis, emphysema and asthma	M	37	-	40	-	24	-	28	-
		F	16	-	15	-	10	-	2	-
B46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B46c	Other diseases of respiratory system	M	4	-	9	-	2	-	4	-
		F	2	-	4	-	3	-	2	-
B34	Peptic ulcer	M	8	-	4	-	3	-	1	-
		F	2	-	2	-	2	-	-	-
B35	Appendicitis	M	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	-	-	1	-	1	-	-	-
		F	3	-	2	-	2	-	-	-
B37	Cirrhosis of liver	M	1	-	2	-	2	-	2	-
		F	1	-	-	-	-	-	-	-
B46d	Other diseases of digestive system	M	1	-	1	-	2	-	1	-
		F	5	-	4	-	3	-	4	-
B38	Nephritis and nephrosis	M	1	-	2	-	6	-	-	-
		F	1	-	1	-	2	-	4	-
B39	Hyperplasia of prostate	M	4	-	3	-	4	-	2	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	3	-	6	-	1	-	4	-
		F	7	-	7	-	2	-	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	3	-	3	-	1	-
		F	-	-	4	-	2	-	-	-
B44	Other causes of perinatal mortality*	M	4	-	5	-	-	-	-	-
		F	-	-	3	-	1	-	2	-
B45a	Senility without mention of psychosis	M	2	-	5	4	1	-	2	-
		F	7	1	7	1	2	-	2	1
B45b	Ill-defined conditions	M	2	-	1	-	1	-	1	-
		F	1	-	-	-	1	-	1	-
B46e	All other diseases	M	10	-	17	-	7	-	3	-
		F	5	-	15	-	11	-	8	-
External Causes										
B47	Motor vehicle accidents	M	24	-	14	-	8	-	10	-
		F	5	-	10	-	1	-	1	-
B48	All other accidents	M	10	-	12	1	7	-	3	-
		F	8	-	11	-	6	-	10	-
B49	Suicide and self-inflicted injuries	M	-	-	2	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B50	All other external causes	M	2	-	1	-	2	-	1	-
		F	1	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Wexford County		Wicklow County		Cork County Borough		Cork County	
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
		M	F	M	F	M	F	M	F
	Total	551	517	397	346	707	698	1,694	1,234
B 4	Enteritis and other diarrhoeal diseases	M	1	-	-	-	-	2	-
		F	2	-	1	3	-	3	-
B 5	Tuberculosis of respiratory system	M	-	-	3	-	-	9	-
		F	-	-	1	1	-	3	-
B 6	Other tuberculosis, including late effects	M	1	-	-	1	-	1	-
		F	-	-	1	1	-	1	-
B 8	Diphtheria	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B11	Meningococcal infection	M	-	-	-	-	-	2	-
		F	-	-	-	1	-	-	-
B18a	Septicaemia	M	-	-	-	3	-	-	-
		F	-	-	-	-	-	1	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	-	1	-	1	-
		F	-	-	1	-	-	3	-
B18c	Gastro-enteritis (under 2 years)	M	1	-	-	-	-	1	-
		F	1	-	-	2	-	2	-
B18	All other infective and parasitic diseases	M	-	-	-	-	-	3	-
		F	-	-	-	-	-	3	-
B19a	Malignant neoplasms:— of stomach	M	8	-	4	16	-	24	-
		F	7	-	6	11	-	29	-
B19b	of other digestive organs and peritoneum	M	34	-	13	41	-	75	-
		F	21	-	24	33	-	64	-
B19c	of trachea, bronchus and lung	M	23	-	23	48	-	48	-
		F	6	-	4	6	-	19	-
B19d	of breast	M	-	-	-	-	-	-	-
		F	9	-	14	42	-	40	-
B19e	of genito-urinary organs	M	10	-	13	20	-	35	-
		F	11	-	7	23	-	31	-
B19f	of lymphatic and haematopoietic tissue	M	5	-	4	5	-	27	-
		F	3	-	13	6	-	10	-
B19g	Other	M	18	-	7	24	-	30	-
		F	6	-	11	18	-	21	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	-	-	1	5	-	3	-
		F	1	-	1	2	-	2	-
B21	Diabetes mellitus	M	3	-	7	9	-	10	-
		F	7	-	6	7	-	12	-
B22	Avitaminoses and other nutritional deficiency	M	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-
B23	Anaemias	M	3	-	-	5	-	9	-
		F	4	-	-	3	-	2	-
B24	Meningitis	M	-	-	-	-	-	1	-
		F	-	-	-	-	-	2	-
B25	Active rheumatic fever	M	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	4	-	2	8	-	15	-
		F	6	-	-	11	-	6	-
B27	Hypertensive disease	M	10	-	5	5	-	32	-
		F	7	1	5	8	-	26	-
B28	Ischaemic heart disease	M	167	-	132	183	-	454	-
		F	133	-	71	155	-	240	1
B29	Other forms of heart disease	M	11	-	5	8	-	87	1
		F	20	-	13	15	-	76	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Wexford County		Wicklow County		Cork County Borough		Cork County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	60	-	56	-	76	-	187	-
		F	85	-	48	-	123	-	228	-
B46a	Other diseases of circulatory system	M	58	-	11	-	32	-	112	-
		F	53	-	8	-	51	-	85	-
B31	Influenza	M	7	-	2	-	3	-	8	-
		F	7	-	7	1	9	-	8	-
B32	Pneumonia	M	21	-	18	-	42	-	97	-
		F	21	-	25	-	44	-	86	-
B33	Bronchitis, emphysema and asthma	M	22	-	26	-	69	-	113	1
		F	28	-	17	-	27	-	41	-
B46b	Bronchiectasis	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	1	-
B46c	Other diseases of respiratory system	M	5	-	4	-	4	-	28	1
		F	9	-	5	-	6	-	19	-
B34	Peptic ulcer	M	4	-	5	-	7	-	17	-
		F	1	-	1	-	4	-	5	-
B35	Appendicitis	M	-	-	-	-	1	-	2	-
		F	-	-	-	-	-	-	1	-
B36	Intestinal obstruction and hernia	M	4	-	-	-	1	-	5	-
		F	1	-	3	-	1	-	5	-
B37	Cirrhosis of liver	M	1	-	-	-	-	-	4	-
		F	-	-	3	-	-	-	3	-
B46d	Other diseases of digestive system	M	2	-	8	-	6	-	11	-
		F	4	-	2	-	5	-	10	-
B38	Nephritis and nephrosis	M	7	-	2	-	2	-	14	-
		F	3	-	2	-	2	-	6	-
B39	Hyperplasia of prostate	M	4	-	-	-	2	-	10	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	-	-
B42	Congenital anomalies	M	10	-	6	-	10	-	14	-
		F	8	-	7	-	14	-	13	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	4	-	4	-	12	-	16	-
		F	4	-	1	-	8	-	10	-
B44	Other causes of perinatal mortality*	M	2	-	2	-	6	-	5	-
		F	4	-	4	-	2	-	6	-
B45a	Senility without mention of psychosis	M	2	-	3	-	1	-	23	3
		F	4	2	1	-	5	-	23	3
B45b	Ill-defined conditions	M	-	-	-	-	2	-	4	-
		F	-	-	1	-	1	-	2	-
B46e	All other diseases	M	9	-	6	-	15	-	57	-
		F	22	-	15	-	21	-	43	-
External Causes										
B47	Motor vehicle accidents	M	10	-	13	-	9	-	43	-
		F	4	-	7	-	5	-	6	-
B48	All other accidents	M	15	-	9	-	15	-	38	-
		F	14	-	8	-	18	-	37	-
B49	Suicide and self-inflicted injuries	M	2	-	2	-	3	-	9	-
		F	1	-	2	-	2	-	1	-
B50	All other external causes	M	2	-	-	-	6	-	9	-
		F	-	-	-	-	4	-	1	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Clare County		Kerry County		Limerick County Borough		Limerick County			
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified		
		M	F	M	F	M	F	M	F		
	Total			562	8	851	18	307	-	649	1
				440	4	658	17	312	-	428	-
B 4	Enteritis and other diarrhoeal diseases	M	F	-	-	1	-	2	-	-	-
				1	-	3	-	-	-	1	-
B 5	Tuberculosis of respiratory system	M	F	4	-	6	-	2	-	1	-
				-	-	-	-	1	-	-	-
B 6	Other tuberculosis, including late effects	M	F	1	-	2	-	-	-	-	-
				-	-	-	-	1	-	-	-
B 8	Diphtheria	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B 9	Whooping cough	M	F	-	-	1	-	-	-	-	-
				-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	1	-	-	-
B18a	Septicaemia	M	F	-	-	-	-	-	-	3	-
				1	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B14	Measles	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	F	-	-	-	-	2	-	-	-
				-	-	2	-	-	-	-	-
B18	All other infective and parasitic diseases	M	F	-	-	1	-	-	-	2	-
				1	-	-	-	2	-	-	-
B19a	Malignant neoplasms:— of stomach	M	F	10	-	22	-	4	-	15	-
				4	-	12	-	4	-	5	-
B19b	of other digestive organs and peritoneum	M	F	19	-	27	-	12	-	34	-
				15	-	37	-	12	-	19	-
B19c	of trachea, bronchus and lung	M	F	21	-	24	-	17	-	18	-
				6	-	1	-	9	-	9	-
B19d	of breast	M	F	-	-	-	-	-	-	-	-
				15	-	12	-	10	-	11	-
B19e	of genito-urinary organs	M	F	16	1	19	-	6	-	17	-
				12	-	18	-	13	-	14	-
B19f	of lymphatic and haematopoietic tissue	M	F	9	-	7	-	1	-	4	-
				5	-	3	-	1	-	4	-
B19g	Other	M	F	17	1	23	-	5	-	11	-
				5	-	11	-	5	-	8	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	F	1	-	3	-	-	-	-	-
				-	-	-	-	1	-	-	-
B21	Diabetes mellitus	M	F	5	-	3	-	-	-	6	-
				6	-	8	-	3	-	4	-
B22	Avitaminoses and other nutritional deficiency	M	F	-	-	2	-	-	-	-	-
				-	-	-	-	-	-	-	-
B23	Anaemias	M	F	3	-	2	-	-	-	-	-
				1	-	1	-	1	-	2	-
B24	Meningitis	M	F	1	-	2	-	1	-	1	-
				-	-	-	-	1	-	-	-
B25	Active rheumatic fever	M	F	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	F	4	-	7	-	2	-	3	-
				1	-	2	-	3	-	4	-
B27	Hypertensive disease	M	F	3	-	10	-	2	-	9	-
				12	-	14	1	3	-	3	-
B28	Ischaemic heart disease	M	F	113	-	258	2	97	-	211	1
				74	-	146	2	101	-	145	-
B29	Other forms of heart disease	M	F	108	2	26	-	2	-	32	-
				87	1	49	1	9	-	25	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Clare County		Kerry County		Limerick County Borough		Limerick County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	59	-	91	-	30	-	66	-
		F	57	-	118	1	42	-	58	-
B46a	Other diseases of circulatory system	M	16	-	56	-	15	-	32	-
		F	23	-	43	-	7	-	15	-
B31	Influenza	M	3	-	8	-	3	-	8	-
		F	1	-	7	-	3	-	5	-
B32	Pneumonia	M	37	-	33	-	17	-	32	-
		F	33	2	37	-	24	-	20	-
B33	Bronchitis, emphysema and asthma	M	31	-	45	-	26	-	43	-
		F	17	-	17	-	18	-	15	-
B46b	Bronchiectasis	M	1	-	-	-	2	-	-	-
		F	-	-	1	-	-	-	3	-
B46c	Other diseases of respiratory system	M	2	-	10	-	8	-	9	-
		F	2	-	13	-	3	-	7	-
B34	Peptic ulcer	M	1	-	8	-	1	-	5	-
		F	3	-	6	-	1	-	-	-
B35	Appendicitis	M	1	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	1	-	4	-	-	-	-	-
		F	2	-	1	-	-	-	-	-
B37	Cirrhosis of liver	M	1	-	2	-	2	-	2	-
		F	3	-	6	-	1	-	-	-
B46d	Other diseases of digestive system	M	4	-	9	-	2	-	4	-
		F	3	-	6	-	4	-	2	-
B38	Nephritis and nephrosis	M	6	-	12	-	-	-	4	-
		F	4	-	1	-	-	-	3	-
B39	Hyperplasia of prostate	M	3	-	7	-	-	-	8	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	6	-	5	-	5	-	11	-
		F	4	-	5	-	2	-	10	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	2	-	6	-	11	-	8	-
		F	5	-	1	-	5	-	2	-
B44	Other causes of perinatal mortality*	M	3	-	2	-	2	-	3	-
		F	4	-	2	-	-	-	-	-
B45a	Senility without mention of psychosis	M	5	4	19	16	1	-	2	-
		F	5	1	19	12	-	-	8	-
B45b	Ill-defined conditions	M	2	-	1	-	-	-	1	-
		F	3	-	1	-	2	-	-	-
B46e	All other diseases	M	12	-	35	-	8	-	24	-
		F	10	-	28	-	11	-	14	-
External Causes										
B47	Motor vehicle accidents	M	11	-	24	-	12	-	13	-
		F	2	-	1	-	2	-	5	-
B48	All other accidents	M	17	-	22	-	7	-	4	-
		F	13	-	22	-	5	-	6	-
B49	Suicidal and self-inflicted injuries	M	2	-	5	-	1	-	2	-
		F	-	-	4	-	-	-	1	-
B50	All other external causes	M	1	-	-	-	1	-	1	-
		F	-	-	1	-	1	-	-	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death	Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County		
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
		Total	M F	381 304	2 2	527 405	1 1	179 172	- -	329 212
B 4	Enteritis and other diarrhoeal diseases	M	1	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
B 5	Tuberculosis of respiratory system	M	3	-	2	-	2	-	1	-
		F	1	-	1	-	-	-	1	-
B 6	Other tuberculosis, including late effects	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 8	Diphtheria	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B 9	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B10	Streptococcal sore throat and scarlet fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B11	Meningococcal infection	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B18a	Septicaemia	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B18b	Infectious hepatitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B18c	<i>Gastro-enteritis (under 2 years)</i>	M	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-
B18	All other infective and parasitic diseases	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B19a	Malignant neoplasms:— of stomach	M	9	-	13	-	3	-	8	-
		F	6	-	5	-	7	-	7	-
B19b	of other digestive organs and peritoneum	M	11	-	24	-	10	-	23	-
		F	14	-	21	-	6	-	14	-
B19c	of trachea, bronchus and lung	M	19	-	17	-	14	-	9	-
		F	3	-	5	-	3	-	2	-
B19d	of breast	M	1	-	-	-	1	-	-	-
		F	8	-	13	-	2	-	6	-
B19e	of genito-urinary organs	M	8	-	13	-	5	-	4	-
		F	9	-	12	-	6	-	6	-
B19f	of lymphatic and haematopoietic tissue	M	1	-	10	-	1	-	5	-
		F	1	-	4	-	2	-	-	-
B19g	Other	M	15	-	9	-	7	-	5	-
		F	8	-	11	-	-	-	4	-
B20	Benign neoplasms and neoplasms of unspecified nature	M	2	-	2	-	1	-	-	-
		F	2	-	-	-	1	-	-	-
B21	Diabetes mellitus	M	2	-	2	-	2	-	5	-
		F	3	-	1	-	4	-	3	-
B22	Avitaminoses and other nutritional deficiency	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B23	Anaemias	M	-	-	1	-	-	-	1	-
		F	1	-	2	-	-	-	-	-
B24	Meningitis	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
B25	Active rheumatic fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B26	Chronic rheumatic heart disease	M	4	-	5	-	4	-	5	-
		F	4	-	6	-	1	-	1	-
B27	Hypertensive disease	M	14	-	9	-	1	-	2	-
		F	19	-	4	-	3	-	4	-
B28	Ischaemic heart disease	M	117	2	158	-	45	-	75	2
		F	54	-	105	-	33	-	30	-
B29	Other forms of heart disease	M	18	-	8	-	1	-	20	-
		F	30	-	8	-	6	-	13	-

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford County Borough		Waterford County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	56	-	95	-	12	-	39	-
		F	52	-	97	-	24	-	46	-
B46a	Other diseases of circulatory system	M	8	-	14	-	6	-	10	-
		F	10	-	16	-	8	-	9	-
B31	Influenza	M	2	-	2	-	-	-	3	1
		F	-	-	1	-	-	-	3	-
B32	Pneumonia	M	19	-	27	-	14	-	21	-
		F	22	-	34	-	32	-	15	-
B33	Bronchitis, emphysema and asthma	M	14	-	44	1	24	-	20	-
		F	6	-	18	-	12	-	4	-
B46b	Bronchiectasis	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-
B46c	Other diseases of respiratory system	M	2	-	4	-	2	-	10	-
		F	3	-	2	-	5	-	4	-
B34	Peptic ulcer	M	5	-	6	-	2	-	5	-
		F	3	-	-	-	-	-	1	-
B35	Appendicitis	M	-	-	-	-	-	-	1	-
		F	-	-	1	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	1	-	2	-	-	-	2	-
		F	2	-	1	-	-	-	1	-
B37	Cirrhosis of liver	M	2	-	1	-	-	-	2	-
		F	1	-	1	-	-	-	1	-
B46d	Other diseases of digestive system	M	3	-	5	-	1	-	1	-
		F	1	-	4	-	1	-	1	-
B38	Nephritis and nephrosis	M	2	-	3	-	3	-	3	-
		F	2	-	2	-	1	-	1	-
B39	Hyperplasia of prostate	M	3	-	5	-	-	-	5	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	1	-
B42	Congenital anomalies	M	2	-	8	-	1	-	2	-
		F	4	-	5	-	1	-	1	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	1	-	2	-	1	-	1	-
		F	-	-	-	-	1	-	2	-
B44	Other causes of perinatal mortality*	M	1	-	10	-	2	-	1	-
		F	3	-	5	-	-	-	-	-
B45a	Senility without mention of psychosis	M	1	-	3	-	-	-	7	-
		F	5	2	3	1	4	-	14	1
B45b	Ill-defined conditions	M	2	-	1	-	-	-	1	-
		F	-	-	2	-	1	-	2	-
B46e	All other diseases	M	8	-	6	-	3	-	13	-
		F	16	-	7	-	3	-	11	-
External Causes										
B47	Motor vehicle accidents	M	13	-	4	-	5	-	9	-
		F	2	-	3	-	-	-	1	-
B48	All other accidents	M	8	-	7	-	5	-	9	-
		F	6	-	5	-	5	-	3	-
B49	Suicide and self-inflicted injuries	M	2	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B50	All other external causes	M	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
			Total	M F	983 740	24 11	275 185	6 7	887 622	33 48
B 4	Enteritis and other diarrhoeal diseases	M F	1 2	- -	1 1	- -	1 1	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	7 4	- -	4 -	- -	6 -	- -	- -	- -
B 6	Other tuberculosis, including late effects	M F	2 -	- -	1 -	- -	1 2	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- 2	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	- -	- -	1 -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	1 1	- -	- -	- -	- -	- -	- -	- -
B18	All other infective and parasitic diseases	M F	1 -	- -	- -	- -	1 2	- -	- 1	- -
B19a	Malignant neoplasms:— of stomach	M F	25 11	- -	10 5	- -	13 13	- -	15 5	- -
B19b	of other digestive organs and peritoneum	M F	34 37	- -	11 10	- -	42 18	- -	20 16	- -
B19c	of trachea, bronchus and lung	M F	31 8	- -	10 4	- -	21 4	- -	7 1	- -
B19d	of breast	M F	- 27	- -	- 8	- -	- 16	- -	- 6	- -
B19e	of genito-urinary organs	M F	30 16	- -	7 1	- -	24 11	- -	17 8	- -
B19f	of lymphatic and haematopoietic tissue	M F	11 10	- -	7 -	- -	11 5	- -	4 3	- -
B19g	Other	M F	28 12	- -	8 3	- -	22 18	1 -	5 8	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	1 1	- -	- -	- -	1 1	- -	1 -	- -
B21	Diabetes mellitus	M F	3 16	- -	2 5	- -	4 11	- -	1 4	- -
B22	Avitaminoses and other nutritional deficiency	M F	- 1	- -	- -	- -	1 -	- -	- -	- -
B23	Anaemias	M F	3 5	- -	1 1	- -	6 4	- -	1 2	- -
B24	Meningitis	M F	1 1	- -	- -	- -	- -	- -	- -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	10 6	- -	1 1	- -	4 6	- -	2 -	- -
B27	Hypertensive disease	M F	12 17	- 1	2 1	- -	11 16	- 1	7 8	- -
B28	Ischaemic heart disease	M F	317 169	4 2	75 42	- -	224 116	1 -	153 105	- -
B29	Other forms of heart disease	M F	36 50	2 -	4 3	- 1	82 61	1 2	17 12	2 -

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Galway County		Leitrim County		Mayo County		Roscommon County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	98	4	35	-	127	1	62	1
		F	112	1	32	-	102	2	62	-
B46a	Other diseases of circulatory system	M	40	-	8	-	31	-	22	-
		F	40	-	14	-	30	-	17	-
B31	Influenza	M	13	1	2	-	5	-	6	-
		F	8	1	4	-	6	-	1	-
B32	Pneumonia	M	53	-	21	-	31	1	17	-
		F	45	1	14	-	17	-	13	-
B33	Bronchitis, emphysema and asthma	M	49	-	17	-	44	-	22	-
		F	16	-	6	-	23	-	9	-
B46b	Bronchiectasis	M	1	-	-	-	3	-	-	-
		F	2	-	-	-	-	-	-	-
B46c	Other diseases of respiratory system	M	16	-	1	-	13	-	-	-
		F	10	-	2	-	7	-	1	-
B34	Peptic ulcer	M	16	-	3	-	8	-	3	-
		F	4	-	2	-	6	1	3	-
B35	Appendicitis	M	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
B36	Intestinal obstruction and hernia	M	3	-	2	-	4	-	1	-
		F	5	-	1	-	1	-	-	-
B37	Cirrhosis of liver	M	3	-	1	-	3	-	-	-
		F	2	-	-	-	2	-	-	-
B46d	Other diseases of digestive system	M	10	-	2	-	7	-	4	-
		F	6	-	1	-	4	-	6	-
B38	Nephritis and nephrosis	M	7	-	3	-	1	-	5	-
		F	6	-	-	-	3	-	2	-
B39	Hyperplasia of prostate	M	8	-	2	-	5	-	1	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	1	-	-	-	-	-	-	-
B42	Congenital anomalies	M	8	-	-	-	11	-	1	-
		F	4	-	-	-	7	-	-	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	6	-	-	-	3	-	-	-
		F	5	-	-	-	2	-	1	-
B44	Other causes of perinatal mortality*	M	5	-	-	-	1	-	4	-
		F	1	-	2	-	-	-	4	-
B45a	Senility without mention of psychosis	M	16	13	5	5	32	22	12	2
		F	10	5	7	6	46	36	10	3
B45b	Ill-defined conditions	M	1	-	2	1	3	-	2	1
		F	1	-	-	-	4	3	1	1
B46e	All other diseases	M	22	-	7	-	39	6	14	-
		F	37	-	11	-	38	3	12	-
External Causes										
B47	Motor vehicle accidents	M	25	-	5	-	17	-	3	-
		F	3	-	-	-	3	-	1	-
B48	All other accidents	M	28	-	8	-	17	-	7	-
		F	24	-	3	-	14	-	6	-
B49	Suicide and self-inflicted injuries	M	2	-	3	-	2	-	-	-
		F	2	-	-	-	-	-	-	-
B50	All other external causes	M	-	-	3	-	5	-	-	-
		F	1	-	1	-	1	-	-	-

*Late foetal deaths not included.

TABLE 20 (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
	Total	M F	399 325	3 1	468 334	1 5	820 656	12 17	361 273	1 -
B 4	Enteritis and other diarrhoeal diseases	M F	1 -	- -	1 -	- -	2 -	- -	- -	- -
B 5	Tuberculosis of respiratory system	M F	2 1	- -	- -	- -	4 -	- -	1 1	- -
B 6	Other tuberculosis, including late effects	M F	- -	- -	- -	- -	2 -	- -	- -	- -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- 1	- -	- 1	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- -	- -	1 -	- -	2 -	- -	1 1	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- -	- -	1 -	- -	1 -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	1 -	- -	- -	- -	1 -	- -	- -	- -
B18	All other infective and parasitic diseases	M F	1 4	- -	1 -	- -	- 1	- -	- -	- -
B19a	Malignant neoplasms:— of stomach	M F	11 11	- -	18 16	- -	16 12	- -	6 6	- -
B19b	of other digestive organs and peritoneum	M F	20 26	- -	16 10	- -	36 46	- -	6 8	- -
B19c	of trachea, bronchus and lung	M F	10 1	- -	7 2	- -	19 3	- -	12 -	- -
B19d	of breast	M F	- 9	- -	- 6	- -	- 29	- -	- 6	- -
B19e	of genito-urinary organs	M F	11 6	- -	16 10	- -	14 11	- -	6 3	- -
B19f	of lymphatic and haematopoietic tissue	M F	6 2	- -	5 3	- -	8 4	- -	3 1	- -
B19g	Other	M F	3 6	- -	9 7	- 1	13 10	- -	3 3	- -
B20	Benign neoplasms and neoplasms of unspecified nature	M F	1 2	- -	- 1	- -	1 2	- -	2 -	- -
B21	Diabetes mellitus	M F	6 4	- -	1 2	- -	6 13	- -	4 7	- -
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	2 -	- -	- -	- -
B23	Anaemias	M F	1 1	- -	1 -	- -	1 2	- -	1 -	- -
B24	Meningitis	M F	- -	- -	- -	- -	- -	- -	1 -	- -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	5 8	- -	6 1	- -	4 4	- -	- 2	- -
B27	Hypertensive disease	M F	11 12	- -	4 10	- -	18 15	- -	5 3	- -
B28	Ischaemic heart disease	M F	98 60	1 -	103 56	- 1	215 134	5 4	145 82	1 -
B29	Other forms of heart disease	M F	5 10	- 1	19 12	- -	52 41	2 4	14 9	- -

TABLE 2Q (contd.)—DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS.

Abbreviated List Number	Cause of death		Sligo County		Cavan County		Donegal County		Monaghan County	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
B30	Cerebrovascular disease	M	59	-	86	-	107	2	43	-
		F	57	-	88	-	100	-	47	-
B46a	Other diseases of circulatory system	M	20	-	17	-	41	-	11	-
		F	17	-	12	1	33	-	12	-
B31	Influenza	M	5	-	3	-	13	1	4	-
		F	4	-	2	-	15	1	5	-
B32	Pneumonia	M	22	-	24	-	67	-	30	-
		F	16	-	16	-	59	-	27	-
B33	Bronchitis, emphysema and asthma	M	19	-	31	-	27	-	17	-
		F	11	-	15	-	17	1	6	-
B46b	Bronchiectasis	M	-	-	1	-	1	-	-	-
		F	-	-	1	-	-	-	-	-
B46c	Other diseases of respiratory system	M	5	-	9	-	5	-	6	-
		F	1	-	11	-	8	-	6	-
B34	Peptic ulcer	M	4	-	4	-	7	-	4	-
		F	-	-	2	-	5	-	2	-
B35	Appendicitis	M	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	1	-
B36	Intestinal obstruction and hernia	M	-	-	2	-	6	-	-	-
		F	-	-	2	-	4	-	1	-
B37	Cirrhosis of liver	M	3	-	2	-	2	-	1	-
		F	1	-	1	-	-	-	-	-
B46d	Other diseases of digestive system	M	2	-	4	-	9	-	2	-
		F	2	-	-	-	4	-	1	-
B38	Nephritis and nephrosis	M	2	-	6	-	9	-	1	-
		F	3	-	3	-	4	-	1	-
B39	Hyperplasia of prostate	M	1	-	6	-	6	-	-	-
B40	Abortion	F	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	1	-	1	-	-	-
B42	Congenital anomalies	M	3	-	6	-	6	-	3	-
		F	6	-	5	-	7	-	4	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	3	-	4	-	10	-	6	-
		F	4	-	2	-	2	-	3	-
B44	Other causes of perinatal mortality*	M	4	-	5	-	3	-	1	-
		F	4	-	3	-	3	-	2	-
B45a	Senility without mention of psychosis	M	9	2	5	-	7	2	-	-
		F	14	-	7	-	17	7	-	-
B45b	Ill-defined conditions	M	-	-	1	-	4	-	1	-
		F	1	-	2	2	2	-	-	-
B46e	All other diseases	M	14	-	15	1	30	-	4	-
		F	11	-	14	-	26	-	10	-
External Causes										
B47	Motor vehicle accidents	M	13	-	9	-	26	-	10	-
		F	4	-	2	-	5	-	2	-
B48	All other accidents	M	15	-	16	-	14	-	7	-
		F	5	-	8	-	15	-	10	-
B49	Suicide and self-inflicted injuries	M	3	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	1	-
B50	All other external causes	M	1	-	2	-	3	-	-	-
		F	-	-	-	-	2	-	-	-

*Late foetal deaths not included.

TABLE 21—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes	M F	2,859 2,883	163 126	29 13	22 15	46 13	39 30	92 57	267 178	532 346	812 698	857 1,407
B 4	Enteritis and other diarrhoeal diseases	M F	10 6	7 2	1 -	- -	- -	- -	- -	- -	- 1	1 1	1 2
B 5	Tuberculosis of respiratory system	M F	26 9	- -	- -	- -	- -	1 1	- 1	10 3	5 1	8 2	3 1
B 6	Other tuberculosis, including late effects	M F	5 2	- -	- 1	- -	- -	- -	- -	- -	2 1	2 -	1 -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1
B18c	Gastro-enteritis (under 2 years)	M F	8 2	7 2	1 -	- -	- -	- -	- -	- -	- -	- -	- -
B18	All other infective and parasitic diseases	M F	6 4	- 3	2 -	- -	- -	- -	- -	- -	1 -	- 1	3 -
B19a	Malignant neoplasms:— of stomach	M F	67 64	- -	- -	- -	- -	1 -	2 2	5 4	13 9	27 27	19 22
B19b	of other digestive organs and peritoneum	M F	153 159	- -	- -	1 1	3 1	6 4	18 9	33 30	50 45	42 69	42 69
B19c	of trachea, bronchus and lung	M F	225 64	- -	- -	- -	1 1	4 1	25 13	69 24	83 16	43 9	43 9
B19d	of breast	M F	3 104	- -	- -	- -	2 14	- -	- 22	1 28	- 19	2 19	2 19
B19e	of genito-urinary organs	M F	71 88	- -	- -	1 -	2 4	1 10	3 28	10 28	24 22	32 22	32 22
B19f	of lymphatic and haematopoietic tissue	M F	35 37	- -	3 -	4 1	1 2	4 1	2 4	4 4	4 15	6 15	7 10
B19g	Other	M F	66 65	- -	- -	1 2	1 1	- -	4 4	7 13	13 10	23 15	17 20
B20	Benign neoplasms and neoplasms of unspecified nature	M F	4 9	- -	- -	1 -	- -	- 1	- 1	- 1	2 -	2 2	- 4
B21	Diabetes mellitus	M F	20 37	- -	- -	- -	- -	1 3	1 -	2 1	2 6	6 11	8 16
B22	Avitaminoses and other nutritional deficiency	M F	- 5	- -	- -	- -	- -	- -	- -	- -	1 -	3 -	- 1
B23	Anaemias	M F	4 10	- -	- -	- -	- -	- -	- -	- -	1 2	- 1	3 7
B24	Meningitis	M F	8 5	1 3	3 -	- -	1 -	1 -	- -	- -	1 -	- 1	1 1
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	28 43	- -	- -	- -	- -	- -	3 3	7 2	7 12	6 13	5 13
B27	Hypertensive disease	M F	42 67	- -	- -	- -	- -	2 2	4 1	13 6	7 12	7 12	16 45
B28	Ischaemic heart disease	M F	786 599	- -	- -	- -	1 -	2 1	26 1	105 22	199 72	254 180	199 323
B29	Other forms of heart disease	M F	48 91	- -	- -	1 -	2 -	- -	4 -	1 -	5 4	12 16	23 71

TABLE 21 (contd.)—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

DUBLIN COUNTY BOROUGH

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B30	Cerebrovascular disease	M	213	-	-	-	1	1	6	12	29	66	98
		F	359	-	-	-	-	-	6	22	32	92	207
B46a	Other diseases of circulatory system	M	74	-	-	-	-	-	-	3	9	27	35
		F	115	-	-	-	-	1	1	3	13	26	71
B31	Influenza	M	6	-	1	-	-	-	-	-	-	1	4
		F	21	-	-	-	-	1	-	-	-	4	16
B32	Pneumonia	M	226	5	4	1	1	1	3	9	27	55	120
		F	329	10	1	3	-	3	2	5	14	75	216
B33	Bronchitis, emphysema and asthma	M	220	-	-	-	-	-	2	15	38	76	89
		F	129	-	-	1	-	-	3	9	18	29	69
B46b	Bronchiectasis	M	7	1	-	-	-	1	1	-	-	3	1
		F	5	-	-	-	-	-	-	-	1	-	4
B46c	Other diseases of respiratory system	M	34	12	1	-	-	-	1	-	4	6	10
		F	43	11	1	-	1	-	-	2	-	2	26
B34	Peptic ulcer	M	23	-	-	-	-	-	1	1	5	10	6
		F	21	-	-	-	1	-	-	1	3	3	13
B35	Appendicitis	M	4	-	-	-	1	-	1	1	-	1	-
		F	1	-	-	-	-	-	-	-	-	1	-
B36	Intestinal obstruction and hernia	M	8	1	-	-	-	-	-	-	-	4	3
		F	17	-	-	-	1	-	-	1	-	3	12
B37	Cirrhosis of liver	M	15	-	-	-	-	-	2	2	4	5	2
		F	10	-	-	-	-	-	-	4	2	2	2
B46d	Other diseases of digestive system	M	17	-	-	-	1	-	1	3	3	2	7
		F	27	2	-	-	-	-	-	2	2	10	11
B38	Nephritis and nephrosis	M	17	-	-	-	3	1	3	2	2	4	2
		F	17	-	-	-	-	-	-	2	3	3	9
B39	Hyperplasia of prostate	M	9	-	-	-	-	-	-	-	-	2	7
B40	Abortion	F	1	-	-	-	-	-	1	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	60	46	7	2	-	2	1	-	2	-	-
		F	52	42	4	-	1	-	1	1	1	2	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	45	45	-	-	-	-	-	-	-	-	-
		F	25	25	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	42	42	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	4	-	-	-	-	-	-	-	-	-	4
		F	14	-	-	-	-	-	-	-	-	-	14
B45b	Ill-defined conditions	M	2	-	-	-	-	-	-	-	1	-	1
		F	6	1	-	-	-	-	-	-	-	1	4
B46e	All other diseases	M	61	1	1	1	-	2	1	3	6	20	26
		F	103	3	1	3	3	4	2	9	10	24	44
External Causes													
B47	Motor vehicle accidents	M	66	-	2	6	18	5	4	8	10	10	3
		F	21	-	-	1	1	4	1	1	2	6	5
B48	All other accidents	M	66	1	4	6	8	9	3	8	7	8	12
		F	53	1	5	2	3	-	1	2	4	8	27
B49	Suicide and self-inflicted injuries	M	18	-	-	-	2	3	4	5	3	-	1
		F	12	-	-	-	-	2	1	5	1	3	-
B50	All other external causes	M	14	-	-	-	3	1	3	4	1	1	1
		F	8	-	-	-	1	-	1	4	1	1	-

*Late foetal deaths not included.

TABLE 21 (contd.)—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
			M F	3,358 3,291	160 111	31 20	23 11	57 21	40 25	99 71	255 194	595 401	984 832
B 4	Enteritis and other diarrhoeal diseases	M F	6 9	4 3	1 -	1 -	- -	- -	- -	- -	- -	- 1	- 5
B 5	Tuberculosis of respiratory system	M F	25 9	- -	- -	- -	- -	- -	2 1	4 3	7 1	7 2	5 2
B 6	Other tuberculosis, including late effects	M F	3 5	- -	- -	- -	- -	- -	1 -	- 1	- 1	2 -	- 3
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	- 3	- 3	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18a	Septicaemia	M F	6 -	2 -	- -	- -	- -	1 -	- -	- -	2 -	- -	1 -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	1 1	- -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -
B18c	<i>Gastro-enteritis (under 2 years)</i>	M F	5 3	4 3	1 -	- -	- -	- -	- -	- -	- -	- -	- -
B18	All other infective and parasitic diseases	M F	1 4	- -	1 -	- -	- -	- -	- -	- 1	1 1	- -	- 1
B19a	Malignant neoplasms:— of stomach	M F	58 63	- -	- -	- -	- -	- -	5 1	6 2	12 7	9 20	26 33
B19b	of other digestive organs and peritoneum	M F	160 167	- -	- -	1 -	- -	2 2	5 3	9 18	33 31	61 58	49 55
B19c	of trachea, bronchus and lung	M F	208 53	- -	- -	- -	1 -	2 -	6 2	18 7	64 16	85 22	32 6
B19d	of breast	M F	1 108	- -	- -	- -	- -	- 3	- 9	- 25	- 30	- 21	1 20
B19e	of genito-urinary organs	M F	74 88	- -	1 -	- -	- 2	1 1	4 3	4 17	7 24	22 25	35 16
B19f	of lymphatic and haematopoietic tissue	M F	34 35	- -	- -	4 4	2 3	- 1	1 2	4 9	5 1	10 11	8 4
B19g	Other	M F	88 52	- -	1 1	2 1	5 -	2 -	4 2	10 7	25 16	22 13	17 12
B20	Benign neoplasms and neoplasms of unspecified nature	M F	9 10	- -	- 1	- -	- -	1 -	1 1	- 4	2 1	4 2	1 1
B21	Diabetes mellitus	M F	34 42	- -	- -	1 -	1 -	1 -	2 1	1 -	6 10	8 11	14 20
B22	Avitaminoses and other nutritional deficiency	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B23	Anaemias	M F	8 7	- -	- -	- -	- -	- -	- -	1 -	2 1	3 -	2 6
B24	Meningitis	M F	5 2	4 2	- -	- -	- -	- -	- -	- -	- -	- -	1 -
B25	Active rheumatic fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	30 39	- -	- -	- -	1 -	2 1	3 3	4 3	7 8	8 13	5 11
B27	Hypertensive disease	M F	38 47	- -	- -	- -	- -	- -	4 -	3 2	11 6	11 14	9 25
B28	Ischaemic heart disease	M F	959 755	- -	- -	- -	- -	2 -	25 9	116 23	213 97	328 245	275 381
B29	Other forms of heart disease	M F	78 140	- -	- -	- -	- 1	- -	1 2	3 2	3 5	15 24	56 106

TABLE 21 (contd.)—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

REMAINING URBAN DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B30	Cerebrovascular disease	M	360	-	-	1	1	1	4	17	47	103	186
		F	559	-	-	1	-	2	7	21	48	125	355
B46a	Other diseases of circulatory system	M	132	-	-	-	-	-	2	5	19	34	72
		F	194	-	-	-	-	-	-	6	6	38	144
B31	Influenza	M	17	-	-	-	-	-	1	1	1	6	8
		F	28	-	-	-	-	-	-	1	1	6	20
B32	Pneumonia	M	191	20	2	1	-	-	-	6	17	52	93
		F	239	13	4	2	-	1	2	8	12	54	143
B33	Bronchitis, emphysema and asthma	M	263	-	1	-	-	1	2	13	51	95	100
		F	145	-	1	-	-	-	1	9	33	47	54
B46b	Bronchiectasis	M	4	-	-	-	-	-	1	1	-	2	-
		F	3	-	-	-	-	-	1	-	1	-	1
B46c	Other diseases of respiratory system	M	48	9	-	-	-	-	-	2	3	12	22
		F	39	3	-	-	-	1	-	2	2	7	24
B34	Peptic ulcer	M	23	-	-	-	-	-	1	2	4	10	6
		F	17	-	-	-	-	-	2	3	1	4	7
B35	Appendicitis	M	1	-	1	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	1	1	-
B36	Intestinal obstruction and hernia	M	8	-	-	-	-	-	-	-	4	1	3
		F	10	-	-	-	-	-	-	-	2	1	7
B37	Cirrhosis of liver	M	15	-	-	-	-	-	2	3	2	4	4
		F	13	-	-	-	-	1	4	2	3	2	1
B46d	Other diseases of digestive system	M	29	-	-	-	-	1	2	2	8	8	8
		F	32	-	-	-	-	-	2	2	8	12	8
B38	Nephritis and nephrosis	M	21	-	-	-	3	2	1	-	5	4	6
		F	18	-	-	-	2	2	-	1	2	6	5
B39	Hyperplasia of prostate	M	13	-	-	-	-	-	-	-	1	2	10
B40	Abortion	F	1	-	-	-	-	-	1	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	-	-	-	-	-	-	-	-	-	-	-
B42	Congenital anomalies	M	41	33	6	-	1	-	-	-	1	-	-
		F	51	43	5	2	-	1	-	-	-	-	-
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	51	51	-	-	-	-	-	-	-	-	-
		F	24	24	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	23	23	-	-	-	-	-	-	-	-	-
		F	12	12	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	19	-	-	-	-	-	-	-	-	-	19
		F	40	-	-	-	-	-	-	-	-	1	39
B45b	Ill-defined conditions	M	5	-	-	-	-	-	-	-	-	1	4
		F	9	-	-	-	-	-	-	-	-	1	8
B46e	All other diseases	M	95	5	6	6	1	1	1	9	8	34	24
		F	107	1	2	-	3	2	6	9	17	27	40
External Causes													
B47	Motor vehicle accidents	M	74	-	3	6	19	11	11	6	8	7	3
		F	18	-	2	-	2	3	4	-	4	2	1
B48	All other accidents	M	80	9	8	-	15	7	5	4	13	10	9
		F	78	6	3	1	6	2	1	2	4	14	39
B49	Suicide and self-inflicted injuries	M	9	-	-	-	3	1	-	-	2	3	-
		F	3	-	-	-	1	1	-	1	-	-	-
B50	All other external causes	M	10	-	-	-	4	1	2	1	1	1	-
		F	10	1	-	-	1	1	1	2	-	2	2

*Late foetal deaths not included.

TABLE 21 (contd.)—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		Age at death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
	All Causes	M F	12,472 9,329	390 284	72 53	50 44	191 58	149 61	231 132	702 465	1,842 976	3,335 2,071	5,510 5,185
B 4	Enteritis and other diarrhoeal diseases	M F	20 15	8 9	4 -	- -	- 1	- -	- -	- -	1 -	3 2	4 3
B 5	Tuberculosis of respiratory system	M F	53 18	- -	- -	- -	- 1	1 -	3 -	7 5	6 3	21 7	15 2
B 6	Other tuberculosis, including late effects	M F	15 3	- -	- -	- -	- -	4 -	- -	1 -	6 2	3 1	1 -
B 8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B 9	Whooping cough	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Streptococcal sore throat and scarlet fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B11	Meningococcal infection	M F	5 4	1 -	1 4	1 -	1 -	- -	1 -	- -	- -	- -	- -
B18a	Septicaemia	M F	6 8	1 3	- 1	- 1	- -	- -	- -	- -	1 1	2 1	2 1
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B18b	Infectious hepatitis	M F	4 4	- -	- -	- -	1 -	- -	1 -	1 -	- -	1 -	2 2
B18c	Gastro-enteritis (under 2 years)	M F	10 9	9 9	1 -	- -	- -	- -	- -	- -	- -	- -	- -
B18	All other infective and parasitic diseases	M F	13 12	1 1	3 -	- 2	- 1	- -	1 -	- 1	4 3	2 3	2 1
B19a	Malignant neoplasms:— of stomach	M F	267 181	- -	- -	- -	- -	2 -	5 3	23 7	55 38	107 54	75 79
B19b	of other digestive organs and peritoneum	M F	531 436	1 -	- -	1 -	- -	2 2	10 8	47 37	101 84	158 129	211 176
B19c	of trachea, bronchus and lung	M F	405 106	- -	- -	- 1	- -	1 1	9 2	38 17	131 28	155 36	71 21
B19d	of breast	M F	1 281	- -	- -	- -	- 1	- 2	- 17	- 73	- 71	1 52	- 65
B19e	of genito-urinary organs	M F	298 214	- -	2 -	- -	2 -	1 3	3 9	12 41	31 50	91 55	156 56
B19f	of lymphatic and haematopoietic tissue	M F	140 96	- -	5 2	3 7	8 5	6 4	10 5	18 11	36 13	36 25	18 24
B19g	Other	M F	263 194	- -	3 1	7 3	6 4	8 3	8 12	20 30	49 40	73 45	89 56
B20	Benign neoplasms and neoplasms of unspecified nature	M F	25 12	- 1	1 -	- -	- -	1 -	2 -	1 1	3 2	7 5	10 3
B21	Diabetes mellitus	M F	98 136	- -	- -	- -	3 -	2 -	2 3	7 5	17 14	31 47	36 67
B22	Avitaminoses and other nutritional deficiency	M F	9 2	- -	1 -	1 -	- -	- -	- -	- -	2 -	3 -	2 2
B23	Anaemias	M F	36 33	- -	- -	- -	- -	- -	- -	- -	4 3	11 6	21 24
B24	Meningitis	M F	10 7	8 1	- 1	- 2	- -	- -	- -	1 -	- 1	2 -	1 -
B25	Active rheumatic fever	M F	- 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
B26	Chronic rheumatic heart disease	M F	103 70	- -	- -	- -	1 -	3 -	3 4	10 4	17 18	35 21	34 23
B27	Hypertensive disease	M F	190 232	- -	- -	- -	- -	- -	5 -	13 3	34 26	50 61	88 142
B28	Ischaemic heart disease	M F	3,518 1,959	- -	- -	- -	2 -	7 3	43 3	246 62	647 204	1,128 540	1,445 1,147
B29	Other forms of heart disease	M F	622 618	- -	- -	- -	1 1	1 -	2 -	13 12	30 17	108 69	467 519

TABLE 21 (contd.)—DEATHS OCCURRING IN 1973, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) SEX AND AGE, OF RESIDENTS IN DUBLIN COUNTY BOROUGH, REMAINING URBAN DISTRICTS AND AGGREGATE RURAL DISTRICTS.

RURAL DISTRICTS

Abbreviated List No.	Cause of death		RURAL DISTRICTS										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B30	Cerebrovascular disease	M	1,597	-	-	-	4	8	16	42	157	463	907
		F	1,667	1	1	2	4	8	15	46	128	377	1,085
B46a	Other diseases of circulatory system	M	583	-	-	-	-	3	4	13	44	124	395
		F	496	1	1	-	-	4	4	12	24	76	374
B31	Influenza	M	100	2	1	-	-	2	1	5	7	18	64
		F	90	-	-	-	-	1	3	3	6	17	60
B32	Pneumonia	M	656	36	8	1	11	3	4	24	65	130	374
		F	578	26	5	2	4	4	4	18	42	115	358
B33	Bronchitis, emphysema and asthma	M	706	-	-	-	4	4	2	31	143	253	269
		F	313	-	-	-	1	-	6	11	47	79	169
B46b	Bronchiectasis	M	10	1	-	-	-	-	-	-	2	3	4
		F	11	-	-	-	-	-	-	3	1	2	5
B46c	Other diseases of respiratory system	M	171	25	2	1	1	1	4	2	22	26	87
		F	125	10	2	1	-	1	-	2	9	25	75
B34	Peptic ulcer	M	119	-	-	-	-	2	1	5	23	41	47
		F	49	-	-	-	-	-	1	4	4	13	27
B35	Appendicitis	M	9	-	-	2	-	-	-	-	2	1	4
		F	4	-	1	-	-	-	-	-	-	1	2
B36	Intestinal obstruction and hernia	M	42	-	-	-	1	-	1	2	6	6	26
		F	36	-	-	-	1	-	-	1	-	12	22
B37	Cirrhosis of liver	M	31	-	-	-	-	1	-	9	4	15	2
		F	21	-	-	1	-	2	1	4	1	6	6
B46d	Other diseases of digestive system	M	89	-	-	-	-	2	3	3	17	26	38
		F	75	-	-	-	-	1	3	6	10	19	36
B38	Nephritis and nephrosis	M	98	-	-	-	1	-	4	7	13	32	41
		F	49	-	-	-	1	1	2	3	6	15	21
B39	Hyperplasia of prostate	M	87	-	-	-	-	-	-	2	3	13	69
B40	Abortion	F	-	-	-	-	-	-	-	-	-	-	-
B41	Other complications of pregnancy, childbirth and the puerperium	F	6	-	-	-	1	1	2	2	-	-	-
B42	Congenital anomalies	M	138	111	13	6	2	-	2	1	3	-	-
		F	119	94	11	2	2	4	1	1	2	-	2
B43	Birth injury, difficult labour and other anoxic and hypoxic conditions	M	105	105	-	-	-	-	-	-	-	-	-
		F	67	67	-	-	-	-	-	-	-	-	-
B44	Other causes of perinatal mortality*	M	68	68	-	-	-	-	-	-	-	-	-
		F	57	57	-	-	-	-	-	-	-	-	-
B45a	Senility without mention of psychosis	M	157	-	-	-	-	-	-	-	1	3	153
		F	194	-	-	-	-	-	-	-	1	7	186
B45b	Ill-defined conditions	M	32	-	-	-	-	1	-	2	2	5	22
		F	24	-	-	-	-	-	-	-	-	5	19
B46e	All other diseases	M	340	10	4	7	5	6	9	27	43	80	149
		F	370	9	7	4	4	5	7	18	54	99	163
External Causes													
B47	Motor vehicle accidents	M	347	2	14	11	94	43	38	34	55	35	21
		F	87	1	8	10	17	5	7	10	6	8	15
B48	All other accidents	M	266	9	10	7	34	23	20	20	38	25	80
		F	226	3	8	6	1	6	5	7	13	31	146
B49	Suicide and self-inflicted injuries	M	49	-	-	-	5	6	9	5	12	8	4
		F	14	-	-	-	4	-	3	2	2	2	1
B50	All other external causes	M	39	-	-	2	5	5	5	11	5	2	4
		F	9	-	-	-	2	-	2	2	2	1	-

*Late foetal deaths not included.

TABLE 22—DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY BOROUGH IN 1973, CLASSIFIED BY PLACE OF OCCURRENCE.

Area	Total Deaths		Place of Occurrence							
			General and Special Hospitals and Nursing Homes		Mental Hospitals		Local Authority Institutions		Domiciliary	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	18,689	15,503	3,392	3,125	500	489	7,432	6,021	7,365	5,868
LEINSTER	7,874	7,177	2,227	2,065	186	236	2,474	2,256	2,987	2,620
MUNSTER	6,186	4,863	839	750	161	142	2,856	2,230	2,330	1,741
CONNACHT	2,980	2,200	220	228	117	76	1,379	987	1,264	909
ULSTER (part of)	1,649	1,263	106	82	36	35	723	548	784	598
LEINSTER										
Carlow	211	182	36	26	10	13	69	80	96	63
Dublin County Borough	2,859	2,883	1,172	1,073	58	100	632	711	997	999
Dun Laoghaire Borough	290	348	139	164	4	9	26	41	121	134
Dublin County (remainder)	660	622	266	245	16	22	122	112	256	243
Kildare	371	313	75	76	7	11	151	105	138	121
Kilkenny	411	332	40	35	17	13	176	147	178	137
Laois	286	237	29	21	8	5	123	120	126	91
Longford	246	162	35	28	6	3	114	76	91	55
Louth	444	326	111	75	6	7	165	127	162	117
Meath	468	370	69	49	11	10	201	147	187	164
Offaly	319	258	30	16	7	8	151	119	131	115
Westmeath	361	281	46	40	18	5	177	173	120	63
Wexford	551	517	71	98	12	22	243	205	225	192
Wicklow	397	346	108	119	6	8	124	93	159	126
MUNSTER										
Clare	562	440	52	35	30	21	281	241	199	143
Cork County Borough	707	698	229	203	7	14	211	205	260	276
Cork County	1,694	1,234	237	172	23	24	743	577	691	461
Kerry	851	658	64	71	20	22	449	315	318	250
Limerick County Borough	307	312	74	61	14	9	129	164	90	78
Limerick County	649	428	42	48	22	6	333	242	252	132
Tipperary, North Riding	381	304	16	31	13	11	193	145	159	117
Tipperary, South Riding	527	405	59	69	13	14	285	201	170	121
Waterford County Borough	179	172	26	34	8	10	74	44	71	84
Waterford County	329	212	40	26	11	11	158	96	120	79
CONNACHT										
Galway	983	740	122	119	43	31	416	327	402	263
Leitrim	275	185	19	8	6	5	149	94	101	78
Mayo	887	622	29	40	37	12	430	278	391	292
Roscommon	436	328	26	15	25	21	213	161	172	131
Sligo	399	325	24	46	6	7	171	127	198	145
ULSTER (part of)										
Cavan	468	334	23	26	10	7	222	152	213	149
Donegal	820	656	52	31	14	16	316	243	438	366
Monaghan	361	273	31	25	12	12	185	153	133	83

TABLE 24—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
		TOTAL										
Tuberculosis, all forms	M	127	-	-	-	-	5	6	22	26	43	25
	F	46	-	1	-	1	1	2	12	9	11	9
Other infective and parasitic diseases	M	80	26	13	2	1	1	3	-	10	9	15
	F	74	25	6	3	3	-	-	4	6	10	17
Malignant neoplasms	M	3,148	1	15	23	28	36	89	271	692	1,043	950
	F	2,655	-	4	20	16	30	108	376	582	725	794
Ischaemic and other forms of heart disease	M	6,172	-	-	1	8	17	110	505	1,128	1,894	2,509
	F	4,314	-	-	-	2	5	25	130	437	1,121	2,594
Hypertensive disease	M	270	-	-	-	-	-	11	20	58	68	113
	F	346	-	-	-	-	2	1	6	38	87	212
Cerebrovascular disease	M	2,170	-	-	1	6	10	26	71	233	632	1,191
	F	2,585	1	1	3	4	10	28	89	208	594	1,647
Other diseases of the circulatory system	M	789	-	-	-	-	3	6	21	72	185	502
	F	806	1	1	-	1	5	5	21	43	140	589
Disease of the respiratory system	M	2,659	111	20	4	17	13	22	109	380	738	1,245
	F	2,098	73	14	9	6	12	22	73	187	463	1,239
Senility	M	180	-	-	-	-	-	-	-	1	3	176
	F	248	-	-	-	-	-	-	-	1	8	239
Other diseases	M	2,050	554	43	20	24	28	45	99	214	406	617
	F	1,792	409	33	15	20	27	42	88	173	364	621
Accidents and other external causes	M	1,044	21	41	44	210	115	104	106	155	110	138
	F	539	12	26	20	39	24	27	38	39	78	236
All causes	M	18,689	713	132	95	294	228	422	1,224	2,969	5,131	7,481
	F	15,503	521	86	70	92	116	260	837	1,723	3,601	8,197
		LEINSTER										
Tuberculosis, all forms	M	62	-	-	-	-	4	2	13	13	20	10
	F	27	-	1	-	1	1	1	8	6	5	4
Other infective and parasitic diseases	M	38	15	8	1	-	1	1	-	3	3	6
	F	30	13	1	1	-	-	-	-	1	4	10
Malignant neoplasms	M	1,465	1	6	8	9	23	48	127	334	504	405
	F	1,296	-	2	12	7	17	61	185	282	362	368
Ischaemic and other forms of heart disease	M	2,503	-	-	1	5	8	62	275	523	788	841
	F	1,884	-	-	-	1	1	13	58	211	505	1,095
Hypertensive disease	M	113	-	-	-	-	-	2	8	25	31	47
	F	168	-	-	-	-	2	1	2	16	40	107
Cerebrovascular disease	M	842	-	-	-	1	3	17	35	87	247	452
	F	1,140	-	1	3	3	5	16	45	92	284	691
Other diseases of the circulatory system	M	298	-	-	-	-	2	1	6	29	89	171
	F	364	1	1	-	1	3	1	5	21	71	260
Diseases of the respiratory system	M	1,165	72	9	1	3	3	10	51	166	327	523
	F	1,065	46	6	6	4	6	10	41	87	237	622
Senility	M	32	-	-	-	-	-	-	-	-	-	32
	F	51	-	-	-	-	-	-	-	1	1	49
Other diseases	M	877	310	16	8	15	12	19	40	88	151	218
	F	888	231	19	9	9	14	21	43	83	184	275
Accidents and other external causes	M	479	9	24	22	109	58	51	53	62	41	50
	F	264	3	16	11	22	15	16	24	23	34	100
All causes	M	7,874	407	63	41	142	114	213	608	1,330	2,201	2,755
	F	7,177	294	47	42	48	64	140	411	823	1,727	3,581

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
MUNSTER												
Tuberculosis, all forms	M	35	-	-	-	-	-	2	6	5	15	7
	F	11	-	-	-	-	-	-	2	1	3	5
Other infective and parasitic diseases	M	25	8	3	1	1	-	1	-	4	3	4
	F	26	10	3	1	2	-	-	4	1	2	3
Malignant neoplasms	M	996	-	6	11	14	7	27	83	211	341	296
	F	818	-	1	3	7	9	32	112	199	213	242
Ischaemic and other forms of heart disease	M	2,078	-	-	-	1	5	38	163	360	635	876
	F	1,440	-	-	-	-	2	12	41	139	390	856
Hypertensive disease	M	87	-	-	-	-	-	8	10	22	18	29
	F	96	-	-	-	-	-	-	3	12	25	56
Cerebrovascular disease	M	711	-	-	1	2	5	6	24	88	207	378
	F	845	-	-	-	1	3	8	29	76	197	531
Other diseases of the circulatory system	M	301	-	-	-	-	-	4	11	32	57	197
	F	267	-	-	-	-	-	1	9	9	43	205
Diseases of the respiratory system	M	891	18	6	1	11	5	6	38	136	270	400
	F	629	17	4	2	-	5	8	22	64	137	370
Senility	M	62	-	-	-	-	-	-	-	-	-	62
	F	86	-	-	-	-	-	-	-	-	2	84
Other diseases	M	680	162	19	7	5	11	19	41	66	135	215
	F	483	112	7	3	9	8	11	28	44	87	174
Accidents and other external causes	M	320	8	11	19	58	39	29	25	53	36	42
	F	162	8	5	7	9	8	6	9	11	23	76
All causes	M	6,186	196	45	40	92	72	140	401	977	1,717	2,506
	F	4,863	147	20	16	28	35	78	259	556	1,122	2,602
CONNACHT												
Tuberculosis, all forms	M	23	-	-	-	-	1	2	2	6	5	7
	F	7	-	-	-	-	-	1	2	2	2	-
Other infective and parasitic diseases	M	7	1	1	-	-	-	-	-	2	1	2
	F	15	2	1	1	1	-	-	-	2	4	4
Malignant neoplasms	M	474	-	2	2	4	5	7	49	98	126	181
	F	345	-	-	4	1	1	10	47	59	101	122
Ischaemic and other forms of heart disease	M	1,033	-	-	-	2	3	7	38	151	304	528
	F	649	-	-	-	1	1	-	17	52	144	434
Hypertensive disease	M	43	-	-	-	-	-	-	2	8	11	22
	F	54	-	-	-	-	-	-	1	5	15	33
Cerebrovascular disease	M	381	-	-	-	1	1	3	6	39	106	225
	F	365	1	-	-	-	1	3	9	21	67	263
Other diseases of the circulatory system	M	121	-	-	-	-	1	-	3	9	24	84
	F	118	-	-	-	-	1	3	2	8	20	84
Diseases of the respiratory system	M	365	16	5	1	1	3	5	9	47	79	199
	F	216	6	2	-	1	-	2	4	19	54	128
Senility	M	74	-	-	-	-	-	-	-	1	3	70
	F	87	-	-	-	-	-	-	-	-	4	83
Other diseases	M	302	45	3	1	4	2	4	15	38	74	116
	F	276	37	4	3	2	2	4	12	35	60	117
Accidents and other external causes	M	157	2	5	3	25	7	17	16	28	26	28
	F	68	-	4	1	5	1	3	4	3	13	34
All causes	M	2,980	64	16	7	37	23	45	140	427	759	1,462
	F	2,200	46	11	9	11	7	26	98	206	484	1,302

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
ULSTER (part of)												
Tuberculosis, all forms	M	7	-	-	-	-	-	-	1	2	3	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	10	2	1	-	-	-	1	-	1	2	3
	F	3	-	1	-	-	-	-	-	2	-	-
Malignant neoplasms	M	213	-	1	2	1	1	7	12	49	72	68
	F	196	-	1	1	1	3	5	32	42	49	62
Ischaemic and other forms of heart disease	M	558	-	-	-	-	1	3	29	94	167	264
	F	341	-	-	-	-	1	-	14	35	82	209
Hypertensive disease	M	27	-	-	-	-	-	1	-	3	8	15
	F	28	-	-	-	-	-	-	-	5	7	16
Cerebrovascular disease	M	236	-	-	-	2	1	-	6	19	72	136
	F	235	-	-	-	-	1	1	6	19	46	162
Other diseases of the circulatory system	M	69	-	-	-	-	-	1	1	2	15	50
	F	57	-	-	-	-	1	-	5	5	6	40
Diseases of the respiratory system	M	238	5	-	1	2	2	1	11	31	62	123
	F	188	4	2	1	1	1	2	6	17	35	119
Senility	M	12	-	-	-	-	-	-	-	-	-	12
	F	24	-	-	-	-	-	-	-	-	1	23
Other diseases	M	191	37	5	4	-	3	3	3	22	46	68
	F	145	29	3	-	-	3	6	5	11	33	55
Accidents and other external causes	M	88	2	1	-	18	11	7	12	12	7	18
	F	45	1	1	1	3	-	2	1	2	8	26
All causes	M	1,649	46	8	7	23	19	24	75	235	454	758
	F	1,263	34	8	3	5	10	16	69	138	268	712
COUNTY CARLOW												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	-	1	-	-	1	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	32	-	-	1	-	-	2	2	4	11	12
	F	36	-	-	1	-	-	2	5	9	8	11
Ischaemic and other forms of heart disease	M	70	-	-	-	-	-	1	6	19	21	23
	F	58	-	-	-	-	-	-	1	6	13	38
Hypertensive disease	M	7	-	-	-	-	-	-	-	2	4	1
	F	9	-	-	-	-	-	-	-	1	-	8
Cerebrovascular disease	M	31	-	-	-	-	-	-	1	1	10	19
	F	26	-	-	-	-	-	2	1	3	6	14
Other diseases of the circulatory system	M	5	-	-	-	-	-	-	-	-	2	3
	F	15	-	-	-	-	-	-	-	-	5	10
Diseases of the respiratory system	M	21	3	-	-	-	-	-	2	6	5	5
	F	12	1	-	-	-	-	-	1	-	3	7
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	25	9	-	-	-	-	-	3	3	3	7
	F	20	7	-	-	-	-	2	2	2	-	7
Accidents and other external causes	M	15	1	1	1	1	1	4	-	4	1	1
	F	6	-	2	-	-	1	-	-	-	-	3
All causes	M	211	13	2	2	1	2	7	14	39	60	71
	F	182	8	2	1	-	1	6	10	21	35	98

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY BOROUGH												
Tuberculosis, all forms	M	31	-	-	-	-	-	-	10	7	10	4
	F	11	-	1	-	-	1	1	3	2	2	1
Other infective and parasitic diseases	M	17	8	3	-	-	-	-	-	1	1	4
	F	14	6	-	-	-	-	-	-	1	3	4
Malignant neoplasms	M	620	-	3	5	4	9	19	62	143	213	162
	F	581	-	-	4	1	8	30	75	133	159	171
Ischaemic and other forms of heart disease	M	862	-	-	1	3	2	33	113	211	272	227
	F	733	-	-	-	-	1	4	24	88	209	407
Hypertensive disease	M	42	-	-	-	-	-	2	4	13	7	16
	F	67	-	-	-	-	2	1	1	6	12	45
Cerebrovascular disease	M	213	-	-	-	1	1	6	12	29	66	98
	F	359	-	-	-	-	-	6	22	32	92	207
Other diseases of the circulatory system	M	74	-	-	-	-	-	-	3	9	27	35
	F	115	-	-	-	-	1	1	3	13	26	71
Diseases of the respiratory system	M	493	18	6	1	1	2	7	24	69	141	224
	F	527	21	2	4	1	4	5	16	33	110	331
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	14	-	-	-	-	-	-	-	-	-	14
Other diseases	M	339	136	11	3	6	7	11	14	29	56	66
	F	368	98	5	4	6	7	5	22	30	67	124
Accidents and other external causes	M	164	1	6	12	31	18	14	25	21	19	17
	F	94	1	5	3	5	6	4	12	8	18	32
All causes	M	2,859	163	29	22	46	39	92	267	532	812	857
	F	2,883	126	13	15	13	30	57	178	346	698	1,407
DUN LAOGHAIRE BOROUGH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	3	-	-	-	-	-	-	-	1	-	2
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	59	-	-	-	1	-	2	5	9	20	22
	F	59	-	-	-	-	-	4	8	14	21	12
Ischaemic and other forms of heart disease	M	95	-	-	-	-	-	3	12	21	30	29
	F	95	-	-	-	-	-	2	2	8	19	64
Hypertensive disease	M	7	-	-	-	-	-	-	2	2	1	2
	F	7	-	-	-	-	-	-	-	1	2	4
Cerebrovascular disease	M	23	-	-	-	-	-	-	-	-	8	15
	F	56	-	-	-	-	-	1	-	5	11	39
Other diseases of the circulatory system	M	13	-	-	-	-	-	-	-	2	3	8
	F	24	-	-	-	-	-	-	-	1	3	20
Diseases of the respiratory system	M	52	8	-	-	-	-	1	4	4	14	21
	F	47	3	-	-	-	-	1	-	1	10	32
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	29	8	1	-	1	2	-	1	4	6	6
	F	40	5	1	-	-	-	2	2	7	11	12
Accidents and other external causes	M	10	-	1	-	3	2	-	1	-	2	1
	F	14	1	1	-	1	1	1	1	1	3	4
All causes	M	290	17	2	-	5	4	6	25	43	84	104
	F	348	10	2	-	1	1	11	13	39	80	191

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
DUBLIN COUNTY (remainder)												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	1	2	1
	F	3	-	-	-	1	-	-	-	-	2	-
Other infective and parasitic diseases	M	7	2	3	-	-	-	1	-	1	-	-
	F	3	1	-	-	-	-	-	-	-	1	1
Malignant neoplasms	M	125	-	-	1	-	3	4	11	23	43	40
	F	107	-	-	-	1	1	9	28	22	27	19
Ischaemic and other forms of heart disease	M	196	-	-	-	-	1	5	21	47	62	60
	F	129	-	-	-	-	-	1	3	17	38	70
Hypertensive disease	M	4	-	-	-	-	-	-	1	1	-	2
	F	13	-	-	-	-	-	-	-	1	2	10
Cerebrovascular disease	M	58	-	-	-	-	-	3	6	5	18	26
	F	109	-	1	1	1	3	2	7	12	29	53
Other diseases of the circulatory system	M	24	-	-	-	-	1	-	-	5	9	9
	F	32	-	1	-	1	1	-	-	3	6	20
Diseases of the respiratory system	M	91	12	-	-	-	1	-	4	6	26	42
	F	106	5	1	-	1	2	2	4	9	19	63
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	3
Other diseases	M	96	55	1	-	2	-	-	3	8	10	17
	F	93	37	5	2	2	2	1	2	9	17	16
Accidents and other external causes	M	55	2	2	4	19	8	3	7	6	1	3
	F	23	-	2	3	4	1	1	2	-	1	9
All causes	M	660	71	6	5	21	14	16	53	103	171	200
	F	622	43	10	6	11	10	16	46	74	142	264
COUNTY KILDARE												
Tuberculosis, all forms	M	3	-	-	-	-	1	1	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	-	-	1	1
	F	3	2	-	1	-	-	-	-	-	-	-
Malignant neoplasms	M	59	-	-	-	1	1	3	8	8	17	21
	F	62	-	-	1	-	1	-	9	12	18	21
Ischaemic and other forms of heart disease	M	100	-	-	-	-	1	1	18	18	26	36
	F	77	-	-	-	-	-	1	4	11	31	30
Hypertensive disease	M	8	-	-	-	-	-	-	-	1	3	4
	F	8	-	-	-	-	-	-	-	-	4	4
Cerebrovascular disease	M	45	-	-	-	-	1	-	1	6	11	26
	F	49	-	-	1	-	-	-	2	5	14	27
Other diseases of the circulatory system	M	12	-	-	-	-	-	-	1	1	6	4
	F	11	1	-	-	-	-	-	-	-	2	8
Diseases of the respiratory system	M	66	7	-	-	-	-	-	1	7	24	27
	F	43	3	-	-	1	-	-	2	4	11	22
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	45	18	-	3	-	1	-	-	3	7	13
	F	43	16	-	-	-	2	1	2	4	6	12
Accidents and other external causes	M	28	-	1	1	10	3	4	4	2	1	2
	F	13	-	-	-	1	-	4	1	3	1	3
All causes	M	371	25	1	4	11	8	9	33	46	96	138
	F	313	22	-	3	2	3	6	20	39	87	131

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KILKENNY												
Tuberculosis, all forms	M	3	-	-	-	-	1	-	-	-	1	1
	F	5	-	-	-	-	-	-	2	2	1	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	63	-	-	-	1	1	-	2	24	26	9
	F	46	-	-	-	-	1	4	6	10	12	13
Ischaemic and other forms of heart disease	M	136	-	-	-	1	-	3	10	27	44	51
	F	91	-	-	-	-	-	-	2	10	28	51
Hypertensive disease	M	2	-	-	-	-	-	-	-	-	1	1
	F	7	-	-	-	-	-	-	-	2	3	2
Cerebrovascular disease	M	53	-	-	-	-	-	2	2	4	18	27
	F	63	-	-	-	-	-	-	2	7	17	37
Other diseases of the circulatory system	M	31	-	-	-	-	-	-	-	1	10	20
	F	41	-	-	-	-	-	-	-	1	8	32
Diseases of the respiratory system	M	45	-	1	-	1	-	-	3	8	11	21
	F	28	-	-	1	-	-	-	2	5	4	16
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	46	12	1	-	1	-	3	4	5	10	10
	F	37	10	-	1	-	-	-	-	6	11	9
Accidents and other external causes	M	29	1	1	-	2	6	4	4	4	4	3
	F	12	1	-	1	2	-	-	2	1	1	4
All causes	M	411	13	3	-	6	8	12	25	73	125	146
	F	332	11	-	3	2	1	4	16	44	85	166
COUNTY LAOIS												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	2	-	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	38	-	-	-	-	1	3	4	12	11	7
	F	41	-	-	-	-	-	3	8	8	9	13
Ischaemic and other forms of heart disease	M	109	-	-	-	1	-	1	10	26	29	42
	F	62	-	-	-	-	-	-	2	7	10	43
Hypertensive disease	M	6	-	-	-	-	-	-	-	1	1	4
	F	9	-	-	-	-	-	-	-	3	1	5
Cerebrovascular disease	M	50	-	-	-	-	-	1	1	6	11	31
	F	49	-	-	-	-	1	2	1	4	10	31
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	-	1	1	9
	F	13	-	-	-	-	-	-	1	-	2	10
Diseases of the respiratory system	M	30	1	-	-	-	-	-	2	6	8	13
	F	31	1	-	-	-	-	1	2	3	10	14
Senility	M	4	-	-	-	-	-	-	-	-	-	4
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	23	5	-	-	-	-	1	3	1	4	9
	F	23	2	1	-	-	-	-	1	3	5	11
Accidents and other external causes	M	13	-	-	-	2	-	1	3	3	1	3
	F	7	-	-	-	1	-	-	1	1	-	4
All causes	M	286	7	-	-	3	1	7	23	57	66	122
	F	237	3	1	-	1	1	6	18	29	47	131

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LONGFORD												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	40	-	-	1	1	-	2	4	11	12	9
	F	18	-	1	-	1	-	-	2	6	4	4
Ischaemic and other forms of heart disease	M	88	-	-	-	-	1	1	12	10	27	37
	F	52	-	-	-	-	-	-	1	3	16	32
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular disease	M	42	-	-	-	-	-	1	1	2	16	22
	F	43	-	-	-	-	-	1	1	3	11	27
Other diseases of the circulatory system	M	11	-	-	-	-	1	-	1	-	3	6
	F	10	-	-	-	-	-	-	-	1	3	6
Diseases of the respiratory system	M	23	2	-	-	-	-	-	1	5	5	10
	F	18	1	-	-	-	-	-	3	1	3	10
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	20	3	-	-	-	-	1	-	5	4	7
	F	12	5	-	-	-	-	-	-	-	4	3
Accidents and other external causes	M	15	-	1	1	1	-	1	3	4	1	3
	F	6	-	-	1	1	1	1	-	-	-	2
All causes	M	246	6	1	2	2	2	6	23	37	70	97
	F	162	6	1	1	2	1	2	7	14	41	87
COUNTY LOUTH												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	2	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	-	-	1	-	-	-	-	-	-	1
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	84	-	2	-	-	4	3	6	21	27	21
	F	62	-	1	2	1	1	-	13	8	18	18
Ischaemic and other forms of heart disease	M	143	-	-	-	-	1	6	16	28	43	49
	F	89	-	-	-	-	-	3	3	7	26	50
Hypertensive disease	M	3	-	-	-	-	-	-	-	1	2	-
	F	6	-	-	-	-	-	-	-	1	2	3
Cerebrovascular disease	M	53	-	-	-	-	1	1	-	10	16	25
	F	61	-	-	-	-	-	1	-	5	8	47
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	2	1	3
	F	12	-	-	-	-	-	-	-	1	4	7
Diseases of the respiratory system	M	64	7	1	-	-	-	-	4	9	16	27
	F	40	2	1	-	-	-	-	-	6	9	22
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	7	-	-	-	-	-	-	-	-	1	6
Other diseases	M	48	14	-	1	2	2	-	3	5	12	9
	F	33	6	-	1	1	-	4	1	3	6	11
Accidents and other external causes	M	36	3	3	1	9	4	4	2	5	4	1
	F	14	-	-	1	-	3	1	3	1	2	3
All causes	M	444	24	6	3	11	12	14	33	81	121	139
	F	326	9	2	4	2	4	9	20	32	76	168

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MEATH												
Tuberculosis, all forms	M	4	-	-	-	-	-	-	-	1	2	1
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	1
Malignant neoplasms	M	84	-	1	-	-	-	2	5	20	37	19
	F	44	-	-	-	-	-	1	6	7	14	16
Ischaemic and other forms of heart disease	M	144	-	-	-	-	-	-	10	25	51	58
	F	98	-	-	-	-	-	-	7	9	29	53
Hypertensive disease	M	9	-	-	-	-	-	-	-	1	3	5
	F	11	-	-	-	-	-	-	-	-	5	6
Cerebrovascular disease	M	55	-	-	-	-	-	1	1	5	16	32
	F	95	-	-	-	-	-	-	-	4	27	64
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	-	5	5
	F	4	-	-	-	-	-	-	-	-	2	2
Diseases of the respiratory system	M	71	3	-	-	-	-	-	1	13	20	34
	F	41	3	1	-	-	-	1	1	3	11	21
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	7	-	-	-	-	-	-	-	-	-	7
Other diseases	M	57	13	2	1	-	-	-	2	5	12	22
	F	46	12	1	-	-	-	2	2	3	12	14
Accidents and other external causes	M	29	-	3	1	7	6	5	-	3	1	3
	F	21	-	3	1	1	-	1	-	5	4	6
All causes	M	468	16	6	2	7	6	8	19	73	147	184
	F	370	15	6	1	1	-	5	16	31	104	191
COUNTY OFFALY												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	48	-	-	-	-	-	-	3	14	19	12
	F	40	-	-	1	1	-	1	3	14	10	10
Ischaemic and other forms of heart disease	M	94	-	-	-	-	-	3	5	11	32	43
	F	66	-	-	-	1	-	-	2	5	17	41
Hypertensive disease	M	8	-	-	-	-	-	-	-	1	2	5
	F	9	-	-	-	-	-	-	1	-	2	6
Cerebrovascular disease	M	59	-	-	-	-	-	-	3	5	18	33
	F	62	-	-	1	1	-	-	2	4	16	38
Other diseases of the circulatory system	M	17	-	-	-	-	-	-	-	1	3	13
	F	15	-	-	-	-	-	-	1	-	3	11
Diseases of the respiratory system	M	41	2	-	-	-	-	1	-	7	11	20
	F	24	1	-	-	-	-	-	2	2	5	14
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	31	4	-	-	-	-	-	3	5	7	12
	F	33	5	-	-	-	1	-	4	1	10	12
Accidents and other external causes	M	18	-	-	-	5	2	-	1	2	2	6
	F	7	-	1	-	-	-	-	-	-	-	6
All causes	M	319	6	-	-	5	2	4	15	48	94	145
	F	258	6	1	2	3	1	1	15	26	63	140

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WESTMEATH												
Tuberculosis, all forms	M	3	-	-	-	-	2	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	51	-	-	-	-	2	3	11	20	15	
	F	58	-	-	-	-	2	1	6	11	22	16
Ischaemic and other forms of heart disease	M	145	-	-	-	-	1	1	14	24	40	65
	F	91	-	-	-	-	-	-	3	8	9	71
Hypertensive disease	M	1	-	-	-	-	-	-	-	-	1	-
	F	9	-	-	-	-	-	-	-	-	3	6
Cerebrovascular disease	M	44	-	-	-	-	-	1	1	4	7	31
	F	35	-	-	-	-	-	-	1	2	10	22
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	1	-	4	10
	F	11	-	-	-	-	-	-	-	-	1	10
Diseases of the respiratory system	M	62	3	1	-	-	-	1	1	11	15	30
	F	29	1	-	-	-	-	-	2	3	8	15
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	2	-	-	-	-	-	-	-	-	-	2
Other diseases	M	22	5	-	-	2	-	1	1	1	3	9
	F	34	3	2	-	-	-	2	1	4	8	14
Accidents and other external causes	M	14	-	-	-	3	2	4	1	-	2	2
	F	11	-	-	-	1	-	-	-	-	-	10
All causes	M	361	10	1	-	5	5	10	22	51	93	164
	F	281	5	2	-	1	2	3	13	28	61	166
COUNTY WEXFORD												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	1	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	98	1	-	-	1	3	4	5	24	28	32
	F	63	-	-	-	-	1	3	7	16	18	18
Ischaemic and other forms of heart disease	M	182	-	-	-	-	1	1	17	31	62	70
	F	159	-	-	-	-	-	1	2	20	41	95
Hypertensive disease	M	10	-	-	-	-	-	-	1	1	4	4
	F	7	-	-	-	-	-	-	-	-	3	4
Cerebrovascular disease	M	60	-	-	-	-	-	-	3	6	16	35
	F	85	-	-	-	1	1	1	6	3	20	53
Other diseases of the circulatory system	M	58	-	-	-	-	-	1	-	5	11	41
	F	53	-	-	-	-	1	-	-	-	5	47
Disease of the respiratory system	M	56	3	-	-	-	-	-	2	8	15	28
	F	65	2	-	1	1	-	-	5	11	18	27
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	54	16	-	-	1	-	1	2	9	6	19
	F	60	15	2	-	-	1	1	3	6	15	17
Accidents and other external causes	M	29	-	3	-	12	4	3	-	3	1	3
	F	19	-	1	-	2	-	-	1	1	1	13
All causes	M	551	20	4	-	14	8	10	30	87	144	234
	F	517	18	3	1	4	4	6	24	57	121	279

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WICKLOW												
Tuberculosis, all forms	M	3	-	-	-	-	-	1	-	1	-	1
	F	2	-	-	-	-	-	-	1	1	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2
Malignant neoplasms	M	64	-	-	-	-	1	2	7	10	20	24
	F	79	-	-	3	2	2	3	9	12	22	26
Ischaemic and other forms of heart disease	M	139	-	-	-	-	-	3	11	25	49	51
	F	84	-	-	-	-	-	1	2	12	19	50
Hypertensive disease	M	5	-	-	-	-	-	-	-	1	1	3
	F	5	-	-	-	-	-	-	-	1	1	3
Cerebrovascular disease	M	56	-	-	-	-	-	1	3	4	16	32
	F	48	-	-	-	-	-	-	-	3	13	32
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	-	2	4	5
	F	8	-	-	-	-	-	-	-	1	1	6
Diseases of the respiratory system	M	50	3	-	-	1	-	-	2	7	16	21
	F	54	2	1	-	-	-	-	1	6	16	28
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	1	-	-	-	-	-	-	-	-	-	1
Other diseases	M	42	12	-	-	-	-	1	1	5	11	12
	F	46	10	2	1	-	1	1	1	5	12	13
Accidents and other external causes	M	24	1	2	1	4	2	4	2	5	1	2
	F	17	-	1	1	3	2	3	1	2	3	1
All causes	M	397	16	2	1	5	3	12	26	60	118	154
	F	346	12	4	5	5	5	8	15	43	87	162
COUNTY CLARE												
Tuberculosis, all forms	M	5	-	-	-	-	-	1	2	-	1	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	1
Malignant neoplasms	M	92	-	-	1	2	-	3	8	18	38	22
	F	62	-	-	-	-	2	1	12	15	13	19
Ischaemic and other forms of heart disease	M	225	-	-	-	-	-	2	18	26	46	133
	F	162	-	-	-	-	-	1	2	10	36	113
Hypertensive disease	M	3	-	-	-	-	-	-	-	2	-	1
	F	12	-	-	-	-	-	-	1	2	1	8
Cerebrovascular disease	M	59	-	-	-	-	1	-	1	5	25	27
	F	57	-	-	-	-	-	-	1	8	19	29
Other diseases of the circulatory system	M	16	-	-	-	-	-	-	-	3	3	10
	F	23	-	-	-	-	-	-	1	1	-	21
Diseases of the respiratory system	M	74	1	-	-	4	-	-	2	8	23	36
	F	53	1	-	-	-	-	-	1	4	16	31
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	5	-	-	-	-	-	-	-	-	1	4
Other diseases	M	52	12	-	-	-	3	-	2	6	12	17
	F	48	12	1	-	-	-	-	2	4	9	20
Accidents and other external causes	M	31	3	1	2	5	3	6	2	2	1	6
	F	15	-	-	2	1	-	1	-	1	2	8
All causes	M	562	16	1	3	11	7	12	35	70	149	258
	F	440	14	1	3	1	2	3	20	45	97	254

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
CORK COUNTY BOROUGH												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	2	-	-	-	-	-	-	1	-	-	1
Other infective and parasitic diseases	M	4	2	1	-	-	-	-	-	1	-	-
	F	4	3	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	154	-	-	4	3	4	6	11	34	45	47
	F	139	-	-	2	1	2	5	27	30	38	34
Ischaemic and other forms of heart disease	M	199	-	-	-	-	1	8	21	43	68	58
	F	181	-	-	-	-	1	2	7	24	53	94
Hypertensive disease	M	5	-	-	-	-	-	-	-	2	2	1
	F	8	-	-	-	-	-	-	1	1	5	1
Cerebrovascular disease	M	76	-	-	-	1	-	1	5	15	16	38
	F	123	-	-	-	-	2	1	4	5	18	93
Other diseases of the circulatory system	M	32	-	-	-	-	-	2	1	6	7	16
	F	51	-	-	-	-	-	-	4	-	13	34
Diseases of the respiratory system	M	119	4	1	-	-	-	2	5	22	40	45
	F	86	3	1	1	-	-	-	5	14	17	45
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	83	27	5	1	1	-	2	4	13	13	17
	F	70	23	2	1	1	2	2	2	10	10	17
Accidents and other external causes	M	33	2	1	3	5	4	2	2	7	6	1
	F	29	1	-	1	2	1	2	2	2	7	11
All causes	M	707	35	8	8	10	9	23	49	143	198	224
	F	698	30	3	5	4	8	12	53	86	161	336
COUNTY CORK												
Tuberculosis, all forms	M	10	-	-	-	-	-	-	2	2	4	2
	F	4	-	-	-	-	-	-	1	1	1	1
Other infective and parasitic diseases	M	8	1	1	-	1	-	1	-	2	-	2
	F	10	2	1	-	1	-	-	4	-	2	-
Malignant neoplasms	M	239	-	1	1	1	-	4	22	43	82	85
	F	214	-	1	-	3	3	8	23	50	59	67
Ischaemic and other forms of heart disease	M	556	-	-	-	-	1	10	44	101	157	243
	F	322	-	-	-	-	1	1	9	35	86	190
Hypertensive disease	M	32	-	-	-	-	-	2	5	9	8	8
	F	26	-	-	-	-	-	-	-	3	9	14
Cerebrovascular disease	M	187	-	-	-	-	1	1	4	19	58	104
	F	228	-	-	-	-	1	1	4	22	42	158
Other diseases of the circulatory system	M	112	-	-	-	-	-	2	2	4	22	82
	F	85	-	-	-	-	-	-	1	3	13	68
Diseases of the respiratory system	M	246	2	2	-	3	1	2	15	42	79	100
	F	155	3	1	1	-	3	3	3	13	32	96
Senility	M	23	-	-	-	-	-	-	-	-	-	23
	F	23	-	-	-	-	-	-	-	-	-	23
Other diseases	M	182	35	6	2	2	2	7	9	16	30	73
	F	122	28	-	1	2	3	3	10	8	21	46
Accidents and other external causes	M	99	2	4	4	20	13	8	8	12	12	16
	F	45	1	2	1	1	1	1	1	3	6	28
All causes	M	1,694	40	14	7	27	18	37	111	250	452	738
	F	1,234	34	5	3	7	12	17	56	138	271	691

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	-	1	5	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	1	-	-
	F	3	2	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	122	-	1	2	3	-	3	10	26	32	45
	F	94	-	-	1	1	-	2	10	24	25	31
Ischaemic and other forms of heart disease	M	291	-	-	-	-	-	5	17	51	74	144
	F	197	-	-	-	-	-	-	3	15	58	121
Hypertensive disease	M	10	-	-	-	-	-	-	2	3	2	3
	F	14	-	-	-	-	-	-	-	4	3	7
Cerebrovascular disease	M	91	-	-	-	-	-	2	2	9	19	59
	F	118	-	-	-	-	-	-	5	5	34	74
Other diseases of the circulatory system	M	56	-	-	-	-	-	-	2	7	6	41
	F	43	-	-	-	-	-	1	-	2	6	34
Diseases of the respiratory system	M	96	2	1	-	-	-	1	1	16	29	46
	F	75	1	-	-	-	1	2	7	9	12	43
Senility	M	19	-	-	-	-	-	-	-	-	-	19
	F	19	-	-	-	-	-	-	-	-	1	18
Other diseases	M	104	14	2	1	-	2	-	11	9	27	38
	F	67	9	1	1	2	-	2	2	4	17	29
Accident and other external causes	M	51	-	-	3	11	6	2	5	10	3	11
	F	28	1	-	-	1	2	2	1	3	5	13
All causes	M	851	18	4	6	14	8	13	50	133	197	408
	F	658	13	1	2	4	3	9	28	66	161	371
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	1	-	-
Malignant neoplasms	M	45	-	-	-	-	-	1	3	16	16	9
	F	54	-	-	-	-	-	5	2	16	16	15
Ischaemic and other forms of heart disease	M	101	-	-	-	-	-	4	11	18	37	31
	F	113	-	-	-	-	-	3	3	11	42	54
Hypertensive disease	M	2	-	-	-	-	-	1	-	-	-	1
	F	3	-	-	-	-	-	-	-	1	-	2
Cerebrovascular disease	M	30	-	-	1	-	-	-	1	7	10	11
	F	42	-	-	-	-	-	-	4	7	13	18
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	4	4	7
	F	7	-	-	-	-	-	-	-	-	2	5
Diseases of the respiratory system	M	56	-	-	1	-	1	-	3	7	18	26
	F	48	3	-	-	-	-	-	2	7	8	28
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	32	20	2	-	-	-	2	2	1	3	2
	F	32	8	-	-	1	1	3	3	5	5	6
Accidents and other external causes	M	21	1	1	-	3	2	3	1	6	2	2
	F	8	2	-	-	-	1	-	1	1	1	2
All causes	M	307	23	3	2	3	3	11	21	60	91	90
	F	312	14	1	-	1	2	11	15	49	87	132

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY KERRY												
Tuberculosis, all forms	M	8	-	-	-	-	-	-	-	1	5	2
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	3	2	-	-	-	-	-	-	1	-	-
	F	3	2	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	122	-	1	2	3	-	3	10	26	32	45
	F	94	-	-	1	1	-	2	10	24	25	31
Ischaemic and other forms of heart disease	M	291	-	-	-	-	-	5	17	51	74	144
	F	197	-	-	-	-	-	-	3	15	58	121
Hypertensive disease	M	10	-	-	-	-	-	-	2	3	2	3
	F	14	-	-	-	-	-	-	-	4	3	7
Cerebrovascular disease	M	91	-	-	-	-	-	2	2	9	19	59
	F	118	-	-	-	-	-	-	5	5	34	74
Other diseases of the circulatory system	M	56	-	-	-	-	-	-	2	7	6	41
	F	43	-	-	-	-	-	1	-	2	6	34
Diseases of the respiratory system	M	96	2	1	-	-	-	1	1	16	29	46
	F	75	1	-	-	-	1	2	7	9	12	43
Senility	M	19	-	-	-	-	-	-	-	-	-	19
	F	19	-	-	-	-	-	-	-	-	1	18
Other diseases	M	104	14	2	1	-	2	-	11	9	27	38
	F	67	9	1	1	2	-	2	2	4	17	29
Accident and other external causes	M	51	-	-	3	11	6	2	5	10	3	11
	F	28	1	-	-	1	2	2	1	3	5	13
All causes	M	851	18	4	6	14	8	13	50	133	197	408
	F	658	13	1	2	4	3	9	28	66	161	371
LIMERICK COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	1	-
	F	2	-	-	-	-	-	-	-	-	-	2
Other infective and parasitic diseases	M	2	2	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	-	-	1	-	-
Malignant neoplasms	M	45	-	-	-	-	-	1	3	16	16	9
	F	54	-	-	-	-	-	5	2	16	16	15
Ischaemic and other forms of heart disease	M	101	-	-	-	-	-	4	11	18	37	31
	F	113	-	-	-	-	-	3	3	11	42	54
Hypertensive disease	M	2	-	-	-	-	-	1	-	-	-	1
	F	3	-	-	-	-	-	-	-	1	-	2
Cerebrovascular disease	M	30	-	-	1	-	-	-	1	7	10	11
	F	42	-	-	-	-	-	-	4	7	13	18
Other diseases of the circulatory system	M	15	-	-	-	-	-	-	-	4	4	7
	F	7	-	-	-	-	-	-	-	-	2	5
Diseases of the respiratory system	M	56	-	-	1	-	1	-	3	7	18	26
	F	48	3	-	-	-	-	-	2	7	8	28
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	32	20	2	-	-	-	2	2	1	3	2
	F	32	8	-	-	1	1	3	3	5	5	6
Accidents and other external causes	M	21	1	1	-	3	2	3	1	6	2	2
	F	8	2	-	-	-	1	-	1	1	1	2
All causes	M	307	23	3	2	3	3	11	21	60	91	90
	F	312	14	1	-	1	2	11	15	49	87	132

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LIMERICK												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	5	-	1	-	-	-	-	-	-	2	2
	F	1	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms	M	99	-	2	1	-	1	1	8	23	38	25
	F	70	-	-	-	1	2	2	10	21	17	17
Ischaemic and other forms of heart disease	M	246	-	-	-	-	1	1	17	36	89	102
	F	174	-	-	-	-	-	2	8	16	40	108
Hypertensive disease	M	9	-	-	-	-	-	1	-	2	2	4
	F	3	-	-	-	-	-	-	-	-	1	2
Cerebrovascular disease	M	66	-	-	-	-	-	1	1	11	15	38
	F	58	-	-	-	-	-	1	4	7	18	28
Other diseases of the circulatory system	M	32	-	-	-	-	-	-	3	3	6	20
	F	15	-	-	-	-	-	-	3	1	2	9
Diseases of the respiratory system	M	92	2	-	-	-	1	1	3	13	24	48
	F	50	2	1	-	-	-	1	3	4	8	31
Senility	M	2	-	-	-	-	-	-	-	-	-	2
	F	8	-	-	-	-	-	-	-	-	-	8
Other diseases	M	77	22	-	2	-	-	3	6	5	16	23
	F	37	11	1	-	1	-	-	2	4	8	10
Accidents and other external causes	M	20	-	-	2	3	1	4	2	3	5	-
	F	12	1	-	1	1	1	-	2	1	-	5
All causes	M	649	24	3	5	3	4	12	40	96	198	264
	F	428	14	2	1	4	3	6	32	54	94	218
TIPPERARY, N.R.												
Tuberculosis, all forms	M	3	-	-	-	-	-	-	1	-	2	-
	F	1	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	M	1	-	-	1	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	64	-	1	1	1	-	4	6	12	24	15
	F	49	-	-	-	-	-	1	12	11	9	16
Ischaemic and other forms of heart disease	M	139	-	-	-	-	-	2	12	27	49	49
	F	88	-	-	-	-	-	1	3	7	12	65
Hypertensive disease	M	14	-	-	-	-	-	1	2	1	3	7
	F	19	-	-	-	-	-	-	-	1	4	14
Cerebrovascular disease	M	56	-	-	-	1	1	-	2	5	18	29
	F	52	-	-	-	-	-	2	1	8	10	31
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	-	1	7
	F	10	-	-	-	-	-	-	-	1	1	8
Diseases of the respiratory system	M	37	2	-	-	1	-	-	1	5	14	14
	F	32	2	-	-	-	-	-	-	1	11	18
Senility	M	1	-	-	-	-	-	-	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	5
Other diseases	M	35	5	2	-	1	1	-	2	4	6	14
	F	38	7	-	-	1	1	1	3	4	4	17
Accidents and other external causes	M	23	-	3	1	2	5	-	2	6	1	3
	F	8	1	-	-	1	1	-	1	-	1	3
All causes	M	381	7	6	3	6	7	7	28	60	118	139
	F	304	11	1	-	2	2	5	20	33	52	178

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
TIPPERARY, S.R.												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	-	1	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	86	-	1	1	1	1	2	7	17	34	22
	F	71	-	-	-	1	-	3	6	18	18	25
Ischaemic and other forms of heart disease	M	171	-	-	-	1	2	-	10	32	68	58
	F	119	-	-	-	-	-	2	3	14	36	64
Hypertensive disease	M	9	-	-	-	-	-	1	1	2	1	4
	F	4	-	-	-	-	-	-	1	-	-	3
Cerebrovascular disease	M	95	-	-	-	-	1	1	2	9	28	54
	F	97	-	-	-	-	-	1	4	8	22	62
Other disease of the circulatory system	M	14	-	-	-	-	-	-	3	2	3	6
	F	16	-	-	-	-	-	-	-	-	2	14
Diseases of the respiratory system	M	77	2	-	-	1	1	-	5	9	21	38
	F	55	-	1	-	-	-	2	-	6	20	26
Senility	M	3	-	-	-	-	-	-	-	-	-	3
	F	3	-	-	-	-	-	-	-	-	-	3
Other diseases	M	55	19	1	-	-	1	1	3	5	15	10
	F	31	8	2	-	-	1	-	1	3	7	9
Accidents and other external causes	M	14	-	-	1	4	3	-	1	3	1	1
	F	8	-	1	2	-	1	-	-	-	-	4
All causes	M	527	21	2	2	7	9	5	32	80	172	197
	F	405	8	4	2	1	2	8	15	49	106	210
WATERFORD COUNTY BOROUGH												
Tuberculosis, all forms	M	2	-	-	-	-	-	1	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	41	-	-	-	2	-	2	2	9	12	14
	F	26	-	-	-	-	-	1	4	5	12	4
Ischaemic and other forms of heart disease	M	50	-	-	-	-	-	4	6	9	19	12
	F	40	-	-	-	-	-	-	2	6	16	16
Hypertensive disease	M	1	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	3
Cerebrovascular disease	M	12	-	-	-	-	-	-	3	2	3	4
	F	24	-	-	-	-	-	1	-	5	7	11
Other diseases of the circulatory system	M	6	-	-	-	-	-	-	-	1	2	3
	F	8	-	-	-	-	-	-	-	1	2	5
Diseases of the respiratory system	M	40	-	1	-	-	-	-	2	5	14	18
	F	49	1	-	-	-	1	-	-	3	7	37
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	4
Other diseases	M	17	4	1	-	-	2	1	-	1	3	5
	F	13	2	-	-	-	-	-	1	-	3	7
Accidents and other external causes	M	10	-	1	1	2	-	3	-	2	1	-
	F	5	1	-	-	2	-	-	-	-	-	2
All causes	M	179	4	3	1	4	2	12	14	29	54	56
	F	172	4	-	-	2	1	2	7	20	47	89

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY WATERFORD												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms	M	54	-	-	-	1	1	1	6	13	20	12
	F	39	-	-	-	-	-	4	6	9	6	14
Ischaemic and other forms of heart disease	M	100	-	-	-	-	-	2	7	17	28	46
	F	44	-	-	-	-	-	1	1	11	11	31
Hypertensive disease	M	2	-	-	-	-	-	1	-	1	-	-
	F	4	-	-	-	-	-	-	-	-	2	2
Cerebrovascular disease	M	39	-	-	-	-	1	-	3	6	15	14
	F	46	-	-	-	1	-	1	2	1	14	27
Other diseases of the circulatory system	M	10	-	-	-	-	-	-	-	2	3	5
	F	9	-	-	-	-	-	-	-	-	2	7
Diseases of the respiratory system	M	54	3	1	-	2	1	-	1	9	8	29
	F	26	1	-	-	-	-	-	1	3	6	15
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	14	-	-	-	-	-	-	-	-	-	14
Other diseases	M	43	4	-	1	1	-	3	2	6	10	16
	F	25	4	-	-	1	-	-	2	2	3	13
Accidents and other external causes	M	18	-	-	2	3	2	1	2	2	4	2
	F	4	-	2	-	-	-	-	1	-	1	-
All causes	M	329	8	1	3	7	5	8	21	56	88	132
	F	212	5	2	-	2	-	5	13	16	46	123
COUNTY GALWAY												
Tuberculosis, all forms	M	9	-	-	-	-	-	1	-	3	2	3
	F	4	-	-	-	-	-	1	2	1	-	-
Other infective and parasitic diseases	M	2	1	-	-	-	-	-	-	1	-	-
	F	4	2	-	-	-	-	-	-	-	1	1
Malignant neoplasms	M	159	-	-	-	1	4	3	19	29	51	52
	F	121	-	-	2	1	-	1	21	22	41	33
Ischaemic and other forms of heart disease	M	363	-	-	-	1	-	4	15	55	109	179
	F	225	-	-	-	-	1	-	5	15	52	152
Hypertensive disease	M	12	-	-	-	-	-	-	-	2	2	8
	F	17	-	-	-	-	-	-	-	2	2	13
Cerebrovascular disease	M	98	-	-	-	1	1	1	2	11	22	60
	F	112	1	-	-	-	-	1	4	12	17	77
Other diseases of the circulatory system	M	40	-	-	-	-	-	-	1	4	10	25
	F	40	-	-	-	-	-	1	1	3	11	24
Diseases of the respiratory system	M	132	8	3	1	-	-	2	4	16	34	64
	F	81	2	1	-	1	-	2	1	8	20	46
Senility	M	16	-	-	-	-	-	-	-	1	-	15
	F	10	-	-	-	-	-	-	-	-	-	10
Other diseases	M	97	18	1	-	1	-	1	7	7	24	38
	F	96	10	-	2	-	-	1	5	10	21	47
Accidents and other external causes	M	55	-	3	1	8	2	8	6	10	12	5
	F	30	-	1	-	2	1	2	4	2	7	11
All causes	M	983	27	7	2	12	7	20	54	139	266	449
	F	740	15	2	4	4	2	9	43	75	172	414

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY LEITRIM												
Tuberculosis, all forms	M	5	-	-	-	-	1	1	-	-	-	3
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	1	-	-	-	-	-	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	-
Malignant neoplasms	M	53	-	-	2	3	-	-	6	8	12	22
	F	31	-	-	-	-	-	1	4	7	6	13
Ischaemic and other forms of heart disease	M	80	-	-	-	1	1	-	1	17	20	40
	F	46	-	-	-	-	-	-	2	2	12	30
Hypertensive disease	M	2	-	-	-	-	-	-	-	1	-	1
	F	1	-	-	-	-	-	-	-	-	-	1
Cerebrovascular disease	M	35	-	-	-	-	-	-	2	1	9	23
	F	32	-	-	-	-	-	-	1	3	4	24
Other diseases of the circulatory system	M	8	-	-	-	-	-	-	-	1	-	7
	F	14	-	-	-	-	-	2	-	-	3	9
Diseases of the respiratory system	M	41	-	-	-	-	1	-	1	5	4	30
	F	26	-	-	-	-	-	-	1	2	8	15
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	7	-	-	-	-	-	-	-	-	1	6
Other diseases	M	26	-	-	-	-	-	-	1	5	8	12
	F	23	2	-	-	-	-	-	2	2	2	15
Accidents and other external causes	M	19	-	-	-	2	-	2	2	5	3	5
	F	4	-	-	-	-	-	-	-	-	1	3
All causes	M	275	-	-	2	6	3	3	13	43	56	149
	F	185	2	-	-	6	-	3	10	16	38	116
COUNTY MAYO												
Tuberculosis, all forms	M	7	-	-	-	-	-	-	1	3	2	1
	F	2	-	-	-	-	-	-	-	1	1	-
Other infective and parasitic diseases	M	2	-	-	-	-	-	-	-	-	1	1
	F	4	-	-	1	-	-	-	-	1	1	1
Malignant neoplasms	M	133	-	2	-	-	1	2	14	35	32	47
	F	85	-	-	-	-	1	1	12	16	22	33
Ischaemic and other forms of heart disease	M	310	-	-	-	-	1	2	6	35	84	182
	F	183	-	-	-	-	-	-	4	14	39	126
Hypertensive disease	M	11	-	-	-	-	-	-	1	1	4	5
	F	16	-	-	-	-	-	-	-	2	6	8
Cerebrovascular disease	M	127	-	-	-	-	-	1	1	10	44	71
	F	102	-	-	-	-	1	1	3	2	20	75
Other diseases of the circulatory system	M	31	-	-	-	-	-	-	-	1	6	24
	F	30	-	-	-	-	1	-	-	4	2	23
Diseases of the respiratory system	M	96	4	1	-	1	2	1	3	15	18	51
	F	53	2	1	-	-	-	-	-	3	12	35
Senility	M	32	-	-	-	-	-	-	-	-	2	30
	F	46	-	-	-	-	-	-	-	-	2	44
Other diseases	M	97	13	1	1	3	1	-	2	12	23	41
	F	83	8	1	-	1	-	1	1	9	25	37
Accidents and other external causes	M	41	1	1	1	8	2	5	4	7	6	6
	F	18	-	3	-	1	-	1	-	1	3	9
All causes	M	887	18	5	2	12	7	11	32	119	222	459
	F	622	10	5	1	2	3	4	20	53	133	391

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY ROSCOMMON												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1
Malignant neoplasms	M	68	-	-	-	-	-	1	5	13	18	31
	F	47	-	-	1	-	-	1	5	8	10	22
Ischaemic and other forms of heart disease	M	172	-	-	-	-	1	-	7	22	52	90
	F	117	-	-	-	1	-	-	3	9	22	82
Hypertensive disease	M	7	-	-	-	-	-	-	1	3	-	3
	F	8	-	-	-	-	-	-	1	1	1	5
Cerebrovascular disease	M	62	-	-	-	-	-	1	1	11	12	37
	F	62	-	-	-	-	-	-	-	3	16	43
Other diseases of the circulatory system	M	22	-	-	-	-	-	-	1	2	4	15
	F	17	-	-	-	-	-	-	-	-	3	14
Diseases of the respiratory system	M	45	2	1	-	-	-	1	-	6	9	26
	F	24	1	-	-	-	-	-	1	2	4	16
Senility	M	12	-	-	-	-	-	-	-	-	1	11
	F	10	-	-	-	-	-	-	-	-	1	9
Other diseases	M	38	5	-	-	-	-	2	2	8	9	12
	F	35	6	-	-	-	1	1	2	9	6	10
Accidents and other external causes	M	10	-	-	-	1	1	1	-	1	2	4
	F	7	-	-	-	-	-	-	-	-	2	5
All causes	M	436	7	1	-	1	2	6	17	66	107	229
	F	328	7	-	1	1	1	2	12	32	65	207
COUNTY SLIGO												
Tuberculosis, all forms	M	2	-	-	-	-	-	-	1	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	2	-	1	-	-	-	-	-	1	-	-
	F	5	-	1	-	1	-	-	-	1	1	1
Malignant neoplasms	M	61	-	-	-	-	-	1	5	13	13	29
	F	61	-	-	1	-	-	6	5	6	22	21
Ischaemic and other forms of heart disease	M	108	-	-	-	-	-	1	9	22	39	37
	F	78	-	-	-	-	-	-	3	12	19	44
Hypertensive disease	M	11	-	-	-	-	-	-	-	1	5	5
	F	12	-	-	-	-	-	-	-	-	6	6
Cerebrovascular disease	M	59	-	-	-	-	-	-	-	6	19	34
	F	57	-	-	-	-	-	1	1	1	10	44
Other diseases of the circulatory system	M	20	-	-	-	-	1	-	1	1	4	13
	F	17	-	-	-	-	-	-	1	1	1	14
Diseases of the respiratory system	M	51	2	-	-	-	-	1	1	5	14	28
	F	32	1	-	-	-	-	-	1	4	10	16
Senility	M	9	-	-	-	-	-	-	-	-	-	9
	F	14	-	-	-	-	-	-	-	-	-	14
Other diseases	M	44	9	1	-	-	1	1	3	6	10	13
	F	39	11	3	1	1	1	1	2	5	6	8
Accidents and other external causes	M	32	1	1	1	6	2	1	4	5	3	8
	F	9	-	-	1	2	-	-	-	-	-	6
All causes	M	399	12	3	1	6	4	5	24	60	108	176
	F	325	12	4	3	4	1	8	13	30	76	174

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY CAVAN												
Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	4	-	-	-	-	-	-	-	1	1	2
	F	1	-	1	-	-	-	-	-	-	-	-
Malignant neoplasms	M	71	-	-	2	-	1	2	2	14	29	21
	F	54	-	-	-	1	1	1	9	14	11	17
Ischaemic and other forms of heart disease	M	128	-	-	-	-	-	1	5	22	41	59
	F	69	-	-	-	-	-	-	1	9	9	50
Hypertensive disease	M	4	-	-	-	-	-	-	-	-	2	2
	F	10	-	-	-	-	-	-	-	2	2	6
Cerebrovascular disease	M	86	-	-	-	-	1	-	2	6	22	55
	F	88	-	-	-	-	-	-	2	11	17	58
Other diseases of the circulatory system	M	17	-	-	-	-	-	-	-	-	6	11
	F	12	-	-	-	-	1	-	-	1	2	8
Diseases of the respiratory system	M	68	2	-	-	-	2	-	4	14	19	27
	F	45	1	-	-	-	-	-	1	3	9	31
Senility	M	5	-	-	-	-	-	-	-	-	-	5
	F	7	-	-	-	-	-	-	-	-	1	6
Other diseases	M	57	12	2	1	-	-	2	-	10	9	21
	F	38	10	-	-	-	2	1	4	4	7	10
Accidents and other external causes	M	28	2	1	-	8	1	2	4	3	2	5
	F	10	-	-	1	1	-	-	-	1	1	6
All causes	M	468	16	3	3	8	5	7	17	70	131	208
	F	334	11	1	1	2	4	2	17	45	59	192
COUNTY DONEGAL												
Tuberculosis, all forms	M	6	-	-	-	-	-	-	1	2	2	1
	F	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic diseases	M	5	1	1	-	-	-	1	-	-	1	1
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	106	-	1	-	-	-	3	8	27	28	39
	F	115	-	1	1	-	2	3	19	19	34	36
Ischaemic and other forms of heart disease	M	271	-	-	-	-	-	1	17	44	81	128
	F	179	-	-	-	-	1	-	6	17	50	105
Hypertensive disease	M	18	-	-	-	-	-	-	-	2	5	11
	F	15	-	-	-	-	-	-	-	3	4	8
Cerebrovascular disease	M	107	-	-	-	1	-	-	2	10	38	56
	F	100	-	-	-	-	1	-	3	5	21	70
Other diseases of the circulatory system	M	41	-	-	-	-	-	1	1	2	8	29
	F	33	-	-	-	-	-	-	5	3	4	21
Diseases of the respiratory system	M	113	2	-	1	-	-	1	3	12	30	64
	F	99	3	-	-	-	1	1	4	13	14	63
Senility	M	7	-	-	-	-	-	-	-	-	-	7
	F	17	-	-	-	-	-	-	-	-	-	17
Other diseases	M	103	16	2	1	-	3	1	2	10	29	39
	F	75	10	3	-	-	1	5	1	5	17	33
Accidents and other external causes	M	43	-	-	-	8	4	5	7	7	3	9
	F	22	1	-	-	1	-	2	-	1	5	12
All causes	M	820	19	4	2	9	7	13	41	116	225	384
	F	656	14	4	1	1	6	11	38	67	149	365

TABLE 24 (contd.)—DEATHS IN 1973 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, OF RESIDENTS IN EACH COUNTY AND COUNTY BOROUGH.

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
COUNTY MONAGHAN												
Tuberculosis, all forms	M	1	-	-	-	-	-	-	-	-	1	-
	F	1	-	-	-	-	-	-	-	-	1	-
Other infective and parasitic diseases	M	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms	M	36	-	-	-	1	-	2	2	8	15	8
	F	27	-	-	-	-	-	1	4	9	4	9
Ischaemic and other forms of heart disease	M	159	-	-	-	-	1	1	7	28	45	77
	F	93	-	-	-	-	-	-	7	9	23	54
Hypertensive disease	M	5	-	-	-	-	-	1	-	1	1	2
	F	3	-	-	-	-	-	-	-	-	1	2
Cerebrovascular disease	M	43	-	-	-	1	-	-	2	3	12	25
	F	47	-	-	-	-	-	1	1	3	8	34
Other diseases of the circulatory system	M	11	-	-	-	-	-	-	-	-	1	10
	F	12	-	-	-	-	-	-	-	1	-	11
Diseases of the respiratory system	M	57	1	-	-	2	-	-	4	5	13	32
	F	44	-	2	1	1	-	1	1	1	12	25
Senility	M	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Other diseases	M	31	9	1	2	-	-	-	1	2	8	8
	F	32	9	-	-	-	-	-	-	2	9	12
Accidents and other external causes	M	17	-	-	-	2	6	-	1	2	2	4
	F	13	-	1	-	1	-	-	1	-	2	8
All causes	M	361	11	1	2	6	7	4	17	49	98	166
	F	273	9	3	1	2	-	3	14	26	60	155

TABLE 25—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE ASSIGNED TO THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Detailed International List Number	Cause of death		Total		Dublin Co. Boro' and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All Causes		513	200	135	45	51	11	20	15	33	13	274	116
			360	161	91	45	27	21	15	5	23	10	204	80
008, 009	Enteritis and other diarrhoeal disease	M	7	12	2	6	2	-	1	-	-	-	2	6
		F	3	11	1	1	1	1	-	-	-	1	1	8
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	2	4	-	1	1	1	-	-	-	-	1	2
		F	3	8	1	4	-	2	-	-	-	-	2	2
320	Meningitis	M	6	7	1	-	1	1	-	1	1	-	3	5
		F	3	3	2	1	-	1	-	-	1	1	1	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	1	-	-	-	-	-	-
470-474	Influenza	M	-	2	-	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	19	42	3	3	3	1	1	5	3	6	9	27
		F	7	42	4	8	-	6	-	-	1	4	2	24
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	7	41	3	17	-	-	-	2	-	-	4	22
		F	4	20	2	10	-	1	-	-	1	-	1	9
520-577	Diseases of the digestive system	M	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	2	-	2	-	-	-	-	-	-	-	-
740	Anencephalus	M	20	-	4	-	1	-	-	-	2	-	13	-
		F	27	-	7	-	2	-	1	-	2	-	15	-
741	Spina bifida	M	12	10	5	3	3	-	-	1	-	-	4	6
		F	25	16	8	6	1	1	1	1	3	1	12	7
742	Congenital hydrocephalus	M	4	4	1	2	-	-	-	-	-	-	3	2
		F	4	1	-	-	-	1	-	-	2	-	2	-
746	Congenital anomalies of heart	M	41	28	5	4	2	3	1	3	4	3	29	15
		F	31	18	6	4	3	2	2	1	2	2	18	9
743-745, 747-759	Other congenital anomalies	M	56	15	18	5	4	1	3	-	1	-	30	9
		F	41	17	10	6	3	2	2	2	2	-	24	7
764-768, 772	Birth injury and difficult labour	M	39	2	7	1	8	-	2	-	2	-	20	1
		F	24	1	6	-	3	-	2	-	1	-	12	1
770, 771	Conditions of placenta and cord	M	7	-	1	-	-	-	3	-	-	-	3	-
		F	8	-	1	-	-	-	1	-	-	-	6	-
774, 775	Haemolytic disease of newborn	M	14	-	4	-	2	-	-	-	1	-	7	-
		F	6	-	3	-	-	-	-	-	1	-	2	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	158	2	41	-	16	-	5	-	14	-	82	2
		F	91	-	19	-	11	-	4	-	3	-	54	-
777	Immaturity, unqualified	M	94	-	35	-	7	-	4	-	3	-	45	-
		F	62	-	19	-	1	-	2	-	3	-	37	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	16	2	4	-	-	1	-	-	-	-	12	1
		F	14	1	-	-	1	-	-	-	2	-	11	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	11	27	1	2	1	3	-	3	2	4	7	15
		F	7	20	2	3	1	3	-	1	-	1	4	12

*Late foetal deaths not included.

TABLE 26—INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1973,

Detailed International List No.	Cause of death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days					
							1	2	3	4	5	6
	All causes	M	713	30	219	249	84	48	31	15	13	7
		F	521	24	153	177	51	38	18	18	9	3
008, 009	Enteritis and other diarrhoeal diseases	M	19	-	-	-	-	-	-	-	2	1
		F	14	-	-	-	-	-	-	1	1	-
033	Whooping cough	M	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007 020-027 030-032 034-136	Other infective and parasitic diseases	M	6	-	-	-	-	-	-	-	-	-
		F	11	-	1	1	1	-	-	-	-	-
320	Meningitis	M	13	-	1	1	-	-	-	-	-	-
		F	6	-	-	-	-	-	-	-	-	1
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	61	1	1	2	1	2	1	-	1	-
		F	49	-	1	1	-	2	-	1	1	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466 500-519	Other diseases of the respiratory system	M	48	1	-	1	1	-	-	-	1	-
		F	24	-	1	1	-	-	1	-	-	-
520-577	Diseases of the digestive system	M	1	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-
740	Congenital anomalies:— Anencephalus	M	20	6	9	15	3	1	1	-	-	-
		F	27	8	14	22	-	1	1	1	-	-
741	Spina bifida	M	22	2	3	5	2	3	-	-	1	-
		F	41	2	7	9	2	3	2	-	-	-
742	Congenital hydrocephalus	M	8	2	1	3	-	-	-	-	-	-
		F	5	1	1	2	1	1	-	-	-	-
743	Other congenital anomalies of nervous system	M	1	-	-	-	-	-	-	-	-	-
		F	5	-	-	-	2	-	1	-	-	-
746	Congenital anomalies of heart	M	69	-	2	2	8	7	6	2	-	1
		F	49	1	3	4	8	5	3	1	2	-
747	Other congenital anomalies of circulatory system	M	7	-	-	-	1	-	-	-	1	1
		F	3	-	-	-	-	-	-	1	-	-
748	Congenital anomalies of respiratory system	M	8	-	4	4	1	-	-	-	-	-
		F	6	-	3	3	-	-	2	-	-	-
749	Cleft palate and cleft lip	M	1	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
750	Other congenital anomalies of upper alimentary tract	M	3	-	-	-	-	-	1	-	-	-
		F	3	-	-	-	-	-	-	1	-	-
751	Other congenital anomalies of digestive system	M	5	-	1	1	-	-	1	-	1	-
		F	7	-	-	-	-	1	-	-	-	-
753	Congenital anomalies of urinary system	M	17	1	8	9	-	-	1	-	-	-
		F	7	-	4	4	-	-	-	1	-	-

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed International List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
447 314	34 25	15 7	17 14	513 360	51 36	36 21	38 25	13 19	14 10	14 16	11 9	8 8	10 7	3 8	2 2	
3 2	3 1	1 -	- -	7 3	4 4	3 3	3 -	1 2	- -	1 -	- 1	- -	- 1	- -	- -	008,009
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	033
- 2	- -	2 1	- -	2 3	- 1	2 -	- -	1 -	- 1	- 4	- 1	1 -	- 1	- -	- -	000-007 020-027 030-032 034-136
1 1	3 1	1 1	1 -	6 3	4 1	1 -	2 -	- 1	- -	- -	- 1	- -	- -	- -	- -	320
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	321-324
- -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	470-474
7 5	4 -	5 1	3 1	19 7	12 7	4 7	9 9	4 7	1 -	3 2	3 1	2 3	1 3	2 3	1 -	480-486
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	490-493
3 2	2 -	1 -	1 2	7 4	9 6	9 4	8 5	2 2	5 1	3 -	2 -	2 1	1 -	- 1	- -	460-466 500-519
- -	- -	- -	- -	- -	- 1	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	520-577
20 25	- 2	- -	- -	20 27	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	740
11 16	- 4	- 2	1 3	12 25	3 2	3 3	1 -	- 1	- 1	2 2	- 3	1 1	- 1	- 1	- 1	741
3 4	- -	1 -	- -	4 4	1 -	- -	1 -	1 -	- -	- -	- 1	1 -	- -	- -	- -	742
- 3	- -	- -	- -	- 3	- 1	- -	- -	- -	1 -	- -	- -	- 1	- -	- -	- -	743
26 23	9 3	2 1	4 4	41 31	7 5	4 -	5 1	3 2	2 -	2 5	2 1	- 1	2 -	1 3	- -	746
3 1	2 1	- -	1 -	6 2	- -	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	747
5 5	1 -	- -	- 1	6 6	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	748
1 -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	749
1 1	1 -	- -	- -	2 1	- -	- 1	- -	- 1	- -	1 -	- -	- -	- -	- -	- -	750
3 1	- 4	- -	- -	3 5	2 1	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -	751
10 5	2 -	1 1	- -	13 6	1 -	- -	- 1	- -	1 -	- -	1 -	- -	1 -	- -	- -	753

TABLE 26 (contd.)—INFANT MORTALITY DEATHS UNDER ONE YEAR IN 1973,

Detailed International List No.	Cause of death	Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	Days						
						1	2	3	4	5	6	
755	Other congenital anomalies of limbs	M	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
756	Other congenital anomalies of musculo-skeletal system	M	9	-	5	5	1	-	-	1	-	-
		F	9	-	4	4	-	1	-	-	-	-
757	Congenital anomalies of skin, hair and nails	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-
758	Other and unspecified congenital anomalies	M	5	1	1	2	-	1	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-
759	Congenital syndromes affecting multiple systems	M	14	1	7	8	-	1	-	-	-	1
		F	16	1	4	5	-	1	1	2	1	-
760	Diseases of the mother during pregnancy:— Chronic circulatory and genito-urinary disease in mother	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	M	1	-	1	1	-	-	-	-	-	-
		F	1	-	1	1	-	-	-	-	-	-
762	Toxaemia of pregnancy	M	2	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
763	Maternal ante- and intrapartum infection	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
765	Birth Injury from:— Difficult labour with disproportion but no mention of abnormality of pelvis	M	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
766	Difficult labour with malposition of foetus	M	1	-	1	1	-	-	-	-	-	-
		F	1	-	1	1	-	-	-	-	-	-
767	Difficult labour with abnormality of forces of labour	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
768	Difficult labour with other and unspecified complications	M	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	1	1	-	-	-	-	-
769	Other complications of pregnancy and childbirth	M	4	-	4	4	-	-	-	-	-	-
		F	3	-	2	2	-	-	-	-	-	-
770	Conditions of placenta	M	4	1	2	3	1	-	-	-	-	-
		F	6	1	5	6	-	-	-	-	-	-
771	Conditions of umbilical cord	M	3	-	1	1	1	-	-	-	-	-
		F	2	-	2	2	-	-	-	-	-	-
772	Birth injury without mention of cause	M	39	-	16	16	7	9	1	2	2	-
		F	22	1	6	7	5	4	3	-	-	-
773	Termination of pregnancy	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774	Haemolytic disease of newborn with kernicterus	M	4	1	1	2	-	2	-	-	-	-
		F	2	-	2	2	-	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	M	10	1	6	7	-	2	1	-	-	-
		F	4	-	4	4	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere classified	M	160	3	78	81	37	13	14	6	2	2
		F	91	4	46	50	24	7	3	3	1	-
777	Immaturity unqualified	M	94	5	62	67	17	3	2	1	-	1
		F	62	3	38	41	5	10	-	3	2	-
778	Other conditions of foetus or newborn	M	11	1	2	3	1	2	1	2	-	-
		F	10	2	1	3	1	-	1	1	1	1
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	38	3	-	3	-	2	1	1	2	-
		F	27	-	1	1	-	1	-	2	-	1

CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7 days	Days			Total under 4 weeks	4 weeks and under 2 months	Months										Detailed International List No.
	7-13	14-20	21-27			2	3	4	5	6	7	8	9	10	11	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	7	-	1	-	-	-	-	-	-	1	-	-	756
5	-	-	1	6	1	1	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	757
3	1	-	1	5	-	-	-	-	-	-	-	-	-	-	-	758
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
10	1	-	1	12	1	-	-	-	-	-	1	-	-	-	-	759
10	1	-	-	11	2	-	2	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	761
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	766
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	769
2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	770
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	771
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	37	1	-	1	-	-	-	-	-	-	-	-	772
19	2	-	-	21	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	774
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	775
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
155	2	-	1	158	-	1	1	-	-	-	-	-	-	-	-	776
88	2	-	1	91	-	-	-	-	-	-	-	-	-	-	-	-
91	1	1	1	94	-	-	-	-	-	-	-	-	-	-	-	777
61	1	-	-	62	-	-	-	-	-	-	-	-	-	-	-	-
9	1	-	-	10	1	-	-	-	-	-	-	-	-	-	-	778
8	1	-	-	9	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	780.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	2	11	4	6	5	1	3	1	2	1	3	-	1	-
5	2	-	-	7	4	1	5	3	4	1	-	1	1	-	-	-

TABLE 27—INFANT MORTALITY—DEATHS OF ILLEGITIMATE INFANTS IN 1973 CLASSIFIED BY SEX, AGE AND CAUSE

International List Nos.	Cause of death		Total under 1 year	Days			Total under 4 weeks	Months		
				Under 1 day	1 and under 7	7 and under 28		4 weeks and under 3 months	3 months and under 6 months	6 months and under 12 months
	All causes	M	17	7	5	1	13	2	1	1
		F	12	7	5	-	12	-	-	-
008, 009	Enteritis and other diarrhoeal disease	M	1	-	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	1	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	1	-	-	1	1	-	-	-
		F	1	-	1	-	1	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	3	-	-	-	-	1	1	1
		F	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-
		F	1	1	-	-	1	-	-	-
741	Spina bifida	M	1	1	-	-	1	-	-	-
		F	1	1	-	-	1	-	-	-
742	Congenital hydrocephalus	M	1	1	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
743-745, 747-759	Other congenital anomalies	M	-	-	-	-	-	-	-	-
		F	1	-	1	-	1	-	-	-
764-768	Birth injury and difficult labour	M	3	1	2	-	3	-	-	-
772		F	2	-	2	-	2	-	-	-
770-771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	4	2	2	-	4	-	-	-
		F	4	4	-	-	4	-	-	-
777	Immaturity, unqualified	M	2	2	-	-	2	-	-	-
		F	2	1	1	-	2	-	-	-
760-763, 769, 773, 778, 779	Other cause of perinatal mortality*	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 28 INFANT MORTALITY DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)		
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	
			All causes	M	F	513	200	288	119	151	45	35	29
008, 009	Enteritis and other diarrhoeal disease	M	7	12	2	11	3	1	1	-	-	1	-
		F	3	11	2	4	1	6	-	1	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	2	4	-	2	1	2	-	-	1	-	-
		F	3	7	2	5	1	2	-	1	-	-	-
320	Meningitis	M	6	7	3	3	3	4	-	-	-	-	-
		F	3	4	3	2	-	1	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	1	-	-	-	-	-
470-474	Influenza	M	-	2	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	19	42	12	23	6	8	-	9	1	2	
		F	7	42	7	20	-	15	-	4	-	3	
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	7	41	5	31	1	3	-	6	1	1	
		F	4	20	3	16	-	2	1	1	-	1	
520-577	Diseases of the digestive system	M	-	1	-	1	-	-	-	-	-	-	-
		F	-	2	-	2	-	-	-	-	-	-	-
740	Anencephalus	M	20	-	12	-	7	-	1	-	-	-	-
		F	27	-	17	-	8	-	1	-	1	-	-
741	Spina bifida	M	12	10	7	6	5	3	-	1	-	-	-
		F	25	16	13	12	6	3	2	-	4	1	
742	Congenital hydrocephalus	M	4	4	2	3	2	-	-	1	-	-	-
		F	4	1	2	-	2	1	-	-	-	-	-
746	Congenital anomalies of heart	M	41	28	27	15	9	7	3	4	2	2	
		F	31	18	19	9	7	6	1	2	4	1	
743-745, 747-759	Other congenital anomalies	M	56	15	33	8	17	2	4	4	2	1	
		F	41	17	25	9	10	6	5	-	1	2	
764-768, 772	Birth injury and difficult labour	M	39	2	18	1	17	1	2	-	2	-	
		F	24	1	8	1	10	-	4	-	2	-	
770, 771	Conditions of placenta and cord	M	7	-	4	-	2	-	1	-	-	-	
		F	8	-	6	-	-	-	2	-	-	-	
774, 775	Haemolytic disease of newborn	M	14	-	7	-	5	-	1	-	1	-	
		F	6	-	5	-	1	-	-	-	-	-	
776	Anoxic and hypoxic conditions not elsewhere specified	M	158	2	88	2	42	-	10	-	18	-	
		F	91	-	54	-	24	-	8	-	5	-	
777	Immaturity, unqualified	M	94	-	56	-	25	-	7	-	6	-	
		F	62	-	32	-	17	-	7	-	6	-	
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	16	2	7	1	2	1	5	-	2	-	
		F	14	1	7	-	3	1	2	-	2	-	
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	
	Other causes	M	11	27	5	11	4	12	-	3	2	1	
		F	7	20	3	6	3	10	1	3	-	1	

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death	CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (remainder)		KILDARE COUNTY	
		Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
		M	F	M	F	M	F	M	F	M	F
	All causes	9	4	126	37	9	8	54	17	21	4
		7	1	86	40	5	5	30	13	16	6
008, 009	Enteritis and other diarrhoeal diseases	M	-	2	5	-	1	-	1	-	-
		F	-	1	1	-	-	-	1	1	1
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	1	-	-	-	1	-	-
		F	-	1	3	-	1	-	-	-	-
320	Meningitis	M	-	1	-	-	-	2	1	-	-
		F	-	2	1	-	-	1	-	-	1
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	3	2	3	1	2	-	4	-
		F	-	1	3	7	1	1	1	1	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	2	11	1	6	2	8	-	3
		F	-	2	9	-	1	-	4	1	-
520-577	Diseases of the digestive system	M	-	-	1	-	-	-	-	-	-
		F	-	-	2	-	-	-	-	-	-
740	Anencephalus	M	1	4	-	-	-	3	-	2	-
		F	-	7	-	-	-	4	-	-	-
741	Spina bifida	M	-	5	3	-	-	1	-	-	-
		F	-	8	6	-	-	1	2	1	1
742	Congenital hydrocephalus	M	-	1	2	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-
746	Congenital anomalies of heart	M	2	5	4	-	-	6	1	2	1
		F	1	5	4	1	-	5	3	2	1
743-745, 747-759	Other congenital anomalies	M	-	17	5	1	-	5	1	3	-
		F	-	9	4	1	2	2	1	2	-
764-768, 772	Birth injury and difficult labour	M	-	7	1	-	-	5	-	2	-
		F	-	6	-	-	-	-	1	-	-
770, 771	Conditions of placenta and cord	M	1	1	-	-	-	-	-	-	-
		F	1	1	-	-	-	2	-	-	-
774, 775	Haemolytic disease of newborn	M	-	4	-	-	-	-	-	1	-
		F	-	2	-	1	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	37	-	4	-	19	1	4	-
		F	3	19	-	-	-	10	-	6	-
777	Immaturity, unqualified	M	1	33	-	2	-	8	-	3	-
		F	1	19	-	-	-	4	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	4	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-
	Other causes	M	1	1	1	-	1	1	2	-	-
		F	-	1	3	1	-	-	-	1	1

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		KILKENNY COUNTY		LAOIS COUNTY		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY									
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year								
			All causes	M	F	10	9	3	2	5	2	3	3	14	4	10	5	9	13	7
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	-	-	1	1	1	-	6	-	3	-	2	-	1	-	1	-	1
		F	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
742	Congenital hydrocephalus	M	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	3	-	1	-	1	1	-	-	1	2	-	1	-	-	-	-	-	2
		F	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
743-745, 747-759	Other congenital anomalies	M	1	-	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1
		F	1	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-
764-768, 772	Birth injury and difficult labour	M	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	3	-	1	-	-	-	4	-	3	-	-	-	-	-	-	-	-	-
		F	4	-	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-
777	Immaturity, unqualified	M	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	1
		F	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		OFFALY COUNTY		WESTMEATH COUNTY		WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F
	All causes		3	3	3	7	13	7	9	7	11	5
			5	1	5	-	13	5	9	3	12	2
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	2	-	-	-	-	-	-
		F	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	-	-	-	-	1	-
320	Meningitis	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	-	1	1	2	1	1	-	1
		F	-	1	1	-	-	2	-	2	-	1
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	1	-	1	-
		F	1	-	-	-	2	-	1	-	1	-
741	Spina bifida	M	-	-	-	1	-	-	-	2	1	-
		F	-	-	1	-	-	-	1	1	1	-
742	Congenital hydrocephalus	M	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	-	2	-	3	4	-	1	1	-
		F	-	-	-	-	1	-	-	-	-	-
743-745, 747-759	Other congenital anomalies	M	-	-	-	-	1	1	1	-	2	-
		F	1	-	-	-	2	1	2	-	-	1
764-768, 772	Birth injury and difficult labour	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	3	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	1	1	-	3	-	4	-	2	-
		F	2	-	-	-	4	-	1	-	2	-
777	Immaturity, unqualified	M	-	-	-	-	1	-	2	-	3	-
		F	-	-	2	-	2	-	2	-	4	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	2	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	-	-	-	1	-	-	2	-	4
		F	-	-	-	-	-	1	-	-	-	-

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		LIMERICK COUNTY				
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year			
			All causes	M	F	27	8	19	11	29	11	12	6	21	2
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	1	-	-	2	-	-	-	-	-	-
		F	1	1	-	2	-	2	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	1	1	-	-	-	1	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	1	-	-	-	-	-
320	Meningitis	M	-	-	-	1	-	1	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	1	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	3	1	-	1	-	1	-	-	-	1	-	1	-
		F	-	2	-	3	-	-	-	-	3	-	-	-	2
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	-	-	1	-	1	-	-	-	-	-	-	1
		F	-	1	-	-	-	1	-	-	-	-	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	2	-	1	-	1	-	1	-
		F	2	-	2	-	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	-	-	-	-	-	-	-	3	-	-	-	2	3
		F	-	1	-	-	-	2	-	-	-	-	-	1	1
742	Congenital hydrocephalus	M	-	-	-	-	-	1	-	-	-	-	-	-	-
		F	-	1	1	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	2	3	3	3	-	-	-	-	-	1	-	1	-
		F	3	1	1	1	2	-	-	1	-	1	1	1	1
743-745, 747-759	Other congenital anomalies	M	3	1	4	-	1	-	1	-	-	3	-	3	1
		F	3	2	5	1	1	-	-	-	-	1	-	1	2
764-768, 772	Birth injury and difficult labour	M	5	-	3	-	1	-	3	-	4	-	4	1	-
		F	1	-	2	-	1	-	2	-	1	-	1	-	-
770, 771	Conditions of placenta and cord	M	-	-	1	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
774-775	Haemolytic disease of newborn	M	2	-	-	-	-	-	-	-	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	7	-	13	-	5	-	8	-	3	-	3	-	-
		F	7	-	8	-	-	-	3	-	-	-	1	-	-
777	Immaturity, unqualified	M	4	-	3	-	1	-	1	-	1	-	1	-	-
		F	1	-	3	-	2	-	-	-	-	-	-	-	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	1	-	-	-	-	1	-	-	-	-	-
		F	1	-	2	1	-	-	-	-	-	-	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	1	4	-	1	1	1	1	1	1	1	-
		F	-	1	-	2	-	2	1	1	1	1	1	-	2

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		TIPPERARY N.R.		TIPPERARY S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY		GALWAY COUNTY		LEITRIM COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All causes		5	2	20	1	3	1	6	2	16	11	-	-
			6	5	6	2	2	2	4	1	10	5	2	-
008, 009	Enteritis and other diarrhoeal disease	M	-	-	-	-	-	-	1	-	1	-	-	-
		F	-	1	-	-	-	-	-	-	-	1	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	-	-
320	Meningitis	M	1	-	1	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	1	1	1	-	-	1	2	-	4	-	-
		F	-	2	-	-	-	1	-	1	-	-	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	1	-	-	-	-	-	-	-	-	3	-	-
		F	-	-	-	-	-	-	-	-	1	1	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	2	-	-	-	-	-	1	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-
741	Spina bifida	M	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	1	-	-	-	1	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	-	-
746	Congenital anomalies of heart	M	-	1	2	-	-	-	-	-	2	2	-	-
		F	-	-	-	2	-	-	-	-	1	-	-	-
743-745, 747-759	Other congenital anomalies	M	-	-	1	-	-	-	2	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
764-768, 772	Birth injury and difficult labour	M	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	3	-	-	-
770, 771	Conditions of placenta and cord	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	1	-	1	-	1	-	1	-	6	-	-	-
		F	-	-	-	-	1	-	2	-	2	-	-	-
777	Immaturity, unqualified	M	1	-	9	-	2	-	-	-	4	-	-	-
		F	2	-	5	-	-	-	-	-	1	-	1	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	1	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	1	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	1	1	-	1	2	-	-

*Late foetal deaths not included.

TABLE 28 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER ONE YEAR IN 1973, CLASSIFIED BY SEX AND CAUSE, ASSIGNED TO EACH COUNTY AND COUNTY BOROUGH.

Detailed International List Nos.	Cause of death		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY	
			Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year	Under 4 weeks	4 weeks and under 1 year
			M	F	M	F	M	F	M	F	M	F	M	F
	All causes	M	8	10	4	3	7	5	13	3	17	2	9	2
		F	6	4	5	2	11	1	9	2	8	6	8	1
008, 009	Enteritis and other diarrhoeal diseases	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
033	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
000-007, 020-032, 034-136	Other infective and parasitic diseases	M	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
320	Meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
321-324	Other inflammatory diseases of the central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
470-474	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
480-486	Pneumonia	M	-	2	-	2	-	1	-	1	1	1	-	-
		F	-	2	-	1	-	1	-	1	-	2	-	-
490-493	Bronchitis, emphysema and asthma	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
460-466, 500-519	Other diseases of the respiratory system	M	-	2	-	-	-	1	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	1	-	-	-
520-577	Diseases of the digestive system	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
740	Anencephalus	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	1	-	-	-	-	-	1	-
741	Spina bifida	M	-	-	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	2	1	2	-	-	-
742	Congenital hydrocephalus	M	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
746	Congenital anomalies of heart	M	1	2	-	-	-	-	2	1	-	-	-	1
		F	-	2	-	-	-	-	2	-	1	1	1	-
743-745, 747-759	Other congenital anomalies	M	3	2	-	1	-	-	-	-	2	1	-	-
		F	3	-	-	-	2	-	-	-	1	1	1	1
764-768, 772	Birth injury and difficult labour	M	1	-	-	-	1	-	-	-	2	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	1	-
770, 771	Conditions of placenta and cord	M	-	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	1	-	1	-	-	-	-	-	-	-
774, 775	Haemolytic disease of newborn	M	1	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
776	Anoxic and hypoxic conditions not elsewhere specified	M	2	-	-	-	2	-	4	-	8	-	6	-
		F	1	-	1	-	4	-	1	-	2	-	2	-
777	Immaturity, unqualified	M	-	-	1	-	2	-	4	-	2	-	-	-
		F	-	-	2	-	3	-	2	-	2	-	2	-
760-763, 769, 773, 778, 779	Other causes of perinatal mortality*	M	-	-	2	-	2	-	1	-	-	-	1	-
		F	-	-	1	-	-	-	1	-	1	-	-	-
780.2	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other causes	M	-	2	-	-	-	1	1	1	-	-	1	-
		F	-	-	-	1	-	-	-	-	1	-	-	-

*Late foetal deaths not included.

TABLE 29—LATE FOETAL DEATHS NOTIFIED IN 1973 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
740	Anencephalus Anencephalus	4	30	24	29	18	15	-	120
741.0	Spina Bifida With hydrocephalus	2	4	6	1	2	-	-	15
741.9	Without mention of hydrocephalus	-	2	1	-	-	-	-	3
742	Congenital hydrocephalus Hydrocephalus	1	8	7	4	11	4	-	35
743.0	Other congenital anomalies of nervous system Encephalocele	-	-	1	-	-	-	-	1
743.1	Microcephalus	-	-	-	2	-	-	-	2
743.9	Unspecified anomalies of brain, spinal cord and nervous system	-	-	1	-	-	-	-	1
746.8	Congenital anomalies of heart Other specified anomalies of heart	-	-	1	1	-	-	-	2
746.9	Unspecified anomalies of heart	-	-	1	-	-	-	-	1
747.4	Other congenital anomalies of circulatory system Anomalies of great veins	-	-	-	-	-	1	-	1
748.3	Congenital anomalies of respiratory system Other anomalies of larynx, trachea and bronchus	-	-	-	-	-	-	-	-
750.9	Other congenital anomalies of upper alimentary tract Unspecified anomalies of upper alimentary tract	-	-	1	-	-	-	-	1
751.9	Other congenital anomalies of digestive system Unspecified anomalies of digestive system	-	-	-	-	-	-	-	-
753.1	Congenital anomalies of urinary system Cystic kidney disease	-	-	-	-	-	-	-	-
756.0	Other congenital anomalies of musculoskeletal system Anomalies of skull and face bones	-	-	-	-	-	-	-	-
756.1	Anomalies of spine	-	-	-	-	-	-	-	-
756.4	Chondrodystrophy	-	-	-	-	-	-	-	-
758.1	Other and unspecified congenital anomalies Anomalies of adrenal gland	-	-	2	-	-	-	-	2
758.9	Unspecified congenital anomaly	-	-	1	1	-	-	-	2
759.3	Congenital syndromes affecting multiple systems Down's disease	-	-	-	-	-	1	1	2
759.8	Other specified syndromes	-	1	-	-	-	-	-	1
759.9	Multiple congenital anomalies, unspecified	-	3	4	-	1	-	-	8
760.0	Chronic circulatory and genito-urinary diseases in mother Chronic rheumatic heart disease	-	-	-	-	-	-	-	-
760.2	Chronic hypertension	-	-	-	-	-	-	-	-
761.1	Other maternal conditions unrelated to pregnancy Diabetes mellitus	-	-	-	2	-	-	-	2
761.2	Influenza	-	-	-	-	-	-	-	-
761.5	Injury	-	-	-	2	1	1	-	4
761.9	Other maternal causes	-	1	-	2	-	-	-	3
762.1	Toxaemia of pregnancy Pre-eclampsia of pregnancy	2	6	9	4	2	5	2	30
762.2	Eclampsia of pregnancy	-	1	1	1	-	-	-	3
762.3	Toxaemia, unspecified	-	-	1	1	3	3	-	8
762.9	Other toxaemia of pregnancy	-	-	-	1	1	-	-	2
763.9	Maternal ante- and intrapartum infection Other	-	-	-	1	-	-	1	2

TABLE 29 (contd.)—LATE FOETAL DEATHS NOTIFIED IN 1973 CLASSIFIED BY CAUSE AND AGE OF MOTHER AT MATERNITY

Inter- national List Nos. 740-779	Cause of death	Age at maternity							Total
		Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
764.9	Difficult labour with abnormality of bones, organs or tissues of pelvis Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	1	-	-	-	1
766.0	Difficult labour with malposition of foetus With birth injury to brain	-	-	-	-	1	-	-	1
766.4	With asphyxia, anoxia or hypoxia	-	-	-	-	1	-	-	1
766.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	2	1	1	1	-	5
767.4	Difficult labour with abnormality of forces of labour With asphyxia, anoxia or hypoxia	-	-	-	1	-	-	-	1
768.3	Difficult labour with other and unspecified complications With other or unspecified birth injury	-	-	1	1	1	-	-	3
768.4	With asphyxia, anoxia or hypoxia	-	-	-	3	-	-	-	3
768.9	Without mention of birth injury, asphyxia, anoxia or hypoxia	-	-	-	-	1	-	-	1
769.1	Other complications of pregnancy and childbirth Premature rupture of membranes	-	-	-	1	-	-	-	1
769.2	Hydramnios	-	-	2	3	-	-	-	5
769.3	Ectopic pregnancy	-	-	1	-	-	-	-	1
769.9	Other	-	-	1	4	1	1	-	7
770.0	Conditions of placenta Placenta praevia	-	2	-	1	1	-	1	5
770.1	Premature separation of placenta	5	10	20	29	18	13	1	96
770.2	Placental infarction	1	4	9	1	8	2	-	25
770.8	Other	-	-	-	-	-	-	-	-
770.9	Unspecified	1	10	11	9	7	5	-	43
771.0	Conditions of umbilical cord Compression of cord	-	1	1	6	2	1	-	11
771.1	Prolapse of cord without mention of compression	-	-	8	3	3	-	-	14
771.9	Other	1	5	4	6	8	3	1	28
772.0	Birth injury without mention of cause To brain	-	-	2	-	1	-	-	3
772.9	Other and unspecified	-	-	-	-	-	-	-	-
774.0	Haemolytic diseases of newborn with kernicterus With Rh incompatibility	-	-	-	-	-	-	-	-
775.0	Haemolytic disease of newborn without mention of kernicterus With Rh incompatibility	1	5	7	19	10	2	-	44
775.1	With ABO incompatibility	-	-	1	-	-	-	-	1
776.0	Anoxic and hypoxic conditions not elsewhere classified Aspiration of content of birth canal	-	-	-	-	-	1	-	1
776.1	Hyaline membrane disease	-	-	1	-	-	-	-	1
776.2	Respiratory distress syndrome	-	-	1	-	-	-	-	1
776.3	Foetal distress	-	1	1	-	1	-	-	3
776.4	Intra-uterine anoxia	1	18	29	19	24	7	2	100
776.9	Asphyxia of newborn unspecified	-	1	1	-	2	-	-	4
777	Immaturity, unqualified Prematurity	1	2	5	2	2	2	-	14
778.1	Other conditions of foetus or newborn Postmaturity	1	-	2	1	1	-	-	5
778.9	Other	-	-	-	1	-	-	-	1
779.0	Foetal death of unknown cause Maceration	3	14	17	13	8	13	-	68
779.9	Other	3	15	21	17	14	8	2	80
	Total	27	144	209	194	155	89	11	829

TABLE 30—LATE FOETAL DEATHS NOTIFIED IN 1973, CLASSIFIED BY CAUSE AND PERIOD OF GESTATION

Inter- national List Nos. 740-779	Cause of Death	Period of gestation		
		28-36 weeks	37 weeks and over	Total
740	Anencephalus	68	52	120
741	Spina bifida	5	13	18
742	Congenital hydrocephalus	8	27	35
743	Other congenital anomalies of nervous system	2	2	4
746	Congenital anomalies of heart	1	2	3
747	Other congenital anomalies of circulatory system	-	1	1
750	Other congenital anomalies of upper alimentary tract	-	1	1
753	Congenital anomalies of urinary system	-	-	-
756	Other congenital anomalies of musculoskeletal system	-	-	-
758	Other and unspecified congenital anomalies	1	3	4
759	Congenital syndromes affecting multiple systems	6	5	11
760	Chronic circulatory and genito-urinary diseases in mother	-	-	-
761	Other maternal conditions unrelated to pregnancy	5	4	9
762	Toxaemia of pregnancy	34	9	43
763	Maternal ante-and intrapartum infection	2	-	2
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	-	1	1
766	Difficult labour with malposition of foetus	-	7	7
767	Difficult labour with abnormality of forces of labour	-	1	1
768	Difficult labour with other and unspecified complications	2	5	7
769	Other complications of pregnancy and childbirth	9	5	14
770	Conditions of placenta	86	83	169
771	Conditions of umbilical cord	7	46	53
772	Birth injury without mention of cause	1	2	3
775	Haemolytic disease of newborn without mention of kernicterus	29	16	45
776	Anoxic and hypoxic conditions not elsewhere classified	41	69	110
777	Immaturity, unqualified	14	-	14
778	Other conditions of foetus or newborn	-	6	6
779	Foetal death of unknown cause	71	77	148
	Total	392	437	829

TABLE 31—LATE FOETAL DEATHS NOTIFIED IN 1973 CLASSIFIED BY CAUSE AND NUMBER OF PREVIOUS CHILDREN

Inter- national List Nos. 740-779	Cause of Death	Number of previous children				Total
		0	1 or 2	3, 4 or 5	6 or more	
740	Anencephalus	39	31	34	16	120
741	Spina bifida	10	6	1	1	18
742	Congenital hydrocephalus	11	12	12	-	35
743	Other congenital anomalies of nervous system	1	2	1	-	4
746	Congenital anomalies of heart	1	2	-	-	3
747	Other congenital anomalies of circulatory system	-	-	-	1	1
750	Other congenital anomalies of upper alimentary tract	-	-	1	-	1
753	Congenital anomalies of urinary system	-	-	-	-	-
756	Other congenital anomalies of musculoskeletal system	-	-	-	-	-
758	Other and unspecified congenital anomalies	1	2	1	-	4
759	Congenital syndromes affecting multiple systems	5	3	1	2	11
760	Chronic circulatory and genito-urinary diseases in mother	-	-	-	-	-
761	Other maternal conditions unrelated to pregnancy	1	3	1	4	9
762	Toxaemia of pregnancy	22	7	10	4	43
763	Maternal ante- and intrapartum infection	1	-	1	-	2
764	Difficult labour with abnormality of bones, organs or tissues of pelvis	-	-	1	-	1
766	Difficult labour with malposition of foetus	2	-	3	2	7
767	Difficult labour with abnormality of forces of labour	1	-	-	-	1
768	Difficult labour with other and unspecified complications	-	1	2	4	7
769	Other complications of pregnancy and childbirth	1	5	3	5	14
770	Conditions of placenta	48	51	44	26	169
771	Conditions of umbilical cord	12	9	19	13	53
772	Birth injury without mention of cause	2	-	1	-	3
774	Haemolytic disease of newborn with kernicterus	-	-	-	-	-
775	Haemolytic disease of newborn without mention of kernicterus	1	11	21	12	45
776	Anoxic and hypoxic conditions not elsewhere classified	36	33	22	19	110
777	Immaturity, unqualified	4	5	3	2	14
778	Other conditions of foetus or newborn	3	-	2	1	6
779	Foetal death of unknown cause	46	42	33	27	148
	Total	248	225	217	139	829

TABLE 32 – LATE FOETAL DEATHS NOTIFIED IN 1973 CLASSIFIED BY SEX AND PERIOD OF GESTATION

Sex	Period of gestation		
	28-36 weeks	37 weeks and over	Total
Males	210	207	417
Females	182	230	412
Total	392	437	829

TABLE 33 – LATE FOETAL DEATHS NOTIFIED IN 1973 CLASSIFIED BY AGE OF MOTHER AND NUMBER OF PREVIOUS CHILDREN

Previous children	Age of Mother							Total
	Under 20	20-24	25-29	30-34	35-39	40-44	45 and over	
0	23	90	70	37	19	8	1	248
1	4	36	42	19	12	8	-	121
2	-	10	39	31	18	6	-	104
3	-	3	24	38	17	5	2	89
4	-	3	16	32	25	8	-	84
5	-	2	7	9	14	10	2	44
6	-	-	8	11	20	8	1	48
7	-	-	2	6	7	9	-	24
8	-	-	1	4	3	12	1	21
9	-	-	-	4	5	1	3	13
10	-	-	-	-	5	6	1	12
11	-	-	-	-	2	4	-	6
12	-	-	-	1	5	1	-	7
13	-	-	-	1	-	1	-	2
14	-	-	-	-	1	2	-	3
15 and over	-	-	-	1	2	-	-	3
Total	27	144	209	194	155	89	11	829

TABLE 34—DEATHS SHOWING THE NUMBERS OCCURRING IN EACH QUARTER IN 1973 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHES

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	5,477	4,461	4,467	3,699	4,200	3,426	4,545	3,917	18,689	15,503
Carlow	58	37	61	43	50	48	42	54	211	182
Dublin Co. Borough	838	870	681	653	615	629	725	731	2,859	2,883
Dun Laoghaire Borough	90	101	69	99	66	57	65	91	290	348
Dublin Co. (remainder)	179	174	168	139	157	131	156	178	660	622
Kildare	122	86	104	89	53	62	92	76	371	313
Kilkenny	124	87	102	84	92	68	93	93	411	332
Laois	83	73	59	44	67	53	77	67	286	237
Longford	78	41	50	32	53	49	65	40	246	162
Louth	131	93	103	66	108	77	102	90	444	326
Meath	137	93	106	92	120	90	105	95	468	370
Offaly	94	84	72	65	73	52	80	57	319	258
Westmeath	115	87	78	69	83	60	85	65	361	281
Wexford	157	147	159	121	111	117	124	132	551	517
Wicklow	97	94	96	95	111	72	93	85	397	346
Leinster	2,303	2,067	1,908	1,691	1,759	1,565	1,904	1,854	7,874	7,177
Clare	157	120	134	101	140	107	131	112	562	440
Cork Co. Borough	206	195	162	168	175	178	164	157	707	698
Cork County	466	383	430	290	357	273	441	288	1,694	1,234
Kerry	250	169	177	174	187	161	237	154	851	658
Limerick Co. Borough	111	97	75	76	67	65	54	74	307	312
Limerick County	186	139	160	95	161	89	142	105	649	428
Tipperary, N.R.	102	77	97	84	93	70	89	73	381	304
Tipperary, S.R.	150	125	118	97	111	92	148	91	527	405
Waterford Co. Borough	50	44	46	41	41	30	42	57	179	172
Waterford County	91	60	73	51	76	41	89	60	329	212
Munster	1,769	1,409	1,472	1,177	1,408	1,106	1,537	1,171	6,186	4,863
Galway	288	198	241	174	217	160	237	208	983	740
Leitrim	79	51	62	40	66	44	68	50	275	185
Mayo	267	191	213	138	203	131	204	162	887	622
Roscommon	143	94	108	84	80	71	105	79	436	328
Sligo	122	90	84	83	84	65	109	87	399	325
Connacht	899	624	708	519	650	471	723	586	2,980	2,200
Cavan	141	90	106	83	111	77	110	84	468	334
Donegal	262	179	188	158	199	158	171	161	820	656
Monaghan	103	92	85	71	73	49	100	61	361	273
Ulster (part of)	506	361	379	312	383	284	381	306	1,649	1,263

TABLE 35—BIRTHS SHOWING THE NUMBERS IN EACH QUARTER IN 1973 ASSIGNED TO THE COUNTIES AND COUNTY BOROUGHS

Area	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Total	8,973	8,355	9,279	8,896	8,665	8,365	8,387	7,793	35,304	33,409
Carlow	114	117	106	105	109	104	93	110	422	436
Dublin Co. Borough	1,739	1,571	1,674	1,605	1,482	1,465	1,454	1,378	6,349	6,019
Dun Laoghaire Borough	137	132	169	145	150	151	122	100	578	528
Dublin Co. (remainder)	922	830	988	942	963	880	986	891	3,859	3,543
Kildare	288	276	315	281	265	301	290	280	1,158	1,138
Kilkenny	178	148	167	183	168	155	178	145	691	631
Laois	110	118	133	127	137	123	105	118	485	486
Longford	74	82	80	77	69	70	65	68	288	297
Louth	264	226	248	269	243	233	234	232	989	960
Meath	250	201	248	243	221	247	237	207	956	898
Offaly	167	155	164	169	156	166	143	154	630	644
Westmeath	156	153	169	162	155	160	126	161	606	636
Wexford	300	264	272	257	305	261	245	244	1,122	1,026
Wicklow	213	196	263	256	234	217	232	210	942	879
Leinster	4,912	4,469	4,996	4,821	4,657	4,533	4,510	4,298	19,075	18,121
Clare	241	217	244	224	189	205	221	200	895	846
Cork Co. Borough	496	402	398	382	373	316	394	339	1,661	1,439
Cork County	612	598	698	631	638	617	617	514	2,565	2,360
Kerry	245	282	300	279	296	294	296	245	1,137	1,100
Limerick Co. Borough	228	180	242	195	217	203	163	156	850	734
Limerick County	203	241	224	245	248	197	242	229	917	912
Tipperary N.R.	146	147	175	123	151	140	166	150	638	560
Tipperary S.R.	211	180	195	198	218	192	170	162	794	732
Waterford Co. Borough	112	116	109	103	85	96	90	83	396	398
Waterford County	109	122	125	122	133	120	106	106	473	470
Munster	2,603	2,485	2,710	2,502	2,548	2,380	2,465	2,184	10,326	9,551
Galway	403	405	428	441	415	439	387	355	1,633	1,640
Leitrim	49	46	58	65	51	69	54	39	212	219
Mayo	258	246	272	265	234	228	233	218	997	957
Roscommon	112	100	120	108	121	108	104	110	457	426
Sligo	110	106	132	139	110	124	128	105	480	474
Connacht	932	903	1,010	1,018	931	968	906	827	3,779	3,716
Cavan	110	136	140	147	124	134	127	115	501	532
Donegal	316	256	290	285	280	261	262	272	1,148	1,074
Monaghan	100	106	133	123	125	89	117	97	475	415
Ulster (part of)	526	498	563	555	529	484	506	484	2,124	2,021

TABLE 36—BIRTHS, IN 1973, IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE

Area	Number registered		Transferred from area		Transferred to area		Net number	
	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary	Hospital*	Domiciliary
Total	67,883	830	-	-	-	-	67,883	830
Carlow	696	4	104	-	262	-	854	4
Dublin Co. Borough	24,399	304	12,467	9	140	1	12,072	296
Dun Laoghaire Borough	1,549	10	1,125	2	674	-	1,098	8
Dublin Co. (remainder)	252	48	240	-	7,334	8	7,346	56
Kildare	269	25	10	1	2,012	1	2,271	25
Kilkenny	1,170	14	132	-	270	-	1,308	14
Laois	581	9	16	-	397	-	962	9
Longford	280	4	30	-	331	-	581	4
Louth	3,479	11	1,595	-	53	1	1,937	12
Meath	216	15	4	-	1,627	-	1,839	15
Offaly	1,088	11	62	-	237	-	1,263	11
Westmeath	988	13	164	-	404	1	1,228	14
Wexford	1,788	34	53	-	379	-	2,114	34
Wicklow	176	42	6	-	1,609	-	1,779	42
Clare	996	19	8	-	734	-	1,722	19
Cork Co. Borough	7,843	14	4,779	1	23	-	3,087	13
Cork County	689	22	27	-	4,240	1	4,902	23
Kerry	1,756	17	11	-	474	1	2,219	18
Limerick Co. Borough	4,886	10	3,341	1	30	-	1,575	9
Limerick County	2	9	-	-	1,817	1	1,819	10
Tipperary, N.R.	450	5	13	-	756	-	1,193	5
Tipperary, S.R.	1,418	11	96	-	193	-	1,515	11
Waterford Co. Borough	1,748	71	1,036	3	14	-	726	68
Waterford County	153	4	1	-	785	2	937	6
Galway	4,206	30	1,057	-	94	-	3,243	30
Leitrim	167	-	10	-	274	-	431	-
Mayo	1,859	11	104	-	188	-	1,943	11
Roscommon	320	5	18	-	576	-	878	5
Sligo	945	5	99	-	103	-	949	5
Cavan	777	15	83	-	324	-	1,018	15
Donegal	2,132	35	23	-	78	-	2,187	35
Monaghan	605	3	14	-	296	-	887	3

*Including registered private maternity homes.

TABLE 37—BIRTHS IN 1973 CLASSIFIED BY SEX AND AGE OF MOTHER AT MATERNITY AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of mother at maternity	Total births (including illegitimate)			Illegitimate births		
	Total	Males	Females	Total	Males	Females
All ages	68,713	35,304	33,409	2,167	1,144	1,023
15 and under	68	34	34	44	19	25
16	183	97	86	81	47	34
17	449	241	208	171	88	83
18	875	449	426	198	93	105
19	1,473	768	705	263	146	117
Under 20	3,048	1,589	1,459	757	393	364
20	2,215	1,132	1,083	262	140	122
21	2,761	1,431	1,330	232	135	97
22	3,317	1,682	1,635	181	102	79
23	3,924	1,941	1,983	133	63	70
24	4,417	2,254	2,163	128	69	59
20-24	16,634	8,440	8,194	936	509	427
25	4,550	2,295	2,255	105	49	56
26	4,603	2,403	2,200	57	30	27
27	4,456	2,310	2,146	46	27	19
28	4,148	2,136	2,012	41	24	17
29	4,001	2,040	1,961	38	15	23
25-29	21,758	11,184	10,574	287	145	142
30	3,741	1,952	1,789	22	11	11
31	3,201	1,618	1,583	18	10	8
32	2,766	1,445	1,321	16	11	5
33	2,717	1,430	1,287	24	17	7
34	2,418	1,265	1,153	16	9	7
30-34	14,843	7,710	7,133	96	58	38
35	2,110	1,083	1,027	11	6	5
36	2,020	1,041	979	10	2	8
37	1,877	999	878	12	7	5
38	1,490	731	759	15	4	11
39	1,339	669	670	9	3	6
35-39	8,836	4,523	4,313	57	22	35
40	1,130	621	509	5	5	-
41	838	427	411	3	-	3
42	552	284	268	3	3	-
43	397	178	219	1	-	1
44	243	124	119	1	-	1
40-44	3,160	1,634	1,526	13	8	5
45	97	50	47	-	-	-
46	57	37	20	-	-	-
47	25	10	15	-	-	-
48	22	13	9	-	-	-
49	7	2	5	-	-	-
45-49	208	112	96	-	-	-
50-54	5	2	3	-	-	-
Age not stated	221	110	111	21	9	12

TABLE 38—BIRTHS IN 1973, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CARLOW						DUBLIN COUNTY BOROUGH					
Under 20 years	46	20	26	11	5	6	801	433	368	228	124	104
20-24 years	215	112	103	7	6	1	3,602	1,834	1,768	296	148	148
25-29 years	260	128	132	2	1	1	3,616	1,865	1,751	114	54	60
30-34 years	176	83	93	2	1	1	2,392	1,210	1,182	36	20	16
35-39 years	112	52	60	2	-	2	1,387	704	683	18	6	12
40-44 years	45	26	19	-	-	-	528	282	246	5	2	3
45 years and over	3	1	2	-	-	-	25	12	13	-	-	-
Age not stated	1	-	1	-	-	-	17	9	8	7	2	5
All ages	858	422	436	24	13	11	12,368	6,349	6,019	704	356	348
	DUN LAOGHAIRE BOROUGH						DUBLIN COUNTY (remainder)					
Under 20 years	61	35	26	15	7	8	220	106	114	72	29	43
20-24 years	269	128	141	34	15	19	1,627	838	789	92	44	48
25-29 years	323	177	146	10	4	6	2,731	1,423	1,308	28	16	12
30-34 years	242	124	118	3	1	2	1,729	927	802	13	7	6
35-39 years	164	93	71	1	-	1	848	438	410	4	3	1
40-44 years	40	17	23	-	-	-	231	116	115	1	-	1
45 years and over	7	4	3	-	-	-	13	9	4	-	-	-
Age not stated	-	-	-	-	-	-	3	2	1	1	1	-
All ages	1,106	578	528	63	27	36	7,402	3,859	3,543	211	100	111
	KILDARE						KILKENNY					
Under 20 years	99	55	44	20	7	13	72	39	33	16	8	8
20-24 years	613	297	316	23	12	11	299	144	155	9	5	4
25-29 years	844	424	420	5	4	1	417	234	183	3	1	2
30-34 years	463	231	232	-	-	-	278	142	136	2	2	-
35-39 years	203	111	92	1	-	1	184	91	93	2	-	2
40-44 years	63	32	31	-	-	-	70	39	31	-	-	-
45 years and over	4	3	1	-	-	-	2	2	-	-	-	-
Age not stated	7	5	2	2	1	1	-	-	-	-	-	-
All ages	2,296	1,158	1,138	51	24	27	1,322	691	631	32	16	16
	LAOIS						LONGFORD					
Under 20 years	42	20	22	16	8	8	30	15	15	5	2	3
20-24 years	217	106	111	13	9	4	108	56	52	5	1	4
25-29 years	292	142	150	-	-	-	191	91	100	2	-	2
30-34 years	218	113	105	2	1	1	130	67	63	-	-	-
35-39 years	148	71	77	1	-	1	96	44	52	2	1	1
40-44 years	49	30	19	-	-	-	28	15	13	-	-	-
45 years and over	2	2	-	-	-	-	2	-	2	-	-	-
Age not stated	3	1	2	-	-	-	-	-	-	-	-	-
All ages	971	485	486	32	18	14	585	288	297	14	4	10

TABLE 38 (contd.)—BIRTHS IN 1973, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	LOUTH						MEATH					
Under 20 years	95	50	45	24	16	8	69	35	34	14	7	7
20-24 years	509	233	276	17	10	7	437	214	223	27	13	14
25-29 years	637	334	303	4	2	2	635	346	289	11	5	6
30-34 years	362	190	172	4	3	1	383	175	208	1	1	-
35-39 years	246	130	116	1	-	1	224	126	98	2	1	1
40-44 years	94	49	45	-	-	-	95	54	41	-	-	-
45 years and over	6	3	3	-	-	-	6	4	2	-	-	-
Age not stated	-	-	-	-	-	-	5	2	3	-	-	-
All ages	1,949	989	960	50	31	19	1,854	956	898	55	27	28
	OFFALY						WESTMEATH					
Under 20 years	62	36	26	12	7	5	75	38	37	19	9	10
20-24 years	345	164	181	10	8	2	306	147	159	15	11	4
25-29 years	373	196	177	3	2	1	361	186	175	8	4	4
30-34 years	272	130	142	-	-	-	255	117	138	-	-	-
35-39 years	162	77	85	-	-	-	171	86	85	2	1	1
40-44 years	52	24	28	-	-	-	60	29	31	1	-	1
45 years and over	5	3	2	-	-	-	9	1	8	-	-	-
Age not stated	3	-	3	-	-	-	5	2	3	1	-	1
All ages	1,274	630	644	25	17	8	1,242	606	636	46	25	21
	WEXFORD						WICKLOW					
Under 20 years	137	68	69	34	20	14	98	56	42	11	8	3
20-24 years	542	286	256	26	14	12	529	252	277	19	11	8
25-29 years	639	343	296	7	1	6	578	308	270	6	4	2
30-34 years	433	239	194	3	2	1	382	208	174	-	-	-
35-39 years	259	129	130	1	1	-	175	92	83	1	-	1
40-44 years	96	40	56	1	1	-	59	26	33	-	-	-
45 years and over	4	1	3	-	-	-	-	-	-	-	-	-
Age not stated	38	16	22	-	-	-	-	-	-	-	-	-
All ages	2,148	1,122	1,026	72	39	33	1,821	942	879	37	23	14
	CORK COUNTY BOROUGH						CORK COUNTY					
Under 20 years	138	81	57	31	16	15	162	84	78	43	21	22
20-24 years	812	406	406	48	24	24	1,022	543	479	46	31	15
25-29 years	954	493	461	5	3	2	1,610	810	800	11	8	3
30-34 years	687	400	287	2	2	-	1,118	602	516	1	-	1
35-39 years	384	209	175	3	2	1	732	377	355	4	3	1
40-44 years	114	67	47	3	3	-	250	130	120	-	-	-
45 years and over	6	4	2	-	-	-	18	12	6	-	-	-
Age not stated	5	1	4	2	-	2	13	7	6	2	2	-
All ages	3,100	1,661	1,439	94	50	44	4,925	2,565	2,360	107	65	42

TABLE 38 (contd.)—BIRTHS IN 1973, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CLARE						KERRY					
Under 20 years	52	25	27	10	5	5	64	31	33	13	7	6
20-24 years	374	188	186	17	11	6	455	228	227	15	8	7
25-29 years	590	307	283	3	-	3	726	370	356	5	4	1
30-34 years	389	210	179	4	3	1	482	228	254	3	3	-
35-39 years	246	117	129	1	-	1	324	178	146	1	-	1
40-44 years	64	32	32	-	-	-	125	71	54	-	-	-
45 years and over	5	3	2	-	-	-	6	3	3	-	-	-
Age not stated	21	13	8	-	-	-	55	28	27	1	-	1
All ages	1,741	895	846	35	19	16	2,237	1,137	1,100	38	22	16
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years	102	49	53	17	8	9	71	40	31	19	12	7
20-24 years	447	248	199	18	13	5	416	206	210	29	17	12
25-29 years	464	250	214	8	6	2	565	268	297	5	2	3
30-34 years	320	170	150	1	-	1	424	222	202	-	-	-
35-39 years	181	96	85	1	-	1	251	128	123	1	-	1
40-44 years	66	36	30	-	-	-	87	45	42	1	1	-
45 years and over	1	-	1	-	-	-	11	7	4	-	-	-
Age not stated	3	1	2	-	-	-	4	1	3	-	-	-
All ages	1,584	850	734	45	27	18	1,829	917	912	55	32	23
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years	41	27	14	8	5	3	95	42	53	21	8	13
20-24 years	255	139	116	13	6	7	346	192	154	16	8	8
25-29 years	394	207	187	1	-	1	447	212	235	13	5	8
30-34 years	255	139	116	3	2	1	334	186	148	1	1	-
35-39 years	170	81	89	1	-	1	214	110	104	1	-	1
40-44 years	78	42	36	-	-	-	82	47	35	-	-	-
45 years and over	5	3	2	-	-	-	6	4	2	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	2	1	1
All ages	1,198	638	560	26	13	13	1,526	794	732	54	23	31
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years	41	19	22	8	7	1	46	24	22	5	2	3
20-24 years	225	112	113	8	7	1	240	117	123	18	10	8
25-29 years	250	132	118	3	1	2	296	149	147	1	-	1
30-34 years	164	84	80	1	-	1	199	96	103	-	-	-
35-39 years	83	35	48	-	-	-	106	59	47	-	-	-
40-44 years	31	14	17	-	-	-	51	26	25	-	-	-
45 years and over	-	-	-	-	-	-	5	2	3	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	794	396	398	20	15	5	943	473	470	24	12	12

TABLE 38 (contd.)—BIRTHS IN 1973, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	CLARE						KERRY					
Under 20 years	52	25	27	10	5	5	64	31	33	13	7	6
20-24 years	374	188	186	17	11	6	455	228	227	15	8	7
25-29 years	590	307	283	3	-	3	726	370	356	5	4	1
30-34 years	389	210	179	4	3	1	482	228	254	3	3	-
35-39 years	246	117	129	1	-	1	324	178	146	1	-	1
40-44 years	64	32	32	-	-	-	125	71	54	-	-	-
45 years and over	5	3	2	-	-	-	6	3	3	-	-	-
Age not stated	21	13	8	-	-	-	55	28	27	1	-	1
All ages	1,741	895	846	35	19	16	2,237	1,137	1,100	38	22	16
	LIMERICK COUNTY BOROUGH						LIMERICK COUNTY					
Under 20 years	102	49	53	17	8	9	71	40	31	19	12	7
20-24 years	447	248	199	18	13	5	416	206	210	29	17	12
25-29 years	464	250	214	8	6	2	565	268	297	5	2	3
30-34 years	320	170	150	1	-	1	424	222	202	-	-	-
35-39 years	181	96	85	1	-	1	251	128	123	1	-	1
40-44 years	66	36	30	-	-	-	87	45	42	1	1	-
45 years and over	1	-	1	-	-	-	11	7	4	-	-	-
Age not stated	3	1	2	-	-	-	4	1	3	-	-	-
All ages	1,584	850	734	45	27	18	1,829	917	912	55	32	23
	TIPPERARY, NORTH RIDING						TIPPERARY, SOUTH RIDING					
Under 20 years	41	27	14	8	5	3	95	42	53	21	8	13
20-24 years	255	139	116	13	6	7	346	192	154	16	8	8
25-29 years	394	207	187	1	-	1	447	212	235	13	5	8
30-34 years	255	139	116	3	2	1	334	186	148	1	1	-
35-39 years	170	81	89	1	-	1	214	110	104	1	-	1
40-44 years	78	42	36	-	-	-	82	47	35	-	-	-
45 years and over	5	3	2	-	-	-	6	4	2	-	-	-
Age not stated	-	-	-	-	-	-	2	1	1	2	1	1
All ages	1,198	638	560	26	13	13	1,526	794	732	54	23	31
	WATERFORD COUNTY BOROUGH						WATERFORD COUNTY					
Under 20 years	41	19	22	8	7	1	46	24	22	5	2	3
20-24 years	225	112	113	8	7	1	240	117	123	18	10	8
25-29 years	250	132	118	3	1	2	296	149	147	1	-	1
30-34 years	164	84	80	1	-	1	199	96	103	-	-	-
35-39 years	83	35	48	-	-	-	106	59	47	-	-	-
40-44 years	31	14	17	-	-	-	51	26	25	-	-	-
45 years and over	-	-	-	-	-	-	5	2	3	-	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-	-
All ages	794	396	398	20	15	5	943	473	470	24	12	12

TABLE 38 (contd.)—BIRTHS IN 1973, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE.

Age of mother at maternity	Total births including illegitimate			Illegitimate births			Total births including illegitimate			Illegitimate births		
	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females
	GALWAY						LEITRIM					
Under 20 years	94	45	49	23	13	10	11	4	7	-	-	-
20-24 years	679	344	335	38	22	16	63	34	29	7	2	5
25-29 years	1,011	501	510	9	4	5	140	68	72	-	-	-
30-34 years	788	401	387	4	2	2	104	57	47	-	-	-
35-39 years	479	225	254	-	-	-	80	36	44	-	-	-
40-44 years	192	97	95	1	1	-	28	13	15	-	-	-
45 years and over	17	11	6	-	-	-	5	-	5	-	-	-
Age not stated	13	9	4	1	1	-	-	-	-	-	-	-
All ages	3,273	1,633	1,640	76	43	33	431	212	219	7	2	5
	MAYO						ROSCOMMON					
Under 20 years	34	20	14	13	8	5	23	14	9	8	3	5
20-24 years	384	203	181	16	11	5	123	72	51	6	4	2
25-29 years	557	271	286	5	3	2	278	146	132	2	2	-
30-34 years	506	272	234	1	1	-	230	114	116	1	-	1
35-39 years	320	166	154	-	-	-	160	76	84	1	1	-
40-44 years	139	59	80	-	-	-	64	33	31	-	-	-
45 years and over	12	6	6	-	-	-	2	-	2	-	-	-
Age not stated	2	-	2	1	-	1	3	2	1	-	-	-
All ages	1,954	997	957	36	23	13	883	457	426	18	10	8
	SLIGO						CAVAN					
Under 20 years	23	9	14	5	3	2	41	17	24	10	7	3
20-24 years	207	101	106	13	5	8	212	107	105	13	8	5
25-29 years	320	167	153	4	4	-	312	149	163	3	1	2
30-34 years	212	100	112	2	2	-	216	99	117	1	-	1
35-39 years	139	76	63	-	-	-	176	91	85	-	-	-
40-44 years	46	23	23	-	-	-	65	32	33	-	-	-
45 years and over	6	3	3	-	-	-	6	4	2	-	-	-
Age not stated	1	1	-	1	1	-	5	2	3	-	-	-
All ages	954	480	474	25	15	10	1,033	501	532	27	16	11
	DONEGAL						MONAGHAN					
Under 20 years	77	38	39	22	10	12	26	14	12	4	1	3
20-24 years	519	257	262	17	12	5	237	132	105	5	3	2
25-29 years	671	345	326	4	3	1	276	142	134	2	1	1
30-34 years	507	263	244	5	4	1	193	111	82	-	-	-
35-39 years	304	170	134	4	2	2	108	49	59	1	1	-
40-44 years	122	63	59	-	-	-	46	25	21	-	-	-
45 years and over	10	5	5	-	-	-	4	2	2	-	-	-
Age not stated	12	7	5	-	-	-	-	-	-	-	-	-
All ages	2,222	1,148	1,074	52	31	21	890	475	415	12	6	6

AGE OF MOTHER AT MATERNITY AND YEAR OF MARRIAGE

of marriage being												Age of mother at maternity
1962	1961	1960	1959	1958	1957	1956	1955	1954	1949 to 1953	1948 and earlier	Not stated	
1,925	1,557	1,534	1,167	935	694	588	485	366	764	76	214	All ages
-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	3	18
-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	3	Under 20
-	-	-	-	-	-	-	-	-	-	-	2	20
-	-	-	-	-	-	-	-	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	-	-	-	-	-	-	-	-	-	24
1	-	-	-	-	-	-	-	-	-	-	4	20-24
3	3	2	-	-	-	-	-	-	-	-	-	25
14	3	-	-	-	-	-	-	-	-	-	3	26
28	6	5	3	3	-	-	-	-	-	-	1	27
53	21	11	3	1	-	-	-	-	-	-	-	28
80	47	32	3	2	1	1	-	-	-	-	1	29
178	80	50	9	6	1	1	-	-	-	-	5	25-29
144	93	50	16	5	2	3	-	-	-	-	1	30
167	85	78	34	8	6	3	1	-	-	-	-	31
196	127	107	58	32	9	5	4	1	1	-	-	32
223	197	127	105	43	26	13	6	1	2	-	1	33
206	170	170	123	63	44	25	12	2	3	-	-	34
936	672	532	336	151	87	49	23	4	6	-	2	30-34
191	166	186	141	83	60	43	20	9	9	-	-	35
165	149	169	148	140	83	63	36	30	20	-	-	36
126	124	177	133	131	87	78	60	45	41	-	-	37
93	90	123	105	105	88	60	62	38	52	-	-	38
81	84	98	89	109	76	80	57	65	96	3	-	39
656	613	753	616	568	394	324	235	187	218	3	-	35-39
52	75	74	72	67	85	70	60	72	114	4	-	40
44	53	51	57	62	42	57	65	38	119	9	-	41
21	30	32	30	37	36	39	33	19	101	9	-	42
18	15	17	28	22	27	23	31	28	78	13	-	43
14	7	14	11	12	12	15	29	4	59	13	-	44
149	180	188	198	200	202	204	218	161	471	48	-	40-44
3	8	5	5	6	4	3	4	8	27	8	-	45
1	2	3	1	3	4	3	2	3	18	8	-	46
1	2	1	1	1	-	3	2	1	7	5	-	47
-	-	2	1	-	2	1	1	1	11	2	-	48
-	-	-	-	-	-	-	-	1	6	2	-	49 and over
5	12	11	8	10	10	10	9	14	69	25	-	45 and over
-	-	-	-	-	-	-	-	-	-	-	200	Age not stated

TABLE 42—MARRIAGES REGISTERED IN EACH

Area	Total marriages	Catholic marriages	Marriages other than Catholic						
			Total	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Total	22,816	21,993	823	491	113	25	12	3	179
Carlow	244	235	9	8	-	-	-	-	1
Dublin County Borough	5,866	5,533	333	140	22	10	12	2	147
Dun Laoghaire Borough	427	408	19	16	-	3	-	-	-
Dublin County (remainder)	1,315	1,288	27	23	4	-	-	-	-
Kildare	508	493	15	14	-	-	-	-	1
Kilkenny	505	501	4	4	-	-	-	-	-
Laois	319	299	20	17	-	2	-	-	1
Longford	183	176	7	5	1	-	-	-	1
Louth	582	576	6	2	3	-	-	-	1
Meath	543	535	8	7	-	-	-	-	1
Offaly	359	351	8	8	-	-	-	-	-
Westmeath	427	418	9	8	1	-	-	-	-
Wexford	681	663	18	16	-	-	-	-	2
Wicklow	539	506	33	27	3	1	-	-	2
Leinster	12,498	11,982	516	295	34	16	12	2	157
Clare	455	452	3	3	-	-	-	-	-
Cork County Borough	1,056	1,036	20	7	1	1	-	1	10
Cork County	1,476	1,418	58	49	-	3	-	-	6
Kerry	732	721	11	10	-	-	-	-	1
Limerick County Borough	649	647	2	-	-	-	-	-	2
Limerick County	508	501	7	5	-	1	-	-	1
Tipperary, N.R.	390	386	4	3	-	1	-	-	-
Tipperary, S.R.	517	514	3	3	-	-	-	-	-
Waterford County Borough	271	271	-	-	-	-	-	-	-
Waterford County	318	316	2	2	-	-	-	-	-
Munster	6,372	6,262	110	82	1	6	-	1	20
Galway	1,013	1,012	1	1	-	-	-	-	-
Leitrim	170	163	7	6	-	1	-	-	-
Mayo	625	623	2	2	-	-	-	-	-
Roscommon	264	262	2	2	-	-	-	-	-
Sligo	322	305	17	13	2	1	-	-	1
Connacht	2,394	2,365	29	24	2	2	-	-	1
Cavan	334	312	22	19	3	-	-	-	-
Donegal	870	768	102	53	47	1	-	-	1
Monaghan	348	304	44	18	26	-	-	-	-
Ulster (part of)	1,552	1,384	168	90	76	1	-	-	1

COUNTY AND COUNTY BOROUGH DURING 1973

Total marriages registered in the Quarter ending the last day of				Marriages contracted between				Area
March	June	September	December	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	
5,088	5,006	7,793	4,929	22,511	86	115	104	Total
56	59	91	38	240	1	2	1	Carlow
1,515	1,446	1,805	1,100	5,783	21	33	29	Dublin County Borough
79	104	146	98	419	1	4	3	Dun Laoghaire Borough
296	236	391	392	1,289	6	8	12	Dublin County (remainder)
94	135	204	75	506	1	-	1	Kildare
125	81	196	103	495	3	4	3	Kilkenny
73	75	111	60	313	2	2	2	Laois
21	43	71	48	182	-	-	1	Longford
139	123	212	108	571	1	5	5	Louth
99	123	187	134	539	1	2	1	Meath
72	75	112	100	357	1	1	-	Offaly
94	100	147	86	422	1	2	2	Westmeath
161	141	259	120	673	5	1	2	Wexford
106	121	203	109	529	2	2	6	Wicklow
2,930	2,862	4,135	2,571	12,318	46	66	68	Leinster
92	85	169	109	445	3	4	3	Clare
256	248	297	255	1,041	4	8	3	Cork County Borough
315	326	498	337	1,458	7	7	4	Cork County
202	119	257	154	722	2	4	4	Kerry
182	145	148	174	643	-	3	3	Limerick County Borough
123	106	161	118	501	2	1	4	Limerick County
61	70	154	105	389	1	-	-	Tipperary, N.R.
121	103	188	105	509	1	6	1	Tipperary, S.R.
56	61	76	78	268	1	1	1	Waterford County Borough
73	49	109	87	316	1	-	1	Waterford County
1,481	1,312	2,057	1,522	6,292	22	34	24	Munster
203	232	357	221	1,003	4	3	3	Galway
23	38	77	32	167	-	1	2	Leitrim
72	126	307	120	618	4	1	2	Mayo
45	67	91	61	263	1	-	-	Roscommon
67	62	135	58	320	-	2	-	Sligo
410	525	967	492	2,371	9	7	7	Connacht
51	55	138	90	331	1	1	1	Cavan
155	176	362	177	856	5	6	3	Donegal
61	76	134	77	343	3	1	1	Monaghan
267	307	634	344	1,530	9	8	5	Ulster (part of)

TABLE 43—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY ALL

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	1	42	185	397	937	1,433	2,033	2,531	2,549	2,459	2,129	1,632	1,354	991	722	569	451	360	244	213	171	153
16	-	1	3	9	6	5	4	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-
17	-	3	14	19	20	10	8	5	2	4	1	-	-	-	-	1	-	-	-	-	-	-
18	-	3	29	41	69	50	36	21	9	10	3	2	-	-	1	-	-	-	-	-	-	-
19	-	6	25	65	126	134	72	62	30	19	8	9	3	2	1	1	-	-	-	-	-	-
20	-	6	29	75	150	217	232	141	97	63	26	17	8	10	3	2	3	-	1	-	-	-
21	-	2	20	42	158	235	335	337	212	127	74	39	23	7	9	6	4	1	3	-	-	-
22	1	2	19	45	135	244	343	410	333	220	132	69	43	22	17	6	5	4	3	1	-	-
23	-	3	13	24	85	172	305	401	436	356	204	124	58	34	27	16	9	8	2	2	2	1
24	-	4	11	18	55	137	211	327	365	346	292	196	126	69	38	18	20	12	1	2	2	1
25	-	5	7	19	44	69	151	241	323	351	335	223	160	91	52	30	25	13	6	6	4	1
26	-	2	1	10	18	46	101	181	225	295	272	233	210	113	79	48	32	14	15	6	4	5
27	-	-	2	7	18	39	72	109	149	171	208	187	187	145	70	57	31	26	20	9	5	7
28	-	1	2	4	16	21	47	75	102	129	160	121	126	82	78	65	32	26	9	6	10	3
29	-	1	2	4	14	12	43	73	72	107	89	109	103	93	68	57	30	20	20	11	4	7
30	-	-	2	2	5	10	13	38	50	64	85	63	76	60	54	45	36	23	10	16	6	3
31	-	-	-	3	7	6	13	24	39	50	56	65	52	62	43	46	34	19	23	16	7	13
32	-	-	-	-	2	6	10	20	23	36	44	37	47	35	33	34	27	28	15	15	8	6
33	-	-	1	-	-	4	8	9	21	21	24	37	31	24	22	24	30	33	14	9	7	10
34	-	-	1	2	2	2	4	15	11	26	34	28	26	31	22	16	19	20	18	11	9	7
35	-	1	1	-	2	4	4	12	7	10	22	16	19	22	10	9	19	16	14	18	11	7
36	-	-	1	4	3	3	1	2	7	14	21	12	7	19	19	6	19	17	14	7	9	10
37	-	-	1	-	1	1	3	7	9	6	6	8	13	16	15	14	6	11	10	5	13	14
38	-	-	1	-	-	1	4	2	3	8	8	7	7	8	15	14	7	11	12	9	8	4
39	-	-	-	-	1	-	2	3	1	5	5	5	5	9	2	9	15	13	9	9	10	5
40	-	-	-	2	-	-	3	1	3	5	8	5	4	7	3	11	11	4	4	10	10	6
41	-	-	-	-	-	-	1	4	3	3	4	1	7	5	12	5	8	10	3	7	4	5
42	-	-	-	-	-	2	-	2	4	2	1	4	2	2	7	7	7	6	1	12	7	5
43	-	-	-	1	-	-	3	2	1	2	2	3	1	7	6	5	1	4	2	4	5	10
44	-	-	-	-	-	1	2	-	-	2	-	1	1	4	5	2	3	4	3	3	4	2
45	-	-	-	-	-	-	1	-	1	1	2	-	2	1	2	5	2	1	2	2	6	4
46	-	-	-	-	-	1	-	1	2	1	-	4	-	1	-	2	1	3	2	2	4	1
47	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	1	2	3	-	6	3	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	4
49	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	2	2	2	2	1	2
50-54	-	-	-	-	-	-	1	1	2	1	-	3	3	3	2	3	3	3	4	4	7	6
55-59	-	1	-	-	-	-	-	-	-	1	-	-	1	1	1	1	3	3	2	2	1	3
60-64	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	1	-	-	-	1	-	4	5	-	1	3	1	1	-	1	2	-	-	1	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																						Age of groom
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated	All ages	
138	119	96	89	82	62	55	59	50	41	26	36	32	41	113	49	27	7	7	2	129	22,816	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	274	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	566	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,086	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1,641	21
1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	5	2,062	22
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2,289	23
2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2,266	24
1	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	9	2,170	25
2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,922	26
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,526	27
-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,119	28
3	2	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	951	29
9	1	2	1	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	2	681	30
4	7	2	-	-	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	599	31
7	5	5	4	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	455	32
7	4	6	3	2	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	358	33
7	5	4	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	327	34
7	3	6	2	4	2	-	2	-	3	-	1	-	1	-	-	-	-	-	-	-	255	35
7	4	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	221	36
11	5	1	2	7	3	4	5	3	1	-	1	1	-	1	-	-	1	-	-	-	205	37
8	5	5	4	3	-	3	4	-	3	-	1	-	2	-	-	-	-	-	-	-	167	38
11	10	3	8	3	2	3	2	3	1	2	-	-	1	-	-	-	-	-	-	-	157	39
4	9	7	5	7	2	2	4	2	1	-	2	-	2	3	-	-	-	-	-	-	147	40
10	8	8	5	7	4	3	2	7	1	-	1	1	1	-	1	-	-	-	-	-	141	41
4	3	7	7	3	4	4	2	-	1	-	1	2	1	1	-	1	-	-	-	1	113	42
4	7	1	5	6	7	5	4	2	2	2	-	-	2	4	-	-	-	-	-	1	111	43
3	9	5	6	5	4	5	5	1	-	2	2	-	2	4	-	1	-	-	-	-	91	44
3	5	1	5	4	1	3	3	5	-	1	1	-	-	3	1	1	-	-	-	-	69	45
5	2	4	4	1	2	3	2	4	1	3	5	2	1	1	-	-	-	-	-	-	65	46
2	6	3	3	3	1	1	3	3	1	2	2	4	2	1	1	-	-	-	-	1	62	47
3	3	3	1	4	2	-	1	3	2	2	4	2	-	3	3	-	-	-	-	-	43	48
3	2	1	1	5	3	-	-	1	2	1	3	3	-	7	-	-	-	-	-	-	50	49
7	5	10	9	4	9	6	10	6	8	5	3	7	11	28	6	1	1	-	-	-	182	50-54
-	2	3	3	3	4	3	5	4	5	3	4	6	8	25	11	1	-	-	-	1	111	55-59
-	-	-	3	2	1	4	2	5	2	2	2	1	4	20	16	9	2	1	1	1	82	60-64
-	-	-	-	-	-	-	-	-	1	-	1	-	1	4	6	7	2	2	-	-	25	65-69
-	1	-	-	-	-	-	-	-	2	-	-	2	-	1	3	4	1	3	-	-	20	70-74
-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	-	1	1	-	10	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56	77	Not stated

TABLE 44—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY
FIRST

Age of groom	Age of																					
	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
All ages	1	42	185	396	937	1433	2,030	2,530	2,549	2,455	2,127	1,631	1,348	988	718	565	446	358	238	208	168	148
16	-	1	3	9	6	5	4	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-
17	-	3	14	19	20	10	8	5	2	4	1	-	-	-	-	1	-	-	-	-	-	-
18	-	3	29	41	69	50	36	21	9	10	3	2	-	-	1	-	-	-	-	-	-	-
19	-	6	25	65	126	134	72	62	30	19	8	9	3	1	1	1	-	-	-	-	-	-
20	-	6	29	75	150	217	232	141	97	63	26	17	8	10	3	2	3	-	-	-	-	-
21	-	2	20	42	158	235	335	337	212	127	74	39	23	7	9	6	4	1	3	-	-	-
22	1	2	19	45	135	244	343	410	333	220	132	69	43	22	17	6	5	4	3	1	-	-
23	-	3	13	24	85	172	304	401	436	356	203	124	58	34	27	16	9	8	2	2	2	1
24	-	4	11	18	55	137	211	327	365	346	292	196	126	69	38	18	20	12	1	2	2	1
25	-	5	7	19	44	69	151	241	323	350	335	223	160	91	52	30	25	13	6	6	4	1
26	-	2	1	10	18	46	101	181	225	295	272	233	210	113	79	48	32	14	15	6	4	5
27	-	-	2	7	18	39	72	109	149	171	208	187	186	145	70	57	31	26	20	8	5	6
28	-	1	2	4	16	21	47	75	102	129	160	121	126	82	78	65	32	26	9	6	10	2
29	-	1	2	4	14	12	43	73	72	107	89	109	103	92	68	57	30	20	20	11	4	7
30	-	-	2	2	5	10	13	38	50	64	85	62	76	60	54	45	36	23	10	16	6	3
31	-	-	-	3	7	6	13	24	39	50	56	65	52	62	43	46	33	19	23	16	7	13
32	-	-	-	-	2	6	10	20	23	36	44	37	47	35	32	34	27	28	15	15	8	6
33	-	-	1	-	-	4	8	9	21	21	24	37	31	24	22	24	30	33	14	9	7	10
34	-	-	1	2	2	2	4	15	11	26	34	28	26	31	22	16	19	20	18	11	9	7
35	-	1	1	-	2	4	4	12	7	10	22	16	19	22	10	9	19	16	13	18	11	7
36	-	-	1	4	3	3	1	2	7	13	21	12	7	19	19	6	19	17	13	7	9	10
37	-	-	1	-	1	1	3	7	9	6	6	8	13	16	15	13	6	11	10	5	13	14
38	-	-	1	-	-	1	3	2	3	8	8	7	7	8	15	14	7	11	12	8	8	4
39	-	-	-	-	1	-	2	3	1	5	5	5	5	9	2	9	14	13	9	9	10	5
40	-	-	-	2	-	-	3	-	3	5	7	5	3	7	3	11	11	4	4	10	10	6
41	-	-	-	-	-	-	1	4	3	3	4	1	6	5	10	5	8	10	3	7	3	5
42	-	-	-	-	-	2	-	2	4	2	1	4	1	2	7	7	7	6	1	12	7	5
43	-	-	-	1	-	1	3	2	1	2	2	3	1	7	6	5	1	4	2	4	5	10
44	-	-	-	-	-	-	2	-	-	2	-	1	1	3	5	2	3	4	3	3	4	2
45	-	-	-	-	-	1	1	-	1	1	2	-	2	1	2	4	2	1	2	1	6	4
46	-	-	-	-	-	-	-	1	2	1	-	4	-	1	-	1	1	3	2	2	4	1
47	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	1	2	3	-	5	3	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	3
49	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	2	2	2	2	1	1
50-54	-	-	-	-	-	-	-	1	2	1	-	3	1	3	2	2	2	3	2	4	6	5
55-59	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	1	-	3
60-64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
65-69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
70-74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
75 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	1	-	-	-	1	-	4	5	-	1	3	1	1	-	1	2	-	-	1	-	-

AGE OF GROOM AND AGE OF BRIDE IN SINGLE YEARS.
MARRIAGES

bride																					Age of groom	
36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 and over	Not stated		All ages
128	116	89	83	71	56	48	49	37	30	17	28	24	25	60	13	8	2	2	-	124	22,511	All ages
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	274	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	565	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1,085	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	1,641	21
1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	5	2,062	22
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2,287	23
2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	2,266	24
-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	9	2,167	25
2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	1,922	26
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1,523	27
-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1,118	28
3	2	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	950	29
8	1	2	1	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	2	679	30
4	7	2	-	-	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	597	31
7	5	5	4	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	453	32
5	4	6	3	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	1	355	33
7	5	4	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	326	34
7	3	6	2	3	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	249	35
7	4	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	218	36
10	5	1	2	7	3	3	4	2	1	-	1	-	-	1	-	-	-	-	-	-	198	37
7	5	5	4	3	-	3	4	-	3	-	1	-	1	-	-	-	-	-	-	-	163	38
11	10	3	8	2	2	3	2	3	1	1	-	-	1	-	-	-	-	-	-	-	154	39
4	9	6	4	7	2	2	4	2	1	-	2	-	1	1	-	-	-	-	-	-	139	40
10	8	7	4	6	4	3	2	7	1	-	1	1	1	-	-	-	-	-	-	-	133	41
4	3	6	7	3	4	4	2	-	1	-	1	2	1	-	-	-	-	-	-	1	109	42
4	7	1	5	6	6	5	4	2	2	1	-	-	1	4	-	-	-	-	-	1	109	43
3	9	4	6	5	4	4	4	-	-	2	1	-	1	2	-	1	-	-	-	-	81	44
2	5	1	5	4	1	3	3	4	-	1	1	-	-	2	-	1	-	-	-	-	64	45
5	2	3	4	1	2	3	2	3	1	3	5	2	1	1	-	-	-	-	-	-	61	46
2	6	3	3	2	1	1	2	3	1	1	2	4	2	1	-	-	-	-	-	-	56	47
3	3	3	-	3	1	-	1	1	2	2	2	2	-	2	1	-	-	-	-	-	32	48
3	1	1	1	4	3	-	-	1	2	-	2	2	-	4	-	-	-	-	-	-	40	49
4	5	9	8	4	9	4	8	5	6	3	3	5	9	19	1	1	-	-	-	-	140	50-54
-	2	2	2	1	2	3	2	3	1	2	4	6	4	14	6	-	-	-	-	1	68	55-59
-	-	-	2	-	-	2	1	-	2	-	-	-	-	4	5	1	1	-	-	-	20	60-64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	2	-	-	8	65-69
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	5	70-74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75 and over
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	74	Not stated

TABLE 45—MARRIAGES REGISTERED IN 1973 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF GROOM.

Form of ceremony	Age of groom												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Catholic	941	9,101	7,394	2,310	950	577	270	163	107	120	60	21,993	27.1	
Church of Ireland	8	142	192	58	26	17	8	8	2	13	17	491	29.4	
Presbyterian	4	38	41	16	6	2	2	2	-	2	-	113	28.4	
Other Religious denominations	-	12	16	7	5	-	-	-	-	-	-	40	28.1	
Civil marriages	7	51	45	29	18	7	9	9	2	2	-	179	31.1	
Total	960	9,344	7,688	2,420	1,005	603	289	182	111	137	77	22,816	27.2	

TABLE 46—MARRIAGES REGISTERED IN 1973 CLASSIFIED ACCORDING TO FORM OF CEREMONY AND AGE OF BRIDE.

Form of ceremony	Age of bride												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Catholic	2,910	11,318	5,075	1,370	573	285	167	105	45	33	112	21,993	24.7	
Church of Ireland	43	231	128	36	9	11	4	2	2	9	16	491	26.1	
Presbyterian	13	65	18	7	3	5	-	1	-	1	-	113	25.2	
Other Religious denominations	5	18	14	3	-	-	-	-	-	-	-	40	24.4	
Civil marriages	24	69	33	23	10	7	5	5	2	-	1	179	27.6	
Total	2,995	11,701	5,268	1,439	595	308	176	113	49	43	129	22,816	24.8	

TABLE 47—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY SOCIAL GROUP AND AGE OF GROOM.

Social group of groom	Age of groom												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Farmers, relatives assisting and farm managers	15	440	930	548	301	194	97	58	35	29	19	2,666	31.9	
Other agricultural occupations and fishermen	26	202	139	45	28	17	5	6	2	4	2	476	27.3	
Higher professional	3	213	435	115	34	20	13	8	3	5	7	856	28.5	
Lower professional	25	421	551	130	45	27	10	4	1	1	8	1,223	27.1	
Employers and managers	5	332	455	163	55	36	18	12	12	11	2	1,101	29.0	
Salaried employees	6	197	261	71	27	14	9	3	4	8	2	602	28.2	
Intermediate non-manual workers	172	1,612	1,363	371	122	80	30	20	12	19	7	3,808	26.6	
Other non-manual workers	88	776	578	182	84	36	25	13	9	10	4	1,805	26.9	
Skilled manual workers	278	3,276	2,061	533	193	96	44	27	16	14	13	6,551	25.9	
Other manual workers	314	1,848	909	258	115	81	36	29	16	24	13	3,643	25.9	
Not stated	28	27	6	4	1	2	2	2	1	12	-	85	29.7	
Total	960	9,344	7,688	2,420	1,005	603	289	182	111	137	77	22,816	27.2	

TABLE 48—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY SOCIAL GROUP AND AGE OF BRIDE.

Social group of bride	Age of bride												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Farmers, relatives assisting and farm managers	6	59	72	33	19	14	6	3	2	-	1	215	29.7	
Other agricultural occupations and fishermen	3	2	3	1	-	-	-	-	-	-	-	9	23.6	
Higher professional	-	62	52	8	2	1	1	-	-	1	1	128	26.1	
Lower professional	125	1,565	1,077	326	117	39	16	10	4	2	25	3,306	26.0	
Employers and managers	4	57	59	19	13	4	5	-	-	-	1	162	27.9	
Salaried employees	1	15	14	7	1	1	-	-	-	-	-	39	26.9	
Intermediate non-manual workers	886	4,812	2,102	473	180	72	35	30	5	2	38	8,635	24.5	
Other non-manual workers	691	1,987	928	313	164	114	83	56	29	22	26	4,413	25.9	
Skilled manual workers	34	171	78	13	6	5	4	-	-	1	2	314	24.7	
Other manual workers	1,152	2,908	866	241	91	53	23	11	7	10	34	5,396	25.4	
Not stated	93	63	17	5	2	5	3	3	2	5	1	199	23.7	
Total	2,995	11,701	5,268	1,439	595	308	176	113	49	43	129	22,816	24.8	

TABLE 49—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY SOCIAL GROUP OF GROOM AND BRIDE.

Social group of groom	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Farmers, relatives assisting and farm managers	2,666	166	1	4	487	19	2	822	786	24	342	13
Other agricultural occupations and fishermen	476	2	-	2	42	2	-	135	160	7	122	4
Higher professional	856	-	-	71	324	14	-	328	69	12	37	1
Lower professional	1,223	4	-	11	584	8	3	431	103	10	67	2
Employers and managers	1,101	3	1	12	225	37	10	563	160	9	80	1
Salaried employees	602	3	-	4	111	10	10	315	86	8	54	1
Intermediate non-manual workers	3,808	7	1	13	593	29	4	1,951	552	44	593	21
Other non-manual workers	1,805	4	-	-	130	9	2	650	438	24	527	21
Skilled manual workers	6,551	17	3	11	680	28	6	2,697	1,193	133	1,749	34
Other manual workers	3,643	8	3	-	127	6	2	738	848	43	1,810	58
Not stated	85	1	-	-	3	-	-	5	18	-	15	43
Total	22,816	215	9	128	3,306	162	39	8,635	4,413	314	5,396	199

TABLE 50—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE

Area of residence of groom	Age of groom												Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated	All ages	
Total	960	9,344	7,688	2,420	1,005	603	289	182	111	137	77	22,816	27.2
Carlow	10	99	89	26	15	2	5	-	2	3	2	253	27.4
Dublin County Borough	354	2,768	1,773	470	182	98	52	37	21	29	13	5,797	26.1
Dun Laoghaire Borough	20	179	112	23	12	12	4	5	5	8	6	386	27.4
Dublin County (remainder)	31	504	421	82	49	28	13	9	5	11	2	1,155	27.1
Kildare	23	249	181	49	19	16	5	4	3	2	3	554	26.7
Kilkenny	21	160	152	54	20	7	6	5	2	1	1	429	27.3
Laois	5	104	80	33	21	10	5	2	1	3	3	267	28.4
Longford	8	54	62	26	13	5	2	2	-	-	-	172	27.9
Louth	38	271	179	49	18	8	5	4	7	4	-	583	26.4
Meath	15	217	174	41	19	13	5	3	2	2	-	491	26.8
Offaly	18	125	117	28	22	6	3	2	6	2	1	330	27.5
Westmeath	17	146	130	45	15	16	5	5	1	5	1	386	27.9
Wexford	35	300	199	73	26	20	8	6	4	4	-	675	27.0
Wicklow	26	212	152	40	24	12	6	5	2	5	3	487	27.0
Leinster	621	5,388	3,821	1,039	455	253	124	89	61	79	35	11,965	26.6
Clare	8	127	160	64	28	15	7	4	4	1	1	419	28.7
Cork County Borough	38	455	297	54	23	16	5	3	2	4	1	898	25.8
Cork County	36	532	571	193	88	57	26	14	6	9	4	1,536	28.2
Kerry	17	221	248	84	40	29	9	13	2	2	3	668	28.4
Limerick County Borough	31	251	114	33	13	11	3	4	3	-	-	463	25.7
Limerick County	15	216	224	71	27	17	14	7	-	6	2	599	28.0
Tipperary, N.R.	13	145	149	65	29	22	11	5	1	1	1	442	28.6
Tipperary, S.R.	13	181	160	51	17	18	8	3	7	2	1	461	27.9
Waterford County Borough	18	133	53	25	7	4	2	-	-	3	-	245	25.7
Waterford County	13	112	99	42	12	11	2	4	2	1	-	298	27.6
Munster	202	2,373	2,075	682	284	200	87	57	27	29	13	6,029	27.6
Galway	22	292	356	140	43	28	12	7	1	4	2	907	28.0
Leitrim	5	27	63	21	16	5	3	6	1	1	2	150	30.4
Mayo	8	159	204	82	34	12	11	3	4	4	6	527	28.7
Roscommon	4	61	106	38	21	14	4	-	2	1	-	251	29.3
Sligo	11	74	99	43	15	7	10	2	1	-	1	263	28.5
Connacht	50	613	828	324	129	66	40	18	9	10	11	2,098	28.6
Cavan	7	96	108	53	19	14	1	1	1	1	4	305	28.2
Donegal	25	261	202	82	29	14	13	7	4	5	3	645	27.6
Monaghan	11	81	108	35	13	12	7	4	3	1	-	275	28.7
Ulster (part of)	43	438	418	170	61	40	21	12	8	7	7	1,225	28.0
Ireland*	916	8,812	7,142	2,215	929	559	272	176	105	125	66	21,317	27.2
Northern Ireland	26	148	112	52	22	7	4	2	1	6	-	380	27.4
England and Wales	6	297	311	104	36	24	9	3	2	4	8	804	27.7
Scotland	1	13	10	1	2	3	-	-	1	-	-	31	28.3
Elsewhere	1	60	111	46	16	10	4	1	2	2	1	254	29.3
Not stated	10	14	2	2	-	-	-	-	-	-	2	30	21.8

*Exclusive of Northern Ireland

TABLE 51—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY AGE AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

Area of residence of bride	Age of bride											All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated		
Total	2,995	11,701	5,268	1,439	595	308	176	113	49	43	129	22,816	24.8
Carlow	44	119	62	13	4	5	-	-	3	-	-	250	24.4
Dublin County Borough	820	3,197	1,267	315	137	86	49	30	9	14	33	5,957	24.6
Dun Laoghaire Borough	49	243	94	37	11	10	5	6	2	2	4	463	25.6
Dublin County (remainder)	126	591	213	54	26	16	7	8	5	1	5	1,052	24.7
Kildare	88	252	95	26	11	7	2	3	-	2	6	492	24.2
Kilkenny	67	221	92	29	10	5	2	4	-	1	1	432	24.5
Laois	43	140	68	21	9	5	1	4	-	-	2	293	25.0
Longford	26	86	48	9	3	1	1	-	-	1	-	175	24.4
Louth	101	330	116	26	15	8	2	5	3	1	-	607	24.3
Meath	74	267	128	26	10	5	1	-	-	1	4	516	24.2
Offaly	59	196	76	25	7	3	2	3	-	-	1	372	24.2
Westmeath	71	195	104	19	13	9	2	2	-	-	5	420	24.5
Wexford	136	349	136	45	20	9	4	3	1	-	2	705	24.1
Wicklow	85	279	82	29	8	7	6	5	1	5	3	510	24.6
Leinster	1,789	6,465	2,581	674	284	176	84	73	24	28	66	12,244	24.5
Clare	37	218	105	32	11	5	5	1	-	1	1	416	25.2
Cork County Borough	133	556	208	49	25	12	8	2	1	-	2	996	24.3
Cork County	151	692	430	125	47	15	12	6	5	2	7	1,492	25.5
Kerry	70	344	183	58	27	8	5	2	2	-	3	702	25.3
Limerick County Borough	93	276	81	28	4	10	2	-	1	1	8	504	23.7
Limerick County	62	293	160	45	15	6	1	2	3	1	3	591	25.1
Tipperary, N.R.	49	187	109	33	10	5	3	1	1	-	1	399	25.1
Tipperary, S.R.	94	237	115	34	19	9	4	1	-	-	1	514	24.5
Waterford County Borough	53	143	52	9	6	4	-	-	-	-	4	271	23.5
Waterford County	46	152	69	19	4	4	3	2	-	-	-	299	24.4
Munster	788	3,098	1,512	432	168	78	43	17	13	5	30	6,184	24.8
Galway	97	437	244	74	32	7	8	5	2	1	5	912	25.3
Leitrim	12	79	55	11	9	2	-	2	1	-	4	175	26.0
Mayo	33	279	154	43	22	8	7	3	3	2	6	560	26.1
Roscommon	21	119	71	26	6	1	3	1	-	1	6	255	25.6
Sligo	22	155	76	19	7	4	5	1	-	-	1	290	25.3
Connacht	185	1,069	600	173	76	22	23	12	6	4	22	2,192	25.6
Cavan	25	147	92	15	11	4	2	1	-	1	4	302	25.4
Donegal	93	380	160	55	23	11	10	4	3	2	3	744	25.2
Monaghan	34	174	81	23	9	4	5	3	2	1	-	336	25.5
Ulster (part of)	152	701	333	93	43	19	17	8	5	4	7	1,382	25.3
Ireland*	2,914	11,333	5,026	1,372	571	295	167	110	48	41	125	22,002	- 24.8
Northern Ireland	27	63	39	14	8	6	4	1	-	-	-	162	26.0
England and Wales	31	254	149	39	13	4	4	1	-	1	4	500	25.4
Scotland	2	7	5	1	1	1	1	-	-	-	-	18	27.2
Elsewhere	2	30	38	13	2	1	-	1	1	1	-	89	27.7
Not stated	19	14	11	-	-	1	-	-	-	-	-	45	22.1

*Exclusive of Northern Ireland

TABLE 52—MARRIAGES REGISTERED IN 1973 CLASSIFIED BY AREA OF

Area of residence of groom	Area of																		
	Total	Carlow	Dublin County Borough	Dun Laoghaire Borough	Dublin County (remainder)	Kildare	Kilkenny	Laois	Longford	Louth	Meath	Offaly	Westmeath	Wexford	Wicklow	Leinster	Clare	Cork County Borough	Cork County
Total	22,816	250	5,957	463	1,052	492	432	293	175	607	516	372	420	705	510	12,244	416	996	1,492
Carlow	253	160	17	-	2	12	15	6	-	-	3	-	1	14	8	238	2	-	1
Dublin Co. Borough	5,797	10	4,788	107	345	29	15	19	11	22	37	20	21	23	47	5,494	12	12	26
Dun Laoghaire Borough	386	-	94	207	35	1	-	-	-	2	-	3	1	2	15	360	-	2	1
Dublin County (remainder)	1,155	4	426	66	456	19	3	4	-	18	14	3	5	9	41	1,068	4	3	6
Kildare	554	7	57	5	24	350	2	17	1	1	19	16	4	7	7	517	1	-	5
Kilkenny	429	18	11	-	3	3	307	14	1	1	1	1	1	8	3	372	-	1	6
Laois	267	5	9	3	2	12	10	175	1	-	-	24	1	1	1	244	1	-	1
Longford	172	-	4	-	-	-	-	-	114	-	-	1	9	2	-	130	-	1	3
Louth	583	-	21	2	17	3	-	-	-	458	29	1	2	-	1	534	1	-	-
Meath	491	4	32	1	28	13	2	2	1	21	332	2	11	-	3	452	1	2	3
Offaly	330	1	10	-	2	11	-	11	-	7	239	22	3	2	309	-	-	-	
Westmeath	386	2	13	-	2	8	1	3	11	-	9	284	1	-	346	1	-	-	
Wexford	675	11	17	2	1	1	12	1	-	3	1	3	-	558	24	634	4	5	4
Wicklow	487	13	48	15	27	8	1	3	-	1	2	1	1	18	325	463	1	2	2
Leinster	11,965	235	5,547	408	944	470	368	255	140	528	457	323	363	646	477	11,161	28	28	58
Clare	419	-	10	1	3	-	1	3	-	-	-	2	1	4	-	25	313	2	2
Cork County Borough	898	-	8	1	2	1	5	-	-	-	2	-	2	2	-	23	2	748	105
Cork County	1,536	2	23	2	6	3	6	3	1	1	-	2	1	2	1	53	9	167	1,168
Kerry	668	-	13	1	5	-	2	1	-	1	-	-	1	2	26	1	10	19	
Limerick County Borough	463	-	9	3	4	2	1	1	-	-	-	1	-	2	23	15	1	3	
Limerick	599	1	8	1	2	-	-	2	1	-	-	2	1	-	18	11	5	32	
Tipperary N.R.	442	2	27	2	2	2	15	10	-	-	2	19	3	1	4	89	3	4	4
Tipperary S.R.	461	-	10	-	4	-	14	2	-	1	-	1	-	2	1	35	3	2	17
Waterford County Borough	245	1	3	-	-	-	5	-	-	1	1	-	-	5	-	16	-	2	1
Waterford County	298	-	2	1	-	-	8	-	-	-	-	1	1	9	-	22	2	5	25
Munster	6,029	6	113	12	28	8	57	22	2	4	5	25	11	27	10	330	359	946	1,376
Galway	907	2	33	3	2	1	1	2	1	-	5	10	10	3	-	73	10	3	5
Leitrim	150	-	3	1	1	-	-	1	1	2	-	-	2	-	-	11	-	-	-
Mayo	527	-	13	3	1	2	-	1	-	2	2	3	6	2	1	36	5	2	4
Roscommon	251	-	12	-	4	1	-	-	9	-	1	-	8	1	-	36	-	-	1
Sligo	263	-	7	-	2	-	-	1	-	-	-	1	1	3	1	16	1	1	1
Connacht	2,098	2	68	7	10	4	1	5	11	4	8	14	27	9	2	172	16	6	11
Cavan	305	-	11	-	3	1	-	-	16	6	24	-	4	1	1	67	-	-	3
Donegal	645	-	11	2	7	1	-	-	-	1	-	1	1	1	1	26	1	1	3
Monaghan	275	2	10	1	3	-	-	-	1	8	5	1	1	-	1	33	-	-	-
Ulster (part of)	1,225	2	32	3	13	2	-	-	17	15	29	2	6	2	3	126	1	1	6
Ireland*	21,317	245	5,760	430	995	484	426	282	170	551	499	364	407	684	492	11,789	404	981	1,451
Northern Ireland	380	-	31	1	8	1	1	2	1	42	7	-	2	2	6	104	-	3	3
England and Wales	804	2	98	17	29	5	3	6	2	12	8	6	10	14	7	219	9	6	26
Scotland	31	-	3	2	-	1	-	-	-	-	-	-	-	1	3	10	-	1	1
Elsewhere	254	3	64	13	18	1	2	3	1	2	2	2	1	4	2	118	3	5	11
Not stated	30	-	1	-	2	-	-	-	1	-	-	-	-	-	-	4	-	-	-

*Exclusive of Northern Ireland

RESIDENCE OF GROOM AND AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE

residence of bride

Kerry	Limerick County Borough	Limerick County	Tipperary, N.R.	Tipperary, S.R.	Waterford County Borough	Waterford County	Munster	Galway	Leitrim	Mayo	Roscommon	Sligo	Connacht	Cavan	Donegal	Monaghan	Ulster (part of)	Ireland	Northern Ireland	England and Wales	Scotland	Elsewhere	Not stated
702	504	591	399	514	271	299	6,184	912	175	560	255	290	2,192	302	744	336	1,382	22,002	162	500	18	89	45
2	1	-	-	1	1	2	10	-	-	-	-	-	-	-	1	-	1	249	-	2	-	1	1
18	11	9	21	11	6	7	133	28	9	27	11	15	90	22	13	13	48	5,765	13	5	1	12	1
3	1	-	2	1	1	1	12	4	1	2	-	1	8	2	2	-	4	384	-	2	-	-	-
1	1	4	9	4	1	6	39	9	4	6	5	5	29	5	4	3	12	1,148	3	3	-	1	-
1	1	5	6	1	2	1	23	2	-	3	1	-	6	2	2	1	5	551	-	1	1	-	1
1	-	1	3	16	13	10	51	2	-	1	-	-	3	-	-	1	1	427	-	2	-	-	-
-	-	2	8	1	1	4	18	3	1	-	-	-	5	-	-	-	-	267	-	-	-	-	-
-	-	-	1	-	-	-	5	2	9	1	10	1	23	10	1	1	12	170	-	-	-	-	2
1	-	2	-	1	-	-	5	2	-	2	-	1	5	12	3	18	33	577	5	-	-	-	1
1	-	2	-	1	1	1	12	3	1	-	1	-	5	16	1	3	20	489	1	1	-	-	-
-	-	2	7	1	-	1	11	3	-	2	-	1	6	1	3	-	4	330	-	-	-	-	-
5	-	1	1	-	-	-	8	14	3	3	5	1	26	3	2	-	5	385	1	-	-	-	-
1	1	2	1	3	3	5	29	-	-	-	3	-	3	2	2	1	5	471	2	1	-	1	-
1	3	4	1	-	1	-	15	-	-	2	1	1	4	1	-	1	2	484	-	1	-	1	1
35	19	34	60	41	30	38	371	72	28	49	37	27	213	76	34	42	152	11,897	25	18	2	16	7
3	18	18	6	7	-	-	369	14	3	2	-	1	20	-	-	1	1	415	1	2	1	-	-
4	1	3	-	1	4	4	872	-	-	1	-	-	1	1	-	-	1	897	-	1	-	-	-
38	3	30	4	16	5	20	1,460	5	-	1	1	1	8	6	3	-	9	1,530	2	2	-	-	2
568	-	22	3	4	-	1	628	3	-	2	-	-	5	1	2	-	3	662	1	1	-	2	2
2	378	30	1	2	-	2	434	1	-	2	-	-	3	-	1	-	1	461	-	-	-	1	1
19	60	400	15	19	-	1	562	8	1	6	-	1	16	1	-	-	1	597	1	1	-	-	-
4	5	23	278	22	-	1	344	6	-	1	-	-	7	-	2	-	2	442	-	-	-	-	-
2	3	12	10	358	1	14	422	-	-	-	-	2	2	1	-	-	1	460	-	1	-	-	-
2	1	2	-	5	199	17	229	-	-	-	-	-	-	-	-	-	-	245	-	-	-	-	-
2	-	1	2	19	27	192	275	-	-	-	-	-	-	-	-	-	-	297	-	1	-	-	-
644	469	541	319	453	236	252	5,595	37	4	15	1	5	62	10	8	1	19	6,006	5	9	1	3	5
3	6	2	6	3	-	2	40	715	3	26	19	7	770	1	8	-	9	892	4	7	-	-	4
2	-	2	-	-	-	1	5	1	94	3	10	10	118	8	5	1	14	148	1	-	-	-	1
1	1	1	3	2	1	-	20	29	2	416	6	13	466	1	1	-	2	524	-	2	-	1	-
1	-	1	-	1	-	-	4	20	5	13	160	8	206	1	3	-	4	250	-	1	-	-	-
-	-	-	1	-	-	-	4	4	11	16	9	192	232	-	8	1	9	261	-	2	-	-	-
7	7	6	10	6	1	3	73	769	115	474	204	230	1,792	11	25	2	38	2,075	5	12	-	1	5
5	-	1	1	-	-	-	10	2	9	5	3	-	19	173	2	30	205	301	2	1	-	1	-
-	-	1	-	-	-	-	6	5	7	4	1	8	25	3	557	6	566	623	16	4	2	-	-
-	-	1	-	-	-	-	1	3	1	1	-	2	7	7	3	215	225	266	8	1	-	-	-
5	-	3	1	-	-	-	17	10	17	10	4	10	51	183	562	251	996	1,190	26	6	2	1	-
691	495	584	390	500	267	293	6,056	888	164	548	246	272	2,118	280	629	296	1,205	21,168	61	45	5	21	17
3	1	2	2	2	-	1	17	4	4	1	-	6	15	16	91	34	141	277	97	5	-	-	1
7	5	4	3	6	3	3	72	14	4	7	5	9	39	3	15	5	23	353	4	444	-	-	3
-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	5	-	5	18	-	-	13	-	-
1	3	1	4	6	1	1	36	5	2	4	3	3	17	3	4	1	8	179	-	6	-	68	1
-	-	-	-	-	-	-	-	1	1	-	1	-	3	-	-	-	-	7	-	-	-	-	23

TABLE 53—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF GROOM

Country of future permanent residence	Age of groom												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Northern Ireland	25	115	91	47	18	7	3	2	1	6	-	315	27.6	
England and Wales	21	431	384	114	37	22	7	3	2	4	6	1,031	26.8	
Scotland	3	18	13	1	2	3	-	-	-	-	-	40	26.3	
Europe (remainder)	3	30	48	17	5	2	1	-	-	-	1	107	27.5	
U.S.A.	1	34	59	21	15	6	4	1	1	2	-	144	30.1	
Canada	1	37	38	8	-	2	1	-	-	-	-	87	26.3	
Australia and New Zealand	-	30	23	5	-	3	-	-	-	-	-	61	26.2	
Elsewhere	-	10	13	2	1	1	1	-	1	-	-	29	28.7	
Total	54	705	669	215	78	46	17	6	5	12	7	1,814	27.2	

TABLE 54—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY AGE OF BRIDE

Country of future permanent residence	Age of bride												All ages	Average age
	Under 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Not stated			
Northern Ireland	52	144	71	20	11	7	6	3	-	1	-	315	25.3	
England and Wales	90	541	282	80	19	7	2	2	-	4	4	1,031	24.9	
Scotland	3	21	9	3	2	1	1	-	-	-	-	40	25.9	
Europe (remainder)	3	54	44	4	-	1	-	-	-	-	1	107	25.0	
U.S.A.	4	57	46	22	7	4	1	2	1	-	-	144	27.6	
Canada	9	46	27	4	-	1	-	-	-	-	-	87	24.2	
Australia and New Zealand	7	38	13	2	1	-	-	-	-	-	-	61	23.6	
Elsewhere	1	9	17	1	1	-	-	-	-	-	-	29	26.1	
Total	169	910	509	136	41	21	10	7	1	5	5	1,814	25.1	

TABLE 55—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF GROOM

Country of future permanent residence	Social group of groom											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	315	30	3	22	4	10	5	38	19	98	47	2
England and Wales	1,031	13	6	95	60	71	33	147	68	385	152	1
Scotland	40	-	1	4	4	3	1	4	2	13	8	-
Europe (remainder)	107	1	-	15	18	10	9	23	6	23	2	-
U.S.A.	144	-	-	11	28	8	10	21	12	48	5	1
Canada	87	3	-	14	8	5	3	16	3	34	1	-
Australia and New Zealand	61	3	-	6	5	7	3	9	3	22	3	-
Elsewhere	29	-	-	4	5	3	1	7	-	6	3	-
Total	1,814	50	10	171	169	117	65	265	113	629	221	4

TABLE 56—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED BY SOCIAL GROUP OF BRIDE

Country of future permanent residence	Social group of bride											
	Total	Farmers, relatives assisting and farm managers	Other agricultural occupations and fishermen	Higher professional	Lower professional	Employers and managers	Salaried employees	Intermediate non-manual workers	Other Non-manual workers	Skilled manual workers	Other manual workers	Not stated
Northern Ireland	315	-	1	5	72	4	-	97	43	2	91	-
England and Wales	1,031	1	-	14	272	9	5	402	149	18	158	3
Scotland	40	-	-	-	13	-	-	13	4	-	10	-
Europe (remainder)	107	-	-	3	26	-	-	48	14	1	15	-
U.S.A.	144	-	-	3	54	1	1	47	32	1	5	-
Canada	87	-	-	1	28	2	-	40	10	-	6	-
Australia and New Zealand	61	-	-	-	18	-	1	28	5	-	9	-
Elsewhere	29	-	-	-	12	-	-	7	6	1	3	-
Total	1,814	1	1	26	495	16	7	682	263	23	297	3

TABLE 57 — MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO FORM OF CEREMONY

Country of future permanent residence	Total marriages	Form of ceremony						
		Catholic	Church of Ireland	Presbyterian	Methodist	Jewish	Other religious denominations	Civil marriages
Northern Ireland	315	264	20	25	2	-	-	4
England and Wales	1,031	977	36	10	2	3	1	2
Scotland	40	34	4	1	-	-	-	1
Europe (remainder)	107	99	4	-	-	-	-	4
U.S.A.	144	140	-	-	-	-	-	4
Canada	87	81	5	1	-	-	-	-
Australia and New Zealand	61	54	4	1	-	-	-	2
Elsewhere	29	27	2	-	-	-	-	-
Total	1,814	1,676	75	38	4	3	1	17

TABLE 58—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF GROOM BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of groom						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	315	6	3	2	1	27	276	-
England and Wales	1,031	89	66	76	50	32	717	1
Scotland	40	3	1	3	-	4	29	-
Europe (remainder)	107	20	3	1	-	-	81	2
U.S.A.	144	16	8	10	13	2	95	-
Canada	87	28	13	8	4	1	33	-
Australia and New Zealand	61	28	7	3	2	-	21	-
Elsewhere	29	6	3	4	-	1	15	-
Total	1,814	196	104	107	70	67	1,267	3

TABLE 59—MARRIAGES REGISTERED IN 1973 IN WHICH THE FUTURE PERMANENT RESIDENCE WAS STATED TO BE OUTSIDE THE COUNTRY, CLASSIFIED ACCORDING TO AREA OF RESIDENCE OF BRIDE BEFORE MARRIAGE.

Country of future permanent residence	Total	Area of residence of bride						
		Dublin Co. Borough and Dun Laoghaire Borough	Rest of Leinster	Munster	Connacht	Ulster (part of)	Other countries	Not stated
Northern Ireland	315	27	45	12	11	123	96	1
England and Wales	1,031	209	121	142	81	47	427	4
Scotland	40	9	5	6	-	7	13	-
Europe (remainder)	107	69	11	12	4	2	9	-
U.S.A.	144	35	18	20	19	8	44	-
Canada	87	36	15	10	3	4	19	-
Australia and New Zealand	61	36	10	6	3	2	4	-
Elsewhere	29	10	6	8	2	-	3	-
Total	1,814	431	231	216	123	193	615	5

TABLE 60—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1973

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenza pneumonia	Malaria
COUNTY BOROUGHES												
Cork	1	-	-	263	-	21	-	-	-	8	-	-
Dublin	-	1	18	1,035	-	44	-	7	189	47	28	1
Limerick	-	-	-	41	-	2	-	-	10	-	-	-
Waterford	-	1	-	19	-	-	-	-	-	-	-	-
COUNTIES												
Carlow												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	1	-	-	-	4	-	-	1	-	-	-
Cavan												
Urban	-	-	-	-	-	-	-	-	1	-	-	-
Rural	-	3	-	3	-	-	-	-	2	-	-	-
Clare												
Urban	-	-	-	14	-	-	-	-	11	-	-	-
Rural	-	8	-	32	-	-	-	-	1	-	-	-
Cork												
Urban	-	3	-	64	-	3	-	-	17	-	-	1
Rural	-	18	1	200	-	16	-	-	5	-	-	-
Donegal												
Urban	-	-	1	2	-	-	-	-	-	-	-	-
Rural	-	-	-	7	-	-	-	-	4	-	-	-
Dublin												
Urban	-	-	1	56	-	3	-	-	4	5	2	-
Rural	-	-	1	187	-	5	-	-	27	6	2	-
Galway												
Urban	-	4	-	105	-	2	-	-	4	-	-	-
Rural	-	5	2	33	-	1	-	1	14	1	-	-
Kerry												
Urban	-	-	-	6	-	-	-	-	-	-	-	-
Rural	-	-	-	25	-	-	-	-	1	-	-	-
Kildare												
Urban	-	-	-	10	-	-	-	-	-	-	-	-
Rural	-	7	-	57	-	3	-	-	2	-	-	-
Kilkenny												
Urban	-	-	-	2	-	-	-	-	-	-	-	-
Rural	-	3	-	6	-	-	-	-	-	-	-	-
Lois												
Rural	-	8	-	88	-	1	-	-	-	4	-	-
Leitrim												
Rural	-	-	-	2	-	-	-	-	-	1	-	-
Limerick												
Rural	-	9	-	29	-	1	-	-	10	-	-	-
Longford												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	3	-	-1	-	-	-	-	-	-
Louth												
Urban	-	-	-	21	-	6	-	-	1	-	-	-
Rural	-	-	-	12	-	6	-	-	4	2	-	-

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1973

County or County Borough	Acute anterior poliomyelitis	Brucellosis	Cerebro spinal fever	Diarrhoea and enteritis	Diphtheria	Dysentery	Encephalitis lethargica	Erysipelas	Infectious hepatitis	Infectious mononucleosis	Influenzal pneumonia	Malaria
Mayo												
Urban	-	-	-	16	-	-	-	-	-	-	-	-
Rural	-	1	3	52	-	2	-	-	4	5	6	-
Meath												
Urban	-	-	-	3	-	-	-	-	1	-	-	-
Rural	-	8	-	35	-	-	-	-	26	3	-	-
Monaghan												
Urban	-	-	-	8	-	-	-	-	-	-	-	-
Rural	-	-	1	2	-	-	-	-	2	-	-	-
Offaly												
Urban	-	-	-	6	-	-	-	-	-	-	-	-
Rural	-	2	-	12	-	-	-	-	-	-	1	-
Roscommon												
Rural	-	-	-	-	-	-	-	-	-	-	-	-
Sligo												
Urban	-	-	-	2	-	-	-	-	1	-	-	-
Rural	1	-	-	-	-	1	-	-	-	1	-	-
Tipperary N.R.												
Urban	-	1	-	-	-	1	-	-	-	-	-	-
Rural	-	23	-	10	-	-	-	-	-	-	-	-
Tipperary S.R.												
Urban	-	-	-	12	-	-	-	-	5	1	-	-
Rural	-	1	-	12	-	-	-	-	2	-	-	-
Waterford												
Urban	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	2	-	16	-	-	-	-	-	-	-	-
Westmeath												
Urban	-	1	-	-	-	-	-	-	-	-	-	-
Rural	-	4	-	5	-	-	-	3	-	-	-	-
Wexford												
Urban	-	-	-	52	-	2	-	-	3	-	2	-
Rural	-	4	-	52	-	1	-	-	7	-	9	-
Wicklow												
Urban	-	-	-	21	-	1	-	1	6	-	-	-
Rural	-	6	1	17	-	-	-	-	2	3	-	-
ALL COUNTY BOROUGHS	1	2	18	1,358	-	67	-	7	199	55	28	1
ALL URBAN DISTRICTS	-	9	2	400	-	18	-	1	54	6	4	1
ALL RURAL DISTRICTS	1	113	9	897	-	42	-	4	114	26	18	-
TOTAL	2	124	29	2,655	-	127	-	12	367	87	50	2

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1973

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
COUNTY BOROUGHES:													
Cork	9	-	-	133	202	-	2	1	-	-	-	1	-
Dublin	628	-	-	69	90	142	22	-	-	2	1	206	48d
Limerick	43	-	-	1	4	21	1	1	-	-	-	5	-
Waterford	-	-	-	-	-	1	-	-	-	-	-	1	-
COUNTIES:													
Carlow													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	11	-	-	-	-	-	1	-	-	-	-	-	-
Cavan													
Urban	-	-	-	-	-	1	-	-	-	-	-	-	-
Rural	30	-	-	-	-	-	-	-	-	-	-	-	-
Clare													
Urban	5	-	-	-	-	5	-	-	-	-	-	1	-
Rural	10	-	-	-	1	-	-	-	-	-	-	-	-
Cork													
Urban	2	-	-	38	61	106	-	5	-	-	-	-	-
Rural	107	-	-	98	71	-	5	-	-	-	-	2	-
Donegal													
Urban	-	-	-	-	-	-	2	-	-	-	-	1	-
Rural	3	-	-	-	3	-	3	-	-	-	-	4	-
Dublin													
Urban	21	1	-	5	8	37	5	-	-	-	-	4	2d
Rural	174	-	-	18	23	-	13	-	-	-	1	21	7d
Galway													
Urban	35	-	-	3	1	6	-	2	-	-	-	-	-
Rural	48	-	-	-	5	-	2	-	-	-	-	5	-
Kerry													
Urban	3	-	-	-	-	-	-	-	-	-	-	-	-
Rural	8	-	-	-	6	-	1	-	-	-	-	-	-
Kildare													
Urban	2	-	-	-	-	-	-	-	-	-	-	-	-
Rural	6	-	-	1	4	-	-	-	-	-	-	2	2d
Kilkenny													
Urban	-	-	-	-	-	12	-	-	-	-	-	-	-
Rural	6	-	-	1	-	-	-	-	-	-	-	-	-
Laois													
Rural	21	-	-	2	4	-	1	-	-	-	-	-	2d
Leitrim													
Rural	3	-	-	-	2	-	-	-	-	-	-	-	-
Limerick													
Rural	78	-	-	-	7	-	1	1	-	-	-	3	-
Longford													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	-	-	-	-	2	-	-	-	-	-	-	-	-
Louth													
Urban	4	-	-	-	-	-	-	-	-	-	-	1	-
Rural	24	-	-	-	1	-	-	-	-	-	-	-	-

(d) Acute Lymphocytic Meningitis.

TABLE 60 (contd.)—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1973

County or County Borough	Measles	Paratyphoid B.	Puerperal pyrexia	Rubella	Salmonella Infection	Scabies	Scarlet fever	Tinea capitis	Trachoma	Typhoid	Weil's disease	Whooping cough	Other notifiable infectious diseases
Mayo													
Urban	-	-	-	1	1	-	-	-	-	-	-	2	-
Rural	23	-	-	1	1	-	1	-	-	2	-	4	-
Meath													
Urban	12	-	-	-	-	10	2	-	-	-	-	5	-
Rural	54	-	-	1	1	-	5	-	-	-	-	1	1d
Monaghan													
Urban	5	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2	-	-	-	-	-	-	-	-	-	-	-	-
Offaly													
Urban	27	-	-	-	-	-	-	-	-	-	-	-	-
Rural	21	-	-	-	2	-	2	-	-	-	-	-	-
Roscommon													
Rural	8	-	-	-	-	-	-	-	-	-	-	-	-
Sligo													
Urban	50	-	-	5	4	15	2	-	-	-	-	6	-
Rural	14	-	-	2	-	-	2	-	-	-	-	9	-
Tipperary N.R.													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	6	2	-	-	-	-	-	-	-	-	-	-	-
Tipperary S.R.													
Urban	5	-	-	-	1	-	-	-	-	-	-	1	-
Rural	7	1	-	-	1	-	-	-	-	-	-	2	-
Waterford													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	14	-	-	-	-	-	1	-	-	-	2	-	-
Westmeath													
Urban	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural	15	-	-	-	1	-	1	-	-	-	-	-	-
Wexford													
Urban	6	-	-	-	-	2	-	-	-	-	-	-	-
Rural	18	-	-	-	-	-	-	-	-	-	-	-	-
Wicklow													
Urban	31	-	-	4	3	8	1	-	-	-	-	6	-
Rural	55	-	-	4	-	-	1	-	-	-	-	-	1e
ALL COUNTY BOROUGHES	680	-	-	203	296	164	25	2	-	2	1	213	48d
ALL URBAN DISTRICTS	208	1	-	55	79	202	12	7	-	-	-	27	2d
ALL RURAL DISTRICTS	766	3	-	128	135	-	40	1	-	2	3	53	12d 1e
TOTAL	1,654	4	-	386	510	366	77	10	-	4	4	293	62d 1e

(d) Acute Lymphocytic Meningitis. (e) Puerperal pyrexia.