

**Note:**

Due to the nature of the scanning technology,  
no guarantee can be made regarding specific  
letter and number translations.

**ÉIRE**

**ROINN RIAGHALTAIS AITEAMHAIL AGUS SLAINTE POIBLIDHE**  
**(Department of Local Government and Public Health.)**

**TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA**

**ANNUAL REPORT**

OF THE

**REGISTRAR-GENERAL**

**1941.**

DUBLIN:  
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the  
GOVERNMENT PUBLICATIONS SALE OFFICE, 34 COLLEGE STREET, DUBLIN,  
or through any bookseller.

1942

Price 2/6.

(P. No 5518.)



# CONTENTS.

## PART I.—TEXT.

### **REPORT :—**

<b>INTRODUCTORY REMARKS</b>	...	...
-----------------------------	-----	-----

**Page**  
**vii**

<b>GENERAL SUMMARY</b>	...	...
------------------------	-----	-----

**vii**

### **MOVEMENT OF POPULATION :**

Estimated population, natural increase, emigration and immigration	...	ix
--	-----	----

### **MARRIAGES :**

Number, mode of celebration and rate	...	...
--------------------------------------	-----	-----

**x**

Conjugal condition of persons married	...	...
---------------------------------------	-----	-----

**x**

Marriage rates for counties, county boroughs and provinces	...	...
--	-----	-----

**xi**

Marriage rates in Northern Ireland and Scotland	...	...
---	-----	-----

**xi**

Marriage rates by quarters	...	...
----------------------------	-----	-----

**xi**

Minors	...	...
--------	-----	-----

**xii**

Re-marriages	...	...
--------------	-----	-----

**xii**

Licences for marriage	...	...
-----------------------	-----	-----

**xii**

Buildings registered for the solemnisation of marriage	...	...
--	-----	-----

**xii**

### **BIRTHS :**

Number and rate	...	...
-----------------	-----	-----

**xiii**

Birth rates in Northern Ireland, England and Wales, and Scotland	...	...
--	-----	-----

**xiii**

Rates by counties	...	...
-------------------	-----	-----

**xiii**

Illegitimate births	...	...
---------------------	-----	-----

**xiii**

Registration of births under Legitimacy Act (1931)	...	...
--	-----	-----

**xiv**

Proportion of male to female births	...	...
-------------------------------------	-----	-----

**xiv**

Births by quarters	...	...
--------------------	-----	-----

**xiv**

Multiple births	...	...
-----------------	-----	-----

**xiv**

REPORT—*continued.*

<b>DEATHS :</b>		<b>Page</b>
Number and rate ...	...	xv
Death rates in Northern Ireland, England and Wales, and Scotland	...	xv
Deaths by quarters ...	...	xvi
Deaths in institutions ...	...	xvi
Uncertified deaths ...	...	xvi
Inquests ...	...	xvi
 Causes of Death :		
General observations ...	...	xvi
Principal causes ...	...	xviii
Tuberculosis ...	...	xx
Influenza ...	...	xxiii
Cancer ...	...	xxv
Other general diseases ...	...	xviii
Circulatory, respiratory diseases, etc.	...	xviii
Childbirth ...	...	xviii
Violence ...	...	xxxii
Ages at death ...	...	xxxii
Infant mortality ...	...	xxxii

## DIAGRAMS.

No. 1. Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	vi
No. 2. Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	xix
No. 3. Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	xxii
No. 4. Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	xxiv
No. 5. Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	xxix
No. 6. Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	...	...	...	...	...	xxxiii

## PART II.—TABLES.

TABLE No.	1. Estimated population, 1801-1941	...	...	...	...	2
"	2. Ages of the population, by sexes, at each census 1851-1936—number and proportion per cent.	...	...	...	...	3-5
"	3. Number of marriages, births and deaths, and natural increase, 1864-1941	...	...	...	...	6
"	4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1941	...	...	...	...	7
"	5. Marriages, births, and deaths, by quarters, 1930-1941	...	...	...	...	8
"	6. Deaths (numbers and rates) by causes, 1864-1910	...	...	...	...	9

PART II.—TABLES—*continued.*

		Page	
TABLE NO. 6A.	Deaths (numbers and rates), by causes, 1911-1939	...	10
" 7.	"     "     "     in Éire and Northern Ireland, 1940 & 1941	...	11
" 8.	"     "     "     by sexes and ages, 1864-1941	...	12-14
" 9.	Infant mortality rate, by causes, 1930-1941	...	15
" 10.	"     by causes and ages	...	16
" 11.	"     rate, by causes in certain urban areas and aggregate rural areas	...	17
" 12.	"     illegitimate infants, by causes and ages	...	18
" 13.	"     illegitimate infants, by counties	...	19
" 14.	Marriages, births and deaths, by counties and county boroughs	...	20
" 15.	Marriage, birth and death rates, by counties and county boroughs	...	21
" 16.	Births and deaths in principal towns and aggregate urban and rural areas	...	22
" 17.	Birth rates and death rates in principal towns and aggregate urban and rural areas	...	23
" 18.	Births and deaths in each urban area	...	24-27
" 19.	Birth rates and death rates in aggregate urban and rural areas, 1911-1941	...	28

## PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered in administrative areas	...	...	30-37
" II.	Marriages registered in administrative areas	...	...	38-39
" III.	Total births and deaths by sexes, and ages at death, by administrative areas	...	...	40-42
" IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	...	...	44-61
" V.	Causes of death (short list), by sexes, ages and places of occurrences for each administrative area (as under) :—			64-135


	Page		Page		Page			
Eire	...	64	Dublin Co.	...	70	Meath	...	84
Leinster	...	66	Dublin City	...	72	Monaghan	...	134
Munster	...	94	Galway	...	118	Offaly	...	86
Connnaught	...	116	Kerry	...	102	Roscommon	...	124
Ulster (part of)	...	128	Kildare	...	74	Sligo	...	126
Carlow	...	68	Kilkenny	...	76	Tipperary N.R.	...	108
Cavan	...	130	Laoighis	...	78	Tipperary S.R.	...	110
Clare	...	96	Limerick Co.	...	104	Waterford Co.	...	112
Cork Co.	...	98	Limerick Co. Boro'	106		Waterford Co.	...	114
Cork Co. Boro'	...	100	Longford	...	80	Westmeath	...	88
Donegal	...	132	Louth	...	82	Wexford	...	90
			Mayo	...	122	Wicklow	...	92

ABSTRACT VI.	Causes of death in thirteen principal towns	...	...	136-7
--------------	---	-----	-----	-------

---

APPENDIX I.	Alterations in boundaries of Registrars' Districts—	...	138
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1941, with the amounts of fees received	...	139
APPENDIX III.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1941	...	140-144

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1927 to 1941.



## REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1941.

---

**DO'N AIRE RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE.**

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasai, Básanna agus Pósanna clárúighthe san mBliadain 1941.

**SÉAMUS HURSON,**

Mí na Nodlag 1942.

Árd-Chláradóir.

**NOTE.—***In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the districts in which the normal residence of the deceased persons was situated. The deaths of 143 non-residents of Éire registered during 1941 have been excluded from this Report.*

### GENERAL SUMMARY.

During the year 1941 the number of marriages recorded was 191 less than that for 1940 ; the number of births increased by 186 and the number of deaths by 1,912 when compared with the corresponding figures for the preceding year.

**Marriages.**—The marriages registered during the year 1941 numbered 15,021, compared with 15,212 for the previous year, and an annual average figure of 14,359 for the decennial period ended with 1940. The rates per 1,000 of the population for the years 1941 and 1940 were 5·02 and 5·14 respectively, while the annual average rate for the period 1931-1940 was 4·86.

In Northern Ireland the rate per 1,000 for 1941 was 9·27 ; in England and Wales it was 9·35 ; and in Scotland 9·53.

**Births.**—The births registered during the year 1941 amounted to 56,780, an increase of 186 when compared with the figure for the year 1940. The average annual number for the decennial period 1931-1940 was 57,105. The rate for 1941 was 18·97 ; for 1940 it was 19·13 ; and for the period 1931-1940 the average rate was 19·34.

The rate in Northern Ireland for 1941 was 20·83 ; in England and Wales it was 14·2 ; and in Scotland, 17·92.

The number of illegitimate births recorded was 1,975, equivalent to a rate of 3·48 per cent. of the total births, as compared with 3·22 for 1940. The corresponding percentage for 1941 in Northern Ireland was 4·82 ; and in Scotland, 6·58.

**Deaths.**—During the year 1941 the number of deaths registered was 43,797, a figure which is 1,912 more than the number for 1940 and is 1,956 over the average annual number for the years 1931-1940. The rate per 1,000 of the population for the year 1941 was 14·63, compared with 14·16 for 1940 and 14·17 for the decennial period ended with the year 1940.

In Northern Ireland the death rate for 1941 was 15·21 ; in England and Wales it was 12·9 ; and in Scotland the rate was 14·49.

Of the deaths registered, 21·3 per cent. were stated to be due to heart disease, 8·7 to cancer, 8·5 to tuberculosis (all forms), 6·2 to intra-cranial lesions, 4·4 to bronchitis, and 4·3 to pneumonia.

There were 3,711 deaths from all forms of tuberculosis recorded during the year 1941. This figure is 26 more than that for 1940 and 141 above the average for the decennial period from 1931 to 1940. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1941 was 1·24 ; for 1940 the rate was 1·25, and for the decennial period 1931-1940 the rate was 1·21.

Deaths from cancer (all forms) numbered 3,790; this figure is 17 above the figure for 1940 and 260 above the annual average number for the period from 1931 to 1940. The rate per 1,000 of the population for the year 1941 was 1·27, and that for 1940 was 1·28.

During the year 1941 the number of deaths recorded as due to diseases of pregnancy, childbirth and the puerperal state was 182. This figure is equivalent to a rate of 3·21 per 1,000 births, compared with an average of 4·21 in the preceding ten years. The corresponding rate for urban areas was 2·55 per 1,000 births, and for rural areas, 3·59, as compared with 2·76 and 4·24 respectively, for the year 1940.

There were 4,175 deaths of infants under one year of age registered during the year. This figure is 416 above that for the year 1940, and is equivalent to a rate of 74 per 1,000 births, compared with a rate of 66 for the preceding year. The rates per 1,000 births for urban and rural areas were 99 and 58 respectively in 1941, and 85 and 55 in 1940.

Among legitimate infants the rate of mortality was 68 per 1,000 births, and among illegitimate it was 239. The legitimate infant mortality rate for Northern Ireland was 71 and the illegitimate, 182; and for Scotland 80 and 129 respectively.

The number of deaths registered as caused by violence was 953. Included in this figure are 90 due to suicide, 18 to homicide, 38 to war operations, 2 to execution, and 805 to accidental or unspecified violent causes. During the previous year there were 99 suicidal, 13 homicidal and 955 other violent deaths. The number of accidental deaths registered during 1941 as attributable to road traffic was 170, compared with 210 for the previous year.

**Issue of Authority for Registration.**—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1941 authority was issued for the registration of 1,095 births and 160 deaths.

**Vaccinations.**—The number of successful primary vaccinations for the year 1941 recorded by the registrars was 29,298, equivalent to 51·6 per cent. of the total births registered. The number for 1940 was 26,834 or 47·4 per cent.

**Searches and Certificates.**—During the year 1941 the number of searches made in the records of marriages, births and deaths in this office in respect of which fees were received was 29,601, the certificates issued numbered 16,227, and the amount of fees received was £4,243. In the year 1940 the corresponding figures were as follows:—Searches, 33,704, certificates, 18,570, and fees, £4,818.

**TABLE A.—MARRIAGES, BIRTHS and DEATHS** registered during each of the years 1931-41, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1941.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1931 ...	2,933,000	13,133	57,086	49,947	4·48	19·46	14·64
1932 ...	2,949,000	13,029	56,240	49,984	4·42	19·07	14·58
1933 ...	2,962,000	13,992	57,364	40,539	4·72	19·37	13·69
1934 ...	2,971,000	14,251	57,897	39,083	4·80	19·49	13·16
1935 ...	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98
1936 ...	2,987,000	14,763	58,115	42,586	4·98	19·59	14·35
1937 ...	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938 ...	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939 ...	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940 ...	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
Yearly Average, 1931-1940 ...	2,953,000	14,359	57,105	41,841	4·86	19·34	14·17
1941 ...	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63

NORTHERN IRELAND, 1941.

1941 ...	...	1,291,000	11,966	26,887	19,640	9·27	20·83	15·21
----------	-----	-----------	--------	--------	--------	------	-------	-------

## POPULATION.

It is estimated that the population of Eire at the middle of the year 1941 was 2,993,000. The number of males was estimated to be 1,533,000, and the number of females 1,460,000. These figures are based on the result of the Census of 1936, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year was 2,968,420—males 1,520,454, and females 1,447,966, and according to the Register of Population the population in November 1941 was 2,989,700—of which 1,512,170 were males and 1,477,530 females.

In Table I, the estimated population for each of the years 1851 to 1941 is given.

**TABLE B.**—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1941, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1941.

Intercensal Period, etc.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (-); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	18,820	5.1	—	—
Year 1927	16,377	5.5	-25,816	-8.7
" 1928	17,384	5.9	-25,072	-8.5
" 1929	15,289	5.2	-21,863	-7.4
" 1930	16,651	5.7	-13,722	-4.7
" 1931	14,139	4.8	+ 658	+ 0.2
" 1932	13,266	4.5	+ 6,515	+ 2.2
" 1933	16,825	5.7	-2,615	-0.9
" 1934	18,814	6.3	-11,002	-3.7
" 1935	16,723	5.6	-14,345	-4.8
" 1936	19,529	5.2	-21,539	-7.3
" 1937	11,402	3.9	-29,716	-10.1
" 1938	16,884	5.7	-21,335	-7.3
" 1939	14,353	4.9	+ 12,642	+ 4.3
" 1940	14,709	5.0	+ 4,368	+ 1.5
" 1941	12,983	4.3	-21,386	-7.1

The following Table gives the number of emigrants and their destinations in 1941 as compared with the nine years preceding :—

**TABLE C.—EMIGRANTS to and IMMIGRANTS from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1932-1941.**

YEAR	Number of Emigrants by Destinations								Number of Immi- grants.
	United States	Canada	Australia	New Zeal- and	Union of South Africa	India	Other Countries	Total all Destin- ations	
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
1934	550	88	142	32	32	96	188	1,178	2,229
1935	481	78	207	31	52	98	191	1,138	2,144
1936	634	63	316	23	99	102	225	1,362	2,094
1937	604	68	209	62	116	97	186	1,342	1,709
1938	1,213	100	207	105	72	76	198	1,971	1,697
1939*	925	34	68	70	32	25	67	1,221	1,057
1940*	487	·	·	·	·	·	·	487	·
1941*	·	·	·	·	·	·	·	·	·

\* The number of migrants through British ports since the 30th June, 1939, is not available.

## MARRIAGES.

**Number and Rate.**—There were 15,021 marriages registered during the year 1941. This figure is 191 less than that for 1940, which was the highest on record since 1923, in which year 15,632 marriages were registered. The lowest figure recorded since 1923 was in the year 1932, when the number fell to 13,029. The number rose to 13,992 in 1933, and a further increase was shown for each of the years 1934 to 1940. In the latter year 15,212 marriages were recorded. The annual rates per 1,000 of the population for the period 1934 to 1939 were as follows :—4.80, 4.83, 4.98, 5.01, 5.07 and 5.18. The rate for 1940 was 5.14 and for the year 1941 it was 5.02, a rate which is 0.16 above the average rate for the decennial period 1931 to 1940.

**Modes of Celebration.**—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1941 amounted to 14,061 (equal to 93.6 per cent. of the total), and other marriages numbered 960. The number of Catholic marriages is 191 less than that for 1940, and the number of all other marriages is equal to the figure for the preceding year. In the year 1941 the number of marriages other than Catholic recorded include 668 celebrated according to the rites and ceremonies of the Protestant Episcopalian Church ; 160 in Presbyterian meeting-houses ; 66 in registered buildings belonging to various other religious denominations ; 55 by civil contract in the registrars' offices ; 2 according to the usages of the Society of Friends, and 9 according to the Jewish rites. Comparing these figures with those for 1940, the number according to the rites and ceremonies of the Protestant Episcopalian Church shows a decrease of 13 ; in Presbyterian meeting-houses an increase of 13 ; in registered buildings a decrease of 9 ; in the registrars' offices an increase of 6 ; in the case of the Society of Friends a decrease of 3 ; and an increase of 6 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1941 is equal to a rate of 5.03 per 1,000 of the estimated Catholic population, a rate which is 0.13 above the average rate for the preceding ten years, and the rate for all other marriages was 4.86 per 1,000 of all persons other than Catholics in the population, or 0.45 above the average. Corresponding rates for each year from 1931 to 1940 are shown in Table D below. It must be borne in mind that the rates for the years 1931 to 1935 have been calculated on the proportion of Catholics and of person other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1941 on the proportion according to the Census of 1936.

**TABLE D.—MARRIAGES** registered in 1941 and in each of the previous ten years, according to the MODES OF CELEBRATION ; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by			
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total		Catholic Marriages	All other Marriages	Total Marriages	
1931 ...	652	126	56	65	.	6	905	12,228	13,183	4.50	4.17	4.48
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4.46	3.90	4.42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4.77	4.10	4.72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4.88	3.73	4.80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4.89	4.01	4.83
1936 ...	660	134	59	64	4	8	929	13,584	14,763	4.99	4.74	4.98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
Yearly Average 1931-40	648	129	57	60	3	9	906	13,453	14,359	4.90	4.41	4.86
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02

**Conjugal Condition.**—In Abstract II, pages 38 and 39, particulars regarding the marriages recorded by counties, and the conjugal condition of the parties married, etc., are given. The figures relating to conjugal condition show that marriages between bachelors and spinsters constitute 94.5 per cent. of the total marriages ; those of widowers and spinsters, 3.6 per cent. ; bachelors and widows, 1.2 per cent. ; and those of widowers and widows, 0.7 per cent. Of the men married, 4.3 per cent. were widowers, and of the women, 1.9 per cent. were widows, or in 62 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1940 were :—widowers, 4.7 per cent., and widows 1.8 per cent. In Table F similar figures from the year 1931 are shown.

TABLE E.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1941, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.			Marriages per 1,000 of Population			Counties, &c.			Marriages per 1,000 of Population		
			Annual Average 1925-7	Annual Average 1935-7	Year 1941				Annual Average 1925-7	Annual Average 1935-7	Year 1941
<b>ÉIRE</b>	...	...	4.58	4.94	5.02	Kerry	...	...	4.18	3.93	4.03
Carlow	...	...	4.30	4.96	4.83	Limerick	...	...	3.61	3.67	3.91
Dublin	...	...	5.43	6.66	6.08	Limerick Co. Borough	...	...	9.36	8.50	8.04
City of Dublin	...	...	7.57	7.44	7.04	Tipperary N.R.	...	...	4.53	4.55	4.44
Kildare	...	...	3.91	4.68	4.54	Tipperary S.R.	...	...	3.80	4.00	4.42
Kilkenny	...	...	3.92	4.26	5.62	Waterford	...	...	4.11	4.35	4.68
Laoighis	...	...	3.35	3.23	3.89	Waterford Co. Borough	...	...	4.89	5.26	6.25
Longford	...	...	4.39	3.75	4.18	<b>Munster</b>	...	...	4.41	4.49	4.65
Louth	...	...	3.99	5.18	5.15	Galway	...	...	3.65	4.04	3.91
Meath	...	...	3.48	5.15	4.28	Leitrim	...	...	4.37	3.99	3.86
Offaly	...	...	4.28	4.40	5.04	Mayo	...	...	3.78	3.48	4.20
Westmeath	...	...	4.01	3.98	5.58	Roscommon	...	...	3.97	3.79	3.65
Wexford	...	...	4.36	4.70	4.46	Sligo	...	...	4.34	4.26	3.70
Wicklow	...	...	3.97	4.63	4.61	<b>Connaught</b>	...	...	3.90	3.85	3.93
<b>Leinster</b>	...	...	5.22	5.84	5.77	Cavan	...	...	4.27	4.21	4.46
Clare	...	...	3.55	3.67	3.68	Donegal	...	...	3.68	4.68	5.05
Cork	...	...	3.53	3.61	3.89	Monaghan	...	...	3.94	4.03	4.99
Cork Co. Borough	...	...	8.21	8.67	8.48	<b>Ulster (pt. of)</b>	...	...	3.90	4.41	4.88

**Rates for Counties, etc.**—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In County Cork borough the rate was 8.48 per 1,000; in Limerick 8.04; in Dublin 7.04; and in Waterford 6.25. The rate for Dublin county (exclusive of the county borough) was 6.08 per 1,000. The highest rates for the remaining areas were Kilkenny, 5.62; Westmeath, 5.58; Louth, 5.15; Donegal, 5.05 and Offaly, 5.04. The lowest rates were recorded in Roscommon, 3.65; Clare, 3.68; Sligo, 3.70; Leitrim, 3.86; and Laoighis and Cork (exclusive of the county borough) each 3.89.

In the provinces the highest rate was 5.77 for Leinster, followed by 4.88 for Ulster (part of); 4.65 for Munster; and 3.93 for Connaught. The corresponding rates for 1940 were 5.93 for Leinster; 4.44 for Ulster (part of); 4.93 for Munster; and 3.97 for Connaught.

In Northern Ireland the rate for the year 1941 was 9.27, in England and Wales 9.35, and in Scotland 9.53 as compared with 5.02 for Eire. In the year 1940 the rates were:—Northern Ireland 7.56, England and Wales 11.3, Scotland, 10.62, and Eire, 5.14 per 1,000.

**Marriages in each Quarter.**—The number of marriages is shown in Table 5 by quarters for each of the years 1931–1941, and also the average number and rate for the ten years 1931 to 1940, and the rate for the year 1941. In the first quarter of 1941 the rate per 1,000 of the population was 4.7, in the second 4.9, in the third 5.6, and in the fourth 4.9. The corresponding figures for the year 1940 were 4.7 for the first quarter, 5.1 for the second, 6.2 for the third, and 4.5 for the fourth quarter.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1931 to 1940.

In the case of Catholic marriages, 24 per cent. were recorded in the first quarter, 24 per cent. in the second, 28 per cent. in the third, and 24 per cent. in the last quarter. For other marriages the percentages were 17, 27, 33 and 23 in the corresponding quarters of the year,

**TABLE F.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1931 to 1941.**

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
1931	13,133	1.52	7.33	6.81	3.02
1932	13,029	1.73	7.71	5.73	2.87
1933	13,992	1.62	7.53	5.20	2.22
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90

**Age at Marriage.**—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. All that is necessary is that each party should be described as "of full age" or "minor" as the case may be, so that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1941 who married under age was 2.3 per cent.; in Munster 1.7; in Ulster (part of) 1.2; and in Connaught 0.9 per cent. In the case of females married the proportion who were minors in Leinster was 9.3, in Ulster (part of) 9.0, in Munster 7.1, and in Connaught 4.5 per cent. The corresponding percentages for the country as a whole were 1.8 for husbands and 8.0 for wives.

The proportion per cent. of males married in Northern Ireland in 1941 who were under age was 5.2, and of females 19.2.

**Licences for Marriage.**—During the year 1941 the number of licences issued by the registrars for marriages in registered buildings and in the registrars' offices was 116. On 31st December, 1941 the number of such registrars of marriages authorised to grant licences for marriage was 77.

Marriage licences issued by licensing ministers of the Protestant Episcopalian Church amounted to 508. The number of licensing ministers on the 31st December, 1941 was 145.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1941 was 130. The number of licensing ministers on the 31st December, 1941, was 49, of whom 47 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

**Buildings in which Marriages may be solemnised.**—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,049 churches and chapels of the Protestant Episcopalian Church were, on the 31st December, 1941, licensed for the solemnisation of marriages, 144 Presbyterian meeting houses (142 General Assembly and 2 United Presbytery or Synod of Munster), and 164 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 164 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists ... ...	126	Salvation Army ...	2
Reformed Presbyterians ...	5	Seceders ...	2
Baptists ... ...	8	" Undenominational " ...	6
Independents or Congregationalists	5		
Christian Brethren ...	9		
Moravians or United Brethren ...	1	TOTAL ...	164

## BIRTHS.

The births registered during the year 1941 numbered 56,780, a figure which is 186 more than that for the year 1940, but 325 less than the number recorded during the decennial period from 1931 to 1940. The numbers registered in each of the years 1937 to 1940 were 56,488, 56,925, 56,070 and 56,594, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1941 was 18·97 and for 1940 it was 19·13 per 1,000. In the years 1937, 1938 and 1939 the rates were 19·16, 19·38 and 19·11, respectively.

In Tables 3 and 4 the number of births registered are shown and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, each decennial period from 1871 to 1930, and each year since 1931. In the period from 1864 to 1870 the rate was 25·79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26·31, falling gradually to 20·21 for the decennial period 1921-30. During the period 1931 to 1940 the highest rate recorded was 19·61 for 1935, and the lowest 19·07 for the year 1932.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1932 to 1941:—

Years	Eire	Northern Ireland	England and Wales	Scotland
1932	19·1	19·9	15·3	18·6
1933	19·4	19·4	14·4	17·6
1934	19·5	19·4	14·8	18·0
1935	19·6	19·2	14·7	17·8
1936	19·6	20·2	14·8	17·9
1937	19·2	19·8	14·9	17·6
1938	19·4	20·0	15·1	17·7
1939	19·1	19·5	14·9	17·4
1940	19·1	19·6	14·6	17·1
1941	19·0	20·8	14·2	17·9

**Rates for Counties, etc.**—The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 15 and 17. For the province of Leinster the rate was 20·31, for Munster 18·06, for Connaught 17·76, and for Ulster (part of) 18·35, as compared with 20·92, 18·15, 17·26 and 17·46, respectively, for 1940. Comparing the rates for the years 1940 and 1941, it will be seen that while the rate for Leinster has decreased by 0·61, and that for Munster by 0·09, the rates for the provinces of Connaught and Ulster show increases of 0·50 and 0·89, respectively.

In Table 15 it appears that high rates were recorded in the county borough areas, viz., Dublin 23·10; Cork, 22·84; Limerick, 23·68 and Waterford, 21·52 per 1,000. The highest rates in the counties were Galway, 20·40; Louth, 20·34; Wexford, 19·49, and Wicklow, 19·40. On the other hand, the lowest rates recorded were Roscommon, 14·32; Leitrim, 15·35; Clare, 15·86, and Sligo, 15·93.

The birth-rates for the total urban areas were 21·96 and 21·71, respectively, in the years 1941 and 1940, an increase of 0·25 per 1,000, while the corresponding rural rates were 17·76 and 17·84, respectively, a decrease of 0·08 per 1,000. In Table 19 the birth-rates for the urban and rural areas are shown for a number of years.

**Illegitimate Births.**—The births registered during 1941 include 1,975 of illegitimate children, a figure which is 151 more than that for 1940. The number for 1941 is equivalent to a rate of 0·66 per 1,000 of the population, and a rate of 3·48 per cent. of the total births recorded. The respective rates for the previous year were 0·62 per 1,000 and 3·22 per cent.

In Northern Ireland for 1941 the rate per cent. of the total births was 4·82, and for Scotland 6·58.

The percentages, by provinces, are shown in the following statement for the years 1934-1941:—

AREA	Illegitimate births—per cent. of total births.							
	1934.	1935.	1936.	1937.	1938.	1939.	1940.	1941.
Eire	3·51	3·34	3·28	3·21	3·30	3·18	3·22	3·48
Leinster ...	3·87	3·60	3·45	3·60	3·44	3·30	3·40	3·62
Munster ...	3·54	3·58	3·38	3·17	3·41	3·18	3·44	3·59
Connaught ...	2·06	1·75	2·02	1·86	2·16	1·93	1·93	2·32
Ulster (part of) ...	4·34	4·20	4·44	3·79	4·34	4·32	3·90	4·43

In Tables 14 and 15 the number of illegitimate births for the year 1941, and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentage of the total births registered were in the following counties : Waterford (excluding the county borough), 7·23 ; Wexford, 6·13 ; Kilkenny, 5·74 ; Limerick (excluding the county borough), 5·38 ; Cavan 5·15 and Meath 5·07. The counties with the lowest ratios were Cork county borough, 1·43 ; Roscommon, 2·01 ; Mayo and Sligo, each 2·04, and Waterford county borough, 2·12.

**Legitimacy Act (1931).**—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 46 cases during the year 1941. The number of such cases for the preceding year was 74.

**Proportion of Males to Females.**—The number of male births registered in 1941 was 29,198 and of female births 27,582. The proportion between the sexes was 1,059 males to 1,000 females, a ratio which is 7 above the average for 1931 to 1940. In Northern Ireland for the year 1941 the proportion of males born alive to 1,000 females was 1,096, and in Scotland, 1,059.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1931, and also the average rates since the year 1864.

The male children born in wedlock in 1941 numbered 28,191, and the female 26,614, or 1,059 males to every 1,000 females, and of the illegitimate children 1,007 were males and 968 females, or 1,040 boys to every 1,000 girls.

**Births in each Quarter.**—The number of births by sexes registered during each quarter of 1941 is shown in the following table :—

	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	7,053	7,579	7,819	6,747	29,198
Females ...	6,620	7,376	7,248	6,338	27,582
TOTAL ...	13,673	14,955	15,067	13,085	56,780

In Table 5 the number of births registered in each quarter of the years 1931 to 1941 is given, together with the rates for the year 1941 and the average rates for the previous decennial period. With the exception of the third quarter, which shows an increase of 0·2, the rates for the first, second and fourth quarters show decreases of 0·8, 0·2 and 0·6, respectively, when compared with the average.

**Multiple Births.**—The number of infants born alive in multiple births registered during 1941 was 1,254, consisting of 621 pairs of twins and 4 sets of triplets, as compared with 1,347 (660 pairs of twins and 9 sets of triplets) for the previous year. The twin children whose births were recorded during 1941 were 2·19 per cent. of the total number of infants whose births were registered, and the triplets 0·02. In 1940 these percentages were 2·33 and 0·05, respectively.

The number of mothers of living children whose births were registered during the year was 56,151. Of these, 55,526, or 98·89 per cent., gave birth to single infants, 621, or 1·10 per cent., to twins, and 4 or 0·01 per cent., to triplets.

The infants born in wedlock (54,805) included 53,583 single infants, 1,210 twin and 12 triplets, equivalent to, respectively, the ratios of 97·77 per cent., 2·21 per cent., and 0·02 per cent. of the total number of legitimate births.

Illegitimate infants included 1,943 single infants and 32 twin infants, equivalent, respectively, to 98·38 per cent., and 1·62 per cent. of the 1,975 illegitimate infants registered. In the year 1940 the illegitimate infants recorded included 1,800 single infants, 18 twin infants, and 6 triplet infants.

In the year 1941, the infants born alive in multiple births comprised 638 males and 616 females. Of the twin infants, 634 were males and 608 females, and the triplet infants included 4 males and 8 females.

*It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.*

## DEATHS.

**Number and Rate.**—The number of deaths recorded during the year 1941 was 43,797, the males numbering 22,642 and the females 21,155. The total is 1,912 more than the number for 1940, and is 1,956 more than the average for the decennial period 1931 to 1940. In the year 1941 the deaths of males were 1,031 more, and the deaths of females 881 more than in the previous year.

The deaths registered in 1941 represent a rate of 14·63 per 1,000 of the population, compared with 14·16 for 1940, and an average of 14·17 for the ten years 1931 to 1940. The rates for males during each of the past three years was 14·35, 14·26 and 14·77, the corresponding ratios for females being 14·08, 14·05 and 14·49, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1932 to 1941 are as follows:—

Years	Éire	Northern Ireland	England and Wales	Scotland
1932	14·6	14·1	12·0	13·5
1933	13·7	14·3	12·3	13·2
1934	13·2	13·7	11·8	12·9
1935	14·0	14·4	11·7	13·2
1936	14·4	14·4	12·1	13·4
1937	15·3	15·1	12·4	13·9
1938	13·6	13·7	11·6	12·6
1939	14·2	13·5	12·1	12·9
1940	14·2	14·6	14·0	14·9
1941	14·6	15·2	12·9	14·5

**Rates for Counties, etc.**—In Abstract I, pages 30 to 37, the number of deaths recorded for each county, county borough and superintendent registrar's district is shown. In Tables 15 and 17 rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. As will be seen from Table 15 the rates for the county boroughs were as follows:—Dublin, 13·98; Cork, 16·10; Limerick, 13·03; and Waterford, 15·62. The counties with the highest rates were:—Carlow, 16·72; Wexford, 16·64; Cavan, 16·05; Leitrim, 15·92; and Sligo, 15·79 per 1,000. The lowest rates were recorded for Dublin (exclusive of the county borough) 12·49; Kerry, 13·16; Galway, 13·68; Mayo, 13·98; and Kildare, 14·35 per 1,000.

During the year 1941, the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·68 and 14·79 per 1,000 compared with 14·26 and 14·11 for the preceding year. The figure for the urban areas in 1941 is 0·42 more, and that for the rural areas 0·68 more than the respective rates for the year 1940. A comparative statement of the rates for these areas for a series of years is given in Table 19.

**Deaths in each Quarter.**—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1941:—

—	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males ...	7,544	5,945	4,428	4,725	22,642
Females ...	7,109	5,367	4,251	4,428	21,155
<b>TOTAL</b> ...	<b>14,653</b>	<b>11,312</b>	<b>8,679</b>	<b>9,153</b>	<b>43,797</b>

Of the total deaths, 25,965, or 59.3 per cent., were registered during the first six months, and 17,832, or 40.7 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 56.9 and 43.1.

During the year 1941, the mortality was highest in the first quarter, in which the rate was 19.6 per 1,000 of the population. In the second quarter the rate was 15.1, in the third 11.6, and in the last quarter it was 12.2. In the preceding year the rates for the quarters were as follows:—first 18.1, second 14.2, third 11.4, and fourth 13.0.

The rates for each quarter of 1941 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1941 and the average figure shows that in the first quarter there was an increase of 2.1 per 1,000, and in the second of 0.8; the rate for the third quarter was the same as the average, and in the fourth quarter there was a decrease respectively of 1.1 per 1,000, compared with the average for the previous ten years.

**Deaths in Institutions.**—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,145, in mental hospitals, 1,356, in county homes and hospitals, etc., 8,138; and 29,158 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11.7, 3.1, 18.6 and 66.6 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1931 the percentages of deaths in the three classes of institutions were 8.7, 2.7 and 15.8, respectively, 72.8 per cent. dying at their own homes.

**Uncertified Causes.**—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,894. This figure is equivalent to a rate of 15.7 per cent. of the total deaths registered during the year. The proportion for the previous year was 15.0 and the average percentage for the ten years from 1931 to 1940 was 17.8.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1941 being 22.1. In the urban areas the percentage was only 2.4.

**Inquests.**—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1941 was 1,243, or one in every 35 deaths registered. The number of such deaths for the year 1941 include 849 cases in which inquests were held and 394 cases in which the death was registered on a certificate of the result of a post-mortem examination.

## CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1941 classified in accordance with the list adopted at the International Conference held at Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of the deaths for each of the principal towns are shown.

TABLE G.—Proportion of deaths from the principal causes at certain age-periods in 1941.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65-	75 & up
—	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	•	•	4	3	4	5	1	1	•	•
2	Cerebro-spinal fever	1	1	13	11	3	1	1	•	•	•	•
3	Scarlet fever	1	1	5	17	3	1	1	•	•	•	•
4	Whooping cough	3	20	55	5	•	•	•	•	•	•	•
5	Diphtheria	4	5	66	74	1	2	1	1	•	•	•
6	Tuberculosis of respiratory system.	66	1	14	88	475	427	272	123	39	8	1
7	All other forms of tuberculosis.	19	9	120	164	125	72	36	15	7	2	•
8	Dysentery	•	•	•	•	•	•	•	•	•	•	•
9	Influenza	30	13	23	17	12	16	23	25	31	44	33
10	Measles	2	5	42	15	1	2	1	•	•	•	•
11	Acute infectious encephalitis	1	•	3	3	1	3	2	2	•	•	•
12	Typhus	•	•	•	•	•	1	1	•	•	•	•
13	Cancer	87	•	3	6	7	27	87	171	175	125	48
14	Diabetes mellitus	6	•	1	10	9	7	8	8	12	8	3
15	Intra-cranial lesions of vascular origin.	62	•	•	6	7	15	34	68	89	96	67
16	Diseases of the heart	213	1	7	56	69	83	143	206	301	319	227
17	Other diseases of the circulatory system.	18	•	3	4	•	5	8	18	24	27	20
18	Bronchitis	44	32	32	6	5	13	20	36	50	60	52
19	Pneumonia	43	108	191	69	28	33	39	36	37	34	22
20	Other diseases of the respiratory system.	15	6	13	10	11	16	22	24	22	19	10
21	Ulcer of the stomach or duodenum.	8	•	•	1	6	12	24	23	13	6	3
22	Diarrhoea and enteritis	23	193	88	15	2	4	5	4	4	2	2
23	Appendicitis	3	•	10	24	11	9	9	4	2	1	•
24	Cirrhosis of the liver	1	•	•	1	1	1	2	5	3	2	•
25	Diseases of liver and biliary passages.	4	•	1	1	3	3	5	8	5	5	2
26	Other diseases of the digestive system.	16	18	25	33	11	14	18	24	19	15	10
27	Nephritis	27	1	8	24	19	27	40	45	41	35	18
28	Puerperal infection	1	•	•	•	8	8	7	•	•	•	•
29	Other diseases of childbirth	3	•	•	•	6	38	28	1	•	•	•
30	Congenital debility, etc. (Nos. 157-161).	48	487	23	17	6	3	1	•	•	•	•
31	Senility	147	•	•	•	•	•	•	•	•	103	443
32	Suicide	2	•	•	•	5	5	9	8	3	1	•
33	Other violence	20	9	81	88	47	43	35	26	16	11	11
34	Other causes	81	90	173	231	115	105	113	118	106	77	28

The proportion of deaths from the principal causes at certain age-periods is given in Table G on the preceding page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely 213 in every 1,000 deaths; the next in order are senility 147, cancer 87, tuberculosis (all forms) 85, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 62, bronchitis 44, and pneumonia 43 in every 1,000 deaths. These causes account for 68 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 487 in every 1,000 deaths compared with 500 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (193 in every 1,000), pneumonia (108), bronchitis (32), and whooping cough (20 per 1,000 deaths).

In the case of children between the ages of one and five years the excess in the mortality from whooping cough, diphtheria, tuberculous disease (other than that of the respiratory organs), measles, bronchitis, pneumonia and diarrhoea and enteritis is apparent. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to diphtheria, tuberculous disease (all forms), and pneumonia. The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

In Table 7 a comparative statement of the principal causes of death recorded for each of the years 1940 and 1941, together with the corresponding rates per 100,000 of the population is published.

In Table 15 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases\* are given by provinces, counties and county boroughs. The rate for Eire was 0·45, compared with 0·37 for the year 1940. The rates for the county boroughs are as follows:—Dublin 1·24; Cork 0·59; Limerick 0·75; and Waterford county borough 1·26 per 1,000. The highest county rates are Dublin county 0·55; Wicklow, 0·47; Cavan, 0·41; and Kildare and Tipperary, N.R., each 0·39 per 1,000. The counties in which the rates were lowest are Donegal, 0·12; Roscommon, 0·13; Westmeath and Clare, each 0·14, and Sligo, 0·15 per 1,000.

It may be seen in Table 17 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·92 per 1,000 of the population, compared with 0·24 for the rural districts. The corresponding rates for 1940 were 0·64 and 0·23, respectively.

**Typhoid and Paratyphoid Fevers.**—The number of deaths recorded was 38, including 18 of males and 20 of females. The corresponding figure for 1940 was 31, including 23 of males and 8 of females. The average number for the decennial period from 1931 to 1940 was 64. During 1941 there were 15 deaths for urban areas and 23 for rural districts. There were 6 deaths for Galway county, 4 for each of Dublin county, Dublin county borough, and Cork county, and 3 for Wicklow.

**Scarlet Fever.**—There were 32 deaths from this disease registered during the year 1941, compared with 33 in the previous year. The average figure for the ten years 1931 to 1940 was 88. The figure for 1941 includes 11 of children under five years, and 11 aged 5 and under 10 years. The deaths registered include 7 for Cork county, 5 for Dublin county borough, 4 for Donegal and 3 each for Laois and Kerry.

**Whooping cough.**—The number of deaths recorded under this heading was 150, compared with 163 for the year 1940, and an average figure of 215 for the decennial period ended with the latter year. The total for 1941 includes 77 of males and 73 of females, compared with 80 and 83, respectively, in the previous year.

The figure for 1941 includes 83 of infants under one year of age and 41 of children aged between one and two years. In 1940 the corresponding figures were 100 and 36.


There were 35 deaths recorded for Dublin county borough, 17 for Cavan county, 13 for Mayo, and 10 for Louth county.

**Diphtheria.**—The number of deaths was 165 compared with a figure of 178 for 1940, and of an average figure of 321 for the years 1931 to 1940. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1939 were 341, 378, 345, 293, 314 and 245.

The figure for 1941 includes 85 males and 80 females, the corresponding figures for the previous year being 88 and 90, respectively.

\* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1927 to 1941.



Included in the figure for 1941 were 76 of children aged between one and five years, 45 between the ages of five and ten years, and 15 aged 10 and under 15 years.

The death rate per 100,000 of the population was 5.5 compared with 6.0 for the previous year. In the urban areas as a whole the rate for 1941 was 8.4 compared with 9.1 in the previous year, and in the rural areas the respective rates were 4.2 and 4.5 per 100,000 of the population.

For Leinster the rates for 1941 and 1940 were 7.8 and 8.3; for Munster 5.3 and 4.7; for Connaught 2.7 and 5.0; and for Ulster (part of) 1.1 and 2.5, per 100,000.

The death rates per 100,000 for the aggregate urban and rural districts for each year from 1901 are given below:—

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901	9.6	5.0	1921	21.3	12.5
1902	12.0	7.2	1922	15.7	12.3
1903	9.5	7.2	1923	10.4	9.1
1904	5.9	6.5	1924	8.8	5.1
1905	7.1	6.2	1925	7.7	4.3
1906	8.2	7.2	1926	11.8	4.5
1907	9.9	4.4	1927	13.5	4.8
1908	10.3	6.1	1928	11.8	5.8
1909	11.2	8.0	1929	16.0	7.9
1910	10.7	6.3	1930	22.2	9.2
1911	17.0	5.3	1931	15.5	8.7
1912	15.9	5.0	1932	19.1	10.2
1913	13.1	3.8	1933	21.7	10.6
1914	12.7	4.3	1934	18.1	8.4
1915	11.8	6.0	1935	18.1	10.2
1916	8.0	6.0	1936	17.2	9.0
1917	6.8	5.8	1937	14.4	7.7
1918	6.3	4.4	1938	15.9	8.1
1919	9.1	4.8	1939	13.6	5.7
1920	18.6	5.3	1940	9.1	4.5
			1941	8.4	4.2

The counties and county boroughs in which the highest death rates from this disease were recorded in 1941 are as follows:—Waterford county borough, 24.6 per 100,000; Wexford, 13.9; Kerry, 13.6; Offaly, 11.6; and Dublin county borough, 10.8. There were no deaths recorded for each of the counties of Carlow, Clare, Cavan and Monaghan and the lowest rates for the remaining counties were:—Tipperary, S.R., 1.28; Louth, 1.52; and Sligo, 1.55 per 100,000 of the population.

**Tuberculosis.**—The number of deaths registered during 1941 from all forms of tuberculosis was 3,711—1,855 of males and 1,856 of females. When compared with the number recorded in 1940 the total shows an increase of 26—a decrease in the case of males of 89, and an increase in the case of females of 115. The figure for 1941 is 141 above the average for the decennial period from 1931 to 1940—an increase in male deaths of 32 and of 109 in the case of female deaths.

The deaths recorded during 1941 are equivalent to a rate of 1.24 per 1,000 of the estimated population. For 1940 the rate was 1.25 per 1,000, and during the ten years from 1931 to 1940, the average rate was 1.21 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1932 to 1941.

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1932	1.25	1.12	0.84	0.84
1933	1.19	1.15	0.82	0.80
1934	1.18	1.12	0.76	0.75
1935	1.27	1.05	0.72	0.74
1936	1.17	1.02	0.69	0.74
1937	1.23	0.98	0.70	0.74
1938	1.09	0.92	0.64	0.69
1939	1.13	0.84	0.63	0.70
1940	1.25	0.98	—	0.82
1941	1.24	1.04	—	0.83

Table H shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·33 per 1,000 in 1931 and the lowest 1·09 in 1938. For males the highest rate (1·30) was in 1935 and the lowest 1·10 in 1938. In the case of females the rate was highest in 1931, viz., 1·40, and lowest in 1938—1·09 per 1,000.

TABLE H.—Mortality from Tuberculosis during each of the years 1931–1941.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.
1931	1,893	1·26	2,009	1·40	3,902	1·33	+ 77	+ 2·0
1932	1,834	1·22	1,842	1·28	3,676	1·25	— 226	— 5·8
1933	1,766	1·17	1,744	1·20	3,510	1·19	— 166	— 4·5
1934	1,785	1·18	1,729	1·19	3,514	1·18	+ 4	+ 0·1
1935	1,983	1·30	1,787	1·23	3,770	1·27	+ 256	+ 7·3
1936	1,791	1·18	1,689	1·17	3,480	1·17	— 290	— 7·7
1937	1,871	1·24	1,768	1·23	3,639	1·23	+ 159	+ 4·6
1938	1,651	1·10	1,565	1·09	3,216	1·09	— 493	— 11·6
1939	1,707	1·14	1,597	1·12	3,304	1·13	+ 88	+ 2·7
1940	1,944	1·28	1,741	1·21	3,685	1·25	+ 381	+ 11·5
Average, 1931–40	1,823	1·21	1,747	1·21	3,570	1·21	—	—
1941	1,855	1·21	1,856	1·27	3,711	1·24	+ 26	+ 0·7

There were 2,882 deaths from tuberculosis of the respiratory system recorded in 1941 compared with 2,907 in 1940, a decrease of 25. The figure for 1941 included 1,438 of males and 1,444 of females—the figure for males shows a decrease of 111 and that for females an increase of 86 when compared with the corresponding figures for the previous year. During 1941 there were 829 deaths (417 males and 412 females) from tuberculosis other than that of the respiratory system. The respective figures for 1940 were 778 (395 males and 383 females). The figures for 1941 are 51 (22 males and 29 females) above those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 342 deaths (178 males and 164 females) due to tuberculosis of the meninges and central nervous system, 154 deaths (60 males and 94 females) to tuberculosis of the intestines and peritoneum, 82 (47 males and 35 females) to tuberculosis of the vertebral column, 59 (36 males and 23 females) to this disease of other bones and joints, 2 (one male and one female) to tuberculosis of the skin, 15 (7 males and 8 females) of the lymphatic system, 29 (12 males and 17 females) in organs of the genito-urinary system, and 146 (76 males and 70 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1936 to 1941 is shown in Table J. Among persons aged 15 and under 20 years the rates in 1941 and 1940 were respectively 1·49, and 1·55 per 1,000, the figures for males being 1·19 and 1·21 and for females 1·81 and 1·90 per 1,000. In the age-group from 20 to 24 years the rates in 1941 were—for persons—2·18, for males 1·66 and for females 2·77, and for 1940, respectively, 2·15, 1·96 and 2·36. At the age period 25 and below 35 years the figure for all persons in 1941 was 2·23 per 1,000, and in 1940 was 2·24, the corresponding rates for males being 2·10 and 2·14 and for females 2·36 and 2·35 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1927 to 1941.




TABLE J.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at the same age during each of the years 1936 to 1941.

YEARS	DEATH-RATES PER 1,000 OF THE POPULATION AT THE SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
M A L E S.												
1936 ...	1.18	0.77	0.27	0.35	0.84	2.27	1.92	1.77	1.27	1.54	0.72	0.15
1937 ...	1.24	0.79	0.34	0.40	1.18	1.93	2.24	1.70	1.39	1.43	0.78	0.13
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.40	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.84	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
F E M A L E S.												
1936 ...	1.17	0.67	0.28	0.45	1.42	2.69	2.32	1.33	1.07	0.91	0.35	0.19
1937 ...	1.23	0.74	0.31	0.52	1.53	2.62	2.39	1.44	1.12	1.06	0.39	0.13
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.38	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.58	0.08
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
P E R S O N S.												
1936 ...	1.17	0.72	0.27	0.40	1.12	2.47	2.12	1.56	1.18	1.25	0.54	0.17
1937 ...	1.23	0.77	0.32	0.46	1.35	2.26	2.32	1.57	1.26	1.25	0.53	0.13
1938 ...	1.09	0.58	0.28	0.44	1.43	1.78	2.09	1.53	1.15	0.86	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.23	1.77	1.33	1.00	0.56	0.17

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural area are published in Tables 14 to 18. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1941 the rate was 1.41, in Munster 1.20, in Connaught 1.01, and in Ulster (part of), 0.99. The corresponding rates for 1940 were in Leinster 1.48, in Munster 1.18, in Connaught 0.99, and in Ulster (part of) 0.89.

The highest mortality rates from tuberculosis in 1941 for county or county borough areas were recorded for the following :—Carlow, 1.82 ; Wexford, 1.59 ; Limerick county borough, 1.58 ; Dublin county borough, 1.56 ; and Kildare, 1.50 per 1,000. The counties having the lowest rates were Leitrim, 0.78 ; Cavan, 0.81 ; Meath, 0.89 ; Mayo, 0.90 ; Monaghan, 0.91 ; and Roscommon, 0.96 per 1,000.

The deaths from tuberculosis in 1941 for the aggregate urban districts numbered 1,523, compared with 1,591 for the previous year. For the rural districts the number for 1941 was 2,188, compared with 2,094 for last year. The rate per 1,000 of the population for the urban areas fell from 1.61 in 1940 to 1.58 in 1941, while that for the rural areas has increased from 1.06 to 1.09.

**Influenza.**—The number of deaths from this disease for 1941 was 1,335, compared with 828 for the preceding year and an average of 1,265 for the decennial period ended with 1940.


The rate per 1,000 of the population for each of the years 1941 and 1940 was 0.45 and 0.28, respectively.

In the aggregate urban areas the death rate for 1941 was 0.22 per 1,000 and in the rural areas 0.56 compared with 0.21 and 0.31 for 1940.

In the first quarter the mortality was 66 per cent. of the total and in each of the second, third and fourth quarters the proportion was 24, 5 and 5 respectively.

**Smallpox.**—Since the year 1907 no death from this disease has been recorded.

DIAGRAM No. 4. Mortality from Influenza, 1927 to 1941.



**Measles.**—There were 89 deaths registered in 1941 compared with 77 in the year 1940 and an average for the period from 1931 to 1940 of 173. Of the deaths recorded, 33 were for Dublin county borough, 7 for Cork county borough, 7 for Galway, 6 for Cork county and 5 for Tipperary county, S.R.

**Typhus.**—Six deaths were classified under this heading in 1941 compared with 2 in the previous year. Three of the deaths were for Clare county and 3 for Leitrim.

**Other Infective or Parasitic Diseases.**—There were 26 deaths from Hodgkin's disease and one from mumps recorded during the year 1941.

**Cancer.**—The deaths due to cancer recorded for 1941 numbered 3,790—2,004 of males and 1,786 of females. The total figure is 17 above the number for 1940 and 260 above the average number for the decennial period ended with 1940. The number of deaths of males is 24 above, and that for females 7 below the corresponding figure for 1940.

The deaths from this disease constitute 8·7 per cent. of the deaths from all causes and are equivalent to a rate of 1·27 per 1,000 of the population. The rates for males and females were respectively 1·31 and 1·22 per 1,000. In Northern Ireland the respective rates were 1·37, 1·30 and 1·43 per 1,000. For Scotland the death rates were 1·69 for both sexes, 1·67 for males and 1·70 for females.

A table is appended in which is shown the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years.

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1932	1·12	1·24	1·51	1·53
1933	1·10	1·20	1·53	1·53
1934	1·15	1·29	1·56	1·53
1935	1·19	1·24	1·59	1·57
1936	1·20	1·29	1·63	1·59
1937	1·26	1·30	1·63	1·57
1938	1·26	1·32	1·67	1·62
1939	1·27	1·33	1·66	1·61
1940	1·28	1·36	—	1·70
1941	1·27	1·37	—	1·69

In Tables 14 and 15 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 16 to 18. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1941 numbered 1,287, equivalent to a rate of 1·33 per 1,000, and in the aggregate rural areas the number was 2,503 and the rate 1·25 per 1,000. In the year 1940 the numbers of deaths for the urban and rural areas were respectively 1,305 and 2,468, corresponding to rates of 1·32 and 1·25 per 1,000 of the population.

In Table K the deaths from cancer in 1941 are classified according to the site affected and the age at death. The excess of female mortality under 50 years of age is apparent, but when this age-period has been passed, the excess in the male mortality is more pronounced with increasing age. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

**Tumours.**—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract V in two classes:—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1941 the deaths in the first group amounted to 46 (11 of males and 35 of females) and those in the second to 81 (45 males and 36 females) compared with a total of 53 and 100, respectively, in the previous year.

TABLE K.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES													Total
		AGES AT DEATH													
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	Total	
45	Lip ...	...	.	.	.	1	1	3	4	6	12	11	15	53	
	Tongue ...	...	.	.	.	2	3	3	7	13	17	13	8	66	
	Jaw ...	...	.	.	.	1	1	1	4	6	12	10	12	47	
	Mouth ...	...	.	.	.	1	1	2	.	11	5	7	4	31	
	Pharynx ...	...	.	.	1	.	.	3	1	3	1	6	4	19	
	Tonsil ...	...	.	.	.	.	.	.	2	1	3	1	1	7	
46	Oesophagus ...	...	.	.	1	2	2	7	19	12	20	16	7	36	
	Stomach ...	...	1	1	5	2	18	27	40	78	74	118	88	60	512
	Rectum ...	...	.	1	.	2	5	9	13	22	46	43	46	30	217
	Liver ...	...	.	.	1	.	2	3	13	22	14	21	17	21	114
	Pancreas ...	...	1	.	1	3	3	2	.	3	5	10	10	.	41
	Peritoneum ...	...	1	.	1	.	1	.	1	.	1	.	.	5	5
47	Intestine ...	...	2	1	1	1	8	13	12	27	44	58	66	36	269
	Larynx, Trachea ...	...	.	1	.	.	.	1	4	3	7	14	12	9	51
	Lung ...	...	.	.	3	1	1	3	5	6	6	12	3	.	40
	Mediastinum ...	...	.	.	1	.	.	1	.	2	4	2	2	.	10
	Uterus ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
	Ovary ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
49	Vagina ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
	Vulva ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
	Breast ...	...	.	.	.	.	1	1	1	.	.	.	.	1	4
51	Scrotum ...	...	.	.	.	.	.	2	1	1	.	.	1	.	2
	Prostate ...	...	.	.	.	.	.	1	4	4	20	33	26	23	113
	Penis ...	...	.	.	.	1	1	.	.	.	1	.	.	2	2
	Testicle ...	...	.	.	.	1	1	.	.	.	.	.	.	.	2
52	Bladder ...	...	.	.	.	1	.	2	1	3	8	9	3	8	35
	Kidney ...	...	.	.	.	.	1	2	2	3	.	.	2	.	8
53	Ear ...	...	.	.	.	.	.	.	3	.	2	7	13	25	25
	Face ...	...	.	.	.	1	.	1	1	2	8	10	8	15	46
	Other Skin ...	...	.	.	.	.	.	2	.	1	1	2	1	1	7
54	Brain ...	...	1	.	.	.	.	1	.	1	2	.	1	.	6
	Spine ...	...	.	.	.	.	.	.	.	.	1	.	.	.	1
	Thyroid ...	...	.	.	.	.	.	1	.	.	1	.	.	.	2
	Nose ...	...	.	.	.	.	.	1	1	.	1	.	1	.	4
55	Abdomen ...	...	1	.	.	.	.	1	.	.	1	1	.	1	6
	Arm, Leg ...	...	2	.	1	2	.	3	3	.	7	6	4	7	35
	Axilla ...	...	.	.	.	.	.	.	.	.	2	1	.	3	3
	Eye ...	...	.	.	.	.	.	.	.	.	1	2	1	.	7
	Groin ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
	Neck ...	...	1	.	1	2	1	.	4	6	10	7	11	7	50
	Parotid ...	...	.	.	.	.	.	.	.	.	1	2	1	1	5
	Pelvis ...	...	.	.	1	.	.	1	1	.	1	1	2	3	7
56	Spleen ...	...	.	.	.	.	.	.	1	.	.	1	1	.	4
	Thorax ...	...	.	.	.	.	.	1	1	4	2	9	12	5	43
	Throat ...	...	.	.	.	.	.	1	2	1	4	1	5	9	18
	Other and Unspecified ...	...	.	.	.	.	1	2	1	4	1	5	.	4	18
TOTAL ...		10	4	17	17	56	82	136	224	320	440	385	313	2,004	
Deaths from Cancer per 100,000 living of the same age ...		1·4	10·0		40·1		135·8		376·7		810·4		776·3		130·7

registered during the year 1941 by Sexes, Ages, and parts affected.

FEMALES														Total Males and Fe- males	International List Nos.	
AGES AT DEATH																
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL				
.	.	.	.	.	.	.	1	1	1	3	4	10	63	45		
.	.	.	.	.	.	2	2	2	1	2	1	10	10			
1	.	.	.	.	2	1	1	1	1	1	4	12	59			
.	.	.	.	.	1	1	1	1	1	1	1	7	38			
.	.	.	.	.	2	1	1	1	1	1	1	6	25			
.	.	.	.	.	.	1	1	1	1	1	1	4	11			
.	1	1	5	3	6	8	5	15	9	10	5	62	148	46		
1	1	2	1	1	19	32	56	74	65	68	48	381	893			
1	2	1	1	1	5	8	9	13	6	18	10	74	291			
.	.	2	1	5	4	10	16	21	28	19	16	122	236			
.	.	.	1	1	2	6	7	11	8	8	8	51	92			
1	1	1	1	8	11	23	24	35	46	49	59	260	529			
1	1	3	1	8	11	23	24	35	46	49	59	260	529			
.	1	1	1	3	4	2	5	6	3	2	1	28	79	47		
1	1	1	2	1	1	7	7	2	1	2	1	26	66			
.	1	1	9	11	13	14	30	22	29	17	10	157	157	48		
1	1	1	2	7	3	6	1	6	3	3	3	36	36	49		
.	.	.	1	1	.	.	.	1	1	1	2	6	6			
.	.	.	.	.	.	1	2	1	2	2	1	9	9			
.	1	4	4	19	24	40	36	54	34	36	43	295	299	50		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	51		
.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	.	.	.	.	.	.	.	.	.			
.	.	.	.	.	1	.	1	1	1	1	2	5	40	52		
.	.	.	.	.	1	.	1	1	3	1	2	8	16			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	53		
.	.	.	.	.	3	3	3	2	3	5	2	4	37	29		
.	.	.	.	.	1	1	1	2	2	2	1	10	17	83		
.	.	.	.	.	.	3	2	3	2	.	1	11	17	54		
.	.	.	.	.	1	1	1	1	1	1	1	5	6			
.	1	.	.	.	.	.	1	.	1	2	1	8	10			
.	.	.	.	.	.	.	1	1	1	2	1	5	9	55		
1	.	.	.	1	.	2	1	4	6	7	9	13	41	76		
1	.	1	.	.	.	2	1	4	6	7	10	2	2	5		
.	.	.	1	.	.	.	.	.	.	.	1	4	11	57		
.	.	.	.	.	1	1	1	2	2	3	2	17	67			
.	.	.	.	.	1	1	1	2	1	1	1	5	4			
.	.	.	.	.	2	1	2	1	1	1	2	4	8	15		
.	.	.	.	.	.	.	.	.	.	.	.	1	4	1		
.	.	.	.	.	1	1	1	1	1	2	1	9	52			
.	.	1	1	1	3	1	1	3	4	7	1	23	41			
10	6	21	26	81	114	182	229	298	270	291	258	1,786	3,790	TOTAL		
1.5	13.9		60.7		195.5		400.2		567.6		537.1	122.3	126.6	Rate per 100,000		

The non-malignant tumours included 15 of the ovary, 8 of the uterus, 7 of the brain, and 3 of the bladder.

The deaths classified under the heading of tumours of undetermined nature included 40 of the brain, 8 of the intestine, and 4 each of the lung, abdomen, stomach and spine.

**Diabetes.**—There were 277 deaths from this disease for 1941 compared with 284 in the previous year. The deaths for 1941 include 136 of males and 141 of females, compared with 138 and 146 for 1940.

In the year 1941 the rate per 100,000 of the population represented by the deaths from diabetes was 9.3. The rates for Northern Ireland and Scotland were, respectively, 10.9 and 13.5.

**Other General Diseases.**—During 1941 there were classified under this heading 8 deaths from celiac disease, and 3 from amyloid disease.

**Heart Disease.**—During 1941 there were 9,338 deaths from diseases of the heart, as compared with 8,908 deaths in the previous year, and an average number of deaths for the decennial period ended with 1940 of 7,273.

The deaths from this cause in 1941 represent 21.3 per cent. of the mortality from all causes and are equivalent to a rate of 3.12 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

**Bronchitis.**—During the year 1941 there were 1,952 deaths in which the cause was stated to be bronchitis. Of the total, 1,017 were of males and 935 were of females. The total is equal to a rate of 0.65 per 1,000 of the population and constitutes 4.5 per cent. of the total deaths registered. The number of deaths recorded during 1940 was 2,011 and the average figure for the decennial period from 1931 to 1940 was 2,182.

**Pneumonia.**—The number of deaths recorded from pneumonia (all forms) was 1,881, equivalent to a rate of 0.63 per 1,000 of the population. Of the deaths 1,017 were of males and 864 of females.

The average number during the ten years from 1931 to 1940 was 2,420, and during 1940 the number recorded was 1,861.

The deaths for 1941 include 977 from broncho-pneumonia, 269 from lobar pneumonia and 635 from pneumonia (unspecified).

**Enteritis and Diarrhoea.**—There were 875 deaths of children under 2 years recorded, 501 being of males and 374 of females. The number recorded for 1940 was 598, and the average for the ten years ended with 1940 was 585. The urban mortality was equal to a rate of 31.0 per 1,000 births, and the rate for rural areas was 6.1 per 1,000 births registered, compared with respective rates of 18.7 and 5.6 in 1940.

The deaths recorded include 475 for the county borough of Dublin, and 31, 25 and 23 for the respective county boroughs of Cork, Limerick and Waterford.

**Pregnancy, Childbirth and the Puerperal State.**—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1941 the number in the first group was 43, in the second group the figure was 139, and under the third heading there were 27; so that the total number of deaths from these causes was 209. The total represents a rate of 3.68 per 1,000 of the total births registered, as compared with 4.01 in the year 1940, and an average of 4.72 for the ten years 1931 to 1940. For the years 1940 and 1941 the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death.

In Table L full particulars of the deaths by causes and age periods are given, and in Table M a statement of the number of deaths and the rate per 1,000 births for the years 1931 to 1941.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 18.

DIAGRAM No. 5. Mortality from Cancer, 1927 to 1941.




TABLE L.—Deaths of women in 1941 returned as either caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
<b>Diseases of Pregnancy, Childbirth, and the Puerperal State.</b>								
Post Abortive Infection	3	.	1	.	2	.	.	.
Abortion without Septic Condition	9	.	1	1	1	4	3	.
Ectopic Gestation	3	1	.	.	.	1	1	.
Haemorrhage of Pregnancy	10	.	.	2	2	2	4	.
Toxemias of Pregnancy	31	.	3	9	8	6	4	1
Other Diseases of Pregnancy	6	.	.	1	1	4	.	2
Haemorrhage of Childbirth	31	1	1	9	8	6	4	.
Infection during Childbirth	40	1	11	5	8	8	7	.
Puerperal Toxemias	20	.	3	3	5	6	3	1
Other Accidents of Childbirth	19	.	.	7	5	3	3	.
Other or unspecified Puerperal Conditions	10	.	.	3	3	4	.	.
<b>Causes associated with Pregnancy, Childbirth, and the Puerperal State.</b>								
Pulmonary Tuberculosis	2	.	.	.	1	.	.	1
Influenza	3	.	.	.	1	1	1	.
Rheumatic Fever	2	.	1	.	1	.	.	.
Anæmia	4	.	1	1	1	1	1	.
Heart Disease	10	.	.	1	4	3	2	.
Nephritis	2	.	.	.	.	1	1	.
Other Causes	4	.	.	.	2	.	2	.
<b>TOTAL</b>	...	209	3	21	43	52	49	36
								5

TABLE M.—Deaths of women attributable to, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1931-1941, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth,		Puerperal Infection and Diseases of Pregnancy and Childbirth,		Causes associated with Pregnancy or Childbirth (not included in foregoing),		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1931	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
1932	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
Average, 1931-40 ...	71	1.24	170	2.97	241	4.21	29	0.50	270	4.72
1941	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68

\* The figures and rates under this heading for the years 1931-39 inclusive, relate only to deaths classified to puerperal sepsis.

**Violence.**—The number of deaths classified under this heading in 1941 was 953. This figure shows a decrease of 114 when compared with that for the year 1940. The average figure for the ten years 1931 to 1940 from this group of causes was 979.

Included in the total for 1941 there were 90 by suicide, 18 by homicide (including infanticide), 38 due to wounds of war, 2 to legal executions and 805 to other external causes. The latter figure includes accidental deaths and deaths not known to be due to suicide or homicide. The number of deaths by suicide is 9 less and those by homicide 5 more than the corresponding figure for 1940.

Of the suicidal deaths 76 were of males and 14 of females. In 13 cases poisoning was the means used to cause death, including lysol in 4 cases, carbon monoxide in 6 cases, and in the 3 remaining cases the poison used was other than those enumerated. In the other 77 deaths by suicide the means adopted was hanging or strangulation in 37 instances, drowning in 10, cutting or piercing instruments in 14, firearms in 10, and in 6 instances other means were used to cause death.

There were 18 deaths by homicide, including 11 of males and 7 of females; ten were cases of infanticide.

There were 13 accidental deaths from poisons or poisonous gases, 8 of which were due to carbon monoxide, and one to each of lysol, ammonia, alcohol, belladonna and paraffin oil.

Burns and scalds was the cause of 137 deaths (64 males and 73 females), of which 59 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1940 was 56.

Deaths classified to accidental drowning numbered 117 (91 of males and 26 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

The were 183 deaths included under the heading of transport accidents; of this figure 140 were of males and 43 of females. In 1940 the total under this heading was 224 (183 of males and 41 of females). Deaths from motor vehicles numbered 93, compared with 163 for 1940. There were 77 deaths recorded as due to other road transport accidents. This figure includes 43 caused by bicycles and 23 by horse-drawn vehicles, compared with 31 and 16, respectively, for 1940.

Of the 93 deaths attributed to motor vehicles, 62 were stated to be caused by motor cars, 25 by motor lorries or vans, and 6 by buses.

## AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1941 numbered 5,328, compared with 4,826 for the previous year. The figure for 1941 is 12.2 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13.4 per cent. of the male mortality, and the rate for females 10.8 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 23,080 in number, constituting 52.7 per cent. of the total number of deaths, and include 11,729 deaths of males, or 51.8 per cent. of the total deaths of males, and 11,351 of females, or 53.7 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 18,437, or 42.1 per cent. of the total deaths.

There were 186 deaths of persons aged 95 years or upwards (77 being males and 109 females), and of these 31 (12 males and 19 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were registered in the year are given in Abstract III by certain age-groups.

The following table shows the variations in the death rates at different age-periods in the years 1941 and 1940.

TABLE N.—DEATH RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1941	1940	Increase or Decrease in 1941	1941	1940	Increase or Decrease in 1941	1941	1940	Increase or Decrease in 1941
Under 5 years ...	19.70	18.05	+1.65	22.13	19.72	+2.41	17.18	16.32	+0.86
5— ...	1.70	1.75	-0.05	1.78	1.85	-0.07	1.61	1.64	-0.03
10— ...	1.22	1.37	-0.15	1.08	1.30	-0.22	1.36	1.45	-0.09
15— ...	2.57	2.76	-0.19	2.41	2.55	-0.14	2.74	2.98	-0.24
20— ...	3.54	3.57	-0.03	3.11	3.33	-0.22	4.01	3.84	+0.20
25— ...	4.46	4.58	-0.12	4.25	4.43	-0.18	4.69	4.74	-0.05
35— ...	5.75	5.60	+0.15	5.62	5.44	+0.18	5.88	5.76	+0.12
45— ...	9.62	10.39	-0.77	9.86	10.82	-0.96	9.37	9.93	-0.56
55— ...	22.15	22.23	-0.08	22.28	22.49	-0.21	22.01	21.94	+0.07
65— ...	55.45	54.58	+0.87	58.54	57.38	+1.16	52.28	51.70	+0.52
75— ...	124.41	112.65	+11.76	132.36	119.18	+13.18	117.62	107.07	+10.55
85 and upwards	208.26	185.24	+23.02	220.75	192.24	+28.51	198.93	180.01	+18.92
All ages ...	14.63	14.16	+0.47	14.77	14.26	+0.51	14.49	14.05	+0.44

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during the period 1864-70, each of the decennial periods from 1871 to 1930, and each year from 1931 to 1941 are given in Table 8.

### INFANT MORTALITY.

During the year 1941 the deaths of 4,175 infants under one year of age were registered, compared with 3,759 in the preceding year. The figure for 1941 is equivalent to a rate of 74 per 1,000 births as compared with 66 for 1940, and an average of 68 for the ten years 1931 to 1940. The rate for each of the years 1931 to 1941 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,417 were those of males and 1,758 of females; the males were equal to a rate of 83 per 1,000 births of males, and the females to a rate of 64 per 1,000 births of females. The corresponding rates for 1940 were 72 and 60, respectively.


The infant mortality rates during the quarters of 1941 were, respectively, 83, 71, 64 and 73 compared with corresponding figures of 78, 63, 51 and 75 for the previous year.

The infant mortality rate in Northern Ireland for 1941 was 77 per 1,000 births; in England and Wales it was 58 and in Scotland 83. In the year 1940 the corresponding rates were 86, 55 and 78, respectively.

During the year 1941 the following causes accounted for 84 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 61.42 per 1,000 births:—diarrhoea and enteritis 14.18 per 1,000 births, congenital debility 14.14, premature birth 11.57, pneumonia 7.93, congenital malformations 5.57, convulsions 4.23, bronchitis 2.34 and whooping cough 1.46.

The deaths of infants during the first month of life were 41.2 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 12.7, between 2 and 3 months 10.5, at 3 and under 6 months the rate was 20.0 and from 6 to 12 months old the rate was 15.6.

DIAGRAM No. 6. Infant Mortality, 1927 to 1941.



### Urban and Rural Infant Mortality.

During the year 1941 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,097, representing a rate of 99 per 1,000 births registered. In 1940 the corresponding number of deaths was 1,816, and the rate 85 per 1,000 births.

For the rural areas 2,078 deaths of infants were registered in 1941, compared with 1,943 in the previous year; the rate per 1,000 births for each year was 58 and 55, respectively.

Table 11 shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 102 per 1,000 births, compared with 88 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 83 per 1,000 births, the rate for 1940 being 70.

The rates for the individual towns are as follows, ranging in order from the highest to the lowest :—

Bray, 116; Dublin, 114; Kilkenny, 94; Tralee, 90; Limerick, 89; Waterford, 86; Cork, 82; Dun Laoghaire, 79; Wexford, 74; Sligo, 70; Galway, 68; Drogheda, 55; and Dundalk, 55.

The infant mortality rate for Belfast in 1941 was 91 per 1,000 births; for Derry it was 99; for Edinburgh 66; and for Glasgow, 111 per 1,000 births.

The following statement shows the INFANT MORTALITY per 1,000 births, by sexes, in 1941 for urban and rural areas in Éire :—

AGES.	ÉIRE												
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.			
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	
Under one Month	37.6	42.9	32.0	37.1	42.1	31.6	37.6	42.8	32.0	25.9	29.4	22.3	
1-2 Months ...	11.9	14.2	9.5	10.9	12.5	9.2	11.7	13.9	9.4	7.9	8.7	7.2	
2-3 „ „ ...	10.8	12.3	9.2	8.2	9.4	6.9	10.3	11.8	8.8	6.2	7.3	4.9	
3-6 „ „ ...	23.6	25.7	21.4	15.0	16.6	13.2	22.1	24.1	20.0	10.3	11.4	9.0	
6-12 „ „ ...	18.3	20.0	16.4	12.0	14.0	9.8	17.2	18.9	15.3	8.1	8.7	7.4	
Under one Year	102.2	115.1	88.5	83.2	94.6	70.7	98.9	111.5	85.5	58.4	65.5	50.8	

This statement shows the very large proportion of infants who died before completing their first month of life. Of the infants who died in urban areas 38 per cent. were under one month old, and the corresponding figure for rural areas was 44 per cent. The contrast between the male and female mortality of infants is also apparent: in every instance the male mortality exceeds that of the female.

### Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1941 was 472, consisting of 253 deaths of males and 219 of females.

In Table 12 the number of such deaths by causes and at different periods of life is given, and in Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the majority of such deaths take place in institutions. Thus, of 20 deaths for Dublin county, 16 took place in institutions, and of the 114 deaths for Dublin city, the number in institutions was 109, so that only 9 of the 134 deaths for Dublin county and city did not occur in institutions.

## PART II.

---

### Tables.

A

TABLE I.—ESTIMATED POPULATION, middle of years 1801 to 1941, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1878	3,952	1,948	2,004	1910	3,139	1,588	1,551
1811	4,746	2,363	2,388	1879	3,939	1,944	1,995	1911	3,132	1,586	1,546
1821	5,421	2,676	2,745	1880	3,891	1,920	1,971	1912	3,120	1,581	1,539
1831	6,194	3,033	3,161	1881	3,847	1,901	1,946	1913	3,103	1,572	1,531
1841	6,545	3,235	3,310	1882	3,808	1,882	1,926	1914	3,092	1,568	1,524
1851	5,079	2,486	2,593	1883	3,745	1,853	1,892	1915	3,068	1,546	1,522
1852	4,927	2,413	2,514	1884	3,703	1,834	1,869	1916	3,068	1,549	1,519
1853	4,807	2,358	2,449	1885	3,671	1,820	1,851	1917	3,065	1,551	1,514
1854	4,704	2,311	2,393	1886	3,642	1,808	1,834	1918	3,066	1,553	1,513
1855	4,638	2,281	2,357	1887	3,600	1,788	1,812	1919	3,102	1,598	1,504
1856	4,594	2,261	2,333	1888	3,554	1,766	1,788	1920	3,103	1,598	1,505
1857	4,540	2,234	2,306	1889	3,516	1,748	1,768	1921	3,096	1,599	1,497
1858	4,506	2,217	2,289	1890	3,482	1,733	1,749	1922	3,022	1,529	1,493
1859	4,471	2,199	2,272	1891	3,449	1,718	1,731	1923	3,014	1,526	1,488
1860	4,428	2,179	2,249	1892	3,408	1,697	1,711	1924	3,005	1,521	1,484
1861	4,393	2,164	2,229	1893	3,382	1,684	1,698	1925	2,985	1,512	1,473
1862	4,377	2,153	2,219	1894	3,362	1,675	1,687	1926	2,971	1,507	1,464
1863	4,328	2,134	2,194	1895	3,333	1,662	1,671	1927	2,957	1,502	1,455
1864	4,263	2,103	2,160	1896	3,314	1,653	1,661	1928	2,944	1,498	1,446
1865	4,223	2,084	2,139	1897	3,298	1,646	1,652	1929	2,937	1,496	1,441
1866	4,163	2,051	2,112	1898	3,283	1,640	1,643	1930	2,927	1,493	1,434
1867	4,130	2,033	2,097	1899	3,265	1,631	1,634	1931	2,933	1,497	1,436
1868	4,109	2,022	2,087	1900	3,244	1,616	1,618	1932	2,949	1,505	1,444
1869	4,090	2,012	2,078	1901	3,213	1,607	1,606	1933	2,962	1,512	1,450
1870	4,062	1,996	2,066	1902	3,200	1,603	1,597	1934	2,971	1,518	1,453
1871	4,042	1,986	2,056	1903	3,185	1,599	1,586	1935	2,971	1,520	1,451
1872	4,023	1,975	2,048	1904	3,175	1,597	1,578	1936	2,967	1,520	1,447
1873	3,989	1,955	2,034	1905	3,165	1,594	1,571	1937	2,948	1,510	1,438
1874	3,966	1,944	2,022	1906	3,160	1,593	1,567	1938	2,937	1,505	1,432
1875	3,951	1,940	2,011	1907	3,151	1,589	1,562	1939	2,934	1,503	1,431
1876	3,949	1,942	2,007	1908	3,145	1,588	1,557	1940	2,958	1,515	1,443
1877	3,956	1,947	2,009	1909	3,142	1,589	1,553	1941	2,993	1,533	1,460

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1941 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for the years 1926 to 1936 have been revised in accordance with the population according to the Census of 1936.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.													Total Population.*			
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95				
PERSONS.																	
1851	...	...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	...	...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,812	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	...	...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	...	...	78,630	353,148	471,705	465,016	419,668	355,584	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	...	...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,885	142,235	67,493	12,658	1,624	3,468,694
1901	...	...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	...	...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,130,688
1926	..	...	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	...	...	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
PROPORTION PER CENT.																	
1851	...	...	1·96	7·67	12·40	13·91	12·54	9·74	12·92	11·14	8·50	5·86	2·37	0·83	0·13	0·03	100
1861	...	...	2·34	9·54	10·37	10·28	11·74	10·72	12·93	10·42	9·60	7·51	3·08	1·24	0·20	0·03	100
1871	...	...	2·46	9·59	11·77	11·72	9·68	8·40	13·42	9·95	8·93	8·13	4·14	1·49	0·27	0·05	100
1881	...	...	2·03	9·13	12·19	12·02	10·85	9·19	12·02	10·68	8·44	7·22	4·17	1·78	0·24	0·04	100
1891	...	...	1·87	8·01	10·96	11·97	11·92	9·88	12·41	10·18	9·69	7·15	4·10	1·95	0·36	0·05	100
1901	...	...	1·87	7·80	10·09	10·44	10·83	10·06	14·47	10·62	9·26	8·07	4·33	1·79	0·32	0·05	100
1911	...	...	1·88	7·90	9·88	9·66	9·67	8·57	14·47	12·12	8·89	6·46	7·50	2·63	0·34	0·03	100
1926	...	...	1·86	7·82	9·58	9·94	9·63	8·08	13·42	11·60	11·16	7·77	6·17	2·47	0·47	0·03	100
A	1936	...	1·81	7·23	9·07	9·53	9·04	8·57	13·48	11·97	10·42	9·22	6·70	2·57	0·37	0·02	100

\*At the Census of 1851, the ages of 2,646 persons (1,439 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 8,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (896 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
MALES.															
1851 ... ...	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861 ... ...	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871 ... ...	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881 ... ...	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891 ... ...	33,109	140,973	192,678	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901 ... ...	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,184	607	1,610,085
1911 ... ...	29,899	125,988	157,507	154,182	155,523	141,288	228,733	198,371	142,870	100,110	109,146	40,172	5,171	450	1,589,509
1926 ... ...	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936 ... ...	27,152	109,213	136,348	143,720	138,112	131,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
PROPORTION PER CENT.															
1851 ... ...	2·05	7·98	12·91	14·52	12·80	9·66	12·55	10·67	8·26	5·41	2·30	0·75	0·12	0·02	100
1861 ... ...	2·42	9·82	10·67	10·71	11·77	10·81	13·02	9·85	9·34	7·26	2·96	1·16	0·18	0·03	100
1871 ... ...	2·52	9·91	12·11	12·21	9·65	8·20	13·11	9·82	8·56	7·90	4·20	1·42	0·26	0·04	100
1881 ... ...	2·09	9·35	12·49	12·45	10·84	9·31	11·68	10·32	8·31	6·89	4·21	1·81	0·22	0·03	100
1891 ... ...	1·92	8·16	11·17	12·23	12·11	9·82	12·20	9·65	9·36	7·06	3·99	1·92	0·37	0·04	100
1901 ... ...	1·90	7·91	10·23	10·66	10·87	10·16	14·54	10·47	8·82	7·87	4·44	1·77	0·32	0·04	100
1911 ... ...	1·88	7·93	9·91	9·70	9·78	8·89	14·39	12·48	8·99	6·30	6·87	2·53	0·32	0·03	100
1926 ... ...	1·86	7·84	9·61	10·01	9·69	8·26	13·22	11·51	11·46	8·01	5·90	2·20	0·41	0·02	100
1936 ... ...	1·79	7·18	8·97	9·45	9·08	8·86	13·64	11·87	10·47	9·42	6·64	2·81	0·31	0·01	100

\* See note (\*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS	AGES.													Total Population*	
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		
FEMALES.															
1851 ... ...	49,235	192,958	311,629	348,372	321,547	256,588	347,343	302,802	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861 ... ...	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871 ... ...	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,849	191,928	170,836	88,891	32,162	5,703	1,105	2,060,719
1881 ... ...	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891 ... ...	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901 ... ...	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911 ... ...	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926 ... ...	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,907	467	1,465,103
1936 ... ...	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,666
PROPORTION PER CENT.															C1
1851 ... ...	1·88	7·38	11·91	13·32	12·29	9·81	13·28	11·58	8·72	6·30	2·44	0·91	0·14	0·04	100
1861 ... ...	2·27	9·27	10·08	9·87	11·70	10·63	12·85	10·97	9·85	7·75	3·19	1·32	0·21	0·04	100
1871 ... ...	2·41	9·28	11·44	11·25	9·71	8·59	13·73	10·07	9·29	8·27	4·07	1·56	0·28	0·05	100
1881 ... ...	1·97	8·91	11·91	11·60	10·86	9·08	12·35	11·04	8·56	7·54	4·13	1·75	0·25	0·05	100
1891 ... ...	1·83	7·87	10·75	11·70	11·74	8·94	12·61	10·71	10·02	7·24	4·21	1·97	0·36	0·05	100
1901 ... ...	1·83	7·70	9·95	10·22	10·80	9·95	14·37	10·78	9·70	8·27	4·23	1·81	0·33	0·06	100
1911 ... ...	1·88	7·88	9·84	9·61	9·54	8·24	14·55	11·74	8·79	6·63	8·16	2·74	0·36	0·04	100
1926 ... ...	1·96	7·80	9·55	9·88	9·56	7·90	13·62	11·70	10·85	7·51	6·45	2·76	0·53	0·03	100
1936 ... ...	1·83	7·28	9·19	9·60	8·99	8·28	13·81	12·07	10·37	9·02	6·77	2·84	0·43	0·02	100

\* See note (\*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1941.

PERIOD.	Marriages.	BIRTHS.						DEATHS.			Natural Increase.		
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.	Females		
		Total.	Males.	Females		Total.	Males.	Females					
Average, 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,234	35,387	32,768
" 1881-90	...	14,692	83,762	48,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	78,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,458	26,181	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,303
1931	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	...	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
Average, 1931-40	...	14,359	57,105	29,279	27,826	55,212	1,893	970	928	41,841	21,469	20,372	15,264
1941	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983

X

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1941.

PERIOD.	MARRIAGES.		BIRTHS.				DEATHS.		Natural Increase per 1,000 of Population.	
			Legitimate per 1,000 Population.		Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.		
	Per 1,000 Population.	Per 1,000 Population.	Per 1,000 Population.	Per Cent. Total Births.	Per 1,000 Population.	Per Cent. Total Births.	Per 1,000 Population.	Infant Mortality per 1,000 Births.		
1864-70	...	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	...	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	...	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891-1900	...	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	...	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	...	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30	...	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931	...	4.48	19.46	18.81	0.66	3.37	1,063	14.64	68.93	4.82
1932	...	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49
1933	...	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68
1934	...	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34
1935	...	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63
1936	...	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23
1937	...	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87
1938	...	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75
1939	...	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89
1940	...	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97
Average, 1931-40		4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941	...	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1931-41; with the average annual rates for the ten years 1931-40 and the rate for 1941 per 1,000 of the population.

YEAR.	Marriages.												Births.								Deaths.								
	Catholic.				All Other.				Total.				Quarter ending the last day of				Quarter ending the last day of				Quarter ending the last day of				Total.				
	Quarter ending the last day of				Quarter ending the last day of				Quarter ending the last day of				March.				June.				Sept.				Dec.				
	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.				
1931	...	...	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947		
1932	...	...	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984		
1933	...	...	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539		
1934	...	...	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083		
1935	...	...	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,157	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543		
1936	...	...	3,638	3,175	3,822	3,199	13,834	158	252	361	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586		
1937	...	...	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086		
1938	...	...	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041		
1939	...	...	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717		
1940	...	...	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885		
Average for ten years, 1931-1940			3,375	3,202	3,747	3,129	13,453	159	239	323	185	906	3,534	3,441	4,070	3,314	14,359	14,092	14,934	14,715	13,364	57,105	12,915	10,593	8,543	9,790	41,841		
1941	...	...	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797		
Equivalent Annual Rate per 1,000 living:																													
Average, 1931-1940			4·9	4·7	5·5	4·6	4·9	3·1	4·6	6·3	3·6	4·4	4·8	4·7	5·5	4·5	4·9	19·1	20·2	19·9	18·1	19·3	17·5	14·3	11·6	13·3	14·2		
1941	...	...	4·8	4·8	5·6	4·9	5·0	3·4	5·3	6·3	4·4	4·9	4·7	4·9	5·6	4·9	5·0	18·3	20·0	20·1	17·5	19·0	19·6	15·1	11·6	12·2	14·6		

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891- 1900	1901-10	1864-70	1871-80	1881-90	1891- 1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	680*	514	492	263		16.7*	14.1	14.7	8.3	
Typhus fever ...	2,973	575*	462	166	60	71.5	14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	983	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70		10.9	1.4	0.8	2.1	
Dysentery ...	404	198		986	942	7.75	9.7	5.0	26.9	24.4
Diarrhoea ...	1,456	1,300				35.1	32.8	28.3		
Pulmonary tuber- culosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,988	1,774	—	—	52.0	58.2	56.0
Cancer ... ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	10,160	10,605	11,217	9,522		2,661†	244.9	267.7	306.5	84.4‡
Other respiratory diseases.						6,334†				200.8‡
Puerperal sepsis ...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

\* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664·4	1446·9	1417·1
1	Typhoid fever ...	195	108	68	6·3	3·6	2·3
2	Typhus fever ...	32	10	4	1·0	0·3	0·1
3	Measles ...	383	253	184	12·4	8·5	6·2
4	Scarlet fever ...	148	78	94	4·8	2·6	3·2
5	Whooping cough...	494	305	221	16·0	12·3	7·5
6	Diphtheria ...	225	282	337	7·3	9·4	11·4
7	Influenza ...	2,030	1,231	1,313	65·8	40·9	44·5
8	Dysentery ...	18	11	2	0·6	0·3	0·1
*9	Encephalitis lethargica	—	40	27	—	1·3	0·9
10	Cerebro-spinal fever	30	17	30	1·0	0·6	1·1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162·6	115·0	94·3
12	Other tuberculous diseases	1,312	920	772	42·4	30·8	26·2
13	Cancer ...	2,591	2,933	3,503	83·8	98·4	118·7
14	Diabetes mellitus	245	227	257	7·9	7·6	8·7
*15	Cerebral haemorrhage, etc.	1,415	2,077	2,359	45·8	69·6	79·9
16	Heart disease ...	5,148	4,981	7,092	166·5	167·1	240·2
*17	Other circulatory diseases	—	439	732	—	14·7	24·8
18	Bronchitis ...	4,324	2,750	2,201	139·8	92·0	74·6
19	Pneumonia, all forms	2,853	2,476	2,482	92·3	83·0	84·1
20	Other respiratory diseases	819	722	689	26·5	24·2	23·3
21	Gastric and duodenal ulcer	229	274	322	7·4	9·2	10·9
22	Diarrhoea and enteritis under 2 years	814	592	583	26·3	19·8	19·8
23	Appendicitis ...	129	169	189	4·2	5·7	6·4
24	Cirrhosis of Liver ...	183	95	74	5·9	3·2	2·5
*25	Other diseases of Liver, etc.	—	138	163	—	4·6	5·4
*26	Other digestive diseases	—	1,172	939	—	39·2	31·8
27	Acute and chr. nephritis	1,150	1,132	1,197	37·2	38·0	40·6
28	Puerperal sepsis ...	129	101	73	4·2	3·4	2·5
29	Other puerperal causes	212	190	172	6·9	6·4	5·8
*30	Congenital debility, etc.	2,101	1,788	1,843	68·0	59·9	62·4
*31	Senility ...	—	8,300	6,174	—	277·8	209·1
32	Suicide ...	82	89	97	2·6	3·0	3·3
33	Other violent deaths	1,165	1,023	871	37·7	34·1	29·5
34	Other defined causes	16,609	3,491	3,337	537·2	117·0	113·0
35	Causes ill-defined or unknown.	1,361	1,302	651	44·0	43·4	22·0

\* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xvi of Annual Report for 1931.

† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, EIRE AND NORTHERN IRELAND, 1940 AND 1941.

Nos.	CAUSES OF DEATH.	ÉIRE.				NORTHERN IRELAND.			
		No.		Rate.		No.		Rate.	
		1940	1941	1940	1941	1940	1941	1940	1941
	ALL CAUSES ...	41,885	43,797	1416·0	1463·3	18,941	19,640	1461·5	1521·3
1	Typhoid fever (including paratyphoid)	31	38	1·0	1·3	10	8	0·8	0·6
2	Cerebro-spinal fever ...	23	41	0·8	1·4	58	105	4·5	8·1
3	Scarlet fever ...	33	32	1·1	1·1	27	12	2·1	0·9
4	Whooping cough ...	163	150	5·5	5·0	141	98	10·9	7·6
5	Diphtheria ...	178	165	6·0	5·5	127	133	9·8	10·3
6	Tuberculosis of respiratory system ...	2,907	2,882	98·3	96·3	967	1,012	74·6	78·4
7	All other forms of tuberculosis ...	778	829	26·3	27·7	299	327	23·1	25·3
8	Dysentery ...	2	4	0·1	0·1	—	1	—	0·1
9	Influenza ...	828	1,335	28·0	44·6	665	443	51·3	34·3
10	Measles ...	77	89	2·6	3·0	193	18	14·9	1·4
11	Acute infectious encephalitis ...	23	24	0·8	0·8	32	33	2·5	2·6
12	Typhus ...	2	6	0·1	0·2	—	—	—	—
13	Cancer ...	3,773	3,790	127·6	126·6	1,764	1,763	136·1	136·6
14	Diabetes mellitus ...	284	277	9·6	9·3	158	141	12·2	10·9
15	Intra-cranial lesions of vascular origin	2,687	2,721	90·8	90·9	1,544	1,659	119·1	128·5
16	Diseases of the heart ...	8,908	9,338	301·1	312·0	3,950	4,076	304·8	315·7
17	Other diseases of the circulatory system	755	777	25·5	26·0	337	341	26·0	26·4
18	Bronchitis ...	2,011	1,952	68·0	65·2	942	908	72·7	70·3
19	Pneumonia ...	1,861	1,881	62·9	62·8	873	913	67·4	70·7
20	Other diseases of the respiratory system	678	671	22·9	22·4	296	281	22·8	21·8
21	Ulcer of the stomach or duodenum ...	372	339	12·6	11·3	164	159	12·7	12·3
22	Diarrhoea and enteritis ...	724	1,020	24·5	34·1	465	403	35·9	31·2
23	Appendicitis ...	190	127	6·4	4·2	72	67	5·6	5·2
24	Cirrhosis of the liver ...	59	62	2·0	2·1	35	32	2·7	2·5
25	Diseases of the liver and biliary passages	157	157	5·3	5·2	86	84	6·6	6·5
26	Other diseases of the digestive system	639	680	21·6	22·7	228	240	17·6	18·6
27	Nephritis ...	1,183	1,184	40·0	39·6	473	419	36·5	32·5
28	Puerperal infection ...	55	43	1·9	1·4	33	19	2·5	1·5
29	Other diseases of childbirth ...	153	139	5·2	4·7	73	93	5·6	7·2
30	Congenital debility, etc. (Nos. 157-161)	1,931	2,094	65·3	70·0	1,051	1,073	81·1	83·1
31	Senility ...	5,788	6,440	195·7	215·2	1,552	1,571	119·8	121·7
32	Suicide ...	99	90	3·3	3·0	60	55	4·6	4·3
33	Other violence ...	968	863	32·7	28·8	632	1,554	48·8	120·4
34	Other causes ...	3,565	3,557	120·5	118·8	1,634	1,599	126·1	123·9

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,  
registered during the years 1864-1941.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,688	4,046	4,683	3,417	1,084	214
" 1871-80 ...	30,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
" 1881-90 ...	32,333	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	213
" 1891-1900 ...	29,488	6,240	710	518	859	1,194	2,003	1,781	2,295	3,486	4,275	4,248	1,638	270
" 1901-10 ...	27,081	5,444	566	393	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
" 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	173
" 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
1932 ...	21,801	3,235	366	226	412	545	965	1,108	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,814	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	417	916	979	1,716	3,210	5,772	4,171	866	66
Average, 1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,950	4,687	1,006	77

Rates per 1,000 of corresponding population.

1864-70 ...	16·49	36·85	5·53	3·00	4·22	7·07	8·24	9·55	14·86	25·55	60·25	125·94	239·09
1871-80 ...	18·55	39·78	5·26	3·05	5·08	7·32	8·88	10·76	15·38	29·21	66·54	144·84	295·18
1881-90 ...	17·71	36·33	4·55	2·91	4·62	7·31	9·05	10·44	15·56	28·84	65·40	136·47	279·81
1891-1900 ...	17·65	37·57	3·97	2·70	4·47	7·16	9·00	10·32	15·12	28·03	60·82	137·46	298·23
1901-10 ...	16·90	34·68	3·51	2·44	4·12	6·32	8·44	9·48	14·40	28·73	50·27	111·41	233·22
1911-20 ...	16·73	30·81	3·35	2·45	4·31	6·32	7·72	9·60	13·93	25·45	48·20	116·64	254·29
1921-30 ...	14·39	23·58	2·53	1·77	3·21	4·92	5·33	7·08	11·44	24·50	48·08	107·81	217·55
1931 ...	14·53	22·04	2·48	1·60	2·83	4·20	4·57	6·35	11·56	26·98	59·10	104·27	177·65
1932 ...	14·49	22·16	2·53	1·50	2·82	4·38	4·85	6·40	10·73	27·83	60·58	98·73	166·82
1933 ...	13·63	20·28	2·33	1·56	2·61	4·23	4·81	6·31	10·89	26·16	55·01	95·29	145·32
1934 ...	13·12	18·57	2·21	1·48	2·47	4·25	4·44	5·90	9·79	26·33	55·68	91·45	133·27
1935 ...	14·17	21·53	2·09	1·65	2·63	4·27	4·70	6·46	11·00	27·26	58·47	103·38	140·34
1936 ...	14·42	23·54	2·08	1·64	2·30	4·02	4·09	6·12	10·97	23·92	55·31	103·29	204·18
1937 ...	15·45	23·42	2·23	1·55	2·68	3·53	4·46	6·04	12·09	25·90	59·98	117·43	225·58
1938 ...	13·71	20·84	2·01	1·53	2·58	2·94	4·19	5·73	10·87	22·79	53·18	104·33	170·65
1939 ...	14·35	19·81	2·09	1·18	2·59	2·93	4·23	5·47	10·60	23·70	57·48	120·42	191·68
1940 ...	14·20	19·72	1·85	1·30	2·55	3·33	4·43	5·44	10·82	22·49	57·38	119·18	192·24
Average, 1931-40 ...	14·21	21·19	2·19	1·50	2·61	3·81	4·48	6·02	10·94	25·34	57·22	105·73	174·77
1941 ...	14·77	22·13	1·78	1·08	2·41	3·11	4·25	5·62	9·88	22·28	58·54	132·36	220·75

\* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864–1941.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,448*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	585	466	708	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113
Average, 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	108.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931	...	14.76	18.93	2.09	1.97	3.24	4.53	5.58	7.19	11.41	26.48	54.02	91.52	182.22
1932	...	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	54.14	90.26	169.34
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98
1936	...	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
Average, 1931-40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54	
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93

\*During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1941.

PERIOD	All Ages	Under 5 Years	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85-	95 and up
Average, 1864-70 ...	67,322*	17,560	2,622	1,483	1,801	2,425	4,357	3,932	5,280	8,219	9,555	7,224	2,263	503
.. 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,309	9,303	2,728	622
.. 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,981	3,915	4,849	7,510	10,043	9,268	2,891	488
.. 1891-1900 ...	58,994	11,623	1,484	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
.. 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,314	7,673	2,759	469
.. 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,896	5,343	9,771	8,974	2,663	367
.. 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	281
1931 ...	42,947	5,827	644	519	856	1,031	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	606	447	605	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
Average, 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	186

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.39
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.98	139.82	289.83
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931 ...	14.64	20.52	2.29	1.78	3.03	4.36	5.08	6.76	11.49	26.74	56.50	97.29	180.18
1932 ...	14.53	20.62	2.59	1.68	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
Average, 1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26

\* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons, and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, 1931-41.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
<b>ALL CAUSES</b> ... ...	<b>68.93</b>	<b>72.19</b>	<b>65.23</b>	<b>63.28</b>	<b>68.44</b>	<b>74.15</b>	<b>72.95</b>	<b>66.65</b>	<b>65.83</b>	<b>66.42</b>	<b>73.53</b>
Scarlet Fever (8) ... ...	0.07	0.07	0.03	0.02	0.08	0.31	0.12	0.05	0.07	0.05	0.09
Whooping cough (9) ... ...	1.16	2.60	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77	1.46
Diphtheria (10) ... ...	0.25	0.23	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14	0.33
Tuberculosis of Nervous System (14).	0.35	0.32	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27	0.33
Tuberculosis of Intestines and Peritoneum (15).	0.26	0.27	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.20	0.09
Other Tuberculous Diseases (13, 16-22).	0.93	0.85	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.28	0.28
Syphilis (30) ... ...	0.23	0.11	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27	0.23
Influenza (33) ... ...	1.09	1.12	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06	0.92
Measles (35) ... ...	1.40	1.00	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35	0.37
Meningitis (81) ... ...	0.86	0.96	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83	0.79
Convulsions (86) ... ...	6.78	6.54	5.61	5.41	4.50	5.32	4.99	4.43	4.48	3.55	4.23
Bronchitis (106) ... ...	3.17	3.86	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62	2.34
Pneumonia (107-9) ... ...	7.72	8.44	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70	7.93
Diarrhoea and Enteritis (119)	8.27	9.33	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67	14.18
Congenital Malformations (157)	3.38	3.40	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59	5.57
Congenital Debility (158) ...	16.00	16.46	14.38	18.78	14.19	14.44	13.65	12.79	12.68	13.25	14.14
Premature Birth (159) ...	8.58	8.53	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67	11.57
Injury at Birth (160) ...	0.96	0.82	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.80	1.39
Other Diseases peculiar to first year of life (161) ...	1.49	1.69	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86	3.17
Mechanical Suffocation (including Overlying) (182)	0.26	0.12	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28	0.14
Other Accidents (including Lack of Care) (195)	0.47	0.43	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46	0.26
Other Causes ... ...	5.25	5.44	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75	3.72

TABLE 10.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1941.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
<b>ALL CAUSES</b> ... ...	<b>452</b>	<b>512</b>	<b>239</b>	<b>250</b>	<b>266</b>	<b>1,719</b>	<b>532</b>	<b>438</b>	<b>834</b>	<b>652</b>	<b>4,175</b>
Scarlet Fever (8) ... ...	.	.	.	.	.	.	1	3	.	1	5
Whooping Cough (9) ... ...	.	.	.	.	2	6	8	4	7	25	39
Diphtheria (10) ... ...	.	.	.	.	1	1	.	2	3	13	19
Tuberculosis of Nervous System (14)	.	.	.	.	.	.	.	1	3	15	19
Tuberculosis of Intestines and Peritoneum (15) ... ...	.	.	.	.	.	.	.	.	1	4	5
Other Tuberculous Diseases (13, 16-22) ... ...	.	.	.	.	1	.	1	.	1	3	11
Syphilis (30) ... ...	.	.	.	.	1	.	1	3	4	1	13
Influenza (33) ... ...	.	1	2	3	1	7	7	12	11	15	52
Measles (35) ... ...	.	.	.	.	1	.	1	1	.	2	17
Meningitis (81) ... ...	.	.	.	.	.	2	2	4	4	12	23
Convulsions (86) ... ...	15	22	16	19	12	84	38	23	57	38	240
Bronchitis (106) ... ...	.	1	3	7	8	19	22	23	35	34	133
Pneumonia (107-9) ... ...	.	9	8	19	12	48	55	55	136	156	450
Diarrhoea and Enteritis (119)	1	2	8	27	53	91	121	150	290	153	805
Congenital Malformations (157) ... ...	33	66	33	21	26	179	47	16	46	28	316
Congenital Debility (158) ... ...	81	124	64	63	71	403	146	96	127	31	803
Premature Birth (159) ... ...	225	197	57	49	52	580	41	17	17	2	657
Injury at Birth (160) ... ...	26	30	13	7	1	77	2	.	.	.	79
Other Diseases peculiar to first year of life (161) ...	58	45	24	23	11	161	9	3	4	3	180
Mechanical suffocation (including Overlying) (182) ... ...	.	1	1	.	.	2	3	1	2	.	8
Other Accidents (including Lack of Care) (195) ... ...	8	4	1	.	1	14	.	.	1	.	15
Other Causes ... ...	5	10	9	7	9	40	28	20	58	65	211

TABLE 11.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1941.

CAUSES OF DEATH.		DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
		CITIES AND BOROUGHS.										
		Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.	Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards.	Urban Areas under 10,000 Population.	All Urban Areas.	All Rural Districts.	Entire
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
<b>ALL CAUSES</b>	...	<b>114.37</b>	<b>78.75</b>	<b>81.57</b>	<b>89.37</b>	<b>86.46</b>	<b>73.33</b>	<b>102.21</b>	<b>83.24</b>	<b>98.93</b>	<b>58.39</b>	<b>73.53</b>
Scarlet Fever (8)	...	0.26	.	.	.	.	.	0.17	.	0.14	0.06	<b>0.09</b>
Whooping Cough (9)	...	2.12	.	0.57	0.99	3.26	1.37	1.77	1.37	1.70	1.32	<b>1.46</b>
Diphtheria (10)	...	0.62	.	.	.	.	.	0.40	.	0.33	0.34	<b>0.33</b>
Tuberculosis of Nervous System (14)	...	0.26	.	.	.	.	.	0.17	1.09	0.33	0.34	<b>0.33</b>
Tuberculosis of Intestines and Peritoneum (15)	...	0.26	.	0.57	.	.	.	0.23	.	0.19	0.03	<b>0.09</b>
Other Tuberculous Diseases (13, 16-22)	...	0.44	1.49	.	.	.	0.92	0.46	0.27	0.43	0.20	<b>0.28</b>
Syphilis (30)	...	0.35	1.49	0.57	.	.	.	0.34	.	0.28	0.20	<b>0.23</b>
Influenza (33)	...	0.18	.	.	.	.	.	0.11	1.64	0.38	1.23	<b>0.92</b>
Measles (35)	...	0.97	.	0.57	.	.	0.46	0.74	0.82	0.76	0.14	<b>0.37</b>
Meningitis (81)	...	1.42	.	1.71	1.99	1.63	0.92	1.37	0.27	1.18	0.56	<b>0.79</b>
Convulsions (86)	...	2.21	2.97	7.99	7.94	3.26	5.04	3.54	7.10	4.15	4.27	<b>4.23</b>
Bronchitis (106)	...	1.77	.	3.42	3.97	8.16	1.37	2.17	2.18	2.17	2.41	<b>2.34</b>
Pneumonia (107-9)	...	13.27	5.94	9.70	11.92	6.53	7.79	11.63	8.46	11.09	6.04	<b>7.93</b>
Diarrhoea and Enteritis (119)	40.34	35.66	15.97	17.88	26.10	11.92	32.40	10.64	28.64	5.56	<b>14.18</b>	
Congenital Malformations (157)	6.90	7.43	7.99	3.97	4.89	3.67	6.39	12.28	7.41	4.47	<b>5.57</b>	
Congenital Debility (158)	10.17	10.40	6.84	26.81	6.53	16.04	11.41	15.28	12.07	15.36	<b>14.14</b>	
Premature Birth (159)	20.26	2.97	12.55	3.97	21.21	17.87	17.62	15.83	17.31	8.15	<b>11.57</b>	
Injury at Birth (160)	...	3.54	.	.	1.63	.	2.34	1.37	2.17	0.93	<b>1.39</b>	
Other Diseases peculiar to first year of life (161)	4.87	5.94	5.13	1.99	.	4.13	4.51	2.46	4.15	2.59	<b>3.17</b>	
Mechanical suffocation (including Overlying) (182)	0.18	.	0.57	.	.	0.46	0.17	0.27	0.19	0.11	<b>0.14</b>	
Other Accidents (including Lack of Care) (195)	...	0.09	.	.	.	.	0.11	.	0.09	0.37	<b>0.26</b>	
Other Causes	...	3.89	4.46	7.42	7.94	3.26	1.37	4.16	1.91	3.77	3.68	<b>3.72</b>

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in 1941.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
<b>ALL CAUSES</b> ... ...	<b>27</b>	<b>43</b>	<b>23</b>	<b>35</b>	<b>33</b>	<b>161</b>	<b>68</b>	<b>74</b>	<b>113</b>	<b>56</b>	<b>472</b>
Scarlet Fever (8) ... ...	.	.	.	.	.	.	1	1	.	.	2
Whooping Cough (9) ... ...	.	.	.	.	.	.	1	.	4	5	10
Diphtheria (10) ... ...	.	.	.	.	.	.	.	.	1	1	2
Tuberculosis of Nervous System (14) ... ...	.	.	.	.	.	.	.	1	.	1	2
Tuberculosis of Intestines and Peritoneum (15) ... ...	.	.	.	.	.	.	.	.	.	1	1
Other Tuberculous Diseases (13, 16-22) ... ...	.	.	.	.	.	.	.	.	.	.	.
Syphilis (30) ... ...	.	.	.	.	.	.	1	1	1	.	3
Influenza (33) ... ...	.	.	.	.	1	.	1	.	4	3	10
Measles (35) ... ...	.	.	.	.	.	.	.	.	.	.	.
Meningitis (81) ... ...	.	.	.	.	.	.	.	.	.	1	2
Convulsions (86) ... ...	.	.	.	1	2	.	3	3	.	1	1
Bronchitis (106) ... ...	.	.	.	.	2	2	4	4	5	4	20
Pneumonia (107-9) ... ...	.	.	.	.	1	.	1	.	2	10	7
Diarrhoea and Enteritis (119) ...	.	.	.	.	4	9	13	18	28	43	20
Congenital Malformations (157)	1		1	2	.	5	1	5	6	1	18
Congenital Debility (158) ...	.	10	8	15	17	50	29	19	25	6	129
Premature Birth (159) ...	10	19	7	5	4	45	5	3	4	1	58
Injury at Birth (160) ...	1	2	1	.	.	4	.	.	.	.	4
Other diseases peculiar to first year of life (161) ...	5	3	.	1	1	10	1	.	.	.	11
Mechanical suffocation (including Overlying) (182) ...	.	.	.	.	.	.	.	.	.	.	.
Other Accidents (including Lack of Care) (195) ...	7	4	1	.	.	12	.	.	.	.	12
Other Causes ... ...	3	4	4	2	.	13	4	5	10	5	37

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE  
by age-periods in each county and county borough in 1941, distinguishing deaths in institutions.

COUNTIES AND COUNTY BORoughS BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
	Institutions.	Elsewhere.											
EIRE	27	43	23	35	33	161	68	74	113	56	472	401	71
Carlow ...	.	1	.	.	.	1	1	.	2	1	5	3	2
Dublin Co.	1	4	.	.	2	7	3	2	6	2	20	16	4
City of Dublin	5	8	3	9	9	34	12	21	30	17	114	109	5
Kildare ...	.	2	.	1	1	4	3	1	3	2	13	13	.
Kilkenny ...	1	1	1	1	.	4	4	4	3	3	18	13	5
Laoighis ...	.	.	1	1	3	5	2	2	4	1	14	13	1
Longford ...	.	.	.	.	.	.	3	1	1	1	5	4	1
Louth ...	.	3	1	.	.	4	1	3	1	1	10	6	4
Meath ...	.	.	1	2	.	3	2	1	.	3	9	8	1
Offaly ...	1	.	.	.	2	3	3	1	3	.	10	10	.
Westmeath ...	1	1	.	1	2	5	1	.	1	1	7	7	.
Wexford ...	1	1	1	1	.	4	.	2	.	3	9	7	2
Wicklow ...	1	2	2	.	.	5	1	1	.	.	7	5	2
PROVINCE OF LEINSTER	11	23	10	16	19	79	36	39	54	33	241	214	27
Clare ...	.	.	.	.	.	.	2	4	2	1	9	9	.
Cork Co.	6	6	6	2	1	21	5	10	10	5	51	41	10
Cork Co. Borough ...	1	1	.	.	.	2	1	.	1	1	5	5	.
Kerry ...	1	2	2	4	.	9	.	1	4	.	14	12	2
Limerick Co.	1	1	.	1	1	4	1	1	6	.	12	10	2
Limerick Co. Borough	.	.	.	.	.	.	.	.	2	.	2	.	2
Tipperary N.R.	.	1	.	.	1	2	.	2	3	.	7	6	1
Tipperary, S.R.	.	3	.	2	.	5	3	4	3	1	16	12	4
Waterford Co.	.	1	1	4	.	6	2	2	1	2	13	8	5
Waterford Co. Borough	.	.	.	.	.	.	1	.	.	.	1	1	.
PROVINCE OF MUNSTER	9	15	9	13	3	49	15	24	32	10	130	104	26
Galway ...	3	1	1	3	2	10	4	2	6	5	27	22	5
Leitrim ...	.	1	.	1	.	2	.	.	.	.	2	1	1
Mayo ...	1	1	.	.	1	3	6	2	9	2	22	20	2
Roscommon ...	.	.	.	.	1	1	1	.	1	.	3	3	.
Sligo ...	1	1	.	.	1	3	1	.	2	.	6	6	.
PROVINCE OF CONNAUGHT	5	4	1	4	5	19	12	4	18	7	60	52	8
Cavan ...	2	.	3	1	2	8	1	.	3	1	13	12	1
Donegal ...	.	.	.	.	3	3	4	6	3	3	19	13	6
Monaghan ...	.	1	.	1	1	3	.	1	3	2	9	6	3
PROVINCE OF ULSTER (Part of)	2	1	3	2	6	14	5	7	9	6	41	31	10

TABLE 14.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1941.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS			DEATHS FROM						Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection	Sepsis	Other	
<b>ÉIRE.</b>	<b>15,021</b>	<b>56,780</b>	<b>1,975</b>	<b>43,797</b>	<b>1,359</b>	<b>3,711</b>	<b>3,790</b>	<b>27</b>	<b>16</b>	<b>139</b>	<b>4,175</b>
Carlow ...	165	655	27	571	7	62	44	1	1	5	56
Dublin Co. ...	784	2,364	73	1,609	71	164	165	·	·	3	174
City of Dublin ...	3,446	11,305	286	6,839	605	761	598	7	3	11	1,293
Kildare ...	288	1,219	52	911	25	95	78	1	·	3	87
Kilkenny ...	384	1,236	71	996	18	83	86	1	·	6	100
Laoighis ...	194	839	39	718	12	54	58	1	1	1	59
Longford ...	158	615	21	560	12	39	38	·	·	3	45
Louth ...	339	1,338	53	962	23	89	97	3	·	6	86
Meath ...	279	1,183	60	939	12	58	102	1	·	3	54
Offaly ...	260	944	43	784	19	70	69	·	2	1	63
Westmeath ...	316	1,013	42	847	8	80	80	·	1	4	72
Wexford ...	418	1,828	112	1,560	32	149	144	1	2	7	121
Wicklow ...	272	1,145	52	927	28	84	78	·	·	2	83
<b>LEINSTER</b> ...	<b>7,303</b>	<b>25,684</b>	<b>931</b>	<b>18,223</b>	<b>872</b>	<b>1,788</b>	<b>1,637</b>	<b>16</b>	<b>10</b>	<b>55</b>	<b>2,293</b>
Clare ...	325	1,400	51	1,307	12	115	105	·	·	3	80
Cork Co. ...	1,072	4,512	155	4,239	66	285	412	2	2	8	331
Cork Co. Borough ...	651	1,753	25	1,236	45	106	124	·	·	7	143
Kerry ...	563	2,420	73	1,837	42	168	135	1	·	8	147
Limerick Co. ...	394	1,915	103	1,454	30	113	135	·	1	5	121
Limerick Co. Borough	342	1,007	33	554	32	67	40	·	1	2	90
Tipperary N.R. ...	263	1,088	37	883	23	82	86	1	1	4	66
Tipperary S.R. ...	345	1,433	61	1,218	29	94	119	·	·	3	104
Waterford Co. ...	229	802	58	762	17	60	58	2	·	1	47
Waterford Co. Boro' ...	178	613	13	445	36	40	38	·	·	1	53
<b>MUNSTER</b> ...	<b>4,362</b>	<b>16,943</b>	<b>609</b>	<b>13,935</b>	<b>332</b>	<b>1,130</b>	<b>1,252</b>	<b>6</b>	<b>5</b>	<b>42</b>	<b>1,182</b>
Galway ...	658	3,437	89	2,305	38	184	171	3	1	9	152
Leitrim ...	187	743	22	771	8	38	44	·	·	2	37
Mayo ...	649	2,794	57	2,158	31	139	178	2	·	5	125
Roscommon ...	278	1,091	22	1,124	10	73	70	·	·	5	45
Sligo ...	239	1,030	21	1,021	10	85	110	·	·	3	60
<b>CONNAUGHT</b> ...	<b>2,011</b>	<b>9,095</b>	<b>211</b>	<b>7,379</b>	<b>97</b>	<b>519</b>	<b>573</b>	<b>5</b>	<b>1</b>	<b>24</b>	<b>419</b>
Cavan ...	329	1,282	66	1,184	30	60	94	·	·	5	75
Donegal ...	720	2,728	110	2,146	17	160	170	·	·	8	144
Monaghan ...	296	1,048	48	930	11	54	64	·	·	5	62
<b>ULSTER (part of)</b> ...	<b>1,345</b>	<b>5,058</b>	<b>224</b>	<b>4,260</b>	<b>58</b>	<b>274</b>	<b>328</b>	·	·	18	<b>281</b>

\* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 15.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1941.

PROVINCES AND COUNTIES.	Population according to the Register of Popu- lation, 1941.	MARRI- AGES.		BIRTHS.		DEATHS.					Deaths of Infants under One Year of age.	
		Rates per 1,000 of Popu- lation.	Rates per 1,000 of Popu- lation.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				Puer- peral Infection	Other Diseases of Child- birth.		
					All Causes.	Prin- cipal Epi- demic Dis- eases.*	Tuber- culosis.	Cancer.				
EIRE	2,989,700	5.02	18.97	3.48	14.63	0.45	1.24	1.27	0.76	2.45	74	
Carlow	34,142	4.83	19.18	4.12	16.72	0.21	1.82	1.29	3.05	7.63	85	
Dublin Co.	128,861	6.08	18.35	3.09	12.49	0.55	1.27	1.28	—	1.27	74	
City of Dublin	489,276	7.04	23.10	2.53	13.98	1.24	1.56	1.22	0.88	0.97	114	
Kildare	63,506	4.54	19.20	4.27	14.35	0.39	1.50	1.23	0.82	2.46	71	
Kilkenny	68,268	5.02	18.11	5.74	14.59	0.26	1.22	1.26	0.81	4.85	81	
Laoighis	49,920	3.89	16.81	4.65	14.38	0.24	1.08	1.16	2.38	1.19	70	
Longford	37,771	4.18	16.28	3.41	14.83	0.32	1.03	1.01	—	4.88	73	
Louth	65,772	5.15	20.34	3.96	14.63	0.35	1.35	1.47	2.24	4.48	64	
Meath	65,124	4.28	18.17	5.07	14.42	0.18	0.89	1.57	0.85	2.54	46	
Offaly	51,583	5.04	18.30	4.56	15.20	0.37	1.36	1.34	2.12	1.06	67	
Westmeath	56,676	5.58	17.87	4.15	14.94	0.14	1.41	1.41	0.99	3.95	71	
Wexford	93,777	4.46	19.49	6.13	16.64	0.34	1.59	1.54	1.64	3.83	66	
Wicklow	59,023	4.61	19.40	4.54	15.71	0.47	1.42	1.32	—	1.75	72	
LEINSTER	1,263,699	5.77	20.31	3.62	14.41	0.69	1.41	1.29	1.01	2.14	89	
Clare	88,287	3.68	15.86	3.64	14.80	0.14	1.30	1.19	—	2.14	57	
Cork Co.	275,323	3.89	16.39	3.44	15.40	0.24	1.04	1.50	0.89	1.77	73	
Cork Co. Borough	76,758	8.48	22.84	1.43	16.10	0.59	1.38	1.02	—	3.99	82	
Kerry	139,621	4.03	17.33	3.02	13.16	0.30	1.20	0.97	0.41	3.31	61	
Limerick Co.	100,887	3.91	18.98	5.38	14.41	0.30	1.12	1.34	0.52	2.61	63	
Limerick Co. Borough	42,522	8.04	23.68	3.28	13.03	0.75	1.58	0.94	0.99	1.99	89	
Tipperary, N. R.	59,262	4.44	18.36	3.40	14.90	0.39	1.38	1.45	1.84	3.68	61	
Tipperary, S. R.	78,100	4.42	18.35	4.26	15.60	0.37	1.20	1.52	—	2.09	73	
Waterford Co.	48,943	4.68	16.39	7.23	15.57	0.35	1.23	1.19	2.49	1.25	59	
Waterford Co. Boro'.	28,481	6.25	21.52	2.12	15.62	1.26	1.40	1.33	—	1.63	86	
MUNSTER	938,184	4.65	18.06	3.59	14.85	0.35	1.20	1.33	0.65	2.48	70	
Galway	168,451	3.91	20.40	2.59	13.68	0.23	1.09	1.02	1.16	2.62	44	
Leitrim	48,418	3.86	15.35	2.96	15.92	0.17	0.78	0.91	—	2.69	50	
Mayo	154,416	4.20	18.09	2.04	13.98	0.20	0.90	1.15	0.72	1.79	45	
Roscommon	76,190	3.65	14.32	2.01	14.75	0.13	0.96	0.92	—	4.58	41	
Sligo	64,676	3.70	15.93	2.04	15.79	0.15	1.31	1.70	—	2.91	58	
CONNAUGHT	512,151	3.93	17.76	2.32	14.41	0.19	1.01	1.12	0.66	2.64	46	
Cavan	73,766	4.46	17.38	5.15	16.05	0.41	0.81	1.27	—	3.90	59	
Donegal	142,583	5.05	19.13	4.03	15.05	0.12	1.12	1.19	—	2.93	53	
Monaghan	59,317	4.99	17.67	4.58	15.68	0.19	0.91	1.08	—	4.77	59	
ULSTER (part of)	275,666	4.88	18.35	4.43	15.45	0.21	0.90	1.19	—	3.56	56	

NOTE.—The rates for Eire are calculated on the population estimated to the middle of 1941.

\* See note page 20.

TABLE 16.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1941.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuber-culosis.	Cancer.	Puerperal Infection.		Other Diseases of Child-birth.	Infants under One Year of Age.
						Sepsis.	Other.		
<b>ÉIRE ...</b>	<b>56,780</b>	<b>43,797</b>	<b>1,359</b>	<b>3,711</b>	<b>3,790</b>	<b>27</b>	<b>16</b>	<b>139</b>	<b>4,17</b>
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	21,197	14,168	888	1,523	1,287	9	5	40	2,09
ALL RURAL DISTRICTS	35,583	29,629	471	2,188	2,503	18	11	99	2,07
COUNTY BOROUGH AND URBAN DISTRICTS, over 10,000 Population ...	17,533	11,156	799	1,218	1,000	7	4	30	1,79
CITY OF DUBLIN ...	11,305	6,839	605	761	598	7	3	11	1,29
Borough of Dun Laoghaire ...	673	595	27	49	61	·	·	1	5
Cork County Borough	1,753	1,236	45	106	124	·	·	7	14
Limerick County Borough ...	1,007	554	32	67	40	·	1	2	9
Waterford County Borough ...	613	445	36	40	38	·	·	1	5
Galway U.D. ...	427	232	18	30	15	·	·	1	2
Dundalk U.D. ...	310	217	4	26	20	·	·	1	17
Drogheda U.D. ...	381	187	9	22	25	·	·	1	21
Sligo U.D. ...	229	177	4	39	14	·	·	1	16
Wexford U.D. ...	256	220	3	29	27	·	·	1	19
Tralee U.D. ...	188	121	4	13	9	·	·	1	17
Kilkenny U.D. ...	202	163	3	15	16	·	·	2	19
Bray U.D. ...	189	170	9	21	13	·	·	·	22
URBAN DISTRICTS, under 10,000 Population ...	3,664	3,012	89	305	287	2	1	10	305
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	14,636	9,360	689	1,023	840	7	3	20	1,551
Province of Munster	5,147	3,848	163	385	366	2	2	16	445
Province of Connaught	984	616	34	96	50	·	·	4	65
Province of Ulster (part of)	430	344	2	19	31	·	·	·	36
ALL RURAL DISTRICTS IN :—									
Province of Leinster	11,048	8,863	183	765	797	9	7	35	742
Province of Munster	11,796	10,087	169	745	886	4	3	26	737
Province of Connaught	8,111	6,763	63	423	523	5	1	20	354
Province of Ulster (part of)	4,628	3,916	56	255	297	·	·	18	245

\* See note, page 20,

TABLE 17.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1941.

URBAN AND RURAL AREAS.	Population Census 1936.	Birth Rate, per 1,000 Population.	DEATHS.						RATE PER 1,000 BIRTHS.		
			RATE PER 1,000 POPULATION.								
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.		
ÉIRE ...	2,962,420	18·97	14·63	0·45	1·24	1·27	0·76	2·45	74		
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	965,269	21·96	14·68	0·92	1·58	1·33	0·66	1·89	99		
ALL RURAL DISTRICTS	2,003,151	17·76	14·79	0·24	1·09	1·25	0·81	2·78	58		
COUNTY BOROUGHES AND URBAN DISTRICTS, over 10,000 Population ...	760,599	23·05	14·67	1·05	1·60	1·31	0·63	1·71	102		
CITY OF DUBLIN ...	468,103	23·11	13·98	1·24	1·56	1·22	0·88	0·97	114		
Borough of Dun Laoghaire ...	39,785	16·41	14·51	0·66	1·20	1·49	•	1·49	79		
Cork County Borough	80,765	22·84	16·10	0·59	1·38	1·62	•	3·99	82		
Limerick County Borough ...	41,061	23·68	13·03	0·75	1·58	0·94	0·99	1·99	89		
Waterford County Borough ...	27,968	21·52	15·62	1·26	1·40	1·33	•	1·63	86		
Galway U.D. ...	18,294	23·34	12·68	0·98	1·64	0·82	•	2·34	68		
Dundalk U.D. ...	14,684	21·11	14·78	0·27	1·77	1·36	•	3·23	55		
Drogheda U.D. ...	14,494	26·29	12·90	0·62	1·52	1·72	•	2·62	55		
Sligo U.D. ...	12,565	18·23	14·09	0·32	3·10	1·11	•	4·37	70		
Wexford U.D. ...	12,247	20·90	17·96	0·21	2·37	2·20	•	3·91	74		
Tralee U.D. ...	10,285	18·28	11·76	0·39	1·26	0·88	•	5·32	90		
Kilkenny U.D. ...	10,237	19·73	15·92	0·29	1·47	1·56	•	9·90	94		
Bray U.D. ...	10,111	18·69	16·81	0·89	2·08	1·29	•	•	116		
URBAN DISTRICTS, under 10,000 Population ... ...	204,670	17·90	14·72	0·43	1·49	1·40	0·82	2·73	83		
ALL COUNTY BOROUGHES AND URBAN DISTRICTS IN :—											
Province of Leinster	636,466	23·00	14·71	1·08	1·61	1·32	0·68	1·37	106		
Province of Munster	254,689	20·21	15·11	0·64	1·51	1·44	0·77	3·11	86		
Province of Connaught	50,656	19·43	12·16	0·67	1·90	0·99	•	4·07	66		
Province of Ulster (part of)	23,458	18·33	14·24	0·09	0·81	1·32	•	•	84		
ALL RURAL DISTRICTS IN :—											
Province of Leinster	583,945	18·92	15·18	0·31	1·31	1·36	1·45	3·17	67		
Province of Munster	687,583	17·16	14·67	0·25	1·08	1·29	0·59	2·20	62		
Province of Connaught	474,812	17·08	14·24	0·13	0·89	1·10	0·74	2·47	44		
Province of Ulster (part of)	256,811	18·02	15·29	0·22	0·99	1·16	•	3·89	53		

NOTE.—The rates for Éire and for the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1941, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.

\* See note, page 20.

TABLE 18.—BIRTHS and DEATHS registered during the YEAR 1941, for the Thirteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popula- tion Census 1936.	BIRTHS.	Annual Rate per 1,000 persons represented by		BIRTHS.		DEATHS.																			
			DEATHS				Caused by																			
			All Causes.	Principal epidemic diseases.	Total Number.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	38	Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Tuber- culosis.	Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.
IRE ... ...	2,968,420	19·0	14·6	0·5	56,780	43,797	4,175	23,080	38	32	150	165	4	·	89	6	875	2,882	829	1,335	3,790	43	139	953	6,894	
Total Rural Districts ...	2,003,151	17·8	14·8	0·2	35,583	29,629	2,078	17,413	23	24	85	84	4	·	28	6	217	1,676	512	1,127	2,503	29	99	627	6,552	
Total Urban Districts ...	965,269	22·0	14·7	0·9	21,197	14,168	2,097	5,667	15	8	65	81	·	·	61	·	658	1,206	317	208	1,287	14	40	326	342	
Total 13 Principal Towns ...	760,599	23·1	14·7	1·1	17,533	11,156	1,792	4,265	11	6	51	71	·	·	49	·	611	966	252	123	1,000	11	30	260	195	
City of Dublin ...	468,103	23·1	14·0	1·2	11,305	6,839	1,293	2,418	4	5	35	53	·	·	33	·	475	612	149	42	598	10	11	162	119	
Borough of Dun Laoghaire	39,785	16·4	14·5	0·7	673	595	53	307	1	·	1	1	·	·	·	·	24	35	14	5	61	·	1	11	1	
Cork Co. Borough ...	80,765	22·8	16·1	0·6	1,753	1,236	143	508	·	·	3	4	·	·	7	·	31	86	20	32	124	·	7	31	17	
Limerick ,,	41,061	23·7	13·0	0·8	1,007	554	90	196	2	·	2	3	·	·	·	·	25	51	16	12	40	1	2	11	11	
Waterford ,,	27,968	21·5	15·6	1·3	613	445	53	203	·	1	3	7	·	·	·	2	23	32	8	2	38	·	1	10	2	
Galway U. D. ,	18,294	23·3	12·7	1·0	427	232	29	94	1	·	·	·	·	·	·	7	·	10	23	7	2	15	·	1	4	7
Dundalk ,,	14,684	21·1	14·8	0·3	310	217	17	86	·	·	2	·	·	·	·	·	2	21	5	3	20	·	1	8	5	
Drogheda ,,	14,494	26·3	12·9	0·6	381	187	21	71	·	·	3	1	·	·	·	·	5	14	8	5	25	·	1	5	3	
Sligo ,	12,565	18·2	14·1	0·3	229	177	16	78	·	·	1	·	·	·	·	·	3	33	6	·	14	·	1	2	3	
Wexford ,,	12,247	20·9	18·0	0·2	256	220	19	105	·	·	·	·	·	·	·	·	3	23	6	3	27	·	1	4	1	
Tralee ,,	10,285	18·3	11·8	0·4	188	121	17	44	1	·	1	·	·	·	·	·	2	11	2	7	9	·	1	5	13	
Kilkenny ,,	10,237	19·7	15·9	0·3	202	163	19	85	·	·	·	·	·	·	·	·	3	11	4	6	16	·	2	6	12	
Bray ...	10,111	18·7	16·8	0·9	189	170	22	70	2	·	1	1	·	·	·	·	5	14	7	4	13	·	1	1	1	

Total Urban Districts under 10,000 Population	...	204,670	17.9	14.7	0.4	3,664	3,012	305	1,402	4	2	14	10	.	.	12	.	47	240	63	85	287	3	10	66	117
<b>I. LEINSTER.</b>																										
An Uaithb	...	4,123	16.7	13.3	0.2	69	55	6	18	.	.	1	.	.	.	.	.	4	1	2	4	.	.	2	1	.
Arklow	...	4,680	19.7	16.7	0.2	92	78	3	54	.	.	.	.	.	.	.	.	1	3	2	4	6	.	.	.	7
Athlone	...	7,257	19.6	11.4	0.3	142	83	10	31	.	.	.	.	.	.	.	.	2	9	.	1	6	.	.	3	1
Athy ...	...	3,628	22.6	16.0	1.1	82	58	8	27	.	.	.	.	.	.	.	1	.	3	2	2	1	4	.	3	3
Birr ...	...	3,297	17.0	18.8	0.6	56	62	9	30	.	.	1	.	.	.	.	.	1	6	1	1	5	.	.	.	3
Carlow	...	7,649	18.2	13.1	0.7	139	100	12	39	.	.	5	.	.	.	.	.	13	5	4	10	.	1	2	4	.
Ceannamus Mór	...	2,304	14.8	12.6	.	34	29	1	17	.	.	.	.	.	.	.	.	.	1	.	7	.	.	3	.	.
Enniscorthy	...	5,873	21.1	16.5	0.5	124	97	8	39	1	.	.	1	.	.	.	.	1	10	6	.	5	.	2	1	1
Granard	...	1,236	18.6	11.3	.	23	14	4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
Howth	...	4,832	16.1	12.0	0.2	78	58	2	30	.	.	.	.	.	.	.	.	1	7	1	.	4	.	.	1	.
Longford	...	3,807	24.7	14.2	0.5	94	54	11	23	.	.	.	.	.	.	1	.	1	5	1	3	2	.	.	3	
Naas ...	...	3,290	23.4	16.7	0.6	77	55	8	25	.	.	.	.	.	.	.	.	2	3	.	1	4	.	.	3	.
New Ross	..	5,056	19.2	14.6	0.8	97	74	5	37	.	.	.	2	.	.	.	.	2	5	1	2	6	.	.	.	1
Trim ...	...	1,455	17.9	17.2	.	26	25	2	13	.	.	.	.	.	.	.	.	5	6	3	6	.	.	1	2	
Tullamore	...	5,135	22.0	14.8	.	113	76	11	28	.	.	.	.	.	.	.	.	2	1	.	2	6	.	.	1	.
Wicklow	...	3,183	23.2	16.0	0.6	74	51	7	28	.	.	.	.	.	.	.	.	2	1	.	2	6	.	.	1	.

NOTE.—The rates for Éire and the Borough of Dun Laoghaire are calculated on the estimated population in the middle of 1941, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.

TABLE 18.—URBAN DISTRICTS, 1941 (continued).

AREA.	Popula- tion Census 1936.	BIRTHS.	DEATHS		BIRTHS.												DEATHS.													
			All Causes.	Principal epidemic diseases.	Total Number.		Under 1 year of Age.		At 65 years and up- wards.		Caused by		Principal Epidemic Diseases.		Tuber- culosis		Other Forus.		Influenza.		Cancer.		Periperal Infection.		Other Diseases of Childbirth.		Violence.		No. Uncertified.	
					Total Number.		Total Number.																							
II. MUNSTER.																														
Carrick-on-Suir	...	4,840	20·7	14·3	1·9	100	69	10	23	.	.	.	.	.	.	.	8	1	1	1	1	1	1	7	2	3	2	4	3	3
Cashel	...	3,028	18·2	11·2	0·3	55	34	5	18	.	.	.	.	.	.	.	.	1	1	1	1	1	1	2	1	2	4	3	3	3
Clonakilty	...	2,961	13·8	16·5	.	41	49	1	28	.	.	.	.	.	.	.	.	3	3	3	3	3	3	15	1	2	1	2	3	3
Clonmel	...	9,391	15·9	13·9	0·3	149	131	7	52	.	.	.	.	.	.	.	3	3	3	3	3	3	12	1	2	1	2	3	3	
Cobh	...	6,178	13·8	21·4	0·5	85	132	13	67	.	.	.	.	.	.	.	3	3	3	3	3	3	9	1	2	1	2	3	3	
Dungarvan	...	5,361	15·7	15·9	.	84	85	3	48	.	.	.	.	.	.	.	1	1	1	1	1	1	6	1	2	1	2	3	3	
Ennis	...	5,897	17·3	13·7	0·2	102	81	5	38	.	.	.	.	.	.	.	3	3	3	3	3	3	8	1	2	1	2	3	4	
Fermoy	...	4,123	18·7	20·6	.	77	85	11	39	.	.	.	.	.	.	.	3	3	3	3	3	3	9	1	2	1	2	2	2	
Killarney	...	5,609	16·6	14·3	1·2	93	80	15	32	.	.	.	.	.	.	.	1	1	1	1	1	1	6	1	2	1	2	1	1	
Kilrush	...	3,426	18·4	17·8	0·6	63	61	9	26	.	.	.	.	.	.	.	1	1	1	1	1	1	6	1	2	1	2	1	2	
Kinsale	...	2,422	13·6	19·8	.	33	48	3	24	.	.	.	.	.	.	.	1	1	1	1	1	1	7	1	2	1	2	1	2	
Listowel	...	3,098	21·6	16·8	1·0	67	52	5	22	.	.	.	.	.	.	.	2	2	2	2	2	2	7	1	2	1	2	1	2	
Macroom	...	2,382	13·0	12·6	.	31	30	1	18	.	.	.	.	.	.	.	1	1	1	1	1	1	2	1	2	1	2	1	3	
Mallow	...	4,948	16·8	11·9	0·6	83	59	9	26	.	1	.	.	.	.	.	1	1	1	1	1	1	2	1	2	1	2	1	1	
Midleton	...	2,711	13·6	19·2	0·4	37	52	7	26	.	.	.	.	.	.	.	1	1	1	1	1	1	3	1	2	1	2	1	3	
Nenagh	...	4,902	14·9	19·0	0·2	73	93	4	40	.	.	.	.	.	.	.	1	1	1	1	1	1	14	7	3	7	1	3	7	
Passage West	...	2,648	11·7	10·6	0·4	31	28	2	13	.	.	.	.	.	.	.	1	1	1	1	1	1	4	1	2	1	2	1	3	

Skibbereen	...	...	2,541	15.7	17.3	.	40	44	1	24	.	.	.	.	.	.	.	.	1	.	6	.	.	1	.	
Templemore	...	...	1,981	18.7	15.1	0.5	37	30	3	15	.	.	.	.	.	1	.	.	3	.	1	2	.	.	1	
Thurles	...	...	5,648	22.1	12.4	0.5	125	70	7	36	.	.	.	1	.	.	1	.	5	1	4	8	.	.	5	
Tipperary	...	...	5,384	19.9	15.8	0.6	107	85	11	30	1	1	1	.	.	.	.	.	10	5	2	6	.	.	1	
Youghal	...	...	5,131	14.2	18.3	0.8	73	94	10	55	1	.	.	.	.	.	1	.	2	7	1	1	13	.	.	1

### III. CONNAUGHT.

Ballina	...	...	5,728	25.5	14.5	1.4	146	83	13	26	.	.	6	.	.	.	.	.	2	13	4	7	4	.	2	2	13
Ballinasloe	...	...	5,834	12.5	6.5	0.3	73	38	2	19	.	.	.	.	.	.	.	.	2	5	.	1	6	.	.	3	5
Castlebar	...	...	4,826	14.1	9.9	0.4	68	48	3	27	1	.	.	.	.	.	.	.	1	3	.	3	5	.	.	.	5
Westport	...	...	3,409	12.0	11.1	.	41	38	2	17	.	.	.	.	.	.	.	.	1	1	.	6	.	.	1	2	

### IV. ULSTER (part of).

Belturbet	...	...	1,341	16.4	15.7	.	22	21	1	10	.	.	.	.	.	.	.	.	1	1	.	1	.	.	1	3
Buncrana	...	...	2,295	25.3	10.9	.	58	25	3	9	.	.	.	.	.	.	.	.	1	1	.	3	.	.	2	1
Bundoran	...	...	1,352	17.8	17.0	.	24	23	3	16	.	.	.	.	.	.	.	.	2	.	1	4	.	.	.	4
Carrickmacross	...	...	2,095	16.2	10.5	.	34	22	2	9	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Castleblayney	...	...	1,725	19.1	16.2	.	33	28	2	14	.	.	.	.	.	.	.	.	1	.	3	3	.	.	2	2
Cavan	...	...	3,393	25.3	17.4	0.3	86	59	10	20	.	.	.	.	.	.	.	1	4	.	.	6	.	.	4	5
Clones	...	...	2,235	19.7	16.6	.	44	37	7	18	.	.	.	.	.	.	.	.	2	1	1	2	.	.	1	4
Cootehill	...	...	1,593	15.7	18.8	0.6	25	30	3	15	.	.	.	.	.	.	.	1	.	1	.	4	.	.	1	1
Letterkenny	...	...	2,649	18.5	16.6	.	49	44	3	25	.	.	.	.	.	.	.	.	1	.	2	2	.	.	1	8
Monaghan	...	...	4,780	11.5	11.5	.	55	55	2	31	.	.	.	.	.	.	.	.	3	.	.	4	.	.	1	2

TABLE 19.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1941.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIO DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ... ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ... ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ... ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ... ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ... ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ... ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ... ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ... ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ... ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ... ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ... ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ... ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ... ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ... ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ... ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ... ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ... ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ... ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ... ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	58
1930 ... ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ... ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ... ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ... ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	51
1934 ... ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ... ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ... ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ... ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ... ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ... ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ... ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ... ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

## **PART III.**

---

### **Abstracts.**

**ABSTRACT I.**

**MARRIAGES, BIRTHS AND DEATHS** registered during the year 1941, in each Province, County, and County Borough.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHS,	Area* in Statute Acres	Popula- tion Accord- ing to Register of Popula- tion, 1941.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
EIRE ... ... ... ...	17,024,485	2,989,700	15,021	56,780	—	—	56,780	1,975	—	—	1,975	43,797	—	—	43,797	12,983
PROVINCES																
No. I.—LEINSTER ... ... ... ...	4,851,840	1,263,699	7,303	26,028	579	235	25,684	1,029	187	89	931	18,443	311	91	18,223	7,461
No. II.—MUNSTER ... ... ... ...	5,962,595	938,184	4,362	16,959	190	174	16,943	642	94	61	609	13,881	80	134	13,935	3,008
No. III.—CONNAUGHT ... ... ... ...	4,230,822	512,151	2,011	8,880	51	316	9,095	141	4	74	211	7,267	17	129	7,379	1,716
No. IV.—ULSTER (part of) ... ...	1,979,728	275,666	1,345	4,963	50	145	5,058	163	—	61	224	4,206	12	66	4,260	798

**PROVINCE OF LEINSTER.**

1. CARLOW ... ... ...	221,485	34,142	165	605	10	60	655	17	1	11	27	558	29	42	571	84
2. DUBLIN CO. ... ...	208,984	128,861	784	1,201	126	1,289	2,361	130	92	35	73	1,382	225	452	1,609	755
3. CITY OF DUBLIN ...	18,740	489,276	3,446	13,669	2,505	141	11,305	520	289	55	286	7,743	1,090	186	6,839	4,466
4. KILDARE ... ... ...	418,644	63,506	288	1,027	20	212	1,219	17	—	35	52	824	13	100	911	308
5. KILKENNY ... ... ...	509,470	68,268	384	1,171	30	95	1,236	39	2	34	71	953	9	52	996	240
6. LAOIGHIS ... ... ...	424,892	49,920	194	769	11	81	839	12	—	27	39	717	31	32	718	121
7. LONGFORD ... ... ...	257,935	37,771	158	608	47	54	613	14	1	8	21	510	2	52	560	55
8. LOUTH ... ... ...	202,814	65,772	339	1,309	60	89	1,338	46	6	13	53	927	11	46	962	376
9. MEATH ... ... ...	577,824	65,124	279	1,015	27	195	1,183	29	7	38	60	864	7	82	939	244
10. OFFALY ... ... ...	493,636	51,583	260	859	11	96	941	14	—	29	43	717	8	75	784	160
11. WESTMEATH ... ...	435,605	56,676	316	1,031	89	71	1,013	64	39	17	42	881	80	46	847	166
12. WEXFORD ... ... ...	581,061	93,777	418	1,789	20	68	1,828	88	—	24	112	1,536	12	36	1,560	268
13. WICKLOW ... ... ...	500,250	59,023	272	975	18	188	1,143	39	1	18	52	831	10	106	927	218

**PROVINCE OF MUNSTER.**

14. CLARE ... ... ...	787,756	88,287	825	1,301	9	108	1,400	18	—	33	51	1,262	5	50	1,307	93
15. CORK CO. ... ... ...	1,840,908	275,323	1,072	4,036	158	634	4,512	192	50	13	155	4,424	465	280	4,239	273
16. CORK CO. BOROUGH ...	2,685	76,758	651	2,313	655	95	1,758	19	4	10	25	1,112	292	416	1,236	517
17. KERRY ... ... ...	1,161,705	139,621	563	2,375	30	75	2,420	63	1	11	73	1,797	3	43	1,837	583
18. LIMERICK CO. ... ...	661,585	100,887	394	1,704	49	260	1,915	111	25	17	103	1,474	172	152	1,454	461
19. LIMERICK CO. ... ... BOROUGH	2,386	42,522	342	1,244	278	41	1,007	16	4	21	33	526	150	178	554	453
20. TIPPERARY, N.R. ...	493,258	59,262	263	1,145	127	70	1,088	133	110	14	37	884	59	58	883	205
21. TIPPERARY, S.R. ...	558,034	78,100	345	1,451	71	53	1,433	38	3	26	61	1,209	37	46	1,218	215
22. WATERFORD CO. ...	452,840	48,943	229	681	10	131	802	30	1	29	58	680	19	101	762	40
23. WATERFORD CO. BOROUGH	1,488	28,481	178	709	112	16	613	22	18	4	13	513	91	23	445	168

31

**PROVINCE OF CONNAUGHT.**

24. GALWAY ... ... ...	1,467,660	168,451	658	3,418	70	89	3,437	95	33	27	89	2,331	68	42	2,305	1,132
25. LEITRIM ... ... ...	376,764	48,418	187	688	7	62	743	9	—	13	22	720	2	53	771	—28
26. MAYO ... ... ...	1,333,941	154,416	649	2,693	19	120	2,794	10	—	47	57	2,089	4	73	2,158	636
27. ROSCOMMON ... ...	608,540	76,190	278	1,035	44	100	1,091	15	3	10	22	1,095	19	48	1,124	—33
28. SLIGO ... ... ...	443,917	64,676	239	996	16	50	1,030	12	—	9	21	1,032	29	18	1,021	9

**PROVINCE OF ULSTER (Part of).**

29. CAVAN ... ... ...	467,162	73,766	829	1,209	14	87	1,282	36	—	30	66	1,123	3	64	1,184	98
30. DONEGAL ... ... ...	1,193,581	142,583	720	2,733	30	25	2,728	99	—	11	110	2,141	8	13	2,146	582
31. MONAGHAN ... ...	318,985	59,317	296	1,021	14	41	1,048	28	—	20	48	942	32	20	930	118

\* Exclusive of the larger rivers, lakes and tideways.

## ABSTRACT 1.—(continued).

## MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

32

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
<b>1. Carlow Co.</b>																
1. CARLOW ... ... ...	221,485	34,452	165	605	10	60	655	17	1	11	27	558	29	42	571	84
<b>2. Dublin Co.</b>																
2. BALROTHERRY ... ...	84,405	20,997	91	267	5	180	442	7	—	12	19	268	86	81	263	179
3. DUBLIN (part of) ...	97,619	38,481	289	459	119	421	761	120	104	10	26	380	92	198	486	275
4. RATHDOWN ... ...	26,960	59,344	404	475	18	704	1,161	3	—	25	28	734	64	190	860	301
<b>3. City of Dublin.</b>																
5. DUBLIN (part of) ...	18,740	468,103	3,446	13,669	2,505	141	11,305	520	289	55	286	7,743	1,090	186	6,839	4,466
<b>4. Kildare Co.</b>																
6. ATHY ... ... ...	130,460	16,552	84	307	17	44	334	8	3	13	18	251	34	44	261	73
7. CELBRIDGE ... ...	53,703	8,233	36	93	3	61	151	—	—	6	6	94	—	29	123	28
8. NAAS ... ... ...	234,481	33,107	168	627	17	124	734	9	—	19	28	479	47	95	527	207
<b>5. Kilkenny Co.</b>																
9. CALLAN ... ... ...	62,169	7,112	31	97	—	23	120	2	—	3	5	73	—	37	110	10
10. CASTLECOMER ... ...	57,867	8,247	74	133	4	36	165	1	—	12	13	80	—	18	98	67
11. KILKENNY ... ...	133,462	23,377	146	517	117	27	427	14	5	11	20	420	107	26	339	88
12. THOMASTOWN ... ...	225,444	26,660	117	368	9	91	450	21	4	11	28	346	37	80	389	61
13. URLINGFORD ... ...	30,528	3,218	16	56	1	19	74	1	—	4	5	34	—	26	60	14
<b>6. Laois Co.</b>																
14. ABBEYLEIX ... ...	200,641	21,319	91	318	17	37	338	4	1	12	15	299	25	41	315	23
15. MOUNTMELLICK ...	224,251	28,790	103	451	13	63	501	8	3	19	24	418	57	42	403	98

Statistical Summary of Population by County and Townland																		
		1911 Census																
		1901 Census																
		Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population	Area (sq. miles)	Population
<b>7. Longford Co.</b>																		
16.	BALLYMAHON	... ...	69,834	7,272	29	69	—	36	105	—	—	3	3	72	—	35	107	—2
17.	GRANARD	... ...	84,678	12,532	30	105	—	48	153	—	1	7	6	119	—	48	167	—14
18.	LONGFORD	... ...	103,423	18,043	99	434	99	22	357	14	6	4	12	319	57	24	286	71
<b>8. Louth Co.</b>																		
19.	ARDEE	... ...	67,239	11,218	43	152	2	29	179	—	—	8	8	187	37	34	184	—5
20.	DROGHEDA	... ...	41,979	19,674	146	575	103	19	491	28	13	4	19	286	30	27	283	208
21.	DUNDALK	... ...	93,596	33,447	150	582	11	97	668	18	5	13	26	464	5	46	495	173
<b>9. Meath Co.</b>																		
22.	DUNSHAUGHNLIN	... ...	106,757	7,724	36	107	3	53	157	—	—	10	10	61	—	31	92	65
23.	KELLS	... ...	103,420	12,837	64	202	4	45	243	2	—	13	15	145	—	62	207	36
24.	NAVAN	... ...	182,161	22,209	106	301	4	125	422	—	—	15	15	354	65	54	343	79
25.	OLDCASTLE	... ...	44,099	4,596	10	64	1	17	80	—	—	5	5	55	—	22	77	3
26.	TRIM	... ...	141,387	14,039	63	341	96	36	281	27	22	10	15	249	68	39	220	61
<b>10. Offaly Co.</b>																		
27.	BIRR	... ...	248,865	23,462	90	292	4	74	362	4	—	17	21	280	—	87	367	—5
28.	EDENDERRY	... ...	81,156	6,563	34	112	3	20	129	1	—	6	7	101	5	19	115	14
29.	TULLAMORE	... ...	163,615	21,283	127	455	33	31	453	9	5	11	15	336	64	30	302	151
<b>11. Westmeath Co.</b>																		
30.	ATHLONE	... ...	98,984	18,109	140	327	40	45	322	2	1	7	8	202	2	63	263	69
31.	DELVIN	... ...	110,987	10,087	43	165	42	44	167	45	40	5	10	131	15	59	175	—8
32.	MULLINGAR	... ...	225,634	26,510	133	539	62	37	514	17	5	12	24	548	165	26	409	105
<b>12. Wexford Co.</b>																		
33.	ENNISCORTHY	... ...	193,391	29,566	124	560	33	57	584	68	26	9	51	565	123	34	476	108
34.	GOREY	... ...	130,202	18,850	59	248	10	26	264	4	—	12	16	163	—	40	203	61
35.	NEW ROSS	... ...	124,426	19,417	96	343	10	59	302	2	—	18	20	255	15	66	306	86
36.	WEXFORD	... ...	133,042	31,412	139	638	77	27	588	14	—	11	25	553	44	66	575	13
<b>13. Wicklow Co.</b>																		
37.	BALTINGLASS	... ...	154,966	9,854	48	192	35	34	191	1	—	7	8	157	16	23	164	27
38.	RATHDRUM	... ...	262,206	41,443	202	706	26	153	833	37	9	11	39	573	52	121	642	191
39.	SHILLELAGH	... ...	83,078	7,272	22	77	1	45	121	1	—	4	5	101	—	20	121	—

\*See Note (\*) on page 31.

## ABSTRACT B.—(continued).

## MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)			ILLEGITIMATE BIRTHS			DEATHS			Excess of Births over Deaths (Net Num- bers)			
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
NO. 14. Clare Co.																
40. BALLYVAUGHAN	71,629	3,265	10	40	—	8	48	—	—	2	2	30	—	9	39	9
41. COROFIN	61,381	3,865	21	60	—	5	65	—	—	2	2	27	—	10	37	28
42. ENNIS	113,312	18,634	101	348	66	23	305	15	9	5	11	431	151	7	287	18
43. ENNISTYMON	99,600	14,390	33	226	8	30	248	—	—	8	8	168	2	36	202	46
44. KILLADYSERT	62,615	6,824	21	65	—	9	74	—	—	2	2	66	—	18	84	—10
45. KILRUSH	137,507	22,300	68	302	5	27	324	2	—	11	13	294	3	41	332	—8
46. SCARRIFF	241,712	20,603	71	260	6	82	336	1	—	12	13	246	2	82	326	10
NO. 15. Cork Co.																
47. BANDON	101,482	14,866	82	244	51	47	240	1	—	5	6	198	3	48	245	—3
48. BANTRY	107,277	10,335	44	146	9	21	158	2	—	2	4	130	3	23	150	8
49. CASTLETOWN	74,299	7,833	32	123	1	15	137	1	—	3	4	77	1	23	99	38
50. CLONAKILTY	80,994	14,716	41	212	12	38	238	13	10	2	5	246	35	27	288	—
51. CORK (part of)	167,841	59,391	224	937	194	315	1,058	138	98	1	41	1,547	762	163	948	110
52. DUNMANWAY	103,920	10,343	21	184	25	23	132	2	—	—	2	125	1	25	149	—17
53. FERMOY	196,733	24,735	121	440	27	42	455	17	3	11	25	360	35	40	365	90
54. KANTURK	185,659	20,455	85	325	18	27	339	6	3	4	7	248	4	34	278	61
55. KINSALE	80,129	11,613	35	152	4	35	183	2	—	4	6	147	2	55	200	—17
56. MACROOM	179,153	17,760	80	251	7	54	298	—	—	5	5	205	—	62	267	31
57. MALLOW	169,102	24,511	97	353	—	98	451	3	—	22	25	308	24	77	361	90
58. MIDDLETON	109,880	16,608	67	191	5	42	228	1	—	7	8	247	4	52	295	—67
59. MILLSTREET	74,939	8,992	18	105	2	21	124	2	1	—	1	99	4	15	110	14
60. SKIBBEREEN	115,371	18,041	61	248	15	38	271	—	—	8	8	260	5	33	288	—17
61. SKULL	57,669	6,312	30	55	2	25	78	3	—	3	6	76	—	16	92	—14

16. Cork Co. Borough																		
63. CORK (part of)	...	2,685	80,765	651	2,313	655	95	1,753	19	4	10	25	1,112	292	416	1,236	517	
17. Kerry Co.																		
64. CAHERCIVEEN	...	198,101	15,371	44	222	2	21	241	3	—	2	5	172	—	34	206	35	
65. DINGLE	...	126,454	13,838	46	164	2	22	184	—	—	4	4	141	—	30	171	13	
66. KENMARIE	...	198,416	10,143	23	127	2	24	149	1	—	6	7	106	1	26	131	18	
67. KILLARNEY	...	251,430	31,660	150	528	37	29	520	35	20	—	15	499	111	57	445	75	
68. LISTOWEL	...	165,503	29,407	119	521	10	61	572	6	—	9	15	327	1	61	387	185	
69. TRALEE	...	221,801	39,415	181	813	95	36	754	18	4	13	27	552	124	69	497	257	
18. Limerick Co.																		
70. CROOM	...	83,369	10,007	44	382	238	31	175	76	65	—	11	196	81	32	147	28	
71. KILMALLOCK	...	164,344	23,057	82	337	3	142	476	6	—	34	40	263	—	90	353	123	
72. LIMERICK (part of)	...	142,828	26,625	97	389	40	164	513	26	22	15	19	460	189	95	366	147	
73. NEWCASTLE	...	143,842	23,666	119	375	3	91	463	—	—	21	21	356	90	56	322	141	
74. RATHKEALE	...	127,202	16,737	52	221	1	68	288	3	—	9	12	199	—	67	266	22	
19. Limerick Co. Borough																		
75. LIMERICK (part of)	...	2,386	41,061	342	1,244	278	41	1,007	16	4	21	33	526	150	178	554	453	
20. Tipperary N.R.																		
76. BORRISOKANE	...	109,667	8,842	27	129	1	33	161	—	—	4	4	98	1	42	139	22	
77. NENAGH	...	183,395	20,688	78	375	45	25	355	—	—	9	9	277	22	46	301	54	
78. ROSOREA	...	57,541	7,950	28	271	133	15	158	125	119	5	11	186	95	20	111	42	
79. THURLES	...	142,655	22,071	120	370	7	56	419	8	2	7	13	323	42	51	332	87	
21. Tipperary S.R.																		
80. CARRICK-ON-SUIR	...	26,118	6,870	20	129	6	9	132	4	—	3	7	84	1	14	97	35	
81. CASHEL	...	222,782	24,962	106	470	50	54	474	27	10	7	24	444	101	40	383	91	
82. CLOGHEEN	...	117,415	11,500	59	168	8	30	190	2	—	9	11	138	—	45	183	7	
83. CLONMEL	...	47,805	13,774	49	262	39	17	240	2	2	5	5	250	75	27	202	38	
84. TIPPERARY	...	144,414	21,178	111	422	68	43	397	3	—	11	14	293	12	72	353	44	
22. Waterford Co.																		
85. DUNGARVAN	...	144,342	17,431	74	275	45	13	243	21	10	6	17	319	45	16	290	—47	
86. KILMACTHOMAS	...	64,590	5,798	17	66	1	31	96	3	—	3	6	66	—	31	97	—1	
87. LISMORE	...	97,186	10,172	73	118	1	42	159	1	—	13	14	128	—	38	166	—7	
88. WATERFORD (part of)	...	146,722	16,245	65	222	6	88	304	5	—	16	21	167	10	52	209	95	
23. Waterford Co. Borough																		
89. WATERFORD (part of)	...	1,458	27,968	178	709	112	16	613	22	13	4	13	513	91	23	415	168	

\*See note (\*) on page 31.

## ABSTRACT I.—(continued).

## MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
<b>24. Galway Co.</b>																
90. BALLINASLOE	155,542	18,442	68	270	1	63	332	2	—	12	14	246	76	57	227	105
91. CLIFDEN	193,692	12,434	52	254	1	13	266	2	—	3	5	136	2	16	150	116
92. GALWAY	198,506	38,297	168	1,095	225	23	893	12	2	10	20	779	253	42	568	325
93. GLENAMADDY	82,958	10,889	31	150	—	19	178	—	—	1	1	126	—	27	153	25
94. GORT	106,312	10,034	37	126	—	36	162	1	—	6	7	109	—	55	164	— 2
95. LOUGHREA	214,111	19,690	80	317	5	51	363	2	—	4	6	289	84	40	245	118
96. MOUNTBELLEW	72,439	8,562	25	138	—	15	153	1	—	5	6	90	—	25	115	38
97. OUGHTERARD	173,440	13,393	67	329	2	39	366	2	—	3	5	176	2	54	228	138
98. PORTUMNA	62,086	7,178	22	105	3	20	122	—	—	8	8	76	—	19	95	27
99. TUAM	208,574	29,279	108	625	70	47	602	73	61	5	17	304	33	89	360	212
<b>25. Leitrim Co.</b>																
100. CARRICK-ON-SHANNON	63,577	9,651	34	111	12	32	131	9	7	5	7	180	30	21	171	—40
101. MANORHAMILTON	177,423	19,556	78	266	4	25	287	—	—	10	10	274	9	29	294	— 7
102. MOHILL	135,764	21,701	75	311	4	18	325	—	—	5	5	266	—	40	306	19
<b>26. Mayo Co.</b>																
103. BALLINA	251,108	28,142	136	518	8	31	541	2	—	13	15	341	1	56	396	145
104. BALLINROBE	147,105	17,371	78	277	—	24	301	—	—	2	2	206	9	32	229	72
105. BELMULLET	179,761	18,447	60	309	5	6	310	3	—	—	3	128	2	22	148	162
106. CASTLEBAR	141,211	22,581	80	408	79	19	348	2	1	8	9	520	255	16	281	67
	142,700	16,800	60	260	—	45	291	—	—	—	—	930	1	70	299	32

108. SWINFORD	...	...	156,063	32,703	125	477	2	41	516	1	—	14	15	398	5	81	474	42
109. WESTPORT	...	...	347,904	27,855	112	416	7	38	447	2	—	5	7	266	—	65	331	116
<b>27. Roscommon Co.</b>																		
110. BOYLE	...	...	122,372	16,729	56	229	37	19	211	—	—	—	—	250	—	26	276	—65
111. CASTLEREAGH	...	...	163,690	24,724	72	303	6	39	341	2	—	8	10	295	3	69	361	—20
112. ROSCOMMON	...	...	322,478	36,113	150	498	29	70	539	13	5	4	12	550	85	22	487	52
<b>28. Sligo Co.</b>																		
113. DROMORE WEST	...	...	97,543	9,980	39	150	2	12	160	2	—	2	4	115	—	31	146	14
114. SLIGO	...	...	220,505	43,234	166	686	34	48	700	10	4	9	15	762	101	28	689	11
115. TOBERCURRY	...	...	125,869	14,233	34	160	1	11	170	—	—	2	2	155	—	31	186	—16

**MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).**

<b>29. Cavan Co.</b>																		
116. BAILIEBOROUGH	...	...	113,901	19,815	83	289	—	60	349	4	—	17	21	245	—	80	325	24
117. BAWNBOY	...	...	102,420	11,047	40	138	—	33	171	2	—	4	6	130	—	34	164	7
118. CAVAN	...	...	250,841	45,778	206	782	67	47	762	30	6	15	39	748	106	53	695	67
<b>30. Donegal Co.</b>																		
119. BALLYSHANNON	...	...	41,628	7,976	25	161	19	12	154	—	—	3	3	137	17	17	137	17
120. DONEGAL	...	...	160,449	14,780	66	249	14	8	243	4	—	3	7	243	13	13	243	—
121. DUNFANAGHY	...	...	126,123	18,555	55	251	6	8	233	3	—	3	6	195	—	18	213	40
122. GLENTIES	...	...	258,505	27,569	128	440	12	30	458	3	—	13	16	352	4	52	400	58
123. INISHOWEN	...	...	160,021	23,240	133	496	7	9	498	6	—	6	12	332	5	31	358	140
124. LETTERKENNY	...	...	160,377	18,540	114	384	5	12	391	18	—	3	21	306	65	19	260	131
125. MILLFORD	...	...	112,089	15,513	91	256	5	11	262	14	—	7	21	191	—	26	217	45
126. STRANORLAR	...	...	174,889	21,137	108	496	41	14	469	51	30	3	24	385	84	17	318	151
<b>31. Monaghan Co.</b>																		
127. CARRICKMACROSS	...	...	65,680	12,862	48	165	1	31	195	—	—	4	4	135	—	42	177	18
128. CASTLEBLAYNEY	...	...	63,834	13,205	83	188	9	63	242	20	8	11	23	250	56	32	226	16
129. CLONES	...	...	64,286	11,291	57	199	11	28	216	2	—	7	9	150	—	48	207	9
130. MONAGHAN	...	...	125,183	23,931	108	469	88	14	395	6	—	6	12	398	106	28	320	75

\* See note (\*) on page 31.

## ABSTRACT II.—MARRIAGE

PROVINCES AND COUNTIES.			Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
	TOTAL MARRIAGES.		Catholic Marriages.	Total.	Protestant Episcopalian.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.
EIRE ... ... ...	15,021	14,061	960	668	160	66	55	2	9	3,520	3,643	4,202	3,65
PROVINCES.													
LEINSTER ... ...	7,303	6,743	560	427	34	47	44	2	6	1,447	1,718	2,292	1,84
MUNSTER ... ...	4,362	4,244	118	97	2	7	9	·	3	1,230	1,024	1,110	99
CONNAUGHT ... ...	2,011	1,980	31	30	1	·	·	·	·	503	603	458	44
ULSTER (part of) ...	1,345	1,094	251	114	123	12	2	·	·	340	298	342	36

## PROVINCE I

CARLOW ... ...	165	154	11	10	·	1	·	·	·	44	30	47	4
DUBLIN CO. ... ...	784	682	102	94	4	3	1	·	·	121	216	268	17
CITY OF DUBLIN ...	3,446	3,148	298	187	29	36	39	1	6	590	773	1,217	86
KILDARE ... ...	288	277	11	10	·	·	1	·	·	45	66	72	10
KILKENNY ... ...	384	376	8	8	·	·	·	·	·	97	110	86	9
LAOIGHIS ... ...	194	168	26	25	·	1	·	·	·	59	46	43	4
LONGFORD ... ...	158	154	4	3	·	·	1	·	·	43	34	50	3
LOUTH ... ...	339	331	8	8	·	·	·	·	·	53	89	103	9
MEATH ... ...	279	269	10	10	·	·	·	·	·	66	60	85	6
OFFALY ... ...	260	244	16	14	·	1	1	·	·	63	54	65	7
WESTMEATH ... ...	316	310	6	5	·	1	·	·	·	108	76	65	6
WEXFORD ... ...	418	389	29	26	1	2	2	·	·	106	89	118	10
WICKLOW ... ...	272	241	31	27	·	2	·	·	·	52	75	73	7

## PROVINCE II

CLARE ... ...	325	325	·	·	·	·	·	·	·	103	89	77	5
CORK CO. ... ...	1,072	1,029	43	39	·	1	3	4	·	306	248	266	25
CORK CO. BOROUGH ...	651	620	31	20	1	3	4	·	3	134	143	232	15
KERRY ... ...	563	558	5	5	·	2	·	·	·	181	148	118	11
LIMERICK CO. ... ...	394	390	4	2	·	1	·	·	·	148	83	92	7
LIMERICK CO. BOROUGH	342	330	12	11	·	1	·	·	·	80	84	102	6
TIPPERARY, N.R. ...	263	255	8	6	·	·	2	·	·	72	60	65	6
TIPPERARY, S.R. ...	345	345	·	·	·	·	·	·	·	102	64	74	10
WATERFORD CO. ...	229	220	9	9	·	·	·	·	·	60	58	57	10
WATERFORD CO. BOROUGH	178	172	6	5	1	·	·	·	·	44	47	37	5

## PROVINCE III

GALWAY ... ...	658	654	4	3	1	·	·	·	·	193	192	133	14
LEITRIM ... ...	187	178	9	9	·	·	·	·	·	35	63	41	4
MAYO ... ...	649	646	3	3	·	·	·	·	·	134	196	177	12
ROSCOMMON ... ...	278	276	2	2	·	·	·	·	·	81	70	54	4
SLIGO ... ...	239	226	13	13	·	·	·	·	·	60	82	53	5

## PROVINCE IV

CAVAN ... ...	329	296	33	24	6	3	·	·	·	88	69	76	18
DONEGAL ... ...	720	561	159	74	76	7	2	·	·	186	163	187	18
MONAGHAN ... ...	296	237	59	16	41	2	·	·	·	66	66	79	5

## REGISTERED IN THE YEAR 1941.

## MARRIAGES.

Contracted between				Of		Of Persons not of full Age		PROVINCES AND COUNTIES.
Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
14,193	187	543	98	641	285	277	1,196	ÉIRE.
								PROVINCES.
6,884	97	267	55	322	152	171	677	LEINSTER.
4,120	52	162	28	190	80	72	308	MUNSTER.
1,918	22	63	8	71	30	18	90	CONNAUGHT.
1,271	16	51	7	58	23	16	121	ULSTER (part of).

## LEINSTER

157	5	2	1	3	6	2	16	CARLOW.
746	8	27	3	30	11	20	65	DUBLIN CO.
3,228	45	135	38	173	83	89	288	CITY OF DUBLIN.
270	5	11	2	13	7	8	34	KILDARE.
357	9	18		18	9	6	22	KILKENNYS.
186	4	3	1	4	5	2	16	LAOIGHIS.
147	1	9	1	10	2	7	21	LONGFORD.
325	3	10	1	11	4	9	32	LOUTH.
267	3	8	1	9	4	4	30	MEATH.
246	2	8	4	12	6	2	20	OFFALY.
303	3	10	4	10	3	4	38	WESTMEATH.
397	6	14	1	15	7	12	70	WEXFORD.
255	3	12	2	14	5	6	25	WICKLOW.

## MUNSTER

306	5	11	3	14	8	1	12	CLARE.
1,018	18	31	5	36	23	9	59	CORK CO.
599	3	38	11	49	14	17	43	CORK CO. BOROUGH.
548	4	10	1	11	5	10	29	KERRY.
369	3	20	2	22	5	5	23	LIMERICK CO.
326	3	11	2	13	5	11	34	LIMERICK CO. BOROUGH.
248	4	10	1	11	5	3	26	TIPPERARY, N.R.
328	1	16		16	1	4	35	TIPPERARY, S.R.
209	7	11	2	13	9	3	15	WATERFORD CO.
169	4	4	1	5	5	9	32	WATERFORD CO. BOROUGH.

## CONNAUGHT

631	8	19		19	8	5	30	GALWAY.
176	1	9	1	10	2		4	LEITRIM.
629	4	14	2	16	6	9	33	MAYO.
258	3	14	3	17	6	3	15	ROSCOMMON.
224	6	7	2	9	8	1	8	SLIGO.

## ULSTER (part of)

311	5	11	2	13	7	6	30	CAVAN.
678	8	30	4	34	12	7	68	DONEGAL.
282	3	10	1	11	4	3	23	MONAGHAN.



LOUTH	{ Persons Males Females	1,338 694 644	962 489 473	86 44 42	9 5 4	7 4 3	1 1 1	1 1 54 50	104 72 2	9 7 5	10 5 13 7	20 13 12 17	29 17 12 14	29 17 10 9	24 16 10 9	19 16 18 21	37 16 18 21	28 26 25 27	52 40 25 27	62 56 31 31	83 98 54 29	105 98 54 51	125 159 72 53	186 227 77 109	36 46 13 23	4 1 1 3		
MEATH	{ Persons Males Females	1,183 569 614	939 521 418	54 33 21	9 6 3	1 4 1	5 4 1	3 2 1	72 45 27	8 4 4	6 1 5	13 3 10	15 12 9	18 8 6	16 7 8	26 18 8	40 24 24	56 29 27	98 54 44	98 59 39	159 92 67	227 121 106	46 2 27	2 2 .				
OFFALY	{ Persons Males Females	944 486 458	784 426 358	63 30 33	14 9 5	1 3 1	5 3 2	4 3 1	87 45 42	10 4 6	8 2 6	14 5 9	15 7 8	11 3 8	13 5 9	17 8 4	22 8 9	33 13 16	50 26 24	65 35 30	94 63 31	126 71 31	169 97 72	36 27 19	2 2 2			
WEST-MEATH	{ Persons Males Females	1,013 525 488	847 478 369	72 37 35	10 5 5	2 1 2	1 1 1	1 1 1	86 42 44	8 3 5	6 4 2	18 11 11	19 9 8	19 13 10	20 13 7	15 6 9	25 14 11	19 10 9	31 26 17	47 26 21	80 52 28	85 56 29	130 75 55	199 113 86	38 23 15	2 2 2		
WEXFORD	{ Persons Males Females	1,828 944 884	1,560 821 739	121 69 52	17 12 5	14 8 6	5 2 3	6 2 4	163 93 70	25 11 14	10 3 7	28 13 15	39 19 20	33 16 17	36 17 17	29 23 12	42 21 19	37 21 16	67 42 30	80 69 38	130 69 61	180 96 84	233 126 107	351 178 173	74 37 37	3 1 2		
WICKLOW	{ Persons Males Females	1,145 584 561	927 487 440	83 56 27	13 7 6	9 6 3	2 2 1	2 1 1	109 72 37	11 8 3	4 2 2	20 12 8	20 7 13	20 10 10	17 7 17	25 8 8	20 12 8	31 18 13	32 14 18	51 24 27	68 33 35	106 54 52	145 77 68	199 111 88	45 17 28	4 1 3		
MUNSTER.																												
CLARE	{ Persons Males Females	1,400 709 691	1,307 657 650	80 43 37	15 10 5	4 2 2	5 2 3	1 1 1	105 58 47	9 4 5	9 4 5	22 7 15	22 10 9	22 4 12	13 4 9	23 6 15	38 23 13	30 17 20	45 25 27	56 51 55	106 84 71	155 112 106	218 165 177	342 43 41	84 2 6			
CORK CO.	{ Persons Males Females	4,512 2,295 2,317	4,239 2,212 2,027	331 198 135	38 25 13	21 13 8	13 1 12	12 6 6	415 241 174	46 21 25	29 16 13	46 28 39	71 32 39	84 45 39	82 45 37	75 45 45	101 30 45	123 36 56	150 65 58	229 123 106	407 271 215	406 371 293	664 496 467	963 192 125	233 271 225	25 9 16		
CORK CO. BOROUGH	{ Persons Males Females	1,753 900 853	1,236 572 664	143 81 62	20 14 15	6 3 5	6 4 3	5 4 1	189 103 86	11 8 3	5 4 1	8 5 3	28 17 11	30 16 9	38 13 7	36 17 11	47 20 17	71 39 27	94 45 49	146 66 80	138 68 70	169 75 94	170 50 120	29 8 2				
KERRY	{ Persons Males Females	2,420 1,264 1,156	1,837 992 845	147 82 65	20 15 5	15 6 9	12 7 5	6 4 2	200 114 86	21 10 11	14 6 8	29 13 16	41 21 22	50 28 20	43 23 13	37 24 21	50 45 38	45 78 87	78 40 79	83 46 70	159 107 111	177 219 213	260 53 49	422 83 8	16 8 8			
LIMERICK CO.	{ Persons Males Females	1,915 965 950	1,454 748 706	121 72 49	9 5 4	6 3 1	5 3 2	4 2 2	145 87 58	16 7 9	9 6 3	26 8 18	36 15 21	25 13 12	32 16 16	23 7 13	23 12 16	40 7 11	67 12 19	72 32 35	138 41 31	160 74 64	226 75 85	312 130 96	96 44 4			
LIMERICK CO. BOROUGH	{ Persons Males Females	1,007 502 505	554 280 274	90 47 43	18 9 9	11 6 5	6 3 3	• • •	125 65 60	9 6 3	7 6 4	12 6 6	20 7 7	11 5 6	22 7 15	25 13 13	23 12 11	36 12 11	44 23 13	54 40 14	65 46 21	61 37 23	16 30 8	•				
TIPPERARY, N.B.	{ Persons Males Females	1,088 565 523	583 486 397	66 39 27	18 9 9	2 1 1	3 2 2	5 3 4	94 54 40	7 3 4	6 2 8	17 13 14	25 13 9	21 8 8	17 13 9	26 8 8	38 20 13	46 25 14	63 35 28	88 52 28	142 35 21	198 107 91	43 22 21	5 3 2				
TIPPERARY, S.R.	{ Persons Males Females	1,433 737 696	1,218 639 579	104 52 52	27 14 13	7 4 3	9 5 4	5 3 2	152 78 74	15 11 4	11 6 4	26 13 13	18 11 7	33 11 19	25 11 11	30 16 16	34 22 12	48 28 20	64 28 36	104 54 50	145 51 56	186 98 88	265 126 139	49 26 23	2 2 2			



## **ABSTRACT IV.**

---

### **Causes of Death.**

#### **ABSTRACT IV—CAUSES OF DEATH**

at different Periods of Life in the Year 1941.

DEATH.

	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate Periods
	245 216	157 191	336 359	422 488	430 472	458 440	440 470	582 566	693 581	889 837	1,269 1,105	1,949 1,794	2,586 2,057	3,373 3,110	4,687 4,877	1,006 1,198	77 109		
	93 101	62 89	188 250	241 346	239 279	241 219	184 175	210 156	158 110	153 113	129 85	151 146	136 143	181 192	172 191	31 28	4	(1-44)	(1-
1 1	.	2 3	.	.	2	5 1	4 1	4 2	2	2	1 2	1 2	.	.	1	.	.	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1	
2 2	2 2	2 3	2	2	1	1	1	2	1	1	1	1	.	.	.	.	6	1	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	1	
4 7	1 2	2	1	1	1	1	1	1	1	1	.	.	.	.	.	.	8		
1 3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9		
21 24	5 10	1 1	1	1	2	1	1	1	2	1	1	1	.	.	.	.	10		
.	.	.	1	.	.	.	.	.	.	.	1	1	2	1	3	1	11	1	
3 .	3 .	2	.	.	.	.	.	.	1	1	1	2	1	.	.	.	12	1	
45 53	41 65	166 237	225 335	230 259	210 199	171 159	172 132	126 87	120 81	92 47	84 53	49 35	23 14	8 6	1	.	13-22	(6	
6 11	16 38	123 180	179 280	182 227	183 176	155 136	155 113	112 80	109 68	78 41	70 46	34 26	19 10	7 3	.	.	13		
39 42	25 27	43 57	46 55	48 32	27 23	16 23	17 19	14 7	11 13	14 6	14 7	6 9	4 4	1 3	1 1	.	14-22		
27 26	15 17	17 30	18 18	15 6	7 8	4 3	4 3	3 2	2 1	2	1	1	1	.	.	.	14		
8 4	4 7	7 14	4 10	6 9	3 3	3 8	2 8	4 4	2 4	2	2	1	1	1	1	.	15		
.	4 2	4 1	5 9	9 5	2 3	3 3	7 3	3 1	2	2	3	2	1	1	1	1	16		
.	2 1	5 4	4 3	4 1	2 1	5 4	2 1	2	3	3	3	5	1	1	1	1	17		
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	18			
.	.	.	.	1 2	1	1	1	1	1	1	1	1	2	1	1	.	19		
1 1	.	1 1	.	2	1 3	1	1	3 1	1 4	1 1	1 1	1	1	1	1	.	20		

## ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years
<b>Infective And Parasitic Diseases—continued.</b>														
7	21	Tuberculosis of Other Organs { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
7	22	Disseminated Tuberculosis { M. F.	76 70	1	.	.	.	.	4 6	4 7	2 1	2 2	3 1	1 1
17	23	Leprosy ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
8	24	Purulent Infection, and Septicaemia { M. F.	46 38	1	2	1	1 3	1 1	6 4	3	.	.	1	.
17	25	Gonococcal Infections { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
17	26	Other Bacterial Diseases (Dysentery excepted) { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
9	27	Dysentery ... { M. F.	3 1	.	.	.	.	.	.	.	.	.	.	.
10	28	Malaria ... { M. F.	4	.	.	.	.	.	.	.	.	.	.	.
17	29	Other Diseases due to Parasitic Protozoa, { M. F. except Spirochaetes	.	.	.	.	.	.	.	.	.	.	.	.
11	30	Syphilis* ... { M. F.	57 15	1	3	2	1	2 2	6 7	.	.	.	.	.
17	31	Relapsing Fever ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
17	32	Other Diseases due to Spirochaetes { M. F.	1	.	.	.	.	.	.	.	.	.	.	.
12	33	Influenza ... { M. F.	614 721	4 3	5 2	8 4	5 6	10 5	32 20	6 5	3 2	1 3	3 4	4 4
13	34	Smallpox ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
14	35	Measles ... { M. F.	47 42	1	1	.	1	9 8	12 9	18 17	4 1	2 1	1	.
17	36	Acute Poliomyelitis and Polioencephalitis { M. F.	13 7	.	.	.	.	.	.	.	1	1	.	.
17	37	Acute Infectious Encephalitis (Lethargic or Epidemic) { M. F.	15 9	.	.	.	.	.	.	.	1	1	1	.
17	38	Other Diseases due to Viruses { M. F.	1 2	.	.	.	.	.	.	2	.	.	.	.
15	39	Typhus and Typhus-like Diseases (Rickettsioses) { M. F.	5 1	.	.	.	.	.	.	.	.	.	.	.
16	40	Ankylostomiasis ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
16	41	Hydatid Disease ... { M. F.	.	.	.	.	.	.	.	.	.	.	.	.
16	42	Other Diseases due to Helminths { M. F.	1	.	.	.	.	.	.	.	1	.	1	.
17	43	Mycoses ... { M. F.	5 2	1	.	.	.	.	.	1	.	.	.	.
17	44	Other Infective or Parasitic Diseases { M. F.	17 10	.	.	.	.	.	.	.	.	.	.	.

\* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1941.

DEATH.

	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	21	7
3 8	3	9 7	14 11	14 8	8 4	1 6	1 1	4 1	4 2	3	4 1	1 4	1 4	1 1	.	.	.	22	7
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	23	17	
1 2	2 1	2 2	1 3	2 1	4 2	2	1 2	2	1 3	3	6 1	4 5	7 3	3 4	.	.	.	24	8
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	26	17	
.	.	.	.	.	.	.	.	.	.	.	.	.	3 1	1	.	.	27	9	
.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	28	10	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	29	17	
.	.	1	1	1	4	1	3	2	7 1	5 1	7	9	4 1	7 1	1	.	30	11	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	31	17	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	32	17	
5 3	2 4	6 1	7 6	2 8	10 9	5 10	19 14	18 16	21 21	20 34	46 87	78 99	141 168	155 180	30 27	4	33	12	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	34	13	
5 2	3 2	1	1	1	3	1	.	.	.	.	.	.	.	1	.	.	35	14	
1 2	1 1	4 2	2	.	1	1	.	1	1	.	.	.	.	.	.	.	36	17	
1 1	.	1	.	2	1	1	.	1	2 1	1 1	2	.	.	1	.	.	37	17	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	38	17	
*	.	.	.	.	.	.	1	.	3	.	.	.	.	1	.	.	39	15	
*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	40	16	
*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	41	16	
*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42	16	
*	1	1	1	.	.	.	.	.	2	1	.	1	.	.	.	.	43	17	
2 1	1	1	1	.	1	2	3	2	1	2	.	2	1	1	2	.	44	17	

**ABSTRACT IV.—continued.—CAUSES OF DEATH.**

at different Periods of Life in the Year 1941.

DEATH.

																				95 & up-wards	Detailed International List Nos.	Intermediate International Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90—					
4	2	4	3	5	24	21	61	88	138	228	328	447	388	291	24	·	·	{(45-57)	(18-24)			
4	2	1	6	7	25	31	86	119	189	235	305	279	298	230	33	1	·	{55*	18-23			
3	1	1	2	3	4	17	17	56	82	136	224	320	440	385	289	24	·	·	{56	24		
2	·	·	·	1	·	1	2	1	3	4	·	1	4	5	1	3	1	·	{57	24		
1	1	2	·	·	1	6	2	4	5	2	4	5	8	5	2	1	1	·				
12	10	5	7	16	8	9	8	10	8	10	17	19	28	33	36	47	52	2	5	{(58-71)	(25-30)	
11	11	17	8	11	12	10	24	·	·	41	53	65	63	52	52	52	52	·	·			
7	4	5	8	13	6	2	2	3	2	3	1	3	2	3	2	4	2	·	{58	25		
·	·	·	·	·	1	·	4	2	7	1	2	6	9	11	15	17	32	22	1	{59	26	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	{60	26		
1	4	3	2	9	3	5	2	1	4	4	5	6	7	14	19	25	15	19	1	{61	27	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	{62	29		
2	2	·	2	2	·	1	3	1	1	9	8	1	4	2	5	12	2	1	{63	28		
1	·	·	·	1	·	·	·	1	3	1	1	2	3	3	1	1	1	2	{64	29		
·	·	·	·	·	·	·	1	1	1	1	1	2	3	1	1	1	1	1	{65	29		
·	·	·	·	·	·	1	1	1	1	1	1	2	1	1	1	1	1	1	{66	29		
1	·	·	·	1	·	·	·	1	1	1	1	1	1	1	1	1	1	1	{67-71	30		
·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	1	1	{67	30		
·	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	1	{68	30		
·	·	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	{69	30		
1	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	{70	30		
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	{71	30		

## ABSTRACT IV.—continued.—CAUSES OF DEATH

		Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
					All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot und 5 year
(31- 32)	(72- 76)	IV. Diseases Of The Blood And Blood-forming Organs. { M. F.		178 240	2 1	.	.	.	4 2	1 1	7 4	3	2 2	2 1	3 1	1 1
32	72	Hæmorrhagic Conditions. { M. F.		24 11	2 1	.	.	.	1	.	3 1	.	2	.	.	.
31	73	Anaemias ... { M. F.		113 197	.	.	.	.	2	1	2 3	1	2	.	2	.
32	74	Leukæmias and Aleukæmias. { M. F.		31 17	.	.	.	.	1	1	2	.	.	1	1	.
32	75	Diseases of the Spleen { M. F.		5 13	.	.	.	.	.	.	.	2	.	.	.	.
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.		5 2	.	.	.	.	.	.	.	.	.	.	.	.
(33- 34)	(77- 79)	V. Chronic Poisoning { M. F.		4 2	.	.	.	.	.	.	.	.	.	.	.	.
33	77	Alcoholism (Ethylism) { M. F.		3 2	.	.	.	.	.	.	.	.	.	.	.	.
34	78	Lead Poisoning ... { M. F.		1	.	.	.	.	.	.	.	.	.	.	.	.
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.		.	.	.	.	.	.	.	.	.	.	.	.	.
(35- 41)	(80- 89)	VI. Diseases Of The Nervous System And Sense Organs. { M. F.		1,822 1,978	57 29	31 13	15 12	47 26	40 25	190 105	38 19	7 14	7 3	8 2	25 14	.
40	80	Encephalitis (non-epidemic). { M. F.		28 17	.	1	.	.	1	.	2	2 1	3	.	1	.
35	81	Meningitis (non-meningococcal). { M. F.		95 79	1 1	1 3	2	7	14 9	25 20	9 10	2	3 1	3 1	4 3	.
36	82	Diseases of the Medulla and Spinal Cord. { M. F.		49 31	.	.	.	.	.	.	.	1	.	.	.	.
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.		1,213 1,508	.	.	.	.	.	.	.	.	.	.	.	.
38	84	Mental Disorders and Deficiency. { M. F.		56 79	.	.	.	.	1	1	1	1	1	.	1	.
39	85	Epilepsy ... { M. F.		81 56	.	.	.	.	.	1	1	2 2	1	2	1	1
40	86	Convulsions (under 5 years). { M. F.		184 93	56 28	28 10	13 10	37 20	22 16	156 84	20 4	3 4	2 1	3 1	3 1	18 4
40	87	Other Diseases of the Nervous System. { M. F.		95 98	.	.	.	.	.	.	.	.	.	1	.	.
41	88	Diseases of the Organs of Vision. { M. F.		1 5	.	.	.	.	.	.	.	.	1	.	.	.
41	89	Diseases of the Ear and Mastoid Antrum. { M. F.		20 12	.	1	.	.	3	1	5	3 1	2	.	.	.

at different Periods of Life in the Year 1941.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
4 2	2 2	8 5	8 9	4 5	3 6	9 10	8 13	7 12	16 25	17 24	19 33	27 34	21 33	11 17	.	.	} (72-76)	(31-32)
1 2	1 2	6 1	2 2	.	1	1	.	.	1 2	2	1	2	1 2	.	.	.	} 72	32
1 2	1 2	1 2	3 4	4 4	2 6	6 8	4 10	4 9	9 19	10 21	18 30	20 28	17 31	9 17	.	.	} 73	31
2 .	1 .	1 2	1 2	3 3	.	.	2 1	2 1	4 3	5 2	1	3 2	3 2	1 1	.	.	} 74	32
.	.	.	.	.	.	.	1 1	2 1	1 1	1 1	2	3	.	1 1	.	} 75	32	
.	.	.	.	.	1	.	1 1	1 1	.	.	2	.	.	.	*	} 76	32	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	.	.	} (77-79)	(33-34)
.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	.	.	} 77	33
.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	.	.	} 78	34
.	.	.	.	.	.	1	.	1	.	.	1	1	1	1	.	.	} 79	34
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
27 26	16 22	20 15	26 20	23 21	35 25	30 30	36 45	53 76	72 94	116 149	190 238	247 268	308 354	331 390	42 61	1	} (80-89)	(35-41)
3 2	2	.	4 1	3	2	3 2	3	1 2	2 1	2	1	1	1	.	.	.	} 80	40
13 15	6 11	8 5	5 4	2 1	2 3	2 1	2	4	3	5 1	1	1	1	.	.	.	} 81	35
1 .	1 .	1 1	1 1	1 1	4 1	4 1	2	4 4	1 2	6 6	11 3	9 4	6 2	4 2	.	.	} 82	36
3 2	2	2 2	6 2	3 5	11 8	13 12	21 24	31 50	47 75	80 116	144 205	212 241	284 327	315 379	41 59	1	} 83	37
2 2	2	2 3	1 3	3 2	4 3	2 5	1 5	4 12	7 3	4 8	6 16	10 5	4 8	2 2	.	.	} 84	38
2 1	6 3	4 4	5 5	7	9 3	5 5	6 5	5 2	3 1	6 2	6 2	4 5	3 4	3 2	1	.	} 85	39
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	} 86	40
2 3	1 2	1 1	3 2	4 5	3 7	4 2	3 5	6 6	8 12	12 15	20 11	11 10	10 10	7 5	1	.	} 87	40
.	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	.	} 88	41
2 2	2	3	1 1	.	.	.	1	1	1	1	1	1	1	1	.	.	} 89	41

## ABSTRACT IV.—continued—CAUSES OF DEATH

			Causes of Death.	AGES A Total unde 5 years											
				All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	
Intermediate List Nos.	Detailed International List Nos.														
(42-48)	(90-103)	VII. Diseases Of The Circulatory System. { M. F.	5,248 4,867	1	1	1	1	1	1	23	1	1	21	41	97
42-46	90-95	Heart Diseases ... { M. F.	4,837 4,501	1	1	1	1	1	1	2	.	1	21	31	74
42	90	Pericarditis ... { M. F.	24 19	.	.	.	.	.	.	.	.	.	.	.	.
46	91	Acute Endocarditis ... { M. F.	43 45	.	.	.	.	.	.	.	.	.	1	.	1
43	92	Chronic Affection of the Valves and Endocardium. { M. F.	798 780	.	.	.	.	.	.	.	.	.	.	2	2
44	93	Diseases of the Myocardium. { M. F.	2,788 2,644	.	.	1	.	.	1	1	.	.	2	1	32
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. F.	429 209	.	.	.	.	.	.	.	.	.	.	.	.
46	95	Other Diseases of the Heart. { M. F.	755 804	1	.	.	.	.	.	1	.	1	.	1	21
48	96	Aneurysm (except of Heart and Aorta). { M. F.	3 5	.	.	.	.	.	.	.	.	.	.	1	1
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cerebral Hem.). { M. F.	234 183	.	.	.	.	.	.	.	.	.	.	.	.
47	98	Gangrene ... { M. F.	57 52	.	.	.	.	.	.	.	.	.	.	.	.
48	99	Other Diseases of the Arteries. { M. F.	17 8	.	.	.	.	.	.	.	.	.	.	.	.
48	100	Diseases of the Veins { M. F.	12 23	.	.	.	.	.	.	.	.	.	.	.	.
48	101	Diseases of the Lymphatic System. { M. F.	3 3	.	.	.	.	1	.	1	1	1	.	.	.
48	102	High Blood Pressure { M. (Idiopathic). F.	80 88	.	.	.	.	.	.	.	.	.	.	.	.
48	103	Other Diseases of the Circulatory System. { M. F.	5 4	1	.	.	.	.	.	1	.	.	.	.	1
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System. { M. F.	2,407 2,097	43 27	45 34	50 31	103 78	109 90	350 260	90 75	29 37	12 14	6 9	487 398	
52	104	Diseases of the Nasal Fossae and Annexa. { M. F.	4 4	.	.	.	1	.	1	.	1	.	.	.	1
52	105	Diseases of the Larynx { M. F.	13 9	.	.	.	1	2	2	4	1	1	1	1	6
49	106	Bronchitis ... { M. F.	1,017 935	12 7	11 11	13 10	23 12	19 15	78 55	10 10	3 7	1 3	1 3	92 78	
50	107-9	Pneumonia, All Forms { M. F.	1,017 864	29 19	33 22	34 21	77 59	86 70	259 191	72 64	24 29	11 9	6 5	371 291	
50	107	Broncho-pneumonia ... { M. F.	523 454	18 9	29 16	24 8	48 41	68 46	187 120	63 50	15 23	8 6	5 4	275 201	
50	108	Lobar Pneumonia ... { M. F.	165 104	6 2	.	3 1	2 4	4 3	15 10	2 3	1 2	2 1	2 1	21 14	
50	109	Pneumonia (unspecified). { M. F.	329 306	5 8	4 6	7 12	27 14	14 21	57 61	7 11	8 4	1 3	1 1	71 80	

at different Periods of Life in the Year 1941.

## DEATH.

																			Detailed International List No. Ref.	Intermediate List No. Ref.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—	90 & up- wards			
13	9	21	28	41	38	53	82	144	231	392	662	939	1,161	1,250	162	8	(60- 103)	(42- 41)		
10	16	23	34	39	41	73	99	103	194	324	610	720	1,026	1,304	224	13		90- 95	42- 4	
12	8	21	28	39	37	55	77	137	213	365	605	870	1,058	1,152	146	7				
10	15	28	34	36	38	67	96	94	175	300	571	681	941	1,191	209	11				
1	1	.	3	5	.	1	4	1	3	1	1	1	2	1	1	.		90	42	
3	3	4	4	6	6	7	3	7	2	2	3	2	2	2	.	.		91	46	
1	5	6	11	8	8	3	3	2	1	1	3	2	1	.	.	.				
2	2	6	11	14	13	11	18	31	50	66	100	154	171	136	10	1	92	43		
3	4	12	8	11	14	21	29	31	45	68	104	127	142	142	19	.				
3	4	1	5	6	7	15	21	35	60	91	184	311	486	677	768	111	4	93	44	
2	2	5	5	7	11	14	23	43	33	84	151	314	385	579	830	148	9		45	
.	.	1	1	1	.	1	5	4	17	37	61	89	77	68	64	4	.	94		
.	.	1	1	1	3	3	11	7	10	20	36	42	32	40	4	.		95	46	
3	1	2	5	3	7	5	10	14	26	29	53	102	149	139	183	21	2		96	48
.	.	3	5	5	5	5	15	10	19	33	60	113	124	185	178	38	2		97	47
.	.	.	.	.	3	.	.	.	.	.	1	1	.	.	1	.	.	98	47	
.	.	.	.	.	.	.	1	.	1	7	13	31	35	68	66	11	.		99	48
.	.	.	.	.	.	.	1	.	2	4	5	7	18	19	4	1	.	100	48	
.	.	.	.	.	.	.	1	.	3	1	4	3	3	3	2	1	.	101	48	
.	.	.	.	.	.	.	1	1	5	3	4	3	4	6	1	.		102	48	
.	.	.	.	.	.	1	1	5	3	11	9	7	16	18	14	8	.	103	48	
.	.	.	.	.	.	1	1	5	3	1	1	1	1	1	1	.				
26	10	18	24	29	31	41	53	88	91	136	237	293	363	408	70	2	(104- 114)	(49- 52)		
20	13	13	16	25	26	37	35	45	62	112	177	243	359	441	75	3		104	52	
.	.	.	1	2	1	.	.	1	.	.	.	.	.	.	.	.	105	52		
1	1	.	.	.	.	.	.	1	.	2	1	1	1	.	.	.				
.	1	2	1	4	2	11	6	16	33	28	61	116	148	195	259	44	1	106	49	
.	2	1	3	6	5	10	9	17	30	51	75	125	192	271	47	1		107-	50	
25	6	15	15	17	14	20	22	30	42	45	73	94	112	97	18	24	.	9	50	
15	10	6	9	14	14	21	17	16	19	37	69	80	96	119	.					
14	2	8	6	7	5	10	6	7	12	16	20	29	44	56	5	.	107	50		
6	3	4	1	5	5	10	6	6	10	17	24	39	45	56	14	3		108	50	
6	1	3	2	3	1	5	5	4	4	9	18	16	21	21	15	2	.	109	50	
5	3	4	5	9	4	8	7	10	14	12	13	35	51	47	26	10	.	109	50	
8	2	1	6	6	6	8	7	7	6	3	12	35	28	41	48	8	.			

## ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot und 5 yea
		VIII. Diseases Of The Respiratory System—contd.												
51	110	Pleurisy ... {M. F.	64 35	.	.	.	.	1	.	1	2	.	.	.
52	111	Congestion, Oedema {M. Haemorrhagic Infarc- tion and Thrombosis { of the Lungs.	124 125	2 1	1 1	3	2 5	2 3	10 10	1 1	.	.	.	1
52	112	Asthma ... {M. F.	117 109	.	.	.	.	.	.	.	.	1 1	1	.
52	113	Pulmonary Emphysema {M. F.	9 1	.	.	.	.	.	.	.	.	.	.	.
52	114	Other Diseases of the {M. Respiratory System. {F.	42 15	.	.	.	.	.	.	.	.	.	.	.
(53- 60)	(115- 129)	IX. Diseases Of The {M. Digestive System. {F.	1,331 1,054	56 42	75 61	93 67	175 133	96 80	495 383	50 34	19 7	9 15	5 4	57 44
60	115	Diseases of the Buccal Cavity and Annexa {M. and of the Pharynx {F. and Tonsils.	22 28	.	.	.	1 1	1 1	2 2	.	1 1	1 1	.	.
60	116	Diseases of the Oesophagus. {M. F.	3 4	.	.	.	.	.	.	.	.	.	.	.
53	117	Ulcer of the Stomach {M. and Duodenum. {F.	246 93	.	.	.	.	.	.	.	.	.	.	.
60	118	Other Diseases of the {M. Stomach. {F.	103 105	4 2	9 4	3 6	4 4	3 5	23 21	5 1	.	1 1	1 1	3 2
54- 55	119- 120	Enteritis and Diarrhoea {M. F.	571 449	52 39	64 57	90 60	168 122	86 67	460 345	41 29	14 5	3 1	1 7	51- 38
56	121	Appendicitis ... {M. F.	70 57	.	.	.	.	.	.	1 1	3 1	2 1	1 3	.
57	122	Hernia, Intestinal Obstruction. {M. F.	159 146	.	1 1	.	2 6	6 7	9 14	2 2	2 2	1 1	2 1	1
60	123	Other Diseases of the {M. Intestines. {F.	25 27	.	1 1	.	.	.	1 1	.	.	.	2 1	.
58	124	Cirrhosis of the Liver {M. F.	41 21	.	.	.	.	.	.	.	.	.	.	.
59	125	Other Diseases of the {M. Liver. {F.	32 19	.	.	.	.	.	.	1	.	.	.	.
59	126	Biliary Calculi ... {M. F.	22 42	.	.	.	.	.	.	.	.	.	.	.
59	127	Diseases of the Gall Bladder and Ducts. {M. F.	9 33	.	.	.	.	.	.	.	.	.	.	.
60	128	Diseases of the Pancreas {M. (other than Diabetes). {F.	10 9	.	.	.	.	.	.	.	.	.	.	.
60	129	Peritonitis, without stated cause. {M. F.	18 21	.	.	.	.	.	.	.	.	1 2	.	.

at different Periods of Life in the Year 1941.

DEATH.

																		95 & up-wards	Detailed International List Nos.	Intermediate International Nos.
5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-				
.	.	1 5	2 3	4 1	3	7 2	4	8	4 3	3 2	8 5	8 2	6 6	2 6	1 1	.	.	110	51	
1	.	1 1	1 1	1 2	2 3	4 2	2 3	5 3	3 4	11 6	17 10	14 16	23 32	25 25	3 4	1 2	111	52		
.	.	1	.	1	1	3	1	6	5 9	7 6	10 15	15 18	22 14	20 23	23 17	4	.	112	52	
.	.	.	.	1	.	.	.	.	2	1	1	1	1	4	.	.	113	52		
1	2 1	1	1	1	1	3 2	3 3	7	3	5	6	6 4	3	1 3	.	.	114	52		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
20 16	12 13	13 9	25 9	26 17	24 14	29 21	48 31	57 41	54 50	76 49	82 81	88 81	98 77	94 96	9 4	2	(115 -129)	(53- 60)		
2 3	1	2 1	2 2	3	1	1	2	3 1	2 1	1	3	2	3	2 1	1	1	115	60		
.	.	.	.	.	.	.	.	1	1	.	.	2	1	.	2	.	116	60		
.	.	1	9	6 2	13 1	14 5	26 5	24 7	27 11	24 9	34 15	24 16	22 9	21 12	1 1	.	117	53		
1	.	.	1	1	1	.	2	6	3	4	7	11	9	12	15	2	118	60		
.	.	1	1	1	1	1	1	1	1	1	1	1	5	5	5	5	119- 120	54- 5		
5 4	3	1	2	3	3	1	1	5	4	4	14	14	8	9	9	.	121	56		
4 3	5 7	6 4	7 1	8 4	2	5	4	3	1	3	3	3	4	6	1	1	122	57		
2 1	1 2	1	2	1	1	4	2	3	6	10	7	15	13	22	27	30	123	60		
1	.	.	.	1	1	1	1	1	1	2	1	1	6	5	4	2	124	58		
.	1	1	.	.	.	2	3	1	7 3	3	1	7	5	5	4	.	125	59		
.	1	1	1	2 1	2	1	2	2	1	2	2	2	3	4	2	1	126	59		
.	.	.	.	.	.	1	.	1	1	1	4	1	5	2	1	1	127	59		
.	.	1	.	.	1	1	1	1	2	2	2	1	1	1	1	1	128	60		
7 2	1	1	1	.	1	1	1	1	1	1	2	1	1	1	1	1	129	60		

**ABSTRACT IV.—Continued—CAUSES OF DEATH**

at different Periods of Life in the Year 1941.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.	International List Nos.	
7 4	4 4	9 8	9 9	11 10	15 19	18 21	27 30	30 28	56 45	70 44	141 71	177 77	258 85	240 80	30 11	3	{(130) 139}	(61- 67)		
7 4	4 4	8 8	7 7	10 7	13 18	18 17	21 26	23 24	48 40	56 41	91 62	111 71	132 76	123 67	16 10	.	{(130- 132)}	61		
7 3	3 3	6 3	3 2	3 3	4 2	3 2	4 9	4 5	3 2	6 5	5 7	10 9	7 9	6 6	.	.	{(130)}	61		
1 1	.	1 4	1 3	4 3	6 6	7 7	10 8	10 11	22 20	27 21	45 38	57 31	74 41	63 38	9 7	.	{(131)}	61		
.	.	2 1	3 1	3 10	3 8	7 9	9 8	23 18	23 15	41 17	44 31	61 26	54 23	7 3	.	{(132)}	61			
.	.	1 1	2 1	1 1	2 1	1 1	5 1	2 3	5 1	4 2	12 7	9 4	14 4	10 8	1	.	{(133)}	62		
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	{(134)}	63		
.	.	.	.	.	.	.	.	.	.	2	9	14 1	26 4	36 4	3	1	{(135)}	64		
.	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	{(136)}	65		
.	.	.	.	.	.	.	.	.	1	4	2	8	27	42	84	71	11	2	137	66
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	138	67		
.	.	.	1	2	1	3	1	.	1	1	1	1	1	1	.	.	139	67		
.	.	3	19	40	43	44	29	4	.	.	.	.	.	.	.	.	(140- 150)	(68- 72)		
.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	140	70		
.	.	1	.	1	1	4	3	.	.	.	.	.	.	.	.	.	141	69		
.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	142	68		
.	.	2	.	2	2	2	4	.	.	.	.	.	.	.	.	.	143	68		
.	.	3	9	8	6	4	1	.	.	.	.	.	.	.	.	.	144	68		
.	.	1	1	1	1	4	.	.	.	.	.	.	.	.	.	.	145	68		
.	.	1	1	9	8	6	4	2	.	.	.	.	.	.	.	.	146	72		
.	.	1	11	5	8	8	7	.	.	.	.	.	.	.	.	.	{(147)}	71		
.	.	1	4	2	3	5	6	1	.	.	.	.	.	.	.	.	{(148)}	72		
.	.	3	3	5	6	3	1	.	.	.	.	.	.	.	.	.	149	72		
.	.	3	3	4	.	.	.	.	.	.	.	.	.	.	.	.	150	72		

**ABSTRACT IV.—continued—CAUSES OF DEATH**

at different Periods of Life in the Year 1941.

DEATH.

																		95 & up- wards	Detailed International List Nos.	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—				
.	.	1	1	1	1	2	1	3	3	5	10	6	8	12	.	1	.	{(151-153}	73	
.	.	.	.	1	.	.	1	1	1	1	2	4	6	6	1	2	1	.	151	73
.	.	.	.	1	1	1	.	1	3	3	1	1	5	6	3	.	.	{(152}	73	
.	1	1	1	.	1	.	1	1	1	1	3	1	1	4	2	3	.	{(153}	73	
11 3	5 5	8	2	1	2 1	1	2 2	2 1	2	5 3	4	3	3	3 2	1	.	.	{(154-156}	74	
9 2	4 4	7	1	1	2	1	1	1	2	3 3	3	1	2	1	2	1	.	154	74	
1 1	1	1	.	.	1	.	1	1	.	.	.	1	.	.	1	.	.	{(155}	74	
1 1	1	.	1	.	.	.	1	1	.	2	1	1	1	1	1	.	.	{(156}	74	
																		(157)	75	
5 3	4 2	3 2	2 2	2 1	2 1	1 1	.	1	.	1	.	.	.	.	.	.	.	{(157}	75	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	{(158-161}	(76-79)	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	158	76	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	{(159}	77	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	{(160}	78	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	{(161}	79	
																		(162)	80	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	39 35	499 568	1,792 2,000	622 738	59 88	{(162}	80
23 14	24 10	35 6	34 8	36 15	30 5	31 11	38 9	43 9	37 13	36 16	44 18	46 21	32 45	36 63	13 18	1 1	.	{(163-166}	(81-86)	
.	.	4	4	3	3	5	11	13	9	8	3	9	2	2	.	.	{(163-164}	81		
.	.	.	1	2	1	1	1	1	.	.	.	.	.	.	.	.	{(165-168}	82		
23 14	24 10	31 6	29 8	31 13	27 3	25 10	27 7	30 8	28 12	28 11	41 17	37 20	30 45	34 62	13 18	1 1	.	{(169-172}	(83-86)	
.	.	1	.	1	.	1	2	1	1	.	2	1	.	.	.	.	.	{(169}	84	
8 6	5 3	6 1	10 3	5 3	6	2	6	2	4	4	5	3	2	2	.	.	.	{(170}	83	
.	4 1	7	1	5 2	3	4 2	4	8	4	4	5	3	3	3	.	.	.	{(171}	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	{(172}	84		
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	{(173}	84		

## ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
		<b>XVII. Deaths from Violence</b> <i>—contd.</i>											
84	174	Accidents in Mines and Quarries. { M. F.	3	.	.	.	.	.	.	.	.	.	.
84	175	Agricultural and Forestry Accidents. { M. F.	5	.	.	.	.	.	.	.	.	.	.
84	176	Accidents caused by Machinery. { M. F.	10	.	.	.	.	.	.	.	1	.	.
84	177	Food Poisoning ... { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5	.	.	.	.	.	.	.	.	.	.
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	1	.	.	.	.	.	.	1	.	.	1
84	180	Conflagration ... { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	181	Accidental Burns (Conflagration excepted). { M. F.	64	.	.	.	1	.	1	2	12	8	7
			73	.	.	.	.	.	.	7	11	5	6
84	182	Accidental Mechanical Suffocation. { M. F.	3	1	.	3	1	2	.	1	.	.	.
84	183	Accidental Drowning ... { M. F.	91	.	.	.	.	.	.	1	2	2	1
			26	.	.	.	.	.	.	1	1	.	.
84	184	Accidental Injury by Firearms. { M. F.	16	.	.	.	.	.	.	.	.	.	.
			1	.	.	.	.	.	.	.	.	.	.
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	186	Accidental Injury by Fall, Crushing, Land-slide, etc. { M. F.	77	.	.	.	.	1	.	1	1	5	2
			31	.	.	.	.	1	.	1	1	.	.
84	187	Cataclysm ... { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	188	Injury by Animals ... { M. F.	7	.	1	.	.	.	.	1	.	.	.
84	189	Hunger or Thirst ... { M. F.	4	1	.	.	.	.	.	1	.	.	.
84	190	Excessive Cold ... { M. F.	1	.	.	.	.	.	.	.	.	.	.
84	191	Excessive Heat ... { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	192	Lightning ... { M. F.	1	.	.	.	.	.	.	.	.	.	.
84	193	Other Accidents due to Electric Currents { M. F.	4	.	.	.	.	.	.	.	.	.	.
84	194	Attack by Venomous Animals. { M. F.	.	.	.	.	.	.	.	.	.	.	.
84	195	Other Accidents ... { M. F.	76	5	.	.	.	1	.	6	1	.	.
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	108	9	.	.	.	.	.	9	.	.	.
			6	.	.	.	.	.	.	.	.	.	.
85	197	Deaths of Civilians due to Operations of War. { M. F.	14	.	.	.	1	.	.	1	1	1	.
			18	.	.	.	.	.	.	1	1	.	.
86	198	Legal Executions ... { M. F.	2	.	.	.	.	.	.	.	.	.	.
87	(199-200)	<b>XVIII. Ill-defined Causes of Death.</b> { M. F.	242	5	1	1	.	1	.	5	13	6	1
			240	1	1	1	.	1	.	3	6	4	1
87	199	Sudden Death { M. F.	9	.	.	.	.	.	.	.	.	.	.
87	200	Causes of Death Unstated or Ill-defined. { M. F.	233	5	1	1	.	1	.	5	13	4	1
			235	1	1	1	.	1	.	3	6	4	1

at different Periods of Life in the Year 1941.

## SATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.	
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.	174	84	
1	.	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	175	84	
1	.	3	.	.	1	.	.	1	1	1	.	1	.	.	.	.	176	84	
.	.	.	.	.	.	2	.	.	.	.	.	2	1	1	.	.	177	84	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	178	84		
1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	179	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	180	84		
3	1	1	2	1	1	.	1	1	2	1	5	2	3	2	8	12	181	84	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	182	84	
6	1	7	8	8	3	2	4	2	3	5	2	6	2	7	1	1	.	183	84
.	.	1	5	5	1	1	.	.	.	2	1	6	2	7	3	2	.	184	84
.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.	.	185	84	
.	2	4	2	3	1	3	9	5	5	1	5	2	3	7	2	5	1	186	84
.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	1	1	187	84	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	188	84	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	189	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	190	84	
.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	191	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	192	84	
1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	193	84	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	194	84	
3	3	1	.	5	2	4	2	1	1	5	2	1	4	5	9	13	195	84	
.	.	.	.	.	.	.	.	.	1	1	1	1	1	7	28	37	196	85	
1	2	.	1	1	2	2	1	3	1	1	1	2	1	2	1	.	197	85	
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	198	86	
3	2	1	1	3	1	5	6	5	6	13	21	18	18	58	87	1	(199) —200)	87	
.	.	.	.	.	.	.	.	.	1	.	3	2	1	1	1	2	199	87	
3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	200	87	

## **ABSTRACT V.**

---

**ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1941.**

64

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Else-where.		
	<b>ALL CAUSES</b> ... ... M. } F. }	<b>43,797</b> {	<b>22,642</b>	<b>2,417</b>	<b>626</b>	<b>402</b>	<b>758</b>	<b>888</b>	<b>1,022</b>	<b>1,582</b>	<b>3,218</b>	<b>5,958</b>	<b>5,770</b>	<b>2,978</b>	<b>699</b>	<b>4,663</b>	<b>14,402</b>	<b>3,356</b>	
			<b>21,155</b>	<b>1,758</b>	<b>527</b>	<b>407</b>	<b>847</b>	<b>912</b>	<b>1,036</b>	<b>1,418</b>	<b>2,899</b>	<b>5,167</b>	<b>6,184</b>	<b>2,267</b>	<b>657</b>	<b>3,475</b>	<b>14,756</b>	<b>3,538</b>	
1	Typhoid Fever (including Para-typhoid).	38 {	18	.	.	2	2	5	8	4	2	4	1	.	4	2	10	2	.
			20	.	.	2	3	3	3	4	4	4	1	.	5	8	7	.	
2	Cerebro-spinal Fever ...	41 {	24	4	9	4	2	1	2	1	1	1	1	.	.	13	.	6	.
			17	2	6	5	2	1	.	.	.	.	1	.	6	6	6	5	.
3	Scarlet Fever ...	32 {	15	3	4	5	3	.	.	.	.	.	.	.	5	.	7	3	1
			17	2	2	9	1	2	1	.	.	.	.	.	3	.	9	5	.
4	Whooping-cough ...	150 {	77	50	26	1	.	.	.	.	.	.	.	.	21	.	6	50	9
			73	33	37	3	.	.	.	.	.	.	.	.	12	.	6	55	7
5	Diphtheria ... ... M. } F. }	165 {	85	12	45	26	1	1	2	1	3	1	.	.	37	.	38	10	.
			80	7	31	34	1	1	2	1	3	1	.	.	32	1	38	9	.
6	Tuberculosis of the Respiratory System.	2,882 {	1,438	2	8	22	302	365	310	221	148	55	7	383	107	339	609	38	.
			1,444	1	8	49	460	403	249	148	87	36	3	371	89	293	691	16	.
7	All other forms of Tuberculosis ...	829 {	417	17	75	64	89	75	33	25	28	10	1	118	13	132	154	6	.
			412	20	64	69	112	55	42	20	13	13	4	94	28	125	165	4	.
8	Dysentery ... ... M. } F. }	4 {	3	.	.	.	.	.	.	.	.	3	.	.	3	.	.	1	.
			1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
9	Influenza ... ... M. } F. }	1,335 {	614	32	13	7	13	12	24	39	66	219	189	18	17	95	484	135	.
			721	20	14	7	7	17	24	37	121	267	207	7	13	49	652	169	.
10	Measles ... ... M. } F. }	89 {	47	12	25	8	1	.	.	.	.	1	.	.	12	.	8	27	2
			42	9	23	4	1	4	1	.	.	.	.	.	9	.	3	30	2
11	Acute Infectious Encephalitis ...	24 {	15	.	2	1	1	3	3	3	2	.	1	.	4	2	6	3	.
			9	.	2	1	.	2	1	2	.	1	.	3	3	2	1	.	
12	Typhus ... ... M. } F. }	6 {	5	.	.	.	.	1	3	.	.	1	.	.	.	.	3	2	.
			1	.	.	.	.	1	3	.	.	1	.	.	.	.	1	.	
13	Cancer ... ... M. } F. }	3,790 {	2,004	.	1	4	5	21	73	218	544	825	313	266	30	525	1,183	47	.
			1,786	.	3	1	6	27	107	296	527	561	258	39	327	33	1,167	33	.
14	Diabetes Mellitus ... ... M. } F. }	277 {	136	1	.	1	9	10	9	13	33	40	20	17	1	36	82	8	.
			141	.	1	7	5	3	8	12	43	46	16	25	2	30	84	4	.

15	Intra-cranial Lesions of Vascular M. Origin. F. }	2,721 {	1,213 1,508	.	.	3 2	8 4	14 13	34 36	78 125	224 321	496 568	356 439	99 100	28 32	265 245	821 1,131	107 132		
16	Diseases of the Heart ... M. } F. }	9,338 {	4,837 4,501	1 2	6 2	20 25	49 62	76 74	132 163	350 269	970 871	1,928 1,622	1,305 1,411	295 234	257 239	986 782	3,299 3,246	274 261		
17	Other Diseases of the Circulatory M. System. F. }	777 {	411 366	1 1	1 2	2 1	.	3 6	8 9	25 28	84 63	172 126	115 130	41 36	10 6	148 120	212 204	3 11		
18	Bronchitis ... ... M. } F. }	1,952 {	1,017 935	78 55	14 23	1 4	4 4	13 11	22 19	61 47	177 126	343 327	304 319	45 24	13 11	209 144	750 756	113 137		
19	Pneumonia ... ... M. } F. }	1,881 {	1,017 864	259 191	113 107	31 25	30 15	31 28	42 38	72 35	118 106	206 176	115 143	133 88	18 21	189 104	677 651	48 56		
20	Other Diseases of the Respiratory M. System. F. }	671 {	873 298	13 14	10 5	4 4	8 10	16 12	30 15	46 25	78 57	107 99	61 57	59 34	9 1	79 47	226 216	14 18		
21	Ulcer of the Stomach or Duo- M. } denum. F. }	339 {	246 93	.	.	.	1	10 3	19 10	40 18	51 24	58 22	46 25	22 12	63 16	4 1	88 20	91 56	7 7	
22	Diarrhoea and Enteritis ... M. } F. }	1,020 {	571 449	460 345	59 42	8 4	2 2	6 1	4 6	4 8	7 19	12 13	9 9	278 185	5 5	95 69	193 190	8 3		
23	Appendicitis ... ... M. } F. }	127 {	70 57	.	7	9	13	10	9	4	6	10	2	26 18	1	36 33	7 6	.		
24	Cirrhosis of the Liver ... M. } F. }	62 {	41 21	.	.	.	1	.	1	3	10 4	12 7	13 7	4	7 4	1 1	6 16	27 .	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	157 {	63 94	.	1	1	3	3	6	6	14 17	19 34	10 17	18 17	.	16 17	29 60	4 2		
26	Other Diseases of the Digestive M. System. F. }	680 {	840 340	35 38	16 13	14 13	9 9	10 16	17 19	36 37	61 57	86 76	56 62	63 53	3 1	105 101	169 185	25 19		
27	Nephritis ... ... M. } F. }	1,184 {	694 490	2 3	4 5	11 8	15 15	23 25	39 43	71 64	147 103	243 147	139 147	163 77	6 7	211 95	374 343	22 15		
28	Puerperal Infection ... F.	43	43	.	.	.	13	15	15	.	.	.	.	10	2	15	16	.		
29	Other Diseases of Childbirth ... F.	139	139	.	.	.	9	68	58	4	.	.	.	35	.	42	62	1		
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	2,094 {	1,214 880	1,183 882	13 14	9 5	5 4	2 3	1 1	1 1	.	.	.	371 262	10	203 182	630 436	196 106		
31	Senility ... ... M. } F. }	6,440 {	8,011 3,429	.	.	.	.	.	.	.	.	.	.	538 603	2,473 2,826	12 27	54 69	250 201	2,695 3,132	1,949 2,225
32	Suicide ... ... M. } F. }	90 {	76 14	.	.	.	8	6	16	22	11	11	2	12 3	4 1	7 10	53 .	1		
33	Other Violence ... ... M. } F. }	863 {	536 327	17 22	56 37	47 24	61 14	60 17	53 18	58 20	69 28	67 65	48 82	107 65	5 2	117 90	307 170	1 4		
34	Other Causes ... ... M. } F. }	3,557 {	2,014 1,543	235 141	118 81	98 89	104 81	102 87	103 130	167 186	358 290	510 348	219 110	248 191	96 77	442 270	1,228 1,005	338 304		

**ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hosptals.	County Homes and Hospis. District Hosps. and Co. Infiraries.	Elsewhere.	Un-certified Deaths
	ALL CAUSES ... ... M. F.	18,223 { 9,420 8,803 }	956 { 1,337 956 }	299 { 250 185 }	181 { 403 414 }	344 { 403 414 }	386 { 455 634 }	494 { 455 634 }	765 { 1,238 2,074 }	1,516 { 1,238 2,074 }	2,245 { 2,074 1,853 }	1,853 { 2,194 1,584 }	2,022 { 1,584 307 }	307 { 282 282 }	1,909 { 1,397 1,397 }	5,182 { 5,540 601 }		
1	Typhoid Fever (including Para-typhoid). M. F.	15 { 6 9 }	6 { 9 }	.	.	.	2	.	1	3	2	4	1	.	2	3 { 5 }	1 { 1 }	.
2	Cerebro-spinal Fever ... M. F.	18 { 11 7 }	3 { 1 }	2	2	1	1	1	2	1	1	.	.	.	8 { 5 }	1 { 1 }	2 { 1 }	
3	Scarlet Fever ... ... M. F.	12 { 7 5 }	2 { 1 }	2	2	1	.	1	.	.	.	.	.	.	3 { 1 }	3 { 3 }	1 { 1 }	
4	Whooping-cough ... ... M. F.	83 { 43 40 }	28 { 22 }	14 { 18 }	1	.	.	.	.	.	.	.	.	19 { 11 }	.	2 { 3 }	22 { 26 }	5 { 3 }
5	Diphtheria ... ... M. F.	98 { 49 49 }	7 { 5 }	28 { 21 }	13 { 19 }	1 { 1 }	2	.	1	.	.	.	.	33 { 28 }	.	14 { 15 }	2 { 5 }	.
6	Tuberculosis of the Respiratory System. M. F.	1,387 { 713 674 }	2 { 5 }	7 { 24 }	10 { 229 }	152 { 201 }	162 { 112 }	154 { 57 }	116 { 32 }	77 { 12 }	29 { 2 }	4 { 2 }	182 { 190 }	33 { 34 }	181 { 135 }	317 { 315 }	12 { 3 }	
7	All other forms of Tuberculosis ... M. F.	401 { 201 200 }	11 { 11 }	40 { 39 }	34 { 27 }	43 { 55 }	32 { 27 }	13 { 23 }	11 { 7 }	12 { 4 }	4 { 5 }	1 { 2 }	87 { 72 }	2 { 13 }	48 { 42 }	64 { 73 }	2 { 2 }	
8	Dysentery ... ... ... M. F.	2 { 2 }	.	.	.	.	.	.	.	.	2	.	.	.	2 { 2 }	.	.	
9	Influenza ... ... ... M. F.	333 { 146 187 }	9 { 8 }	4 { 4 }	3 { 2 }	3 { 2 }	4 { 2 }	9 { 10 }	10 { 15 }	19 { 29 }	45 { 67 }	40 { 53 }	8 { 3 }	2 { 4 }	30 { 24 }	9 { 171 }	22 { 24 }	
10	Measles ... ... ... M. F.	43 { 19 24 }	6 { 7 }	11 { 12 }	1 { 2 }	.	3	.	.	.	1	.	11 { 9 }	.	8 { 1 }	14 { 1 }	1 { 1 }	
11	Acute Infectious Encephalitis ... M. F.	13 { 7 6 }	.	1 { 2 }	1 { 1 }	.	3 { 2 }	.	1 { 1 }	1 { 1 }	.	1 { 1 }	3 { 3 }	1 { 2 }	3 { 1 }	.	1 { 1 }	
12	Typhus ... ... ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... ... M. F.	1,637 { 859 778 }	.	2 { 2 }	1 { 2 }	2 { 7 }	13 { 46 }	38 { 134 }	103 { 230 }	264 { 235 }	323 { 122 }	115 { 174 }	174 { 167 }	14 { 16 }	205 { 125 }	466 { 470 }	13 { 4 }	
14	Diabetes Mellitus ... ... ... M. F.	93 { 43 50 }	.	.	.	4 { 4 }	2 { 4 }	5 { 1 }	4 { 2 }	3 { 6 }	9 { 13 }	12 { 14 }	8 { 6 }	10 { 16 }	1 { 1 }	9 { 6 }	23 { 28 }	2 { 2 }

15	Intra-cranial Lesions of Vascular M. Origin. F. }	1,245 {	562 683	.	.	1	4	7	20	36	117	216	161	80	13	129	340	25	
16	Diseases of the Heart ... M. F. }	4,212 {	2,098 2,114	.	5	10	17	33	71	177	452	764	569	207	145	367	1,379	81	
17	Other Diseases of the Circulatory M. System. F. }	448 {	232 216	.	.	1	.	1	6	14	53	93	64	33	2	95	102	1	
18	Bronchitis ... ... M. F. }	833 {	438 395	29	7	1	2	5	13	35	81	143	122	33	3	108	294	15	
19	Pneumonia ... ... M. F. }	820 {	461 359	145 100	51	14	18	13	19	31	61	74	35	116	6	80	259	13	
20	Other Diseases of the Respiratory M. System. F. }	305 {	178 127	4	4	3	4	9	19	31	38	42	24	40	7	35	96	2	
21	Ulcer of the Stomach or Duo- M. denum. F. }	140 {	100 40	.	.	1	.	3	7	16	21	24	16	13	42	1	26	31	2
22	Diarrhea and Enteritis ... M. F. }	674 {	392 282	348 237	27	3	.	1	1	1	1	3	5	3	248	4	57	83	2
23	Appendicitis ... ... M. F. }	48 {	21 27	.	1	3	2	5	2	2	3	2	1	12	.	6	3	.	
24	Cirrhosis of the Liver ... M. F. }	34 {	22 12	.	.	1	.	1	1	7	7	5	1	6	.	4	12	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	65 {	30 35	.	1	.	2	2	3	2	7	8	5	15	.	5	10	1	
26	Other Diseases of the Digestive M. System. F. }	260 {	136 124	12	7	8	2	4	10	18	26	27	22	41	2	31	62	4	
27	Nephritis ... ... M. F. }	541 {	315 226	2	1	3	6	12	17	40	72	108	50	67	3	107	138	8	
28	Puerperal Infection ... ... F.	26	26	.	.	.	9	8	9	.	.	.	7	1	6	12	.		
29	Other Diseases of Childbirth ... F.	55	55	.	.	.	4	25	24	2	.	.	.	19	.	10	26	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	1,108 {	647 461	632 453	8	4	1	1	.	1	.	.	.	294	8	89	256	52	
31	Senility ... ... M. F. }	1,508 {	657 851	.	.	.	.	.	.	.	139	518	5	13	87	552	297		
32	Suicide ... ... M. F. }	38 {	31 7	.	.	.	5	2	5	12	5	1	1	10	3	1	17	.	
33	Other Violence ... ... M. F. }	427 {	261 166	6	29	22	35	33	24	27	37	29	19	80	2	42	137	1	
34	Other Causes ... ... M. F. }	1,301 {	733 568	91	49	40	38	30	44	65	146	162	68	153	40	141	399	76	
					34	35	34	36	48	65	97	119	42	141	26	72	329	58	

**ABSTRACT V—continued—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.		
	ALL CAUSES ... ... M. F. }	571 {	269 302	38 18	12 8	9 6	11 11	11 12	8 21	15 17	36 39	67 91	62 79	22 17	6 8	62 53	179 224	27 40	
1	Typhoid Fever (including Para-typhoid). ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Fever ... ... M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
3	Scarlet Fever ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping-cough ... ... M. F. }	5 {	2 3	1	1 3	.	.	.	.	.	.	.	.	.	.	2 3	1 1		
5	Diphtheria ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
6	Tuberculosis of the Respiratory System. ... M. F. }	45 {	29 16	.	.	2 1	8 4	8 4	5 4	3 2	1 1	2	.	4	2	10 4	13 12	1	
7	All other forms of Tuberculosis ... M. F. }	17 {	6 11	.	1 1	2 2	2 1	1	.	2	1	.	.	3	.	1 4	5 4	.	
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... M. F. }	31 {	13 18	3	1	.	.	.	1	2	1 1	1 2	6 9	1 2	2	1	3	11 14	3 2
10	Measles ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. F. }	44 {	20 24	.	.	.	.	.	*	*	1 5	10 8	7 8	2 3	2	.	6 4	12 18	
14	Diabetes Mellitus ... ... M. F. }	4 {	4	.	.	.	.	.	*	*	.	2	1	1	.	2	*		

15	Intra-cranial Lesions of Vascular M. } Origin. F. }	33 {	14 19	.	.	.	.	.	.	.	.	1	4 5	3 8	7 5	.	.	2 5	12 14	2	1	
16	Diseases of the Heart ... M. } F. }	141 {	62 79	.	.	.	.	.	.	.	1	3	6 3	10 14	25 37	21 21	1 1	3 4	18 22	40 52	1	3
17	Other Diseases of the Circulatory M. } System. F. }	6 {	2 4	.	.	.	.	.	.	.	.	.	1	2 1	2 1	.	.	.	2 4	.	.	
18	Bronchitis ... ... M. } F. }	23 {	11 12	2 1	.	.	.	.	.	.	.	1	3 1	3 6	3 3	1	.	2	8 12	1	3	
19	Pneumonia ... ... M. } F. }	17 {	11 6	4 1	1 1	.	.	.	1	.	.	1	1 1	2 1	1 2	.	2	4 1	7 3	.	.	
20	Other Diseases of the Respiratory M. } System. F. }	5 {	3 2	.	.	.	.	.	.	.	.	1	.	1 1	1 1	1 1	.	.	2 1	.	.	
21	Ulcer of the Stomach or Duo- M. } denum. F. }	6 {	3 3	.	.	.	.	.	.	.	.	2	.	1 1	1 1	.	1	.	3 2	.	1	
22	Diarrhoea and Enteritis ... M. } F. }	3 {	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	
23	Appendicitis ... ... M. } F. }	2 {	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.		
24	Cirrhosis of the Liver ... M. } F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
25	Diseases of the Liver and Biliary M. } Passages. F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.		
26	Other Diseases of the Digestive M. } System. F. }	6 {	4 2	1	1	1	.	1	.	.	.	1	.	1	.	1	.	.	3 2	.	1	
27	Nephritis ... ... M. } F. }	9 {	3 6	.	.	.	.	.	.	1	3	1	1	.	1	.	1	1	2 4	.	1	
28	Puerperal Infection ... F.	2 {	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.		
29	Other Diseases of Childbirth ... F.	5 {	5	.	.	.	.	.	1	2	2	.	.	.	.	2	.	1	2	.		
30	Congenital Debility, etc. (Nos. M. } 157—161). F. }	37 {	25 12	24 12	1	.	.	.	.	.	.	.	.	.	.	.	6 2	.	4 3	15 7	5 1	
31	Senility ... ... M. } F. }	75 {	28 47	.	.	.	.	.	.	.	.	.	.	7 8	21 39	.	.	3 47	25 47	10 25		
32	Suicide ... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
33	Other Violence ... ... M. } F. }	14 {	8 6	.	3	1	1	.	1	2	.	1	1	2 3	1 1	2	.	4 6	2 6	.		
34	Other Causes ... ... M. } F. }	39 {	20 19	1 3	2	3	1	1	1	2	.	1	3 2	7 7	1 1	2 3	1 1	6 2	11 13	1 3		

**ABSTRACT V—continued—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1941.**

70

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Else-where.		
	ALL CAUSES ... ... M. } F. }	1,609 { 808 801	99	17	21	36	46	39	69	131	188	162	213	27	126	442	1		
1	Typhoid Fever (including Paratyphoid). ... M. } F. }	4 { 3	1	.	.	.	.	.	1	1	1	1	1	1	.	.	.		
2	Cerebro-spinal Fever ... M. } F. }	1 { 1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.		
3	Scarlet Fever ... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping-cough ... ... M. } F. }	9 { 6	3	1	2	.	.	.	.	.	.	.	.	1	2	2	4		
5	Diphtheria ... ... M. } F. }	6 { 4	2	.	1	3	.	.	.	.	.	.	.	2	2	2	.		
6	Tuberculosis of the Respiratory System. ... M. } F. }	128 { 71 57	.	.	1	16	24	9	10	6	3	2	8	1	23	39	.		
7	All other forms of Tuberculosis ... M. } F. }	36 { 14 22	2	1	2	2	3	1	2	1	.	.	5	13	2	2	7		
8	Dysentery ... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... M. } F. }	10 { 3 7	.	.	1	1	.	.	.	1	1	2	1	1	.	1	7		
10	Measles ... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. } F. }	1 { 1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.		
12	Typhus ... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. } F. }	165 { 85 80	.	.	.	1	2	2	13	23	36	9	22	3	18	42	.		
14	Diabetes Mellitus ... ... M. } F. }	6 { 3 3	.	.	.	1	.	.	.	1	1	2	1	2	1	1	2		

15	Intra-cranial Lesions of Vascular M. } Origin. F. }	149 {	58 91	.	.	.	.	2 1	1 5	3 10	13 19	24 28	15 28	13 9	2 3	7 7	36 72	.
16	Diseases of the Heart ... M. } F. }	430 {	204 226	.	2	2 1	2 1	4 3	7 13	17 11	43 38	65 72	64 87	28 27	13 10	14 18	149 171	.
17	Other Diseases of the Circulatory M. } System. F. }	53 {	31 22	.	.	.	.	.	1 1	1 1	6 3	13 11	11 11	5 2	1 .	11 7	14 13	.
18	Bronchitis ... ... M. } F. }	51 {	22 29	1	1	.	.	.	1 1	1 1	2 1	3 8	15 13	.	.	3 3	19 26	.
19	Pneumonia ... ... M. } F. }	64 {	44 20	14 4	3 1	2 1	3 .	2 1	4 1	4 1	4 5	4 5	4 6	16 1	2 1	4 1	22 18	.
20	Other Diseases of the Respiratory M. } System. F. }	27 {	20 7	.	1	1	.	1	2	7 1	1 1	6 2	2 2	6 3	.	4 .	10 4	.
21	Ulcer of the Stomach or Duo- M. } denum. F. }	17 {	14 3	.	.	1	.	2	1	2	5 .	3 .	2 1	10 1	.	3 .	1 2	.
22	Diarrhoea and Enteritis ... M. } F. }	56 {	33 23	31 21	.	1	.	.	1	.	.	1 1	.	20 3	1 .	7 4	5 16	.
23	Appendicitis ... ... M. } F. }	4 {	2	.	.	.	.	.	1 1	1 1	1 1	.	.	2 1	.	.	1	.
24	Cirrhosis of the Liver ... M. } F. }	3 {	2 1	.	.	.	.	1	.	.	1 1	.	.	.	.	1	1	.
25	Diseases of the Liver and Biliary M. } Passages. F. }	7 {	4 3	.	.	.	.	.	.	.	1 3	2	.	.	1	1	3	.
26	Other Diseases of the Digestive M. } System. F. }	29 {	18 11	1 2	1	1	1	.	2 1	2	5 1	3 2	5 2	10 3	.	1	8 7	.
27	Nephritis ... ... M. } F. }	42 {	25 17	.	.	.	1	.	2 1	3 3	8 3	9 2	4 5	5 2	.	11 3	9 12	.
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	2	1	.	.	.	.	1	.	.	2	.
30	Congenital Debility, etc. (Nos. M. } 137—161). F. }	75 {	39 36	36 36	.	2	.	.	1	.	.	.	.	22 25	.	8 3	9 8	.
31	Senility ... ... M. } F. }	68 {	19 49	.	.	.	.	.	.	.	2 10	17 39	3	1	.	15 46	1 3	.
32	Suicide ... ... M. } F. }	2 {	2	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.
33	Other Violence ... ... M. } F. }	43 {	28 15	2 2	1	1	1	6 1	5 2	1 1	2 1	6 2	3 3	7 6	1	1	19 8	.
34	Other Causes ... ... M. } F. }	120 {	61 59	11 6	5 1	8	3	.	5 5	3 9	11 5	9 14	6 7	20 18	2 2	5 2	34 37	1

**ABSTRACT V—continued.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	6,839 { 3,394 3,445	760 533	142 129	74 64	129 167	121 177	220 175	338 276	616 500	636 726	358 698	1,414 1,106	97 118	612 566	1,271 1,655	60 59		
1	Typhoid Fever (including Para-typhoid). M. F. }	4 { 1 3	1 3	·	·	2	·	·	1	·	1	·	·	1 2	1	·	·	·	
2	Cerebro-spinal Fever ... M. F. }	14 { 9 5	3 1	2 2	1	1	·	1	1	·	·	·	·	8 4	·	·	1	·	
3	Scarlet Fever ... ... M. F. }	5 { 4 1	2 1	2	·	·	·	·	·	·	·	·	·	3 1	·	·	1	·	
4	Whooping-cough ... ... M. F. }	35 { 21 14	14 10	7	·	·	·	·	·	·	·	·	·	18 7	·	·	2	3 5	
5	Diphtheria ... ... M. F. }	53 { 28 25	5 2	16 12	7 9	·	2	·	·	·	·	·	·	28 23	1	·	1	·	
6	Tuberculosis of the Respiratory System. M. F. }	612 { 307 305	1 2	5 3	5 8	60 104	46 99	75 47	57 28	43 11	14 5	1 1	88 101	7 19	103 69	109 116	1		
7	All other forms of Tuberculosis ... M. F. }	149 { 80 69	5 5	18 23	14 8	19 14	10 7	3 5	4 4	6 ·	1 2	1 1	55 44	· 1	12 4	13 20	·		
8	Dysentery ... ... M. F. }	· { · ·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
9	Influenza ... ... M. F. }	42 { 18 24	1 1	1 1	1 1	·	·	·	1	2 2	4 5	6 4	2 11	3 3	· 1	1 1	14 20	·	
10	Measles ... ... M. F. }	33 { 15 18	6 5	8 11	1 2	·	·	·	·	·	·	·	·	11 9	·	·	4 9	1	
11	Acute Infectious Encephalitis ... M. F. }	7 { 3 4	·	1 2	1 ·	·	·	2	·	·	1	·	·	3 2	·	·	·	·	
12	Typhus ... ... M. F. }	· { · ·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·		
13	Cancer ... ... M. F. }	598 { 291 307	·	1	·	1	2	6 5	12 22	46 55	107 90	90 87	28 46	116 109	6 7	65 48	104 143	·	
14	Diabetes Mellitus ... ... M. F. }	28 { 8 20	·	·	·	2	3	1	1 3	3 3	2 6	2 1	5 13	·	1	3 6	·		

15	Intra-cranial Lesions of Vascular M. Origin. F. } } }	454 {	190 264	:	:	1	3	2	14	21	45	71	33	60	4	40	86	146	*	1
16	Diseases of the Heart ... M. F. } } }	1,389 {	577 812	:	1	4	9	14	20	31	77	150	181	109	143	45	55	334	498	19 22
17	Other Diseases of the Circulatory M. System. F. } } }	232 {	119 113	:	:	1	:	:	1	8	25	52	32	22	:	68	29	*	35	*
18	Bronchitis ... ... M. F. } } }	379 {	212 167	13 7	1	1	2	2	8	24	58	63	40	29	1	70	113	99	4	
19	Pneumonia ... ... M. F. } } }	379 {	195 184	85 65	23 23	6	4	2	7	13	24	21	10	92	2	16	85	104	3 2	
20	Other Diseases of the Respiratory M. System. F. } } }	148 {	82 66	4 5	:	2	2	5	10	13	20	17	9	24	4	22	32	33	1	
21	Ulcer of the Stomach or Duo- M. denum. F. } } }	46 {	34 12	:	:	3	4	10	7	5	4	1	1	23	1	4	6	4	1	
22	Diarrhoea and Enteritis ... M. F. } } }	505 {	289 216	267 189	14 14	2	1	:	1	1	2	1	1	215	2	40	32	31	27	
23	Appendicitis ... ... M. F. } } }	19 {	10 9	:	1	1	1	1	2	1	2	3	1	1	9	:	2	1	1	
24	Cirrhosis of the Liver ... M. F. } } }	18 {	12 6	:	:	1	:	1	1	3	6	2	1	5	2	:	2	5	4	
25	Diseases of the Liver and Biliary M. Passages. F. } } }	28 {	11 17	:	1	:	:	1	2	2	3	1	1	10	:	1	9	:	1	
26	Other Diseases of the Digestive M. System. F. } } }	86 {	42 44	4 6	3	2	2	3	5	5	10	7	3	25	:	3	14	21	1	
27	Nephritis ... ... M. F. } } }	230 {	137 93	1 2	1	1	4	1	9	20	33	47	20	51	3	49	37	51	1	
28	Puerperal Infection ... ... F.	10	10	:	:	5	1	4	:	:	:	:	7	:	:	3	7	7		
29	Other Diseases of Childbirth ... F.	11	11	:	:	6	5	:	:	:	:	4	:	:	4	28	64	2		
30	Congenital Debility, etc. (Nos. M. 157—161). F. } } }	523 {	311 212	307 210	4 2	:	:	:	:	:	:	:	211	8	28	16	53	3		
31	Senility ... ... M. F. } } }	204 {	48 156	:	:	:	:	:	:	6	42	2	:	6	46	4	132	10		
32	Suicide ... ... M. F. } } }	10 {	9 1	:	:	1	1	2	2	4	1	8	1	:	1	:	1	:		
33	Other Violence ... ... M. F. } } }	152 {	84 68	3 4	16 12	8 6	7 1	8 4	7	8	14	10	3	56	4	24	24	24		
34	Other Causes ... ... M. F. } } }	436 {	247 189	39 20	17 18	15 5	12 14	13 12	20 21	22 20	51	39	19	90	18	29	110	83	24 18	

**ABSTRACT V—continued.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1941.**

74

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Else-where.		
	ALL CAUSES ... ... M. F. }	911 { 485 426	47 40	17 14	7 10	14 23	28 21	22 26	39 33	61 55	134 92	116 112	58 44	8 16	111 57	368 309	19 24		
1	Typhoid Fever (including Para-typhoid). ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. F. }	2 {	2	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	
5	Diphtheria ... ... M. F. }	2 {	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	
6	Tuberculosis of the Respiratory System. ... M. F. }	68 { 31 37	.	1	1	3	10	8	7	6	2	1	1	10 9	1	1 3	20 24	.	
7	All other forms of Tuberculosis ... M. F. }	27 { 13 14	1	2	1	4	3	1	1	.	.	.	.	7 3	1	5 3	1	7	
8	Dysentery ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	17 { 3 14	1	.	.	.	.	.	1	3	1	1	1	.	2	1	13	1	
10	Measles ... ... M. F. }	2 { 2 1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	78 { 46 32	.	.	.	.	1	2	4	13	22	4	7	1	10 6	28 23	.	.	
14	Diabetes Mellitus ... ... M. F. }	3 { 3	.	.	.	.	1	1	1	1	1	1	1	.	1	1	1	.	

15	Intra-cranial Lesions of Vascular M. F. }	53 {	28 25	.	.	.	.	.	.	1	1	3	13	11	.	.	9	19	1	
16	Diseases of the Heart ... M. F. }	222 {	126 96	.	.	.	1	1	3	2	5	3	15	49	44	7	4	34	81	4
17	Other Diseases of the Circulatory M. System. F. }	17 {	15 2	.	.	.	.	.	.	1	1	2	5	2	5	1	2	.	10	.
18	Bronchitis ... ... M. F. }	54 {	27 27	1	1	1	.	.	.	1	1	2	2	9	11	14	.	1	4	22
19	Pneumonia ... ... M. F. }	38 {	19 19	2 5	3	3	.	1	1	1	1	4	3	2	5	3	2	.	2	15
20	Other Diseases of the Respiratory M. System. F. }	7 {	3 4	.	1	.	.	.	.	.	.	1	3	1	1	.	1	.	3	.
21	Ulcer of the Stomach or Duo- M. denum. F. }	3 {	3 .	.	.	.	.	.	.	.	.	1	1	2	.	.	.	3	.	
22	Diarrhoea and Enteritis ... M. F. }	22 {	14 8	12 6	.	1	.	.	.	.	.	.	1	1	2	2	2	.	4	8
23	Appendicitis ... ... M. F. }	4 {	4 .	.	1	1	.	.	.	1	1	.	.	.	.	.	3	1	.	
24	Cirrhosis of the Liver ... M. F. }	2 {	2 .	.	.	.	.	.	.	.	.	1	1	1	1	.	.	2	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	3 {	1 2	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1	2	
26	Other Diseases of the Digestive M. System. F. }	21 {	9 12	.	1	1	1	1	.	.	.	1	3	1	3	2	.	6	3	
27	Nephritis ... ... M. F. }	19 {	10 9	.	.	.	1	1	1	.	1	1	2	6	1	2	.	4	6	
28	Puerperal Infection ... ... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	.	.	1	2	.	.	.	.	3	.	.	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	54 {	31 23	30 22	.	1	.	.	.	1	.	.	.	.	.	8	.	3	20	
31	Senility ... ... M. F. }	71 {	32 39	.	.	.	.	.	.	.	.	.	11	21	.	1	8	23	9	
32	Suicide ... ... M. F. }	6 {	5 1	.	.	.	.	2	.	1	2	1	.	.	.	1	.	5	.	
33	Other Violence ... ... M. F. }	46 {	32 14	.	5	1	3	7	4	3	2	4	3	2	4	.	4	24	.	
34	Other Causes ... ... M. F. }	66 {	33 33	3	2	1	2	1	1	2	4	8	9	11	6	7	1	10	2	

**ABSTRACT V—continued.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	996 { 528 468	60 40	15 14	6 6	18 18	19 26	27 24	26 26	91 65	147 126	119 123	47 53	19 20	105 59	357 336	68 55		
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Fever ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
3	Scarlet Fever ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... M. F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	
5	Diphtheria ... ... M. F. }	4 {	4	1	2	1	.	.	.	.	.	.	.	2	.	2	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	62 { 33 29	.	.	.	.	7	9	6	2	8	1	2	15 14	4 3	1	14 11	3	
7	All other forms of Tuberculosis ... M. F. }	21 { 10 11	1	3	1	3	1	2	.	.	1	1	1	3	2	1	5 4	2 4	.
8	Dysentery ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	20 { 11 9	2	.	1	.	2	1	2	1	2	1	2	.	1	5	6 8	1	
10	Measles ... ... M. F. }	4 { 3 1	.	2	1	.	.	.	.	.	.	1	.	.	.	.	3 1	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	86 { 43 43	.	.	.	.	.	1	2	2	17	17 18	5 7	3 9	.	9 4	31 30	1	
14	Diabetes Mellitus ... ... M. F. }	9 { 5 4	.	.	.	1	.	1	.	1	2	2	1	1	.	2 2	3 1	.	

15	Intra-cranial Lesions of Vascular M. Origin. F.	59	29 30	.	.	.	.	.	.	1	3 2	8 11	12 10	5 7	2	2 3	7 3	18 24	3 2
16	Diseases of the Heart ... M. F.	211	109 102	.	.	.	.	.	3	1	5 3	7 7	30 49	44 21	22 4	6 4	4 5	15 12	84 81
17	Other Diseases of the Circulatory M. System. F.	27	12 15	.	.	.	.	.	1	.	.	.	4 6	5 5	2 3	1 1	5 3	4 8	.
18	Bronchitis ... ... M. F.	37	17 20	.	2	1	.	.	.	.	1 3	1 2	11 7	4 5	1 2	.	2	14 18	3 1
19	Pneumonia ... ... M. F.	32	16 16	4	2	1 4	2	.	2	1	1 1	3 1	2 4	2 2	1	.	4	12 15	.
20	Other Diseases of the Respiratory M. System. F.	14	10 4	.	1	.	1	1	.	.	1	.	5 2	2	.	.	1	1 4	.
21	Ulcer of the Stomach or Duo- M. denum. F.	5	3 2	.	.	.	.	.	.	.	.	.	2 2	1	.	.	2	.	.
22	Diarrhoea and Enteritis ... M. F.	8	3 5	1 5	2	.	.	.	.	.	.	.	.	.	.	1	.	2 3	.
23	Appendicitis ... ... M. F.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
24	Cirrhosis of the Liver ... M. F.	2	2	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.
25	Diseases of the Liver and Biliary M. Passages. F.	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1
26	Other Diseases of the Digestive M. System. F.	13	9 4	3 1	2	.	.	.	1	.	.	2	1 1	1 1	1	2	1 2	5 2	.
27	Nephritis ... ... M. F.	27	9 18	.	.	.	.	1	2	1	2	1 6	3 6	3 1	2	1	2 1	7 14	1
28	Puerperal Infection ... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
29	Other Diseases of Childbirth ... F.	6	6	.	.	.	.	.	2	3	1	.	.	.	2	.	.	4	.
30	Congenital Debility, etc. (Nos. M. 157—161). F.	70	44 26	44 25	1	.	.	.	.	.	.	.	.	.	6 5	.	9 4	29 17	10 5
31	Senility ... ... M. F.	163	86 77	.	.	.	.	.	.	.	.	22 13	64 64	.	1 1	1 4	16 9	69 63	40 37
32	Suicide ... ... M. F.	4	4	.	.	.	.	.	1	.	2	.	.	1	.	1	.	3	.
33	Other Violence ... ... M. F.	29	20 9	1 1	1 1	1	2	1	3	4 2	4 1	1 1	2 2	1	2	3	5 4	14 5	.
34	Other Causes ... ... M. F.	76	41 35	3 3	2 2	2 4	1	2	5	4 3	3 2	8 7	16 4	5	2 6	3 1	9 8	27 20	3 6

L4

**ABSTRACT V—continued.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmarys.	Elsewhere.	
	ALL CAUSES ... ... M. F. }	718 {	392 326	32 27	6 10	7 12	8 12	20 10	17 14	27 19	60 42	103 100	112 80	23 22	18 9	84 59	267 236	56 49
1	Typhoid Fever (including Para-typhoid). M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
2	Cerebro-spinal Fever ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	3 {	1 2	.	.	1 2	.	.	.	.	.	.	.	.	1	1	.	
4	Whooping-cough ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
5	Diphtheria ... ... M. F. }	2 {	1 1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	40 {	24 16	.	.	2	5 5	6 4	6 4	5	1	1	.	13 9	2	1 1	8 6	
7	All other forms of Tuberculosis ... M. F. }	14 {	7 7	.	1	1 2	1 3	3	1	.	.	.	1	1	.	3 4	4 2	
8	Dysentery ... ... ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... ... M. F. }	24 {	10 14	1	1	.	.	.	1 2	1	1 4	6 3	1 3	1	.	2 14	7 1	
10	Measles ... ... ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... M. F. }	2 {	1	.	.	.	.	1	.	.	.	1	.	.	1	.	1	
12	Typhus ... ... ... M. F. }	. {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... ... M. F. }	58 {	32 26	.	.	.	.	2	2	2	10 7	11 11	5 3	2	.	4 3	26 21	
14	Diabetes Mellitus ... ... M. F. }	4 {	2 2	.	.	.	.	.	1	.	1	1	.	.	2	.	.	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	42 {	15 27	.	.	.	.	.	.	1	1	2	7	4	.	1	1	4	10	2	2	
16	Diseases of the Heart ... M. F. }	189 {	118 71	.	.	.	.	1	.	2	3	7	25	40	40	1	8	33	76	50	7	
17	Other Diseases of the Circulatory M. System. F. }	11 {	8 3	.	.	.	.	.	.	.	.	6	1	1	1	.	.	1	7	3	.	
18	Bronchitis ... ... M. F. }	21 {	11 10	2	.	.	.	.	.	.	.	1	4	4	3	.	.	1	11	9	2	
19	Pneumonia ... ... M. F. }	26 {	16 10	2	1	1	2	.	1	1	1	2	6	2	1	1	.	4	11	6	1	
20	Other Diseases of the Respiratory M. System. F. }	12 {	7 5	.	1	.	.	.	.	.	.	2	1	2	2	.	.	1	.	6	5	1
21	Ulcer of the Stomach or Duo- M. denum. F. }	10 {	5 5	.	.	.	.	.	.	.	.	1	2	1	2	.	.	1	4	3	.	
22	Diarrhoea and Enteritis ... M. F. }	6 {	4 2	3	1	.	.	1	.	.	.	.	.	.	.	.	1	.	4	.	1	
23	Appendicitis ... ... M. F. }	3 {	1 2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	2	.	.	
24	Cirrhosis of the Liver ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
26	Other Diseases of the Digestive M. System. F. }	10 {	5 5	.	1	1	1	.	.	.	.	1	.	2	1	1	.	2	2	1	1	
27	Nephritis ... ... M. F. }	16 {	9 7	.	.	.	.	1	1	1	1	1	2	2	2	3	1	.	2	6	6	.
28	Puerperal Infection ... F.	2	2	.	.	.	.	.	1	1	1	.	.	.	.	.	.	1	1	.	.	
29	Other Diseases of Childbirth ... F.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	38 {	17 21	17 20	.	1	.	.	.	.	.	.	.	.	.	.	1	6	10	4	.	
31	Senility ... ... M. F. }	101 {	50 51	.	.	.	.	.	.	.	.	.	8	42	.	1	6	43	30	33		
32	Suicide ... ... M. F. }	2 {	2	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	1	.	.	
33	Other Violence ... ... M. F. }	15 {	9 6	.	1	1	2	1	1	1	1	.	1	1	1	.	5	3	4	3	.	
34	Other Causes ... ... M. F. }	63 {	37 26	6 4	2	1	1	2	1	1	2	3	5	7	11	5	2	4	4	27	9	

**ABSTRACT V—contd.—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries	Else-where.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	560 {	322 238	32 13	8 2	3 1	11 12	14 5	13 9	24 12	46 37	75 67	96 80	16 12	14 4	94 44	198 178	82 79
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping-cough ... M. F. }	4 {	3 1	2 1	1 .	.	.	.	.	.	.	.	.	.	.	3 1	2 1	08
5	Diphtheria ... ... M. F. }	2 {	1 1	.	1 .	.	1 .	.	.	.	.	.	.	.	.	1 1	.	.
6	Tuberculosis of the Respiratory System. M. F. }	32 {	21 11	.	.	.	5 5	7 4	7 1	1 1	1 1	.	.	5 1	2	8 6	6 4	1
7	All other forms of Tuberculosis ... M. F. }	7 {	5 2	.	.	1	2 1	1 .	1 1	.	1 .	.	.	2 1	1 1	2 1	.	.
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... ... M. F. }	36 {	15 21	.	1 1	.	.	1 .	.	2 2	2 5	6 8	4 5	.	2 1	13 20	6 13	.
10	Measle ... ... M. F. }	1 {	.	1 1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... ... M. F. }	38 {	30 8	.	.	.	.	.	1	4 1	7 2	13 3	5 2	1 1	.	12 2	17 5	5
14	Diabetes Mellitus ... ... M. F. }	7 {	6 1	.	.	.	.	1	1	1 1	1 1	2	.	1	1	3 1	1	.

15	Intra-cranial Lesions of Vascular M. F. } 35 {	16 19	.	.	.	.	.	.	.	.	.	1 2	3 5	7 8	5 4	1	.	5 4	11 15	2	5
16	Diseases of the Heart ... M. F. } 116 {	68 48	.	.	.	.	.	1	1	.	.	7 1	16 16	25 18	20 11	2	10 2	26 8	32 36	2	3
17	Other Diseases of the Circulatory M. System. F. } 12 {	5 7	.	.	.	.	.	.	.	1	.	2 3	1 3	1 1	.	.	2 4	3 3	1	1	
18	Bronchitis ... ... M. F. } 15 {	9 6	1	.	.	.	.	.	.	.	.	2 3	6 3	.	.	.	1 2	8 4	1	3	
19	Pneumonia ... ... M. F. } 20 {	12 8	4	1	2	1	1	.	.	.	1	4 3	2	.	.	3 1	9 7	1	2		
20	Other Diseases of the Respiratory M. System. F. } 3 {	2 1	.	.	.	.	.	1	.	.	1	.	1	.	1	1	1	.	.		
21	Ulcer of the Stomach or Duo- M. denum. F. } 8 {	7 1	.	.	.	.	.	.	.	.	2 1	3	1	1	.	.	3 4	1	.	.	
22	Diarrhoea and Enteritis ... M. F. } 7 {	5 2	4	1	.	.	.	.	.	.	1	.	.	.	.	1 1	3 1	1	.	.	
23	Appendicitis ... ... M. F. } 2 {	1 1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.	.	
24	Cirrhosis of the Liver ... M. F. } 1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. } 1 {	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	
26	Other Diseases of the Digestive M. System. F. } 10 {	2 8	.	1	.	.	.	1	.	.	1 1	.	1 2	3	.	.	2 3	5	.	1	
27	Nephritis ... ... M. F. } 13 {	9 4	1	.	.	.	.	.	2 1	1	.	1	3	1 2	.	.	2 1	7 3	1	.	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	1	.	2	.	.	.	.	.	1	.	2	.	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F. } 23 {	18 5	18 5	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5 3	10 2	9	
31	Senility ... ... M. F. } 113 {	55 58	.	.	.	.	.	.	.	.	.	7 12	48 46	.	.	.	3 1	52 57	40 50	.	
32	Suicide ... ... M. F. } 1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
33	Other Violence ... ... M. F. } 8 {	6 2	.	.	.	.	2	.	1	1	1	.	1	.	.	3 1	3 1	.	.		
34	Other Causes ... ... M. F. } 41 {	22 19	2	4	1	1	1	1	1	1	1	7 2	3 5	1	1	1	10 6	11 3	9 2	.	

**ABSTRACT V—continued.—Causes of Death in Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmarys.	Else-where.		
	ALL CAUSES ... ... M. F. }	962 {	489 473	44 42	10 8	12 7	25 24	27 26	26 30	43 37	85 60	126 104	91 135	51 39	21 17	100 102	317 315	26 36	
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Fever ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping-cough ... ... M. F. }	10 {	5 5	3 2	2 3	.	.	*	.	.	.	.	.	.	.	.	5 5		
5	Diphtheria ... ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.		
6	Tuberculosis of the Respiratory System. M. F. }	62 {	31 31	.	.	.	.	9	11	5	4	2	1	1	3	6	21 17		
7	All other forms of Tuberculosis ... M. F. }	27 {	15 12	1	2	4	3	3	1	1	1	1	.	4	3	3	8 6		
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... M. F. }	14 {	5 9	.	.	.	.	.	.	2	1	1	1	1	2	1	2		
10	Measles ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. F. }	97 {	54 43	.	.	.	.	.	.	2 1	8 8	14 16	28 22	7 6	5 4	.	13 8	36 31	
14	Diabetes Mellitus ... ... M. F. }	2 {	2	.	.	.	.	.	.	.	2	.	.	1	.	1	.		

15	Intra-cranial Lesions of Vascular M. F. }	63 {	35 28	.	.	.	.	1 1	1 1	1 3	11 5	15 8	7 10	.	.	9 7	26 18	2	2
16	Diseases of the Heart ... M. F. }	246 {	134 112	.	.	.	.	1 2	3 2	6 13	8 9	23 12	52 45	39 31	4 5	13 7	23 23	94 77	9 1
17	Other Diseases of the Circulatory M. System. F. }	11 {	5 6	.	.	.	.	.	1 1	2 1	1 1	2 2	1 1	.	.	1 1	2 1	3 4	.
18	Bronchitis ... ... M. F. }	30 {	17 13	1	1	.	.	.	.	1 1	4 1	5 4	6 6	.	1	.	2 3	15 9	1 1
19	Pneumonia ... ... M. F. }	25 {	17 8	4 3	1	.	1	2 1	2 1	1 1	.	5 1	2 1	1 1	.	1 1	2 2	13 6	.
20	Other Diseases of the Respiratory M. System. F. }	16 {	10 6	.	.	.	1	1	.	2 2	4 2	1 1	1 1	.	3 2	.	1 1	6 3	.
21	Ulcer of the Stomach or Duo- M. denum. F. }	7 {	5 2	.	.	.	.	.	1 1	1 1	2 1	1 1	.	.	3	.	1 1	1 2	.
22	Diarrhoea and Enteritis ... M. F. }	15 {	5 10	4 6	1	.	.	.	.	.	1 1	.	1 1	.	2 3	.	1 1	3 6	1
23	Appendicitis ... ... M. F. }	3 {	2 1	.	.	.	.	.	2	.	1 1	.	.	.	1 1	.	1 1	.	.
24	Cirrhosis of the Liver ... M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
25	Diseases of the Liver and Biliary M. Passages. F. }	5 {	1 4	.	.	.	.	.	.	.	1	2	1 1	.	.	.	2	1 2	.
26	Other Diseases of the Digestive M. System. F. }	17 {	11 6	1 1	2	.	.	.	.	2	4 1	1 1	2 2	1 1	1 2	.	2 2	8 2	.
27	Nephritis ... ... ... M. F. }	33 {	18 15	.	.	.	.	.	2 1	1 1	5 4	6 4	3 2	1 3	2	1	8 2	7 13	1
28	Puerperal Infection ... ... F.	3	3	.	.	.	.	.	3	.	.	.	.	.	.	.	2	1	.
29	Other Diseases of Childbirth ... F.	6	6	.	.	.	.	1	4	1	.	.	.	.	4	.	1	1	.
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	48 {	26 22	25 22	.	1	.	.	.	.	.	.	.	.	8 4	.	3 9	15 9	2
31	Senility ... ... ... M. F. }	112 {	34 78	.	.	.	.	.	.	.	.	.	10 13	24 65	.	3 1	11 17	20 60	5 26
32	Suicide ... ... ... M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
33	Other Violence ... ... M. F. }	22 {	13 9	2	1	2	1	4	1	1	1 2	2	1	3	5 4	.	2 1	6 4	.
34	Other Causes ... ... M. F. }	85 {	41 44	6 4	2	2	2	4	2	2	3	3 3	8 12	7 8	10 6	2	7	24 31	3 4

**ABSTRACT V—continued.—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis., District Hospis. and Co. Infirmarys.	Else-where.	
	ALL CAUSES ... ... M. F. }	939 {	521 418	33 21	12 6	5 9	11 15	18 15	28 16	40 26	83 71	151 106	142 133	34 23	21 10	140 82	326 303	52 42
1.	Typhoid Fever (including Para-typhoid).		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2.	Cerebro-spinal Fever ... ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3.	Scarlet Fever ... ... M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
4.	Whooping-cough ... ... M. F. }	3 {	2	1	.	1	.	.	.	.	.	.	.	.	.	2	.	
5.	Diphtheria ... ... M. F. }	3 {	1	2	1	.	.	1	.	.	1	.	.	.	1	1	.	
6.	Tuberculosis of the Respiratory System. M. F. }	45 {	28 17	.	1	.	3	6 4	6 6	6 1	6 2	2 2	1 1	.	6 2	6 8	14 9	
7.	All other forms of Tuberculosis ... M. F. }	13 {	7 6	.	2	1	1	1	.	1	1	.	.	2	.	2 2	3 4	
8.	Dysentery ... ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9.	Influenza ... ... M. F. }	17 {	7 10	.	.	.	.	.	1	1	.	2 2	1 5	2 3	.	1	6 10	
10.	Measles ... ... M. F. }	1 {	1	.	1	.	.	.	.	.	2 2	5 5	.	.	.	.	1	
11.	Acute Infectious Encephalitis ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12.	Typhus ... ... M. F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13.	Cancer ... ... M. F. }	102 {	57 45	.	.	.	.	.	6 4	6 6	11 14	24 9	10 12	6 3	1 1	14 7	36 34	
14.	Diabetes Mellitus ... ... M. F. }	5 {	4 1	.	.	.	.	2	.	.	2	.	1	.	.	1	3 1	

15	Intra-cranial Lesions of Vascular M. Origin. F.	79	40 39	.	.	.	.	.	1	1	1 2	7 9	10 13	20 14	.	1	16 14	23 25	4 1
16	Diseases of the Heart ... M. F.	248	129 119	.	.	.	.	.	1 2	3 4	24 26	50 38	46 45	1 4	13 9	27 20	88 86	3 3	
17	Other Diseases of the Circulatory M. System. F.	18	9 9	.	.	.	.	.	.	1 2	2 1	4 4	2 2	1 1	.	1 1	7 7	1 1	
18	Bronchitis ... ... M. F.	42	25 17	1	.	.	.	.	.	2 2	2 5	11 2	7 9	.	.	15 17	10 17	1 1	
19	Pneumonia ... ... M. F.	48	31 17	4 3	3 3	.	.	1	.	3 1	2 3	11 2	7 4	.	.	15 3	16 14	2 .	
20	Other Diseases of the Respiratory M. System. F.	14	10 4	.	.	.	.	.	2	1 2	2 2	2 1	3 1	2	.	3 1	7 1	1 .	
21	Ulcer of the Stomach or Duo- M. denum. F.	5	5	.	.	.	.	.	.	2	2	.	1	1	.	3	1	.	
22	Diarrhoea and Enteritis ... M. F.	6	4 2	1 1	1 1	.	.	.	.	.	1	1	.	1 1	.	.	3 1	.	
23	Appendicitis ... ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
24	Cirrhosis of the Liver ... M. F.	2	1 1	.	.	.	.	.	.	1	.	1	.	.	.	.	1 1	.	
25	Diseases of the Liver and Biliary M. Passages. F.	5	2 3	.	.	.	.	.	.	1	1	1	.	2	.	.	1 1	2 .	
26	Other Diseases of the Digestive M. System. F.	15	8 7	1	.	.	1	.	.	2 1	2 2	4 2	.	1 2	.	4 2	3 3	1 .	
27	Nephritis ... ... M. F.	37	21 16	.	.	1	.	.	1	3 3	9 3	6 3	2 5	5	.	9 3	7 13	.	
28	Puerperal Infection ... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	.	1	2	.	.	.	1	.	1	1	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F.	37	23 14	22 13	1	.	.	.	.	.	.	.	.	6 2	.	1 4	16 8	4 2	
31	Senility ... ... M. F.	86	43 43	.	.	.	.	.	.	.	.	7 14	36 29	.	1	.	42 43	23 29	
32	Suicide ... ... M. F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
33	Other Violence ... ... M. F.	24	11 13	.	1	.	2	2	2	2	3	2	1 3	4	2	4 8	5 3	.	
34	Other Causes ... ... M. F.	78	52 26	3 1	2	1	2	2	4 3	1	6 5	11 2	16 9	6 2	1 4	3	16 5	32 17	6 5

**ABSTRACT V—continued.—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals,	County Homes and Hosp., District Hosps. and Co. Infirmarys.	Elsewhere.	
	ALL CAUSES ... ... M. { F. }	784 { 426 358	30 33	15 9	6 12	12 17	8 16	16 13	30 25	61 54	134 86	114 93	21 25	11 11	94 54	300 268	62 51	
1	Typhoid Fever (including Para-typhoid). ... M. { F. }	1 { 1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
2	Cerebro-spinal Fever ... M. { F. }	1 { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. { F. }	1 { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. { F. }	7 { 4 3	3 3	1	.	.	.	.	.	.	.	.	.	1	.	4 2	1	
5	Diphtheria ... ... M. { F. }	6 { 2 4	1	1	1	2	.	.	.	.	.	.	.	.	2 2	2	.	
6	Tuberculosis of the Respiratory System. ... M. { F. }	53 { 19 34	.	1	2	11	4	3	4	3	2	.	1	3 14	1 1	15 19	1	
7	All other forms of Tuberculosis ... M. { F. }	17 { 7 10	.	1	1	3	1	2	1	1	.	.	.	2 1	1 2	2 3	2 4	
8	Dysentery ... ... M. { F. }	1 { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. { F. }	37 { 17 20	.	.	1	.	.	1	1	1	8	6	.	.	5 3	12 17	3 1	
10	Measles ... ... M. { F. }	2 { 2	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	
11	Acute Infectious Encephalitis ... M. { F. }	1 { 1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
12	Typhus ... ... M. { F. }	1 { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. { F. }	69 { 39 30	.	.	.	.	.	2	5	11 12	13 8	8 4	1 2	1	14 9	24 18	1	
14	Diabetes Mellitus ... ... M. { F. }	5 { 2 3	.	.	.	.	.	1	.	3	1	.	1	.	2 2	.	.	

15	Intra-cranial Lesions of Vascular M. Origin. F.	46	21 25	.	.	.	.	.	.	.	.	1 3	5 5	7 9	8 8	1	.	3 2	17 23	1 .
16	Diseases of the Heart ... M. F.	176	106 70	.	1	.	1	1	3	3 5	22 14	54 30	21 21	1 1	1	5 5	20 3	80 61	10 13	
17	Other Diseases of the Circulatory M. System. F.	8	5 3	.	.	.	.	1	1	1	2	1	1	1	1	.	1 3	3 3	.	
18	Bronchitis ... ... M. F.	38	18 20	1 3	1 1	1	.	1	1	1 1	2 2	9 7	4 4	1	1	1 1	2 3	15 15	*1	
19	Pneumonia ... ... M. F.	38	24 14	3 4	6 4	.	1	1	1	2	4 3	5 3	2 1	1	.	.	9 3	14 11	1	
20	Other Diseases of the Respiratory M. System. F.	7	6 1	.	1	.	.	.	1	1	3	1	1	1	.	2	3 1	.		
21	Ulcer of the Stomach or Duo- M. denum. F.	2	1 1	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1 1	.	
22	Diarrhoea and Enteritis ... M. F.	5	2 3	.	3	.	.	.	.	.	2	.	.	1	.	.	.	1 3	.	
23	Appendicitis ... ... M. F.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
24	Cirrhosis of the Liver ... M. F.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F.	4	2 2	.	.	.	.	.	.	1 1	1	1	1	1	1	.	1	1	.	
26	Other Diseases of the Digestive M. System. F.	9	5 4	1 .	.	.	.	1	1	1	2	1	1	2	.	.	3	2 4	.	
27	Nephritis ... ... M. F.	12	9 3	.	.	.	.	.	2	3 1	4	.	.	.	.	.	.	9 3	.	
28	Puerperal Infection ... F.	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1	.	
29	Other Diseases of Childbirth ... F.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F.	38	20 18	20 18	.	.	.	.	.	.	.	.	.	.	4 2	.	5 9	11 7	3 1	
31	Senility ... ... M. F.	135	74 61	.	.	.	.	.	.	.	16	58	.	1	15 12	58 49	37 31	.		
32	Suicide ... ... M. F.	4	3 1	.	.	.	.	1	1	1	1	1	1	1	.	.	3 1	.		
33	Other Violence ... ... M. F.	12	10 2	.	.	2	2	.	.	2	1	2	1	2	.	.	8 2	1	.	
34	Other Causes ... ... M. F.	48	27 21	2 1	3 1	1 3	2 2	.	1	4 1	5 7	7 5	2	2	2 1	2 1	7 3	16 16	4 2	

**ABSTRACT V—contd.—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... ... M. F. }	847 {	478 369	37 35	5 9	7 7	18 19	22 17	20 20	24 26	78 49	131 84	138 103	24 15	30 23	132 82	292 249	58 53
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Fever... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
4	Whooping-cough ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	
5	Diphtheria ... ... M. F. }	2 {	1	1	.	1	.	.	.	.	.	.	.	.	.	1	1	
6	Tuberculosis of the Respiratory System. M. F. }	57 {	33 24	.	.	.	.	9 11	7 5	5 2	5 4	3 2	4	.	2 1	19 14	11 12	
7	All other forms of Tuberculosis ... M. F. }	23 {	11 12	.	1	2	1	2 4	3 2	2 1	1	1	.	3 2	1	5 6	2 3	
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	20 {	12 8	.	.	.	.	.	.	.	1	1	2	9	.	1	2	
10	Measles ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	80 {	44 36	.	.	1	.	.	1 3	6 5	8 11	13 12	15 13	2 4	1	14 12	27 18	
14	Diabetes Mellitus ... ... M. F. }	7 {	4 3	.	.	.	1	.	2	.	.	1	1	.	1	3	3	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	67 {	41 26	*	*	*	*	*	*	1 1	1 1	7 4	17 10	16 10	*	*	15 3	26 23	3 1	
16	Diseases of the Heart ... M. F. }	201 {	121 80	*	*	*	*	1	1	2 4	3 6	23 17	56 25	36 26	1	16 13	28 10	76 57	10 4	
17	Other Diseases of the Circulatory M. System. F. }	18 {	7 11	*	*	*	*	*	*	*	1 1	4 4	2 5	*	*	*	*	7 5	1 1	
18	Bronchitis ... ... M. F. }	26 {	13 13	1	*	*	*	*	*	1 1	1 1	5 3	3 3	4 5	*	*	1 2	12 11	3	
19	Pneumonia ... ... M. F. }	37 {	20 17	7 6	2 1	1	1	*	*	2 2	1 2	2 2	1 1	2 1	*	1	5 3	13 12	2 1	
20	Other Diseases of the Respiratory M. System. F. }	12 {	6 6	*	*	*	*	*	*	1 1	1 1	4 2	2 3	1 1	*	1	*	4 5	1	
21	Ulcer of the Stomach or Duo- M. denum. F. }	4 {	2 2	*	*	*	*	*	*	1 1	*	*	*	1 1	*	*	1 2	1	*	
22	Diarrhoea and Enteritis ... M. F. }	5 {	3 2	2 1	1	*	*	*	*	*	*	*	*	1 1	*	*	*	3 2	*	
23	Appendicitis ... ... M. F. }	4 {	2 2	*	*	1	1	*	*	1 1	*	*	*	1 1	*	*	1 2	1	*	
24	Cirrhosis of the Liver ... M. F. }	1 {	1	*	*	*	*	*	*	*	*	*	1	*	*	*	*	1	*	
25	Diseases of the Liver and Biliary M. Passages. F. }	2 {	1 1	*	*	*	*	1	1	*	*	*	*	*	*	*	*	1	*	
26	Other Diseases of the Digestive M. System. F. }	11 {	5 6	*	*	*	*	*	*	1 1	1 1	3 2	1 1	1 1	*	*	3 1	2 5	*	
27	Nephritis ... ... M. F. }	35 {	29 6	*	*	*	*	*	*	1 1	3 1	1 1	9 2	12 1	3	*	12 4	14 2	2 1	
28	Puerperal Infection ... F.	1	1	*	*	*	*	*	*	1	*	*	*	*	*	*	*	1	*	
29	Other Diseases of Childbirth ... F.	4	4	*	*	*	*	1	2	1	*	*	*	*	*	*	3	1	*	
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	43 {	22 21	21 21	*	1	*	*	*	*	*	*	*	*	*	6 3	*	6 6	10 12	4 2
31	Senility ... ... M. F. }	90 {	40 50	*	*	*	*	*	*	*	*	*	7 10	33 40	*	*	2	1	37 50	24 36
32	Suicide ... ... M. F. }	2 {	2	*	*	*	*	*	*	*	1	1	*	*	*	*	1	*	1	*
33	Other Violence ... ... M. F. }	22 {	14 8	1	1	*	*	2	1	1	*	5	3	2	1	1	4 1	8 5	*	
34	Other Causes ... ... M. F. }	70 {	41 29	5 4	1	1	2	2	4	3	6	8	8	3	2	5 2	11 7	22 18	6 2	

**ABSTRACT V—continued.—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmarys.	Elsewhere.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	1,560 {	821 739	69 52	24 18	14 21	32 35	35 34	40 31	58 46	111 99	222 181	216 212	38 31	19 17	179 110	565 581	91 79
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
2	Cerebro-spinal Fever ... ... M. F. }	1 {	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
3	Scarlet Fever ... ... M. F. }	2 {	1 1	.	.	.	.	1	.	.	.	.	.	.	1 1	.	.	.
4	Whooping-cough ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
5	Diphtheria ... ... M. F. }	13 {	4 9	1	1	1	3	3	.	.	.	.	.	.	1	4 7	1	.
6	Tuberculosis of the Respiratory System. ... ... M. F. }	119 {	57 62	1	.	3	13 24	20 17	9	7 4	5 3	2	.	16 16	5 1	3 6	33 39	1 3
7	All other forms of Tuberculosis ... ... M. F. }	30 {	15 15	1	5 3	2	1	1	3 4	.	1	1	.	1	1	5 4	9 10	1
8	Dysentery ... ... M. F. }	2 {	2	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.
9	Influenza ... ... M. F. }	29 {	11 18	.	1	1	2	2	1	1	3 2	1	2	.	1	5 18	1	2
10	Measles ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... ... M. F. }	144 {	79 65	.	1	.	.	1	3 2	5 8	21 19	38 25	11 9	1 4	1 3	21 8	56 50	2
14	Diabetes Mellitus ... ... M. F. }	7 {	1 6	.	.	.	1	.	.	1 1	1 1	2	1	.	1	.	6	.

15	Intra-cranial Lesions of Vascular M. Origin. F.	81 {	38 43	.	.	.	.	1	1	1	2	3 4	8 9	14 16	10 10	.	1	3 1	4 2	31 39	2 2
16	Diseases of the Heart ... M. F.	432 {	231 201	.	1	.	1	1	1	3	8 5	21 10 <sub>4</sub>	44 38	82 67	73 77	1	4 1	2 6	54 35	171 159	10 13
17	Other Diseases of the Circulatory M. System. F.	22 {	9 13	.	.	.	.	.	.	.	2 2	1 4	4 4	2 3	.	1	.	.	2	10	9
18	Bronchitis ... ... M. F.	90 {	43 47	5	3	.	.	.	1	1	1 L	1 4	17 21	14 16	.	.	1	6 2	37 44	1 8	
19	Pneumonia ... ... M. F.	56 {	34 22	8	5	5 5	2	3	1	3 2	2 2	5 2	7 3	1 2	.	.	.	9 2	25 20	3 2	
20	Other Diseases of the Respiratory M. System. F.	14 {	7 7	2	.	.	.	.	1	2 1	1 2	2 2	.	.	2	.	.	1 1	4 7	.	
21	Ulcer of the Stomach or Duo- M. denum. F.	14 {	10 4	.	.	.	.	1	2 1	3	1 1	2 3	1 3	1 2	.	.	.	6 1	2 3	.	
22	Diarrhea and Enteritis ... M. F.	17 {	9 8	8 3	1	1	1	.	.	.	.	1	2	.	.	.	.	1 1	8 7	.	
23	Appendicitis ... ... M. F.	4 {	1 3	.	.	1	.	.	1	1 1	1 1	.	.	.	.	1	.	1 2	.	.	
24	Cirrhosis of the Liver ... M. F.	3 {	1 2	.	.	.	.	.	.	.	1	.	1 1	.	.	.	.	.	1 2	.	
25	Diseases of the Liver and Biliary M. Passages. F.	4 {	3 1	.	.	.	.	1	.	.	.	1	2	.	1	.	.	.	2 1	.	
26	Other Diseases of the Digestive M. System. F.	17 {	10 7	.	.	1	.	.	1	2 1	2 1	.	3 3	3 2	.	.	1	3 2	7 4	.	
27	Nephritis ... ... M. F.	44 {	24 20	.	1	1	1	1	1	1	3 3	4 3	6 6	9 3	1	2	5 6	17 13	3	.	
28	Puerperal Infection ... F.	3	3	.	.	.	.	1	2	.	.	.	.	.	.	.	1	2	5	.	
29	Other Diseases of Childbirth ... F.	7	7	.	.	.	.	4	2	1	.	.	.	.	.	.	2	2	26	5	
30	Congenital Debility, etc. (Nos. M. 157—161). F.)	71 {	39 32	37 31	2	1	.	.	.	.	.	.	.	.	.	5 3	.	8 3	26 26	5	
31	Senility ... ... M. F.	197 {	99 98	.	.	.	.	.	.	.	.	.	21 17	78 81	1	2 1	16 15	81 81	55 42	.	
32	Suicide ... ... M. F.	2 {	2	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	.	.	
33	Other Violence ... ... M. F.	24 {	18 6	.	.	3	3	5	2	2 1	2 1	2 2	1 2	.	.	.	6 1	12 5	.		
34	Other Causes ... ... M. F.	109 {	73 36	9 4	6	3	6	2	4 1	4 3	13 7	17 12	11 1	6 1	1 1	19 6	47 28	7 3	.		

**ABSTRACT V—contd.—Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Uncertified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmaries.	Elsewhere.		
	ALL CAUSES ... ... M. F. }	927 {	487 440	56 27	16 10	10 5	19 21	17 20	20 25	32 31	57 62	131 120	129 119	61 44	16 7	70 52	340 337	32 30	
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	3 {	1 2	.	.	.	.	.	.	.	1	1	.	.	1	1	1	.	
2	Cerebro-spinal Fever ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. F. }	4 {	1 3	1 2	1	.	.	.	.	.	.	.	.	.	.	.	1 3	.	
5	Diphtheria ... ... M. F. }	4 {	3 1	.	3	1	.	.	.	.	.	.	.	.	1 1	1	1	.	
6	Tuberculosis of the Respiratory System. ... ... M. F. }	64 {	29 35	.	.	.	.	7 12	5 12	10 7	6 3	1 1	.	.	11 15	3 1	1 1	14 18	
7	All other forms of Tuberculosis ... ... M. F. }	20 {	11 9	.	3 1	2 1	3 2	1 1	1 1	1 1	2 2	1 1	.	3 3	.	2 2	6 4	.	
8	Dysentery ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	36 {	21 15	1 1	2 2	.	.	.	.	1 1	2 2	6 7	9 3	.	.	2 1	19 14	2 2	
10	Measles ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	78 {	39 30	.	.	.	.	.	1	3 2	1 10	12 13	16 12	6 5	1 1	5 5	27 28	.	
14	Diabetes Mellitus ... ... M. F. }	6 {	3	.	.	.	.	.	1	.	1	.	1	.	.	.	3	.	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	84	37 47	.	.	.	.	.	.	1	2	2	10 16 16	20 16 16	3	.	9 1	25 44	2 1	
16	Diseases of the Heart ... M. } F. }	211	113 98	.	.	.	1	1	1	1	2	7	24 16 37	43 34 36	10	9 1	20 12	74 80	4 3	
17	Other Diseases of the Circulatory M. System. F. }	13	5 8	.	.	.	.	.	1	.	.	.	2 1 3	2 3 3	.	.	1	4 8	.	
18	Bronchitis ... ... M. } F. }	27	13 14	2	.	.	.	1	.	1	1	2	3 7	4 4	2	1	.	10 14	.	
19	Pneumonia ... ... M. } F. }	40	22 18	4 2	1	2	2	2	1	1	1	2	6 6	2 2	1	1	3 3	17 14	1 1	
20	Other Diseases of the Respiratory M. System. F. }	26	12 14	.	.	.	.	.	.	1	1	2	2 5	6 7	1	.	.	11 14	.	
21	Ulcer of the Stomach or Duo- M. } denum. F. }	13	8 5	.	.	.	.	.	.	2	1	1	3 2	1 1	1	.	2	5 5	1 1	
22	Diarrhoea and Enteritis ... M. } F. }	19	18 1	13 4	.	1	.	.	1	.	.	.	.	.	.	5	1	11 1	.	
23	Appendicitis ... ... M. } F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	
24	Cirrhosis of the Liver ... M. } F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	2	1 1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	
26	Other Diseases of the Digestive M. System. F. }	16	8 8	.	.	.	1	.	1	.	1	3	1 4	2 2	1 1	.	2 3	5 4	.	
27	Nephritis ... ... M. } F. }	24	12 12	.	2	.	.	1	1	1	2	1	1 4	5 2	3 2	2	2	16 8	1	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	2	2	.	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.	
30	Congenital Debility etc. (Nos. M. } 157—161). F. }	51	32 19	31 18	.	1	.	1	.	.	.	.	.	.	.	8 3	.	3 6	21 10	1
31	Senility ... ... M. } F. }	93	49 44	.	.	.	.	.	.	.	.	.	15 9	34 35	1	.	8 8	41 35	19 17	
32	Suicide ... ... M. } F. }	3	2 1	.	.	.	.	.	.	.	2	1	.	.	.	.	.	2 1	.	
33	Other Violence ... ... M. } F. }	16	8 8	2	.	2	1	2	.	2	1	1	1 4	1 2	.	.	1	8 7	.	
34	Other Causes ... ... M. } F. }	70	38 32	4 2	3	1	2	3	1	1	3	6	11 8	5 2	7	2	8 5	23 21	2 4	

**ABSTRACT V—contd.—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.			Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmarys.	Else-where.	
	ALL CAUSES ... ... M. F. } 13,935 {	7,243 6,687	673 509	216 173	141 115	225 250	292 278	310 335	501 449	1,012 990	2,023 1,642	1,855 1,946	681 538	212 209	1,701 1,280	4,654 4,660	1,041 1,019	
1	Typhoid Fever (including Para-typhoid). ... M. F. }	12 {	5 7	. .	1 1	1 2	3 1	3 3	. .	. .	. .	. .	1 2	. 1	3 4	1 .	.	
2	Cerebro-spinal Fever ... M. F. }	13 {	8 5	1 1	5 2	1 1	1 1	. .	. .	. .	. .	. .	4 1	. .	3 3	1 1	.	
3	Scarlet Fever ... ... M. F. }	14 {	5 9	1 .	1 2	2 4	1 1	1 1	. .	. .	. .	. .	2 1	. .	2 5	1 3	1	
4	Whooping-cough ... ... M. F. }	22 {	10 12	5 5	5 6	1 1	. .	. .	. .	. .	. .	. .	1	. .	2 .	10 9	1	
5	Diphtheria ... ... M. F. }	50 {	26 24	1 1	12 7	12 13	. .	1 1	1 1	1 1	. .	. .	3 4	. .	18 17	5 3	.	
6	Tuberculosis of the Respiratory System. M. F. }	889 {	452 437	1 1	1 1	9 8	84 133	128 115	103 90	75 54	35 24	15 11	3 2	151 125	44 26	89 80	168 206	12 2
7	All other forms of Tuberculosis ... M. F. }	241 {	126 115	5 5	23 15	18 23	25 32	27 11	10 9	6 8	8 5	4 6	1 1	23 14	7 9	46 48	50 44	2
8	Dysentery ... ... M. F. }	2 {	1 1	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. 1	. .	. .	1	
9	Influenza ... ... M. F. }	483 {	219 264	12 6	7 4	1 3	6 4	3 10	7 8	14 10	18 50	79 103	72 66	10 4	2 1	42 18	165 241	32 37
10	Measles ... ... M. F. }	34 {	22 12	4 1	12 9	5 1	1 1	. .	. .	. .	. .	. .	1	. .	7 1	14 11	2	
11	Acute Infectious Encephalitis ... M. F. }	8 {	6 2	. .	1 .	. .	1 .	. .	3 1	1 1	. .	. .	1	1	3 2	1 .	.	
12	Typhus ... ... M. F. }	3 {	2 1	. .	. .	. .	. .	. .	1 .	. .	. .	1 1	. .	. .	1 1	1 1	.	
13	Cancer ... ... M. F. }	1,252 {	673 579	. .	1 .	2 2	2 2	6 15	22 34	70 99	173 182	291 181	106 66	75 68	7 14	221 132	370 365	6 5
14	Diabetes Mellitus ... ... M. F. }	102 {	53 40	. .	. .	1 1	3 4	4 4	4 4	15 15	16 16	6 6	5 5	. .	14 14	34 34	3	

15	Intra-cranial Lesions of Vascular M. Origin. F.	834	872 462			2	2	3	7	24 34	73 97	165 184	96 130	16 31	8 11	93 83	255 337	37 37
16	Diseases of the Heart ... M. F.	2,942	1,546 1,396	1	1	5	20	24	37	105 77	317 292	640 508	398 432	76 62	61 62	413 299	906 973	72 62
17	Other Diseases of the Circulatory M. System. F.	173	90 83	1	2	1	1	1	1	7 9	10 16	39 20	30 28	5 7	2 3	36 31	47 42	1 1
18	Bronchitis ... ... M. F.	648	337 312	29 16	5 14	1	2	5	6	19 16	68 49	119 106	85 94	11 5	8 4	75 54	243 249	31 47
19	Pneumonia ... ... M. F.	598	308 290	76 63	41 40	14 3	4	7	13 7	28 12	29 11	60 44	36 58	16 46	7 17	65 45	220 221	8 12
20	Other Diseases of the Respiratory M. System. F.	221	116 105	5 5	3 3	1	5	9	11	21 21	40 36	21 21	18 2	2 2	24 22	72 81	3 6	
21	Ulcer of the Stomach or Duo- M. denum. F.	116	84 32	.	.	4	4	14 4	18 4	22 9	18 9	4 5	19 6	3 1	30 18	32 1	3 1	
22	Diarrhoea and Enteritis ... M. F.	252	125 127	82 85	25 20	3 1	1	1	2	2 2	3 7	2 6	4 5	19 13	1 2	32 22	73 92	3 2
23	Appendicitis ... ... M. F.	42	29 13	.	4 1	5 3	4 1	4 2	4 2	2 2	2 1	4 1	.	13 6	1 7	12 7	3 .	.
24	Cirrhosis of the Liver ... M. F.	19	13 6	.	.	.	.	1	1	3 2	3 1	6 1	1 1	.	.	2 1	10 5	.
25	Diseases of the Liver and Biliary M. Passages. F.	57	21 36	.	.	.	.	1	1 2	3 3	5 6	8 12	3 8	3 8	.	7 8	11 20	1 .
26	Other Diseases of the Digestive M. System. F.	217	107 110	17 17	4 4	5 5	4 2	4 8	4 5	6 11	18 22	31* 20	14 16	18 20	1 1	37 32	51 58	8 9
27	Nephritis ... ... M. F.	351	211 140	.	3 1	4 1	5 6	5 9	10 8	20 18	47 28	80 47	37 22	23 8	3 2	56 28	129 102	9 4
28	Puerperal Infection ... ... F.	11	11	.	.	.	2	6	3	.	.	.	.	3	.	5 3	3 .	.
29	Other Diseases of Childbirth ... F.	42	42	.	.	.	1	22	18	1	.	.	.	10	.	15 17	17 1	.
30	Congenital Debility, etc. (Nos. M. 157--161). F.)	591	337 254	333 242	1	1	2	*	.	.	.	.	.	53 48	.	65 65	219 141	64 35
31	Senility ... ... M. F.	2,165	1,041 1,124	.	.	.	.	.	.	.	.	200 182	841 942	5 8	20 33	98 78	918 1,005	640 661
32	Suicide ... ... M. F.	36	31 5	.	.	.	3	2	6	8	4	7	1	2	.	27 4	1	.
33	Other Violence ... ... M. F.	256	166 90	8 8	19 7	20 7	11 2	15 1	17 7	17 3	18 10	23 23	18 22	26 14	.	41 34	99 42	2 2
34	Other Causes ... ... M. F.)	1,238	706 532	93 52	44 28	30 33	37 24	42 25	27 48	59 74	121 105	174 107	79 36	81 41	33 33	164 120	428 338	102 91

**ABSTRACT V—continued.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Uncertified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospl. District Hospl. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... ... M. F. }	1,307 {	657 650	43 37	15 10	8 10	20 24	14 21	29 32	42 33	80 82	196 177	210 224	41 42	26 20	127 115	463 473	169 179
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping-cough ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	Diphtheria ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Tuberculosis of the Respiratory System. ... ... M. F. }	92 {	46 46	.	1	1	11	7	12	10	3	3	.	10	3	10	23	2
7	All other forms of Tuberculosis ... ... M. F. }	23 {	10 13	.	3	4	5	2	1	.	1	1	.	2	.	2	6	1
8	Dysentery ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... ... M. F. }	58 {	25 33	1 2	1	.	.	2	1	.	2	10	10	.	1	1	24	11
10	Measles ... ... M. F. }	2 {	2	1	.	1	.	.	.	.	.	.	.	.	.	.	2	1
11	Acute Infectious Encephalitis ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... ... M. F. }	3 {	2 1	.	.	.	.	.	.	1	.	1	1	.	1	1	1	.
13	Cancer ... ... M. F. }	105 {	60 45	.	.	.	.	.	1	2	5	18	27	18	7	2	15	2
14	Diabetes Mellitus ... ... M. F. }	8 {	5 3	.	.	.	.	.	.	.	1	3	1	.	.	2	3	2

15	Intra-cranial Lesions of Vascular M. F. }	59 {	26 33	.	.	.	.	.	.	.	1 5	7 4	11 18	7 6	.	1 1	5 6	20 26	4 6	
16	Diseases of the Heart ... M. F. }	217 {	127 90	.	.	.	2	2	1	1 3	9 1	22 22	57 39	35 21	8 2	7 2	32 19	80 67	11 5	
17	Other Diseases of the Circulatory M. System. F. }	13 {	5 8	.	.	.	.	.	.	1	.	2 3	2 3	2 3	.	1 1	1 2	3 6	.	
18	Bronchitis ... ... M. F. }	50 {	21 29	1	.	1	.	.	1	2	.	4 3	9 12	6 11	.	3 1	3 1	15 28	5 6	
19	Pneumonia ... ... M. F. }	62 {	30 32	6 8	2	2	.	1 2	1	1 1	3 1	4 7	9 6	2 5	.	1 1	6 5	23 26	1 2	
20	Other Diseases of the Respiratory M. System. F. }	26 {	9 17	.	.	.	.	.	1	.	1 1	2 6	4 7	3 2	1	.	3 4	5 13	.	
21	Ulcer of the Stomach or Duo- denum. M. F. }	9 {	6 3	.	.	.	.	.	.	1	2	3 1	1 1	.	1	.	3 2	3 2	1	
22	Diarrhea and Enteritis ... M. F. }	10 {	5 5	4 3	1	.	.	.	.	.	.	.	1	.	.	.	2 5	3 5	.	
23	Appendicitis ... ... M. F. }	2 {	1 1	.	.	1	.	.	.	1	.	.	.	.	.	1 1	.	.	.	
24	Cirrhosis of the Liver ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	5 {	1 4	.	.	.	.	.	.	.	1	1 1	1 1	1 1	.	.	.	1 3	1	.
26	Other Diseases of the Digestive M. System. F. }	21 {	10 11	1 2	.	.	.	.	.	.	1 2	3 2	3 5	2 3	1	.	1 3	8 5	3	.
27	Nephritis ... ... M. F. }	38 {	25 13	.	.	.	.	.	1	1	4 2	6	11 7	3 3	2	.	9 2	14 11	3	1
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	1	2	.	.	.	.	1	.	1	1	.	.	
30	Congenital Debility etc. (Nos. M. 157—161). F. }	41 {	21 20	21 19	1	.	.	.	.	.	.	.	.	.	2 4	.	5 5	19 11	3 4	
31	Senility ... ... M. F. }	320 {	138 182	.	.	.	.	.	.	.	.	26 32	112 150	1	3 1	18 27	116 151	100 123		
32	Suicide ... ... M. F. }	3 {	2 1	.	.	.	.	.	.	1	.	1	1	.	.	.	2 1	.	.	
33	Other Violence ... ... M. F. }	17 {	10 7	.	2	1	2	1	.	2	1	3	1 2	1	1	.	1 1	10 5	.	
34	Other Causes ... ... M. F. }	120 {	70 50	8 3	7 3	5 1	.	1	4	7 5	6 5	6 12	18 13	12 3	7 2	4 9	13 10	46 29	16 16	

**ABSTRACT V—continued.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	4,239 { 2,212 2,027	196 135	45 39	37 38	60 57	90 76	75 101	140 133	315 321	642 518	612 609	261 206	52 48	491 344	1,408 1,428	318 296	
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	4 { 1 3	1 3	· ·	· ·	· 2	· 1	1 1	· ·	· ·	· ·	· ·	· ·	· 1	· 2	1	·	
2	Cerebro-spinal Fever ... ... M. F. }	3 { 2 1	2 1	· ·	2 1	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 1	· ·	· ·	· ·	
3	Scarlet Fever ... ... M. F. }	7 { 3 4	3 4	· ·	2 1	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 1	1 2	1	·	
4	Whooping-cough ... ... M. F. }	1 { 1	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1	· ·	· ·	
5	Diphtheria ... ... M. F. }	10 { 5 5	5 5	1 1	2 3	3 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 2	3 3	· ·	· ·	
6	Tuberculosis of the Respiratory System. ... ... M. F. }	235 { 123 112	· 1	· 2	4 2	25 32	35 31	17 23	24 14	12 6	4 3	2 2	51 45	14 8	27 11	31 48	2	
7	All other forms of Tuberculosis ... ... M. F. }	50 { 27 23	3 2	2 6	5 3	2 5	8 1	1 2	1 2	3 1	2 1	1 1	9 5	1 1	8 8	9 9	·	
8	Dysentery ... ... ... M. F. }	· { ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
9	Influenza ... ... ... M. F. }	156 { 60 96	3 1	3 3	· 2	3 1	4 4	3 5	4 4	4 18	23 40	17 18	4 1	· ·	9 5	47 90	5 5	
10	Measles ... ... ... M. F. }	6 { 5 1	· 1	4 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1	4 1	·	
11	Acute Infectious Encephalitis ... ... M. F. }	1 { 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1	· ·	· ·	· ·	1	· ·	· ·	· ·	
12	Typhus ... ... ... M. F. }	· { ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	
13	Cancer ... ... ... M. F. }	412 { 227 185	· ·	· ·	· 1	1 2	7 7	25 30	72 67	99 57	23 21	40 21	1 5	70 44	116 115	2 2		
14	Diabetes Mellitus ... ... ... M. F. }	25 { 12 13	· ·	· ·	· ·	· ·	· ·	· 2	1 1	4 5	4 7	1 1	3 5	1 1	8 6	1 1	·	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	279 {	110 169	.	.	.	1	1	.	3	10 9	22 37	47 68	26 47	8	1	33 34	68 117	10 10	
16	Diseases of the Heart ... M. F. }	934 {	474 460	.	.	.	2	1	6 4	10 7	8 9	19 28	88 92	201 179	140 140	22 23	17 23	120 92	315 322	22 16
17	Other Diseases of the Circulatory M. System. F. }	55 {	35 20	1	.	1	.	.	.	1	3	4 5	18 2	12 8	3	.	13 9	19 9	1	
18	Bronchitis ... ... M. F. }	191 {	113 78	6 3	1 4	.	.	.	1	2	3 4	20 14	42 26	38 22	4 1	1	27 7	81 70	11 18	
19	Pneumonia ... ... M. F. }	162 {	83 79	24 20	6 8	2 3	1	1	5 3	11 2	6 12	16 13	11 16	6 5	6 1	9 9	62 64	2 3		
20	Other Diseases of the Respiratory M. System. F. }	83 {	45 38	2	.	.	.	1	4 2	2 4	4	5 5	18 17	10 9	5 1	1	10 10	29 27	1 1	
21	Ulcer of the Stomach or Duo- M. denum. F. }	38 {	29 9	.	.	.	.	.	2	3	5 1	8 6	10 .	1 2	10 2	.	9 4	10 3	.	
22	Diarrhoea and Enteritis ... M. F. }	58 {	30 28	18 15	4 3	1	.	.	1	1	.	2 3	1 3	2 2	9 1	.	12 6	9 21	.	
23	Appendicitis ... ... M. F. }	11 {	7 4	.	1	2	1	1	1	1	.	1	.	5 4	.	1	1	.	.	
24	Cirrhosis of the Liver ... M. F. }	2 {	1 1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	15 {	4 11	.	.	.	.	.	1	1	1	2 2	1 3	1 3	.	3	1	1	.	
26	Other Diseases of the Digestive M. System. F. }	69 {	37 32	7 2	1 1	3 4	3	3	1 2	2	4 8	10 4	5 6	8 9	.	17 7	12 16	2 1		
27	Nephritis ... ... M. F. }	80 {	46 34	.	1	1	2	1	1	7 5	10 6	17 9	8 5	6 2	.	9 5	31 27	2 .		
28	Puerperal Infection ... F.	4	4	.	.	.	.	2	2	.	.	.	.	.	2	.	1	1		
29	Other Diseases of Childbirth ... F.	8	8	.	.	.	.	4	4	.	.	.	.	.	2	.	3	3		
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	188 {	107 81	106 74	3	1	2	1	.	.	.	.	.	.	24 27	.	16 19	67 35	13 6	
31	Suicidality ... ... M. F. }	695 {	342 353	.	.	.	.	.	.	.	.	62 56	280 297	2	3	20 11	317 337	207 208		
32	Suicide ... ... M. F. }	9 {	9	.	.	.	1	.	1	3	1	3	.	1	.	.	8	.		
33	Other Violence ... ... M. F. }	84 {	59 25	4 3	6 2	5 2	2	7	7 2	6 2	5 2	9 8	8 4	9 7	.	15 11	35 7	1		
34	Other Causes ... ... M. F. }	364 {	215 149	22 11	13 3	5 14	12 3	16 12	9 19	16 24	42 33	53 22	27 8	26 16	6 3	56 38	127 92	38 23		

**ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosps. District Hosps. and Co. Infirmaries.	Elsewhere.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	1,236 {	572 664	81 62	22 24	12 4	22 14	29 26	35 39	59 59	111 129	143 164	58 143	141 127	17 21	157 170	257 346	3 14
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Fever ... ... M. F. }	1 {	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping-cough ... ... M. F. }	3 {	3	1	2	.	.	.	.	.	.	.	.	1	.	1	1	1
5	Diphtheria ... ... M. F. }	4 {	1 3	.	1	.	.	.	1	.	1	.	.	.	.	1 2	1	.
6	Tuberculosis of the Respiratory System. ... ... M. F. }	86 {	46 40	.	.	.	8	9 9	13 13	9 9	7 4	.	.	32 18	4 1	4 5	6 16	.
7	All other forms of Tuberculosis ... ... M. F. }	20 {	12 8	1	1 2	4 1	2	4	1	.	.	2	.	5 2	.	5 5	2 1	.
8	Dysentery ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... ... M. F. }	32 {	11 21	.	.	.	2	1	.	2	1	4	4	1	1	3	6	.
10	Measles ... ... M. F. }	7 {	6 1	1	5 1	.	.	.	.	.	.	.	.	1	.	5 1	.	.
11	Acute Infectious Encephalitis ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	Cancer ... ... M. F. }	124 {	58 66	.	1	1	1	1 2	1 4	10 15	17 19	25 24	1 2	11 17	1	19 13	27 34	.
14	Diabetes Mellitus ... ... M. F. }	5 {	2 3	.	.	.	.	.	.	1 2	1	.	.	.	.	1 3	1	.

15	Intra-cranial Lesions of Vascular M. Origin. F. }	74 {	27	.	.	.	.	1	.	.	3	6	13	4	4	.	3	20	.			
			47	.	.	.	.	.	.	2	13	18	14	9	.	11	27	.	1			
16	Diseases of the Heart ... M. } F. }	333 {	148	.	.	.	.	1	.	3	7	12	46	53	26	27	9	52	60	.		
			185	.	.	.	.	.	.	6	6	10	44	63	56	22	13	54	96	2		
17	Other Diseases of the Circulatory M. System. F. }	13 {	7	.	.	.	.	.	.	1	1	2	1	3	2	.	2	3	1	.		
			6	.	.	.	.	.	.	.	.	2	2	2	3	.	2	2	1	.		
18	Bronchitis ... ... M. } F. }	109 {	48	4	2	.	.	.	.	1	1	5	13	18	6	3	1	17	27	.		
			61	2	2	.	.	.	.	1	1	6	14	20	18	3	3	22	36	1		
19	Pneumonia ... ... M. } F. }	70 {	28	10	5	10	1	.	.	3	2	2	3	2	4	4	.	9	15	.		
			42	7	7	10	.	.	.	2	1	3	9	6	4	9	1	6	26	.		
20	Other Diseases of the Respiratory M. System. F. }	24 {	12	1	.	.	.	.	1	.	2	2	5	2	2	4	.	1	7	.		
			12	1	.	.	.	.	1	.	2	2	3	3	2	4	.	3	9	.		
21	Ulcer of the Stomach or Duo- denum. M. } F. }	7 {	5	.	.	.	.	.	.	3	1	.	1	2	.	.	.	2	3	.		
			2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.		
22	Diarrhoea and Enteritis ... M. } F. }	35 {	15	13	2	.	.	.	.	.	.	.	.	1	.	3	5	.	5	7	.	
			20	15	3	.	.	.	.	.	.	.	.	.	1	5	.	4	11	.		
23	Appendicitis ... ... M. } F. }	4 {	3	.	.	.	1	.	.	2	.	1	.	.	.	2	.	1	.	.	.	
			1	.	.	.	1	.	.	2	.	1	.	.	1	2	.	1	.	.		
24	Cirrhosis of the Liver ... M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	
			.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.		
25	Diseases of the Liver and Biliary M. Passages. F. }	7 {	4	.	.	.	.	1	1	.	1	.	1	.	1	2	.	2	.	2	.	
			3	.	.	.	.	1	1	.	1	.	1	.	3	1	.	1	.	.		
26	Other Diseases of the Digestive M. System. F. }	21 {	8	3	1	1	1	.	.	1	1	.	3	2	2	3	.	2	6	3	2	
			13	3	2	2	1	.	.	1	1	.	1	2	4	4	.	6	3	3	2	
27	Nephritis ... ... M. } F. }	15 {	4	.	.	.	.	1	1	1	3	2	3	2	1	2	.	5	2	.	.	
			11	.	.	.	.	1	1	1	3	2	3	2	1	4	.	2	2	.	.	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	7	7	.	.	.	.	1	3	3	.	.	.	.	.	3	.	4	.	.	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	58 {	34	34	.	.	.	1	.	.	.	.	.	.	.	8	.	10	16	.	.	
			24	23	1	.	.	.	.	.	.	.	.	.	8	8	.	10	6	.	.	
31	Senility ... ... M. } F. }	45 {	15	.	.	.	.	.	.	.	.	.	.	5	10	2	.	1	13	26	1	5
			30	.	.	.	.	.	.	.	.	.	.	4	26	2	.	1	26	.	.	
32	Suicide ... ... M. } F. }	4 {	3	.	.	.	.	.	.	1	1	1	.	.	.	1	1	.	2	.	.	.
			1	.	.	.	.	.	.	1	1	1	.	.	1	1	.	1	.	.	.	
33	Other Violence ... ... M. } F. }	27 {	16	1	4	2	2	2	2	1	2	1	1	1	1	1	9	.	4	7	.	.
			11	.	2	2	2	2	1	2	4	6	7	7	2	5	.	2	2	.	.	.
34	Other Causes ... ... M. } F. }	100 {	58	13	2	2	2	6	2	1	2	8	8	12	3	14	1	13	30	2	2	2
			42	9	2	2	2	2	1	2	4	6	7	7	2	8	2	6	26	30	2	2

**ABSTRACT V—continued.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.		
	ALL CAUSES ... ... M. F. } 1,837 {	932 815	82 65	32 21	16 19	34 36	51 42	51 36	64 59	126 116	256 181	280 270	67 59	42 35	205 136	678 615	266 247		
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	1 1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Fever ... M. F. }	5 {	2 3	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	
3	Scarlet Fever ... ... M. F. }	3 {	1 2	1	.	2	.	.	.	.	.	.	.	.	.	1 2	1	.	
4	Whooping-cough ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
5	Diphtheria ... ... M. F. }	19 {	11 8	.	6 3	4 5	.	1	.	.	.	.	.	2	.	9 4	2	.	
6	Tuberculosis of the Respiratory System. M. F. }	139 {	75 64	.	.	1	12 13	28 21	20 11	10 9	2 6	3 3	.	35 27	11 8	5 4	24 25	3	
7	All other forms of Tuberculosis ... M. F. }	29 {	15 14	.	5 1	1 2	2 4	3 3	1 1	1 1	1 1	1 1	.	3 3	2 2	8 4	5 5	.	
8	Dysentery ... ... M. F. }	· {	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	77 {	37 40	4 3	1 1	1 1	3	.	1 1	1 1	4 7	11 17	12 9	.	.	3 2	34 38	12 14	
10	Measles ... ... M. F. }	4 {	1 3	.	1	.	1	1	1	.	.	.	.	.	.	.	1 3	1	
11	Acute Infectious Encephalitis ... M. F. }	2 {	1 1	.	.	.	1	.	.	1	.	.	.	.	.	1 1	.	.	
12	Typhus ... ... M. F. }	· {	·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	135 {	70 65	.	.	.	.	5	4 5	7 12	16 20	29 18	14 5	3 7	.	26 20	41 38	1 1	
14	Diabetes Mellitus ... ... M. F. }	12 {	3 9	.	.	.	.	.	.	1	1 2	1 3	1 3	.	.	1	3 3	.	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	102	57 45	.	.	.	.	.	1 2	3 2	5 4	10 15	22 22	16 12	1 2	3 1	15 6	38 36	12 5		
16	Diseases of the Heart ... M. F. }	303	174 129	.	.	1	1	2	2 1	3 1	6 5	10 10	44 27	73 43	35 38	3 4	9 10	48 22	114 93	17 10	
17	Other Diseases of the Circulatory M. System. F. }	25	11 14	.	.	1	.	.	1	2 3	1 1	2 1	7 4	16 9	7 14	1	1	5 8	6 4	.	
18	Bronchitis ... ... M. F. }	67	35 32	2	1	.	.	1	.	1 1	1 1	7 4	16 9	7 14	1	.	8 7	27 24	8 14		
19	Pneumonia ... ... M. F. }	86	49 37	11 11	7	3	.	.	1	2 1	3 4	12 10	10 6	2 2	.	2 2	9 10	38 23	4 3		
20	Other Diseases of the Respiratory M. System. F. }	17	8 9	1 1	.	1	.	1	.	.	2 1	1 3	1 1	3 1	1	.	1 1	6 8	1	.	
21	Ulcer of the Stomach or Duo- denum. M. F. }	13	8 5	.	.	.	.	.	2 1	1 1	4 2	2 1	1 2	1	.	1 1	3 1	4 3	1	.	
22	Diarrhoea and Enteritis ... M. F. }	18	10 8	8 5	.	.	.	1	.	.	.	1 1	1 1	.	1	1 1	1 1	7 6	.	.	
23	Appendicitis ... ... M. F. }	6	5 1	.	1	.	1	3	1	.	.	.	.	.	2	.	3 1	.	.	.	
24	Cirrhosis of the Liver ... M. F. }	3	2 1	.	.	.	.	.	.	.	1 1	1 1	.	.	.	.	.	2 1	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	7	3 4	.	.	.	.	.	.	.	2 1	1 1	2 2	1	.	.	.	1 2	2 2	.	.
26	Other Diseases of the Digestive M. System. F. }	32	19 13	2 3	.	1	.	1	.	1 1	1 4	5 2	7 3	2	1 1	1 1	6 3	11 9	2	2	
27	Nephritis ... ... ... M. F. }	51	36 15	.	2	2	.	1	1	3 1	4 1	7 5	9 7	8 1	2	.	10 4	24 10	1	1	
28	Puerperal Infection ... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	8	8	.	.	.	.	6	2	.	.	.	.	.	3	.	3	2	.	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	69	40 29	39 29	1	.	.	.	.	.	.	.	.	.	1	.	10 7	29 22	17 8	.	
31	Senility ... ... ... M. F. }	388	191 197	.	.	.	.	.	.	.	.	37 29	154 168	.	6 3	2	183 192	161 165	.	.	
32	Suicide ... ... ... M. F. }	6	5 1	.	.	.	.	1	1 1	1 1	.	.	1 1	.	.	.	5 1	1	1	.	
33	Other Violence ... ... M. F. }	28	18 10	1 3	1	1	2	2	2	3 3	3 1	2 2	2	3	.	4 4	11 6	.	.	.	
34	Other Causes ... ... M. F. }	179	103 76	12 7	5	3	6	9	6 4	12 12	14 16	26 17	10 2	11 3	9 6	24 16	59 51	24 23	.	.	

**ABSTRACT V—contd.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES ... ... M. F. }	1,454 {	748 706	72 49	15 9	13 12	23 39	29 28	19 27	53 54	115 95	205 181	204 212	32 22	27 32	175 118	514 534	91 109
1	Typhoid Fever (including Para-typhoid). M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	Cerebro-spinal Fever ... ... M. F. }	2 {	2	1	.	.	1	.	.	.	.	.	.	1	.	.	1	
3	Scarlet Fever ... ... M. F. }	2 {	2	.	.	1	.	1	.	.	.	.	.	.	.	2	.	
4	Whooping-cough ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
5	Diphtheria ... ... M. F. }	3 {	1 2	.	.	1 2	.	.	.	.	.	.	.	.	.	1 2	.	
6	Tuberculosis of the Respiratory System. M. F. }	83 {	30 53	.	.	1 1	8 22	7 11	7 8	3 9	3 1	1 1	.	1	3 4	10 12	17 36	3 1
7	All other forms of Tuberculosis ... M. F. }	30 {	13 17	.	2	1 2	2 7	4 2	1 1	1 2	2 2	.	.	1	2 2	4 8	6 6	
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	83 {	45 38	.	1	.	.	2	.	3 2	5 9	14 15	20 11	.	.	17 1	28 37	1 3
10	Measles ... ... M. F. }	1 {	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
11	Acute Infectious Encephalitis ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	135 {	72 63	.	.	.	.	1	8	6 8	14 18	34 25	17 8	2 4	1	28 8	42 50	1
14	Diabetes Mellitus ... ... M. F. }	16 {	12 4	.	.	1	1	1	1	1	4 4	3	.	.	5	7 4	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	93 {	37	56	.	.	.	.	1	2	1	1	7	6	19	10	.	4	2	8	27	47	3	9
16	Diseases of the Heart	... M. } F. }	277 {	152	125	.	.	.	.	4	3	3	1	16	30	54	45	.	4	9	5	22	18	117	54
17	Other Diseases of the Circulatory System.	M. } F. }	22 {	13	9	.	.	.	1	.	.	.	1	2	2	6	3	.	.	.	.	7	6	6	3
18	Bronchitis	... ... M. } F. }	52 {	26	26	2	1	1	.	1	.	.	3	12	5	4	5	.	.	1	2	4	2	21	22
19	Pneumonia	... ... M. } F. }	60 {	32	28	9	3	4	1	.	.	1	2	2	3	8	3	1	1	2	9	5	22	20	
20	Other Diseases of the Respiratory System.	M. } F. }	22 {	16	6	1	1	.	.	1	.	.	2	3	8	1	1	2	.	.	2	.	12	6	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	15 {	12	3	.	.	.	.	.	2	3	3	1	1	2	1	1	3	1	6	2	3	1	
22	Diarrhoea and Enteritis	... M. } F. }	27 {	12	15	9	13	2	1	.	.	.	.	.	1	.	.	1	2	.	.	2	6	8	9
23	Appendicitis	... ... M. } F. }	9 {	6	3	.	.	.	1	.	.	1	1	.	2	2	.	.	2	.	.	4	3	.	.
24	Cirrhosis of the Liver	... M. } F. }	2 {	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	7 {	3	4	.	.	.	.	.	.	.	.	1	1	3	2	.	.	.	.	1	2	2	.
26	Other Diseases of the Digestive System.	M. } F. }	24 {	13	11	2	.	.	.	1	1	1	1	1	3	3	1	3	3	.	.	6	5	4	6
27	Nephritis	... ... M. } F. }	57 {	35	22	.	.	1	.	1	1	2	1	1	6	13	9	2	1	9	3	24	17	1	.
28	Puerperal Infection	... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
29	Other Diseases of Childbirth	... F.	5	5	.	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	1	4	4	1	
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	64 {	40	24	40	24	.	.	.	.	.	.	.	.	.	.	.	5	.	.	7	6	28	18
31	Senility	... ... M. } F. }	201 {	93	108	.	.	.	.	.	.	.	.	.	16	77	.	6	8	1	1	87	98	56	64
32	Suicide	... ... M. } F. }	3 {	2	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	1	.	.	
33	Other Violence	... ... M. } F. }	29 {	15	14	1	1	3	1	.	.	1	4	2	1	1	.	.	7	6	7	8	.	.	
34	Other Causes	... ... M. } F. }	128 {	63	65	6	5	4	3	3	4	.	6	4	15	12	11	4	3	4	15	18	41	40	7

**ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. } 554 }	554 }	280 274	47 43	18 17	9 7	6 13	12 19	19 28	23 17	44 36	64 55	38 39	42 14	2 6	85 82	151 172	6 5	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 }	2 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .		
2	Cerebro-spinal Fever ... M. F. }	1 }	1 .	. .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
3	Scarlet Fever ... ... M. F. }	. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
4	Whooping-cough ... ... M. F. }	2 }	2 .	1 .	1 .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	2 .		
5	Diphtheria ... ... M. F. }	3 }	1 2	. .	1 .	1 .	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .		
6	Tuberculosis of the Respiratory System. M. F. }	51 }	19 32	. .	. .	1 .	12 .	7 9	5 8	4 1	2 .	1 .	. .	. .	2 1	12 13	4 13		
7	All other forms of Tuberculosis ... M. F. }	16 }	8 8	. .	2 2	2 3	2 1	. .	2 2	. .	. .	. .	. .	. .	2 2	3 4	3 2		
8	Dysentery ... ... M. F. }	. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
9	Influenza ... ... M. F. }	12 }	5 7	. .	. .	. .	. .	. .	. .	1 1	2 2	4 2	2 2	. .	. .	1 3	4 4		
10	Measles ... ... M. F. }	. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
11	Acute Infectious Encephalitis ... M. F. }	2 }	2 .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .	. .	. .	1 .	. .	. .		
12	Typhus ... ... M. F. }	. }	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .		
13	Cancer ... ... M. F. }	40 }	19 21	. .	. .	. .	. .	. .	. .	2 3	5 6	11 6	3 4	2 2	. .	8 7	9 11		
14	Diabetes Mellitus ... ... M. F. }	8 }	3 .	. .	. .	. .	. .	. .	. .	1 2	. .	. .	. .	. .	. .	. .	1 .		

15	Intra-cranial Lesions of Vascular M. Origin. F. }	25 {	13 12	.	.	.	1	.	.	2	.	6	3	4	1	.	6	6	8	.	
16	Diseases of the Heart ... M. } F. }	102 {	60 42	.	.	.	.	1	.	1	6	3	18 15	20 13	13 4	6	1	17 11	36 28	2	
17	Other Diseases of the Circulatory M. } System. F. }	8 {	3 5	.	.	.	.	*	.	1	.	.	2	3	2	1	.	3 2	.	.	
18	Bronchitis ... ... M. } F. }	43 {	20 23	2	2	3	.	.	.	3	3	2	9 8	4 3	2	.	9 8	9 15	.	.	
19	Pneumonia ... ... M. } F. }	35 {	19 16	6	4	1	.	.	.	1	2	2	3 1	1 2	1 1	1	.	5 1	13 15	.	.
20	Other Diseases of the Respiratory M. } System. F. }	9 {	4 5	.	2	.	.	.	.	2	1	.	1	.	.	2	1	1 2	1 2	.	.
21	Ulcer of the Stomach or Duo- M. } denum. F. }	6 {	5 1	.	.	.	.	.	.	1	2	2	.	.	1	1	1	3 1	.	.	
22	Diarrhoea and Enteritis ... M. } F. }	29 {	14 15	9	4	3	.	.	.	.	1	.	1	1	1	1	.	2	14 12	.	.
23	Appendicitis ... ... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
24	Cirrhosis of the Liver ... M. } F. }	3 {	1 2	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1 2	.	.
25	Diseases of the Liver and Biliary M. } Passages. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
26	Other Diseases of the Digestive M. } System. F. }	11 {	3 8	1	1	1	.	.	.	1	1	.	.	1	.	1	.	1 1	2 7	.	.
27	Nephritis ... ... M. } F. }	16 {	11 5	.	.	.	.	.	.	1	.	1	3 1	3 3	3 3	6	.	2 1	3 4	.	.
28	Puerperal Infection ... F.	1 {	1	.	.	.	.	*	1	.	.	.	.	.	.	.	.	.	1	.	.
29	Other Diseases of Childbirth ... F.	2 {	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.
30	Congenital Debility, etc. (Nos. M. } 157—161). F. }	37 {	20 17	20 17	.	.	.	.	.	.	.	.	.	.	.	3	1	5 3	12 13	3	.
31	Senility ... ... M. } F. }	30 {	10 20	.	.	.	.	.	.	.	.	.	3	7 4	16	.	2	6 5	4 13	1	2
32	Suicide ... ... M. } F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
33	Other Violence ... ... M. } F. }	10 {	6 4	.	1	2	1	1	.	1	.	1	3	.	2	.	1	4 3	.	.	
34	Other Causes ... ... M. } F. }	47 {	28 19	8 5	2 1	2	1	3	1	2	2	2	4	5	3 2	6	4	4 4	18 13	2	1

**ABSTRACT V—continued.—Causes of Death in Administrative County of TIPPERARY N.R., by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	16-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	833 {	486 397	39 27	15 13	6 7	20 22	25 17	22 21	32 32	60 49	135 95	132 114	34 20	12 15	117 73	323 289	85 72	
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. F. }	5 {	2 3	2	1	.	.	.	.	.	.	.	.	.	.	2 3	.	.	
5	Diphtheria ... ... M. F. }	2 {	2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	
6	Tuberculosis of the Respiratory System. ... ... M. F. }	59 {	31 28	.	.	1	3	12	6	4	2	2	1	13	1	1 2	16 13	2 1	
7	All other forms of Tuberculosis ... ... M. F. }	23 {	13 10	.	1	.	6	3	2	1	1	1	.	2	.	5 2	6 6	1 1	
8	Dysentery ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	25 {	17 8	1	1	.	.	2	1	3	2	4	6	2	1	8 2	6 6	1 1	
10	Measles ... ... M. F. }	4 {	1 3	.	1 3	.	.	.	.	.	.	.	.	.	.	1 3	.	.	
11	Acute Infectious Encephalitis ... ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	86 {	49 37	.	.	.	.	1	2 1	5 10	12 8	19 10	10 8	2 3	3	20 8	24 26	1	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	57 {	31 26	.	.	.	.	.	.	1	1	2 1	3 3	18 10	7 11	.	.	2 2	5 7	26 17	6 3	
16	Diseases of the Heart ... M. F. }	170 {	85 85	.	.	.	.	1	1 2	1	2 1	7 7	17 21	42 32	15 21	.	.	3 3	23 19	59 63	2 3	
17	Other Diseases of the Circulatory M. System. F. }	9 {	3 6	.	.	.	.	.	.	.	.	1	1 1	1 3	2	.	.	1 1	.	2 5	.	
18	Bronchitis ... ... M. F. }	32 {	17 15	1 2	2 2	.	.	.	.	1	.	1	1 5	6 4	7 4	.	.	1 1	2 2	15 12	4	
19	Pneumonia ... ... M. F. }	32 {	15 17	2 1	3 3	2	.	1	1	1	.	2 2	1 4	4 5	2	.	.	4 1	9 16	1	.	
20	Other Diseases of the Respiratory M. System. F. }	10 {	5 5	1	.	.	.	1	.	.	2	.	1 1	1 2	1	1	.	.	1	3 5	2	.
21	Ulcer of the Stomach or Duo- M. denum. F. }	4 {	3 1	.	.	.	.	1	.	.	1	.	1 1	.	.	.	.	1 1	1 1	1	.	
22	Diarrhoea and Enteritis ... M. F. }	15 {	7 5	5 5	1	.	.	.	.	.	.	1	1 1	.	.	.	.	1 1	1 1	5 6	.	
23	Appendicitis ... ... M. F. }	3 {	2 1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1 1	.	1	.	
24	Cirrhosis of the Liver ... M. F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	3 {	1 2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	.	
26	Other Diseases of the Digestive M. System. F. }	18 {	8 10	2	.	.	.	1	.	.	2	.	2 2	2 1	3 1	1 1	1 2	.	4 2	3 6	2	.
27	Nephritis ... ... M. F. }	20 {	13 7	.	.	.	.	1	1	.	2 1	2 1	9 2	.	1	.	.	1	6 2	6 5	1	.
28	Puerperal Infection ... F.	2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1	.		
29	Other Diseases of Childbirth ... F.	4	4	.	.	.	.	.	1	3	.	.	.	.	.	.	1	.	2	1	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	35 {	21 14	21 11	1	.	.	.	2	.	.	.	.	.	.	.	2 1	.	3 4	16 9	9 5	
31	Senility ... ... M. F. }	160 {	91 69	.	.	.	.	.	.	.	.	.	.	17 11	74 58	.	.	3	15 6	76 60	56 40	
32	Suicide ... ... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
33	Other Violence ... ... M. F. }	14 {	11 3	1	.	.	.	1	1	2	.	3 2	1 1	2	.	1	.	2 2	8 1	.	.	
34	Other Causes ... ... M. F. }	78 {	49 29	7 3	3 2	2	7 1	3	.	3 3	4 4	9 4	11 8	4 2	5	2	11 5	31 24	6 9	.		

**ABSTRACT V—continued.—Causes of Death in Administrative County of TIPPERARY, S.R., by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hosps. and Co. Infir-maries.	Else-where.						
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.						
	ALL CAUSES ... ... M. } F. }	1,218 {	639	579	52	26	18	8	19	18	25	26	28	32	82	187	152	27	12 11	164 111	436 431	59 50	
1	Typhoid Fever (including Para-typhoid). ... M. } F. }	2 {	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	1	.	.	
2	Cerebro-spinal Fever ... M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	
3	Scarlet Fever ... ... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	
4	Whooping-cough ... ... M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
5	Diphtheria ... ... M. } F. }	1 {	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
6	Tuberculosis of the Respiratory System. ... M. } F. }	68 {	43	25	.	.	1	8	13	11	8	2	1	1	.	5	3	10	10	25	14	.	
7	All other forms of Tuberculosis ... M. } F. }	26 {	15	11	1	3	3	1	3	1	1	2	1	.	1	1	1	1	5 2	8 7	.	.	
8	Dysentery ... ... M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
9	Influenza ... ... M. } F. }	24 {	10	14	2	.	.	.	.	.	1	.	.	5	6	1	2	.	.	8 1	13 2	2	
10	Measles ... ... M. } F. }	5 {	2	3	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	2 3	1	1	
11	Acute Infectious Encephalitis ... M. } F. }	• {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. } F. }	• {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. } F. }	119 {	53	66	.	.	.	.	.	1	2	5	4	6	8	10	19	12	3 8	1	15 14	35 43	1
14	Diabetes Mellitus ... ... M. } F. }	12 {	7	.	.	.	.	1	1	.	.	1	.	.	2	2	.	.	1	1	6	.	

15	Intra-cranial Lesions of Vascular M. Origin. F.)	75{	31 44	.	.	.	.	.	1	.	1	4	7	14 17	9 12	1 1	.	11 6	19 37	1 2
16	Diseases of the Heart ... M. F.)	280{	164 116	.	.	.	1	1	2	3	5 2	12 6	31 19	73 44	39 39	1 2	4 1	56 32	103 81	10 6
17	Other Diseases of the Circulatory M. System. F.)	16{	8 8	.	.	.	1	.	.	.	.	2 1	1	3 3	2 3	.	.	4 1	4 6	.
18	Bronchitis ... ... M. F.)	59{	29 30	5 3	2	.	.	1	.	.	.	6 6	6 10	6 8	5 1	.	3 3	25 27	2	
19	Pneumonia ... ... M. F.)	57{	31 26	4 4	3	.	3	1	1	1	1	5 1	1 3	8 6	3 6	.	.	10 7	21 19	.
20	Other Diseases of the Respiratory M. System. F.)	19{	10 9	.	1	1	.	.	.	1	1	1 1	3 2	3 4	1 4	.	4 2	5 7	.	
21	Ulcer of the Stomach or Duo- M. denum. F.)	9{	5 4	.	.	.	.	2	.	.	2	1 1	1 1	1 1	1 1	.	2 1	2 3	.	
22	Diarrhoea and Enteritis ... M. F.)	25{	16 9	8 6	7 2	.	.	.	.	.	.	1	.	.	1	.	4 1	11 8	.	
23	Appendicitis ... ... M. F.)	1{	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
24	Cirrhosis of the Liver ... M. F.)	6{	4 2	.	.	.	.	.	.	.	1	1	.	3	1	.	1	3	.	
25	Diseases of the Liver and Biliary M. Passages. F.)	6{	3 3	.	.	.	.	.	.	.	.	1	2	.	3	1	.	2	3	
26	Other Diseases of the Digestive M. System. F.)	14{	7 7	1 1	1	.	.	1	.	.	.	1	2	2	2	.	.	3	7	
27	Nephritis ... ... M. F.)	43{	21 22	.	.	.	1	1	1	1	1	1	6 7	7 7	3 5	1	2 1	7 3	11 19	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	3	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F.)	51{	23 28	22 28	.	.	.	1	.	.	.	.	.	.	.	4 6	.	5 6	14 16	
31	Senility ... ... M. F.)	153{	79 74	.	.	.	.	.	.	.	.	.	16 12	63 62	.	3	2 3	77 68	38 30	
32	Suicide ... ... M. F.)	5{	4 1	.	.	.	.	2	.	.	.	1	1	.	.	.	4 1	.		
33	Other Violence ... ... M. F.)	25{	15 10	.	2	4	.	.	1	1	1	2	3 1	3 1	.	.	7 3	8 7	.	
34	Other Causes ... ... M. F.)	110{	57 53	8 8	6 5	4 2	1	2	4	1	4 5	9 8	18 11	4 6	4 4	2 4	15 10	36 35	2 3	

**ABSTRACT V—continued—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospl. District Hospl. and Co. Infirmaries.	Else-where.		
	ALL CAUSES ... ... M. F. }	762	436 326	32 15	12 4	13 7	9 18	10 10	21 15	25 21	49 42	137 75	128 119	15 11	17 9	109 79	295 227	43 46	
1	Typhoid Fever (including Para-typhoid). M. F. }	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
2	Cerebro-spinal Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping-cough ... ... M. F. }	5	2 3	1	1 2	1	.	.	.	.	.	.	.	.	.	.	2 3	.	
5	Diphtheria ... ... M. F. }	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.		
6	Tuberculosis of the Respiratory System. M. F. }	46	23 21	.	.	2 1	2 9	5 4	8 3	3 3	2 1	1	.	.	4 1	7 7	12 13		
7	All other forms of Tuberculosis ... M. F. }	16	10 6	1	2	1	3	.	2	1	.	1	.	1	1	6 4	2 2		
8	Dysentery ... ... M. F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.		
9	Influenza ... ... M. F. }	14	8 6	1	.	.	.	1	1	.	2	3 2	2	1	.	7 2	4 1		
10	Measles ... ... M. F. }	3	3	.	.	3	.	.	.	.	.	.	.	.	.	.	3		
11	Acute Infectious Encephalitis ... M. F. }	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
12	Typhus ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. F. }	58	40 18	.	.	.	1	1	1 2	5 2	7 6	16 6	10 1	1	.	12 5	28 12		
14	Diabetes Mellitus ... ... M. F. }	4	2 2	.	.	.	.	.	.	.	1	1	1	.	.	1 1	1 1		

15	Intra-cranial Lesions of Vascular M. Origin. F. }	39 {	25 14	.	.	.	.	.	.	.	1 1	2 1	12 8	10 4	1	1	2 3	21 11	1	1
16	Diseases of the Heart ... M. F. }	182 {	94 88	.	.	.	.	.	2	.	5 4	7 4	12 13	47 24	23 41	2 1	1 1	19 11	72 75	5 14
17	Other Diseases of the Circulatory M. System. F. }	10 {	3 7	.	.	.	.	.	.	.	1	3 3	3 3	.	.	.	1	3 6	.	
18	Bronchitis ... ... M. F. }	33 {	18 15	2	1	.	.	1	.	1	2 1	6 9	6 2	.	2	1 1	15 14	4	.	
19	Pneumonia ... ... M. F. }	20 {	14 6	2	2	1	.	.	.	.	1 1	4 1	3 1	1 1	.	.	3 1	11 5	1	
20	Other Diseases of the Respiratory M. System. F. }	8 {	6 2	.	1	.	.	.	.	.	1	2 2	2 2	.	1	1	.	4 2	.	
21	Ulcer of the Stomach or Duo- denum. M. }	9 {	8 1	.	.	.	.	.	.	.	4	2	1 1	1 1	.	1	1	3 1	1	
22	Diarrhoea and Enteritis ... M. F. }	10 {	6 4	3	2	1	.	.	.	.	.	.	.	.	1	2	3 1	2 1	.	
23	Appendicitis ... ... M. F. }	4 {	3 1	.	1	1	.	.	.	.	1	.	1	.	1	.	1	2	.	
24	Cirrhosis of the Liver ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	5 {	2 3	.	.	.	.	.	.	.	1 1	1 1	1 1	.	2	.	1	2	.	
26	Other Diseases of the Digestive M. System. F. }	2 {	2	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	
27	Nephritis ... ... M. F. }	23 {	15 8	.	.	.	.	.	.	.	1 2	4 2	8 3	3	.	1	1	2 2	12 5	1
28	Puerperal Infection ... F.	2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.	.	
29	Other Diseases of Childbirth ... F.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	27 {	18 9	17 9	.	.	.	1	.	.	.	.	.	.	3	.	4 2	11 7	5 2	
31	Senility ... ... M. F. }	150 {	76 74	.	.	.	.	.	.	.	.	16 13	60 61	.	1	1 5	32 22	43 46	20 24	
32	Suicide ... ... M. F. }	3 {	3	.	.	.	.	.	.	1	1	.	1	.	.	1	2	.	.	
33	Other Violence ... ... M. F. }	13 {	12 1	.	1	.	1	2	2	.	.	5	1	.	.	5	7 1	.	.	
34	Other Causes ... ... M. F. }	73 {	42 31	6 1	1	2	3	2	1	2	11 5	13 12	4 3	1	2	3 2	7 10	30 17	5 4	

**ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	445 { 226 219	29	24	16	9	12	7	11	13	30	58	41	21	5	71	129	1	
1	Typhoid Fever (including Para-typhoid). M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
2	Cerebro-spinal Fever ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
3	Scarlet Fever ... ... M. F. }	{ 1	1	. .	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	. .	.	
4	Whooping-cough ... ... M. F. }	{ 3	3	2	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	3	.	
5	Diphtheria ... ... M. F. }	{ 7	4	. .	3	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	3	1	.	
6	Tuberculosis of the Respiratory System. M. F. }	{ 32	16	. .	. .	6	5	7	4	. .	1	2	. .	. .	3	3	10	.	
7	All other forms of Tuberculosis ... M. F. }	{ 8	3	. .	2	1	. .	. .	1	. .	. .	1	. .	. .	1	3	3	.	
8	Dysentery ... ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
9	Influenza ... ... ... M. F. }	{ 2	1	. .	. .	1	. .	. .	. .	. .	. .	1	. .	. .	. .	1	1	.	
10	Measles ... ... ... M. F. }	{ 2	1	. .	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	1	.	
11	Acute Infectious Encephalitis ... M. F. }	{ 1	1	. .	. .	. .	. .	. .	1	. .	. .	. .	. .	. .	. .	. .	1	.	
12	Typhus ... ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
13	Cancer ... ... ... M. F. }	{ 38	25	. .	. .	1	1	1	1	1	2	7	12	3	5	1	8	12	
14	Diabetes Mellitus ... ... M. F. }	{ 3	1	. .	. .	. .	. .	. .	. .	1	. .	1	. .	. .	. .	1	1	.	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	31 {	15 16	.	.	.	.	.	.	.	.	1 1	4 4	7 8	3 3	.	.	5 5	10 11	.	
16	Diseases of the Heart ... M. } F. }	144 {	68 76	.	.	.	1	2 1	1	2 2	6 1	9 17	20 23	27 31	3 2	.	1 2	24 21	40 51	.	
17	Other Diseases of the Circulatory M. System. F. }	2 {	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	.	
18	Bronchitis ... ... M. } F. }	13 {	10 3	4 1	.	.	.	.	.	.	1	1 1	3	1 1	1	.	1 1	1 1	8 1	.	
19	Pneumonia ... ... M. } F. }	14 {	7 7	2 2	2 3	.	.	1 1	.	.	.	.	1 1	1 1	.	.	.	1 1	6 7	.	
20	Other Diseases of the Respiratory M. System. F. }	3 {	1 2	.	.	.	.	.	.	1	.	.	1 1	.	.	.	.	1 1	2	.	
21	Ulcer of the Stomach or Duo- M. } denum. F. }	6 {	3 3	.	.	.	.	1	1	1	1 2	.	.	2 2	.	1	.	1	.	.	
22	Diarrhoea and Enteritis ... M. } F. }	25 {	10 15	5 11	3 4	1	.	.	.	1	.	.	.	.	1 1	.	2 1	7 13	.	.	
23	Appendicitis ... ... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	
24	Cirrhosis of the Liver ... M. } F. }	1 {	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	
26	Other Diseases of the Digestive M. System. F. }	5 {	2 3	.	.	.	.	.	.	.	1 2	1	.	1	.	.	1 2	1 1	.	.	
27	Nephritis ... ... M. } F. }	8 {	5 3	.	.	.	1	1	2	1	.	2 1	.	.	1	.	2 1	2 2	1	.	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
30	Congenital Debility, etc. (Nos. M. } 157—161). F. }	21 {	13 8	13 8	.	.	.	.	.	.	.	.	.	.	.	1 1	.	5 5	7 4	1	.
31	Senility ... ... M. } F. }	23 {	6	.	.	.	.	.	.	.	.	2 4	4 13	.	.	1 3	3	2 14	.	.	
32	Suicide ... ... M. } F. }	1 {	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
33	Other Violence ... ... M. } F. }	9 {	4 5	1	2	1	.	.	.	.	1	3	2	.	.	1 2	1 3	.	.	.	
34	Other Causes ... ... M. } F. }	39 {	21 18	3 4	1	1	1	1	1	2	2	5 4	7 5	1	2	3 1	6 3	10 11	.	.	

**ABSTRACT V—continued.—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospis.	Mental Hospitals.	County Homes and Hospis. District Hospis. and Co. Infirmarys.	Elsewhere.	Un-certified Deaths
	ALL CAUSES ... ... M. F. }	7,379 { 3,774 3,605	240 179	69 64	57 64	128 131	148 152	130 150	211 194	407 390	1,021 681	1,363 1,400	129 102	129 126	663 512	2,853 2,865	1,161 1,349	
1	Typhoid Fever (including Para-typhoid). M. F. }	9 { 7 2	.	.	.	1	4	2	.	.	.	.	.	1	2	4	.	.
2	Cerebro-spinal Fever ... ... M. F. }	5 { 4 1	.	2	1	1	1	.	.	.	.	.	.	1	.	2	1	.
3	Scarlet Fever ... ... M. F. }	2 { 2 1	.	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.
4	Whooping-cough ... ... M. F. }	22 { 15 7	11	4	4	.	.	.	.	.	.	.	.	2	.	4	9	3
5	Diphtheria ... ... M. F. }	14 { 8 6	2	5	1	.	.	.	.	1	.	.	.	1	.	6	5	1
6	Tuberculosis of the Respiratory System. M. F. }	397 { 188 209	.	2	48	54	38	22	20	4	.	44	22	44	78	10	5	
7	All other forms of Tuberculosis ... M. F. }	122 { 60 62	1	12	62	59	29	21	18	7	.	41	19	41	108	32	2	
8	Dysentery ... ... M. F. }	1 { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	305 { 146 159	6	1	2	2	4	3	11	21	50	46	.	13	14	119	54	
10	Measles ... ... M. F. }	9 { 6 3	2	2	2	1	1	.	.	.	57	.	8	8	1	5	3	
11	Acute Infectious Encephalitis ... M. F. }	1 { 1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	3 { 3	.	.	.	.	.	1	2	.	.	.	.	.	2	1	.	
13	Cancer ... ... M. F. }	573 { 307 266	.	.	1	1	2	9	30	67	135	62	9	6	71	221	20	
14	Diabetes Mellitus ... ... M. F. }	51 { 27 24	1	.	1	1	1	1	4	7	8	4	2	.	7	18	3	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	346 {	148 198	.	.	.	2 1	2 2	3 5	11 14	24 40	59 81	47 55	2 1	4 3	26 35	116 159	20 37	
16	Diseases of the Heart	... M. } F. }	1,275 {	695 580	1 1	1 1	3 3	8 13	13 11	12 27	50 33	115 99	295 223	197 169	9 3	32 29	115 116	539 462	61 68	
17	Other Diseases of the Circulatory System.	M. } F. }	96 {	57 39	.	.	.	.	1 1	1 1	4 4	10 4	29 17	12 13	3 1	5 1	8 8	41 30	1 3	
18	Bronchitis	... M. } F. }	286 {	153 133	8 6	2 2	3 3	1 .	1 2	1 1	5 6	15 12	57 47	63 54	1 1	1 3	16 13	135 116	46 42	
19	Pneumonia	... M. } F. }	297 {	154 143	18 19	14 13	3 3	6 1	7 9	6 4	11 10	15 13	46 43	28 28	1 1	3 6	32 14	118 122	18 23	
20	Other Diseases of the Respiratory System.	M. } F. }	78 {	44 34	.	2	1	2 2	2 1	2 2	3 3	3 7	11 7	14 10	7 7	2 1	15 6	29 25	3 5	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	44 {	31 13	.	.	.	3 .	4 .	6 2	5 2	5 2	4 5	4 2	1 1	.	15 5	15 7	1 2	
22	Diarrhoea and Enteritis	... M. } F. }	60 {	30 30	17 17	4 2	1	.	3 1	4 1	1 1	3 3	3 1	1 1	8 3	5 3	5 6	17 18	1 1	
23	Appendicitis	... M. } F. }	23 {	12 11	.	.	1	5 4	2 2	2 2	2 2	1 1	2 1	1 1	1 1	.	10 7	1 3	.	2
24	Cirrhosis of the Liver	... M. } F. }	8 {	6 2	.	.	1	.	.	.	1	2 1	2 1	2 1	1	.	1	.	5	.
25	Diseases of the Liver and Biliary Passages.	M. } F. }	21 {	8 13	.	.	1	.	.	1	1 2	1 4	3 5	1 1	.	.	4 3	4 10	1 1	
26	Other Diseases of the Digestive System.	M. } F. }	124 {	55 69	4 4	3 3	.	2 4	2 4	3 3	6 6	9 11	15 14	11 16	2 2	.	21 29	32 38	7 7	
27	Nephritis	... M. } F. }	173 {	102 71	.	.	3	2 1	4 4	5 7	7 8	13 7	37 29	31 13	6 3	1	29 18	67 49	4 4	
28	Puerperal Infection	... F.	6	6	.	.	.	2	1	3	.	.	.	.	1	4	1	.		
29	Other Diseases of Childbirth	... F.	24	24	.	.	.	.	15	9	.	.	.	.	5	.	10	9	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	236 {	134 102	127 96	3 1	3 2	1	1 1	1 1	1 1	.	.	.	17 7	.	33 31	84 64	44 35	
31	Senility	... M. } F. }	1,991 {	926 1,065	.	.	.	.	.	.	.	.	133 163	793 902	2 1	17 21	42 31	865 1,012	749 919	
32	Suicide	... M. } F. }	10 {	10	.	.	.	.	2	4	1	2	1	.	.	1	3	6	.	
33	Other Violence	... M. } F. }	106 {	61 45	3 2	2 7	4 3	10	6 1	5 4	8 4	6 5	10 10	7 13	1 1	3 1	18 16	39 27	2 2	
34	Other Causes	... M. } F. }	662 {	377 285	40 20	18 12	20 12	18 17	22 20	18 24	25 33	58 54	112 71	46 22	9 6	15 16	83 50	270 213	115 104	

**ABSTRACT V—continued—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	2,305 { 1,200 1,105	86 66	33 21	21 26	45 58	46 51	44 62	64 66	106 95	299 259	456 401	45 38	37 31	250 187	868 849	358 367		
1	Typhoid Fever (including Para-typhoid). ... M. F. }	6 { 4 2	4 2	.	.	.	1	2	1	2	.	.	.	1	1	3 1	.	.	
2	Cerebro-spinal Fever ... M. F. }	2 { 2	2	.	1	.	1	.	.	.	.	.	.	1	.	1	.	.	
3	Scarlet Fever ... ... M. F. }	1 { 1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
4	Whooping-cough ... ... M. F. }	3 { 2 1	2 1	1	1	.	.	.	.	.	.	.	.	.	1 1	1 1	1	.	
5	Diphtheria ... ... M. F. }	4 { 3 1	3 1	1	1	1	.	.	.	.	.	.	.	1	1	1	1	.	
6	Tuberculosis of the Respiratory System. ... M. F. }	138 { 59 79	59 79	.	.	7	16 26	19 18	10 13	9 10	4 3	1 2	.	12 13	6 4	18 14	23 48	2 1	
7	All other forms of Tuberculosis ... M. F. }	46 { 20 26	20 26	1	4	3	3	5	2	1	2	.	1	3 3	1 3	12 10	4 10	.	
8	Dysentery ... ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... ... M. F. }	92 { 44 48	44 48	2	2	1	1	2	1	5 1	5 6	11 17	17 14	.	1	5 3	39 44	15 19	.
10	Measles ... ... ... M. F. }	7 { 4 3	4 3	1	2	1	1	.	.	.	.	.	.	.	.	.	4 3	.	
11	Acute Infectious Encephalitis ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... ... M. F. }	171 { 98 73	98 73	.	.	1	.	1	3 7	6 7	23 19	39 30	26 8	2	3 3	17 14	76 52	4 3	.
14	Diabetes Mellitus ... ... M. F. }	15 { 6 9	6 9	.	.	.	1	1	1	1	2 4	2	2	.	1 4	5 5	1	.	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	100 {	44 56	.	.	.	.	1	.	.	2	7 4	11 10	12 24	13 16	1	1	13	29 44	2 9
16	Diseases of the Heart ... M. F. }	431 {	216 215	.	1	2	.	6	4 3	3	11 14	30 28	93 76	72 75	3 1	3 5	51 42	159 167	13 15	
17	Other Diseases of the Circulatory M. System. F. }	39 {	25 14	.	.	.	.	.	.	1	2 1	4 1	15 5	3 6	2	3	6	14 12	1	
18	Bronchitis ... ... M. F. }	68 {	41 27	2	1	1	.	.	1	1	3 1	15 6	18 15	.	1	.	6 3	35 23	12 5	
19	Pneumonia ... ... M. F. }	97 {	54 43	8	6	2	1	3	2	2	2 4	3 3	14 13	14 6	.	1	15 10	38 33	7 7	
20	Other Diseases of the Respiratory M. System. F. }	24 {	13 11	.	2	.	.	1	1	1	1 1	3 5	5 4	.	.	1	3 3	10 7	2 4	
21	Ulcer of the Stomach or Duo- M. denum. F. }	11 {	7 4	.	.	.	.	2	.	2	1 1	1 1	3 5	1 1	.	.	3 2	4 2	.	
22	Diarrhoea and Enteritis ... M. F. }	26 {	15 11	9	3	.	.	1	2	1	1 1	1 1	1 1	1 1	4 1	1	2 4	9 5	.	
23	Appendicitis ... ... M. F. }	9 {	5 4	.	.	.	.	3	1	2	.	1	1	1	1	1	3 2	1 1	.	
24	Cirrhosis of the Liver ... M. F. }	6 {	4 2	.	.	.	.	.	.	1	1	1 1	2	.	1	1	1	3	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	8 {	4 4	.	.	.	.	.	.	1	1	1	1	1	.	.	2 2	2 2	1	
26	Other Diseases of the Digestive M. System. F. }	43 {	22 21	2	3	.	1	1	3	1	4 2	2	6	1	1	.	11 12	10 8	3 1	
27	Nephritis ... ... M. F. }	56 {	30 26	.	.	.	1	1	2	2	2 2	2	11 7	12 7	2	.	12 7	16 17	1 2	
28	Puerperal Infection ... F.	4 {	4	.	.	.	.	2	.	2	.	.	.	.	.	.	4	.	.	
29	Other Diseases of Childbirth ... F.	9 {	9	.	.	.	.	7	2	.	.	.	.	.	4	.	2	3	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	80 {	45 35	41 32	2	2	.	1	.	1	.	.	.	.	10 3	.	13 9	22 23	13 13	
31	Senility ... ... M. F. }	566 {	289 277	.	.	.	.	.	.	.	.	37 41	232 236	.	9 1	9 7	280 268	260 258	.	
32	Suicide ... ... M. F. }	3 {	3	.	.	.	.	.	.	2	.	.	1	.	.	1	.	2	.	
33	Other Violence ... ... M. F. }	39 {	26 13	3	1	2	.	4	3	1	5 2	1	5 3	2 4	.	2	9 6	15 7	.	
34	Other Causes ... ... M. F. }	201 {	115 86	16 10	5	7	10	6	10 8	7	11 11	28 17	15 6	1	6 4	42 16	66 65	23 27	.	

**ABSTRACT V—continued.—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hospitals.	County Homes and Hosp. District Hosps. and Co. Infirmarys.	Elsewhere.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	771 {	401 370	25 12	8 7	4 7	7 9	17 14	12 18	21 16	52 49	126 101	129 137	13 5	16 11	73 42	299 312	132 168
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Cerebro-spinal Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	Scarlet Fever ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	Whooping-cough ... ... M. F. }	2 {	1 1	.	1	.	.	.	.	.	.	.	.	.	.	1 1	1 1	
5	Diphtheria ... ... ... M. F. }	3 {	3	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.
6	Tuberculosis of the Respiratory System. ... ... M. F. }	28 {	16 12	.	.	1	1 2	7 6	4 1	2 1	2 1	.	.	3	2 3	6 5	5 4	1 1
7	All other forms of Tuberculosis ... ... M. F. }	10 {	5 5	.	1	2	1	1	1	.	.	.	.	1	2	1 2	2 3	.
8	Dysentery ... ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Influenza ... ... ... M. F. }	32 {	15 17	.	.	.	.	1	1	1	4 3	7	2	.	.	1 1	14 16	4 10
10	Measles ... ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Acute Infectious Encephalitis ... ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	Typhus ... ... ... M. F. }	3 {	3	.	.	.	.	1	2	.	.	.	.	.	.	2	1	.
13	Cancer ... ... ... M. F. }	44 {	22 22	.	.	.	.	.	1	2	1	7	10 5	3	1	6 5	15 17	2 1
14	Diabetes Mellitus ... ... ... M. F. }	7 {	5 2	.	.	.	1	.	.	2	1	2	.	.	.	3 1	2 1	.

15	Intra-cranial Lesions of Vascular M. Origin. F. }	45 {	21 24	.	.	.	.	.	1	2	2 5	12 8	6 6	.	1	2 5	18 19	6 5	
16	Diseases of the Heart ... M. F. }	139 {	84 55	.	.	.	.	1	1	3 4	8 1	15 15	39 19	15 15	1	12 4	13 3	58 48	7 14
17	Other Diseases of the Circulatory M. System. F. }	1 {	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	
18	Bronchitis ... ... M. F. }	41 {	20 21	2	.	.	.	.	1	.	2 1	3 7	13 11	.	.	1	19 21	9 8	
19	Pneumonia ... ... M. F. }	45 {	27 18	.	3	1	1	.	.	1	2 1	4 5	9 5	7 5	.	2	7	20 16	5 4
20	Other Diseases of the Respiratory M. System. F. }	6 {	2 4	.	.	1	.	.	.	1	1	.	1	.	1	1	1 3	.	
21	Ulcer of the Stomach or Duo- M. denum. F. }	3 {	2 1	.	.	.	.	.	.	.	.	2 1	.	.	1	.	2	.	
22	Diarrhoea and Enteritis ... M. F. }	3 {	2 1	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	
23	Appendicitis ... ... M. F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
24	Cirrhosis of the Liver ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	Other Diseases of the Digestive M. System. F. }	18 {	5 13	1	.	.	.	1	.	2	1	3 4	2 2	.	.	3	5 10	1 4	
27	Nephritis ... ... M. F. }	29 {	19 10	.	.	.	1	.	2	.	1	4	6 7	5 2	3	5 1	11 9	1 1	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
29	Other Diseases of Childbirth ... F.	2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.	
30	Congenital Debility, etc. (Nos. M. 157-161). F. }	25 {	17 8	16 8	1	.	.	.	.	.	.	.	.	.	1	.	5 1	12 6	7 4
31	Senility ... ... M. F. }	192 {	88 104	.	.	.	.	.	.	.	.	17 24	71 80	.	1	10 6	78 97	67 92	
32	Suicide ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
33	Other Violence ... M. F. }	10 {	2 3	.	2	2	.	1	.	2	.	1	1	.	2	3	5	2	
34	Other Causes ... ... M. F. }	82 {	40 42	6 3	.	2	2	1	1	4 3	9 5	15 14	4 4	2	1	3 5	34 34	21 23	

**ABSTRACT V—continued.—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps., District Hosps., and Co. Infir-maries.	Else-where.	Un-certified Deaths.
	ALL CAUSES ... ... M. F. }	2,158 { 1,073 1,085	71 54	18 18	20 18	35 34	42 40	36 39	68 51	103 113	238 266	400 452	33 28	46 50	158 132	836 875	363 452	
1	Typhoid Fever (including Para-typoid). ... M. F. }	2 { 2 1,065	2	.	.	.	.	1	1	.	.	.	.	.	2	.	.	
2	Cerebro-spinal Fever ... M. F. }	2 { 2	2	.	1	1	.	.	.	.	.	.	.	.	1	1	.	
3	Scarlet Fever ... ... M. F. }	1 { 1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
4	Whooping-cough ... ... M. F. }	13 { 9 4	9	7	2	2	.	.	.	.	.	.	.	2	2	5 4	1	
5	Diphtheria ... ... M. F. }	4 { 2 2	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	
6	Tuberculosis of the Respiratory System. ... M. F. }	109 { 52 57	52	.	1	13	15	7	7	7	2	.	14	9	7	22 35	6 3	
7	All other forms of Tuberculosis ... M. F. }	30 { 16 14	16	.	3	4	2	1	3	1	2	.	.	3	7	6 8	1	
8	Dysentery ... ... M. F. }	· { ·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	78 { 34 44	34	1	1	.	.	1	1	2	4	17	8	.	11	3	20 37	15 29
10	Measles ... ... M. F. }	1 { 1	1	1	.	.	.	1	1	3	4	14	16	.	6	1	1	.
11	Acute Infectious Encephalitis ... M. F. }	· { ·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	· { ·	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	178 { 94 84	94	.	.	.	.	2	13	19	43	17	4	2	18	72 64	11 5	
14	Diabetes Mellitus ... ... M. F. }	11 { 3 8	3	.	1	1	.	.	1	4	2	1	1	1	2	2 4	1	

15	Intra-cranial Lesions of Vascular M. Origin. F. } } }	97 { }	44 53	.	.	.	.	1	1	3	1	1	4	4 9	20 23	14 16	1	1	6 8	37 44	9 13
16	Diseases of the Heart ... M. F. } } }	307 { }	166 141	1	.	.	.	2	3 2	5 4	5 4	10 8	27 22	73 59	44 38	1	12	25 14	133 114	19 18	
17	Other Diseases of the Circulatory M. System. F. } } }	30 { }	19 11	.	.	.	.	.	1	1	2	2	3	7 6	6 2	1	1	1 4	16 7	.	
18	Bronchitis ... ... M. F. } } }	86 { }	46 40	3	.	.	.	2	.	1	.	3 3	7 6	16 18	16 9	.	1	2 1	5 1	40 37	15 14
19	Pneumonia ... ... M. F. } } }	75 { }	32 43	4 6	3	.	.	1	1	5 4	3 1	2 3	3 1	9 15	2 5	.	1	2 3	3 1	27 38	3 6
20	Other Diseases of the Respiratory M. System. F. } } }	20 { }	10 10	.	.	1	1	.	.	1	1	1	2 4	3 1	1 3	.	.	6 2	4 3	.	
21	Ulcer of the Stomach or Duo- M. denum. F. } } }	14 { }	10 4	.	.	.	.	.	3	1	3	1	1	1	1	1	.	6 1	3 3	.	
22	Diarrhoea and Enteritis ... M. F. } } }	16 { }	9 7	5 4	1	1	.	.	.	2	.	1	1	.	1	.	2	1	5 6	.	
23	Appendicitis ... ... M. F. } } }	9 { }	3 6	.	.	.	1	2 4	.	.	.	.	.	1	.	.	.	3 1	1 1	.	
24	Cirrhosis of the Liver ... M. F. } } }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. } } }	6 { }	1 5	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1 1	4 1	.	
26	Other Diseases of the Digestive M. System. F. } } }	42 { }	21 21	1 2	1	1	1	2 1	1	1	.	1 2	5 4	6 4	5 5	1 1	.	9 9	11 11	2	
27	Nephritis ... ... M. F. } } }	38 { }	24 14	.	.	.	2 1	1	.	2 3	2	1	9 7	7	.	.	1	4 4	20 9	1	
28	Puerperal Infection ... F.	2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	4 1	.	
29	Other Diseases of Childbirth ... F.	5	5	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	12 20	11 8	
30	Congenital Debility, etc. (Nos. M. 157-161). F. } } }	67 { }	35 32	34 29	.	1	2	.	.	.	.	1	.	.	.	3 3	.	12 12	17	227	
31	Senility ... ... M. F. } } }	670 { }	289 381	.	.	.	.	.	.	.	.	.	32 55	257 326	.	5 7	9 16	275 358	227 324		
32	Suicide ... ... M. F. } } }	3 { }	3	.	.	.	.	.	1	2	.	.	.	.	.	.	2	.	1	.	
33	Other Violence ... ... M. F. } } }	34 { }	23 11	.	1	2	4	1	2	3	4 1	4 3	2 5	.	1	.	5 4	18 9	.		
34	Other Causes ... M. F. } } }	208 { }	123 85	13 4	9 3	7 2	2 4	7	11	9 18	15 18	40 21	20 6	3 2	5 3	18 21	97 54	41 25			

**ABSTRACT V—continued.—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospl. District Hospl. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	1,124 {	573 551	24 21	4 11	7 6	19 15	22 25	19 15	26 27	77 69	156 134	219 228	13 8	8 14	97 79	455 450	191 231	
1	Typhoid Fever (including Para-typhoid). ... ... M. F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
2	Cerebro-spinal Fever ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. F. }	2 {	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	
5	Diphtheria ... ... M. F. }	2 {	2	.	1	.	.	.	.	.	1	.	.	.	.	1	1	.	
6	Tuberculosis of the Respiratory System. ... ... M. F. }	57 {	24 33	.	1	2	5 8	6 11	9 4	1 1	3 5	1	.	5 2	6 0	13 14	11 11	1	
7	All other forms of Tuberculosis ... ... M. F. }	16 {	9 7	.	1	1	3 1	2 3	1 1	1 1	1 1	.	.	1 1	.	6 2	2 4	.	
8	Dysentery ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	64 {	29 35	2 1	1	1	.	.	2	2	4 7	8 7	12 15	.	.	5 3	24 32	8 5	
10	Measles ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
12	Typhus ... ... M. F. }	{	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	70 {	37 33	.	.	.	.	2	1	3 4	8 12	14 13	9 3	1	1	14 11	21 22	2	
14	Diabetes Mellitus ... ... M. F. }	8 {	4	1	.	.	.	.	.	.	1	2	1	.	.	3	.	.	

15	Intra-cranial Lesions of Vascular Origin. M. } F. }	52	18 34	.	.	.	.	.	1	1	.	1	5	8	14 9	5	.	.	2	3	16 31	3	7
16	Diseases of the Heart ... M. } F. }	192	120 72	.	1	.	.	3	.	2	1	9	6	22 15	49 29	37 17	2	4	1	16 13	98 58	14 16	
17	Other Diseases of the Circulatory System. M. } F. }	14	5 9	.	.	.	.	.	.	.	2	1	1	3	3	1	.	1	1	.	4 8	2	
18	Bronchitis ... ... M. } F. }	57	28 29	1	1	.	.	1	1	.	1	3	14 13	8	13	1	.	.	4	9	23 20	7	9
19	Pneumonia ... ... M. } F. }	44	25 19	1	1	.	.	2	2	1	3	2	3	10 7	4	4	.	.	4	2	21 17	1	.5
20	Other Diseases of the Respiratory System. M. } F. }	12	10 2	.	.	.	.	1	1	1	1	4	3	.	1	.	.	.	4	1	6 1	.	
21	Ulcer of the Stomach or Duodenum. M. } F. }	9	7 2	.	.	.	.	1	.	2	.	2	1	1	1	1	.	.	4	1	3 1	1	
22	Diarrhoea and Enteritis ... M. } F. }	6	1 5	1	4	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1 3	1	
23	Appendicitis ... ... M. } F. }	2	1 1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1
24	Cirrhosis of the Liver ... M. } F. }	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages. M. } F. }	5	1 4	.	.	.	.	.	.	1	1	2	.	.	1	.	.	.	.	1	.	4	
26	Other Diseases of the Digestive System. M. } F. }	6	1 5	.	1	1	.	.	.	.	1	.	.	.	1	2	.	.	.	2	1 3	.	
27	Nephritis ... ... M. } F. }	28	13 15	.	.	.	.	.	1	1	1	2	1	6	3	3	1	.	6	6	7 8	.	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	5	5	.	.	.	.	.	1	4	.	.	.	.	.	.	1	.	2	2	2		
30	Congenital Debility, etc. (Nos. 157—161). M. } F. }	27	15 12	15 12	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	14 10	8	
31	Senility ... ... M. } F. }	328	152 176	.	.	.	.	.	.	.	.	.	.	19 26	133 150	1	6	5	3	146 167	122 152		
32	Suicide ... ... M. } F. }	2	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1	.	.		
33	Other Violence ... ... M. } F. }	13	5 8	1	1	.	.	2	1	.	.	1	1	1	2	.	.	1	2	4 6	.		
34	Other Causes ... ... M. } F. }	101	63 38	2	1	6	4	6	2	1	5	16	18	3	4	1	2	15	2	46 35	23		

**ABSTRACT V—continued.—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hospls. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. } F. }	1,021 {	527 494	34 26	6 7	5 7	22 15	21 22	19 16	40 34	69 64	152 121	159 182	25 23	22 20	85 72	395 379	117 131	
1	Typhoid Fever (including Para-typhoid). M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Fever ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1		
3	Scarlet Fever ... ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
4	Whooping-cough ... ... M. } F. }	2 {	2	2	.	.	.	.	.	.	.	.	.	.	.	2	1		
5	Diphtheria ... ... M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
6	Tuberculosis of the Respiratory System. M. } F. }	65 {	37 28	.	1	13 8	7	8	3	4	1	.	10	5	7	15 10	.		
7	All other forms of Tuberculosis ... M. } F. }	20 {	10 10	.	1	1	1	3	2	1	1	2	.	1	.	7 2	3 7		
8	Dysentery ... ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... ... M. } F. }	38 {	24 15	1	.	.	.	1	1	3	4	2	7	7	2	1	22 14		
10	Measles ... ... ... M. } F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.		
11	Acute Infectious Encephalitis ... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.		
12	Typhus ... ... ... M. } F. }		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... ... M. } F. }	110 {	56 54	.	.	1	.	1	2	7	10	29	7	1	2	16 11	37 36		
14	Diabetes Mellitus ... ... M. } F. }	10 {	9 1	.	.	1	.	.	2	5	1	1	.	1	.	2 1	6 2		

15	Intra-cranial Lesions of Vascular M. Origin. F. } } }	52 { { 21 31	.	.	.	.	.	1	.	2	2	7	9	.	1	2	3	16	21	.	3	
16	Diseases of the Heart ... M. } F. } }	206 { { 109 97	.	.	.	1	4	1	5	1	12	21	41	29	24	2	6	7	10	91	8	5
17	Other Diseases of the Circulatory M. } System. F. } }	12 { { 7 5	.	.	.	.	.	.	.	.	2	3	3	2	.	.	.	.	7	3	1	
18	Bronchitis ... ... M. } F. } }	34 { { 18 16	.	1	.	.	.	.	.	2	4	9	8	6	.	.	1	.	18	15	3	
19	Pneumonia ... ... M. } F. } }	36 { { 16 20	5	2	1	1	1	.	2	2	2	4	3	8	1	1	3	1	12	18	2	
20	Other Diseases of the Respiratory M. } System. F. } }	16 { { 9 7	.	.	.	.	1	1	.	1	3	2	2	2	1	.	.	1	8	6	1	
21	Ulcer of the Stomach or Duo- M. } denum. F. } }	7 { { 5 2	.	.	.	.	.	1	1	1	1	1	.	1	.	.	.	2	1	3	.	
22	Diarrhoea and Enteritis ... M. } F. } }	9 { { 3 6	2	4	.	.	.	.	1	.	.	1	.	1	.	1	1	1	1	1	.	
23	Appendicitis ... ... M. } F. } }	2 { { 2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	
24	Cirrhosis of the Liver ... M. } F. } }	1 { { 1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
25	Diseases of the Liver and Biliary M. } Passages. F. } }	2 { { 2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.	.	
26	Other Diseases of the Digestive M. } System. F. } }	15 { { 6 9	.	1	1	1	1	.	.	.	1	1	2	2	1	.	.	1	3	5	1	
27	Nephritis ... ... M. } F. } }	22 { { 16 6	.	.	.	.	.	2	.	.	1	4	5	4	1	1	2	13	6	.		
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	3	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	2	1	.	.	
30	Congenital Debility, etc. (Nos. M. } 157—161). F. } }	37 { { 22 15	21	.	.	.	.	1	.	.	.	.	.	.	.	3	.	3	7	16	5	
31	Senility ... ... M. } F. } }	235 { { 108 127	.	.	.	.	.	.	.	.	.	28	80	1	3	18	86	73	122	93	.	
32	Suicide ... ... M. } F. } }	2 { { 2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.	.	.	
33	Other Violence ... ... M. } F. } }	10 { { 5 5	.	1	.	1	.	.	2	.	1	2	2	1	1	1	1	1	4	2	.	
34	Other Causes ... ... M. } F. } }	70 { { 36 34	3	3	1	1	1	3	1	3	7	11	4	2	3	1	5	6	27	7	9	

**ABSTRACT V—continued.—Causes of Death in PROVINCE OF ULLSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. } F. }	4,260 { 2,200 2,060	167 114	42 40	23 43	61 63	62 68	88 96	105 141	283 281	670 570	699 644	46 43	51 40	390 286	1,713 1,691	518 569		
1	Typhoid Fever (including Para-typhoid). M. } F. }	2 { 2	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.		
2	Cerebro-spinal Fever... M. } F. }	5 { 4	.	.	1	3	.	.	.	.	.	.	.	.	2	1 2	.		
3	Scarlet Fever ... ... M. } F. }	4 { 3	.	.	1	1	1	.	.	.	.	.	.	.	2 1	1	.		
4	Whooping-cough ... ... M. } F. }	23 { 9	6	3	3	2	.	.	.	.	.	.	.	.	.	9 14	1		
5	Diphtheria ... ... M. } F. }	3 { 2	2	2	.	.	.	.	.	.	.	.	.	.	1	2	.		
6	Tuberculosis of the Respiratory System. M. } F. }	209 { 85	.	1	1	5	18	21	15	8	16	5	1	6	8	25 37	46 62		
7	All other forms of Tuberculosis... M. } F. }	65 { 30	1	6	4	8	8	3	2	3	1	1	.	2	1	5 16	23 16		
8	Dysentery ... ... M. } F. }	• { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... M. } F. }	214 { 103	5	2	1	1	2	1	5	4	8	45	31	.	9	94 97	27 37		
10	Measles ... ... M. } F. }	3 { 3	1	1	1	.	.	.	.	.	.	.	.	.	1	2	.		
11	Acute Infectious Encephalitis... M. } F. }	2 { 2	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.		
12	Typhus ... ... M. } F. }	• { .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. } F. }	328 { 165	.	1	.	2	2	4	15	40	76	30	8	3	28	126 141	8 12		
14	Diabetes Mellitus ... ... M. } F. }	31 { 18	.	.	1	1	1	1	2	2	4	2	6	4	6	7 14	1		

15	Intra-crania Lesions of Vascular Origin. M. } F. }	296 {	131 165	.	.	.	.	2 2	4 4	7 12	10 32	56 67	52 48	1 1	3 4	17 9	110 151	25 39	
16	Diseases of the Heart ... M. } F. }	909 {	498 411	.	.	3 3	4 3	6 7	12 15	18 26	86 83	299 147	141 127	3 4	19 18	91 54	385 335	60 60	
17	Other Diseases of the Circulatory System. M. } F. }	60 {	32 28	1	1	.	.	.	.	.	11 5	11 14	9 8	.	1	9 1	22 27	4	
18	Bronchitis ... ... M. } F. }	184 {	89 95	12 11	.	2	.	2	2 1	2 5	13 10	24 33	34 33	.	1	10 6	78 88	21 25	
19	Pneumonia ... ... M. } F. }	166 {	94 72	20 9	7 4	3	2 1	4 7	4 7	2 3	13 11	26 15	16 18	2 1	12 1	12 6	80 64	9 9	
20	Other Diseases of the Respiratory System. M. } F. }	67 {	35 32	4 1	1	.	1	2	1	1 3	8 5	11 15	9 4	1	.	5 2	29 29	6 5	
21	Ulcer of the Stomach or Duo- denum. M. } F. }	39 {	31 8	.	.	.	.	4 4	4 4	7 3	7 2	8 2	1 1	1	.	17 2	13 6	1	
22	Diarrhoea and Enteritis ... M. } F. }	34 {	24 10	13 6	3 1	1	1	1	1	2	1	2	1	3 2	.	1 1	20 7	3	
23	Appendicitis ... ... M. } F. }	14 {	8 6	.	2	1	2	1 1	1 1	1	1	2	.	.	.	8 6	.	.	
24	Cirrhosis of the Liver ... M. } F. }	1 {	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages. M. } F. }	14 {	4 10	.	.	.	.	2	.	2	1	1	1	.	.	3	4 7	1 1	
26	Other Diseases of the Digestive System. M. } F. }	79 {	42 37	2 3	2 2	1	1	.	2 2	6 4	8 7	13 12	9 7	2 1	.	16 15	24 21	6 1	
27	Nephritis ... ... M. } F. }	119 {	66 53	.	1	.	1	2 1	2 2	7 6	4 7	15 11	23 19	12 5	7 1	.	19 9	40 43	1 3
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	18	18	.	.	.	4	6	7	1	.	.	.	1	.	7	10	.	
30	Congenital Debility, etc. (Nos. M. 157 ~ 161). F. }	159 {	96 63	91 61	1	1	2	.	1	.	.	.	.	7 6	2 6	16 14	71 43	36 18	
31	Senility ... ... M. } F. }	776 {	387 389	.	.	.	.	.	.	.	.	66 79	321 310	.	4 .	23 22	360 367	263 295	
32	Suicide ... ... M. } F. }	6 {	4 2	.	.	.	.	.	1	1 1	1 1	2	.	.	.	1 .	8 2	.	
33	Other Violence M. } F. }	74 {	48 26	.	6 3	1	5	6 3	7 1	6 1	8 2	5 2	4 11	.	.	16 9	32 17	.	
34	Other Causes ... M. } F. }	356 {	198 158	11 11	7 7	8 9	11 6	8 6	14 10	18 12	33 34	62 51	26 10	5 3	8 2	54 28	131 125	45 51	

**ABSTRACT V—continued.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.											PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	1,184 {	631 553	54 21	15 12	2 7	19 18	13 22	26 25	29 38	99 75	188 150	186 185	18 16	15 13	156 92	442 432	135 154	
1	Typhoid Fever (including Para-typhoid). M. F. }	2 {	2	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	
2	Cerebro-spinal Fever ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	Scarlet Fever ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	Whooping-cough ... ... M. F. }	17 {	7 10	5 2	2 7	1	.	.	.	.	.	.	.	.	.	7 10	1 1	.	
5	Diphtheria ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
6	Tuberculosis of the Respiratory System. M. F. }	53 {	26 33	.	.	.	1	4 12	2 6	4 3	2 3	6 6	2 2	.	2 6	3 5	9 12	6 10	
7	All other forms of Tuberculosis ... M. F. }	7 {	3 4	.	1	1	.	.	1	1	1	.	.	.	1	1	3 2	1	
8	Dysentery ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ... ... M. F. }	17 {	7 10	.	.	.	.	1	1	1	1	3 6	3 1	.	.	.	7 10	3 2	.
10	Measles ... ... M. F. }	1 {	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
11	Acute Infectious Encephalitis ... M. F. }	1 {	1	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	
12	Typhus ... ... M. F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ... ... M. F. }	94 {	48 46	.	1	.	.	1	2 4	6 12	13 9	14 11	13 8	1	1	11 7	35 38	2 3	
14	Diabetes Mellitus ... ... M. F. }	10 {	5 5	.	.	.	.	.	1	1	1	2 3	1	.	.	3 1	2 4	1	

15	Intra-cranial Lesions of Vascular M. Origin. F. }	76 {	37 39	.	.	.	.	.	1	2	1	4	18	13	.	.	10	5	27 34	5 11	
16	Diseases of the Heart ... M. F. }	287 {	162 125	.	.	.	.	.	2 1	2 3	6	9	34 28	75 41	41 37	.	3	4	53 28	106 90	10 6
17	Other Diseases of the Circulatory M. System. F. }	16 {	11 5	.	1	.	.	.	.	.	.	6	2	2	.	.	.	3	1	8 4	1
18	Bronchitis ... ... M. F. }	63 {	30 33	2	.	.	.	.	1	1	2	3	8 4	14 13	13 13	.	.	.	1	29 33	8 8
19	Pneumonia ... ... M. F. }	25 {	16 9	7	1	.	.	1	.	1	2	3	4 2	1 1	1 1	.	1	1	14 8	1 3	
20	Other Diseases of the Respiratory M. System. F. }	16 {	11 5	1	1	.	.	1	.	.	.	2	4 2	2 2	2 2	.	1	.	2	8 5	1 1
21	Ulcer of the Stomach or Duo- denum. M. F. }	14 {	10 4	.	.	.	.	.	2	2	1	2	2 1	1 1	1 1	.	.	.	5 1	5 3	1
22	Diarrhoea and Enteritis ... M. F. }	12 {	9 3	7 2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	8 3	1
23	Appendicitis ... ... M. F. }	6 {	4 2	.	1	.	.	2	.	1	1	.	.	1	.	.	.	4	2	.	
24	Cirrhosis of the Liver ... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary M. Passages. F. }	3 {	2 1	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	1	2	.
26	Other Diseases of the Digestive M. System. F. }	18 {	11 7	.	1	.	.	.	.	1	1	2	3	4	1	.	.	4	10 3	4 1	
27	Nephritis ... ... M. F. }	46 {	28 18	.	.	.	.	1	.	2	3	1	9	10	4	5	.	8	15 17	1	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	5	5	.	.	.	.	1	1	3	.	.	.	.	.	1	.	3	1	.	
30	Congenital Debility, etc. (Nos. M. 157—161). F. }	43 {	31 12	29 12	1	.	.	.	1	.	.	.	.	.	.	4 4	1	11 4	15 4	4 3	
31	Senility ... ... M. F. }	223 {	100 123	.	.	.	.	.	.	.	.	.	19 26	81 97	.	2	12 8	86 115	73 93		
32	Suicide ... ... M. F. }	2 {	1 1	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	1	.	
33	Other Violence ... ... M. F. }	25 {	19 6	.	2	.	3	1	4	2	4	1	1	2	.	.	5	1	14 5	.	
34	Other Causes ... ... M. F. }	102 {	58 44	3 2	3	1	2	5 3	4 3	3 3	4 5	10 4	20 15	5 4	3 1	4 1	17 11	34 31	21 18		

**ABSTRACT V—continued.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F.	2,146 { 1,108 1,038	86 58	21 18	15 28	27 34	38 30	45 50	56 74	114 129	337 292	369 325	16 11	25 18	138 122	929 887	324 334		
1	Typhoid Fever (including Para-typhoid). M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
2	Cerebro-spinal Fever ... M. F.	3 { 1 2	.	.	1 2	.	.	.	.	.	.	.	.	.	.	1 2	.		
3	Scarlet Fever ... ... M. F.	4 { 3 1	.	.	1 1	1 1	.	.	.	.	.	.	.	.	2 1	1	.		
4	Whooping-cough ... ... M. F.	5 { 2 3	1.	1 2	1 1	.	.	.	.	.	.	.	.	.	.	2 3	.		
5	Diphtheria ... ... M. F.	3 { 2 1	2.	2 1	.	.	.	.	.	.	.	.	.	.	1	2	.		
6	Tuberculosis of the Respiratory System. M. F.	113 { 53 60	.	1 3	1 3	11 15	15 17	10 9	5 8	8 6	2 2	1	2	5 2	15 25	31 33	4 4		
7	All other forms of Tuberculosis ... M. F.	47 { 22 25	1 2	5 3	4 5	4 6	3 3	3 4	1 1	1 1	1 1	.	1	1	4 12	18 11	1		
8	Dysentery ... ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
9	Influenza ... ... M. F.	147 { 72 75	4 2	1 1	.	1 1	1 1	4 2	3 4	4 13	32 28	22 24	.	.	5 12	67 68	20 29		
10	Measles ... ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
11	Acute Infectious Encephalitis ... M. F.	1 { 1 .	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
12	Typhus ... ... M. F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
13	Cancer ... ... M. F.	170 { 81 89	.	.	.	.	2	.	1 7	6 15	14 22	45 29	15 14	6 3	2 4	65 82	6 9		
14	Diabetes Mellitus ... ... M. F.	10 { 4 6	.	.	.	.	1	1	.	1	1	.	3	.	1 2	3 4	.		

15	Intra-cranial Lesions of Vascular Origin. M. } F. }	149 {	69 80	.	.	.	.	1 1	3 2	6 8	3 12	28 29	28 30	1 1	1 2	2 2	65 75	17 23	
16	Diseases of the Heart ... M. } F. }	404 {	213 191	.	.	1 3	2 1	2 2	8 7	8 13	28 31	97 75	67 59	2 1	13 12	26 21	172 157	39 47	
17	Other Diseases of the Circulatory System. M. } F. }	32 {	16 16	1	.	.	.	.	.	.	4 4	8 6	4 5	.	1	4	11 16	2	
18	Bronchitis ... ... M. } F. }	65 {	31 34	6 7	1	.	.	.	1 3	8 2	8 11	8 10	.	.	5 3	26 30	9 11		
19	Pneumonia ... ... M. } F. }	115 {	64 51	11 8	5 3	2	1 1	4 1	2 5	2 1	9 4	17 12	13 14	1	.	9 3	55 47	6 6	
20	Other Diseases of the Respiratory System. M. } F. }	41 {	21 20	3	.	1	.	.	1 1	1 3	5 3	6 10	6 1	.	.	2	19 19	5 3	
21	Ulcer of the Stomach or Duodenum. M. } F. }	17 {	14 3	.	.	.	.	1	1 1	5 2	4 2	3 1	.	1	.	7 1	6 2	.	
22	Diarrhoea and Enteritis ... M. } F. }	12 {	8 4	1 2	1	.	1	1	1 1	1 1	1 1	1 1	1 1	.	.	1	7 4	1	
23	Appendicitis ... ... M. } F. }	7 {	4 3	.	1	1	.	1	1 1	.	1 1	1 1	.	.	.	4 3	.	.	
24	Cirrhosis of the Liver ... M. } F. }	1 {	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
25	Diseases of the Liver and Biliary Passages. M. } F. }	9 {	1 8	.	.	.	.	1	.	1	2	1	3	1	.	.	1 6	1 1	
26	Other Diseases of the Digestive System. M. } F. }	38 {	20 18	1	2	1	.	1	.	.	5 2	4 3	7 7	2 3	1 1	.	9 6	10 11	.
27	Nephritis ... ... M. } F. }	49 {	26 23	.	.	1	1	1	2 3	2 4	4 4	9 8	6 2	1 1	.	8 4	17 18	1 2	
28	Puerperal Infection ... F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
29	Other Diseases of Childbirth ... F.	8	8	.	.	.	.	3	2	2	1	.	.	.	.	3	5	.	
30	Congenital Debility, etc. (Nos. M. } 157—161). F. }	82 {	52 30	50 28	.	1	1	.	.	.	.	.	.	.	.	1 2	49 20	28 13	
31	Senility ... ... M. } F. }	410 {	216 194	.	.	.	.	.	.	.	.	36 41	180 153	.	.	1 2	215 192	167 161	
32	Suicide ... ... M. } F. }	4 {	3 1	.	.	.	.	.	1	1	.	2	.	.	.	3 1	.	.	
33	Other Violence ... ... M. } F. }	31 {	18 13	.	2	1	.	3 1	2 1	2	3	3 1	2	.	.	5 6	13 7	.	
34	Other Causes ... ... M. } F. }	159 {	91 78	6 4	3	4 2	2	4 2	4 5	8 4	13 24	32 25	15 4	2 1	2	18 8	69 69	20 23	

**ABSTRACT V—contd.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1941.**

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.												PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.	County Homes and Hosps. District Hosps. and Co. Infir-maries.	Else-where.		
	ALL CAUSES ... ... M. F. }	930 { 469	481	27	6	6	15	11	17	20	70	145	144	12	11	96	342	59	
1	Typhoid Fever (including Para-typhoid). M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
2	Cerebro-spinal Fever ... M. F. }	2 { .	. 2	. .	1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	2	. .	.	
3	Scarlet Fever ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
4	Whooping-cough ... ... M. F. }	1 { .	. 1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	.	
5	Diphtheria ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
6	Tuberculosis of the Respiratory System. M. F. }	43 { 31	12	. .	1	1	3	4	1	1	2	1	. .	2	9	3	1	9	
7	All other forms of Tuberculosis ... M. F. }	11 { 6	5	. .	1	2	4	1	. .	1	1	. .	. .	2	. .	1	3	2	
8	Dysentery ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
9	Influenza ... ... M. F. }	50 { 26	24	1	1	1	1	. .	. .	1	4	10	6	. .	. .	4	20	4	
10	Measles ... ... M. F. }	2 { 2	. .	1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1	1	.	
11	Acute Infectious Encephalitis ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
12	Typhus ... ... M. F. }	{ .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	.	
13	Cancer ... ... M. F. }	64 { 28	36	. .	. .	. .	. .	1	1	3	13	17	2	1	1	9	26	.	
		44 { 4	. .	. .	. .	. .	. .	. .	. .	1	. .	2	1	. .	. .	2	2	.	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	71 {	25 46	.	.	.	.	.	1	2	3	11 24	10 24	11 5	.	2	2	5 2	18 42	3 5
16	Diseases of the Heart	... M. } F. }	218 {	123 95	.	.	.	1	1	2	2	4	24 24	57 31	33 31	1	3 2	3 2	12 5	107 88	11 7
17	Other Diseases of the Circulatory System.	M. } F. }	12 {	5 7	.	.	.	.	.	.	.	.	1	1 5	3 2	.	.	.	2	3 7	1
18	Bronchitis	... ... M. } F. }	56 {	28 28	4 2	1	.	.	.	1	1	2	2 4	8 8	13 10	.	1	4 3	23 25	4 6	
19	Pneumonia	... ... M. } F. }	26 {	14 12	2	1	1	.	.	.	1	2	3 4	5 1	2 3	.	1	2 3	11 9	2 1	
20	Other Diseases of the Respiratory System.	M. } F. }	10 {	3 7	.	.	.	.	.	2	.	.	1	1 1	1 1	.	.	1	2 5	2 1	
21	Ulcer of the Stomach or Duodenum.	M. } F. }	8 {	7 1	.	.	.	.	.	1	1	1	1 1	3	.	.	.	5	2 1	.	
22	Diarrhoea and Enteritis	... M. } F. }	10 {	7 3	5 2	1	.	.	.	.	.	.	1	.	.	2 2	2 2	.	1	5	1
23	Appendicitis	... ... M. } F. }	1 {	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
24	Cirrhosis of the Liver	... M. } F. }	1 {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
25	Diseases of the Liver and Biliary Passages.	M. } F. }	2 {	1 1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1 1	1 1	
26	Other Diseases of the Digestive System.	M. } F. }	23 {	11 12	1	1	1	1	.	.	1	1	2 3	3 2	3 3	.	.	7 5	4 7	2	
27	Nephritis	... ... M. } F. }	24 {	12 12	1	.	.	.	.	1	2	1	2 3	4 4	2	1	.	3 4	8 8	.	
28	Puerperal Infection	... F.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.		
29	Other Diseases of Childbirth	... F.	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.	
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	34 {	13 21	12 21	.	.	.	1	.	.	.	.	.	.	.	3 2	.	3 9	7 10	4 2
31	Senility	... ... M. } F. }	143 {	71 72	.	.	.	.	.	.	.	.	.	11 12	60	.	2	10 12	59 60	23 41	
32	Suicide	... ... M. } F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
33	Other Violence	... ... M. } F. }	18 {	11 7	.	2	.	2	.	2	1	2	1 1	1 1	5	.	.	6 2	5 5	.	
34	Other Causes	... ... M. } F. }	85 {	49 36	2 5	1	3	4	1	7	6	10 6	10 11	6 2	1	2	1	19 9	28 25	4 10	

**ABSTRACT VI.—CAUSES OF DEATH, &c., in each of the Thirteen Principal Towns during the year 1941.**

No	CAUSES OF DEATH, ETC.		Total	City of Dublin		Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Bray
	All Causes ...	... M. F. }	5,459 5,697	3,394 3,445	267 328	572 664	280 274	226 219	110 122	103 114	100 87	82 95	93 127	67 54	87 76	78 92	
1	Typhoid Fever (including Para-typoid).	... M. F. }	6 5	1 3	1	.	2	.	1	.	.	.	.	.	1	.	1
2	Cerebro-spinal Fever ...	... M. F. }	11 8	9 5	1	1	1	.	.	.	.	.	.	1	1	.	.
3	Scarlet Fever	... M. F. }	5 1	4 1	.	.	.	1	.	.	.	.	.	.	.	.	.
4	Whooping-cough	... M. F. }	30 21	21 14	1	3	2	3	.	1	2	1	.	1	.	.	1
5	Diphtheria ...	... M. F. }	36 35	28 25	1	3	2	3	.	.	1	1	.	.	.	.	1
6	Tuberculosis of the Respiratory System.	... M. F. }	481 485	307 305	16 19	46 40	19 32	16 16	11 12	8 13	8 6	19 14	12 11	5 6	6 5	8 6	
7	All other forms of Tuberculosis ...	... M. F. }	130 122	80 69	3 11	12 8	8 8	3 5	3 4	3 2	5 3	3 3	2 4	1 1	1 3	6 1	
8	Dysentery ...	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
9	Influenza ...	... M. F. }	49 74	18 24	5	21	5	1	1	1	1	4	.	3	5 2	3 3	
10	Measles ...	... M. F. }	26 23	15 18	.	6 1	.	1	4 3	.	.	.	.	.	.	.	
11	Acute Infectious Encephalitis ...	... M. F. }	7 4	3 4	.	.	2	1	.	.	.	.	.	1	.	.	
12	Typhus ...	... M. F. }	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13	Cancer ...	... M. F. }	473 527	291 307	23 38	58 66	19 21	25 13	5 10	9 11	12 13	7 7	7 20	5 4	10 6	2 11	
14	Diabetes Mellitus ...	... M. F. }	21 35	8 20	2	3	3	1	2	.	2	.	1	.	2 1	1	

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	317 449	190 264	28 45	27 47	13 12	15 16	8 14	7 9	6 7	6 9	5 2	1 2	7 5	4 17
16	Diseases of the Heart	... M. } F. }	1,081 1,352	577 812	77 82	148 185	60 42	68 76	27 24	27 23	16 15	17 27	27 27	10 11	14 10	13 18
17	Other Diseases of the Circulatory System.	M. } F. }	150 153	119 113	8 9	7 6	3 5	2	3 3	3 3	2	1	4	1	4	4
18	Bronchitis ...	... M. } F. }	314 288	212 167	4 10	48 61	20 23	10 3	1 4	4 3	2 3	2 3	2 5	2 3	4 3	3 4
19	Pneumonia ...	... M. } F. }	291 286	195 184	15 8	28 42	19 16	7 7	4 6	4 1	3 2	1 3	4 6	4 2	4 5	3 4
20	Other Diseases of the Respiratory System.	M. } F. }	128 101	82 66	8 4	12 12	4 5	1 2	3	2	3 1	1	2	1	2 2	8
21	Ulcer of the Stomach or Duodenum.	M. } F. }	63 22	34 12	7	5	5 1	3 3	1	2 1	1	1	1	1	.	1
22	Diarrhoea and Enteritis	... M. } F. }	365 291	289 216	17 10	15 20	14 15	10 15	8 4	2	2 3	1 2	2	1	2	5
23	Appendicitis	... M. } F. }	18 13	10 9	1	1	1	1	1	1	2	.	.	1	.	1
24	Cirrhosis of the Liver	... M. } F. }	18 9	12 6	1	1	1 2	1	1	.	.	.	.	1	.	1
25	Diseases of the Liver and Biliary Passages.	M. } F. }	21 29	11 17	2 2	4 3	1	1	1	1 3	.	1	1	.	.	.
26	Other Diseases of the Digestive System.	M. } F. }	77 85	42 44	9 5	8 13	3 8	2 3	2	3 4	2	1	1	2	3 1	1
27	Nephritis ...	... M. } F. }	185 142	137 93	8 6	4 11	11 5	5 3	2 3	3 5	6 3	2	1	4 7	1 2	1 2
28	Puerperal Infection	... F.	11	10	.	1	.	.	.	.	.	.	.	.	2	.
29	Other Diseases of Childbirth	... F.	30	11	1	7	2	1	1	1	1	1	1	1	1	2
30	Congenital Debility, etc. (Nos. 157—161).	M. } F. }	444 306	311 212	12 6	34 24	20 17	13 8	7 8	3 6	8 6	7 4	7 5	4 4	8 4	10 2
31	Sensibility ...	... M. } F. }	132 330	48 156	4 28	15 30	10 20	6 17	8 6	6 9	7 10	13	22	7	12 8	4
32	Suicide	... M. } F. }	18 2	9 1	.	3	1	1	.	.	1	.	1	1	1	.
33	Other Violence	... M. } F. }	135 105	84 68	5 6	16 11	6 4	4 5	3 1	4 4	3 1	2	2	3 1	2 3	1
34	Other Causes	... M. } F. }	427 353	247 189	21 25	58 42	28 19	21 18	8 14	13 10	5 7	5 3	5 3	9 6	4 7	3 10

\*  
**APPENDIX I.**

---

**ALTERATIONS IN REGISTRARS' DISTRICTS, 1941.**

---

On the 1st April, 1941, the boundaries of the Registrars' Districts known as Cork Urban Nos. 2, 3, 4 and 5 were altered.

## APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the  
General Register Office, Dublin, during the 78 years 1864-1941.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
£	s.	d.	£	s.	d.	£	s.
1864	... ...	15	3	1 10 6	1903	... ...	731 12 6
1865	... ...	41	20	4 12 0	1904	... ...	769 19 7
1866	... ...	55	34	7 0 0	1905	... ...	3,958 2
1867	... ...	46	26	5 12 0	1906	... ...	3,954 5
1868	... ...	69	42	9 13 0	1907	... ...	5,714 0
1869	... ...	80	34	8 15 0	1908	... ...	5,877 0
1870	... ...	93	54	11 10 0	1909	... ...	4,670 7
1871	... ...	112	67	14 6 6	1910	... ...	4,761 0
1872	... ...	120	76	15 14 0	1911	... ...	920 8 0
1873	... ...	100	106	21 14 0	1912	... ...	944 18 4
1874	... ...	166	107	22 6 6	1913	... ...	6,128 4
1875	... ...	244	166	33 15 0	1914	... ...	4,778 9
1876	... ...	270	185	36 16 0	1915	... ...	914 9 11
1877	... ...	312	202	42 14 0	1916	... ...	998 7 2
1878	... ...	391	286	55 15 0	1917	... ...	957 9 0
1879	... ...	522	399	78 0 0	1918	... ...	1,157 10 0
1880	... ...	753	596	114 7 0	1919	... ...	1,118 7 0
1881	... ...	743	583	111 8 6	1920	... ...	1,172 1 2
1882	... ...	852	688	129 11 0	1921	... ...	6,140 1
1883	... ...	1,036	773	149 1 6	1922	... ...	6,198 2
1884	... ...	1,254	966	185 3 0	1923	... ...	6,475 6
1885	... ...	1,412	1,116	212 8 0	1924	... ...	1,225 13 6
1886	... ...	1,527	1,173	225 7 4	1925	... ...	8,499 6
1887	... ...	1,683	1,307	251 7 0	1926	... ...	1,611 11 6
1888	... ...	1,778	1,404	266 9 0	1927	... ...	1,712 16 0
1889	... ...	1,986	1,561	297 4 6	1928	... ...	8,998 0
1890	... ...	2,448	2,042	383 2 9	1929	... ...	1,688 2 0
1891	... ...	2,815	2,297	433 1 6	1930	... ...	1,646 6 0
1892	... ...	3,209	2,534	489 17 0	1931	... ...	2,076 0 0
1893	... ...	3,559	2,783	532 2 2	1932	... ...	14,387 0 6
1894	... ...	3,492	2,678	512 7 0	1933	... ...	8,940 12 0
1895	... ...	3,482	2,618	508 8 0	1934	... ...	77,347 5 6
1896	... ...	4,046	3,103	596 10 6	1935	... ...	13,493 6 6
1897	... ...	3,917	2,960	572 3 0	1936	... ...	12,391 17 6
1898	... ...	4,132	3,207	613 1 2	1937	... ...	37,462 0 6
1899	... ...	4,133	3,201	616 13 6	1938	... ...	56,965 0 6
1900	... ...	4,558	3,481	672 7 6	1939	... ...	9,804 4 6
1901	... ...	4,843	3,733	718 18 0	1940	... ...	13,552 0 0
1902	... ...	4,871	3,719	716 16 6	1941	... ...	3,673 0 0
						29,601	4,376 2 0
						16,227	4 0

N.B.—The above figures do not include a large number searches made and certificates issued, free of charge, for the use of Government Departments.

## APPENDIX III.

## CASES OF INFECTIOUS DISEASES.

## Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1941.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last Column denote the following diseases :—A—Acute anterior poliomyelitis. B—Cerebro-spinal meningitis. C—Continued fever. D—Encephalitis lethargica. E—Erysipelas. F—Ill-defined fever. G—Membranous Croup. H—Meningitis. J—Ophthalmia neonatorum. K—Paratyphoid A. L—Paratyphoid B. M—Dysentery (Bacillary). N—Malaria. O—Undulant fever. P—Dysentery (Amoebic). Q—Pemphigus Neonatorum. R—Trachoma.

## COUNTY BOROUGHES.

County Boroughs	Ty- phus	Ty- phoid	Diph- theria	Scarlet Fever	Measles	Whoop- ing Cough	Puer- peral Infec- tion	Pneumonia		Other Diseases
								Primary	Influenza	
Oork ...	.	11	59	42	5	63	1	21	1	B. 2. E. 28.
Dublin ...	.	53	451	511	975	428	18	213	.	A. 8. B. 34. D. 3. E. 117. J. 12. Q. 3. R. 100. B. 6. E. 10. R. 1.
Limerick ...	.	16	62	71	2	3	.	7	.	
Waterford ...	.	.	43	105	7	.	3	40	.	A. 1. B. 1. E. 11. M. 8.
TOTAL ...	.	80	615	729	989	494	23	281	1	A. 9. B. 43. D. 3. E. 166. J. 12. M. 8. Q. 3. R. 101.

## URBAN DISTRICTS.

County	Urban District	Ty- phus	Ty- phoid	Diph- theria	Scarlet Fever	Measles	Whoop- ing Cough	Puer- peral Infec- tion	Pneumonia		Other Diseases
									Primary	Influenza	
Carlow ...	Carlow ...	.	.	.	1	.	.	1	1	.	E. 1.
Cavan ...	Cavan ...	.	.	.	14	.	.	.	.	.	E. 1.
Clare ...	Ennis ...	.	.	21	7	4	11	.	.	1	B. 1. E. 1.
Cork ...	Clonakilty ...	.	.	.	3	.	.	.	.	.	
	Cobh ...	.	.	2	4	.	.	.	.	.	B. 1.
	Fermoy ...	.	.	13	9	.	.	1	3	2	E. 1.
	Kinsale ...	.	.	.	3	.	.	.	.	.	
	Mallow ...	.	.	.	71	.	.	.	.	.	E. 2.
	Midleton ...	.	.	.	9	.	1	1	1	.	E. 1.
	Passage West ...	.	.	3	5	.	.	.	1	.	E. 1.
	Skibbereen ...	.	.	.	4	3	.	.	.	.	
	Youghal ...	.	2	3	9	.	.	.	2	3	A. 1.
Donegal ...	Buncrana ...	.	.	.	1	.	.	.	.	.	
	Letterkenny ...	.	.	1	13	.	.	.	.	.	E. 1.
Dublin ...	Dun Laoghaire ...	.	1	27	33	3	8	1	.	1	A. 2. B. 2. E. 6. R. 1.
	Howth ...	.	.	1	1	71	2	.	.	.	

## CASES OF INFECTIOUS DISEASES—contd.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Infections	Pneumonia		Other Diseases
									Primary	Influenza	
Galway ...	Ballinasloe Galway ...	.	.	.	2 18	30 60	.	4	.	.	E. 1. B. 1. E. 5.
Kerry ...	Killarney Listowel Tralee ...	.	2 4 3	22 4 4	5 4 85	1 7	.	.	1	.	E. 2. B. 1. A. 1. B. 4. E. 1.
Kildare ...	Athy Naas ...	.	.	4	.	1	.	1	.	2	E. 1.
Kilkenny ...	Kilkenny ...	.	.	.	20	1	.	1	.	.	B. 1. R. 2.
Longford ...	Granard Longford ...	.	.	.	1 1	.	2	.	.	1	B. 1. E. 1. L. 1.
Louth ...	Drogheda Dundalk ...	.	.	10 7	1 3	.	1	.	.	.	A. 1. E. 1.
Mayo ...	Ballina Castlebar Westport ...	1 8	1 2	16 1	.	.	.	.	12 2	.	A. 3. B. 5. E. 3. B. 2.
Meath ...	An Uaimh ...	.	.	4	6	.	.	.	.	.	.
Monaghan ...	Carrickmacross Castleblayney Clones Monaghan ...	.	.	.	5 4 2	3	.	.	1	.	A. 1. E. 1.
Offaly ...	Birr Tullamore ...	.	.	.	9 11	.	3 5	.	.	.	.
Sligo ...	Sligo ...	5	7	7	9	2	.	.	3	.	.
Tipperary N.R. ...	Nenagh Templemore Thurles ...	.	.	2 2 8	2 1	1	.	2 1 4	.	10	A. 1. D. 1. E. 1.
Tipperary S.R. ...	Carrick-on-Suir Clonmel Tipperary ...	.	3 4	5 7 7	2 25 67	.	.	.	1 1 6	1	J. 1. E. 11. J. 1. E. 1.
Waterford ...	Dungarvan ...	.	8	.	2	.	.	.	.	.	.
Westmeath	Athlone ...	.	.	1	1	.	.	.	.	.	.
Wexford ...	Enniscorthy New Ross Wexford ...	.	.	5 19 6	.	.	.	.	.	1 2 6	E. 3. B. 6. E. 4. L. 1.
Wicklow ...	Bray Wicklow ...	.	.	3	4	4 6	73	.	2	25	A. 2. B. 2. R. 1. A. 1.
	TOTAL ...	.	47	211	453	266	116	11	50	56	A. 13. B. 25. D. 1. E. 53. J. 2. L. 2. R. 4.

## CASES OF INFECTIOUS DISEASES—contd.

## RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Infections	Pneumonia		Other Diseases
									Primary	Influenza	
Carlow	Carlow	.	1	7	6	2	1	.	.	.	E. 1.
	Carlow No. 2	.	.	.	1	.	.	.	.	.	B. 1.
	Idrone	.	.	1	.	.	.	.	.	.	
Cavan	Ballieboro'	.	1	1	2	4	1	.	1	.	A. 2. D. 1.
	Bawnboy	.	2	1	.	.	.	1	1	.	A. 1.
	Castlerahan	.	.	.	.	6	19	.	5	.	E. 2. J. 1.
	Cavan	.	2	.	1	.	42	1	3	4	
	Enniskillen No. 2	.	.	.	1	.	.	.	.	.	
Clare	Mullaghanor	.	.	.	.	.	2	.	.	.	
	Ballyvaughan	.	.	.	.	.	.	.	9	2	
	Corrofin	.	.	1	1	2	.	.	1	3	E. 1.
	Ennis	.	5	3	1	3	7	.	1	2	
	Ennistymon	.	1	.	.	.	.	.	.	3	
	Killadysert	.	.	.	.	.	.	.	.	.	A. 2.
	Kiurish	.	13	3	1	.	.	.	.	.	E. 2.
	Meelick	.	.	1	.	4	.	.	.	.	E. 1.
Cork	Scariff	.	.	3	9	.	4	.	.	.	
	Bandon	.	.	.	12	1	1	1	.	.	
	Bantry	.	5	1	22	7	.	1	2	1	A. 1. B. 2.
	Castletown	.	11	.	.	.	.	2	2	9	B. 1.
	Clonakilty	.	.	.	2	.	.	.	.	.	B. 2.
	Cork	.	2	37*	59	6	8	1	5	2	B. 1. E. 13.
	Dunmanway	.	.	.	4	7	.	1	2	.	
	Fermoy	.	.	1	43	.	1	1	9	5	E. 4.
	Kanturk	.	.	4**	18	18	.	2	.	2	A. 1.
	Kinsale	.	2	.	7	.	.	1	1	.	
	Macroom	.	.	2	9	1	.	.	.	.	
	Mallow	.	.	4	29	.	.	2	7	.	B. 1. E. 6.
	Midleton	.	.	.	21	3	1	1	2	2	A. 1. B. 1. E. 1.
Donegal	Millstreet	.	.	1	10	.	.	.	.	.	
	Mitchelstown	.	.	1	2	.	.	.	2	3	E. 2.
	No. 1	.	.	1	2	.	.	.	2	6	D. 1.
	Rathlure	.	.	1	33	23	.	.	2	.	
	Skibbereen	.	.	1	.	.	.	.	4	1	A. 1.
	Skull	.	.	.	2	1	.	.	1	1	A. 1.
	Youghal No. 1	.	.	.	1	1	.	.	.	.	
Donegal	Ballyshannon	.	.	.	1	.	.	.	.	.	
	Donegal	.	1	.	3	.	.	.	2	1	
	Dunfanaghy	.	1	1	6	.	.	.	1	.	
	Glenties	.	1	3	11	1	13	.	4	7	E. 1.
	Inishowen	.	8	12	17	.	4	2	7	7	A. 1. B. 1. E. 3.
	Letterkenny	.	.	1	4	.	.	.	.	.	
	Milford	.	1	4	2	.	.	.	.	.	
	Stranorlar	.	4	7	20	1	.	.	2	2	A. 3. J. 1.
Dublin	Balrothery	.	1	5†	19	6	1	.	1	6	A. 1. B. 2. E. 3.
	Gill Driochhead	.	.	1	4	.	49	1	5	.	E. 1.
	No. 2	.	1	73‡	43	12	2	1	7	2	E. 10. J. 1. R. 1.
	Dublin, Nth.	.	.	13	21	20	11	.	2	2	B. 2. D. 1. E. 7.
	Dublin, Sth.	.	.	.	.	.	.	.	.	.	J. 1. R. 1.
	Rathdown No. 1	.	.	19	21	16	3	.	.	.	B. 3. E. 10. R. 1.
Galway	Ballinasloe	.	4	.	1	3	.	.	.	1	
	Clifden	8	1	.	2	3	38	.	1	.	B. 1.
	Galway	2	.	5	.	6	1	.	1	.	B. 1. E. 1.
	Glenamaddy	.	1	.	1	.	1	.	3	2	E. 1.
	Gort	.	1	.	.	1	.	.	.	.	B. 1. E. 1.
	Loughrea	.	4	2	.	7	9	1	.	2	E. 3. R. 1.
	Mountbellow	.	.	1	2	.	2	.	.	1	E. 1.
	Oughterard	1	14	.	3	.	2	.	1	6	B. 2.
Kerry	Portumna	.	3	.	1	1	.	1	.	1	E. 1.
	Tuam	.	2	8	1	1	.	.	.	1	A. 8. E. 1.
	Caheriveen	.	.	7	3	49	.	1	1	1	A. 3. B. 1. E. 5.
	Dingle	.	2	.	11	.	.	1	2	1	
	Kenmare	.	.	7	33	.	.	2	.	3	A. 1.
Kerry	Killarney	.	.	5	66	12	.	2	3	.	A. 6. B. 4. D. 1.
	Listowel	.	1	18	44	13	.	2	8	4	B. 1. E. 2.
	Tralee	.	.	.	.	.	.	4	.	.	A. 1. B. 1. E. 3.

\* 6 cases mixed infection—diphtheria and scarlet fever.

\*\* 2 cases mixed infection—diphtheria and scarlet fever.

† One case mixed infection—diphtheria and scarlet fever.

‡ One case mixed infection—diphtheria and scarlet fever.

## CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Infections	Pneumonia		Other Diseases
									Primary	Infusenzal	
Kildare ...	Athy No. 1, ...	.	.	1	7	16	2	.	5	6	B. 1. E. 1. R. 1.
	Cill Droichead No. 1	.	.	10	7	2	1	.	2	.	
	Edenderry No. 2	.	.	5	3	14	.	.	4	.	
	Nas na Riogh No. 1	.	.	2	5	9	.	1	6	1	
Kilkenny ...	Callan	.	.	14	5	.	.	.	5	.	B. 2. R. 1.
	Carrick-on-Suir No. 3	.	.	1	.	3	.	1	.	.	E. 1.
	Castlecomer	.	.	1	4	.	.	.	.	1	B. L.
	Ida	.	.	3	1	.	.	.	.	1	B. 1. E. 1.
	Kilkenny	.	.	5	1	.	.	1	.	.	.
	Thomastown	.	.	5	4	.	.	.	.	.	.
Laois ...	Urlingford No. 1	.	.	2	2	.	.	.	.	.	.
	Waterford N. 2	.	.	2	8	.	.	.	.	.	.
	Abbeyleix	.	.	2	20	8	6	.	3	5	E. 2. A. 1. E. 6. E. 1.
	Athy, No. 2	.	.	2	48	30	8	.	1	7	
Leitrim ...	Mountmellick	.	.	15	2	.	.	.	14	2	A. 1. E. 6. E. 1.
	Roscrea No. 3	.	.	2	2	.	4	.	1	.	
	Sliemavanny	.	.	3	3	.	.	.	.	.	
	Ballinamore	.	2	.	.	.	.	.	.	.	E. 2.
Limerick ...	Carrick-on-Shannon No. 1	.	1	4	.	.	.	.	.	.	E. 1. E. 1. E. 1. A. 1. E. 1.
	Manorhamilton	.	2	2	.	.	.	.	.	.	
	Mohill	3	.	1	.	.	.	1	.	.	
	Croom	.	.	2	3	.	.	1	.	.	
	Glin	.	.	3	15	.	.	1	1	4	
	Kilmallock	.	.	35	28	.	3	.	.	2	.
Longford ...	Limerick No. 1	.	3	35	28	.	.	.	.	.	.
	Mitchelstown No. 2	.	.	1	1	3	.	.	.	1	E. 1.
	Newcastle	.	.	3	11	1	1	.	3	9	E. 1.
	Rathkeale	.	.	2	3	2	5	.	5	.	A. 1.
	Tipperary No. 2	.	.	2	2	.	.	.	.	.	E. 1.
	Ballymahon	.	1	15	6	18	.	1	.	3	J. 1.
Louth ...	Granard No. 1	.	1	10	1	1	.	3	1	.	J. 1. B. 3.
	Longford	.	.	5	.	.	.	.	.	1	
	Ardee No. 1	.	.	1	1	.	.	.	.	.	E. 1. M. 1.
Mayo ...	Dundalk	.	1	4	1	1	.	2	.	.	B. 3.
	Louth	.	.	5	.	.	7	.	.	.	.
	Ballina	.	.	.	19	1	5	3	25	.	A. 12. B. 2. E. 2.
	Ballinrobe	.	.	.	4	4	.	1	.	.	D. 1. E. 1.
	Bettymullet	.	.	.	1	1	.	.	.	.	A. 1. B. 1.
	Castlebar	.	1	.	6	29	23	.	8	2	A. 1. B. 1. E. 2.
	Claremorris	.	.	2	6	8	8	.	6	1	E. 1.
Meath ...	Swinford	.	.	1	10	10	12	.	10	2	E. 1.
	Westport	.	.	19	1	71	71	.	6	1	B. 2. E. 2.
	Ocannabus Mor	.	.	4	2	.	.	.	.	.	A. 1.
	Dunshaughlin	.	.	15	1	2	.	.	.	.	.
Monaghan ...	Meath	.	.	3	1	1	.	.	1	.	.
	Navan	.	.	6	13	.	.	.	.	.	.
	Trim	3	5	10	.	.	4	.	.	.	.
	Carrickmacross	.	1	2	3	3	.	.	6	1	B. 1. E. 1.
Offaly ...	Castleblayney	.	.	2	2	1	.	1	.	5	A. 1. B. 1. E. 1.
	Clones No. 1	.	.	5	7	2	.	1	.	.	A. 1. B. 3. E. 2.
	Monaghan	.	.	1	5	1	.	.	.	15	B. 1. E. 5.
	Birr	.	.	13	4	2	6	.	2	2	.
Roscommon ...	Edenderry No. 1	.	.	.	1	1	2	.	1	.	E. 1.
	Roscrea No. 2	.	.	13	15	9	6	1	.	1	.
	Tullamore	.	.	13	15	9	6	1	.	1	E. 1.
	Athlone No. 2	.	1	6	2	1	.	.	2	8	E. 1.
Sligo ...	Boyle No. 1	6	4	1	.	.	.	.	1	18	E. 1.
	Carrick-on-Shannon No. 2	.	1	1	1	.	.	.	6	8	E. 2.
	Castlerea	.	1	5	3	.	.	.	2	3	B. 1.
Sligo ...	Roscommon	.	7	5	3	1	.	.	2	.	.
	Coolavin	.	.	9	1	.	.	.	2	.	E. 1.
	Dromore West	.	.	2	3	1	.	.	.	.	A. 1.

## CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Infections	Pneumonia		Other Diseases
									Primary	Influenza	
Tipperary N.R.	Borrisokane ...	.	.	2	3	1	1	1	2	.	
	Nenagh ...	.	1	5	8	1	.	1	5	6	O. 1.
	Roscrea No. 1	.	.	8	4	.	3	.	4	.	Q. 1.
	Thurles ...	.	.	3	5	4	.	.	2	2	E. 1.
Tipperary S.R.	Carrick-on-Suir No. 1 ...	.	.	2	.	.	.	.	.	.	
	Cashel ...	.	.	1	1	26	.	.	.	.	B. 1.
	Clocheen ...	.	.	15	31	1	.	.	.	1	
	Clonmel No. 1	.	.	.	1	.	.	.	.	.	
	Sliévardagh ...	.	.	4	1	8	.	.	11	2	E. 1.
Waterford	Tipperary No. 1	.	2	2	15	14	25	2	2	7	
	Carrick-on-Suir No. 2 ...	.	1	.	.	.	.	.	.	.	
	Clonmel No. 2	.	.	1	7	.	9	.	.	.	
	Dungarvan ...	.	.	.	.	5	.	2	.	.	
	Kilmacthomas	.	7	.	3	4	.	1	.	.	
	Lismore ...	.	.	.	15	65	35	.	.	2	B. 1. L. 1. M. 5.
Westmeath	Waterford No. 1	.	.	3	10	8	.	.	1	.	
	Youghal No. 2	.	.	.	14	5	.	.	.	2	E. 1.
	Athlone No. 1	.	.	11	4	4	.	.	2	1	E. 1.
Wexford	Coole ...	.	1	.	2	3	.	.	.	.	
	Delvin ...	.	.	.	1	22	1	.	.	.	E. 1.
	Mullingar ...	.	.	7	19	6	.	1	2	2	B. 2. L. 2.
	Enniscorthy ...	.	2	11	3	.	.	2	1	.	B. 1. E. 3. M. 3.
Wicklow	Gorey ...	.	.	1	9	.	7	1	6	1	
	New Ross ...	.	2	13	9	1	.	1	.	.	B. 1. D. 1. E. 1.
	Wexford ...	.	.	8	4	.	.	.	.	2	B. 1. E. 3.
	Baltinglass ...	.	.	1	.	.	9	.	1	.	D. 1.
	Rathdown No. 2	.	.	5	8	1	.	1	.	.	A. 4.
	Rathdrum ...	.	4	7	2	5	1	1	2	.	A. 6. E. 2.
	Shillelagh ...	.	.	3	.	.	.	.	.	.	B. 1. R. 1.
	TOTAL ...	25	157	621	1,136	603	496	66	325	205	A. 64. B. 58. D. 7. E. 144. J. 5. L. 3. M. 9. O. 1. Q. 1. R. 7.

## TOTAL.

	Typhus	Typhoid	Diphtheria	Scarlet Fever	Measles	Whooping Cough	Puerperal Infection	Pneumonia		Other Diseases
								Primary	Influenza	
Co. Boroughs	.	80	615	729	989	494	22	281	1	A. 9. B. 43. D. 3. E. 166. J. 12. M. 8. Q. 3. R. 101.
Urban Districts.	.	47	211	453	266	116	11	50	56	A. 13. B. 25. D. 1. E. 53. J. 2. L. 2. R. 4.
Rural Districts.	25	157	621	1,136	603	496	66	325	205	A. 64. B. 58. D. 7. E. 144. J. 5. L. 3. M. 9. O. 1. Q. 1. R. 7.
Total for all Districts.	25	284	1,447	2,318	1,858	1,106	99	656	262	A. 86. B. 126. D. 11. E. 363. J. 19. L. 5. M. 17. O. 1. Q. 4. R. 112.