

**Note:**

Due to the nature of the scanning technology,  
no guarantee can be made regarding specific  
letter and number translations.



AN ROIINN SLÁINTE

---

TUARASCÁIL

AN

ÁRD-CHLÁRAITHEORA

1951

---

COMPILED BY THE CENTRAL STATISTICS OFFICE  
FROM DATA SUPPLIED BY AN T-ÁRD CHLÁRAITHEOIR

PUBLISHED BY THE STATIONERY OFFICE.

---

To be purchased from the  
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,  
or through any Bookseller.

---

1955

Price : Ten Shillings.



# C O N T E N T S

---

## P A R T I—T E X T A N D D I A G R A M S

	Page
GENERAL SUMMARY :	
Marriages, Births, Deaths and Population ... ... ... ...	vi
MARRIAGES :	
Number and rate ... ... ... ...	viii
Mode of celebration ... ... ... ...	ix
Age at marriage ... ... ... ...	x
BIRTHS :	
Number and rate ... ... ... ...	xi
Rates by counties, etc. ... ... ... ...	xii
Illegitimate births ... ... ... ...	xiv
Sex ratio at birth ... ... ... ...	xv
Multiple births ... ... ... ...	xv
DEATHS :	
Number and rate ... ... ... ...	xvi
Rates by counties ... ... ... ...	xviii
Causes of death :	
General observations ... ... ... ...	xx
Principal causes ... ... ... ...	xxi
Infectious diseases ... ... ... ...	xxv
Tuberculosis ... ... ... ...	xxv
Cancer ... ... ... ...	xxix
Heart diseases ... ... ... ...	xxxiii
Respiratory diseases ... ... ... ...	xxxiii
Pregnancy, childbirth and the puerperium ... ... ... ...	xxxvi
Accidents, poisonings and violence ... ... ... ...	xxxvi
Infant mortality ... ... ... ...	xxxvi
Uncertified deaths ... ... ... ...	xxxvi
Inquests and post-mortems ... ... ... ...	xxxvi
Diagram I. Birth, death and marriage rates, 1938-1951. ... ... ... ...	vii
„ II. Standardised death rate from all causes, 1951, by counties ... ... ...	xix
„ III. Tuberculosis and cancer mortality, 1938-1951 ... ... ...	xxvii
„ IV. Infant and neo-natal mortality, 1938-1951 ... ... ...	xxxiv

## PART II—TABLES

Contents	Area	Title	Page
Population ...	State ...	Table 1. Estimated population in thousands at the middle of each year, 1851 to 1951 ... ... ...	2
Population by age	State ...	Table 2. Total population by sex and age in 1951 ...	3
Population ...	Counties	Table 3. Population by sex in each county and county borough in 1951 ... ... ...	4
Marriages, births, deaths, 1864-1951	State ...	Table 4. Marriages, births and deaths registered and natural increase (excess of births over deaths), 1864-1951	5
Marriage, birth, death rates, 1864-1951.	State ...	Table 5. Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1951 ...	6
Marriages, births, deaths, 1940-1951	State ...	Table 6. Marriages, births and deaths registered during each of the years 1941-51 with the average annual rates for the ten years 1941-1950 and the rates for 1951 per 1,000 of the population ...	7
Deaths by cause, 1921-50	State ...	Table 7. Average annual number of deaths from principal causes, 1921-1950, with rates per 100,000 population ... ... ... ...	8
Deaths by principal causes, 1951, with rates	State and Six Counties	Table 8. Deaths from principal causes in Ireland and the Six Counties, 1951, with rates per 100,000 population	9
Deaths by age, 1864-1951	State ...	Table 9. Average annual numbers of deaths of males and females, classified by age, registered during the years 1864-1950, and in 1951 ... ...	10
Death rates by age, 1864-1951	State ...	Table 10. Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950, and in 1951 ... ...	11
Marriages, births, deaths, 1951	Counties	Table 11. Marriages, births, and deaths, registered during 1951, in each county and county borough ...	12
Marriages, births, illegitimate births, deaths, 1951	Counties	Table 12. Marriages, births and deaths, classified by sex, registered during 1951, showing illegitimate births and deaths from some principal causes separately, in each county and county borough ...	14
Marriage, birth and death rates, 1951	Counties	Table 13. Marriage, birth and death rates in 1951 in each county and county borough, showing also the proportion of illegitimate births and the death rates for some of the principal diseases ...	15
Births, illegitimate births, deaths, 1951	Principal towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 14. Births and deaths, classified by sex, registered during 1951, showing illegitimate births and deaths from some of the principal causes separately, in the principal towns and in aggregate urban and aggregate rural districts ...	16
Birth, illegitimate birth and death rates, 1951	Principal towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 15. Birth and death rates in 1951 in the principal towns and in aggregate urban and aggregate rural districts showing also the proportion of illegitimate births and the death rates for some of the principal diseases ... ... ... ...	17
Marriages, 1951 ...	Counties	Table 16. Marriages registered in each county and county borough during 1951 ... ... ...	18

Contents	Area	Title	Page
Deaths by age, 1951	Agg. U.D.'s. and Agg. R.D.'s.	Table 17. Deaths in 1951 at each year of age in the aggregate urban districts and in the aggregate rural districts ... ... ... ...	20
Deaths by age, 1951	Counties	Table 18. Deaths, classified by sex and age during 1951, for each county and county borough ... ...	24
Deaths by cause and age, 1951	State ...	Table 19. Deaths in 1951, classified by cause (International Detailed List 6th Revision, 1948), and by sex and age ... ... ... ...	28
Deaths by cause, sex and age, 1951	Agg. U.D.'s. and Agg. R.D.'s.	Table 20. Deaths in 1951 in aggregate urban districts and in aggregate rural districts, classified by cause (International Abbreviated List) and by sex and age ... ... ... ...	70
Deaths by cause, age, place of occurrence, certification, 1951	Counties	Table 21. Deaths in 1951, classified by cause (International Abbreviated List) and by sex and showing (i) age; (ii) place of occurrence; and (iii) the number of uncertified deaths for each county and county borough ... ... ... ...	76
Deaths by cause, 1951, births, population.	Principal towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 22. Deaths in 1951, classified by cause (International Abbreviated List) and by sex for each urban district and for the aggregate rural districts in each province and showing the numbers of deaths at ages under 1, 1 to 64 years and 65 years and over and the number of births and the population	230
Infant mortality, 1951	State ...	Table 23. Infant mortality—Total deaths under 1 year of age in 1951, classified by sex, age and cause (Detailed International List) ... ...	258
Infant mortality, 1951	Principal towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 24. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1951, classified by sex and cause, for the principal towns, other urban districts and rural districts ... ...	270
Infant mortality (illegitimate), 1951	State ...	Table 25. Infant mortality—Deaths of illegitimate children under 1 year of age, classified by sex, age and cause ... ... ... ...	271
Infant mortality, 1951	Counties	Table 26. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1951, classified by sex and cause for each county and county borough ...	272
Infectious diseases	U.D.'s. and R.D.'s.	Table 27. Summary of cases of infectious diseases notified to the Department of Health during the year 1951 ... ... ... ...	278

# REPORT OF AN tÁRD-CHLÁRAITHEOIR FOR THE YEAR 1951

Do'n Aire Sláinte.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósanna cláraithe sa bhliain, 1951.

P. Ó CINNÉIDE,

*Ard-Chláraitheoir.*

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1951 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1951 is exclusive of non-residents.

## GENERAL SUMMARY

*Marriages* :—There were 16,017 marriages registered during the year 1951 compared with 16,018 in 1950. The marriage rate per 1,000 population was 5·4. This rate has been comparatively stable since 1947. It is, however, abnormally low when comparison is made with other countries. The average annual marriage rate in 1941–50 was 5·6 per 1,000 population.

*Births* :—The number of births registered during 1951 was 62,878 and the birth rate was 21·2 per 1,000 population. There has been a small decline in the birth rate each year since 1947. The average annual rate for 1941–50 was 21·9 per 1,000 population.

The number of illegitimate births registered was 1,588 which is 2·5 per cent. of all births. This proportion is considerably lower than that of 3·5 per cent. for the years 1941–50.

*Deaths* :—The number of deaths registered during 1951 was 42,382 and the death rate was 14·3 per 1,000 population. This rate is 2·2 above that for 1948 which, however, was the lowest rate recorded up to that year. The average annual rate for the period 1941–50 was 14·0 per 1,000 population.


Of the deaths registered in 1951, 26·2 per cent. were stated to be due to heart disease, 10·0 to malignant neoplasms, 7·1 to vascular lesions affecting the central nervous system, 5·7 to influenza and 5·1 to tuberculosis (all forms).

The number of deaths from tuberculosis was 2,162 and the rate was 0·73 per 1,000 population. This is the lowest rate recorded up to 1951. There has been a considerable decline in this rate since 1947 when the rate was 1·24 per 1,000 population.

There were 4,275 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The upward tendency in the number of deaths from cancer has continued. The rate in 1951 was 1·44 per 1,000 population compared with 1·38 in 1950.

A severe influenza epidemic occurred during the first quarter of 1951. The number of deaths from influenza for the whole year was 2,399 which is the highest figure recorded since 1937. The rate was 0·8 per 1,000 population,

## BIRTH, MARRIAGE AND DEATH RATES, 1938-1951.



During 1951 the deaths of 2,876 infants under 1 year were registered, equivalent to a rate of 46 per 1,000 live births which is the same as the rate in 1950.

The total number of deaths from accidents and other external causes in 1951 was 996, of which road transport accidents account for 235 deaths.

*Issue of Authority for Registration* :—Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of an tÁrd-Chláraitheoir. The actual number of births registered on the authority of an tÁrd-Chláraitheoir in 1951 was 1,248 and the number of deaths registered was 173. Throughout the tables in this Report these births and deaths have been excluded.

*Population* :—The population at the 8th April, 1951, was 2,960,593.

### MARRIAGES

There were 16,017 marriages registered during the year 1951. This figure is 568 less than the average for the decennial period 1941–50.

The annual rate per 1,000 population for the year 1951 was 5·41 compared with 5·40 in 1950. The rate for the decennial period ended with 1950 was 5·60 per 1,000 population. Table I shows the marriage rate for Ireland, the Six Counties, England and Wales and Scotland for each of the years 1938–51.

TABLE I.  
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1938–1951

Years	Ireland*	Six Counties	England and Wales	Scotland
1938	5·1	6·7	8·8	7·8
1939	5·2	7·1	10·6	9·2
1940	5·1	7·6	11·3	10·7
1941	5·0	9·3	9·4	9·5
1942	5·9	9·0	8·9	9·5
1943	5·9	7·8	7·2	7·6
1944	5·7	7·2	7·1	7·2
1945	5·9	7·9	9·3	9·5
1946	5·9	7·4	9·0	8·9
1947	5·5	7·1	9·3	8·6
1948	5·4	6·9	9·0	8·5
1949	5·4	6·8	8·5	8·1
1950	5·4	6·6	8·2	7·8
1951	5·4	6·8	8·2	8·1

\*Exclusive of the Six Counties.

The marriage rate in Ireland is very low when comparison is made with England and Wales, Scotland and the Six Counties. The rate in 1951 is only two-thirds that in England and Wales. The rate in this country has been practically stable since 1947 but in the other areas shown there have been significant declines since 1947. From 1942 to 1946 the marriage rate was about 5·9 per 1,000 population. Although it has fallen somewhat since 1947 it is still higher than the rates in the decade preceding World War II.

TABLE II.

MARRIAGES REGISTERED IN 1951 AND IN EACH OF THE PREVIOUS TEN YEARS ACCORDING TO THE MODES OF CELEBRATION; WITH THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Years	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
1945 ...	632	124	51	57	4	8	876	16,425	17,301	5.96	4.50	5.86
1946 ...	639	108	36	31	1	5	820	16,705	17,525	5.98	4.85	5.91
1947 ...	623	160	58	54	6	10	911	15,379	16,290	5.49	5.38	5.49
1948 ...	559	127	68	50	2	16	822	15,293	16,115	5.41	4.81	5.38
1949 ...	578	105	60	48	2	11	804	15,205	16,009	5.39	4.73	5.36
1950 ...	671	145	64	70	3	16	969	15,049	16,018	5.38	5.70	5.40
Yearly average 1941-50 ...	641	136	57	54	3	9	900	15,685	16,585	5.63	4.94	5.60
1951 ...	570	131	50	63	2	6	822	15,195	16,017	5.44	4.85	5.41

### *Mode of Celebration*

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during 1951 amounted to 15,195 (equal to 95·0 per cent. of the total) and other marriages numbered 822. In the year 1951 the number of marriages other than Catholic recorded include 570 according to the rites and ceremonies of the Protestant Episcopalian Church, 131 in Presbyterian Meeting Houses, 50 in registered buildings belonging to various other religious denominations, 63 by civil contract in the registrars' offices, 2 according to the usage of the Society of Friends and 6 according to Jewish rites.

At the Census of 1946 Catholics represented 94·3 per cent. of the population, Protestant Episcopalians 4·2 per cent., Presbyterians 0·8 per cent., Methodists 0·3 per cent. and Other Denominations 0·4 per cent.

The number of Catholic marriages recorded during 1951 corresponds to a rate of 5·44 per 1,000 of the estimated Catholic population, a rate which is 0·19 below the average rate for the preceding ten years and the rate for all other marriages is 4·85 per 1,000 of all persons other than Catholics in the population or 0·09 below the average.

Corresponding rates for each year from 1941 to 1951 are shown in Table II.

### *Age at Marriage*

The schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary only that each party should be described as "of full age" or "minor" as the case may be with the result that a complete record of the ages of the persons married is not available.

TABLE III.

PROPORTION OF PERSONS MARRIED NOT OF FULL AGE DURING THE YEARS  
1941-51.

Year	Total Marriages	Persons not of Full Age	
		Of 100 men married	Of 100 women married
1941	15,021	1·84	7·96
1942	17,470	1·99	8·51
1943	17,328	1·56	7·48
1944	16,772	2·07	8·49
1945	17,301	1·51	7·69
1946	17,525	1·13	6·39
1947	16,290	1·50	7·03
1948	16,115	1·97	8·51
1949	16,009	2·09	7·35
1950	16,018	1·23	6·74
1951	16,017	1·82	8·54

Table III shows the proportion of persons married not of full age during the years 1941-51. The proportion of husbands who were stated to have married under age in 1951 was 1·82 per cent.; in the case of wives the proportion was 8·54 per cent,

## BIRTHS

The information on births contained in this Report relates to live births only. All the figures relate to the year of registration and no figures are compiled for the year of occurrence. Up to the year 1942 the figures published for the numbers of births included all births registered, irrespective of the period between date of birth and date of registration. From 1943 the published figures exclude late registrations (births registered more than one year after the date of birth).

The downward trend in the number of births and in the birth rate, which was first evident in 1948, continued in 1951. The total number of births registered (excluding late registrations) was 62,878 compared with 63,565 in 1950. The birth rate per 1,000 population declined from 21·4 in 1950 to 21·2 in 1951. The following table shows the number of births and the birth rate for each year since 1938, together with the birth rate in the Six Counties, England and Wales and Scotland during the same period.

TABLE IV.

NUMBER OF BIRTHS IN IRELAND\* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1938-1951.

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of births (thousands)	Birth rate per 1,000 population			
1938 ...	56·9	19·4	20·0	15·1	17·7
1939 ...	56·1	19·1	19·5	14·9	17·4
1940 ...	56·6	19·1	19·6	14·6	17·1
1941 ...	56·8	19·0	20·8	14·2	17·9
1942 ...	66·1	22·3	22·8	15·8	18·1
1943 ...	64·4	21·9	24·2	16·2	18·4
1944 ...	65·4	22·2	23·5	17·7	18·5
1945 ...	66·9	22·7	22·0	15·9	16·9
1946 ...	67·9	22·9	22·6	19·2	20·3
1947 ...	69·0	23·2	23·3	20·5	22·0
1948 ...	65·9	22·0	21·9	17·8	19·4
1949 ...	64·2	21·5	21·4	16·7	18·5
1950 ...	63·6	21·4	21·0	15·9	17·9
1951 ...	62·9	21·2	20·7	15·5	17·7

\*Exclusive of the Six Counties.

There was a fairly sharp increase in the birth rate from about 19 per thousand in the years 1938 to 1941 to 22·3 per 1,000 population in 1942. A slight decline occurred in 1943 and, thereafter, there was a continuous rise each year up to 1947 when the rate of 23·2 was recorded. This was the highest rate recorded for any individual year since 1884. On account of the introduction of rationing in 1941, there was a reduction in the time interval between birth and registration with the result that more births were registered in 1942 than would otherwise have been the case. The rate shown for 1942 must, therefore, be considered as somewhat overstated in comparison with the other rates. Since 1947 there has been a decline each year in the birth rate but the 1951 rate of 21·2 per 1,000 population is still considerably higher than the pre-war average of 19·5 in the years 1929-1938.

The war-time and post-war increase in the birth rate also occurred in the Six Counties, England and Wales and Scotland as the table above shows. In England and Wales and in Scotland the highest birth rate in the period also occurred in 1947 and there has also been a decline each year since 1947 in these countries and in the Six Counties.

*Birth Rate by Area*

Table V shows the crude birth rates in the provinces and in the aggregate urban and aggregate rural districts in 1938 and for each year since 1945.

TABLE V.

BIRTH RATES PER 1,000 POPULATION IN THE PROVINCES AND IN THE RURAL DISTRICTS.

Area	1938	1945	1946	1947	1948	1949	1950	1951
Dublin Co. Borough and County	23·8	23·6	25·0	25·5	24·9	24·2	22·6	22·8
Rest of Leinster	18·9	23·9	24·3	24·8	23·4	22·9	22·1	22·3
Munster	18·0	22·1	22·4	22·7	21·6	21·0	21·0	20·8
Connacht	17·4	20·6	20·7	20·9	20·0	19·4	20·2	19·4
Ulster (part of)	17·3	21·3	21·5	21·4	20·4	19·7	20·1	19·2
TOTAL	19·4	22·7	22·9	23·2	22·0	21·5	21·4	21·2
All co. boroughs and urban districts	22·7	24·4	25·1	25·9	24·7	23·8	21·9	21·7
All rural districts	17·8	21·8	21·9	22·0	21·1	20·7	21·1	21·0

EXPRESSED AS A PERCENTAGE OF THE BIRTH RATE IN THE STATE.

Dublin Co. Borough and County	123	104	109	110	113	113	106	108
Rest of Leinster	97	105	106	107	106	107	103	105
Munster	93	97	98	98	98	98	98	98
Connacht	90	91	90	90	91	90	94	92
Ulster (part of)	89	94	94	92	93	92	94	91
TOTAL	100	100	100	100	100	100	100	100
All co. boroughs and urban districts	117	107	110	112	112	111	102	102
All rural districts	92	96	96	95	96	96	99	99

The interesting feature of this table is the tendency towards uniformity in the provincial and in the urban and rural rates. In 1938 the difference between the highest birth rate (23·8 per 1,000 population in Dublin County and County Borough) and the lowest rate (17·3 per 1,000 population in Ulster (part of)) was 6·5; in 1951, however, the corresponding difference was only 3·6. In 1951 the birth rate in Dublin County and County Borough was 1·0 per 1,000 below that of 1938 while the rates in the rest of Leinster and in the other provinces were higher than in 1938. The large increase in the birth rate during World War II was practically confined to that part of the country outside Dublin County and County Borough. In 1951 the difference between the urban and rural rate was only 0·7 compared with 4·9 in 1938.

The crude birth rates for the counties and county boroughs are shown in Table 13. They range from 16·1 per 1,000 population in Leitrim to 27·2 in Dublin County (excluding Dún Laoghaire Borough).

Table VI shows crude birth rates per 1,000 population and per 1,000 women aged 15-44 together with the legitimate births per 1,000 married women aged 15-44 years.

TABLE VI.

NUMBER OF BIRTHS IN 1951 PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15-44  
AND NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES AGED 15-44 IN EACH  
COUNTY AND COUNTY BOROUGH.

County or County Boro'	Total births per 1,000 population	Total births per 1,000 women aged 15-44	Legitimate births per 1,000 married women 15-44 years	
			Crude	Standardised*
Carlow ... ... ...	23·6	129·3	276·9	271·1
Dublin Co. Boro' ... ...	22·1	89·0	233·6	228·0
Dún Laoghaire Boro' ... ...	19·6	77·6	204·8	207·5
Dublin Co. (Rem.) ... ...	27·2	119·2	236·3	218·1
Kildare ... ... ...	24·4	134·7	254·5	237·2
Kilkenny ... ... ...	21·8	123·0	266·3	266·6
Laoighis ... ... ...	20·7	117·9	257·0	254·9
Longford ... ... ...	20·5	116·5	255·9	259·7
Louth ... ... ...	22·9	110·0	248·5	237·1
Meath ... ... ...	21·9	119·4	252·0	247·7
Offaly ... ... ...	21·5	120·8	257·3	246·0
Westmeath ... ... ...	23·7	130·5	277·9	261·2
Wexford ... ... ...	21·6	117·5	243·1	241·2
Wicklow ... ... ...	22·5	112·1	234·7	227·4
<b>LEINSTER</b> ... ...	<b>22·6</b>	<b>104·4</b>	<b>242·2</b>	<b>234·7</b>
Clare ... ... ...	19·8	116·3	256·2	268·0
Cork Co. Boro' ... ...	22·1	94·0	241·0	237·4
Cork County ... ...	19·5	100·1	232·6	245·4
Kerry ... ... ...	19·0	105·8	239·8	261·9
Limerick Co. Boro' ... ...	21·5	92·3	214·2	202·2
Limerick County ... ...	24·3	136·6	287·4	296·9
Tipperary, N.R. ... ...	22·5	120·1	270·1	273·3
Tipperary, S.R. ... ...	22·2	123·5	262·5	258·3
Waterford Co. Boro' ... ...	21·8	98·0	240·2	231·6
Waterford County ... ...	19·9	110·8	233·9	233·2
<b>MUNSTER</b> ... ...	<b>20·8</b>	<b>107·9</b>	<b>245·6</b>	<b>252·2</b>
Galway ... ... ...	21·0	116·6	272·3	281·0
Leitrim ... ... ...	16·1	98·8	221·6	241·1
Mayo ... ... ...	19·8	112·1	255·7	269·3
Roscommon ... ... ...	17·2	100·5	233·5	247·5
Sligo ... ... ...	18·8	102·9	235·6	243·4
<b>CONNACHT</b> ... ...	<b>19·4</b>	<b>109·7</b>	<b>252·8</b>	<b>264·7</b>
Cavan ... ... ...	18·3	107·7	240·5	248·2
Donegal ... ... ...	19·6	107·5	243·4	248·5
Monaghan ... ... ...	19·4	103·4	248·9	254·4
<b>ULSTER (part of)</b> ...	<b>19·2</b>	<b>106·6</b>	<b>243·8</b>	<b>249·7</b>
<b>TOTAL</b> ... ...	<b>21·2</b>	<b>106·4</b>	<b>244·9</b>	<b>244·9</b>

\*The standardisation was indirect. Figures for the number of births per married woman in each quinquennial age group from 15 years to 45 years were found from data relating to births in Dublin County Borough in 1941-45. For any particular county this fixed set of fertility rates was multiplied by the married women in the county in the corresponding age groups in 1951. The sum of the resulting products (the "expected" births) was divided by the number of married women aged 15-44 to derive an "expected" fertility rate. This "expected" rate was divided by the Irish crude rate in 1951 to obtain a "standardising ratio" which was then transferred to base Ireland=1. By multiplying the crude fertility rate for any particular county by its corresponding standardising ratio the standardised fertility rate was obtained.

The crude birth rate is higher in the county boroughs and in the more urbanised counties of Leinster and Munster than it is in the counties of the west and north west. On account, however, of the large volume of migration of young women to town areas the total births per 1,000 women aged 15-44 is lower in the county boroughs than in Connacht and Ulster. Birth rates depend on the proportions of women at the reproductive ages, their age distribution and the proportion married, as well as on the fertility of married women. In the last two columns of the table the crude and standardised fertility rates of married women are shown. Standardisation eliminates the effect of variation in the fertility rates on account of different age distributions of the married women in the counties. The standardised fertility rates are lower in the county boroughs and in Dún Laoghaire Borough than in the counties of Connacht and Ulster. The reason that the birth rates per 1,000 population are higher in the county boroughs is that the younger women migrate to these areas from the west and north west, as already observed.

### *Illegitimate Births*

There were 1,588 illegitimate births registered in 1951. This represents a proportion of 2.5 per cent. of all births registered. The proportion of illegitimate births rose from 3.5 per cent. in 1941 to 3.9 per cent. in the years 1944-46. Between 1946 and 1951 there was a decline each year in the proportion. The percentage of illegitimate births in each of the provinces is shown in Table VII.

TABLE VII.

ILLEGITIMATE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS 1941-1951 IN EACH PROVINCE

Year	Total	Dublin Co. Boro' and County	Rest of Leinster	Munster	Connacht	Ulster (part of)
1941	3.5	2.6	4.8	3.6	2.3	4.4
1942	3.7	2.5	5.0	3.8	2.5	4.6
1943	3.8	3.0	5.0	4.2	2.3	4.2
1944	3.9	3.0	5.2	4.0	2.4	5.0
1945	3.9	3.0	5.3	4.1	2.4	4.7
1946	3.9	2.8	5.2	4.2	2.6	4.5
1947	3.4	2.8	4.4	3.5	2.2	4.3
1948	3.3	2.5	4.3	3.7	1.7	4.0
1949	3.1	2.4	4.2	3.2	1.9	4.0
1950	2.6	2.0	3.5	2.8	1.5	2.9
Average 1941-50	3.5	2.7	4.7	3.7	2.2	4.4
1951	2.5	1.9	3.6	2.5	1.5	3.6

The highest percentages occur in Leinster (excluding Dublin County and County Borough) and in Ulster (part of) while the lowest percentages occur in Connacht. The highest percentages in 1951 were in the following counties : Waterford Co. (5·2), Kilkenny (4·6), Wexford (4·4), Meath (4·3), Laoighis and Limerick Co. (4·1).

### *Proportion of Males to Females*

The number of male births registered in 1951 was 32,303 and the number of females was 30,575. The sex ratio was 1,057 males per 1,000 females compared with 1,071 in 1950. The sex ratio for each year since 1941 is shown in Table VIII and legitimate and illegitimate births are distinguished.

TABLE VIII.

NUMBER OF MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1941-51.

Year	Legitimate	Illegitimate	Total
1941 ... ...	1059	1040	1059
1942 ... ...	1056	1158	1059
1943 ... ...	1070	1008	1068
1944 ... ...	1059	1028	1058
1945 ... ...	1057	1014	1056
1946 ... ...	1070	1092	1071
1947 ... ...	1071	1089	1071
1948 ... ...	1064	1076	1064
1949 ... ...	1050	1101	1051
1950 ... ...	1074	965	1071
Average 1941-50	1063	1057	1063
1951 ... ...	1055	1103	1057

Since 1941 the sex ratio for all births has varied from 1051 to 1071. As is to be expected on account of the smaller numbers of illegitimate births the variation is wider for these than for legitimate births ; the lowest figure is 965 and the highest 1158. The variability in the ratio from year to year in both the legitimate and illegitimate classes may be attributed to chance.

### *Multiple Births*

The number of infants born alive in multiple births registered during 1951 was 1,799 consisting of 892 pairs of twins and 5 sets of triplets as compared with 1,763 (862 pairs of twins and 13 sets of triplets) for the previous year. The numbers of multiple births as a percentage of total births for each year since 1941 are shown in Table IX, distinguishing legitimate and illegitimate births.

## TABLE IX.

MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1941-51.

Year	Legitimate Births	Illegitimate Births	Year	Legitimate Births	Illegitimate Births
1941	... 2.2	1.6	1946	... 2.3	1.7
			1947	... 2.8	2.3
1942	... 2.4	2.8	1948	... 2.6	2.0
			1949	... 2.9	1.5
1943	... 2.6	2.2	1950	... 2.8	2.5
1944	... 2.7	2.6	Average 1941-50 ...		2.1
1945	... 2.8	1.6			
			1951	... 2.9	1.9

The percentage of multiple births has been higher for legitimate births than for illegitimate births in each year since 1941, except in 1942.

*Late Registrations*

As stated on Page 1, the figures for numbers of births exclude late registrations, i.e., births registered more than 1 year after occurrence. A considerable number of such births is registered every year. The number in 1951 was 1,248. The inclusion of these births would change the birth rate from 21.2 to 21.7 per 1,000 population.

## DEATHS

The number of deaths registered during the year 1951 was 42,382, the males numbering 22,476 and the females 19,906. The total is 4,641 more than the number for 1950 and 932 more than the average for the decennial period 1941-50.

The death rate in 1951 was 14.3 per thousand population, 1.6 above that for 1950. This rate is 2.2 above that for 1948, which, however, was the lowest annual rate ever recorded. The average rate for the period 1941-50 was 140 per thousand population.

Table X shows the number of deaths in the country for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales and Scotland.

## TABLE IX.

MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1941-51.

Year	Legitimate Births	Illegitimate Births	Year	Legitimate Births	Illegitimate Births
1941	... 2·2	1·6	1946	... 2·3	1·7
			1947	... 2·8	2·3
1942	... 2·4	2·8	1948	... 2·6	2·0
			1949	... 2·9	1·5
1943	... 2·6	2·2	1950	... 2·8	2·5
1944	... 2·7	2·6	Average 1941-50 ...	2·6	2·1
1945	... 2·8	1·6			
			1951	... 2·9	1·9

The percentage of multiple births has been higher for legitimate births than for illegitimate births in each year since 1941, except in 1942.

#### *Late Registrations*

As stated on Page 1, the figures for numbers of births exclude late registrations, i.e., births registered more than 1 year after occurrence. A considerable number of such births is registered every year. The number in 1951 was 1,248. The inclusion of these births would change the birth rate from 21·2 to 21·7 per 1,000 population.

#### DEATHS

The number of deaths registered during the year 1951 was 42,382, the males numbering 22,476 and the females 19,906. The total is 4,641 more than the number for 1950 and 932 more than the average for the decennial period 1941-50.

The death rate in 1951 was 14·3 per thousand population, 1·6 above that for 1950. This rate is 2·2 above that for 1948, which, however, was the lowest annual rate ever recorded. The average rate for the period 1941-50 was 140 per thousand population.

Table X shows the number of deaths in the country for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales and Scotland.

TABLE X.

DEATH RATE PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES,  
1938-1950.

Year	Ireland *		Six Counties	England and Wales	Scotland
	No. of Deaths (thousands)	Death rate per 1,000 population	Death rate per 1,000 population		
1938	40.0	13.6	13.7	11.6	12.6
1939	41.7	14.2	13.5	12.1	12.9
1940	41.9	14.2	14.6	14.4	14.9
1941	43.8	14.6	15.2	13.5	14.7
1942	41.6	14.1	13.3	12.3	13.3
1943	43.5	14.8	13.4	13.0	14.0
1944	45.1	15.3	12.8	12.7	13.6
1945	42.8	14.5	12.3	12.6	13.2
1946	41.5	14.0	12.5	12.0	13.1
1947	44.1	14.8	12.6	12.3	12.9
1948	36.4	12.1	11.2	11.0	11.8
1949	38.1	12.7	11.5	11.8	12.3
1950	37.7	12.7	11.6	11.6	12.4
1951	42.4	14.3	12.8	12.5	12.9

\*Exclusive of the Six Counties.

For each year after 1941 the death rate in this country is the highest in the table. In 1951 the crude death rate was over 10 per cent. higher than the death rates in the Six Counties, England and Wales and Scotland.

The decrease in the death rate since 1947 has resulted in a large improvement in the expectation of life at birth in 1951 compared with earlier periods. The 1951 official life tables have not been compiled at the time of writing and for comparative purposes the expectations of life at birth in 1951 have been compiled by an abridged method of computation. These rates compare with corresponding rates in 1941 and 1946 as follows:—

#### Expectations of life at birth.

Year	Males	Females
1941	59.0	61.0
1946	60.5	62.4
1951	63.7	66.6

Between 1946 and 1951 the male expectation increased by 3.2 years compared with 1.5 years in the preceding 5 years. The increase for females was 4.2 years compared with 1.4 years in the earlier period.

In Tables 13 and 15 death rates are given for each of the provinces, counties, county boroughs, principal towns and aggregate urban and aggregate rural districts. Care must be taken in drawing inferences from the differences in death rates in the different areas of the country. Since the rates of mortality are higher in the older sections of any population it is obvious that the crude death rate for all ages in a population may be affected markedly by the age distribution of the population. If the proportion of elderly persons is higher in a particular section of the population

than it is in the general population then the death rate in this section will be higher than it is in the general population even though health conditions are the same in this section of the population. In order to compare death rates by areas it is necessary, therefore, to standardise the death rates for age. For a particular county this is done by calculating the death rate in each age group of the population in that county and then multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products. This sum is then divided by the total population in the country at all ages to deduce the standardised rate for the county. Differences arising from variations in the age distributions of the population in the counties are eliminated by using standardised rates. Table XI shows the crude and standardised rates for each county and county borough.


TABLE XI.

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH, 1951.

County or County Borough	Crude rate per 1,000 population	Standardised rate per 1,000 population
Carlow ... ... ...	14·84	15·27
Dublin Co. Borough ... ...	11·87	15·00
Dún Laoghaire Borough ...	12·08	12·92
Dublin County (Remainder) ...	9·65	13·26
Kildare ... ... ...	12·75	15·42
Kilkenny ... ... ...	15·13	14·69
Laois ... ... ...	15·32	14·27
Longford ... ... ...	17·16	15·07
Louth ... ... ...	13·51	14·68
Meath ... ... ...	14·34	14·89
Offaly ... ... ...	14·35	14·60
Westmeath ... ... ...	14·82	14·52
Wexford ... ... ...	15·78	15·20
Wicklow ... ... ...	13·26	13·99
LEINSTER ... ... ...	12·97	14·71
Clare ... ... ...	15·62	13·08
Cork Co. Borough ... ...	13·81	15·33
Cork County ... ...	15·45	14·16
Kerry ... ... ...	16·03	14·30
Limerick Co. Borough ...	12·51	16·06
Limerick County ...	15·41	14·66
Tipperary, N.R. ... ...	15·84	15·28
Tipperary, S.R. ... ...	14·52	14·18
Waterford Co. Borough ...	14·12	15·91
Waterford County ...	17·27	15·79
MUNSTER ... ... ...	15·24	14·51
Galway ... ... ...	13·70	12·79
Leitrim ... ... ...	18·03	14·25
Mayo ... ... ...	15·11	11·97
Roscommon ... ... ...	16·95	13·23
Sligo ... ... ...	16·71	13·90
CONNACHT ... ... ...	15·36	12·90
Cavan ... ... ...	18·20	15·95
Donegal ... ... ...	15·47	13·37
Monaghan ... ... ...	15·63	15·03
ULSTER (part of) ... ...	16·22	14·41
TOTAL ... ... ...	14·32	14·32

Standardised Death Rate (per 1000 population)  
from all causes, 1951.

-  under 13.5
-  13.5 - 14.5
-  14.5 - 15.0
-  15.0 - 15.5
-  15.5 & over



In certain areas the standardised rates are quite different from the crude rates. Leinster which has the lowest crude death rate has the highest standardised rate among the provinces and Connacht which has the second highest crude rate has the lowest standardised rate. Standardisation raises the rates in the county boroughs and in Counties Carlow, Dublin, Kildare, Louth, Meath, Offaly and Wicklow and lowers them everywhere else. The crude rate varies from 9·65 per 1,000 population in Dublin County (excluding Dún Laoghaire Borough) to 18·20 in Cavan. The standardised rates are more uniform, the range of variation being from 11·97 in Mayo to 16·06 in Limerick County Borough.

For valid comparisons between the death rates in different counties and county boroughs, it is, of course, the standardised rates which should be used. These show that, in general, having allowed for differences in age constitution of the population, death rates are lowest west of the Shannon and in the Counties of Wicklow and Dublin (excluding the County Borough). They are highest in the County Boroughs of Limerick, Waterford and Cork and in the Counties of Cavan, Waterford and Kildare.

### *Causes of Death*

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organization. The Sixth Revision was used for the first time in classifying deaths by cause in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

In Table 19 which shows causes of death by age for the whole country the classification of cause of death used is the Detailed International List. The Abbreviated International List is used to classify deaths in Tables 20, 21 and 22. Certain causes in the Abbreviated List are, however, subdivided further and these are shown by small letters placed after the abbreviated list number. For example B40 is divided into B40a (complications of pregnancy and childbirth), B40b (puerperal sepsis) and B40c (other complications of the puerperium). For infant mortality a special list of causes has been adopted and these are used in Tables 23 to 26.

Table XII shows the numbers of deaths and death rates from some of the principal causes in 1935-37, 1945-47 and for each year since 1948.

For comparability the classification used in this table is based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, and, therefore, the numbers of deaths and death rates in certain causes for years prior to 1950 do not agree with the figures published in the annual reports for those years.

Compared with 1935-37 the 1951 figures show marked declines in the numbers of deaths from tuberculosis, diphtheria and other infective and parasitic diseases. In 1951 there were 2,162 deaths from tuberculosis compared with an annual average of 3,629 in 1935-37 and there were only 8 deaths from diphtheria compared with an annual average of 339 in 1935-37. The death rate from all forms of tuberculosis which was 122·2 per 100,000 population in 1935-37 was only 73·0 in 1951 and the death rate from diphtheria, which was 11·4 per 100,000 population in 1935-37 fell to 0·3 in 1951. In each of the years 1949-51 the number of deaths from diphtheria did not exceed 10 in number.

Over the period shown in the table the death rates from cancer and other malignant neoplasms, vascular lesions affecting the central nervous system, diseases of the heart and other diseases of the circulatory system, have shown an upward tendency. The 1951 death rate for each of these causes is larger than the average of the corresponding rates in 1935-37.

TABLE XII.

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1948, 1949,  
1950 AND 1951.

CAUSE OF DEATH	PERIOD					
	1935-37	1945-47	1948	1949	1950	1951
	ANNUAL AVERAGE NUMBERS					
Tuberculosis of respiratory system ...	2,851	2,731	2,452	2,142	1,876	1,712
Tuberculosis, other forms ...	778	863	651	570	504	450
Diphtheria ...	339	144	30	10	5	8
Other infective and parasitic diseases ...	929	569	516	451	324	371
Cancer and other malignant neoplasms ...	3,601	3,980	4,074	4,161	4,099	4,275
Vascular lesions affecting central nervous system ...	2,350	2,810	2,656	2,842	2,661	3,025
Diseases of the heart ...	7,509	10,459	9,564	10,016	10,463	11,117
Other diseases of the circulatory system ...	907	948	923	1,063	1,424	1,712
Influenza ...	1,473	575	201	280	325	2,399
Other diseases of the respiratory system ...	5,253	3,473	2,589	2,696	2,531	3,250
Senility ...	6,176	6,229	4,762	5,591	4,734	4,982
Other diseases ...	9,924	9,069	7,017	7,261	7,890	8,085
Accidents and other external causes ...	982	910	922	979	905	996
ALL CAUSES ...	43,072	42,760	36,357	38,062	37,741	42,382
RATES PER 100,000 POPULATION						
Tuberculosis of respiratory system ...	96.0	92.4	81.8	71.7	63.2	57.8
Tuberculosis, other forms ...	26.2	29.2	21.7	19.1	17.0	15.2
Diphtheria ...	11.4	4.9	1.0	0.3	0.2	0.3
Other infective and parasitic diseases ...	31.3	19.2	17.2	15.1	10.9	12.5
Cancer and other malignant neoplasms ...	121.3	134.7	135.9	139.2	138.1	144.4
Vascular lesions affecting central nervous system ...	79.2	95.1	88.6	95.0	89.6	102.2
Diseases of the heart ...	253.0	353.9	319.0	335.0	352.4	375.5
Other diseases of the circulatory system ...	30.6	32.1	30.8	35.6	48.0	57.8
Influenza ...	49.6	19.5	6.7	9.4	10.9	81.0
Other diseases of the respiratory system ...	177.0	117.5	86.4	90.2	85.2	109.8
Senility ...	208.0	210.8	158.8	187.1	159.4	168.3
Other diseases ...	334.3	306.9	234.0	242.9	265.8	273.1
Accidents and other external causes ...	33.1	30.8	30.8	32.8	30.5	33.6
ALL CAUSES ...	1451.0	1447.0	1212.7	1273.4	1271.2	1431.5

The death rate from influenza shows no definite trend and on account of a severe influenza epidemic which occurred in 1951, the 1951 figure is higher than that for any single year since 1937. There was a large decrease in the death rate from other respiratory diseases between 1935-37 and 1948 and an increase occurred between 1948 and 1951. There were increases in the death rates from senility and other diseases between 1948 and 1951, but the 1951 figures are considerably lower than those of 1935-37 for which period the average death rate from all causes was much the same as in 1951. There was no appreciable variation in the death rate from accidents and other external causes over the whole period.

TABLE XIII

INTERNATIONAL COMPARISONS OF CRUDE DEATH RATES PER 100,000 POPULATION FROM PRINCIPAL GROUPS OF CAUSES, 1951

COUNTRY	All Causes	Tuberculosis (all forms)	Other Infective and Parasitic Diseases	Malignant Neoplasms including Neoplasms of Lymphatic and Haemato- poietic Tissues	Vascular Lesions affecting Central Nervous System	Diseases of the Heart	Influenza, Pneumonia, Bronchitis	Congenital Malforma- tions and Diseases peculiar to Early Infancy	Senility without mention of Psychosis, ill-defined and unknown Causes	All other Diseases	External Causes
		B1, B2	B3-B17	B18	B22	B25, B26, B27	B30, B31, B32	B41, B42, B43, B44	B45		BE47, BE48, BE49, BE50
Ireland <sup>a</sup> ... ... ...	1,431·5	73·0	12·8	149·4	102·2	375·5	178·1	63·0	206·6	237·3	33·6
France ... ... ...	1,322·7	59·8	15·5	172·6	141·1	222·4	103·2	47·1	268·3	227·2	65·7
Scotland ... ... ...	1,286·2	42·6	10·6	192·4	178·4	404·2	112·3	45·5	46·2	203·5	50·6
Six Counties ... ... ...	1,284·3	45·0	11·6	152·9	144·4	368·3	167·1	58·3	80·9	215·4	40·4
England and Wales ... ...	1,254·3	31·5	10·0	196·5	156·3	366·9	171·9	35·1	22·2	219·1	45·1
Portugal ... ... ...	1,225·6	131·1	27·0	60·8	115·2	156·5	119·7	73·6	135·4	361·4	45·0
Switzerland ... ... ...	1,051·8	36·0	10·9	192·1	124·9	265·6	60·0	42·1	27·3	214·1	78·6
Norway ... ... ...	841·6	23·8	13·7	158·4	118·9	162·9	50·1	31·1	74·9	154·6	53·1
Netherlands ... ... ...	755·6	16·1	12·2	149·3	86·3	159·9	52·9	47·7	44·6	149·8	36·6

<sup>a</sup> Exclusive of the Six Counties.

Source : United Nations Demographic Year Book, 1953.

1951 Annual Reports of the Registrars-General of England and Wales, Scotland and Northern Ireland.

Table XIII shows international comparisons of the death rates from certain causes in 1951.

The death rate from all causes in Ireland is the highest of those countries shown in the table and is nearly twice that of the Netherlands which has the lowest rate. Ireland has the second highest death rate from tuberculosis, the rate being exceeded only by that of Portugal ; the Irish rate is four and a half times that of the Netherlands, three times that of Norway and twice that of Switzerland. Ireland has the third lowest death rate from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues ; the rate is practically the same as in the Netherlands which occupies the second lowest place in the table. The Irish rate is highest in the group influenza, pneumonia, bronchitis and it is second highest in the groups (i) diseases of the heart, (ii) congenital malformations and diseases peculiar to early infancy and (iii) senility and ill-defined and unknown causes. This country has the lowest rate in the group external causes and the second lowest rate in vascular lesions affecting the central nervous system. Care must be exercised in drawing inferences from international comparisons of death rates by cause as they are affected by the different practices adopted in the different countries in the completion of medical certificates and the selection of the underlying cause of death. Although there is now in use an international form of medical certificate and international rules for the selection of the underlying cause of death are observed in most countries, it will be some time before these rules are uniformly interpreted.

The proportion of deaths in 1951 from the principal causes in certain age groups is shown in Table XIV.

TABLE XIV

PROPORTION OF DEATHS FROM THE PRINCIPAL CAUSES IN CERTAIN AGE GROUPS, 1951.

1948 Abbreviated List No.	Cause of Death	All Ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75*
	All Causes ...	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
B 4	Typhoid fever ...	.	.	2	.	.	.	.	.	.	.	.
B 10	Meningococcal infections ...	1	2	17	5	1	1	1	.	.	.	.
B 7a	Scarlet fever ...	.	.	3	15	1	.	.	.	.	.	.
B 9	Whooping cough ...	2	24	58	3	1	.	.	.	.	.	.
B 8	Diphtheria ...	.	.	5	8	.	1	.	.	.	.	.
B 1	Tuberculosis of respiratory system ...	40	2	12	35	356	370	228	110	47	12	2
B 2	Tuberculosis, other forms ...	11	14	132	146	126	56	32	12	4	1	.
B 6	Dysentery ...	.	.	.	.	.	.	1	.	.	.	.
B 30	Influenza ...	57	16	25	35	23	15	30	31	51	66	72
B 14	Measles ...	1	3	26	10	.	.	1	.	.	.	.
B 17a B 17b	Acute infectious encephalitis, including late effects ...	.	.	5	5	.	.	4	1	.	.	.
B 18a	Malignant neoplasms ...	100	.	19	25	22	60	133	200	189	134	59
B 18b, B 19	Other neoplasms ...	7	1	26	50	32	26	17	20	12	5	2
B 20	Diabetes mellitus ...	6	.	.	8	7	8	8	11	7	8	4
B 22	Vascular lesions affecting the central nervous system ...	71	3	5	8	12	22	36	72	96	95	73
B 25, B 26 & B 27	Diseases of the heart ...	262	2	11	57	50	102	143	221	286	345	297
B 24, B 28, B 29 & B 46a	Other diseases of the circulatory system ...	40	.	6	40	18	22	26	41	50	51	43
B 32	Bronchitis ...	34	13	28	10	8	13	15	30	42	44	36
B 31	Pneumonia ...	34	119	182	50	19	20	17	23	26	29	22
B 46b	Other diseases of the respiratory system ...	9	15	11	20	7	6	12	10	9	9	7
B 33	Ulcer of stomach and duodenum ...	7	.	.	.	7	9	26	16	11	7	3
B 36b, B 36c, B 36d & B 43a B 34	Diarrhoea and enteritis ...	6	58	39	15	4	1	4	5	2	2	1
B 35	Appendicitis ...	2	.	14	20	11	4	3	3	1	1	.
B 35	Intestinal obstruction and hernia ...	5	6	6	18	12	4	0	3	7	6	4
B 37	Cirrhosis of the liver ...	1	.	.	.	.	2	3	3	3	2	1
B 46c	Other diseases of liver, gall-bladder and pancreas ...	3	.	5	3	3	2	3	3	7	3	2
B 46d & B 36a	Other diseases of the digestive system ...	4	13	17	7	6	4	5	6	5	3	2
B 38	Nephritis ...	15	1	5	18	26	25	29	29	20	18	11
B 40b	Puerperal sepsis ...	.	.	.	.	.	.	1	.	.	.	.
B 40a & B 40c	Other diseases of childbirth ...	2	.	.	.	12	31	38	1	.	.	.
B 41, B 42, B 43b, B 43c & B 44	Congenital malformation, birth injuries, etc. ...	43	613	40	38	18	4	5	1	.	.	.
B 45a	Senility ...	118	.	.	.	.	.	.	.	1	41	275
BE 49	Suicide ...	2	.	.	.	8	10	6	8	3	1	.
BE 47, BE 48, BE 50	Other violence ...	22	20	88	148	94	79	52	23	17	14	13
B 46d	Other causes ...	95	75	213	203	116	103	107	117	104	103	71

It will be observed that diseases of the heart caused the largest proportions of deaths, namely 262 in each 1,000 deaths. The next in order are senility (118), malignant neoplasms (100), vascular lesions affecting central nervous system (71) and tuberculosis (all forms) (51). At ages under 1 year congenital malformations and diseases of early infancy accounted for 613 out of every 1,000 deaths, while pneumonia caused a further 119 deaths and 58 were due to diarrhoea and enteritis. At ages 1-4 years pneumonia caused 182 per 1,000 deaths and tuberculosis 144 per 1,000 deaths. The proportion of deaths caused by tuberculosis increases considerably in the early adult age groups. At ages 5-14 years 181 out of every 1,000 deaths were caused by this disease. At ages 15-24 the proportion was 482 per 1,000 deaths and at ages 25-34 it was 426 per 1,000 deaths. At ages 35-44 years tuberculosis was still the most important single cause of death, the proportion of deaths being 260 per 1,000 deaths. Between ages 45 and 75 years the chief causes of death were diseases of the heart and malignant neoplasms, while at ages over 75 years diseases of the heart and senility each accounted for nearly three-tenths of the deaths at these ages.

### *Infective Diseases*

In 1951 there were 2,541 deaths caused by infective and parasitic diseases. Tuberculosis caused 2,162 of these deaths. The number caused by typhoid and paratyphoid fevers was 4, scarlet fever caused 10 deaths, diphtheria 8 deaths, whooping cough caused 108 deaths and 32 deaths were due to measles. Acute poliomyelitis (including late effects) caused 17 deaths and acute encephalitis (including late effects) caused 16 deaths.

### *Tuberculosis*

Table XV shows the death rates from all forms of tuberculosis in Ireland and neighbouring countries since 1938.

TABLE XV

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS IN IRELAND AND  
NEIGHBOURING COUNTRIES, 1938-1951

Year	Ireland*	Six Counties	England and Wales	Scotland
1938 ...	1.09	0.92	0.64	0.69
1939 ...	1.13	0.84	0.63	0.70
1940 ...	1.25	0.98	0.70	0.82
1941 ...	1.24	1.04	0.73	0.83
1942 ...	1.47	0.97	0.66	0.80
1943 ...	1.46	0.91	0.67	0.79
1944 ...	1.30	0.89	0.63	0.82
1945 ...	1.25	0.80	0.56	0.79
1946 ...	1.14	0.83	0.53	0.79
1947 ...	1.24	0.72	0.56	0.79
1948 ...	1.04	0.69	0.51	0.76
1949 ...	0.91	0.59	0.46	0.67
1950 ...	0.80	0.48	0.36	0.54
1951 ...	0.73	0.45	0.32	0.43

\*Exclusive of the Six Counties.

The death rate in this country, which was 1.09 per thousand population in 1938, increased during the war years to 1.47 in 1942 since when, with the exception of the year 1947, there has been a downward trend. The improvement between 1938 and 1951 has been less spectacular here than in the Six Counties and England and Wales where the 1938 rates have been halved. The 1951 rate in this country is more than twice that in England and Wales and is also considerably higher than the rates in the Six Counties and in Scotland.

Table XVI shows the number of deaths and death rates from tuberculosis of the respiratory system and from all other forms of tuberculosis per thousand population for each year since 1938.

TABLE XVI

NUMBERS OF DEATHS AND DEATH RATE PER 1,000 POPULATION FROM TUBERCULOSIS  
OF RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS

Year	Tuberculosis of respiratory system		Other forms of tuberculosis	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population
1938 ...	2,498	0.85	718	0.24
1939 ...	2,617	0.89	687	0.23
1940 ...	2,907	0.98	778	0.26
1941 ...	2,882	0.96	829	0.28
1942 ...	3,512	1.19	835	0.28
1943 ...	3,398	1.15	908	0.31
1944 ...	2,935	1.00	904	0.31
1945 ...	2,777	0.94	917	0.31
1946 ...	2,585	0.87	805	0.27
1947 ...	2,831	0.95	869	0.29
1948 ...	2,452	0.82	651	0.22
1949 ...	2,142	0.72	570	0.19
1950 ...	1,876	0.63	504	0.17
1951 ...	1,712	0.58	450	0.15

In 1951 there were 2,162 deaths from tuberculosis, of which 1,712 were caused by tuberculosis of the respiratory system and 450 by all other forms of tuberculosis. The decrease between 1938 and 1951 in the rate for tuberculosis of the respiratory system was 32 per cent, and for all other forms of tuberculosis it was 38 per cent,

DEATH RATES (PER 1000 POPULATION) FROM  
TUBERCULOSIS AND CANCER 1938 - 1951




Table XVII shows the number of deaths and death rate from tuberculosis in each year since 1947, classified by sex and age group.

TABLE XVII

DEATHS FROM TUBERCULOSIS AND DEATH RATES PER 1,000 OF THE POPULATION AT THE SAME AGE, DURING EACH OF THE YEARS 1947-1951.

Years	All ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 and up
DEATHS OF MALES												
1947	1,904	147	47	44	128	189	422	335	273	215	89	15
1948	1,639	102	43	39	100	183	368	297	244	176	76	11
1949	1,405	74	40	22	81	155	281	226	241	176	93	16
1950	1,278	78	26	15	45	104	259	233	232	172	91	23
1951	1,190	77	14	21	60	94	201	223	217	183	80	20
DEATHS OF FEMALES												
1947	1,796	102	47	69	215	300	425	269	167	106	85	11
1948	1,464	80	24	40	164	232	385	228	156	98	48	9
1949	1,307	81	34	42	100	202	351	199	139	81	66	12
1950	1,102	54	24	35	103	142	278	207	110	83	53	13
1951	972	62	13	24	74	121	227	180	121	74	62	14
DEATHS OF MALES AND FEMALES												
1947	3,700	249	94	113	343	489	847	604	440	321	174	26
1948	3,103	182	67	79	264	415	753	525	400	274	124	20
1949	2,712	155	74	64	181	357	632	425	380	257	159	28
1950	2,380	132	50	50	148	246	537	440	342	255	144	36
1951	2,162	139	27	45	134	215	428	403	338	257	142	34
MALES—RATE PER 1,000 POPULATION												
1947	1.27	0.97	0.35	0.33	1.00	1.59	2.02	1.83	1.73	1.68	0.82	0.32
1948	1.08	0.67	0.31	0.29	0.77	1.53	1.75	1.61	1.53	1.36	0.69	0.23
1949	0.93	0.49	0.29	0.16	0.63	1.30	1.34	1.23	1.52	1.36	0.85	0.34
1950	0.85	0.51	0.19	0.11	0.35	0.87	1.23	1.27	1.46	1.33	0.83	0.48
1951	0.79	0.48	0.10	0.16	0.48	0.89	1.03	1.14	1.31	1.45	0.77	0.39
FEMALES—RATE PER 1,000 POPULATION												
1947	1.22	0.70	0.36	0.53	1.73	2.64	2.06	1.52	1.08	0.83	0.79	0.21
1948	0.99	0.55	0.18	0.31	1.31	2.02	1.85	1.28	1.00	0.76	0.45	0.17
1949	0.88	0.56	0.26	0.32	0.80	1.76	1.69	1.12	0.89	0.63	0.62	0.23
1950	0.76	0.37	0.18	0.27	0.83	1.26	1.36	1.18	0.72	0.66	0.50	0.25
1951	0.67	0.41	0.09	0.19	0.64	1.25	1.17	0.97	0.76	0.59	0.59	0.25
MALES AND FEMALES—RATE PER 1,000 POPULATION												
1947	1.25	0.84	0.35	0.43	1.36	2.10	2.04	1.68	1.41	1.26	0.81	0.26
1948	1.04	0.61	0.25	0.30	1.04	1.77	1.80	1.45	1.27	1.06	0.57	0.20
1949	0.91	0.52	0.28	0.24	0.71	1.53	1.51	1.18	1.21	1.00	0.73	0.28
1950	0.80	0.45	0.19	0.19	0.59	1.06	1.29	1.23	1.10	1.00	0.67	0.36
1951	0.73	0.44	0.10	0.17	0.56	1.06	1.10	1.06	1.04	1.02	0.68	0.31

For males the 1951 death rate of 0.79 per 1,000 population compares with a rate of 1.27 in 1947 and for females the 1951 rate is 0.67 as against 1.22 in 1947. The greatest reductions have been made at ages 5-9 years in which group the 1951 male rate is less than one-third of its value in 1947 and the female rate is only one-quarter of its 1947 value. For males the 1951 rates are less than half those for 1947 at ages under 5 years and 10-19 years while in the case of females a similar reduction has been made at ages 10-24 years. As age increases the proportionate decline decreases until at ages over 65 years there is little change in the rates when 1947 is compared with later years.

*Cancer*

Up to 1949 cancer deaths have been taken as Nos. 045–055 of the Fifth Revision of the International List of Causes of Death. As already observed since 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140–205 of the International Statistical Classification, 1948, but that for comparability with the past, Nos. 140–205 (excluding Nos. 201 (Hodgkin's disease) and 204 (leukaemia and aleukaemia) should also be shown.

In 1951 there were 4,424 deaths from malignant neoplasms (Nos. 140–199) and from neoplasms of lymphatic and haematopoietic tissues (Nos. 200–205). Of this number 54 deaths were caused by Hodgkin's disease and 95 by leukaemia and aleukaemia.

Table XVIII shows the death rate from cancer in Ireland and neighbouring countries since 1938.

TABLE XVIII

DEATHS FROM CANCER IN IRELAND AND NEIGHBOURING COUNTRIES PER 1,000  
POPULATION, 1938–1951

Year	Ireland*	Six Counties	England and Wales	Scotland
1938 ...	1.26	1.32	1.67	1.62
1939 ...	1.27	1.33	1.66	1.61
1940 ...	1.28	1.36	1.72	1.70
1941 ...	1.27	1.37	1.78	1.69
1942 ...	1.37	1.41	1.83	1.71
1943 ...	1.37	1.45	1.90	1.73
1944 ...	1.42	1.41	1.90	1.86
1945 ...	1.34	1.44	1.74	1.92
1946 ...	1.36	1.42	1.77	1.80
1947 ...	1.33	1.47	1.81	1.77
1948 ...	1.36	1.45	1.86	1.81
1949 ...	1.39	1.45	1.87	1.85
1950 ...	1.38	1.53	1.89	1.88
1951 ...	1.44	1.48	1.90	1.86

\*Exclusive of the Six Counties.

The general increase in the cancer death rate in each area since 1938 will be noted. The rate in Ireland (exclusive of the Six Counties) is the lowest, but this fact can be attributed to some extent at least to the high proportion of uncertified deaths at the older ages in this country. Most of these deaths are described as due to senility and it is almost certain that a considerable proportion of them is caused by cancer. The figures should be accepted with caution as it is not certain that they are comparable over time and between the different areas.

Table XIX shows the death rate from cancer in certain age groups for each year since 1938.

TABLE XIX

DEATHS FROM CANCER, CLASSIFIED BY AGE, PER 100,000 POPULATION AT THE SAME AGES 1938-1951

Years	AGE GROUP							Total
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	
MALES								
1938 ...	...	1·9	11·2	39·2	164·4	455·0	714·5	644·2
1939 ...	...	1·5	11·7	38·1	144·3	432·3	764·5	660·3
1940 ...	...	3·5	12·1	36·7	150·7	401·5	750·5	727·8
1941 ...	...	1·4	10·0	40·1	135·8	376·7	810·4	776·3
1942 ...	...	4·4	12·7	51·1	152·9	395·9	905·2	847·2
1943 ...	...	3·0	11·2	43·7	137·8	428·3	820·1	856·7
1944 ...	...	2·6	9·9	45·4	151·2	447·5	821·0	929·6
1945 ...	...	3·9	15·3	39·9	131·1	367·5	783·9	953·0
1946 ...	...	2·1	10·2	37·8	133·7	358·8	820·7	988·2
1947 ...	...	3·4	8·8	47·2	143·0	366·7	746·2	1,014·2
1948 ...	...	2·1	11·5	34·7	154·1	384·5	730·9	1,185·0
1949 ...	...	2·8	9·0	51·1	150·6	363·9	775·5	1,095·9
1950 ...	...	3·6	10·0	44·1	140·7	379·0	754·4	1,071·9
1951 ...	...	3·9	16·8	49·4	168·2	398·0	812·5	1,048·8
FEMALES								
1938 ...	...	3·1	11·0	69·4	204·7	389·4	568·4	435·1
1939 ...	...	1·9	17·9	62·5	210·2	392·8	563·6	539·5
1940 ...	...	3·2	16·7	64·2	177·1	410·3	596·8	497·1
1941 ...	...	1·5	13·9	60·7	195·5	400·2	567·6	537·1
1942 ...	...	2·0	18·5	78·7	202·9	365·0	613·4	597·9
1943 ...	...	2·2	17·7	81·6	192·1	397·3	590·4	604·2
1944 ...	...	2·2	15·3	77·6	202·9	416·6	582·5	688·1
1945 ...	...	2·9	19·8	64·9	203·6	365·3	587·1	587·7
1946 ...	...	3·7	16·2	72·8	218·4	374·2	601·1	621·0
1947 ...	...	2·0	13·3	59·2	204·1	386·9	588·2	637·0
1948 ...	...	2·9	16·9	57·6	195·6	339·6	613·9	722·5
1949 ...	...	2·5	16·9	72·0	172·4	369·2	594·6	731·6
1950 ...	...	3·3	17·6	63·8	178·5	354·0	588·0	780·2
1951 ...	...	2·9	15·0	60·6	177·8	375·0	596·8	746·2

The most notable feature of this table is the large increase in the death rate at ages 75 years and over since 1938. It is almost certain that this increase is connected with the fall in the number of uncertified deaths (most of which occur at the old ages) from 16·0 per cent. in 1938 to 12·2 per cent. in 1951, and to improved certification.

Table XX shows deaths from malignant neoplasms classified by site of disease and from neoplasms of lymphatic and haematopoietic tissues, classified by age group.

TABLE XX.

DEATHS FROM MALIGNANT NEOPLASMS, CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES, BY CERTAIN AGE-GROUPS, 1951.

1948 International List Nos.	SITE	Number of Deaths—Males								Number of Deaths—Females										
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total			
	Malignant neoplasm of:																			
140	Lip	...	...	...	...	...	.	1	.	7	13	14	35	.	.	1	.	6	9	
141	Tongue	...	...	...	...	...	.	1	.	8	19	13	41	.	.	1	2	4	10	
142	Salivary gland	...	...	...	...	...	.	1	.	1	3	1	5	.	.	1	1	1	1	
143-144	Mouth	...	...	...	...	...	.	1	4	2	11	8	26	.	.	1	1	4	14	
145-148	Pharynx	...	...	...	...	...	.	4	6	6	22	25	63	.	.	1	3	5	23	
140-148	Buccal cavity and pharynx	...	...	.	2	5	10	24	68	61	170	.	.	3	4	14	14	22	57	
150	Oesophagus	...	...	.	.	4	6	29	33	23	95	.	.	3	9	18	14	17	61	
150-152	Stomach and small intestine	...	...	.	1	5	19	66	125	222	124	562	.	4	13	50	95	170	98	430
153	Large intestine (excl. rectum)	...	...	2	1	8	21	57	116	77	282	.	3	4	28	67	95	74	271	
154	Rectum	...	...	.	1	4	24	39	79	49	196	.	.	2	16	18	30	33	99	
155-156	Liver	...	...	.	1	1	7	16	22	41	18	106	1	.	4	10	29	39	103	
157	Pancreas	...	...	.	1	2	1	1	1	2	.	83	.	1	1	5	17	21	9	54
158	Peritoneum	...	...	.	1	2	1	1	1	2	.	8	2	1	3	4	1	2	17	
159	Other digestive organs	...	...	.	.	1	1	1	1	1	2	.	2	.	2	1	1	1	4	
150-159	Digestive organs and peritoneum	...	...	5	10	49	148	291	523	308	1,384	3	9	30	122	247	374	254	1,039	
161	Larynx	...	...	.	.	.	4	9	23	8	44	.	.	2	4	2	4	3	15	
162	Trachea, bronchus, lung (primary)	...	...	.	1	11	24	32	23	5	96	.	2	2	5	7	13	3	32	
163	Lung, bronchus (unspecified)	...	...	1	3	8	33	40	25	7	117	2	2	3	5	10	17	2	41	
160, 164, 165	Other parts of respiratory system	...	...	.	1	2	7	6	3	5	24	.	.	2	2	2	4	4	12	
160-165	Respiratory system	...	...	1	5	21	68	87	74	25	281	2	4	7	16	21	38	12	100	
170	Breast	...	...	.	.	.	1	3	1	.	5	.	7	49	64	73	79	40	312	
171-174	Uterus	...	...	.	.	.	.	.	.	.	1	5	10	37	46	33	17	149		
175	Ovary, Fallopian tube, etc.	...	...	.	.	.	2	6	27	72	56	163	.	1	3	2	10	18	3	59
177	Prostate	...	...	.	.	1	1	8	6	2	.	23	.	.	.	2	4	.	.	
180	Kidney	...	...	5	1	1	6	13	14	9	43	.	.	1	2	3	7	1	7	
181	Bladder and other urinary organs	...	...	.	.	1	1	6	3	1	18	.	.	.	3	6	6	19		
176, 178-179	Other genito-urinary organs	...	...	.	3	4	3	1	3	4	.	.	.	.	3	6	5	14		
170-181	Breast and genito-urinary organs	...	...	5	4	8	24	50	92	69	252	2	15	62	115	147	147	72	560	
190-191	Skin	...	...	2	1	4	5	6	27	25	70	2	.	2	2	2	8	21	35	
193	Brain and nervous system	...	...	6	3	4	10	8	4	1	36	1	.	3	5	6	1	16		
196	Bone (incl. jaw bone)	...	...	1	.	4	6	13	11	35	4	.	2	4	6	5	9	30		
192, 194-195, 197-199	Other and unspecified sites	...	...	3	7	4	6	23	33	42	118	1	.	5	13	23	34	31	107	
190-199	Other and unspecified sites	...	...	12	11	12	25	43	77	79	259	8	.	10	24	37	47	62	188	
201	Hodgkin's disease	...	...	4	5	5	9	12	3	4	42	3	1	1	2	3	2	12		
204	Leukaemia and aleukaemia	...	...	23	5	3	8	10	14	1	64	8	3	4	4	6	2	31		
200, 203, 205	Other lymphatic and haematopoietic tissues	...	...	3	1	2	3	8	5	1	23	3	1	1	1	3	3	3	12	
200-205	Lymphatic and haematopoietic tissues	...	...	30	11	10	20	30	22	6	129	14	5	5	7	8	11	5	55	
	Total	...	...	53	43	105	295	525	856	548	2,425	29	33	117	288	474	631	427	1,999	

TABLE XXI

DEATHS FROM MALIGNANT NEOPLASMS, CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES, IN CERTAIN AGE-GROUPS,  
PER 100,000 POPULATION, 1951.

1948 International List No.	Site	MALES								FEMALES							
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
Malignant neoplasm of :—																	
140-148	Buccal cavity and pharynx	·	1·0	2·5	6·0	19·0	65·8	117·8	11·3	·	·	1·6	2·5	11·2	13·4	38·6	3·9
150-159	Digestive organs and peri-tonium ... ...	0·7	5·1	25·0	89·7	230·3	506·4	594·9	88·5	0·5	4·6	16·2	77·0	198·4	358·3	445·9	71·5
160-165	Respiratory system ...	0·1	2·6	10·7	41·1	68·8	71·7	48·3	18·7	0·3	2·1	3·8	10·1	16·9	36·4	21·1	6·9
170-181	Breast and genito-urinary organs ... ...	0·7	2·0	4·1	14·5	39·6	89·1	133·3	16·7	0·3	7·7	33·6	72·5	118·0	140·8	126·4	38·5
190-199	Other and unspecified sites ...	1·8	5·6	6·1	15·1	34·0	74·6	152·6	17·2	1·3	·	5·4	15·1	29·7	45·0	108·9	12·9
Neoplasm of :—																	
200-205	Lymphatic and haemato-poietic tissues ... ...	4·6	5·6	5·1	12·1	23·7	21·3	11·6	8·6	2·2	2·6	2·7	4·4	6·4	10·5	8·8	3·8
	TOTAL ... ...	7·9	21·9	53·5	178·5	415·4	828·9	1058·5	161·0	4·6	17·0	63·3	181·6	380·6	604·4	749·7	137·5

There were 2,425 deaths of males and 1,999 deaths of females in 1951. Excluding Hodgkin's disease, leukaemia and aleukaemia, the figures were 2,319 males and 1,956 females. These latter figures are comparable with deaths from cancer prior to 1950. For each sex the site of the malignant neoplasm for more than half these deaths was in the digestive organs and peritoneum. Cancer of the stomach and small intestine caused 562 deaths of males and 430 deaths among females. There were 252 deaths of males from cancer of the breast and genito-urinary system and 560 deaths of females. The number of deaths of males from cancer of the respiratory system and from cancer of the buccal cavity and pharynx was nearly three times as large as the number of females who died from this disease.

Table XXI shows the death rate per 100,000 population in each age group for the main groups of sites and it will be observed that there is in general a rapid rise in the death rate with increasing age. Exceptions are cancer of the respiratory system for both sexes and cancer of breast and genito-urinary organs for females, in which groups the death rate at 75 years and over is lower than in the preceding age group. The death rate from neoplasms of lymphatic and haematopoietic tissues also decreases at the very old ages.

### *Heart Diseases*

As already observed from Table XIV, diseases of the heart caused 262 in every 1,000 deaths in 1951. There were 11,117 deaths from diseases of the heart (Nos. 410-434 of the International List). Of these 2,299 deaths were caused by arteriosclerotic heart disease, including coronary disease, 753 were caused by chronic endocarditis not specified as rheumatic and 6,292 by other myocardial degeneration. There were 407 deaths from chronic rheumatic heart disease and 1,366 deaths from other diseases of the heart.

### *Respiratory Diseases*


Deaths from respiratory diseases in 1951 numbered 5,649. These include 2,399 deaths caused by influenza, 1,421 by pneumonia, 1,452 by bronchitis and 377 by other respiratory diseases.

During the first quarter of 1951 there was a severe influenza epidemic which resulted in 2,019 deaths registered as due to influenza. Corresponding numbers for the other three quarters were 284, 62 and 34, respectively. The death rate from this disease for the whole of 1951 was 0·81 per 1,000 population, which was the highest rate recorded for any year since 1937. The deaths occurred mainly at ages over 65 years as is seen from Table XXII.

TABLE XXII  
NUMBER OF DEATHS FROM INFLUENZA IN 1951, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING RATES PER 1,000 POPULATION.

	AGE GROUPS							
	Under 15	15-34	35-54	55-64	65-74	75-84	85 & over	All ages
NUMBER OF DEATHS								
Males	39	17	72	132	325	445	77	1,107
Fem. <sup>a</sup>	37	15	59	126	389	537	129	1,292
Pc	76	32	131	258	714	982	206	2,399
RATES PER 1,000 POPULATION								
Mal	0·09	0·04	0·20	1·04	3·15	9·61	14·05	0·73
Fem.	0·09	0·04	0·17	1·01	3·73	10·93	16·53	0·89
Pc	0·09	0·04	0·19	1·03	3·44	10·29	15·51	0·81

## INFANT AND NEO-NATAL MORTALITY, 1938 - 1951.



There were 2,425 deaths of males and 1,999 deaths of females in 1951. Excluding Hodgkin's disease, leukaemia and aleukaemia, the figures were 2,319 males and 1,956 females. These latter figures are comparable with deaths from cancer prior to 1950. For each sex the site of the malignant neoplasm for more than half these deaths was in the digestive organs and peritoneum. Cancer of the stomach and small intestine caused 562 deaths of males and 430 deaths among females. There were 252 deaths of males from cancer of the breast and genito-urinary system and 560 deaths of females. The number of deaths of males from cancer of the respiratory system and from cancer of the buccal cavity and pharynx was nearly three times as large as the number of females who died from this disease.

Table XXI shows the death rate per 100,000 population in each age group for the main groups of sites and it will be observed that there is in general a rapid rise in the death rate with increasing age. Exceptions are cancer of the respiratory system for both sexes and cancer of breast and genito-urinary organs for females, in which groups the death rate at 75 years and over is lower than in the preceding age group. The death rate from neoplasms of lymphatic and haematopoietic tissues also decreases at the very old ages.

#### *Heart Diseases*

As already observed from Table XIV, diseases of the heart caused 262 in every 1,000 deaths in 1951. There were 11,117 deaths from diseases of the heart (Nos. 410-434 of the International List). Of these 2,299 deaths were caused by arteriosclerotic heart disease, including coronary disease, 753 were caused by chronic endocarditis not specified as rheumatic and 6,292 by other myocardial degeneration. There were 407 deaths from chronic rheumatic heart disease and 1,366 deaths from other diseases of the heart.

#### *Respiratory Diseases*

Deaths from respiratory diseases in 1951 numbered 5,649. These include 2,399 deaths caused by influenza, 1,421 by pneumonia, 1,452 by bronchitis and 377 by other respiratory diseases.

During the first quarter of 1951 there was a severe influenza epidemic which resulted in 2,019 deaths registered as due to influenza. Corresponding numbers for the other three quarters were 284, 62 and 34, respectively. The death rate from this disease for the whole of 1951 was 0·81 per 1,000 population, which was the highest rate recorded for any year since 1937. The deaths occurred mainly at ages over 65 years as is seen from Table XXII.

TABLE XXII

NUMBER OF DEATHS FROM INFLUENZA IN 1951, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING RATES PER 1,000 POPULATION.

	AGE GROUPS							
	Under 15	15-34	35-54	55-64	65-74	75-84	85 & over	All ages
NUMBER OF DEATHS								
Males ...	39	17	72	132	325	445	77	1,107
Females ...	37	15	59	126	389	537	129	1,292
Persons ...	76	32	131	258	714	982	206	2,399
RATES PER 1,000 POPULATION								
Males ...	0·09	0·04	0·20	1·04	3·15	9·61	14·05	0·73
Females ...	0·09	0·04	0·17	1·01	3·73	10·93	16·53	0·89
Persons ...	0·09	0·04	0·19	1·03	3·44	10·29	15·51	0·81

## INFANT AND NEO-NATAL MORTALITY, 1938 - 1951.




TABLE XXIII  
INFANT MORTALITY BY AGE AND CAUSE, 1951

No.	Causes of Death	Deaths of Infants under One Year at Ages										
		Under 24 hours	1-7 days	7-14 days	14-21 days	21-27 days	Total under 4 weeks	4 weeks and under 2 mths.	2-3 months	3-6 months	6-12 months	Total under 1 year
	All Causes ... ...	461	637	226	131	113	1,568	326	226	413	343	2,876
050	Scarlet fever ... ...	.	.	.	.	.	.	.	1	.	.	1
056	Whooping cough ... ...	.	.	.	.	1	1	6	10	22	28	67
057	Meningococcal infections ...	.	.	.	1	.	1	.	.	1	5	7
010	Tuberculosis of meninges and nervous system ...	.	.	.	.	.	.	1	2	4	21	28
011	Tuberculosis of intestines and peritoneum and mesenteric glands	.	.	.	.	.	.	.	.	1	3	4
002, 003, 008,	Other tuberculous diseases ...	.	.	.	.	.	.	1	1	4	7	13
012-019												
020	Syphilis ... ...	1	.	.	.	.	1	1	.	2	.	4
480, 481	Influenza ... ...	.	4	.	1	5	10	8	5	9	14	46
085	Measles ... ...	.	.	.	.	.	.	.	.	.	11	11
340	Meningitis ... ...	.	1	1	1	2	5	2	2	5	11	25
780-782	Convulsions ... ...	6	8	6	6	4	30	16	10	17	6	79
500, 501, 502	Bronchitis ... ...	.	2	.	2	2	6	4	2	14	10	36
490-493, 763	Pneumonia ... ...	5	22	21	14	14	76	68	55	118	102	419
571, 764	Diarrhoea and gastro-enteritis ...	.	2	5	12	9	28	44	29	36	30	167
750-759	Congenital malformations ...	54	86	44	24	23	231	52	22	41	22	368
774, 776	Premature birth ... ...	140	187	45	20	10	402	12	5	7	.	426
760, 761	Injury at birth ... ...	65	83	17	3	1	169	1	2	2	1	175
762, 766- 773	Other diseases peculiar to first year of life ... ...	171	222	74	29	32	528	71	44	56	19	718
E924, E925	Mechanical suffocation ...	1	1	2	2	1	7	2	2	9	1	21
E800, E923	Other accidents (including lack of care) ... ...	14	4	1	1	1	21	3	2	8	3	37
Residue	Other causes ... ...	4	15	10	15	8	52	34	33	56	49	224

XXX

TABLE XXIII  
INFANT MORTALITY BY AGE AND CAUSE, 1951

Detailed International List No.	Causes of Death	Deaths of Infants under One Year at Ages										
		Under 24 hours	1-7 days	7-14 days	14-21 days	21-27 days	Total under 4 weeks	4 weeks and under 2 mths.	2-3 months	3-6 months	6-12 months	Total under 1 year
	All Causes ... ...	461	637	226	131	113	1,568	326	226	413	343	2,876
050	Scarlet fever ... ...	.	.	.	.	.	.	.	1	.	.	1
056	Whooping cough ... ...	.	.	.	.	1	1	6	10	22	28	67
057	Meningococcal infections ... ...	.	.	.	1	.	1	.	1	5	7	7
010	Tuberculosis of meninges and nervous system ... ...	.	.	.	.	.	.	.	2	4	21	28
011	Tuberculosis of intestines and peritoneum and mesenteric glands ... ...	.	.	.	.	.	.	.	.	1	3	4
002, 003, 008,	Other tuberculous diseases ... ...	.	.	.	.	.	.	1	1	4	7	13
012-019												
020	Syphilis ... ...	1	.	.	.	.	1	1	.	2	.	4
480, 481	Influenza ... ...	.	4	.	1	5	10	8	5	9	14	46
085	Measles ... ...	.	.	.	.	.	.	.	.	.	11	11
340	Meningitis ... ...	.	1	1	1	2	5	2	2	5	11	25
780-782	Convulsions ... ...	6	8	6	6	4	30	16	10	17	6	79
500, 501,	Bronchitis ... ...	.	2	.	2	2	6	4	2	14	10	36
502												
490-493, 763	Pneumonia ... ...	5	22	21	14	14	76	68	55	118	102	419
571, 764	Diarrhoea and gastro-enteritis ... ...	.	2	5	12	9	28	44	29	36	30	167
750-759	Congenital malformations ... ...	54	86	44	24	23	231	52	22	41	22	368
774, 776	Premature birth ... ...	140	187	45	20	10	402	12	5	7	.	426
760, 761	Injury at birth ... ...	65	83	17	3	1	169	1	2	2	1	175
762, 766-	Other diseases peculiar to first year of life ... ...	171	222	74	29	32	528	71	44	56	19	718
773												
E924, E925	Mechanical suffocation ... ...	1	1	2	2	1	7	2	2	9	1	21
E800, E923	Other accidents (including lack of care) ... ...	14	4	1	1	1	21	3	2	8	3	37
Residue	Other causes ... ...	4	15	10	15	8	52	34	33	56	49	224

The death rate per 1,000 population increased with age at death from 0·04 at ages 15-34 years to 15·51 per 1,000 population at ages 85 years and over. At ages over 65 years the rates for females are somewhat higher than those for males.

### *Pregnancy, Childbirth and Puerperium*

The number of deaths in this group of causes in 1951 was 103 compared with 99 in 1950. The death rate was 1·64 per 1,000 births.

### *Accidents, Poisonings and Violence*

The number of deaths from external causes in 1951 was 996 compared with 905 in 1950. Deaths from road transport accidents numbered 235 in 1951 compared with 200 in 1950. In 1951 there were 85 deaths from fire, explosions or burns and 121 deaths from accidental drowning. There were 77 suicides and 478 deaths were caused by other external causes including accidental falls.

### *Infant Mortality*

During the year 1951 the deaths of 2,876 infants under 1 year of age were registered compared with 2,922 in the preceding year. The figure for 1951 is equivalent to a rate of 46 per 1,000 live births registered which is the same as that for 1950. The infant mortality rates in neighbouring countries in 1951 were as follows :—England and Wales (30), Scotland (37), and the Six Counties (41). There is still room, therefore, for considerable improvement in the Irish rate. Table XXIII shows the deaths under 1 year of age in 1951 classified by cause of death and age at death.

At ages under 4 weeks the main causes of death are congenital malformation, premature birth, injury at birth and other diseases peculiar to the first year of life. At ages 4 weeks to one year the most important single cause of death is pneumonia, but large numbers of deaths are also caused by gastro-enteritis and other diseases peculiar to the first year of life.

Details of causes of death at ages under 4 weeks and at 4 weeks and under 1 year for counties, county boroughs and groups of principal towns are shown in Tables 25 and 26.

### *Uncertified Causes*

The number of cases in 1951 in which the cause of death was not stated to have been certified by a medical practitioner was 5,170 which is 12·2 per cent. of the total deaths registered. The proportion for 1950 was 11·3 per cent.

### *Inquests and Post-Mortems*

The number of deaths registered on certificates issued by coroners, as the result of inquests or post-mortem examinations during 1951 was 1,483 compared with 1,340 for 1950.

## T A B L E S

TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR,  
1851 TO 1951.

YEAR	PERSONS	MALES	FEMALES	YEAR	PERSONS	MALES	FEMALES	YEAR	PERSONS	MALES	FEMALES
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1919	3,102	1,598	1,504
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1920	3,103	1,598	1,505
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1921	3,096	1,599	1,497
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1922	3,022	1,520	1,493
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1923	3,014	1,526	1,488
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1924	3,005	1,521	1,484
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1925	2,985	1,512	1,473
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1926	2,971	1,507	1,464
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1927	2,957	1,502	1,455
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1928	2,944	1,498	1,446
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1929	2,937	1,496	1,441
1862	4,377	2,153	2,219	1896	3,314	1,653	1,661	1930	2,927	1,493	1,434
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1931	2,933	1,497	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1932	2,949	1,505	1,444
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1933	2,962	1,512	1,450
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1934	2,971	1,518	1,453
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1935	2,971	1,520	1,451
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1936	2,967	1,520	1,447
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1937	2,948	1,510	1,438
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1938	2,937	1,505	1,432
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1939	2,934	1,503	1,431
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1940	2,958	1,515	1,443
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1941	2,993	1,533	1,460
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1942	2,963	1,499	1,464
1875	3,951	1,940	2,011	1909	3,142	1,589	1,553	1943	2,946	1,490	1,456
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1944	2,944	1,487	1,457
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1945	2,952	1,490	1,462
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1946	2,957	1,498	1,461
1879	3,939	1,944	1,995	1913	3,103	1,572	1,531	1947	2,974	1,505	1,469
1880	3,891	1,920	1,971	1914	3,092	1,568	1,524	1948	2,985	1,512	1,473
1881	3,847	1,901	1,946	1915	3,068	1,546	1,522	1949	2,981	1,513	1,448
1882	3,808	1,882	1,926	1916	3,068	1,549	1,519	1950	2,969	1,510	1,459
1883	3,745	1,853	1,892	1917	3,065	1,551	1,514	1951	2,961	1,507	1,454
1884	3,703	1,834	1,869	1918	3,066	1,553	1,513				

TABLE 2.—TOTAL POPULATION BY SEX AND AGE IN 1951.

AGE	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	MALES	FEMALES	PERSONS	MALES	FEMALES	PERSONS
Under 1 ....	32,630	30,927	63,557	2·17	2·13	2·15
1 ....	32,083	30,719	62,802	2·13	2·11	2·12
2 ....	31,932	30,494	62,426	2·12	2·10	2·11
3 ....	31,982	30,457	62,439	2·12	2·09	2·11
4 ....	31,604	30,004	61,608	2·10	2·06	2·08
5-9 ....	143,490	137,553	281,043	9·53	9·46	9·49
10-14 ....	132,726	128,209	260,935	8·82	8·82	8·81
15-19 ....	125,742	115,440	241,182	8·35	7·94	8·15
20-24 ....	105,380	96,792	202,172	6·99	6·65	6·83
25-29 ....	99,595	98,826	198,421	6·61	6·80	6·70
30-34 ....	96,441	95,125	191,566	6·40	6·54	6·47
35-39 ....	102,278	98,638	200,916	6·70	6·78	6·79
40-44 ....	94,006	86,320	180,326	6·24	5·94	6·09
45-49 ....	82,374	78,541	160,915	5·47	5·40	5·44
50-54 ....	82,922	80,064	162,986	5·50	5·51	5·51
55-59 ....	65,028	63,820	128,848	4·32	4·39	4·35
60-64 ....	61,346	60,714	122,060	4·07	4·18	4·12
65-69 ....	54,145	53,403	107,548	3·59	3·67	3·63
70-74 ....	49,121	50,095	100,116	3·26	3·51	3·38
75-79 ....	31,642	32,913	64,555	2·10	2·26	2·18
80-84 ....	14,649	16,238	30,887	0·97	1·12	1·04
85-89 ....	4,285	5,882	10,167	0·28	0·40	0·34
90-94 ....	973	1,542	2,515	0·06	0·11	0·09
95-99 ....	205	368	573	0·01	0·03	0·02
100 and over	18	12	30	0·00	0·00	0·00
TOTAL ....	1,506,597	1,453,996	2,960,593	100·00	100·00	100·00

TABLE 3.—POPULATION BY SEX IN EACH COUNTY AND COUNTY BOROUGH IN 1951.

COUNTY	1951 POPULATION		
	MALES	FEMALES	PERSONS
Carlow	17,848	16,314	34,162
Dublin County Borough	244,006	278,177	522,183
Dun Laoghaire Borough	20,843	27,077	47,920
Dublin County (remainder)	61,277	61,642	122,919
Kildare	36,364	30,073	66,437
Kilkenny	34,687	30,548	65,235
Laoighis	26,154	22,276	48,430
Longford	18,388	16,165	34,553
Louth	34,886	33,885	68,771
Meath	34,980	31,357	66,337
Offaly	28,306	24,238	52,544
Westmeath	28,737	25,726	54,463
Wexford	45,945	44,087	90,032
Wicklow	31,587	31,003	62,590
Clare	43,473	37,856	81,329
Cork County	136,150	130,567	266,717
Cork County Borough	34,715	39,852	74,567
Kerry	66,507	60,137	126,644
Limerick County	47,588	42,831	90,419
Limerick County Borough	24,103	26,717	50,820
Tipperary, N.R.	29,089	27,020	57,009
Tipperary, S.R.	39,877	36,427	76,304
Waterford County	24,478	21,892	46,370
Waterford County Borough	13,485	15,206	28,691
Galway	85,141	75,063	160,204
Leitrim	22,374	18,835	41,209
Mayo	73,345	68,522	141,867
Roscommon	36,626	31,476	68,102
Sligo	31,469	29,044	60,513
Cavan	36,187	30,190	66,377
Donegal	67,964	63,566	131,530
Monaghan	29,118	26,227	55,345
TOTAL	1,506,597	1,453,996	2,960,593

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864–1951.

PERIOD	MARRIAGES	BIRTHS								DEATHS		Natural Increase
		TOTAL (Including Illegitimate)			Legitimate		Illegitimate					
		Total	Males	Females	Total		Total	Males	Females	Total	Males	Females
Average 1864–70 ....	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871–80 ....	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881–90 ....	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891–1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901–10 ....	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911–20 ....	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921–30 ....	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931–40 ....	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941–50 ....	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
X 1941 ....	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942 ....	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943 ....	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944 ....	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945 ....	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946 ....	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947 ....	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948 ....	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,857	19,117	17,240	29,573
1949 ....	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950 ....	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
Average 1941–1950	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
1951 ....	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496

TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864-1951.

PERIOD	MARRIAGES		BIRTHS				DEATHS		Natural Increase per 1,000 of Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	ILLEGITIMATE		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births	
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881-90	4.02	22.88	22.45	0.43	1.89	1,050	17.56	93.06	5.32
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941-50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.84
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70
Average— 1941-50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-51 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-50 AND THE RATES FOR 1951 PER 1,000 OF THE POPULATION.

YEAR	MARRIAGES																BIRTHS								DEATHS							
	CATHOLIC				ALL OTHERS				TOTAL				Quarter ending the last day of				Quarter ending the last day of				Quarter ending the last day of				Total							
	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.			
1941 ....	3,353	3,380	3,891	3,437	14,061	167	263	811	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797							
1942 ....	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640							
1943 ....	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494							
1944 ....	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128							
1945 ....	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762							
1946 ....	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,589	9,361	41,457							
1947 ....	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061							
1948 ....	3,427	3,770	4,699	3,397	15,293	141	230	312	189	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,885	15,092	65,930	10,612	9,333	7,865	8,547	36,357							
1949 ....	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062							
1950 ....	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741							
Average for Ten Years 1941-50 ....	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010	12,974	10,555	8,427	9,494	41,450							
1951 ....	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382							
Equivalent Annual Rate per 1,000 Population Average 1941-50 ....	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	5.6	21.7	23.6	22.3	20.1	21.9	17.5	14.2	11.4	12.8	14.0							
1951 ....	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2	22.5	13.8	10.2	10.7	14.3							

TABLE 7.—AVERAGE ANNUAL NUMBER OF DEATHS FROM PRINCIPAL CAUSES, 1921–1950,  
WITH RATES PER 100,000 POPULATION.

Nos.	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS			ANNUAL AVERAGE RATE PER 100,000 POPULATION		
		1921–30	1931–40	1941–50	1921–30	1931–40	1941–50
	All Causes	43,203	41,841	41,450	1446·9	1411·2	1397·5
1	Typhoid Fever (including Paratyphoid)	108	64	32	3·6	2·2	1·1
2	Cerebro-spinal Meningitis	17	30	33	0·6	1·1	1·1
3	Scarlet Fever	78	88	15	2·6	3·0	0·5
4	Whooping Cough	365	215	189	12·3	7·3	6·4
5	Diphtheria	282	321	151	9·4	10·8	5·1
6	Tuberculosis of Respiratory System	3,437	2,797	2,739	115·0	94·3	92·3
7	All Other Forms of Tuberculosis	920	773	779	30·8	26·1	26·2
8	Dysentery	11	2	4	0·3	0·1	0·1
9	Influenza	1,221	1,265	554	40·9	42·6	18·7
10	Measles	253	173	69	8·5	5·8	2·3
11	Acute Infectious Encephalitis	40	27	17	1·3	0·9	0·6
12	Typhus	10	4	2	0·3	0·1	0·1
13	Cancer	2,933	3,529	4,034	98·4	119·0	136·0
14	Diabetes Mellitus	227	260	234	7·6	8·8	7·9
15	Intra-cranial Lesions of Vascular Origin	2,077	2,392	2,782	69·6	80·7	93·8
16	Diseases of the Heart	4,981	7,273	9,897	167·1	245·2	333·7
17	Other Diseases of the Circulatory System	439	734	839	14·7	24·7	28·3
18	Bronchitis	2,750	2,182	1,331	92·0	73·6	44·9
19	Pneumonia	2,476	2,420	1,643	83·0	81·6	55·4
20	Other Diseases of the Respiratory System	722	688	610	24·2	23·2	20·6
21	Ulcer of Stomach or Duodenum	274	327	260	9·2	11·0	8·8
22	Diarrhoea and Enteritis under 2 years	592	584	813	19·8	19·7	27·4
23	Appendicitis	169	189	110	5·7	6·4	3·7
24	Cirrhosis of the Liver	95	72	55	3·2	2·4	1·9
25	Diseases of the Liver and Biliary Passages	138	162	148	4·6	5·5	5·0
26	Other Diseases of the Digestive System	1,172	909	654	39·2	30·7	22·0
27	Nephritis	1,132	1,195	1,033	38·0	40·3	34·8
28	Puerperal Infection	101	71	29	3·4	2·4	1·0
29	Other Diseases of Childbirth	190	170	110	6·4	5·7	3·3
30	Congenital Debility, etc.	1,788	1,852	2,213	59·9	62·5	62·5
31	Senility	8,300	6,135	5,921	277·8	206·9	199·6
32	Suicide	89	98	77	3·0	3·3	2·6
33	Other Violence	1,023	881	858	34·1	29·7	28·9
34	Other Causes	4,793	3,959	3,215	160·4	133·6	108·4

TABLE 8.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1951, WITH RATES PER 100,000 POPULATION.

Note.—The classification of cause of death in this Table is based on the Abbreviated International List, 1948.

CAUSE OF DEATH	IRELAND†		SIX COUNTIES		CAUSE OF DEATH	IRELAND†		SIX COUNTIES	
	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Tuberculosis of Respiratory System	1,712	57.83	495	36.1	Other Circulatory Diseases	657	22.19	309	22.5
Tuberculosis, Other Forms	450	15.20	122	8.9	Influenza	2,399	81.03	883	64.3
Syphilis and its Sequelae	48	1.62	42	3.1	Pneumonia	1,421	48.00	768	56.0
Typhoid Fever	3	0.10	2	0.1	Bronchitis	1,452	49.04	642	46.8
Cholera	—	—	—	—	Other Respiratory Diseases	377	12.73	180	13.1
Dysentery, All Forms	1	0.03	6	0.4	Gastritis and Duodenitis	45	1.52	11	0.8
Scarlet Fever	10	0.34	2	0.1	Ulcer of Stomach and Duodenum	279	9.42	108	7.9
Streptococcal Sore Throat	8	0.27	1	0.1	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder	138	4.66	*	*
Diphtheria	8	0.27	2	0.1	Intestinal Obstruction and Hernia	226	7.63	88	6.4
Whooping Cough	108	3.65	18	1.3	Appendicitis	65	2.20	25	1.8
Meningococcal Infections	25	0.84	11	0.8	Enteritis and Colitis except Diarrhoea of Newborn	244	8.24	128	9.3
Plague	—	—	—	—	Cirrhosis of Liver	59	1.99	32	2.3
Acute Poliomyelitis	15	0.51	10	0.7	Nephritis and Nephrosis	652	22.02	217	15.8
Acute Infectious Encephalitis	11	0.37	7	0.5	Hyperplasia of Prostate	282	9.53	145	10.6
Smallpox	—	—	—	—	Complications of Pregnancy and Childbirth	84	2.84		
Measles	32	1.08	9	0.7	Puerperal Sepsis	1	0.03	31	2.3
Typhus and Other Rickettsial Diseases	—	—	—	—	Other Complications of the Puerperium	18	0.61		
Malaria	4	0.14	—	—	Congenital Malformations	443	14.96	215	15.7
All other Diseases classified as Infective and Parasitic	106	3.58	50	3.6	Birth Injuries, Postnatal Asphyxia and Atelectasis	368	12.43	241	17.6
Malignant Neoplasms	4,240	143.21	2,015	146.8	Diarrhoea of Newborn	28	0.95		
Neoplasms of Lymphatic and Haematopoietic Tissues	184	6.21	85	6.2	Other Infections of Newborn	82	2.77		
Benign and Unspecified Neoplasms	120	4.05	51	3.7	Other Diseases peculiar to Early Infancy and Immaturity Unqualified				
Diabetes Mellitus	248	8.38	88	6.4	Senility without mention of Psychosis	945	31.92	296	21.6
Anaemias	292	9.86	83	6.0	Ill-defined and Unknown Causes	4,982	168.28	939	68.4
Vascular Lesions affecting Central Nervous System	3,025	102.18	1,983	144.4	All Other Diseases	1,135	38.34	172	12.5
Nonmeningococcal Meningitis	92	3.11	14	1.0	Motor Vehicle Accidents	2,090	70.59	794	57.9
Rheumatic Fever	81	2.74	40	2.9	All Other Accidents	171	5.78	159	11.6
Chronic Rheumatic Heart Disease	407	13.75	208	15.2	Suicide and Self-inflicted Injury	734	24.79	332	24.2
Arteriosclerotic and Degenerative Heart Disease	9,344	315.62	4,254	310.0	Homicide and Operations of War	77	2.60	56	4.1
Other Diseases of the Heart	1,366	46.14	592	43.1	ALL CAUSES	14	0.47	7	0.5
Hypertension with Heart Disease	502	16.96	453	33.0					
Hypertension without mention of Heart	472	15.94	160	11.7					

† Exclusive of the Six Counties.

\* Included in "All Other Diseases."

TABLE 9.—AVERAGE ANNUAL NUMBERS OF DEATHS OF MALES AND FEMALES  
CLASSIFIED BY AGE, REGISTERED DURING THE YEARS 1864–1950, AND IN 1951.

PERIOD	ALL AGES	Under 5 YEARS	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and OVER
MALES.														
Average—														
1864–70	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871–80	36,224†	9,276	1,261	732	1,014	1,250	2,149	2,113	2,582	4,249	5,459	4,556	1,326	278
1881–90	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891–1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,630	270
1901–10	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911–20	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921–30	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931–40	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941–50	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
FEMALES.														
Average—														
1864–70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,501	4,173	4,932	3,807	1,179	289
1871–80	35,387†	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881–90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,420	270
1891–1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901–10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911–20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921–30	21,353	2,858	377	309	523	565	1,184	1,284	1,749	2,620	4,420	3,992	1,369	153
1931–40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,037	3,875	1,129	117
1941–50	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
PERSONS.														
Average—														
1864–70	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871–80	71,611†	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881–90	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891–1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901–10	53,577	10,112	1,187	934	1,406	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	480
1911–20	51,453	8,699	1,079	841	1,350	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921–30	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931–40	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941–50	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240

\* For the period 1864–70 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

† For the period 1871–80 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 10.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES,  
CLASSIFIED BY AGE PER 1,000 CORRESPONDING POPULATION, 1864–1950, AND IN 1951.

PERIOD	ALL AGES	UNDER 5 YEARS	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
MALES													
1864-70	16·49	36·85	5·53	3·00	4·22	7·07	8·24	9·55	14·86	25·55	60·25	125·94	239·09
1871-80	18·55	39·78	5·26	3·05	5·08	7·32	8·88	10·76	15·38	29·21	66·54	144·84	295·18
1881-90	17·71	36·33	4·55	2·91	4·62	7·31	9·05	10·44	15·56	28·84	65·40	136·47	279·81
1891-1900	17·65	37·57	3·97	2·70	4·47	7·16	9·00	10·32	15·12	28·03	60·82	137·46	298·23
1901-10	16·90	34·68	3·51	2·44	4·12	6·32	8·44	9·48	14·40	28·73	50·27	111·41	283·22
1911-20	16·73	30·81	3·35	2·45	4·31	6·32	7·72	9·60	13·99	25·45	46·20	116·64	254·29
1921-30	14·39	23·58	2·58	1·77	3·21	4·92	5·33	7·08	11·44	24·50	48·08	107·81	217·55
1931-40	14·21	21·19	2·19	1·50	2·61	3·81	4·48	6·02	10·94	25·34	57·22	105·78	174·77
1941-50	14·45	20·74	1·53	1·05	2·18	3·13	3·56	5·02	9·75	21·33	52·20	126·93	216·07
1951	14·92	12·67	0·93	0·60	1·33	1·98	2·65	4·13	9·60	22·69	56·50	143·09	294·47
FEMALES													
1864-70	15·77	33·33	5·66	3·36	4·05	5·58	7·56	9·10	12·88	24·38	62·03	121·93	228·66
1871-80	17·61	36·12	5·56	3·67	5·19	6·08	8·06	9·65	13·33	27·63	66·20	142·88	275·52
1881-90	17·30	32·66	4·95	3·75	5·30	6·54	8·65	10·01	13·77	28·21	66·95	135·21	259·63
1891-1900	17·62	33·39	4·34	3·71	5·46	6·60	8·41	9·91	13·96	28·16	65·09	142·12	281·89
1901-10	16·79	30·61	3·97	3·42	5·07	5·98	7·80	9·38	13·75	28·99	48·04	107·57	265·12
1911-20	16·64	26·99	3·81	3·16	4·84	5·96	7·24	9·42	12·92	24·90	43·53	109·46	220·24
1921-30	14·52	20·08	2·67	2·13	3·71	4·84	5·61	7·45	11·24	24·08	45·18	98·58	190·62
1931-40	14·12	17·88	2·21	1·69	2·90	4·11	5·07	6·32	10·35	23·87	51·78	95·90	171·54
1941-50	13·47	16·72	1·37	1·15	2·38	3·48	4·03	5·02	8·61	18·89	45·25	110·41	196·15
1951	13·69	9·76	0·69	0·71	1·25	2·11	2·51	4·00	7·48	17·89	47·92	126·75	257·30
PERSONS													
1864-70	16·23	35·11	5·59	3·17	4·13	6·30	7·89	9·31	13·82	24·94	61·15	123·76	233·44
1871-80	18·06	37·97	5·41	3·35	5·13	6·69	8·45	10·18	14·31	28·38	66·37	143·83	284·60
1881-90	17·56	34·52	4·75	3·32	4·96	6·93	8·85	10·21	14·64	28·52	66·19	135·84	269·29
1891-1900	17·70	35·51	4·15	3·20	4·96	6·89	8·71	10·11	14·51	28·10	62·96	139·82	289·88
1901-10	16·91	32·68	3·74	2·92	4·59	6·15	8·12	9·43	14·07	28·86	49·11	109·45	273·79
1911-20	16·64	28·93	3·58	2·80	4·56	6·15	7·48	9·52	13·47	25·18	44·78	112·87	236·00
1921-30	14·45	21·86	2·63	1·95	3·46	4·88	5·47	7·26	11·34	24·30	46·58	102·78	202·72
1931-40	14·17	19·55	2·20	1·59	2·75	3·95	4·77	6·17	10·70	24·64	54·46	100·41	172·56
1941-50	13·97	18·76	1·45	1·10	2·28	3·30	3·79	5·02	9·18	19·90	48·78	118·20	204·26
1951	14·32	11·25	0·81	0·65	1·29	2·04	2·58	4·07	8·56	20·31	52·19	134·68	272·64

TABLE 11.—MARRIAGES, BIRTHS AND DEATHS REGISTERED

Provinces, Administrative Counties and County Boroughs	Area in Statute Acres	Population according to Census of Population 1951	Total No. of marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				Net Number
				Total No. Registered	Transferred from Area	Transferred to Area		
TOTAL ... ...	17,024,092	2,960,593	16,017	62,878				62,878
LEINSTER ... ...	4,851,453	1,336,576	8,602	30,491	603	285		30,173
MUNSTER ... ...	5,962,045	898,870	4,305	18,761	251	180		18,690
CONNACHT ... ...	4,230,826	471,895	1,969	8,981	64	234		9,151
ULSTER (part of) ... ...	1,979,768	253,252	1,141	4,645	36	255		4,864

PROVINCE OF									
Carlow ... ...	221,485	34,162	174	699	19	125			805
Dublin Co. Borough ...	21,907	522,183	4,505	15,963	4,530	85			11,518
Dun Laoghaire Borough	4,179	47,920	383	419	80	600			939
Dublin Co. (remainder) ...	201,757	122,919	703	1,125	94	2,309			3,340
Kildare ... ...	418,644	66,437	278	1,201	15	438			1,624
Kilkenny ... ...	509,470	65,235	327	1,335	50	138			1,423
Laoighis ... ...	424,892	48,430	201	916	28	115			1,003
Longford ... ...	257,936	34,553	130	653	35	92			710
Louth ... ...	202,806	68,771	418	1,935	419	61			1,577
Meath ... ...	577,824	66,337	277	938	5	523			1,456
Offaly ... ...	493,636	52,544	216	1,045	28	112			1,129
Westmeath ... ...	435,606	54,463	296	1,346	162	108			1,202
Wexford ... ...	581,061	90,032	382	1,891	31	86			1,946
Wicklow ... ...	500,250	62,590	312	1,025	14	400			1,411

PROVINCE OF									
Clare ... ...	787,704	81,329	332	1,465	11	157			1,611
Cork Co. ... ...	1,840,897	266,717	949	4,105	285	1,389			5,209
Cork Co. Borough ...	2,511	74,567	764	2,892	1,432	189			1,649
Kerry ... ...	1,161,706	126,644	539	2,355	23	74			2,406
Limerick Co. ... ...	658,948	90,419	389	1,709	28	516			2,197
Limerick Co. Borough ...	4,706	50,820	388	1,599	530	23			1,092
Tipperary, N.R. ...	493,258	57,909	249	1,360	155	78			1,283
Tipperary, S.R. ...	558,034	76,304	323	1,741	117	72			1,696
Waterford Co. ... ...	452,311	46,370	231	696	18	244			922
Waterford Co. Borough ...	1,970	28,691	141	839	229	15			625

PROVINCE OF									
Galway ... ...	1,467,665	160,204	654	3,447	153	77			3,371
Leitrim ... ...	376,764	41,209	175	608	7	64			665
Mayo ... ...	1,333,940	141,867	586	2,678	17	147			2,808
Roscommon ... ...	608,540	68,102	306	1,143	40	67			1,170
Sligo ... ...	443,917	60,513	248	1,105	26	58			1,137

PROVINCE OF									
Cavan ... ...	467,162	66,377	293	1,044	11	179			1,212
Donegal ... ...	1,193,621	131,530	584	2,552	16	45			2,581
Monaghan ... ...	318,985	55,345	264	1,049	55	77			1,071

DURING 1951, IN EACH COUNTY AND COUNTY BOROUGH.

ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths Net Number	Provinces, Administrative Counties and County Boroughs
Total No. Registered	Transferred from Area	Transferred to Area	Net Number	Total No. Registered	Transferred from Area	Transferred to Area	Net Number		
1,588			1,588	42,382				42,382	20,496 <b>TOTAL</b>
847	118	82	811	17,620	346	57	17,331	12,842	LEINSTER
515	87	38	466	13,599	49	147	13,697	4,093	MUNSTER
91	7	51	135	7,147	23	122	7,246	1,905	CONNACHT
135	—	41	176	4,016	15	107	4,108	756	ULSTER (part of)

**LEINSTER**

14	—	14	28	485	30	52	507	298	Carlow
350	161	48	237	7,238	1,229	189	6,198	5,320	Dublin Co. Borough
2	1	17	18	443	58	194	579	360	Dun Laoghaire Borough
105	85	22	42	990	292	488	1,186	2,154	Dublin Co. (remainder)
25	2	30	53	766	8	89	847	777	Kildare
40	1	27	66	954	25	58	987	436	Kilkenny
13	1	29	41	744	36	34	742	261	Laoighis
9	3	7	13	547	3	49	593	117	Longford
33	2	5	36	918	24	35	929	648	Louth
18	—	44	62	877	15	89	951	505	Meath
21	2	21	40	705	9	58	754	375	Offaly
122	98	13	37	854	86	39	807	485	Westmeath
53	—	32	85	1,399	18	40	1,421	525	Wexford
42	6	17	53	700	11	141	830	581	Wicklow

**MUNSTER**

21	—	18	39	1,231	4	43	1,270	341	Clare
173	68	10	115	4,147	347	321	4,121	1,088	Cork Co.
9	3	14	20	1,036	336	330	1,030	619	Cork Co. Borough
31	—	16	47	1,988	2	44	2,030	376	Kerry
71	9	28	90	1,481	232	144	1,393	804	Limerick Co.
9	5	10	14	560	150	226	636	456	Limerick Co. Borough
130	99	7	38	864	17	56	903	380	Tipperary, N.R.
28	1	16	43	1,116	41	33	1,108	588	Tipperary, S.R.
24	2	26	48	668	31	164	801	121	Waterford Co.
19	10	3	12	508	125	22	405	220	Waterford Co. Borough

**CONNACHT**

57	13	16	60	2,222	68	40	2,194	1,177	Galway
3	—	6	9	694	3	52	743	-78*	Leitrim
7	—	22	20	2,103	13	54	2,144	664	Mayo
5	1	13	17	1,105	36	85	1,154	16	Roscommon
19	5	6	20	1,023	26	14	1,011	126	Sligo

**ULSTER (PART OF)**

25	—	18	43	1,114	1	95	1,208	4	Cavan
86	—	13	99	2,027	12	20	2,035	546	Donegal
24	—	10	34	875	42	32	865	206	Monaghan

\* — Denotes excess of deaths over births.

TABLE 12.—MARRIAGES, BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1951, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH.

PROVINCES AND COUNTIES	Marri- ages	BIRTHS						DEATHS						
		Total (including illegitimate)			Illegitimate			Total			Under 1 year of age	Prin- cipal Epi- demic Dis- eases*	Tuber- culosis	
		Males	Fe- males	Total	Males	Fe- males	Total	Males	Fe- males	Total	Total	Total	Total	
TOTAL ...	16,017	32,303	30,575	62,878	833	755	1,588	22,476	19,906	42,382	2,876	329	2,162	4,240
Carlow ...	174	427	378	805	12	16	28	281	226	507	40	4	30	55
Dublin Co. Boro'	4,505	5,911	5,007	11,518	136	101	237	3,054	3,144	6,198	566	45	436	743
Dun Laoghaire Boro'	383	470	469	939	11	7	18	270	309	579	42	2	24	71
Dublin Co. (re- mainder) ...	703	1,728	1,612	3,340	18	24	42	631	555	1,186	165	19	78	140
Kildare ...	278	848	776	1,624	26	27	53	489	358	847	81	13	55	101
Kilkenny ...	327	692	731	1,423	30	36	66	531	456	987	98	10	44	98
Laoighis ...	201	518	485	1,003	24	17	41	425	317	742	49	8	26	59
Longford ...	130	394	316	710	5	8	13	320	273	593	41	9	20	54
Louth ...	418	811	766	1,577	18	18	36	498	431	929	70	2	75	109
Meath ...	277	760	696	1,456	34	28	62	526	425	951	62	2	45	101
Offaly ...	216	549	580	1,129	18	22	40	434	320	754	51	7	34	73
Westmeath ...	296	672	620	1,292	22	15	37	447	360	807	48	4	46	90
Wexford ...	382	1,024	922	1,946	45	40	85	750	671	1,421	74	18	72	140
Wicklow ...	312	743	668	1,411	27	26	53	437	393	830	81	8	37	93
LEINSTER ...	8,602	15,547	14,626	30,173	426	385	811	9,093	8,238	17,331	1,468	151	1,022	1,927
Clare* ...	332	824	787	1,611	21	18	39	700	570	1,270	45	9	47	91
Cork Co. ...	949	2,674	2,535	5,209	55	60	115	2,191	1,930	4,121	224	15	193	400
Cork Co. Boro'	764	866	783	1,649	12	8	20	522	508	1,030	64	6	55	127
Kerry ...	539	1,215	1,191	2,406	27	20	47	1,079	951	2,030	148	8	111	158
Limerick Co. ...	389	1,111	1,086	2,197	41	49	90	730	663	1,393	106	22	59	115
Limerick Co. Boro'	388	562	530	1,092	7	7	14	308	328	636	39	9	50	74
Tipperary, N.R.	249	657	626	1,283	20	18	38	527	376	903	61	6	42	86
Tipperary, S.R.	323	877	819	1,696	26	17	43	596	512	1,108	88	14	54	110
Waterford Co. ...	231	454	468	922	29	19	48	424	377	801	53	2	29	88
Waterford Co. Boro' ...	141	316	309	625	4	8	12	228	177	405	31	4	38	55
MUNSTER ...	4,305	9,556	9,134	18,690	242	224	466	7,305	6,392	13,697	859	95	678	1,313
Galway ...	654	1,740	1,631	3,371	30	30	60	1,185	1,009	2,194	129	19	104	212
Leitrim ...	175	352	313	665	7	2	9	396	347	743	14	4	23	40
Mayo ...	586	1,401	1,407	2,808	22	7	29	1,162	982	2,144	94	4	91	194
Roscommon ...	306	633	537	1,170	6	11	17	621	533	1,154	42	7	38	103
Sligo ...	248	552	585	1,137	9	11	20	518	493	1,011	48	4	39	103
CONNACHT ...	1,969	4,678	4,473	9,151	74	61	135	3,882	3,364	7,246	327	38	295	652
Cavan ...	293	638	574	1,212	21	22	43	656	552	1,208	49	13	53	114
Donegal ...	584	1,348	1,233	2,581	52	47	99	1,093	942	2,035	113	18	80	161
Monaghan ...	264	536	535	1,071	18	16	34	447	418	865	60	14	34	73
ULSTER (part of)	1,141	2,522	2,342	4,864	91	85	176	2,196	1,912	4,108	222	45	167	348

\* Includes Typhoid Fever, Scarlet Fever, Whooping Cough, Diphtheria, Dysentery, Measles, Enteritis and Colitis (under 1 year), and Diarrhoea of Newborn.

TABLE 13.—MARRIAGE, BIRTH AND DEATH RATES IN 1951 IN EACH COUNTY AND COUNTY BOROUGH, SHOWING ALSO THE PROPORTION OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

PROVINCES AND COUNTIES	Marriages per 1,000 Population	BIRTHS		All Causes	Principal Epidemic Diseases*	RATE PER 1,000 POPULATION		Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Pop.	Illegitimate % of total Births			Tuberculosis	Malignant Neoplasms	
TOTAL ...	5·41	21·24	2·53	14·32	0·11	0·73	1·43	45·74
Carlow ...	5·09	23·56	3·48	14·84	0·12	0·88	1·61	49·69
Dublin Co. Borough	8·63	22·06	2·06	11·87	0·09	0·83	1·42	49·14
Dun Laoghaire Borough	7·99	19·60	1·92	12·08	0·04	0·50	1·48	44·73
Dublin Co. (remainder)	5·72	27·17	1·26	9·65	0·15	0·63	1·14	49·40
Kildare ...	4·18	24·44	3·26	12·75	0·20	0·83	1·52	49·88
Kilkenny ...	5·01	21·81	4·64	15·13	0·15	0·67	1·50	68·87
Laois ...	4·15	20·71	4·09	15·32	0·17	0·54	1·22	48·85
Longford ...	3·76	20·55	1·83	17·16	0·26	0·58	1·56	57·75
Louth ...	6·08	22·93	2·28	13·51	0·03	1·09	1·58	44·39
Meath ...	4·18	21·95	4·26	14·34	0·03	0·68	1·52	42·58
Offaly ...	4·11	21·49	3·54	14·35	0·13	0·65	1·39	45·17
Westmeath ...	5·43	23·72	2·86	14·82	0·07	0·84	1·65	37·15
Wexford ...	4·24	21·61	4·37	15·78	0·20	0·80	1·56	38·03
Wicklow ...	4·98	22·54	3·76	13·26	0·13	0·59	1·49	57·41
LEINSTER ...	6·44	22·57	2·69	12·97	0·11	0·76	1·44	48·65
Clare ...	4·08	19·81	2·42	15·62	0·11	0·58	1·12	27·93
Cork Co. ...	3·56	19·53	2·21	15·45	0·06	0·72	1·53	43·00
Cork Co. Borough	10·25	22·11	1·21	18·81	0·08	0·74	1·70	38·81
Kerry ...	4·26	19·00	1·95	16·03	0·06	0·88	1·25	61·51
Limerick Co. ...	4·30	24·30	4·10	15·41	0·24	0·65	1·27	48·25
Limerick Co. Borough	7·63	21·49	1·28	12·51	0·18	0·98	1·46	35·71
Tipperary, N.R. ...	4·37	22·51	2·96	15·84	0·11	0·74	1·51	47·54
Tipperary, S.R. ...	4·23	22·23	2·54	14·52	0·18	0·71	1·44	51·89
Waterford Co. ...	4·98	19·88	5·21	17·27	0·04	0·63	1·90	57·48
Waterford Co. Borough	4·91	21·78	1·92	14·12	0·14	1·32	1·92	49·60
MUNSTER ...	4·79	20·79	2·49	15·24	0·11	0·75	1·46	45·96
Galway ...	4·08	21·04	1·78	13·70	0·12	0·65	1·32	38·27
Leitrim ...	4·25	16·14	1·35	18·03	0·10	0·56	0·97	21·05
Mayo ...	4·13	19·79	1·03	15·11	0·03	0·64	1·37	33·48
Roscommon ...	4·49	17·18	1·45	16·95	0·10	0·56	1·51	35·90
Sligo ...	4·10	18·79	1·76	16·71	0·07	0·64	1·70	42·22
CONNACHT ...	4·17	19·39	1·48	15·36	0·08	0·63	1·38	35·73
Cavan ...	4·41	18·26	3·55	18·20	0·20	0·80	1·72	40·43
Donegal ...	4·44	19·62	3·84	15·47	0·14	0·61	1·22	43·78
Monaghan ...	4·77	19·35	3·17	15·63	0·25	0·61	1·32	56·02
ULSTER (part of) ...	4·51	19·21	3·62	16·22	0·18	0·66	1·37	45·64

\* See note on page 14.

TABLE 14.—BIRTHS AND DEATHS, CLASSIFIED BY SEX, REGISTERED DURING 1951,  
SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME OF THE PRINCIPAL  
CAUSES SEPARATELY, IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN  
AND AGGREGATE RURAL DISTRICTS.

AREA	BIRTHS						DEATHS					
	Total (including Illegitimate)			Illegitimate			Total			Under 1 year of Age	Tuber- culosis	Malign- ant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Dublin Co. Borough and Dun Laoghaire Borough ...	6,381	6,076	12,457	147	108	255	3,324	3,453	6,777	608	460	814
Remaining Co. Boroughs ...	1,744	1,622	3,366	23	23	46	1,058	1,013	2,071	134	143	256
Galway Boroughs ...	222	212	434	2	3	5	94	129	223	19	12	33
Dundalk U.D. ...	220	208	428	1	3	4	130	95	225	16	26	32
Drogheda .. ...	202	215	417	6	3	9	116	96	212	24	17	23
Sligo .. ...	136	151	287	4	4	8	77	89	166	15	13	17
Wexford .. ...	122	123	245	3	4	7	89	73	162	16	8	21
Kilkenny .. ...	136	142	278	2	4	6	77	69	146	25	8	15
Bray .. ...	142	127	269	2	1	3	78	65	143	9	13	21
Tralee .. ...	112	99	211	-	1	1	82	75	157	15	8	14
Clonmel .. ...	148	130	278	-	2	2	51	50	101	15	6	10
Total above Principal Towns ...	9,565	9,100	18,665	190	156	346	5,176	5,207	10,383	896	714	1,256
All Other Urban Districts ...	1,988	1,921	3,909	30	35	65	1,290	1,247	2,537	198	189	261
All Boroughs and Urban Districts ...	11,553	11,021	22,574	220	191	411	6,466	6,454	12,920	1,094	903	1,517
All Rural Districts	20,750	19,554	40,304	613	564	1,177	16,010	13,452	29,462	1,782	1,259	2,723
All Co. Boroughs and Urban Districts:—												
LEINSTER ...	7,971	7,598	15,569	173	141	314	4,246	4,300	8,546	780	607	1,014
MUNSTER ...	2,828	2,670	5,498	35	39	74	1,794	1,715	3,509	247	235	400
CONNACHT ...	524	526	1,050	10	7	17	294	310	604	53	46	78
ULSTER (part of)	230	227	457	2	4	6	132	129	261	14	15	25
All Rural Districts:—												
LEINSTER ...	7,576	7,028	14,604	253	244	497	4,847	3,938	8,785	688	415	713
MUNSTER ...	6,728	6,464	13,192	207	185	392	5,511	4,677	10,188	612	443	913
CONNACHT ...	4,154	3,947	8,101	64	54	118	3,588	3,054	6,642	274	249	574
ULSTER (part of)	2,292	2,115	4,407	89	81	170	2,064	1,783	3,847	208	152	323
<b>TOTAL</b> ...	<b>32,303</b>	<b>30,575</b>	<b>62,878</b>	<b>833</b>	<b>755</b>	<b>1,588</b>	<b>22,476</b>	<b>19,906</b>	<b>42,382</b>	<b>2,876</b>	<b>2,162</b>	<b>4,240</b>

Note.—Principal Towns referred to in the Report are Dublin County Borough, Dun Laoghaire Borough, Cork County Borough, Limerick County Borough, Waterford County Borough, Galway Borough and the Urban Districts of Dundalk, Drogheda, Sligo, Wexford, Kilkenny, Bray and Clonmel.

TABLE 15.—BIRTH AND DEATH RATES IN 1951 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS SHOWING ALSO THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

AREA	Births		Death Rate per 1,000 population			Deaths under 1 year per 1,000 Births
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms	
Dublin Co. Borough and Dun Laoghaire Borough ... ... ...	21·85	2·05	11·89	0·81	1·43	48·81
Remaining Co. Boroughs ... ... ...	21·85	1·37	13·44	0·93	1·66	39·81
Galway Borough ... ... ...	20·36	1·15	10·46	0·56	1·55	43·78
Dundalk U.D. ... ... ...	21·50	0·95	11·43	1·32	1·63	37·83
Drogheda U.D. ... ... ...	24·85	2·16	12·63	1·01	1·37	57·55
Sligo U.D. ... ... ...	21·21	2·79	12·27	0·96	1·26	52·26
Wexford U.D. ... ... ...	20·45	2·86	13·52	0·67	1·75	65·31
Kilkenny U.D. ... ... ...	26·30	2·16	13·81	0·76	1·42	89·93
Bray U.D. ... ... ...	22·30	1·12	11·86	1·08	1·74	33·46
Tralee U.D. ... ... ...	19·10	0·47	14·21	0·72	1·27	71·09
Clonmel U.D. ... ... ...	26·55	0·72	9·65	0·57	0·96	53·96
Total above Principal Towns* ...	21·92	1·85	12·19	0·84	1·47	48·00
All Other Urban Districts ... ... ...	20·67	1·66	13·41	1·00	1·38	50·65
All Boroughs and Urban Districts ...	21·69	1·82	12·41	0·87	1·46	48·46
All Rural Districts ... ... ...	20·99	2·92	15·35	0·66	1·42	44·21
All Co. Boroughs and Urban Districts.						
LEINSTER ... ... ...	22·06	2·02	12·11	0·86	1·44	50·10
MUNSTER ... ... ...	21·37	1·35	13·64	0·91	1·55	44·93
CONNACHT ... ... ...	19·07	1·62	10·97	0·84	1·42	50·48
ULSTER (part of) ... ... ...	20·16	1·31	11·51	0·66	1·10	30·63
All Rural Districts.						
LEINSTER ... ... ...	23·15	3·40	13·93	0·66	1·45	47·11
MUNSTER ... ... ...	20·56	2·97	15·88	0·69	1·42	46·39
CONNACHT ... ... ...	19·43	1·46	15·93	0·60	1·38	33·82
ULSTER (part of) ... ... ...	19·11	3·86	16·68	0·66	1·40	47·20
Total ... ... ...	21·24	2·53	14·32	0·73	1·43	45·74

\* See footnote to Table 14.

TABLE 16.—MARRIAGES REGISTERED IN EACH

PROVINCES AND COUNTIES	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Protestant Episcopalian	In Registered Presbyterian Meeting Houses	In Registered Buildings	In the Registrar's Office	Society of Friends	Jews
TOTAL	16,017	15,195	822	570	131	50	63	2	6
LEINSTER ... ...	8,602	8,119	483	356	35	30	54	2	6
MUNSTER ... ...	4,305	4,202	103	83	4	9	7	·	·
CONNACHT ... ...	1,969	1,931	38	32	2	3	1	·	·
ULSTER (part of) ...	1,141	943	198	99	90	8	1	·	·
PROVINCE OF									
Carlow ... ...	174	171	3	3	·	·	·	·	·
Dublin Co. Borough	4,505	4,270	235	135	20	23	49	2	6
Dun Laoghaire Borough	383	334	49	47	2	·	·	·	·
Dublin Co. (remainder)	703	663	40	38	2	·	·	·	·
Kildare ... ...	278	262	16	15	·	1	·	·	·
Kilkenny ... ...	327	320	7	7	·	·	·	·	·
Laoighis ... ...	201	179	22	19	1	2	·	·	·
Longford ... ...	130	117	13	10	3	·	·	·	·
Louth ... ...	418	406	12	8	4	·	·	·	·
Meath ... ...	277	269	8	7	1	·	·	·	·
Offaly ... ...	216	205	11	9	·	2	·	·	·
Westmeath	296	294	2	2	·	·	·	·	·
Wexford ... ...	382	359	23	23	·	·	·	·	·
Wicklow ... ...	312	270	42	33	2	2	5	·	·
PROVINCE OF									
Clare ... ...	332	328	4	3	·	·	1	·	·
Cork Co. ... ...	949	906	43	40	1	1	1	·	·
Cork Co. Borough ...	764	741	23	16	2	·	5	·	·
Kerry ... ...	539	534	5	4	·	1	·	·	·
Limerick Co.	389	383	6	3	·	3	·	·	·
Limerick Co. Borough	388	385	3	1	·	2	·	·	·
Tipperary, N.R. ...	249	240	9	7	·	2	·	·	·
Tipperary, S.R. ...	323	310	4	4	·	·	·	·	·
Waterford Co. ...	231	227	4	4	·	·	·	·	·
Waterford Co. Borough	141	139	2	1	1	·	·	·	·
PROVINCE OF									
Galway ... ...	654	648	6	6	·	·	·	·	·
Leitrim ... ...	175	168	7	4	1	1	1	·	·
Mayo ... ...	586	578	8	8	·	·	·	·	·
Roscommon	306	303	3	3	·	·	·	·	·
Sligo ... ...	248	234	14	11	1	2	·	·	·
PROVINCE OF									
Cavan ... ...	293	248	45	36	5	4	·	·	·
Donegal ... ...	584	479	105	38	63	4	·	·	·
Monaghan ...	264	216	48	25	22	·	1	·	·

## COUNTY AND COUNTY BOROUGH DURING 1951.

Total Marriages Registered in the Quarter ending the last day of				MARRIAGES						PROVINCES AND COUNTIES
March	June	Sept.	Dec.	Contracted between				Persons not of Full Age		PROVINCES AND COUNTIES
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
	3,389	3,857	5,437	3,334	15,275	219	423	100	292	1,368
1,639	1,808	3,292	1,773	8,161	123	260	58	173	810	LEINSTER
980	1,109	1,307	909	4,114	59	107	25	82	346	MUNSTER
559	522	472	416	1,014	21	27	7	19	126	CONNACHT
211	328	366	236	1,086	16	29	10	18	86	ULSTER (part of)

## LEINSTER

24	47	59	44	159	4	11	.	5	28	Carlow
904	949	1,799	853	4,289	59	120	37	96	354	Dublin Co. Borough.
65	92	152	74	357	6	17	3	7	30	Dun Laoghaire Borough
123	138	297	145	667	13	20	3	14	58	Dublin Co. (remainder) Kildare
52	64	95	67	252	7	16	3	6	38	
75	64	120	68	317	4	5	1	2	.18	Kilkenny
41	43	69	48	191	4	4	2	3	26	Laoighis
25	40	30	35	125	.	3	2	3	11	Longford
78	99	151	90	396	5	15	2	11	56	Louth
33	76	113	55	263	7	6	1	3	34	Meath
35	55	75	51	209	4	8	.	5	26	Offaly
65	58	85	88	281	4	10	1	3	31	Westmeath
82	89	138	73	361	3	17	1	9	59	Wexford
37	84	109	82	294	3	13	2	6	41	Wicklow

## MUNSTER

77	94	92	69	317	6	8	1	2	21	Clare
194	215	316	224	913	16	17	3	11	75	Cork Co.
169	204	261	130	726	11	18	9	21	52	Cork Co. Borough
176	157	100	106	520	6	11	2	6	27	Kerry
80	115	113	81	372	3	12	2	11	29	Limerick Co.
60	106	137	85	376	2	8	2	9	43	Limerick Co. Borough
69	72	65	43	236	3	8	2	5	17	Tipperary, N.R.
78	76	89	80	305	4	11	3	6	38	Tipperary, S.R.
51	43	72	65	217	7	7	.	1	20	Waterford Co.
26	27	62	26	132	1	7	1	10	24	Waterford Co. Borough

## CONNACHT

162	170	196	126	637	10	6	1	4	44	Galway
31	55	49	40	170	2	2	1	.	4	Leitrim
206	164	98	118	573	4	7	2	4	34	Mayo
94	69	67	76	292	4	7	3	4	25	Roscommon
66	64	62	56	242	1	5	.	7	19	Sligo

## ULSTER (PART OF)

52	73	100	68	278	8	6	1	2	19	Cavan
114	157	197	116	558	5	16	5	14	47	Donegal
45	98	69	52	250	3	7	4	2	20	Monaghan

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
Under 1 year ...	636	458	1,094	1,043	739	1,782	1,679	1,197	2,876
1 ...	68	56	124	89	88	177	157	144	301
2 ...	30	23	53	65	46	111	95	69	164
3 ...	19	21	40	34	33	67	53	54	107
4 ...	22	7	29	24	19	43	46	26	72
1—4 years ...	139	107	246	212	186	398	351	293	644
5 ...	9	7	16	20	23	43	29	30	59
6 ...	9	4	13	26	15	41	35	19	54
7 ...	9	7	16	15	10	25	24	17	41
8 ...	9	7	16	14	7	21	23	14	37
9 ...	7	7	14	15	8	23	22	15	37
5—9 years ...	43	32	75	90	63	153	133	95	228
10 ...	4	7	11	14	5	19	18	12	30
11 ...	5	9	14	14	9	23	19	18	37
12 ...	7	4	11	7	13	20	14	17	31
13 ...	5	5	10	7	10	17	12	15	27
14 ...	5	13	18	11	16	27	16	29	45
10—14 years ...	26	38	64	53	53	106	79	91	170
15 ...	7	4	11	19	15	34	26	19	45
16 ...	7	13	20	10	20	30	17	33	50
17 ...	15	8	23	24	15	39	39	23	62
18 ...	11	13	24	23	20	43	34	33	67
19 ...	25	13	38	26	23	49	51	36	87
15—19 years ...	65	51	116	102	93	195	167	144	311
20 ...	14	11	25	30	25	55	44	36	80
21 ...	21	13	34	26	26	52	47	39	86
22 ...	16	18	34	16	34	50	32	52	84
23 ...	14	9	23	36	32	68	50	41	91
24 ...	10	18	28	26	18	44	36	36	72
20—24 years ...	75	69	144	134	135	269	209	204	413
25 ...	17	13	30	30	33	63	47	46	93
26 ...	15	12	27	43	33	76	58	45	103
27 ...	7	9	16	42	28	70	49	37	86
28 ...	19	23	42	28	33	61	47	56	103
29 ...	14	24	38	37	32	69	51	56	107
25—29 years ...	72	81	153	180	159	339	252	240	492

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
30 ...	20	22	42	39	39	78	59	61	120
31 ...	19	13	32	34	26	60	53	39	92
32 ...	18	25	43	30	27	57	48	52	100
33 ...	19	14	33	33	30	63	52	44	96
34 ...	18	22	40	38	28	66	56	50	106
30—34 years ...	94	96	190	174	150	324	268	246	514
35 ...	23	23	46	41	36	77	64	59	123
36 ...	23	27	50	52	45	97	75	72	147
37 ...	31	21	52	38	55	93	69	76	145
38 ...	22	35	57	60	62	122	82	97	179
39 ...	33	29	62	47	43	90	80	72	152
35—39 years ...	132	135	267	238	241	479	370	376	746
40 ...	35	31	66	80	45	125	115	76	191
41 ...	28	21	49	48	39	87	76	60	136
42 ...	34	28	62	65	56	121	99	84	183
43 ...	33	27	60	44	42	86	77	69	146
44 ...	32	32	64	42	43	85	74	75	149
40—44 years ...	162	139	301	279	225	504	441	384	805
45 ...	44	28	72	74	56	130	118	84	202
46 ...	49	30	79	61	60	121	110	90	200
47 ...	50	32	82	58	40	98	108	72	180
48 ...	59	40	99	86	54	140	145	94	239
49 ...	60	42	102	73	41	114	133	83	216
45—49 years ...	262	172	434	352	251	603	614	423	1,037
50 ...	87	61	148	157	103	260	244	164	408
51 ...	73	51	124	96	86	182	169	137	306
52 ...	83	56	139	100	84	184	183	140	323
53 ...	61	63	124	108	96	204	169	159	328
54 ...	90	63	153	118	101	219	208	164	372
50—54 years ...	894	294	688	579	470	1,049	973	764	1,737
55 ...	100	72	172	121	95	216	221	167	388
56 ...	109	64	173	134	111	245	243	175	418
57 ...	70	66	136	147	82	229	217	148	365
58 ...	100	79	179	131	134	265	231	213	444
59 ...	103	68	171	137	103	240	240	171	411
55—59 years ...	482	349	831	670	525	1,195	1,152	874	2,026

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
60	159	117	276	236	217	453	395	334	729
61	100	68	168	150	106	256	250	174	424
62	129	94	223	207	148	355	336	242	578
63	142	107	249	210	158	368	352	265	617
64	143	125	268	239	214	453	382	339	721
60—64 years	673	511	1,184	1,042	843	1,885	1,715	1,354	3,069
65	160	154	314	330	264	594	490	418	908
66	125	112	237	224	186	410	349	298	647
67	145	131	276	262	198	460	407	329	736
68	177	197	374	361	280	641	538	477	1,015
69	167	119	286	384	286	670	551	405	956
65—69 years	774	713	1,487	1,561	1,214	2,775	2,335	1,927	4,262
70	217	246	463	452	374	826	669	620	1,289
71	174	159	333	385	347	732	559	506	1,065
72	186	214	400	559	446	1,005	745	660	1,405
73	156	172	328	547	427	974	703	599	1,302
74	223	208	431	601	483	1,084	824	691	1,515
70—74 years	956	999	1,955	2,544	2,077	4,621	3,500	3,076	6,576
75	183	208	391	655	545	1,200	838	753	1,591
76	185	219	404	620	495	1,115	805	714	1,519
77	133	206	339	564	480	1,044	697	686	1,383
78	151	206	357	635	511	1,146	786	717	1,503
79	116	165	281	510	407	917	626	572	1,198
75—79 years	768	1,004	1,772	2,984	2,438	5,422	3,752	3,442	7,194
80	134	213	347	661	582	1,243	795	795	1,590
81	103	131	234	453	382	835	556	513	1,069
82	102	133	235	450	390	840	552	523	1,075
83	73	125	198	403	348	751	476	473	949
84	66	129	195	427	355	782	493	484	977
80—84 years	478	731	1,209	2,394	2,057	4,451	2,872	2,788	5,660
85	55	74	129	311	288	599	366	362	728
86	52	103	155	265	232	497	317	335	652
87	25	61	86	176	210	386	201	271	472
88	24	48	72	131	168	299	155	216	371
89	28	59	87	107	132	239	135	191	326
85—89 years	184	345	529	990	1,030	2,020	1,174	1,375	2,549

TABLE 17.—DEATHS IN 1951 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE URBAN DISTRICTS			AGGREGATE RURAL DISTRICTS			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
90	14	46	60	115	140	255	129	186	315
91	6	18	24	66	73	139	72	91	163
92	10	22	32	56	73	129	66	95	161
93	5	14	19	30	45	75	35	59	94
94	4	10	14	39	47	86	43	57	100
90—94 years	39	110	149	306	378	684	345	488	833
95	3	2	5	31	32	63	34	34	68
96	5	5	10	17	27	44	22	32	54
97	1	6	7	11	17	28	12	23	35
98	1	4	5	14	26	40	15	30	45
99	1	3	4	2	8	10	3	11	14
95—99 years	11	20	31	75	110	185	86	130	216
100	·	·	·	5	4	9	5	4	9
101	·	·	·	2	2	4	2	2	4
102	·	·	·	1	6	7	1	6	7
103	1	·	1	·	·	·	1	·	1
104	·	·	·	·	1	1	·	1	1
105	·	·	·	·	·	·	·	·	·
106	·	·	·	·	1	1	·	1	1
107	·	·	·	·	·	·	·	·	·
108	·	·	·	·	1	1	·	1	1
100 and over	1	·	1	8	15	23	9	15	24
TOTAL	... 6,466	... 6,454	... 12,920	... 16,010	... 13,452	... 29,462	... 22,476	... 19,906	... 42,382

TABLE 18.—DEATHS, CLASSIFIED BY SEX AND AGE,

AREA	TOTAL DEATHS	AGE AT									
		Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19	
TOTAL	Males	22,476	1,679	157	95	53	46	2,080	133	79	167
	Females	19,906	1,197	144	69	54	26	1,490	95	91	144
	Persons	42,382	2,876	301	164	107	72	3,520	228	170	311
LEINSTER	Males	9,093	852	77	38	34	18	1,019	54	32	75
	Females	8,238	616	65	28	25	17	751	50	46	66
	Persons	17,331	1,468	142	66	59	35	1,770	104	78	141
MUNSTER	Males	7,305	505	47	38	14	17	621	43	35	49
	Females	6,392	354	40	28	15	6	443	25	24	46
	Persons	13,697	859	87	66	29	23	1,064	68	59	95
CONNACHT	Males	3,882	190	20	12	3	5	230	17	10	28
	Females	3,364	137	25	4	8	1	175	13	13	21
	Persons	7,246	327	45	16	11	6	405	30	23	49
ULSTER (part of)	Males	2,196	132	13	7	2	6	160	19	2	15
	Females	1,912	90	14	9	6	2	121	7	8	11
	Persons	4,108	222	27	16	8	8	281	26	10	26
LEINSTER :											
CARLOW	Males	281	22	.	.	1	1	24	3	1	4
	Females	226	18	.	.	.	1	18	.	2	4
	Persons	507	40	.	.	1	1	42	3	3	8
DUBLIN Co. (excluding Dún Laoghaire Borough)	Males	631	93	11	1	9	.	114	11	3	6
	Females	555	72	4	4	6	4	90	8	4	7
	Persons	1,186	165	15	5	15	4	204	19	7	13
DUBLIN CO. BOROUGH	Males	3,054	323	31	13	10	6	388	12	13	23
	Females	3,144	243	23	8	7	6	287	20	21	27
	Persons	6,198	566	54	21	17	12	670	32	34	50
DUN LAOGHAIRE BOROUGH	Males	270	26	.	1	.	2	29	.	1	4
	Females	309	16	.	.	.	2	16	.	3	4
	Persons	579	42	.	1	.	2	45	.	4	4
KILDARE	Males	489	44	7	3	1	1	56	3	3	5
	Females	358	37	4	1	6	2	44	2	2	5
	Persons	847	81	11	4	1	3	100	5	3	10
KILKENNY	Males	531	54	6	4	1	.	65	2	1	4
	Females	456	44	5	2	6	.	51	4	3	1
	Persons	987	98	11	6	1	.	116	6	4	5
LAOIGHIS	Males	425	33	2	3	.	.	38	2	.	2
	Females	317	16	2	3	.	.	18	4	.	4
	Persons	742	49	4	3	.	.	56	6	.	4
LONGFORD	Males	320	30	3	2	.	.	35	.	.	1
	Females	273	11	2	3	.	.	16	.	2	2
	Persons	593	41	5	5	.	.	51	.	2	1
LOUTH	Males	498	38	1	1	5	1	46	5	2	9
	Females	431	32	2	3	3	1	37	1	2	3
	Persons	929	70	3	1	8	1	83	6	4	12
MEATH	Males	526	38	1	2	1	2	44	4	1	1
	Females	425	24	2	1	5	2	27	4	3	1
	Persons	951	62	3	3	1	2	71	8	4	2
OFFALY	Males	434	26	3	2	1	2	34	3	3	4
	Females	320	25	3	3	5	1	37	1	2	2
	Persons	754	51	6	5	6	3	71	4	3	6
WESTMEATH	Males	447	31	4	.	1	1	37	4	2	2
	Females	360	17	7	.	1	1	26	1	1	5
	Persons	807	48	11	.	2	2	63	4	3	7
WEXFORD	Males	750	54	8	5	3	1	71	5	1	7
	Females	671	20	7	3	2	3	35	4	5	7
	Persons	1,421	74	15	8	5	4	106	9	5	14
WICKLOW	Males	437	40	.	1	1	1	43	.	1	3
	Females	393	41	4	3	4	1	49	2	1	2
	Persons	830	81	4	4	2	1	92	2	2	5

## DURING 1951, FOR EACH COUNTY AND COUNTY BOROUGH.

## DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
209	252	268	370	441	614	973	1,152	1,715	2,335	3,500	3,752	2,872	1,174	345	86	9
204	240	246	376	364	423	764	874	1,354	1,927	3,076	3,442	2,788	1,375	488	130	15
413	492	514	746	805	1,037	1,737	2,026	3,069	4,262	6,576	7,194	5,660	2,549	833	216	24
92	119	130	179	210	309	459	570	757	1,007	1,389	1,341	885	363	83	19	1
81	107	125	168	162	204	328	425	592	876	1,272	1,307	962	513	158	40	5
173	226	255	347	372	513	787	995	1,349	1,883	2,661	2,648	1,847	876	241	59	6
72	79	68	108	139	184	293	360	505	738	1,164	1,272	967	372	126	18	2
66	76	66	116	119	131	256	259	434	598	1,003	1,157	894	455	178	43	3
138	155	134	224	258	315	549	619	1,029	1,336	2,167	2,429	1,861	827	304	61	5
27	40	44	55	57	73	137	146	232	349	605	721	672	308	90	37	4
39	34	31	61	47	56	115	120	190	274	480	641	621	293	103	33	4
66	74	75	116	104	129	252	266	422	623	1,085	1,362	1,293	601	193	70	3
18	14	26	28	35	48	84	76	131	241	342	418	348	131	46	12	2
18	23	24	31	36	32	65	70	138	179	321	337	311	114	49	14	3
36	37	50	59	71	80	149	146	269	420	663	755	659	245	95	26	5
2	3	2	3	6	8	9	20	14	23	54	54	35	12	4	·	·
2	4	1	4	4	9	15	14	13	24	37	37	22	10	5	·	1
4	7	3	7	10	17	24	34	27	47	91	91	57	22	9	·	1
4	13	11	19	16	34	30	25	46	57	83	72	58	25	4	·	·
7	13	10	12	14	21	21	26	36	53	76	67	51	36	11	2	1
11	26	21	29	28	48	51	51	82	110	159	139	109	61	15	2	1
33	42	49	66	93	133	219	265	336	365	390	345	195	75	14	3	·
30	43	50	78	74	81	139	183	247	365	457	474	335	168	54	11	·
63	85	99	144	167	214	358	448	583	730	847	819	530	243	68	14	·
3	1	3	4	2	9	12	18	25	33	38	48	24	13	2	1	·
1	6	6	5	9	13	13	13	19	33	44	46	50	38	5	2	·
4	1	9	10	7	18	25	31	44	66	82	94	74	51	7	3	·
9	10	6	8	12	18	20	31	35	45	76	65	63	20	4	·	·
2	7	3	6	6	7	12	10	26	37	66	56	40	21	5	3	·
11	17	9	14	18	25	32	41	61	82	142	121	103	41	9	3	·
4	9	8	8	10	12	19	26	37	55	88	96	60	23	3	1	·
3	9	8	9	7	8	14	24	25	49	80	72	53	30	5	1	·
7	18	16	17	17	20	33	50	62	104	168	113	53	8	2	·	·
1	4	7	7	8	13	12	21	26	47	73	70	61	26	6	1	·
5	4	7	6	4	5	12	16	21	32	54	54	43	23	9	2	·
6	4	14	13	12	18	24	37	47	79	127	124	104	49	15	3	·
1	·	4	6	2	6	7	15	21	33	64	56	43	20	3	3	·
1	1	2	5	5	6	5	11	23	16	40	62	41	25	9	2	1
2	1	6	11	7	12	12	26	44	49	104	118	84	45	12	5	1
7	11	12	10	7	18	21	17	35	59	81	74	47	26	7	3	1
8	3	7	4	7	19	16	17	30	46	79	73	48	20	6	4	1
15	14	19	14	14	37	37	34	65	105	160	147	95	46	13	7	2
4	3	5	17	12	8	24	25	31	64	96	92	66	25	3	1	·
4	10	8	2	4	11	14	18	30	37	73	70	69	24	11	4	1
8	13	13	19	16	19	38	43	61	101	169	162	135	49	14	5	·
4	4	6	5	10	5	11	20	35	53	73	67	58	25	11	3	·
1	4	5	8	4	4	15	16	20	30	53	58	30	19	10	3	·
5	8	11	13	14	9	26	36	55	83	126	125	88	44	21	6	·
3	8	3	7	7	17	19	26	29	42	81	86	51	14	7	2	·
3	2	3	8	8	4	21	22	31	36	54	55	47	26	6	2	·
6	10	6	15	15	21	40	48	60	78	135	141	98	40	13	4	·
10	6	7	11	16	17	35	37	52	85	116	141	83	42	8	·	·
12	7	10	15	15	20	21	34	39	72	103	135	83	44	9	2	·
22	13	17	26	31	37	56	71	91	157	219	276	166	86	17	2	·
7	5	7	8	9	11	21	24	35	46	76	75	41	17	7	1	·
2	4	5	7	7	10	21	21	32	46	56	48	50	29	13	2	·
9	9	12	15	16	18	31	45	67	92	132	123	91	46	20	3	·

TABLE 18 (contd.)—DEATHS, CLASSIFIED BY SEX AND AGE,

AREA	TOTAL DEATHS	AGE AT								
		Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19
<b>MUNSTER :</b>										
CLARE	Males	700	35	2	2	2	41	3	5	2
	Females	570	10	2	.	.	12	3	2	3
	Persons	1,270	45	4	2	2	53	6	7	5
CORK CO.	Males	2,191	127	11	11	4	156	14	9	14
	Females	1,930	97	4	6	4	116	8	7	18
	Persons	4,121	224	15	17	8	272	22	16	32
CORK CO. BOROUGH	Males	522	43	5	4	1	54	2	.	6
	Females	508	21	5	3	3	30	3	2	4
	Persons	1,030	64	10	5	4	84	5	2	10
KERRY	Males	1,079	82	8	8	2	100	1	3	6
	Females	951	66	5	3	1	75	3	1	6
	Persons	2,030	148	13	11	2	175	4	4	12
LIMERICK CO.	Males	730	61	3	6	1	75	5	8	2
	Females	663	45	7	3	3	58	4	1	1
	Persons	1,393	106	10	9	7	133	9	9	3
LIMERICK CO. BOROUGH	Males	308	23	4	3	4	38	2	1	3
	Females	328	16	2	4	2	24	1	2	2
	Persons	636	39	6	7	6	62	3	3	5
TIPPERARY, N.R.	Males	527	39	3	1	1	45	3	3	5
	Females	376	22	3	6	1	30	.	.	3
	Persons	903	61	6	6	1	75	3	3	8
TIPPERARY, S.R.	Males	596	44	8	3	1	58	3	4	4
	Females	512	44	9	1	1	55	1	6	4
	Persons	1,108	88	17	4	1	113	4	10	8
WATERFORD CO.	Males	424	31	2	.	.	33	4	1	5
	Females	377	22	1	5	.	29	1	2	1
	Persons	801	53	3	5	.	62	5	3	6
WATERFORD CO. BOROUGH	Males	228	20	1	.	.	21	6	1	2
	Females	177	11	2	.	.	14	1	1	4
	Persons	405	31	3	.	1	35	7	2	6
<b>CONNACHT :</b>										
GALWAY	Males	1,185	71	6	6	1	3	87	8	12
	Females	1,009	58	11	1	2	2	4	7	8
	Persons	2,194	129	17	7	3	3	159	12	20
LEITRIM	Males	396	10	3	1	1	1	16	.	3
	Females	347	4	1	.	1	1	6	1	2
	Persons	743	14	4	1	2	1	22	1	3
MAYO	Males	1,162	52	6	3	1	1	62	3	4
	Females	982	42	7	1	1	1	52	6	3
	Persons	2,144	94	13	4	2	1	114	9	7
ROSCOMMON	Males	621	28	2	2	.	.	32	3	1
	Females	533	14	1	2	4	.	19	1	2
	Persons	1,154	42	3	2	4	.	51	4	3
SLIGO	Males	518	29	3	.	.	1	33	3	2
	Females	493	19	5	2	.	1	26	1	3
	Persons	1,011	48	8	2	.	1	59	4	6
<b>ULSTER (PART OF)</b>										
CAVAN	Males	656	37	4	2	1	1	45	4	.
	Females	552	12	2	2	4	1	20	1	.
	Persons	1,208	49	6	4	5	1	65	5	10
DONEGAL	Males	1,093	61	7	3	1	4	76	10	8
	Females	942	52	8	7	2	1	70	5	5
	Persons	2,035	113	15	10	3	5	146	15	13
MONAGHAN	Males	447	34	2	2	.	1	39	5	1
	Females	418	26	4	.	1	1	31	1	2
	Persons	865	60	6	2	.	2	70	6	3

DURING 1951, FOR EACH COUNTY AND COUNTY BOROUGH.

## DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
5	8	9	9	9	10	20	30	36	62	111	155	117	52	14	2	.
11	10	5	10	9	10	20	18	29	50	82	112	105	52	20	7	.
16	18	14	19	18	20	40	48	65	112	193	267	222	104	34	9	.
22	27	18	28	50	51	98	111	190	222	330	388	308	120	30	5	.
14	24	16	27	36	41	70	81	122	190	301	337	295	148	61	18	.
36	51	34	55	86	92	168	192	312	412	631	725	603	268	91	23	.
3	3	7	11	6	18	20	35	67	66	99	68	39	8	1	.	.
4	6	5	12	13	12	19	28	46	50	91	93	59	22	8	1	.
7	9	12	23	19	30	48	63	113	116	190	161	98	30	9	1	.
11	16	15	16	25	27	29	55	71	84	178	196	152	66	26	2	.
6	11	8	25	20	19	41	40	53	71	136	177	144	83	27	5	.
17	27	23	41	45	46	70	95	124	155	314	373	296	149	53	7	.
10	3	5	4	11	16	29	32	54	71	128	126	93	34	22	5	2
7	3	10	10	11	17	25	24	43	68	98	120	88	45	27	3	5
17	6	15	14	22	33	54	56	97	139	221	246	181	79	49	5	.
4	2	4	8	7	16	17	14	37	44	55	25	23	4	3	1	.
7	2	4	7	9	6	18	16	34	34	61	46	40	13	2	.	.
11	4	8	15	16	22	35	30	71	78	116	71	63	17	5	1	.
5	7	4	11	6	13	17	19	32	59	91	91	66	28	19	3	.
8	6	5	5	8	16	16	16	30	37	54	71	42	29	10	2	.
13	13	8	16	11	21	33	35	62	96	145	162	108	57	29	5	.
4	7	1	12	12	14	22	23	51	59	92	114	81	30	5	.	.
1	6	8	12	8	8	19	14	36	48	85	93	63	28	12	5	.
5	13	9	24	20	22	41	37	87	107	177	207	144	58	17	5	.
2	4	1	6	8	12	20	25	35	51	52	77	65	19	4	.	.
3	5	4	7	8	17	11	31	39	67	70	70	38	24	9	4	.
5	9	5	13	15	20	37	36	66	90	119	147	103	43	13	4	.
6	2	4	3	5	7	12	16	22	20	33	32	23	11	2	.	.
5	3	2	1	1	11	11	10	11	11	28	38	20	11	1	1	.
11	5	6	4	6	9	23	27	32	31	61	70	43	22	4	1	.
13	12	16	18	21	38	43	70	110	193	211	192	88	27	12	1	.
13	21	12	17	41	25	60	79	129	187	169	169	83	31	16	2	.
26	26	37	30	38	79	68	130	189	322	308	361	171	58	28	.	.
5	5	9	9	7	15	18	35	37	65	81	58	30	8	1	.	.
2	4	9	5	8	14	14	29	32	53	62	52	35	8	2	1	.
2	9	14	14	15	29	64	75	118	143	110	110	65	16	2	1	.
15	18	22	21	18	45	35	62	78	181	218	215	103	29	13	3	.
9	9	18	13	16	30	36	41	68	121	198	206	92	41	10	1	4
24	27	40	34	34	75	71	103	146	302	416	421	195	70	23	.	.
4	5	6	7	3	15	18	23	38	68	86	126	106	57	15	5	.
4	6	1	7	12	10	11	24	28	45	84	106	113	41	12	3	.
8	11	7	14	15	25	29	47	66	113	170	232	219	98	27	8	.
5	7	3	5	6	12	21	27	27	56	80	85	101	30	11	6	.
5	4	3	6	5	17	40	48	59	100	173	173	182	72	22	3	1
5	11	6	11	11	17	40	48	59	100	173	173	182	72	22	9	1
5	8	3	9	12	14	24	24	46	77	107	129	97	28	3	.	.
8	6	13	8	8	11	13	22	42	62	104	84	90	17	6	2	.
13	9	22	20	22	25	37	46	88	139	211	213	187	63	25	.	.
9	5	13	8	14	19	40	39	53	109	164	215	192	84	27	6	.
6	14	9	19	17	34	26	62	83	148	172	163	54	26	6	2	3
15	19	22	27	31	34	74	65	115	192	312	387	355	138	53	12	.
4	6	4	8	7	15	20	13	32	55	71	74	59	19	11	3	.
4	3	2	4	11	6	18	22	34	34	69	81	58	25	6	5	.
8	9	6	12	18	21	38	35	66	89	140	155	117	44	17	8	.

TABLE 19.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List No.	CAUSES OF DEATH	All Ages	Under 1						Total under 5	AGE AT 5-9
				1	2	3	4			
	All Causes	22,476 19,906	1,679 1,197	157 144	95 69	53 54	46 26	2,030 1,490	133 95	
001-138	I. Infective and Parasitic Diseases	{ M. F.	1,395 1,146	77 74	40 48	23 18	17 16	13 7	170 163	25 22
002	Pulmonary tuberculosis	{ M. F.	869 704	2 2	1 3	1	.	2	6 5	2
003	Pleural tuberculosis	{ M. F.	22 17	1	.	.	.	.	1	.
004	Primary tuberculosis complex with Symptoms	{ M. F.	1	.	.	.	.	.	.	.
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	{ M. F.	1 1	.	.	.	.	.	.	.
007	Other respiratory tuberculosis	{ M. F.	1 1	.	.	.	.	.	.	.
008	Tuberculosis, unspecified site	{ M. F.	48 47	1	1	.	.	.	1 1	.
010	Tuberculosis of meninges and central nervous system	{ M. F.	122 114	17 11	13 15	10 3	5 6	8 3	53 38	12 10
011	Tuberculosis of intestines, peritoneum and mesenteric glands	{ M. F.	32 28	2 2	2 1	2 2	4	.	10 5	1
012	Tuberculosis of bones and joints, active or unspecified	{ M. F.	32 21	1 1	1 1	.	1	.	2 3	.
013	Late effects of tuberculosis of bones and joints	{ M. F.	4	.	.	.	.	.	.	.
014	Tuberculosis of skin and subcutaneous cellular tissue	{ M. F.	1 2	1	.	.	.	.	1	.
015	Tuberculosis of lymphatic system	{ M. F.	3 3	1	.	.	.	.	1	.
016	Tuberculosis of genito-urinary system	{ M. F.	20 9	.	.	.	.	.	.	.
017	Tuberculosis of adrenal glands	{ M. F.	3 1	.	.	.	.	.	.	.
018	Tuberculosis of other organs	{ M. F.	2	.	.	.	.	.	.	.
019	Disseminated tuberculosis	{ M. F.	29 24	3	1 1	3 1	1	1	5 7	.
020	Congenital syphilis	{ M. F.	2 3	1 3	.	.	.	.	.	1 3
022	Aneurysm of aorta	{ M. F.	16 4	.	.	.	.	.	.	.
023	Other cardiovascular syphilis	{ M. F.	2	.	.	.	.	.	.	.
025	General paralysis of insane	{ M. F.	7 2	.	.	.	.	.	.	.
026	Other syphilis of central nervous system	{ M. F.	1 1	.	.	.	.	.	.	.
027	Other forms of late syphilis	{ M. F.	1	.	.	.	.	.	.	.
029	Syphilis, unqualified	{ M. F.	6 3	.	.	.	.	.	.	.
040	Typhoid fever	{ M. F.	1 2	.	1	.	.	.	1	.
041	Paratyphoid fever	{ M. F.	1	.	.	.	.	.	.	.
042	Other salmonella infections	{ M. F.	1	.	.	.	.	.	.	.

Amendment:- The two deaths appearing opposite in above table should be transferred to

## DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																			Detailed International List No.	
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+					
79 91	167 144	209 204	252 240	268 246	370 376	441 364	614 423	973 764	1,152 874	1,715 1,354	2,335 1,927	3,500 3,076	3,752 3,442	2,872 2,788	1,614 2,008					
23 31	63 77	99 125	98 135	110 99	125 114	115 75	119 68	119 64	101 43	102 38	61 48	38 29	17 11	7 5	3 1				001-138	
1 10	35 48	69 87	78 107	82 82	101 93	86 52	92 47	90 54	72 32	81 30	40 31	23 15	10 7	3 2	·				002	
·	·	1	·	3	1	·	1	1	3	3	2	2	5	3	3	1	·	·	003	
1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	004	
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	006	
·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	007	
·	1	4	7	3	4	4	5	6	10	2	3	8	4	3	3	2	1	1	008	
11 14	16 12	9 18	7 6	6 4	3 5	4 3	2 2	1 3	3 2	1 2	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	010	
3	2	1	2	1	4	1	2	2	1	3	2	2	1	1	1	1	1	1	011	
1	2	2	4	2	1	2	4	1	2	2	2	3	1	1	1	1	1	1	012	
·	·	1	·	·	·	·	·	1	·	·	1	·	·	·	·	·	1	1	013	
·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	2	·	1	014	
·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	1	·	1	015	
1	·	2	1	3	3	1	1	2	2	3	2	3	2	1	1	2	1	1	016	
·	·	·	1	1	·	·	1	1	·	1	·	·	·	·	·	·	·	·	017	
·	·	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	018	
3	2	3	4	3	1	4	2	3	2	1	1	2	·	·	·	·	·	·	019	
·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	020	
1	·	·	·	·	·	·	·	·	1	·	2	3	1	2	3	3	1	1	022	
·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	1	1	1	1	023	
·	·	·	·	·	·	·	·	·	1	·	2	1	2	1	1	1	1	1	025	
·	·	·	·	·	·	·	·	·	1	·	1	1	1	1	1	1	1	1	026	
·	·	·	·	·	·	·	·	·	1	3	1	1	1	1	1	1	1	1	027	
·	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	1	029	
·	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	1	040	
·	·	·	·	·	·	·	·	·	1	1	1	1	1	1	1	1	1	1	041	
·	1	·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	042	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List No.	CAUSES OF DEATH	All Ages							AGE AT	
			Under 1	1	2	3	4	Total under 5	5-9	
048	Unspecified forms of dysentery ...	...{M. F.	1	.	.	.	.	.	.	.
049	Food poisoning (infection and intoxication) {M. F.	1	.	.	.	.	.	.	.	1
050	Scarlet fever ...	...{M. F.	5 5	1	1	.	.	1	3	2 3
051	Streptococcal sore throat ...	...{M. F.	3 5	1	.	.	.	.	1	1
052	Erysipelas ...	...{M. F.	1 3	.	.	.	.	.	.	.
053	Septicaemia and pyaemia ...	...{M. F.	10 17	2 4	1	1	1	1	4 6	2
054	Bacterial toxæmia ...	...{M. F.	1	.	.	.	.	.	.	.
055	Diphtheria ...	...{M. F.	5 3	.	1	1	1	.	1 2	1
056	Whooping cough ...	...{M. F.	52 56	39 30	7 17	3 5	2 1	2	51 55	1
057	Meningococcal infections ...	...{M. F.	13 12	4 3	2 3	1	2 2	1	8 10	1
061	Tetanus ...	...{M. F.	14 3	1	.	.	.	.	1	1
064	Other bacterial diseases ...	...{M. F.	1 1	.	.	.	.	.	.	.
072	Leptospirosis icterohaemorrhagica (Weil's disease) {M. F.	7 2	.	.	.	.	.	.	.	.
074	Other spirochaetal and leptospirochaetal infections {M. F.	2	.	.	.	1	.	.	1	.
080	Acute poliomyelitis ...	...{M. F.	7 8	.	.	1	.	.	1 1	.
081	Late effects of acute poliomyelitis ...	...{M. F.	2	.	.	.	.	.	.	.
082	Acute infectious encephalitis ...	...{M. F.	3 8	1	1	1	1	.	1 3	.
083	Late effects of acute infectious encephalitis {M. F.	5	.	.	.	.	.	.	.	.
085	Measles ...	...{M. F.	19 13	3 6	8 2	2 1	2 1	1	16 10	3 1
087	Chickenpox ...	...{M. F.	2	.	1	.	.	.	1	.
088	Herpes zoster ...	...{M. F.	4 2	.	.	.	.	.	.	.
092	Infectious hepatitis ...	...{M. F.	3 7	1	.	.	.	.	1	1
116	Unspecified forms of malaria ...	...{M. F.	4	.	.	.	.	.	.	.
130	Infestation with worms of other mixed and unspecified type {M. F.	2 5	1	2	1	1	2	.	2 5	.
132	Actinomycosis ...	...{M. F.	2	.	.	.	.	.	.	.
134	Other fungus infections ...	...{M. F.	1 4	1 4	.	.	.	.	1 4	.
138	Other infective and parasitic diseases ...	...{M. F.	2	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	048
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	049
1	.	1	.	.	1	.	1	.	.	1	1	1	.	.	.	.	050
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	051
.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	052
.	.	2	1	1	1	1	.	.	2	.	3	1	3	.	.	.	053
.	.	*	.	.	.	.	.	.	.	.	.	.	.	1	.	.	054
1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	055
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
1	.	1	.	.	1	1	.	.	1	.	.	.	.	.	.	.	057
1	.	1	1	2	1	2	.	.	2	.	4	.	.	.	.	.	061
.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	.	.	064
.	1	.	.	.	.	.	.	3	.	.	2	.	.	1	.	.	072
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	074
1	.	2	2	1	.	2	1	1	.	1	.	.	.	.	.	.	080
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	081
2	.	.	.	.	1	2	1	.	2	1	.	.	.	.	.	.	082
.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	083
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	085
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	087
.	.	.	.	.	.	.	1	.	1	.	1	.	1	1	.	.	088
2	.	.	.	.	.	.	1	1	1	.	.	.	2	.	.	.	092
.	.	.	.	.	.	.	1	.	1	.	.	3	.	.	.	.	116
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	132
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	134
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	138

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
140-239	II. Neoplasms ... ... ... ... {M. F.	2,483 2,061	2	9 2	7 1	2 1	2 5	22 9
140	Malignant neoplasm of lip ... ... {M. F.	35 9	.	.	.	.	.	.
141	Malignant neoplasm of tongue ... ... {M. F.	41 10	.	.	.	.	.	.
142	Malignant neoplasm of salivary gland ... {M. F.	5 1	.	.	.	.	.	.
143	Malignant neoplasm of floor of mouth ... {M. F.	8 3	.	.	.	.	.	.
144	Malignant neoplasm of other parts of mouth and mouth unspecified {M. F.	18 11	.	.	.	.	.	.
145	Malignant neoplasm of oral mesopharynx ... {M. F.	14 1	.	.	.	.	.	.
146	Malignant neoplasm of nasopharynx ... {M. F.	3 2	.	.	.	.	.	.
147	Malignant neoplasm of hypopharynx ... {M. F.	3	.	.	.	.	.	.
148	Malignant neoplasm of pharynx, unspecified {M. F.	46 17	.	.	.	.	.	.
150	Malignant neoplasm of oesophagus ... {M. F.	95 61	.	.	.	.	.	.
151	Malignant neoplasm of stomach ... {M. F.	557 426	.	.	.	.	.	.
152	Malignant neoplasm of small intestine, including duodenum {M. F.	5 4	.	.	.	.	.	.
153	Malignant neoplasm of large intestine, except rectum {M. F.	282 271	.	.	.	.	.	.
154	Malignant neoplasm of rectum ... {M. F.	196 99	.	.	.	.	.	.
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site) {M. F.	22 31	.	.	.	.	.	.
156	Malignant neoplasm of liver (secondary and unspecified) {M. F.	84 72	.	.	.	.	.	.
157	Malignant neoplasm of pancreas ... {M. F.	83 54	.	.	.	.	.	.
158	Malignant neoplasm of peritoneum ... {M. F.	8 17	.	1	.	.	2	1 2
159	Malignant neoplasm of unspecified digestive organs {M. F.	2 4	.	.	.	.	.	.
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses {M. F.	9 5	.	.	.	.	.	.
161	Malignant neoplasm of larynx ... {M. F.	44 15	.	.	.	.	.	.
162	Malignant neoplasm of trachea, and of bronchus and lung, specified as primary {M. F.	96 32	.	.	.	.	.	.
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary {M. F.	117 41	.	.	.	.	.	.
164	Malignant neoplasm of mediastinum ... {M. F.	15 6	.	.	.	.	.	.
165	Malignant neoplasm of thoracic organs (secondary) {M. F.	1 1	.	.	.	.	.	.
170	Malignant neoplasm of breast ... {M. F.	5 312	.	.	.	.	.	.
171	Malignant neoplasm of cervix uteri ... {M. F.	29	.	.	.	.	.	.
172	Malignant neoplasm of corpus uteri ... {M. F.	8	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

## DEATH

																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
10 8	9 7	13 10	26 17	24 19	37 47	71 79	103 114	208 181	212 220	323 267	383 311	481 332	338 251	163 140	51 46	140- 239	
.	.	.	.	.	.	1 1	.	.	5 2	2 7	5 10	8 2	7 9	6 3	4 1	140	
.	.	.	1	.	.	1	.	.	2 1	1 1	2 10	2 2	7 3	6 1	.	141	
.	.	.	.	.	.	.	.	.	1 1	1 1	2 1	1 2	1 1	.	.	142	
.	.	.	1	.	.	.	.	2	.	.	3 1	1 2	2 3	3 3	1 1	143	
.	.	.	.	.	.	.	.	1 1	1 1	2 1	2 2	4 5	3 2	3 3	1 1	144	
.	.	.	.	.	.	1	.	1 1	1 1	1 2	2 1	4 5	3 2	1 1	1 1	145	
.	.	.	.	.	.	.	1 1	.	1 1	1 1	2 1	1 2	1 1	.	.	146	
.	.	.	.	.	.	.	2	1 1	4 1	3 6	2 2	4 2	11 2	13 1	4 1	2	147
.	.	.	.	.	.	3	1 3	3 1	3 8	8 10	21 8	11 7	22 7	14 11	8 4	1 2	150
.	.	1 1	2 1	3 3	4 6	13 6	19 15	46 35	54 39	71 54	96 72	125 97	85 60	29 28	9 10	151	
.	.	.	.	.	1	2	.	1	1	1	1	1	1	.	.	152	
.	.	2 2	1 1	1 1	4 4	4 4	6 12	15 16	15 30	42 37	50 50	66 45	43 47	25 22	9 5	153	
.	.	.	.	1	2 2	2	6 6	18 10	21 9	18 9	37 9	42 21	30 18	14 12	5 3	154	
.	.	.	.	.	.	1	2 1	2	2 2	4 7	5 9	3 6	4 3	1 1	.	155	
1 1	.	1	.	3 1	3 3	6 2	8 5	6 8	10 12	12 10	21 14	9 9	3 7	1 1	.	156	
.	.	1	.	2	3	3	5 3	8 2	9 8	9 9	17 13	13 8	10 3	5 4	2 2	157	
.	.	1 1	1 1	1 1	1 1	1 3	.	1 4	1	1	1 3	1 1	.	1 1	.	158	
.	.	.	.	.	.	1	.	1	.	2	.	.	1	.	.	159	
.	.	.	.	.	.	1	.	1	2	.	.	1	1	1	2	160	
.	.	.	.	.	.	1	1	3	4 1	3 1	6 1	12 3	11 1	7 3	1	.	161
.	.	.	.	.	.	1	1	2	2 1	1	.	.	3 2	2 1	.	162	
.	.	.	2	1	1	1	11 1	2 4	22 1	12 3	20 4	13 7	10 6	3 2	.	163	
1 1	.	2 2	1 2	2	3 2	5 1	16 1	17 4	21 6	19 4	13 9	12 8	3 1	3 2	1 1	164	
.	.	.	.	1	.	1	1	1	3	5 1	1 1	1 1	1 1	.	.	165	
.	.	.	.	2	5	18	31	22	42	35	38	32	47	24	12	4	170
.	.	.	.	1	1	1	4	3	4	4	4	4	5	.	2	.	171
.	.	.	.	1	1	1	1	1	2	2	1	1	.	.	.	.	172

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	All Ages						AGE AT	
			Under 1	1	2	3	4	Total under 5	5-9
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma {M. F.	3	.	.	.	.	.	.	.
174	Malignant neoplasm of uterus, unspecified ... {M. F.	109	.	.	.	.	.	.	.
175	Malignant neoplasm of ovary, Fallopian tube, and broad ligament {M. F.	59	.	.	.	.	.	.	.
176	Malignant neoplasm of other and unspecified female genital organs {M. F.	14	.	.	.	.	.	.	.
177	Malignant neoplasm of prostate ... {M. F.	163	.	.	.	.	.	.	.
178	Malignant neoplasm of testis ... {M. F.	8	.	.	.	.	.	.	.
179	Malignant neoplasm of other and unspecified male genital organs {M. F.	10	.	.	.	.	.	.	.
180	Malignant neoplasm of kidney ... {M. F.	23	.	.	3	.	1	4	1
181	Malignant neoplasm of bladder and other urinary organs {M. F.	43	.	.	.	.	.	.	.
190	Malignant melanoma of skin ... {M. F.	4	.	.	.	.	.	.	.
191	Other malignant neoplasm of skin ... {M. F.	66	.	.	.	.	2	2	.
192	Malignant neoplasm of eye ... {M. F.	5	.	.	1	.	.	1	1
193	Malignant neoplasm of brain and other parts of nervous system {M. F.	36	.	.	1	1	.	2	2
194	Malignant neoplasm of thyroid gland ... {M. F.	4	.	.	.	.	.	.	.
195	Malignant neoplasm of other endocrine glands {M. F.	2	.	.	.	.	.	.	.
196	Malignant neoplasm of bone (including jaw bone) {M. F.	35	.	.	.	.	.	.	.
197	Malignant neoplasm of connective tissue ... {M. F.	3	.	.	.	.	.	.	.
198	Secondary and unspecified malignant neoplasm of lymph nodes {M. F.	2	.	.	.	.	.	.	.
199	Malignant neoplasm of other and unspecified sites {M. F.	102	.	.	.	.	.	.	.
200	Lymphosarcoma and reticulosarcoma ... {M. F.	18	.	.	.	.	.	.	1
201	Hodgkin's disease ... {M. F.	9	.	.	.	.	.	.	.
203	Multiple myeloma (plasmacytoma) ... {M. F.	42	.	.	.	.	.	.	.
204	Leukaemia and aleukaemia ... {M. F.	3	.	.	.	.	.	.	.
205	Mycosis fungoides ... {M. F.	1	.	.	.	.	.	.	.
210	Benign neoplasm of buccal cavity and pharynx {M. F.	1	.	.	.	.	.	.	.
211	Benign neoplasm of other parts of digestive system {M. F.	1	.	.	.	.	.	.	.
212	Benign neoplasm of respiratory system ... {M. F.	1	.	.	.	.	.	.	.
214	Uterine fibromyoma ... {M. F.	2	.	.	.	.	.	.	.
215	Other benign neoplasm of uterus ... {M. F.	2	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	173
.	.	1	2	2	2	4	12	14	13	21	17	6	9	3	3	174	
.	1	.	1	2	.	2	3	7	7	11	15	7	3	.	.	175	
.	.	.	.	.	.	.	.	.	2	1	4	2	4	1	.	176	
.	.	.	.	.	.	2	1	5	7	20	28	44	31	18	7	177	
.	.	.	.	3	1	1	.	1	.	.	1	.	1	.	.	178	
.	.	.	.	.	2	.	1	1	.	1	.	2	1	1	1	179	
.	.	.	1	.	1	.	2	6	2	4	2	.	1	.	.	180	
.	.	.	.	.	.	1	4	2	5	8	6	8	5	5	2	181	
.	.	1	.	.	1	1	.	1	1	.	1	.	.	.	.	190	
.	.	1	.	1	1	1	1	5	1	4	8	19	11	10	4	191	
.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	1	192	
2	1	.	1	2	2	2	1	6	4	5	3	4	.	1	.	193	
.	.	.	.	.	1	1	1	3	1	4	1	2	.	4	.	194	
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	195	
1	1	1	2	.	.	.	2	3	2	4	2	5	8	4	7	196	
.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	197	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	198	
.	1	1	5	2	2	2	3	2	7	12	12	16	29	8	2	199	
.	2	2	.	.	.	1	1	3	2	4	3	1	3	2	1	200	
1	1	2	3	2	1	1	4	7	2	5	7	1	1	4	.	201	
.	1	.	1	1	1	1	.	.	1	1	.	1	.	.	.	203	
3	3	3	2	3	2	1	2	3	5	2	2	7	4	1	1	204	
4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	205	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	210	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	211	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	212	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	214	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	215	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
216	Benign neoplasm of ovary ... {M. F.	10	.	.	.	.	.	.
217	Benign neoplasm of other female genital organs {M. F.	1	.	.	.	.	.	.
219	Benign neoplasm of kidney and other urinary organs {M. F.	1	.	.	.	.	.	.
223	Benign neoplasm of brain and other parts of nervous system {M. F.	1	.	.	.	.	.	.
224	Benign neoplasm of endocrine glands ... {M. F.	1	.	.	.	.	.	.
228	Haemangioma and lymphangioma ... {M. F.	3	1	1	.	.	.	2
229	Benign neoplasm of other and unspecified organs and tissues {M. F.	1	.	.	.	.	.	.
230	Neoplasm of unspecified nature of digestive organs {M. F.	8	.	.	.	.	.	.
231	Neoplasm of unspecified nature of respiratory organs {M. F.	7	.	.	.	.	1	1
234	Neoplasm of unspecified nature of ovary ... {M. F.	2	.	.	.	.	.	.
236	Neoplasm of unspecified nature of other genito-urinary organs {M. F.	1	.	.	.	1	.	1
237	Neoplasm of unspecified nature of brain and other parts of nervous system {M. F.	33	.	.	.	.	1	2
238	Neoplasm of unspecified nature of skin and musculoskeletal system {M. F.	1	.	.	.	.	.	.
239	Neoplasm of unspecified nature of other and unspecified organs {M. F.	1	.	.	.	.	.	.
240-289	III. Allergic Endocrine System, Metabolic, and Nutritional Diseases {M. F.	406 314	11 5	1	2 2	2 1	4	19 9
240	Hay fever ... ... ... {M. F.	.	.	.	.	.	.	.
241	Asthma ... ... ... {M. F.	238 121	1 2	.	.	1	1	3 2
242	Angioneurotic oedema ... ... ... {M. F.	.	1	.	.	.	.	.
243	Urticaria ... ... ... {M. F.	.	.	.	.	.	.	.
245	Other allergic disorders ... ... ... {M. F.	.	.	.	.	.	.	.
250	Simple goitre ... ... ... {M. F.	1 2	1	.	.	.	.	1
252	Thyrotoxicosis with or without goitre ... {M. F.	5 19	.	.	.	.	.	.
253	Myxoedema and cretinism ... ... {M. F.	3 2	.	.	.	.	.	1
254	Other diseases of thyroid gland ... ... {M. F.	1	.	.	.	.	.	.
260	Diabetes mellitus ... ... ... {M. F.	114 134	.	.	.	.	.	2
270	Disorders of pancreatic internal secretion other than diabetes mellitus ... ... {M. F.	1 1	.	.	.	.	.	.
271	Diseases of parathyroid gland ... ... {M. F.	1	.	.	.	.	.	.
272	Diseases of pituitary gland ... ... {M. F.	2 2	.	.	.	.	.	1
273	Diseases of thymus gland ... ... {M. F.	9 4	6 2	.	.	1	1	8 2

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	.	1	.	1	.	1	1	1	.	2	2	.	216	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	217	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	219	
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	223	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	224	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	228	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	229	
.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	230	
.	.	.	.	.	.	1	.	1	.	3	1	1	.	1	1	231	
.	.	.	.	.	.	.	.	1	2	1	1	1	1	.	.	234	
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	236	
2	2	1	2	4	1	1	1	4	9	1	4	1	3	1	.	237	
.	.	.	.	.	.	.	.	1	2	.	1	1	1	.	.	238	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	239	
3	2	2	4	8	6	4	7	16	28	36	36	45	49	66	44	23	240-289
1	2	3	3	6	5	6	13	13	12	33	31	27	44	62	42	9	6
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	240	
1	.	2	1	4	1	1	4	9	18	24	29	31	33	37	29	12	4
.	.	.	.	.	1	.	.	5	3	14	12	10	20	26	14	5	241
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	242	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	243	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	245	
.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	250	
.	.	.	.	1	.	.	.	.	1	4	4	5	2	3	1	.	252
.	.	.	.	1	.	.	.	1	1	1	1	1	1	1	1	.	253
.	.	.	.	1	.	.	.	1	1	1	1	1	1	1	1	.	254
1	2	1	1	4	3	1	2	2	9	8	4	8	10	27	15	11	260
.	1	1	1	4	3	1	2	7	1	13	11	13	19	34	24	12	5
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	270	
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	271	
.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	272	
1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	273

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	All Ages	Under 1	AGE AT				
				1	2	3	4	Total under 5
274	Diseases of adrenal glands	... ...{M. F. 10	18 10	.	.	.	.	.
277	Polyglandular dysfunction and other diseases of endocrine glands	... ...{M. F. 1	1	.	.	.	.	.
280	Beriberi	... ...{M. F. 1	1	.	.	.	.	.
282	Scurvy	... ...{M. F. 1	1	.	.	.	.	.
283	Active rickets	... ...{M. F. 3 2 1	3 2 1	.	.	.	.	3 1
286	Other avitaminoses and nutritional deficiency states	... ...{M. F. 11 10	.	1	2	1	3	4 4 3 1
287	Obesity, not specified as of endocrine origin	... ...{M. F. 1 1	1	.	.	.	.	.
288	Gout	... ...{M. F. 1	1	.	.	.	.	.
289	Other metabolic diseases	... ...{M. F. 1 3	.	.	.	.	.	.
290-299	IV. Diseases of the Blood and Blood-forming Organs.	143 201 {M. F.	4 7	1 1	1	3	3	11 9 4 2
290	Pernicious and other hyperchronic anaemias	64 96 {M. F.	.	.	1	.	.	1
291	Iron deficiency anaemias (hyperchronic anaemias)	4 5 {M. F.	2	.	.	.	.	2 1
292	Other anaemias of specified type	10 9 {M. F.	.	.	.	2	.	2
293	Anaemia of unspecified type	39 65 {M. F.	2	1 1	.	.	.	1 3 1
294	Polycythaemia	2 1 {M. F.	.	.	.	.	.	.
295	Haemophilia	1 {M. F.	.	.	.	.	.	1
296	Purpura and other haemorrhagic conditions	17 13 {M. F.	4 2	.	.	1	3	8 2 1
297	Agranulocytosis	4 {M. F.	.	.	.	.	.	.
298	Diseases of spleen	6 7 {M. F.	.	.	.	.	.	.
299	Other diseases of blood and blood-forming organs	1 1 {M. F.	1	1	.	.	.	1
300-326	V. Mental, Psychoneurotic and Personality Disorders	82 72 {M. F.	5 1	1 1	1	1	.	8 2 1
300	Schizophrenic disorders (dementia praecox)	2 2 {M. F.	.	.	.	.	.	.
301	Manic-depressive reaction	19 15 {M. F.	.	.	.	.	.	.
302	Involutional melancholia	1 {M. F.	.	.	.	.	.	.
303	Paranoia and paranoid states	1 {M. F.	.	.	.	.	.	.
304	Senile psychosis	27 32 {M. F.	.	.	.	.	.	.
305	Presenile psychosis	1 {M. F.	.	.	.	.	.	.
306	Psychosis with cerebral arteriosclerosis	... ...{M. F.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.	
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	.	1	2	1	.	2	2	1	1	3	3	2	2	1	1	.	274	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	277	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	280	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	282	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	283	
1	.	.	.	.	.	.	.	2	1	.	.	.	1	2	1	.	286	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	287	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	288	
.	.	1	.	.	2	.	.	.	1	.	.	.	.	.	.	.	289	
2	2	1	3	3	5	6	6	4	11	6	13	18	28	17	16	6	3 5	290-299
.	.	1	1	1	1	2	3	3	5	4	12	16	16	10	8	2	2	290
.	.	.	.	.	.	1	.	.	.	1	.	.	1	2	1	.	291	
.	1	.	1	.	2	1	1	.	1	.	1	2	1	1	.	.	292	
.	.	1	1	1	1	4	3	1	1	6	7	2	7	3	6	4	1 5	293
.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	294	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	295	
1	2	1	.	.	1	1	.	1	.	3	1	2	1	1	1	.	296	
.	1	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	297	
1	.	3	.	.	1	1	.	2	.	.	1	.	2	1	1	.	298	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	299	
2	1	2	3	1	1	1	1	2	3	5	3	7	13	9	12	8	1 9	300-326
.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	300	
.	.	1	1	1	2	1	1	1	3	1	2	3	9	1	1	.	301	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	302	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	303	
.	.	.	.	.	.	.	.	.	.	.	.	2	8	10	8	1 8	304	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	305	
.	.	.	.	.	.	.	.	.	.	.	.	2	4	10	8	1 8	306	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	All Ages	Under 1	AGE AT				
				1	2	3	4	Total under 5
307	Alcoholic psychosis ... ... ♂{M. ♀F.	1 1	.	.	.	.	.	.
308	Psychosis of other demonstrable etiology ... ♂{M. ♀F.	.	.	.	.	.	.	.
309	Other and unspecified psychoses ... ♂{M. ♀F.	12 8	.	.	.	.	.	.
311	Hysterical reaction without mention of anxiety reaction ♂{M. ♀F.	3	.	.	.	.	.	.
315	Psychoneurosis with somatic symptoms ♂{M. (somatization reaction) affecting circulatory system ♂{F.	1	.	.	.	.	.	.
318	Psychoneurotic disorders, other, mixed, and unspecified types ♂{M. ♀F.	3 2	.	.	.	.	.	.
322	Alcoholism ... ... ♂{M. ♀F.	1	.	.	.	.	.	.
323	Other drug addict ... ... ♂{M. ♀F.	1	.	.	.	.	.	.
325	Mental deficiency ... ♂{M. ♀F.	14 7	5 1	1 1	1	1	.	8 2
325								1 1
330-398	VI. Diseases of the Nervous System and Sense Organs ♂{M. ♀F.	1,838 2,067	35 12	18 10	11 9	1 4	2 3	67 38
330	Subarachnoid haemorrhage ... ♂{M. ♀F.	24 25	.	1	.	.	.	1
331	Cerebral haemorrhage ... ♂{M. ♀F.	692 875	5 1	1	.	.	.	6 1
332	Cerebral embolism and thrombosis ... ♂{M. ♀F.	397 428	.	.	1	.	.	1 1
334	Other and ill-defined vascular lesions affecting central nervous system ♂{M. ♀F.	247 337	2	.	.	.	.	2
340	Meningitis, except meningococcal and tuberculous ... ♂{M. ♀F.	55 37	19 6	8 5	4 4	1 2	2 3	34 20
342	Intracranial and intraspinal abscess ... ♂{M. ♀F.	5 4	1	1	.	.	.	2 1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious) ♂{M. ♀F.	11 16	.	.	1 2	.	.	1 4
344	Late effects of intracranial abscess or pyogenic infection ♂{M. ♀F.	16 7	4 3	4	3	.	.	11 3
345	Multiple sclerosis ... ... ♂{M. ♀F.	38 24	.	.	.	.	.	.
350	Paralysis agitans ... ... ♂{M. ♀F.	65 44	.	.	.	.	.	.
351	Cerebral spastic infantile paralysis ... ♂{M. ♀F.	6 8	1	2	.	.	.	1 2
352	Other cerebral paralysis ... ... ♂{M. ♀F.	164 192	.	.	.	.	.	.
353	Epilepsy ... ... ♂{M. ♀F.	52 36	.	1 1	3 2	.	.	4 3
355	Other diseases of brain ... ♂{M. ♀F.	19 7	.	.	.	.	.	.
356	Motor neurone disease and muscular atrophy ♂{M. ♀F.	19 12	.	.	.	.	.	.
357	Other diseases of spinal cord ... ... ♂{M. ♀F.	5 5	.	.	.	.	.	.
361	Trigeminal neuralgia ... ... ♂{M. ♀F.	1	.	.	.	.	.	.
362	Brachial neuritis ... ... ♂{M. ♀F.	1	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																		Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	307	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	308	
.	1	2	1	.	.	1	3	2	1	1	1	2	1	1	.	1	309	
.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	.	311	
.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	315	
.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	318	
.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	322	
.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	323	
2	1	1	1	.	1	1	1	.	.	.	.	.	.	.	.	.	325	
5	17 6	8	18 10	17 9	20 26	23 20	32 32	51 40	79 113	99 126	164 209	239 274	347 389	354 401	212 250	87 112	330- 398	
.	2	2	.	1	1/3	5	2	3	2	3	2	2	3	2	.	.	330	
1	.	2	2	2	1	6	12	19	29	40	69	108	139	145	88	30 41	331	
.	1	1	.	.	1/4	2	2	5	14	18	35	53	80	100	67	23 37	332	
.	1	.	1	.	1	1	2	5	10	11	23	36	66	48	27	15 19	334	
3	7 2	2 4	1	1	1	1	1	1	.	1	1	1	2	.	.	.	340	
.	.	.	1	1	1	1	1	1	.	1	1	.	.	.	.	1	342	
.	1	.	.	1	1	1	1	3	2	1	2	1	3	.	2	.	343	
1	.	.	1	.	.	.	.	.	1	1	1	2	1	1	1	1	344	
.	.	.	2	2	8	2	5	3	4	1	7	5	1	1	.	.	345	
.	.	.	.	.	1	1	2	1	2	5	9	12	16	8	4 5	2 2	350	
.	1	1	.	.	1	1	1	1	2	1	4	10	10	10	8	1 1	1	351
2	.	1	1	.	1	2	3	3	7	13	14	17	34	45	16 21	14 12	352	
2	4 2	8 4	6 4	4 1	6	2	4	3	3	5	1	3	2	1	1	2	353	
.	.	.	.	1	.	1	2	3	1	3	.	2	1	3	2	.	355	
.	.	.	.	2	.	1	1	2	1	2	3	1	5	3	1	.	356	
.	.	.	1	1	.	.	2	.	.	1	2	1	1	1	1	1	357	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	361		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	362		

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
363	Sciatica ... ... ... ... {M. F.	1	.	.	.	.	.	.	.
364	Polyneuritis and polyradiculitis ... ... {M. F.	1	.	.	.	.	.	.	.
365	Erythroedema polyneuritica ... ... {M. F.	2	1	1	.	.	.	2	.
366	Other and unspecified forms of neuralgia and neuritis {M. F.	1	.	.	.	.	.	.	.
367	Other diseases of cranial nerves ... ... {M. F.	2	.	.	.	.	.	.	.
368	Other diseases of peripheral nerves except autonomic {M. F.	2	.	.	.	.	.	.	.
379	Other inflammatory diseases of eye ... {M. F.	1	.	.	.	.	.	.	.
385	Cataract ... ... ... ... {M. F.	2	.	.	.	.	.	.	.
388	Other diseases of eye ... ... ... {M. F.	.	.	.	.	.	.	.	.
389	Blindness ... ... ... ... {M. F.	.	.	.	.	.	.	.	.
391	Otitis media without mention of mastoiditis {M. F.	9	2	.	1	.	.	2	1
393	Mastoiditis without mention of otitis media {M. F.	6	1	2	.	.	.	3	1
400-468	VII. Diseases of the Circulatory System ... {M. F.	6,839 5,990	4 3	1 2	3 1	1 1	1 1	10 8	7 10
400	Rheumatic fever without mention of heart involvement {M. F.	3	.	.	.	.	.	.	.
401	Rheumatic fever with heart involvement ... {M. F.	32	.	1	.	.	1	1	2
402	Chorea ... ... ... ... {M. F.	1	.	.	.	.	.	.	1
410	Diseases of mitral valve ... ... {M. F.	120 154	1	.	.	.	.	1	1
411	Diseases of aortic valve specified as rheumatic {M. F.	1	.	.	.	.	.	.	.
412	Diseases of tricuspid valve ... ... {M. F.	1	.	.	.	.	.	.	.
413	Diseases of pulmonary valve specified as rheumatic {M. F.	1	.	.	.	.	.	.	.
414	Other endocarditis specified as rheumatic ... {M. F.	28 33	.	.	.	.	.	.	1
415	Other myocarditis specified as rheumatic ... {M. F.	16 16	.	.	.	.	.	.	.
416	Other heart disease specified as rheumatic ... {M. F.	22 15	.	.	.	.	.	.	1
420·0	Arteriosclerotic heart disease so described ... {M. F.	31 18	.	.	.	.	.	.	.
420·1	Heart disease specified as involving coronary arteries ... ... {M. F.	1,431 692	.	.	.	.	.	.	.
420·2	Angina pectoris without mention of coronary disease {M. F.	84 48	.	.	.	.	.	.	.
421	Chronic endocarditis not specified as rheumatic {M. F.	408 345	.	.	.	.	.	.	1 2
422·0	Fatty degeneration ... ... ... {M. F.	17 11	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																		Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	363	
.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	364	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	365	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	366	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	367	
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	368	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	379	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	385	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	388	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	389	
1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.	391
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	393	
6	11	12	26	35	55	86	150	264	396	595	930	1,435	1,457	929	435	400-468		
16	9	17	33	31	65	64	91	220	244	474	703	1,223	1,303	889	590	400		
.	1	1	.	1	.	.	.	.	1	.	1	.	.	.	.	.	400	
1	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	401	
1	1	1	4	2	2	4	3	2	2	3	3	3	3	2	.	.	402	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	402	
2	1	2	3	7	8	4	8	10	3	7	14	9	16	12	16	12	410	
.	1	.	.	.	.	.	.	.	6	9	9	16	12	25	18	18	411	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	412	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	413	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	414	
.	.	1	5	.	3	2	1	1	5	2	1	2	1	8	3	4	.	
.	.	1	.	.	.	1	1	1	1	1	1	4	4	5	5	2	415	
.	1	.	.	.	.	.	1	1	1	1	1	4	4	4	2	1	416	
1	1	1	1	1	2	1	6	4	2	1	1	4	1	3	1	.	416	
.	.	.	.	.	1	.	.	1	4	4	9	2	6	3	2	2	420-0	
.	1	3	4	8	15	28	65	108	140	194	248	300	190	92	35	420-1		
.	1	1	1	3	5	14	12	45	53	82	133	128	135	52	28	28	420-2	
1	2	4	1	5	7	12	8	19	24	34	68	81	86	43	16	15	421	
1	2	4	4	7	6	3	7	18	16	38	54	68	74	26	15	.	422-0	
.	.	.	.	.	.	1	2	3	2	2	1	2	4	2	2	1	.	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
422.1	Myocardial degeneration with arteriosclerosis {M. F.	320 220	.	.	.	.	.	.
422.2	Other myocardial degeneration ... {M. F.	2,818 2,906	1 1	.	.	.	.	1 1
430	Acute and subacute endocarditis ... {M. F.	17 10	.	.	1	.	.	1 1
431	Acute myocarditis not specified as rheumatic {M. F.	14 16	.	.	.	.	.	.
432	Acute pericarditis specified as non-rheumatic {M. F.	1	.	.	.	.	.	.
433	Functional disease of heart ... {M. F.	276 312	.	.	.	.	.	.
434	Other and unspecified diseases of heart ... {M. F.	390 330	2 2	1	2	1	1	5 5
440	Essential benign hypertension with heart {M. F.	1 2	.	.	.	.	.	.
441	Essential malignant hypertension with heart {M. F.	6 3	.	.	.	.	.	.
442	Hypertensive heart disease with arteriolar {M. nephrosclerosis	7 8	.	.	.	.	.	.
443	Other and unspecified hypertensive heart {M. F.	237 238	.	.	.	.	.	.
444	Essential benign hypertension without {M. mention of heart {F.	77 109	.	.	.	.	.	.
445	Essential malignant hypertension without {M. mention of heart {F.	18 13	.	.	.	.	.	.
446	Hypertension with arteriolar nephrosclerosis {M. without mention of heart {F.	14 11	.	.	.	.	.	.
447	Other hypertensive disease without mention {M. of heart {F.	103 127	.	1	.	.	.	1
450	General arteriosclerosis ... {M. F.	233 215	.	.	.	.	.	.
451	Aortic aneurysm specified as nonsyphilitic, {M. and dissecting aneurysm {F.	3 4	.	.	.	.	.	.
452	Other aneurysm, except of heart and aorta ... {M. F.	8 3	.	.	.	.	.	.
453	Peripheral vascular disease ... {M. F.	6	.	.	.	.	.	.
454	Arterial embolism and thrombosis ... {M. F.	7 7	.	.	.	.	.	.
455	Gangrene of unspecified cause ... {M. F.	46 42	.	.	.	.	.	.
456	Other diseases of arteries ... {M. F.	2 1	.	.	.	.	.	.
460	Varicose veins of lower extremities ... {M. F.	3 4	.	.	.	.	.	.
461	Haemorrhoids ... {M. F.	2	.	.	.	.	.	.
462	Varicose veins of other specified sites ... {M. F.	3 1	.	.	.	.	.	.
463	Phlebitis and thrombophlebitis of lower {M. extremities {F.	3 1	.	.	.	.	.	.
464	Phlebitis and thrombophlebitis of other sites {M. F.	6 5	.	.	.	.	.	.
465	Pulmonary embolism and infarction ... {M. F.	16 13	.	.	1	.	.	1
466	Other venous embolism and thrombosis ... {M. F.	5 6	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	.	1	.	1	5 3	6 2	21 13	47 20	68 44	85 51	54 46	33 40	422-1	
1 3	.	6 5	4 4	14 14	18	30	46 62	93 89	160 162	315 265	610 626	710 708	544 540	255 384	422-2		
1 4	1	3 1	1	2 1	2	2	1 1	1 1	1 2	1 1	2 1	2 4	3 1	2 1	1 1	430	
.	1	1	1	1	1	1	1	3 1	1 1	2 1	2 2	4 4	3 1	2 1	1 1	431	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	432	
.	1	1 2	1 3	1 2	1	4 9	5 18	14 8	29 31	34 38	64 62	70 77	39 43	11 17	11 17	433	
1 1	2 1	5 1	5 1	4 5	6 4	6 7	18 11	28 18	33 32	62 53	80 65	79 62	36 46	16 17	16 17	434	
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	440	
.	.	.	.	.	.	1	2	1 2	.	1	1	1	1	1	.	441	
.	.	.	.	.	.	.	.	.	1	1	1	2	4 1	3	2	442	
.	.	.	.	.	2	1	3	3 13	9 5	24 20	25 43	43 43	46 59	47 51	28 28	12 13	443
.	.	.	.	.	1	1	4 2	6 5	5 9	21 16	9 19	19 20	17 19	6 10	2 6	444	
.	.	.	.	1	2 1	1 2	1 3	3 1	4 1	1 1	1 3	1	.	.	.	445	
.	.	.	.	.	1	1	1	2 1	1 1	1	1	4 2	3 2	2 1	1 1	446	
.	.	1	.	1	1	1	1 4	3 1	6 7	10 15	11 19	14 20	21 18	26 25	8 14	1 3	447
.	.	.	.	.	1	1	1	1 1	4 4	4 3	13 6	19 15	52 52	74 50	39 47	26 37	450
.	.	.	.	.	1	1	1	1	1	1	.	1	1	1	.	451	
.	.	.	.	.	1	1	1	1	1	1	.	1	1	1	.	452	
1	2	1	1	1	1	1	1	1	1	1	1	1	.	.	.	453	
.	1	.	.	.	1	1	1	1	1	1	3	.	.	.	.	454	
.	.	.	.	.	1	1	1	1	1	1	1	2	2	2	1	455	
.	.	.	.	.	1	1	1	1	2	2	1	2	6	8	13	456	
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	460	
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	461	
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	462	
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	463	
.	.	.	.	.	1	1	1	1	1	1	1	1	2	1	1	464	
.	.	.	.	1	1	1	1	1	1	1	1	1	2	3	1	465	
.	.	1	1	1	2	2	2	1 1	3 1	2 2	1 2	2 3	1	1	1	466	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	All Ages	Under 1	AGE AT				
				1	2	3	4	Total under 5
467	Other diseases of circulatory system	...{M. F.	3 7	.	.	.	.	.
468	Certain diseases of lymph nodes and lymph channels	...{M. F.	1 1	.	.	.	.	.
470-527	VIII. Diseases of the Respiratory System	...{M. F.	2,880 2,769	272 195	46 46	17 17	7 15	7 3
470	Acute nasopharyngitis (common cold)	...{M. F.	1 1	1	.	.	.	1
471	Acute sinusitis	...{M. F.	1 .	1	.	.	.	1
472	Acute pharyngitis	...{M. F.	4 1	3	.	.	.	3
473	Acute tonsillitis	...{M. F.	3 1	.	.	.	.	1
474	Acute laryngitis and tracheitis	...{M. F.	5 .	2	1	.	.	4
475	Acute upper respiratory infection of multiple or unspecified sites	...{M. F.	8 8	7 8	.	.	1	8 8
480	Influenza with pneumonia	...{M. F.	278 288	12 8	.	.	.	12 9
481	Influenza with other respiratory manifestations, and influenza unqualified	...{M. F.	821 1,000	11 15	4 5	1	2	16 23
482	Influenza with digestive manifestations, but without respiratory symptoms	...{M. F.	8 4	.	2	.	.	2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	...{M. F.	.	.	.	.	.	.
490	Lobar pneumonia	...{M. F.	114 86	22 11	3 4	1	2	25 18
491	Bronchopneumonia	...{M. F.	396 400	128 104	18 21	7 6	4 10	160 142
492	Primary atypical pneumonia	...{M. F.	21 14	2 3	1 1	1	.	4 4
493	Pneumonia, other and unspecified	...{M. F.	208 182	47 26	11 12	5 5	1	64 43
500	Acute bronchitis	...{M. F.	88 108	13 3	2 1	2 1	.	17 5
501	Bronchitis unqualified	...{M. F.	328 267	13 6	4 1	1 3	.	20 10
502	Chronic bronchitis	...{M. F.	400 261	1	1	.	.	2
510	Hypertrophy of tonsils and adenoids	...{M. F.	1 .	.	.	.	.	.
511	Peritonsillar abscess (quinsy)	...{M. F.	3 .	.	.	.	.	.
513	Chronic sinusitis	...{M. F.	2 3	1	.	.	.	1
517	Other diseases of upper respiratory tract	...{M. F.	4 2	1	.	.	.	1
518	Empyema	...{M. F.	15 3	1 1	.	.	.	1 1
519	Pleurisy	...{M. F.	18 11	.	.	.	1	.
520	Spontaneous pneumothorax	...{M. F.	5 1	.	.	.	.	.
521	Abscess of lung	...{M. F.	9 4	.	.	.	.	1 1

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																		Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	.	.	.	.	2	1	1	.	1	1	.	1	1	1	1	.	467	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	468	
9	13 8	14 7	17 12	11 14	26 28	24 37	59 26	117 56	144 92	240 177	325 300	476 497	526 580	346 398	165 245	470- 527		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	470	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	471	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	472	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	473	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	474	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	475	
1	2 2	4 4	1	2	3 6	5 2	5 2	20 7	12 13	23 26	31 22	54 62	54 78	36 26	14 25	480		
3	2 1	1 1	4 1	3 4	7 8	3 12	12 11	17 11	37 19	59 67	76 113	161 191	209 249	145 182	62 104	481		
.	.	.	.	.	.	.	.	.	1	3 1	.	.	1	1	1	.	482	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	483	
1	2 1	1 3	2 1	1 1	1 3	1 2	8 4	6 6	12 4	14 10	15 13	16 7	3 9	4 4	490			
1	2 1	1 1	2 2	3 2	6 2	1 2	8 2	9 3	14 9	21 16	27 36	48 51	44 61	19 42	21 26	491		
.	1	.	.	.	.	1	.	3	1	2 1	1	2 3	6 3	.	1	2	492	
2	2 2	2 1	3	2	1 3	2 3	6 1	10 6	11 6	13 13	21 15	30 29	23 23	17 19	7 10	493		
.	1	.	1	1	1	2	2	5	3 1	7 5	6 12	10 24	25 21	12 16	6 13	500		
1	2 1	2 1	3 2	1	1 2	1 4	1 4	12 6	12 14	30 13	30 30	57 56	67 56	53 38	16 29	501		
.	.	.	2 1	1 2	1 2	2 4	2 5	18 2	26 7	29 19	56 38	68 47	73 57	38 37	18 17	502		
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	510		
1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	511		
.	.	1	1	.	.	.	.	1	.	.	.	1	.	.	.	.	513	
.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	517		
.	.	.	2	.	.	3	2	1	1	1	1	1	1	1	1	1	518	
.	.	.	.	1	2	1	1	1	2 1	2 1	4 1	4 2	1 1	1 2	.	519		
.	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	520		
.	1	.	.	.	1	1	1	1	1	1	1	1	1	1	.	521		

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
522	Pulmonary congestion and hypostasis ... {M. F.}	85 95	6 4	.	1	1	.	7 5	1
525	Other chronic interstitial pneumonia ... {M. F.}	6 3	.	.	.	.	.	.	.
526	Bronchiectasis ... ... {M. F.}	27 14	.	.	.	.	.	.	1
527	Other diseases of lung and pleural cavity ... {M. F.}	21 12	3 2	.	.	.	1	4 2	.
530- 587	IX. Diseases of the Digestive System ... {M. F.}	708 465	114 80	10 11	7 6	5 4	6 3	142 104	10 9
532	Other inflammatory diseases of supporting structures of teeth {M. F.}	1	.	.	.	.	.	.	.
533	Disorders of occlusion, eruption and tooth development {M. F.}	1	1	.	.	.	.	1	.
536	Stomatitis ... ... ... {M. F.}	8 3	6 2	.	1	.	.	7 2	.
538	Other diseases of buccal cavity ... ... {M. F.}	1	.	.	.	.	.	.	.
539	Diseases of oesophagus ... ... {M. F.}	3 2	1	.	.	.	.	1	.
540	Ulcer of stomach ... ... ... {M. F.}	135 55	.	.	.	.	.	.	.
541	Ulcer of duodenum ... ... ... {M. F.}	76 13	.	.	.	.	.	.	.
542	Gastrojejunal ulcer ... ... ... {M. F.}	4	.	.	.	.	.	.	.
543	Gastritis and duodenitis ... ... {M. F.}	25 20	10 3	1	2	.	.	12 5	.
544	Disorders of function of stomach ... {M. F.}	5 10	3 5	1	1	.	1	4 7	.
545	Other diseases of stomach and duodenum ... {M. F.}	18 7	.	.	.	.	.	.	.
550	Acute appendicitis ... ... ... {M. F.}	35 18	.	2	1	2	1	6 2	3
551	Appendicitis unqualified ... ... {M. F.}	6 5	.	1	.	.	2	2 1	1
552	Other appendicitis ... ... ... {M. F.}	1	1	.	.	.	.	1	.
560	Hernia of abdominal cavity without mention of obstruction {M. F.}	8 5	1 1	.	.	.	.	1	.
561	Hernia of abdominal cavity with obstruction {M. F.}	36 37	2	.	.	.	.	2	.
570	Intestinal obstruction, without mention of hernia {M. F.}	84 56	5 8	2	.	1	1	7 10	3 2
571.0	Gastro-enteritis and colitis, except ulcerative, ages between 4 weeks and 2 years {M. F.}	88 64	82 57	6 7	.	.	.	88 64	.
571.1	Gastro-enteritis and colitis, except ulcerative, ages 2 years and over {M. F.}	27 31	.	.	2	2	1	5 7	2 3
572	Chronic enteritis and ulcerative colitis ... {M. F.}	17 17	.	.	4	2	1	.	.
573	Functional disorders of intestines ... {M. F.}	3 1	.	.	.	.	.	.	.
575	Abscess of anal and rectal regions ... {M. F.}	1	.	.	.	.	.	.	.
576	Peritonitis ... ... ... {M. F.}	19 16	1	.	1	1	1	1 3	1 1

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
1	.	.	.	.	.	.	1	1	2	4	16	16	7	20	11	522	
.	.	.	.	.	.	1	.	2	1	2	13	13	17	22	15	525	
.	.	.	.	.	1	1	1	4	6	1	6	2	2	1	1	526	
.	.	.	.	.	1	2	1	1	2	6	1	2	1	3	1	527	
2	12 4	9 6	8 2	12 4	25 11	37 9	28 15	42 25	50 33	59 41	72 49	81 56	63 46	40 37	16 10	530- 587	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	532	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	533	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	536	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	538	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	539	
.	2	3	3	4	10 2	9 2	4 1	10 5	15 4	17 4	17 11	18 11	12 8	9 7	2	540	
.	.	.	.	2	5 1	11	10 2	10 2	8	9 1	5 2	8 2	6 2	2 1	.	541	
.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	542	
.	.	.	.	.	.	1	.	1	1	1	1	4 5	3 4	1 4	1 1	543	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	544	
.	.	.	.	1	.	2	3	1	2 1	3	1	5 2	1	.	.	545	
2	4 1	1 1	1 1	2	1	2	2	2	1	3 3	2	3 1	2 2	1 1	.	550	
.	.	1	.	.	.	2	1	1	.	.	1	.	1	.	.	551	
.	.	.	.	.	.	1	.	1	2	.	.	5	.	.	1	552	
.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	556	
.	.	1	1	.	1	1	1	1	1	3	10	2	7	2	5	561	
1	3 1	2 1	.	1 2	4 1	4 1	1 2	2 1	5 4	8 4	15 5	10 9	9 7	7 4	2 1	570	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	571-0	
1	1	1	.	.	1	1	1	2	4	1	3 3	2	1	6 2	1	571-1	
.	1	.	.	1	1	3	3	4 1	1	2	1	5 3	1	3 1	1	572	
.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	573	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	575	
1	1	1	1	.	1	1	3	2	1	2	3	1	2	3 1	1	576	

TABLE 19 (*contd.*)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
577	Peritoneal adhesion ... ... ... {M. F.	1	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum... {M. F.	23 11	3 1	.	.	.	.	3 1
580	Acute and subacute yellow atrophy of liver ... {M. F.	6 4	.	.	.	.	.	.
581	Cirrhosis of liver ... ... ... {M. F.	40 19	.	.	.	.	.	.
582	Suppurative hepatitis and liver abscess ... {M. F.	1	.	.	1	.	.	1
583	Other diseases of liver ... ... ... {M. F.	1 9	.	.	.	.	.	1
584	Cholelithiasis ... ... ... {M. F.	5 9	.	.	.	.	.	.
585	Cholocystitis without mention of calculi ... {M. F.	11 33	.	.	.	.	.	.
586	Other diseases of gall bladder and biliary ducts ... {M. F.	11 8	.	.	.	.	.	.
587	Diseases of pancreas ... ... ... {M. F.	8 11	.	1	.	.	1	1 1
590- 597	X. Diseases of the Genito-Urinary System ... {M. F.	747 351	1 5	2 1	.	1	.	4 6 2
590	Acute nephritis ... ... ... {M. F.	31 18	.	1	.	.	.	1
591	Nephritis with oedema, including nephrosis {M. F.	18 9	.	.	.	.	.	1
592	Chronic nephritis ... ... ... {M. F.	206 157	.	.	.	.	.	1
593	Nephritis not specified as acute or chronic ... {M. F.	103 105	1 2	1	.	1	.	2 3
594	Other renal sclerosis ... ... ... {M. F.	2 3	.	.	.	.	.	.
600	Infections of kidney ... ... ... {M. F.	15 18	.	1	.	.	.	1 2
601	Hydronephrosis ... ... ... {M. F.	1	.	.	.	.	.	.
602	Calculi of kidney and ureter ... ... ... {M. F.	3 2	.	.	.	.	.	.
603	Other diseases of kidney and ureter ... {M. F.	7 3	.	.	.	.	.	.
604	Calculi of other parts of urinary system ... {M. F.	1 1	.	.	.	.	.	.
605	Cystitis ... ... ... {M. F.	29 9	.	.	.	.	.	.
606	Other diseases of bladder ... ... ... {M. F.	2	.	.	.	.	.	.
608	Stricture of urethra ... ... ... {M. F.	4	.	.	.	.	.	.
609	Other diseases of urethra ... ... ... {M. F.	2	.	.	.	.	.	.
610	Hyperplasia of prostate ... ... M.	282	.	.	.	.	.	.
611	Prostatitis ... ... M.	32	.	.	.	.	.	.
612	Other diseases of prostate ... ... M.	9	.	.	.	.	.	.
613	Hydrocele ... ... M.	2	.	.	.	.	.	.
617	Other diseases of male genital organs ... M.	1	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	577
.	.	1	.	.	1	1	2	3	1	1	1	5	3	2	2	578	
.	.	1	.	.	1	1	.	1	.	.	1	2	1	1	1	580	
.	.	.	1	1	2	2	3	2	4	6	8	8	7	2	1	581	
.	.	.	1	1	2	2	1	3	4	2	1	1	1	2	1	582	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	583	
.	1	.	.	.	.	1	2	1	1	.	1	.	1	.	1	584	
.	1	.	.	.	.	.	.	1	3	1	1	2	.	1	1	585	
.	.	.	.	.	1	1	.	1	4	6	5	5	3	2	1	586	
.	.	.	.	.	1	.	.	1	1	2	1	3	1	2	1	587	
3	7	5	5	13	9	13	22	31	30	53	69	159	158	110	54	590-637	
2	2	2	3	7	19	14	15	26	19	33	56	53	49	24	14	590	
.	2	2	1	3	2	.	4	1	2	2	2	4	6	3	1	591	
.	1	1	.	.	1	2	2	3	.	3	1	5	1	1	1	591	
2	2	2	3	6	3	6	12	16	16	12	19	46	28	23	10	592	
1	4	1	1	3	3	4	3	7	4	12	7	15	21	12	7	593	
.	.	.	.	1	.	.	.	.	.	1	.	2	.	.	1	594	
1	1	.	1	.	2	1	2	1	1	1	4	6	5	2	1	600	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	601	
.	.	.	.	.	.	.	.	1	.	1	.	2	.	1	.	602	
.	.	.	.	.	.	.	.	1	1	1	.	1	2	1	.	603	
.	.	.	.	.	.	.	.	1	.	1	.	1	2	1	.	604	
.	.	.	.	.	.	.	.	.	.	1	5	2	10	7	4	605	
.	.	.	.	.	.	.	.	.	.	1	1	2	2	7	1	606	
.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	608	
.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	609	
.	.	.	.	.	.	.	.	.	2	4	18	23	68	82	54	610	
.	.	.	.	.	.	.	.	.	.	2	2	4	11	8	5	611	
.	.	.	.	.	.	.	.	.	.	1	3	2	3	2	3	612	
.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	613	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	617	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
621	Other diseases of breast ... F.	1	.	.	.	.	.	.
624	Salpingitis and oophoritis, unqualified ... F.	2	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female)	F.	6	1	.	.	.	1
631	Uterovaginal prolapse ...	F.	3	.	.	.	.	.
632	Malposition of uterus ...	F.	1	.	.	.	.	.
633	Other diseases of uterus ...	F.	8	.	.	.	.	.
635	Menopausal symptoms ...	F.	1	.	.	.	.	.
637	Other diseases of female genital organs ...	F.	1	.	.	.	.	.
640- 689	XI. Deliveries and Complication of Pregnancy, Childbirth, and the Puerperium	F.	103	.	.	.	.	.
642	Toxaemias of pregnancy ...	F.	31	.	.	.	.	.
644	Other haemorrhage of pregnancy ...	F.	1	.	.	.	.	.
645	Ectopic pregnancy ...	F.	3	.	.	.	.	.
646	Anaemia of pregnancy ...	F.	1	.	.	.	.	.
648	Other complications arising from pregnancy	F.	3	.	.	.	.	.
650	Abortion without mention of sepsis or toxæmia	F.	2	.	.	.	.	.
670	Delivery complicated by placenta praevia or antepartum haemorrhage	F.	12	.	.	.	.	.
671	Delivery complicated by retained placenta	F.	6	.	.	.	.	.
672	Delivery complicated by other postpartum haemorrhage	F.	10	.	.	.	.	.
674	Delivery complicated by disproportion or malposition of foetus	F.	1	.	.	.	.	.
675	Delivery complicated by prolonged labour of other origin	F.	3	.	.	.	.	.
677	Delivery with other trauma ...	F.	3	.	.	.	.	.
678	Delivery with other complications of childbirth	F.	8	.	.	.	.	.
680	Puerperal urinary infection without other sepsis	F.	.	.	.	.	.	.
681	Sepsis of childbirth and the puerperium ...	F.	1	.	.	.	.	.
682	Puerperal phlebitis and thrombosis ...	F.	2	.	.	.	.	.
684	Puerperal pulmonary embolism ...	F.	6	.	.	.	.	.
685	Puerperal eclampsia ...	F.	6	.	.	.	.	.
687	Cerebral haemorrhage in the puerperium ...	F.	1	.	.	.	.	.
688	Other and unspecified complications of the puerperium	F.	3	.	.	.	.	.
690- 716	XII. Diseases of the Skin and Cellular Tissue { M. F.		32 26	4 2	1	.	.	5 2
690	Boil and carbuncle ...	{ M. F.	1 2	1	.	.	.	1
691	Cellulitis of finger and toe ...	{ M. F.	1	.	.	.	.	.
692	Other cellulitis and abscess without mention of lymphangitis	{ M. F.	7 4	2	.	.	.	2
698	Other local infections of skin and sub-cutaneous tissue	{ M. F.	1	1	.	.	.	1
701	Eczema ...	{ M. F.	2 1	1	.	.	.	1
703	Other dermatitis ...	{ M. F.	1	.	.	.	.	.
704	Pemphigus ...	{ M. F.	3 1	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.	
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 +			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	621
.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	624
.	1	.	.	.	1	1	.	.	.	.	1	1	.	1	.	.	.	626
.	.	.	.	.	1	.	.	.	.	.	1	1	.	1	.	.	.	631
.	.	.	.	1	1	3	.	.	.	.	1	1	.	.	.	1	.	632
.	.	.	.	1	1	3	.	1	.	.	1	1	.	.	.	1	.	633
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	635
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	637
.	2	7	11	20	36	24	3	.	.	.	.	.	.	.	.	.	.	640-689
.	1	1	5	4	13	5	2	.	.	.	.	.	.	.	.	.	.	642
.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	644
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	645
.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	646
.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	648
.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	650
.	.	1	.	3	7	1	.	.	.	.	.	.	.	.	.	.	.	670
.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	671
.	1	1	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	672
.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	674
.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	675
.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	677
.	.	1	1	.	5	1	.	.	.	.	.	.	.	.	.	.	.	678
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	680
.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	681
.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	682
.	.	2	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	684
.	2	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	685
.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	687
.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	688
1	1	.	.	.	1	2	.	.	.	2	4	5	7	4	3	1	690-716	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	690
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	691
1	.	.	.	.	.	1	.	.	.	1	2	.	1	1	2	.	.	692
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	693
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	701
.	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	703
.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	704

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
705	Erythematous conditions ... ... {M. F. 3 1							
706	Psoriasis and similar disorders ... ... {M. F. 1							
707	Lichen planus ... ... ... {M. F. 1		1					1
714	Diseases of sweat and sebaceous glands ... ... {M. F. 1			1				1
715	Chronic ulcer of skin ... ... ... {M. F. 14 13							
720- 749	XIII. Diseases of the Bones and Organs of Movement {M. F. 124 161		1					1
720	Acute arthritis due to pyogenic organisms ... ... {M. F. 3							
722	Rheumatoid arthritis and allied conditions ... ... {M. F. 38 90							
723	Osteo-arthritis (arthrosis) and allied conditions ... ... {M. F. 11 11							
724	Other specified forms of arthritis ... ... {M. F. 1							
725	Arthritis, unspecified ... ... ... {M. F. 12 17							
726	Muscular rheumatism ... ... ... {M. F. 2							
727	Rheumatism, unspecified ... ... ... {M. F. 44 25							
730	Osteomyelitis and periostitis ... ... ... {M. F. 8 8							1
731	Osteitis deformans ... ... ... {M. F. 3							
733	Other diseases of bone ... ... ... {M. F. 1 2							
734	Internal derangement of knee joint ... ... {M. F. 1							
737	Ankylosis of joint ... ... ... {M. F. 1							
744	Other diseases of muscle, tendon and fascia ... ... {M. F. 3 2	1						1
745	Curvature of spine ... ... ... {M. F. 2							
750- 759	XIV. Congenital Malformations ... ... {M. F. 237 206	192 176	9 4	5 4	2 2			208 186
750	Monstrosity ... ... ... {M. F. 6 13	5 13		1				6 13
751	Spina bifida and meningocele ... ... ... {M. F. 48 52	45 50	3 1	1				48 52
752	Congenital hydrocephalus ... ... ... {M. F. 12 21	8 17	1					9 18
753	Other congenital malformations of nervous system and sense organs {M. F. 3 2	2 1						2 1
754	Congenital malformations of circulatory system {M. F. 96 77	70 62	4 1	4 2	2			78 67
755	Cleft palate and harelip ... ... ... {M. F. 3 4	3 4						3 4
756	Congenital malformations of digestive system {M. F. 46 17	41 17	1		2			44 17

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.	
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	705	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	706	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	707	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	714	
.	.	.	.	.	.	1	1	.	.	1	2	4	2	2	3	3	1	715
1	1	2	1	1	2	4	1	2	4	3	4	10	11	14	20	28	25	720-749
.	.	.	.	.	.	1	1	1	2	3	8	5	10	25	28	36	19	720
.	.	.	.	.	1	1	1	1	2	3	8	5	10	23	11	1	1	722
.	.	.	.	.	1	1	1	1	1	1	1	2	4	4	3	3	2	723
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	.	724
.	.	.	.	.	1	1	1	1	1	1	1	1	2	4	5	2	1	725
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	.	726
.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	2	727
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	730
.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	731	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	733	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	734	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	737	
.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.	744
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	745	
2	3	3	2	4	3	1	2	1	1	1	2	.	.	1	1	1	1	750-759-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	750	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	751	
.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.	752
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	753	
1	2	2	1	4	2	1	2	2	1	1	2	.	.	.	1	.	.	754
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	756	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
757	Congenital malformations of genito-urinary system {M. F.	5 3	3 1	:	:	:	:	3 1	:
758	Congenital malformations of bone and joint {M. F.	2 2	1	1	1	:	:	1 2	:
759	Other and unspecified congenital malformations not elsewhere specified {M. F.	16 15	14 11	:	:	:	:	14 11	1
760- 776	XV. Certain Diseases of Early Infancy ... {M. F.	851 572	851 572	:	:	:	:	851 572	:
760	Intracranial and spinal injury at birth ... {M. F.	94 45	94 45	:	:	:	:	94 45	:
761	Other birth injury ... ... {M. F.	20 16	20 16	:	:	:	:	20 16	:
762	Postnatal asphyxia and atelectasis ... {M. F.	106 87	106 87	:	:	:	:	106 87	:
763	Pneumonia of newborn ... ... {M. F.	54 22	54 22	:	:	:	:	54 22	:
764	Diarrhoea of newborn ... ... {M. F.	19 9	19 9	:	:	:	:	19 9	:
767	Umbilical sepsis ... ... {M. F.	1 1	1 1	:	:	:	:	1 1	:
768	Other sepsis of newborn ... ... {M. F.	3 1	3 1	:	:	:	:	3 1	:
769	Neonatal disorders arising from maternal toxæmia {M. F.	6 2	6 2	:	:	:	:	6 2	:
770	Haemolytic disease of newborn (erythroblastosis) {M. F.	37 30	37 30	:	:	:	:	37 30	:
771	Haemorrhagic disease of newborn ... {M. F.	12 9	12 9	:	:	:	:	12 9	:
772	Nutritional maladjustment ... ... {M. F.	9 10	9 10	:	:	:	:	9 10	:
773	Ill-defined diseases peculiar to early infancy {M. F.	248 156	248 156	:	:	:	:	248 156	:
774	Immaturity with mention of any other subsidiary condition {M. F.	24 18	24 18	:	:	:	:	24 18	:
776	Immaturity unqualified ... ... {M. F.	218 166	218 166	:	:	:	:	218 166	:
780- 795	XVI. Symptoms, Senility and Ill-defined Conditions {M. F.	3,080 3,037	72 41	8 14	6 5	3 3	1 1	90 64	3 8
780	Certain symptoms referable to nervous system and special senses {M. F.	67 40	54 25	4 8	2	3 1	1 1	63 35	2
781	Other symptoms referable to nervous system and special senses {M. F.	1 1	—	—	—	—	—	—	—
782	Symptoms referable to cardiovascular and lymphatic system {M. F.	407 297	2 5	—	1	—	—	3 6	1
783	Symptoms referable to respiratory system {M. F.	2 1	1	—	—	—	—	1	—
784	Symptoms referable to upper gastro-intestinal tract {M. F.	21 4	3	—	—	—	—	3	1
785	Symptoms referable to abdomen and lower gastro-intestinal system {M. F.	10 9	3 2	—	—	—	—	3 2	1
786	Symptoms referable to genito-urinary system {M. F.	12 3	—	—	—	—	—	—	—
788	Other general symptoms ... ... {M. F.	3 2	1	1	—	—	1	3 1	—
789	Abnormal urinary constituents of unspecified cause {M. F.	1 1	—	—	—	—	—	—	—

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.		
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	757		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	758		
1	1	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	759		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760	760-778		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761	761		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762	762		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763	763		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764	764		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767	767		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768	768		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769	769		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770	770		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771	771		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772	772		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773	773		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774	774		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776	776		
3	1	2	2	1	1	1	4	6	8	6	22	36	50	95	308	705	975	780-795	
2	2	.	.	.	.	1	.	.	.	.	17	22	35	57	299	647	940	919	
1	1	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	1	780	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	781		
3	1	.	.	1	3	2	5	1	3	7	16	25	27	50	99	84	58	29	782
.	.	.	.	1	.	.	.	.	.	1	7	10	24	43	58	63	48	22	783
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	784	
.	.	.	1	.	.	.	1	.	.	2	2	2	4	1	2	3	1	1	785
.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	2	2	1	3	786
.	.	.	.	.	.	.	.	.	.	1	.	.	1	3	1	2	1	1	788
.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	789	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER-

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
790	Nervousness and debility ... ... {M. F. 10 13			1 3	1				1 4 2
792	Uraemia, unqualified ... ... {M. F. 72 37				1				1
794	Senility without mention of psychosis ... {M. F. 2,412 2,570								
795	Ill-defined and unknown causes of morbidity and mortality ... ... {M. F. 62 59	8 9	2 2	3		1		13 15	2
E 800- E 999	E XVII. Alternative Classification of Accidents, Poisonings, and Violence (External Cause)	631 365	35 23	11 3	13 5	8 7	7 3	74 41	25 16
E 800	Railway accident involving railroad employee {M. F.	2							
E 801	Railway accident involving passenger ... {M. F.	2							
E 802	Railway accident involving other and unspecified person {M. F.	2 4							
E 812	Motor vehicle traffic accident to pedestrian ... {M. F.	62 25		1 1	3	3 1	2 1	9 3	7 7
E 813	Motor vehicle traffic accident to pedal cyclist {M. F.	15 5							
E 814	Motor vehicle traffic accident to rider or passenger of motor cycle, in collision with non-motor vehicle or object {M. F.	3							
E 815	Motor vehicle traffic accident to rider or passenger of motorcycle, in collision with other motor vehicle {M. F.	4							
E 816	Other motor vehicle traffic accident involving two or more motor vehicles {M. F.	18 4							
E 817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle {M. F.	2							
E 818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle {M. F.	2							
E 819	Motor vehicle traffic accident involving collision with fixed or unspecified object {M. F.	2							
E 821	Motor vehicle traffic accident to rider of motorcycle not involving collision {M. F.	1							
E 822	Motor vehicle traffic accident involving overturning in roadway {M. F.	1							
E 823	Motor vehicle traffic accident involving running off roadway {M. F.	10							
E 824	Other non-collision motor vehicle traffic accident {M. F.	9 2							2
E 825	Motor vehicle traffic accident of unspecified nature {M. F.	1							
E 830	Motor vehicle non-traffic accident to pedestrian {M. F.	4					1	1	1
E 835	Motor vehicle non-traffic accident of other and unspecified nature {M. F.	1							
E 842	Accident to pedestrian caused by pedal cycle {M. F.	3 4							1
E 843	Accident to rider of pedal cycle not involving collision with a motor vehicle {M. F.	37 5				1		1	
E 844	Accident to pedestrian caused by other non-motor road vehicle {M. F.	1							
E 845	Other non-motor road vehicle accidents {M. F.	12 2					1	1	1
E 850	Submersion of occupant of small boat {M. F.	1							

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER)

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
E 853	Other falls from one level to another in water ... {M. transport F.	1	.	.	.	.	.	.
E 855	Unspecified falls in water transport ... {M. F.	1	.	.	.	.	.	.
E 857	Other specified accidents in water transport ... {M. F.	1	.	.	.	.	.	.
E 860	Accident to personnel in military aircraft ... {M. F.	1	.	.	.	.	.	.
E 871	Accidental poisoning by barbituric acid and derivatives ... {M. F.	2	.	.	.	.	.	.
E 874	Accidental poisoning by other analgesic and soporific drugs ... {M. F.	1	.	.	.	.	.	.
E 876	Accidental poisoning by strychnine ... {M. F.	1	.	.	.	.	.	.
E 878	Accidental poisoning by other and unspecified drugs ... {M. F.	1	.	.	.	.	.	.
E 880	Accidental poisoning by alcohol ... {M. F.	2	.	.	.	.	1	1
E 883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis ... {M. F.	1	.	1	.	.	.	1
E 885	Accidental poisoning by lead and its compounds ... {M. F.	1	.	.	.	.	.	.
E 888	Accidental poisoning by other and unspecified solid and liquid substances ... {M. F.	2	.	.	.	.	.	.
E 890	Accidental poisoning by utility (illuminating) gas ... {M. F.	2	.	.	.	.	.	.
E 891	Accidental poisoning by motor vehicle exhaust gas ... {M. F.	1	.	.	.	.	.	.
E 892	Accidental poisoning by other carbon monoxide gas ... {M. F.	5	.	.	.	.	.	.
E 894	Accidental poisoning by other specified gases and vapours ... {M. F.	1	.	.	.	.	.	.
E 900	Fall on stairs ... ... ... {M. F.	10	.	.	.	.	.	.
E 901	Fall from ladders ... ... ... {M. F.	6	.	.	.	.	.	.
E 902	Other falls from one level to another ... {M. F.	20	.	1	.	1	.	1
E 903	Fall on same level ... ... ... {M. F.	25	.	.	.	.	1	1
E 904	Unspecified falls ... ... ... {M. F.	36	.	.	.	.	.	1
E 910	Blow from falling object ... ... ... {M. F.	11	.	.	.	1	.	1
E 911	Accident caused by vehicle ... ... ... {M. F.	1	.	.	.	.	.	.
E 912	Accident caused by machinery ... ... ... {M. F.	7	.	.	.	.	.	1
E 913	Accident caused by cutting and piercing instruments ... {M. F.	3	.	.	.	.	.	.
E 914	Accident caused by electric current ... {M. F.	3	.	.	1	.	.	1
E 916	Accident caused by fire and explosion of combustible material ... {M. F.	21	.	2	.	1	.	3
E 917	Accident caused by hot substance, corrosive liquid, and steam ... {M. F.	20	1	4	4	2	1	10
		28	.	3	3	2	1	9

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 853
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E 855
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	E 857
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 860
.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	E 871
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 874
.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	E 876
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 878
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 880
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 883
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 885
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	E 888
.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	E 890
.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 891
.	.	1	1	1	1	1	1	1	1	1	1	.	.	.	.	.	E 892
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 894
.	.	.	.	.	1	.	.	.	.	2	2	1	1	3	1	2	2
.	1	1	3	2	1	3	1	1	1	4	3	1	2	1	2	3	E 900
.	.	1	1	1	1	1	1	1	1	1	5	5	6	18	3	20	E 903
.	.	.	1	1	1	1	1	3	2	5	6	18	16	4	10	19	E 904
1	1	3	1	3	1	1	1	1	1	2	2	.	.	1	.	.	E 910
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 911
.	.	.	2	.	1	1	1	1	1	1	1	1	1	.	.	.	E 912
.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3	E 913
1	.	.	.	1	.	1	1	1	1	.	.	.	.	.	.	.	E 914
.	.	.	.	3	.	.	1	1	1	1	3	1	2	2	3	4	E 916
1	.	1	.	.	1	.	1	1	1	1	1	2	2	2	1	2	E 917

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT						
		All Ages	Under 1	1	2	3	4	Total under 5
E 919	Accident caused by firearm ... ... {M. F.	11 1	.	.	.	.	.	.
E 921	Inhalation and ingestion of food causing obstruction or suffocation {M. F.	9 6	7 4	.	1	.	.	8 4
E 922	Inhalation and ingestion of other object causing obstruction or suffocation {M. F.	2 2	2 2	.	.	.	.	2 2
E 923	Foreign body entering other orifice ... {M. F.	1 2	1	.	.	.	.	1
E 924	Accidental mechanical suffocation in bed and cradle {M. F.	12 8	11 8	.	.	.	.	11 8
E 925	Accidental mechanical suffocation in other and unspecified circumstances {M. F.	4	2	.	.	.	.	2
E 926	Lack of care of infants under 1 year of age ... {M. F.	8 6	8 6	.	.	.	.	8 6
E 928	Other accidents caused by animals ... {M. F.	6 1	.	.	2	.	.	2
E 929	Accidental drowning and submersion ... {M. F.	94 27	.	1	1	2 1	1	5 1
E 932	Excessive cold ... ... {M. F.	4 1	.	1	.	.	.	1
E 933	Hunger, thirst, and exposure ... ... {M. F.	2 2	1	.	.	.	.	1 1
E 936	Other and unspecified accidents ... ... {M. F.	23 15	.	.	1 1	1	.	2 1
E 953	Therapeutic misadventure in administration of drugs or biologicals {M. F.	.	.	.	.	.	.	.
E 965	Late effects of injuries due to war operations {M. F.	2	.	.	.	.	.	.
E 970	Suicide and self-inflicted poisoning by analgesic and soporific substances {M. F.	1	.	.	.	.	.	.
E 971	Suicide and self-inflicted poisoning by other solid and liquid substances {M. F.	2 3	.	.	.	.	.	.
E 973	Suicide and self-inflicted poisoning by other gases {M. F.	2 1	.	.	.	.	.	.
E 974	Suicide and self-inflicted injury by hanging and strangulation {M. F.	26 3	.	.	.	.	.	.
E 975	Suicide and self-inflicted injury by submersion (drowning) {M. F.	11 7	.	.	.	.	.	.
E 976	Suicide and self-inflicted injury by firearms and explosives {M. F.	8	.	.	.	.	.	.
E 977	Suicide and self-inflicted injury by cutting and piercing instruments {M. F.	10 2	.	.	.	.	.	.
E 978	Suicide and self-inflicted injury by jumping from high place {M. F.	1	.	.	.	.	.	.
E 981	Assault by firearm and explosive ... {M. F.	.	.	.	.	.	.	.
E 983	Assault by other means ... {M. F.	5 1	2	.	.	.	.	2
E 991	Injury due to war operations by gunshot ... {M. F.	2	.	.	.	.	.	.
E 995	Injury due to war operations by explosion of artillery shell {M. F.	1	.	.	.	.	.	.
E 998	Injury due to war operations by other and unspecified means {M. F.	1	.	.	.	.	.	.
E 999	Injury due to war operations but occurring after cessation of hostilities {M. F.	1	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																		Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
.	3	1	.	.	3	.	.	2	.	1	1	1	.	.	.	.	E 919	
.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	E 921		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 922		
.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E 923		
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E 924		
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	E 925		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 926		
.	1	.	2	.	.	.	.	.	.	.	1	.	.	.	1	E 928		
3 2	3 1	11	6	5	8 4	7	4 4	5	5 2	4 5	6 3	6 1	5 1	3 1	1	E 929		
1	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	E 932		
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 933		
1 1	3	.	4	.	1 1	1	.	2	2	.	1	3 5	1	1 3	1 3	E 936		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 953		
.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	E 965		
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 970		
.	1	.	1	.	1 1	.	.	.	1	.	.	.	.	.	.	E 971		
.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	E 973		
.	1	1	.	1	3	2	4	3	3	3 1	4 1	2	.	.	.	E 974		
.	2	.	1	1 2	1	.	2	3	1	2 1	1	1	.	.	.	E 975		
.	1	1	2	.	.	1	.	1	.	.	1	1	1	1	2	E 976		
.	.	.	1	1	1	.	3	2	1	1	1	1	.	2	.	E 977		
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 978		
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 981		
.	.	.	.	.	.	.	.	.	.	2 1	.	1	.	.	.	E 983		
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	E 991		
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 995		
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 998		
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 999		

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
N 800-	N. XVII. Alternative Classification of Acci- ents, Poisonings, and Violence (Nature of Injury)	631	35	11	13	8	7	74	25
N 999		365	23	3	5	7	3	41	16
N 800	Fracture of vault of skull	... ...{M. F.	7 2	...	...	...	...	...	...
N 801	Fracture of base of skull	... ...{M. F.	24 4	...	...	1	...	1 1	1 2
N 803	Other and unqualified skull fractures	... ...{M. F.	101 26	1	2	1	2	1 1	6 4
N 804	Multiple fractures involving skull or face with other bones	... ...{M. F.	2	...	...	...	1	...	1
N 805	Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion	... ...{M. F.	18	...	...	...	...	...	1
N 806	Fracture and fracture dislocation of vertebral column with spinal cord lesion	... ...{M. F.	9	...	...	...	...	...	...
N 807	Fracture of rib(s) and sternum	... ...{M. F.	4	...	...	...	...	...	...
N 808	Fracture of pelvis	... ...{M. F.	7 1	...	...	...	...	...	2
N 809	Multiple and ill-defined fractures of trunk	... ...{M. F.	3	...	...	...	...	...	...
N 811	Fracture of scapula	... ...{M. F.	1	...	...	...	...	...	...
N 812	Fracture of humerus	... ...{M. F.	1 3	...	...	...	...	...	...
N 813	Fracture of radius and ulna	... ...{M. F.	1	...	...	...	...	...	...
N 814	Fracture of carpal bone(s)	... ...{M. F.	1	...	...	...	...	...	...
N 815	Fracture of metacarpal bone(s)	... ...{M. F.	1	...	...	...	...	...	...
N 819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	... ...{M. F.	1	...	...	...	...	...	...
N 820	Fracture of neck of femur	... ...{M. F.	15 72	...	...	...	...	...	...
N 821	Fracture of other and unspecified parts of femur	... ...{M. F.	25 70	...	...	...	...	...	...
N 823	Fracture of tibia and fibula	... ...{M. F.	1 4	...	...	...	...	...	...
N 824	Fracture of ankle	... ...{M. F.	1 1	...	...	...	...	...	...
N 825	Fracture of one or more tarsal and metatarsal bones	... ...{M. F.	1	...	...	...	...	...	...
N 827	Other, multiple, and ill-defined fractures of lower limb	... ...{M. F.	1	...	...	...	...	...	...
N 828	Multiple fractures, involving both lower limbs, lower with upper limb(s) with rib(s) and sternum	... ...{M. F.	2	...	...	...	...	...	...
N 829	Fracture of unspecified bones	... ...{M. F.	1	...	...	...	...	...	...
N 830	Dislocation of jaw	... ...{M. F.	1	...	...	...	1	...	1
N 839	Other, multiple, and ill-defined dislocations	... ...{M. F.	11	...	...	...	...	...	...
N 850	Open wound of scalp	... ...{M. F.	1 2	...	...	...	...	...	...
N 851	Contusion and haematoma of scalp	... ...{M. F.	1 1	...	...	...	...	...	1
N 852	Concussion	... ...{M. F.	2 1	...	...	...	...	...	...
N 853	Cerebral laceration and contusion	... ...{M. F.	19 5	...	...	...	...	...	1 1

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																	Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
10 8	24 15	31 4	44 7	30 8	46 12	29 3	38 8	37 5	26 8	45 23	52 21	47 45	32 47	28 57	15 38	N 800-N 999	
.	.	.	2	3	.	1	.	.	.	.	.	1	.	.	.	N 800	
.	1	1	6	1	1	1	3	2	.	1	3	1	1	.	.	N 801	
1 1	5 3	4 3	18 1	4 1	9 1	2	2	5 2	8 1	10 1	8	5 3	4	3	1	N 803	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	N 804	
.	.	.	2	.	1	1	1	3	.	1	4	3	1	.	.	N 805	
.	1	.	.	.	1	1	.	2	.	4	.	.	.	.	.	N 806	
.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.	N 807	
.	.	.	.	.	1	.	1	.	.	.	.	.	1	1	1	N 808	
.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	N 809	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N 811	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	N 812	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N 813	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N 814	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N 815	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	N 819	
.	.	.	.	.	.	1	.	.	.	.	4	2	3	2	5	N 820	
.	.	.	.	1	.	.	.	.	.	1	1	6	4	6	3	N 821	
.	.	.	.	.	.	.	.	.	.	2	1	3	8	25	14	N 823	
.	.	.	.	1	.	.	.	.	.	.	2	1	1	1	1	N 824	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 825	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 827	
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	N 828	
.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	N 829	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 830	
.	.	.	.	1	4	.	.	1	1	3	1	.	.	.	.	N 839	
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	N 850	
.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	N 851	
.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	N 852	
.	2	4	.	1	1	1	2	2	.	1	1	2	2	.	.	N 853	

TABLE 19 (contd.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTER

Detailed International List No.	CAUSES OF DEATH	AGE AT							
		All Ages	Under 1	1	2	3	4	Total under 5	5-9
N 854	Subarachnoid, subdural, and extra-dural haemorrhage following injury (without mention of cerebral laceration or contusion) {M. F.	4 5	.	.	.	.	.	.	.
N 855	Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion) {M. F.	16 7	.	.	.	.	1	.	1
N 856	Head injury of other and unspecified nature {M. F.	15 3	.	.	.	.	1	.	1
N 861	Injury to heart and lung ... {M. F.	8 1	.	.	.	.	1	1	1
N 862	Injury to other and unspecified intrathoracic organs {M. F.	2	.	.	.	.	.	.	.
N 863	Injury to gastro-intestinal tract ... {M. F.	5 1	.	.	.	1	.	1	.
N 864	Injury to liver ... ... {M. F.	3	.	.	.	.	.	.	.
N 865	Injury to spleen ... ... {M. F.	4 1	.	.	.	.	.	.	.
N 866	Injury to kidney ... ... {M. F.	2	.	.	.	1	.	1	.
N 867	Injury to pelvic organs ... ... {M. F.	1	.	.	.	.	.	.	.
N 868	Injury to other and unspecified intra-abdominal organs {M. F.	3	.	.	.	1	.	1	.
N 869	Internal injury unspecified or involving intra-thoracic with intra-abdominal organs {M. F.	10 4	.	.	.	1	1	2	.
N 873	Other and unspecified laceration of face ... {M. F.	1 1	.	.	.	.	.	.	.
N 874	Open wound of neck ... ... {M. F.	10 2	.	.	.	.	.	.	.
N 875	Open wound of chest ... ... {M. F.	1	.	.	.	.	.	.	.
N 879	Multiple and unspecified open wounds of face, neck and trunk {M. F.	2 1	.	.	.	.	.	.	.
N 881	Open wound of elbow and forearm, and wrist, not involving tendons {M. F.	3	.	.	.	.	.	.	1
N 885	Multiple and unspecified open wounds of one upper limb {M. F.	1	.	.	.	.	.	.	.
N 890	Open wound of hip and thigh ... ... {M. F.	1	.	.	.	.	.	.	.
N 898	Traumatic amputation of leg ... ... {M. F.	2	.	.	.	.	.	.	1
N 900	Multiple open wounds of both upper limbs ... {M. F.	1	.	.	.	.	.	.	.
N 903	Multiple open wounds of both hands ... {M. F.	1	.	.	.	.	.	.	.
N 905	Multiple open wounds of both head and trunk {M. F.	1 1	.	.	.	.	.	.	.
N 908	Multiple open wounds of unspecified location {M. F.	4	.	.	.	.	.	.	.
N 910	Superficial injury of face and neck ... ... {M. F.	1 4	.	.	.	.	.	.	1
N 916	Superficial injury of hip, thigh, leg, and ankle {M. F.	1	.	.	.	.	.	.	.
N 920	Contusion of face and neck, except eye ... {M. F.	1	.	.	.	.	.	.	.
N 921	Contusion of eye and orbit ... ... {M. F.	1	.	.	.	.	.	.	.
N 922	Contusion of trunk ... ... {M. F.	2	.	.	.	.	.	.	.
N 933	Foreign body in pharynx and larynx ... {M. F.	9 7	8 4	.	.	.	.	8 4	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																		Detailed International List No.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
1 1	1 2	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	N 854	
.	.	1	.	.	1	3 1	2 1	.	2	.	4 1	.	1	1	1	.	N 855	
.	1 1	.	1	2	1	.	1	4	.	1	1 1	1	.	1	1	.	N 856	
1 1	1 1	1	.	1	.	.	1	1	.	1	.	.	.	.	.	N 861		
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	N 862		
1 1	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	N 863		
.	1 1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	N 864		
.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	N 865		
.	.	1 1	1	.	1	.	.	.	1	.	.	.	.	.	.	N 866		
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	N 867		
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	N 868		
.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	N 869		
.	.	.	1	1	1	3	1	1	.	.	1	2	1	.	.	N 873		
.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	N 874		
.	.	.	.	1	1	.	3	1	1	1	1	.	.	2	.	N 875		
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	N 879		
.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	N 881		
.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	N 885		
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	N 890		
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	N 898		
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 900		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 903		
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	N 905		
.	1	.	.	.	.	1	.	.	.	.	1	.	1	.	.	N 908		
1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	N 910		
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 916		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 920		
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	N 921		
.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	N 922		
.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	N 933		



NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

TABLE 20.—DEATHS IN 1951 IN AGGREGATE URBAN DISTRICTS AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

URBAN DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										75 years and over
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes ... ♂♂{M. ♀♀{F.	12,920 6,454	636 458	139 107	69 70	140 120	166 177	294 274	656 466	1,155 880	1,730 1,712	1,481 2,210	
B 1	Tuberculosis of respiratory system ♂♂{M. ♀♀{F.	729 305	424 305	1	3 4	1 7	53 50	56 74	87 60	95 55	90 29	32 21	6 4
B 2	Tuberculosis, other forms ♂♂{M. ♀♀{F.	174 86	88 86	5 9	25 19	17 14	15 19	8 5	11 10	4 4	1 2	2 3	1
B 3	Syphilis and its sequelae ♂♂{M. ♀♀{F.	29 9	20 9	1 3	·	1	·	·	1	6	9 2	· 3	2 1
B 4	Typhoid fever ... ♂♂{M. ♀♀{F.	1 1	·	·	·	·	·	·	·	·	·	·	·
B 5	Cholera ... ♂♂{M. ♀♀{F.	· ·	·	·	·	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms ♂♂{M. ♀♀{F.	1 1	1 1	·	·	·	·	·	1	·	·	·	·
B 7a	Scarlet fever ... ♂♂{M. ♀♀{F.	2 2	·	·	·	1	1	·	·	·	·	·	·
B 7b	Streptococcal sore throat ♂♂{M. ♀♀{F.	3 2	1 2	·	·	·	·	·	1	·	1	·	1
B 8	Diphtheria ... ♂♂{M. ♀♀{F.	3 1	2 1	·	1 1	1	·	·	·	·	·	·	·
B 9	Whooping cough ... ♂♂{M. ♀♀{F.	33 15	18 12	13 5	5 3	·	·	·	·	·	·	·	·
B 10	Meningococcal infections ♂♂{M. ♀♀{F.	13 4	9 4	4 3	3 1	1	·	·	1	·	·	·	·
B 11	Plague ... ♂♂{M. ♀♀{F.	· ·	·	·	·	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis ... ♂♂{M. ♀♀{F.	3 ·	3 ·	·	1	·	·	·	1	1	·	·	·
B 17a	Late effects of acute ♂♂{M. poliomyelitis ♂♂{F.	· ·	·	·	·	·	·	·	·	·	·	·	·
B 17b	Acute infectious encephalitis ♂♂{M. ♀♀{F.	3 ·	3 ·	·	1	1	·	·	1	·	·	·	·
B 17c	Late effects of acute infectious encephalitis ♂♂{M. ♀♀{F.	3 ·	3 ·	·	·	·	·	·	1	1	1	·	·
B 13	Smallpox ... ♂♂{M. ♀♀{F.	· ·	·	·	·	·	·	·	·	·	·	·	·
B 14	Measles ... ♂♂{M. ♀♀{F.	19 6	13 6	3 2	9 3	1 1	·	·	·	·	·	·	·
B 15	Typhus and other rickettsial diseases ♂♂{M. ♀♀{F.	· ·	·	·	·	·	·	·	·	·	·	·	·
B 16	Malaria ... ♂♂{M. ♀♀{F.	2 ·	2 ·	·	·	·	·	·	·	·	·	2	·
B 17d	All other diseases classified as infective and parasitic ♂♂{M. ♀♀{F.	33 16	17 6	1 3	3 1	1 1	3 1	1 1	3 1	2 1	1 1	3 1	1
B 18a	Malignant neoplasms ... ♂♂{M. ♀♀{F.	1,517 748	769 748	· 1	3 2	3 2	2 2	12 11	34 55	131 115	181 174	253 238	150 150
B 18b	Neoplasms of lymphatic and haemopoietic tissues ♂♂{M. ♀♀{F.	71 20	51 20	1 1	3 1	5 1	6 2	3 3	5 1	9 5	8 3	9 3	2 1
B 19	Benign and unspecified neoplasms ♂♂{M. ♀♀{F.	49 26	23 26	1 2	1 1	· 1	1 1	2 1	1 1	8 7	5 1	3 2	1 4
B 20	Diabetes mellitus ... ♂♂{M. ♀♀{F.	67 44	23 44	· ·	· ·	· ·	· ·	1 1	1 1	3 3	3 5	9 11	5 10

TABLE 20 (*contd.*)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

## URBAN DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 21	Anaemias ... {M. F.	96	32 64	1	2 2	.	.	.	1 1 3	3 6	10 9	10 31	5 12
B 22	Vascular lesions affecting central nervous system {M. F.	986	409 577	3	2	1	3 1	4 6 14	6 43	38 107	71 107	150 186	131 219
B 23	Nonmeningococcal meningitis {M. F.	32	19 13	7 3	5 5	3 2	2	1	.	.	1 1	.	.
B 24	Rheumatic fever ... {M. F.	36	18 23	.	.	1 5	3 3	2 4	1 2	1 1	1 3	4 3	1 2
B 25	Chronic rheumatic heart disease {M. F.	142	52 90	.	.	2 2	1 4	2 9	3 15	6 16	13 13	14 14	11 17
B 26	Arteriosclerotic and degenerative heart disease {M. F.	3,093	1,524 1,569	.	.	1 4	2 5	8 11	36 21	124 71	295 194	579 495	479 767
B 27	Other diseases of the heart {M. F.	432	193 239	1	1 2	2	2 2	7 1	6 6	15 20	48 34	61 96	52 74
B 28	Hypertension with heart disease {M. F.	250	120 130	.	.	.	.	.	1 2	10 3	31 6	45 15	33 52
B 29	Hypertension without mention of heart {M. F.	177	65 112	.	1	.	.	1	1 1	11 10	18 34	24 28	10 37
B 46a	Other circulatory diseases {M. F.	180	76 104	.	.	.	.	.	1 2	7 5	15 6	17 28	36 61
B 30	Influenza ... {M. F.	486	190 296	2	3	1	1	1	2 1	4 6	15 9	36 34	57 97
B 31	Pneumonia ... {M. F.	482	247 235	76	16	1	3 3	1	3 4	20 7	34 17	57 54	36 67
B 32	Bronchitis ... {M. F.	629	357 272	7	4 2	1	.	.	3 4	1 9	34 7	83 42	125 97
B 46b	Other respiratory diseases {M. F.	139	78 61	12	2	2	1	1	1 1	4 2	7 3	20 6	17 17
B 36a	Gastritis and duodenitis {M. F.	7	4 3	2	.	.	.	.	.	1	.	.	1 2
B 33	Ulcer of stomach and duodenum {M. F.	84	61 23	.	.	.	.	1	2 3	9 3	12 3	22 3	11 8
B 34	Appendicitis ... {M. F.	16	13 3	.	3	1	.	.	1	1	3 1	2 1	2 2
B 35	Intestinal obstruction and hernia {M. F.	84	41 43	2	1	2	4 2	1	5 3	1 2	5 10	15 12	5 9
B 36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years {M. F.	44	29 15	26	3	.	.	.	.	.	.	.	.
B 36c	Gastro enteritis and colitis except ulcerative, aged 2 years and over {M. F.	23	12 11	.	3 2	1	.	.	1	2	2	2	2
B 36d	Chronic enteritis and ulcerative colitis {M. F.	17	9 8	.	.	.	.	1	1 1	2 2	2 1	3 1	2 2
B 37	Cirrhosis of liver ... {M. F.	28	18 10	.	.	.	.	.	2 1	3 1	6 2	5 3	2 2
B 46c	Other diseases of the liver, gallbladder and pancreas {M. F.	52	19 33	.	1	.	.	1	.	2	2	4 14	7 8
B 46d	Other digestive diseases {M. F.	49	27 22	4	3	1	1	1	1 1	5 1	3 4	4 4	4 4
B 38	Nephritis and nephrosis {M. F.	193	98 95	.	1	.	2	8 4	7 7	20 15	15 15	24 24	21 27
B 39	Hyperplasia of prostate M.	62	62	.	.	.	.	.	.	.	6	25	31

TABLE 20 (contd.)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

URBAN DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										75 years and over
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
B 40a	Complications of pregnancy and childbirth F.	15	15	.	.	.	3	6	6	.	.	.	.
B 40b	Puerperal sepsis ... F.	1	1	.	.	.	.	.	1	.	.	.	.
B 40c	Other complications of the puerperium	3	3	.	.	.	1	2	.	.	.	.	.
B 41	Congenital malformations {M. F.	157	85 72	73 60	3 4	2 1	2 4	2	2 3	1	.	.	.
B 42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	174	105 69	105 69	.	.	.	.	.	.	.	.	.
B 43a	Diarrhoea of newborn ... {M. F.	15	9 6	9 6	.	.	.	.	.	.	.	.	.
B 43b	Pneumonia of newborn {M. F.	38	29 9	29 9	.	.	.	.	.	.	.	.	.
B 43c	Other infections of newborn {M. F.	3	2 1	2 1	.	.	.	.	.	.	.	.	.
B 44	Other diseases peculiar to early infancy and immaturity unqualified {M. F.	351	200 151	200 151	.	.	.	.	.	.	.	.	.
B 45a	Senility without mention of psychosis {M. F.	495	187 308	.	.	.	.	.	.	.	2	19 39	166 269
B 45b	Ill-defined and unknown causes {M. F.	250	146 104	22 16	7 7	5 5	1 1	1 1	3 4	11 10	26 16	44 32	32 23
B 46e	All other diseases ... {M. F.	534	263 271	10 6	6 4	5 2	7 9	14 14	21 8	27 34	61 45	66 46	69
EXTERNAL CAUSES:													
BE 47	Motor vehicle accidents {M. F.	61	51 10	.	3 1	8 4	5 1	5 2	10	5	5	5 1	5 1
BE 48	All other accidents ... {M. F.	223	133 90	13 9	12 2	8 5	14 3	16 2	11 5	10 1	12 8	22 20	15 35
BE 49	Suicide and self-inflicted injury {M. F.	17	14 3	.	.	.	2	.	2 1	7 1	2	1	.
BE 50	Homicide and operations of war {M. F.	9	8 1	1	.	.	.	.	.	.	3 1	3	1

TABLE 20.—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

RURAL DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
	All Causes ... {M. F.	29,462 13,452	16,010 7,89	1,043 186	212 116	143 228	236 309	354 466	517 931	931 721	1,712 1,388	4,105 3,291	6,757 6,028
B 1	Tuberculosis of respiratory system ... {M. F.	983	518 465	2 2	1 5	1 58	112 97	130 108	104 99	81 51	40 38	11 36	7
B 2	Tuberculosis other forms ... {M. F.	276	160 116	15 10	25 17	16 11	28 29	25 18	17 11	14 11	11 5	6 2	3 2
B 3	Syphilis and its sequelae ... {M. F.	19	15 4	·	·	·	1	·	1	4 3	4 ·	5 1	·
B 4	Typhoid fever ... {M. F.	2	1 1	·	1	·	·	·	·	1	·	·	·
B 5	Cholera ... {M. F.	·	·	·	·	·	·	·	·	·	·	·	·
B 6	Dysentery, all forms ... {M. F.	·	·	·	·	·	·	·	·	·	·	·	·
B 7a	Scarlet fever ... {M. F.	8	5 3	1	2	2 3	·	·	·	·	·	·	·
B 7b	Streptococcal sore throat ... {M. F.	5	2 3	1	·	1	·	·	1	·	1	·	1
B 8	Diphtheria ... {M. F.	5	3 2	·	1	1 1	·	1	·	1	·	·	·
B 9	Whooping cough ... {M. F.	75	34 41	26 18	7 22	1 1	·	·	·	·	·	·	·
B 10	Meningococcal infections ... {M. F.	12	4 8	·	1	1 4	·	·	1	1	·	1	·
B 11	Plague ... {M. F.	·	·	·	·	·	·	·	·	·	·	·	·
B 12	Acute poliomyelitis ... {M. F.	12	4 8	·	1	1 1	2 2	1 1	1 1	1 1	·	·	·
B 17a	Late effects of acute poliomyelitis ... {M. F.	2	2	·	·	·	·	·	1	·	1	·	·
B 17b	Acute infectious encephalitis ... {M. F.	8	3 5	1	2	1	·	·	1 2	1 1	·	·	·
B 17c	Late effects of acute infectious encephalitis ... {M. F.	2	2	·	·	·	·	·	1	1	·	·	·
B 13	Smallpox ... {M. F.	·	·	·	·	·	·	·	·	·	·	·	·
B 14	Measles ... {M. F.	13	6 7	·	4	1 2	·	·	1	1	·	·	·
B 15	Typhus and other rickettsial diseases ... {M. F.	·	·	·	·	·	·	·	·	·	·	·	·
B 16	Malaria ... {M. F.	2	2	·	·	·	·	·	·	·	·	1	1
B 17d	All other diseases classified as infective and parasitic ... {M. F.	66	36 30	4 3	3 3	2 4	1 2	3 3	4 2	3 2	4 2	8 8	4 1
B 18a	Malignant neoplasms ... {M. F.	2,723	1,527 1,196	·	5 3	4 1	6 6	20 17	61 57	144 166	314 292	581 382	392 272
B 18b	Neoplasms of lymphatic and haematopoietic tissues ... {M. F.	113	78 35	·	7 1	3 5	5 4	8 2	5 4	11 2	22 5	13 8	4 4
B 19	Benign and unspecified neoplasms ... {M. F.	71	35 36	·	1	4 1	3 3	2 2	2 2	8 6	5 11	5 4	3 6
B 20	Diabetes mellitus ... {M. F.	181	91 90	·	·	3 2	2 2	6 1	3 6	14 9	9 13	28 38	26 21

TABLE 20 (contd.)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

RURAL DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 21	Anaemias ... {M. F.	196	85 111	3	1	2	1	1	9	6	17	30	18
B 22	Vascular lesions affecting {M. central nervous system {F.	2,039	951 1,088	4 1	1	1	3 2	2 10	21 15	49 71	128 181	332 365	412 441
B 23	Nonmeningococcal meningitis {M. F.	60	36 24	12 3	10	4	7	1	1	1	.	.	.
B 24	Rheumatic fever ... {M. F.	45	23 22	.	1	3	1	4	5	3	5	5	.
B 25	Chronic rheumatic heart disease {M. F.	265	137 128	1	.	3	3	4	12	15	17	44	41
B 26	Arteriosclerotic and degenerative heart disease {M. F.	6,251	3,585 2,666	1	.	4 3	4 5	20 13	62 38	172 111	420 276	1,216 873	1,686 1,347
B 27	Other diseases of the heart {M. F.	934	504 430	1	2	1	3	10	9	24	64	186	204
B 28	Hypertension with heart disease {M. F.	252	131 121	.	.	.	.	.	.	1	5	20	47
B 29	Hypertension without mention of heart {M. F.	295	147 148	.	.	.	.	1	2	2	17	23	46
B 46a	Other circulatory diseases {M. F.	477	269 208	.	1	1	4	2	2	8	21	77	153
B 30	Influenza ... {M. F.	1,913	917 996	21 19	4 6	8	8	6	14	39	96	268	453
B 31	Pneumonia ... {M. F.	939	492 447	123 94	38 35	12 7	6	7	10	25	46	100	125
B 32	Bronchitis ... {M. F.	823	459 364	19 8	7 5	2	5 1	4	5	23	54	139	202
B 46b	Other respiratory diseases {M. F.	238	140 98	12 7	3 1	3	3	4	9	13	15	38	40
B 36a	Gastritis and duodenitis {M. F.	38	21 17	8 2	2	.	.	.	.	1	1	4	5
B 33	Ulcer of stomach and duodenum {M. F.	195	150 45	.	.	.	.	4	7	26	22	37	27
B 34	Appendicitis ... {M. F.	49	23 21	.	5 1	2	5	2	4	4	1	3	2
B 35	Intestinal obstruction {M. and hernia {F.	142	87 55	6 4	1 2	2	2	1	5	3	12	27	28
B 36b	Gastro enteritis and colitis except ulcerative, aged 4 weeks and under 2 years {M. F.	108	59 49	56 43	3 6	.	.	.	.	.	.	.	.
B 36c	Gastro enteritis and colitis except ulcerative aged 2 years and over {M. F.	35	15 20	.	2 5	1	1	1	1	3	2	3	6
B 36d	Chronic enteritis and ulcerative colitis {M. F.	17	8 9	.	.	.	.	.	2	2	2	2	2
B 37	Cirrhosis of liver ... {M. F.	31	22 9	.	.	.	.	.	1	1	2	4	5
B 46c	Other diseases of the liver, gallbladder and pancreas {M. F.	65	24 41	1	1	1	1	2	1	1	1	5	8
B 46d	Other digestive diseases {M. F.	89	61 28	10 7	3	2	2	2	1	10	9	13	13
B 38	Nephritis and nephrosis {M. F.	459	262 197	1	1	4	10	9	14	26	39	77	81
B 39	Hypérplasia of prostate M.	220	220	.	.	.	.	.	.	2	16	71	131

TABLE 20 (*contd.*)—DEATHS IN 1951, IN AGGREGATE URBAN DISTRICTS, AND IN AGGREGATE RURAL DISTRICTS, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SEX AND AGE.

RURAL DISTRICTS.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT DEATH										
			All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
B 40a	Complications of pregnancy and childbirth	F. 69	69	.	.	.	3	19	45	2	.	.	.
B 40b	Puerperal sepsis	... F.	.	.	.	.	.	.	.	.	.	.	.
B 40c	Other complications of the puerperium	F. 15	15	.	.	.	2	4	8	1	.	.	.
B 41	Congenital malformations	{M. F. 286	152 134	119 116	13 6	8 4	3 4	1 1	2 1	2	2	1	3
B 42	Birth injuries, postnatal asphyxia and atelectasis	{M. F. 194	115 79	115 79	.	.	.	.	.	.	.	.	.
B 43a	Diarrhoea of newborn	{M. F. 13	10 3	10 3	.	.	.	.	.	.	.	.	.
B 43b	Pneumonia of newborn	{M. F. 38	25 13	25 13	.	.	.	.	.	.	.	.	.
B 43c	Other infections of newborn	{M. F. 3	2 1	2 1	.	.	.	.	.	.	.	.	.
B 44	Other diseases peculiar to early infancy and immaturity unqualified	{M. F. 594	354 240	354 240	.	.	.	.	.	.	.	.	.
B 45a	Senility without mention of psychosis	{M. F. 4,487	2,225 2,262	.	.	.	.	.	.	.	2	186 198	2,037 2,061
B 45b	Ill-defined and unknown causes	{M. F. 885	522 363	50 25	11 16	6 5	2 2	2 4	9 5	17 18	56 38	154 102	215 148
B 46e	All other diseases	... {M. F. 1,439	821 618	23 14	26 12	19 13	20 13	26 25	35 41	87 65	110 74	228 186	247 175
EXTERNAL CAUSES:													
BE 47	Motor vehicle accidents	{M. F. 110	84 26	.	7 2	5 4	9 8	16 1	11 2	12 3	9 2	9 3	6 1
BE 48	All other accidents	... {M. F. 511	290 221	20 14	17 13	14 11	24 3	32 5	34 7	26 7	29 15	49 41	45 105
BE 49	Suicide and self-inflicted injury	{M. F. 60	47 13	.	.	.	1 3	5 4	7 1	13 1	9 4	9 1	3 .
BE 50	Homicide and operations of war	{M. F. 5	4 1	1	.	.	1	.	.	.	2	1	.

TABLE 21.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED  
NUMBER OF UNCERTIFIED DEATHS FOR

NOTE.—*The Classification of Cause of Death in this Table is based on the International List, 1948. In  
is shown in the Table  
IRE*

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	42,382	2,660 2,120	718 709	5,536 4,086	13,562 12,991	2,579 2,591
B.1	Tuberculosis of respiratory system ... { M. F.	1,712	335 275	87 89	213 168	307 238	6 7
B.2	Tuberculosis, other forms ... ... { M. F.	450	69 70	10 8	127 93	42 31	2 2
B.3	Syphilis and its sequelae ... ... { M. F.	48	5 3	7 2	11 5	12 3	·
B.4	Typhoid fever ... ... ... { M. F.	3	·	·	1 2	·	·
B.6	Dysentery, all forms ... ... { M. F.	1	1	·	·	·	·
B.7a	Scarlet fever ... ... ... { M. F.	10	1	·	1 2	3 3	·
B.7b	Streptococcal sore throat ... { M. F.	8	1 1	1	1 2	2	·
B.8	Diphtheria ... ... ... { M. F.	8	·	·	4 2	1 1	·
B.9	Whooping cough ... ... ... { M. F.	108	5 6	·	16 9	31 41	1 5
B.10	Meningococcal infections ... ... { M. F.	25	6 6	·	6 4	1 2	·
B.12	Acute poliomyelitis ... ... ... { M. F.	15	3 3	·	3 4	1 1	1
B.17a	Late effects of acute poliomyelitis ... { M. F.	2	·	·	·	2	·
B.17b	Acute infectious encephalitis ... { M. F.	11	1	2	2	1 3	·
B.17c	Late effects of acute infectious encephalitis ... ... { M. F.	5	·	3	·	2	·
B.14	Measles ... ... ... { M. F.	32	8 5	·	5 5	6 3	·
B.16	Malaria ... ... ... { M. F.	4	·	·	·	4	·
B.17d	All other diseases classified as infective and parasitic ... ... { M. F.	99	14 15	1 1	24 17	14 13	·
B.18a	Malignant neoplasms ... ... ... { M. F.	4,240	431 359	36 31	698 455	1,131 1,099	22 22
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... ... { M. F.	184	55 18	· 1	25 16	49 20	1
B.19	Benign and unspecified neoplasms ... { M. F.	120	26 19	· 5	12 15	20 23	1
B.20	Diabetes mellitus ... ... ... { M. F.	248	14 21	3 2	35 43	62 68	7 2
B.21	Anaemias ... ... ... { M. F.	292	18 8	6 7	47 56	46 104	2 4
B.22	Vascular lesions affecting central nervous system ... { M. F.	3,025	128 138	45 48	345 320	842 1,159	58 80

LIST) AND BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE; AND (iii) THE EACH COUNTY AND COUNTY BOROUGH.

*counties where there are no deaths from particular causes those causes are not listed. The full list of causes relating to the whole country.*

**LAND.**

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
22,476 19,906	1,679 1,197	351 293	212 186	376 348	520 486	811 740	1,587 1,187	2,867 2,228	5,835 5,003	8,238 8,238	
942 770	3 3	4 4	2 12	111 147	168 204	195 159	199 106	171 67	72 57	17 11	B.1
248 202	20 19	50 36	33 25	43 48	33 23	28 21	18 15	12 7	8 5	3 3	B.2
35 13	1 3	· ·	1 ·	1 ·	· ·	2 ·	10 3	13 2	5 4	2 1	B.3
1 2	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· 1	· ·	B.4
1	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	B.6
5 5	1 ·	2 ·	2 4	· 1	· ·	· ·	· ·	· ·	· ·	· ·	B.7a
3 5	· 1	· ·	· 1	· ·	· ·	1 ·	1 ·	1 ·	1 ·	2 ·	B.7b
5 3	· ·	1 2	2 1	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	B.8
52 56	39 30	12 25	1 ·	1 1	· ·	· ·	· ·	· ·	· ·	· ·	B.9
13 12	4 3	4 7	1 1	1 ·	1 ·	2 ·	2 ·	· 1	· 1	· ·	B.10
7 8	· ·	1 1	1 1	2 2	2 1	2 1	1 ·	1 ·	· ·	· ·	B.12
2	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	B.17a
3 8	1 ·	· 3	· 2	· ·	· ·	· 3	1 ·	1 ·	· ·	· ·	B.17b
5	· ·	· ·	· ·	· ·	· ·	· 2	2 ·	2 ·	1 ·	· ·	B.17c
19 13	3 6	13 4	3 1	· ·	· ·	· 1	· 1	· 1	· ·	· ·	B.14
4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	3 ·	1 ·	B.16
53 46	5 9	6 6	3 5	4 3	3 4	7 3	5 3	5 3	11 8	4 2	B.17d
2,296 1,944	· ·	8 4	7 3	8 3	32 28	95 112	275 281	495 466	834 620	542 422	B.18a
129 55	1 ·	10 2	8 6	11 6	11 5	10 5	20 7	30 8	22 11	6 5	B.18b
58 62	1 ·	2 3	4 2	3 3	7 3	3 9	16 7	10 13	8 12	4 10	B.19
114 134	· ·	· ·	3 2	3 2	7 1	4 9	17 14	12 21	37 34	31 29	B.20
117 175	· 4	3 2	2 1	1 ·	2 3	10 10	9 21	27 34	40 71	23 29	B.21
1,360 1,065	7 1	2 1	1 2	6 3	6 16	27 29	87 114	199 288	482 551	543 660	B.22

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
IRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.23	Nonmeningococcal meningitis ... {M. F.	92	16 10	1	28 18	11 8	1 1
B.24	Rheumatic fever ... ... {M. F.	81	5 11	.	7 9	24 25	.
B.25	Chronic rheumatic heart disease ... {M. F.	407	16 38	2 4	45 46	126 130	3
B.26	Arteriosclerotic and degenerative heart disease {M. F.	9,344	258 172	248 265	1,131 894	3,472 2,904	172 121
B.27	Other diseases of the heart ... ... {M. F.	1,366	60 56	12 19	171 164	454 430	91 79
B.28	Hypertension with heart disease ... {M. F.	502	14 21	12 3	90 72	135 155	2 3
B.29	Hypertension without mention of heart {M. F.	472	26 34	5 6	52 46	129 174	5 7
B.46a	Other circulatory diseases ... ... {M. F.	657	31 26	12 20	125 78	177 188	3 6
B.30	Influenza ... ... {M. F.	2,399	20 22	23 25	197 195	867 1,050	133 185
B.31	Pneumonia ... ... {M. F.	1,421	78 68	21 22	230 163	410 429	18 21
B.32	Bronchitis ... ... {M. F.	1,452	35 24	23 14	186 84	572 514	37 42
B.46b	Other respiratory diseases ... ... {M. F.	377	40 24	4 1	69 32	105 102	1
B.36a	Gastritis and duodenitis ... ... {M. F.	45	.	.	8 3	17 17	1
B.33	Ulcer of stomach and duodenum ... {M. F.	279	55 13	1 3	92 12	63 40	4 2
B.34	Appendicitis ... ... {M. F.	65	16 5	.	23 15	2 3	1
B.35	Intestinal obstruction and hernia ... {M. F.	226	40 25	1 2	54 41	33 30	2 1
B.36b	Gastro enteritis and colitis except {M. ulcerative, aged 4 weeks and under F. 2 years	152	17 8	.	22 23	49 33	4 5
B.36c	Gastro enteritis and colitis except {M. ulcerative, aged 2 years and over F.	58	3 6	.	13 9	11 16	3
B.36d	Chronic enteritis and ulcerative colitis {M. F.	34	9 10	.	6 2	2 5	.
B.37	Cirrhosis of liver ... ... {M. F.	59	9 7	1	11 3	19 9	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	117	15 27	1	12 15	15 31	.
B.46d	Other digestive diseases ... ... {M. F.	138	34 14	2	26 11	28 23	3 1
B.38	Nephritis and nephrosis ... ... {M. F.	652	49 42	5 1	122 78	184 171	10 8
B.39	Hyperplasia of prostate ... M.	282	56	2	116	108	5
B.40a	Complications of pregnancy and child- birth F.	84	20	.	36	28	.
B.40b	Puerperal sepsis ... ... F.	1	1	.	.	.	.
B.40c	Other complications of the puerperium F.	18	2	1	11	4	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## LAND.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
55	19	15	7	9	2	1	1	1	2	.	B.23
37	6	14	5	6	1	2	.	1	1	.	
36	.	1	4	3	6	6	.	6	9	1	B.24
45	.	1	11	4	5	5	4	6	7	2	
189	1	.	2	4	6	15	21	30	58	52	B.25
218	.	.	5	7	21	25	27	36	49	48	
5,109	1	.	5	6	28	98	296	715	1,795	2,165	B.26
4,235	1	.	7	10	24	59	182	470	1,368	2,114	
697	2	3	1	5	17	15	39	112	247	256	B.27
669	2	4	3	4	7	18	47	93	226	265	
251	.	.	.	.	.	1	15	51	92	92	B.28
261	.	.	.	.	2	4	15	28	104	98	
212	.	1	.	1	2	3	28	41	70	66	B.29
260	.	.	.	1	2	9	22	66	79	81	
345	.	1	1	4	2	3	15	36	94	189	B.46a
312	.	.	.	.	3	9	14	19	93	174	
1,107	23	7	9	9	8	18	54	132	325	522	B.30
1,292	23	9	5	8	7	28	31	126	389	666	
739	199	54	13	9	8	13	45	80	157	161	B.31
682	144	63	7	5	12	14	18	55	158	206	
816	26	11	1	5	7	6	57	137	264	302	B.32
636	10	7	3	1	6	17	26	75	207	284	
218	24	5	5	4	5	13	20	35	55	52	B.46b
159	18	2	3	1	1	6	7	13	43	65	
25	10	2	.	.	.	1	1	1	5	5	B.36a
20	3	2	.	.	.	.	.	1	5	9	
211	.	.	.	5	9	35	34	49	48	31	B.33
68	.	.	.	.	5	5	10	9	26	18	
41	1	8	3	5	3	5	4	4	5	4	B.34
24	.	1	5	3	1	.	5	3	2	3	
128	8	2	4	6	2	10	4	17	42	33	B.35
98	9	2	3	3	2	4	4	17	28	26	
88	82	6	.	.	.	.	.	.	.	.	B.36b
64	57	7	.	.	.	.	.	.	.	.	
27	.	5	2	1	1	.	2	5	4	8	B.36c
31	.	7	4	1	.	.	2	5	1	3	
17	.	.	.	1	.	1	3	4	2	2	B.36d
17	.	.	.	1	.	1	4	3	3	4	
40	.	.	.	.	.	2	2	5	10	7	B.37
19	.	.	.	.	.	2	2	4	4	4	
43	1	2	1	1	2	1	3	9	12	12	B.46c
74	.	1	.	1	1	4	6	25	17	19	
88	14	3	2	3	3	5	13	13	15	17	B.46d
50	9	4	1	1	1	2	2	11	12	7	
360	1	2	4	12	17	21	46	54	101	102	B.38
292	2	1	3	7	8	24	35	46	90	76	
282	.	.	.	.	.	.	2	22	96	162	B.39
84	.	.	.	6	25	51	2	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40b
18	.	.	.	3	6	8	1	.	.	.	B.40c

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY IRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.41	Congenital malformations ... ... { M. F.	443	65 65	2	71 54	99 87	10 4
B.42	Birth injuries, postnatal asphyxia and atelectasis { M. F.	368	115 84	.	76 39	29 25	4 1
B.43a	Diarrhoea of newborn ... ... { M. F.	28	9 4	.	4 3	6 2	.
B.43b	Pneumonia of newborn ... ... { M. F.	76	23 13	.	13 3	18 6	2 1
B.43c	Other infections of newborn ... ... { M. F.	6	2 2	.	1	1	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified { M. F.	945	144 111	.	227 139	183 141	39 25
B.45a	Senility without mention of psychosis { M. F.	4,982	11 16	45 58	258 209	2,093 2,287	1,503 1,615
B.45b	Ill-defined and unknown causes ... ... { M. F.	1,135	62 31	8 3	64 37	534 396	336 255
B.46e	All other diseases ... ... { M. F.	1,973	97 89	83 55	268 209	636 536	82 71
 <b>EXTERNAL CAUSES:</b>							
BE.47	Motor vehicle accidents ... ... { M. F.	171	45 13	.	37 8	53 15	1
BE.48	All other accidents ... ... { M. F.	734	62 56	7 5	101 104	253 146	4 9
BE.49	Suicide and self-inflicted injury ... ... { M. F.	77	3 1	1 1	2 1	55 13	.
BE.50	Homicide and operations of war ... ... { M. F.	14	1	.	2	9 2	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

LAND.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
237 206	192 176	16 10	10 5	5 8	3 1	4 4	1 2	2	1	3	B.41
220 148	220 148	.	.	.	.	.	.	.	.	.	B.42
19 9	19 9	.	.	.	.	.	.	.	.	.	B.43a
54 22	54 22	.	.	.	.	.	.	.	.	.	B.43b
4 2	4 2	.	.	.	.	.	.	.	.	.	B.43c
554 391	554 391	.	.	.	.	.	.	.	.	.	B.44
2,412 2,570	.	.	.	.	.	.	.	4 3	205 237	2,203 2,330	B.45a
668 467	72 41	18 23	6 10	3 2	2 5	12 9	28 28	82 54	198 119	247 176	B.45b
1,084 889	33 20	32 16	24 15	27 22	40 39	56 49	114 99	171 119	294 266	293 244	B.46e
135 36	.	10 3	13 8	14 9	21 3	21 2	17 3	14 2	14 4	11 2	BE.47
423 311	33 23	29 15	22 16	38 6	48 7	45 12	36 8	41 23	71 61	60 140	BE.48
61 16	.	.	.	3	5	9	20	11 2	10 4	3 1	BE.49
12 2	2	.	.	.	1	.	.	5 1	4	1	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
LEIN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	17,331	1,774 1,413	286 310	2,209 1,660	4,824 4,855	424 377
B.1	Tuberculosis of respiratory system ... { M. F.	826	204 139	20 23	83 61	163 133	1 2
B.2	Tuberculosis, other forms ... ... { M. F.	196	46 46	4 4	32 31	15 18	1
B.3	Syphilis and its sequelae ... ... { M. F.	36	5 3	5 2	7 4	7 3	·
B.4	Typhoid fever ... ... ... { M. F.	1	·	·	1	·	·
B.6	Dysentery, all forms ... ... { M. F.	1	1	·	·	·	·
B.7a	Scarlet fever ... ... ... { M. F.	1	1	·	·	·	·
B.7b	Streptococcal sore throat ... ... { M. F.	5	1	1	1 1	1	·
B.8	Diphtheria ... ... ... { M. F.	2	·	·	1	1	·
B.9	Whooping cough ... ... ... { M. F.	47	5 6	·	10 4	11 11	·
B.10	Meningococcal infections ... ... { M. F.	11	3 5	·	3	·	·
B.12	Acute poliomyelitis ... ... ... { M. F.	5	8 1	·	1	·	·
B.17b	Acute infectious encephalitis ... { M. F.	6	·	2	2	2	·
B.17c	Late effects of acute infectious encephalitis ... { M. F.	3	·	2	·	1	·
B.14	Measles ... ... ... ... { M. F.	21	6 5	·	4 3	3	1
B.16	Malaria ... ... ... ... { M. F.	3	·	·	·	3	·
B.17d	All other diseases classified as infective and parasitic ... { M. F.	42	6 10	1	9 5	5 6	·
B.18a	Malignant neoplasms ... ... ... { M. F.	1,927	274 237	14 8	276 189	472 457	4 5
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... { M. F.	92	37 12	·	8 8	21 6	1
B.19	Benign and unspecified neoplasms ... { M. F.	58	17 12	·	2 3	10 10	1
B.20	Diabetes mellitus ... ... ... { M. F.	80	5 8	·	11 10	18 28	1 1
B.21	Anaemias ... ... ... { M. F.	106	11 4	2 4	11 26	11 37	·
B.22	Vascular lesions affecting central nervous system ... { M. F.	1,366	89 107	26 20	154 148	321 501	10 11
B.23	Nonmeningococcal meningitis ... { M. F.	39	11 6	·	10 6	2 4	·
B.24	Rheumatic fever ... ... ... { M. F.	43	4 11	·	4 3	9 12	·
B.25	Chronic rheumatic heart disease ... { M. F.	208	9 30	1	21 28	51 68	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
STER.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over	
9,093 8,238	852 816	167 135	86 96	167 147	249 232	389 330	768 532	1,327 1,017	2,396 2,148	2,692 2,985	
470 356	1 2	4 3	1 7	42 63	89 90	97 77	109 55	83 28	37 27	7 4	B.1
97 99	8 7	27 19	11 16	14 22	13 9	16 12	4 7	2 1	1 4	1 2	B.2
24 12	1 3	.	1	1	.	1	7 2	8 2	3 4	2 1	B.3
1	.	.	.	.	.	.	1	.	.	.	B.4
.	.	.	.	.	.	.	.	.	.	.	B.6
1	.	.	.	.	.	1	.	.	.	.	
1	1	.	.	.	.	.	.	.	.	.	B.7a
2 3	.	.	1	.	.	1	.	1	.	1	B.7b
1 1	.	1	1	.	.	.	.	.	.	.	B.8
28 21	20 14	6 7	.	.	.	.	.	.	.	.	B.9
6 5	1 1	3 2	.	1	.	1	.	.	.	.	B.10
3 2	.	1	.	.	2	1	1	.	.	.	B.12
6	.	1	2	.	.	3	.	.	.	.	
3	.	.	.	.	.	1	1	1	.	.	B.17c
13 8	3 5	8 1	2 1	.	.	.	.	.	.	.	B.14
3	.	.	.	.	.	.	.	.	2	1	B.16
21 21	4 7	2 3	.	3 1	2	3 1	1 1	2	5 2	1 2	B.17d
1,036 891	.	3 4	2 1	3 1	14 17	50 53	146 133	229 213	354 293	226 176	B.18a
66 26	.	5 1	5 1	6 5	4 3	5 2	10 4	15 4	13 4	3 2	B.18b
29 29	.	1 2	1 1	2 1	2 1	1 3	10 1	6 6	3 7	3 7	B.19
34 46	.	.	2	.	3	1 2	2 5	6 7	12 18	8 14	B.20
35 71	.	2 1	1 1	1	2	2 6	2	8 14	14 32	7 13	B.21
590 776	5 1	.	1 2	2 1	5 3	10 21	53 48	85 144	213 238	216 312	B.22
23 16	8 3	6 10	2 2	5 1	1	.	.	1	3 4	.	B.23
17 26	.	1	2 4	3	3 2	3 3	3	1 4	3 4	1 2	B.24
81 127	1	.	1 3	2	4 11	6 15	11 18	13 23	24 27	19 27	B.25

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY LEIN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.26	Arteriosclerotic and degenerative heart disease { M. F.	4,164	175 116	120 144	491 416	1,420 1,282	58 35
B.27	Other diseases of the heart ... { M. F.	547	35 39	2 8	78 78	153 154	27 21
B.28	Hypertension with heart disease ... { M. F.	288	13 16	4	66 51	54 84	1 1
B.29	Hypertension without mention of heart { M. F.	205	18 22	2	29 23	48 60	.
B.46a	Other circulatory diseases ... ... { M. F.	312	21 17	7 14	46 30	78 99	2 2
B.30	Influenza ... ... ... { M. F.	702	13 11	10 6	48 59	246 309	18 18
B.31	Pneumonia ... ... ... { M. F.	627	62 55	11 18	94 70	151 166	3 6
B.32	Bronchitis ... ... ... { M. F.	718	23 16	8 6	116 39	263 247	7 6
B.46b	Other respiratory diseases ... ... { M. F.	180	26 19	3 1	21 11	50 49	.
B.36a	Gastritis and duodenitis ... ... { M. F.	6	.	.	1	2 3	.
B.33	Ulcer of stomach and duodenum ... { M. F.	121	30 7	2	35 6	25 16	.
B.34	Appendicitis ... ... ... { M. F.	25	10 4	1	6 3	1	.
B.35	Intestinal obstruction and hernia ... { M. F.	110	30 15	1	19 16	15 14	1
B.36b	Gastro enteritis and colitis except { M. ulcerative, aged 4 weeks and under { F. 2 years	68	13 6	.	13 9	15 12	.
B.36c	Gastro enteritis and colitis except { M. ulcerative, aged 2 years and over { F.	26	3 6	.	5 3	3 6	.
B.36d	Chronic enteritis and ulcerative colitis { M. F.	15	2 6	.	4 1	1 1	.
B.37	Cirrhosis of liver ... ... ... { M. F.	33	6 7	.	5	10 5	.
B.46c	Other diseases of the liver, gallbladder { M. and pancreas F.	58	9 16	1	5 7	6 14	.
B.46d	Other digestive diseases ... ... { M. F.	64	21 11	1	10 4	7 10	.
B.38	Nephritis and nephrosis ... ... { M. F.	270	34 30	3	38 24	71 70	1
B.39	Hyperplasia of prostate ... ... M.	87	20	2	20	36	1
B.40a	Complications of pregnancy and child- birth F.	35	13	.	10	12	.
B.40b	Puerperal sepsis ... ... F.	1	1	.	.	.	.
B.40c	Other complications of the puerperium F.	6	1	1	3	1	.
B.41	Congenital malformations ... ... { M. F.	219	48 48	1	33 18	35 36	4 1
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis F.	235	94 64	.	37 13	15 12	1 1
B.43a	Diarrhoea of newborn ... ... { M. F.	19	7 4	.	1	5 1	.
B.43b	Pneumonia of newborn ... ... { M. F.	42	22 10	.	1	5 4	1 1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**STER.**

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
LEIN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.43c	Other infections of newborn ... { M. F.	5	2 2	:	1	:	:
B.44	Other diseases peculiar to early infancy { M. and immaturity unqualified F.	461	111 31	:	87 48	77 57	9 10
B.45a	Senility without mention of psychosis { M. F.	936	4 4	5 10	76 66	343 428	157 178
B.45b	Ill-defined and unknown causes ... { M. F.	368	35 15	1	18 18	168 113	95 61
B.46e	All other diseases ... { M. F.	778	53 63	27 23	97 69	228 218	15 12
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... { M. F.	108	88 10	:	22 2	29 7	1
BE.48	All other accidents ... { M. F.	327	48 33	4 2	36 28	115 61	3 4
BE.49	Suicide and self-inflicted injury ... { M. F.	34	3 1	1	2 1	22 4	:
BE.50	Homicide and operations of war ... { M. F.	6	:	:	:	4 2	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

STER.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over	
3 2	3 2	.	.	.	.	.	.	.	.	.	B.43c
275 186	275 186	.	.	.	.	.	.	.	.	.	B.44
428 508	.	.	.	.	.	.	.	1 2	38 49	389 457	B.45a
222 146	24 13	9 9	6	1	1	4 3	9 11	37 20	64 37	75 45	B.45b
405 373	14 9	14 6	10	10 8	16 24	21 14	38 47	74 59	108 113	100 88	B.46e
89 19	.	6 1	11 6	9 6	10 2	13	10 1	11	8 2	11 1	BE.47
203 124	25 13	12 7	11 7	21 2	22 4	24 4	16 2	22 11	29 23	21 51	BE.48
28 6	.	.	.	2 1	2	4 1	7 1	6 1	4	3	BE.49
4 2	2	.	.	1	.	.	.	1 1	1	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
			20 22	7 8	72 51	182 145	
	ALL CAUSES ... ... ... {M. F.	507					21 24
B.1	Tuberculosis of respiratory system ... {M. F.	23	3 4	2	3 2	5 4	.
B.2	Tuberculosis, other forms ... {M. F.	7	2 1	.	1 3	.	.
B.9	Whooping cough ... ... {M. F.	2	.	.	1	1	.
B.17b	Acute infectious encephalitis ... {M. F.	2	.	1	1	.	.
B.17d	All other diseases classified as infective and parasitic {M. F.	3	1	.	.	2	.
B.18a	Malignant neoplasms ... ... {M. F.	55	6 3	.	8 10	17 11	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues {M. F.	2	1	.	.	1	.
B.19	Benign and unspecified neoplasms ... {M. F.	1	1	.	.	.	.
B.20	Diabetes mellitus ... ... {M. F.	3	1	.	.	2	.
B.21	Anaemias ... ... {M. F.	2	.	.	.	2	.
B.22	Vascular lesions affecting central nervous system {M. F.	16	.	.	2 1	7 6	.
B.23	Nonmeningococcal meningitis ... {M. F.	1	.	.	1	.	.
B.24	Rheumatic fever ... ... {M. F.	2	.	.	1	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	10	1	.	1 1	1 6	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	127	1	3 3	13 10	59 38	3 1
B.27	Other diseases of the heart ... {M. F.	31	.	1 1	8 9	9 3	1 1
B.28	Hypertension with heart disease ... {M. F.	7	.	.	.	3 4	.
B.29	Hypertension without mention of heart {M. F.	1	.	.	1	.	.
B.46a	Other circulatory diseases ... ... {M. F.	9	2	1	1	3 2	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CARLOW.

AGE AT DEATH											Abbrev- iated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over	
281 226	22 18	2	4 2	6 6	5 5	9 8	12 24	34 27	77 61	105 75	
11 12	:	:	:	2 3	2 1	1 2	2 3	2 1	2 2	:	B.1
3 4	1	:	:	1 2	:	2	:	:	:	1	B.2
1 1	1	:	:	:	:	:	:	:	:	:	B.9
2	:	:	1	:	:	1	:	:	:	:	B.17b
1 2	1 2	:	:	:	:	:	:	:	:	:	B.17d
31 24	:	:	:	:	:	2	2 3	10 7	12 9	7 3	B.18a
1 1	:	:	:	:	:	1	:	:	:	1	B.18b
1	:	:	:	:	1	:	:	:	:	:	B.19
3	:	:	:	:	:	:	2	:	:	1	B.20
2	:	:	:	:	:	:	:	:	2	:	B.21
9 7	:	:	:	1	:	:	1	2 2	3 2	3 2	B.22
1	:	:	1	:	:	:	:	:	:	:	B.23
1 1	:	1	:	:	:	:	1	:	:	:	B.24
2 3	:	:	:	:	:	1	1	1	1 6	:	B.25
75 52	:	:	:	:	:	:	3 3	8 7	27 17	37 25	B.26
18 13	:	:	:	:	1 1	:	1 3	2	6 7	8 2	B.27
3 4	:	:	:	:	:	:	1	1	1 3	1	B.28
1	:	:	:	:	:	1	:	:	:	:	B.29
6 3	:	:	:	:	:	:	:	4	:	2 3	B.46a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.30	Influenza ... ... ... {M. F.	16	.	.	2	5 9	1
B.31	Pneumonia ... ... ... {M. F.	11	1	.	2 2	4 2	.
B.32	Bronchitis ... ... ... {M. F.	13	1	.	4	3 5	1
B.46b	Other respiratory diseases... ... {M. F.	1	1	.	.	.	.
B.33	Ulcer of stomach and duodenum ... {M. F.	6	1	.	1	3 1	.
B.34	Appendicitis ... ... ... {M. F.	2	1 1	.	.	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	1	.	.	1	.	.
B.36b	Gastro enteritis and colitis except {M. ulcerative, aged 4 weeks and under 2 years {F.	2	.	.	.	.	2
B.36c	Gastro enteritis and colitis except {M. ulcerative, aged 2 years and over {F.	1	.	.	1	.	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	.	.	.	.
B.37	Cirrhosis of liver ... ... {M. F.	1	.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	2	.	.	1	1	.
B.38	Nephritis and nephrosis ... ... {M. F.	12	.	1	2 1	6 2	.
B.39	Hyperplasia of prostate ... M.	2	.	.	.	2	.
B.40a	Complications of pregnancy and child- birth F.	4	1	.	.	3	.
B.41	Congenital malformations ... ... {M. F.	5	1	.	1	2 1	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	5	2	.	3	.	.
B.43b	Pneumonia of newborn ... ... {M. F.	1	.	.	.	1	1
B.44	Other diseases peculiar to early infancy {M. and immaturity unqualified {F.	11	1	.	4 2	1 3	1
B.45a	Senility without mention of psychosis {M. F.	44	.	.	1 1	22 20	14 14
B.45b	Ill-defined and unknown causes ... {M. F.	18	1	.	1 1	9 5	1 3
B.46e	All other diseases ... ... {M. F.	27	.	1	4 1	11 9	1 1
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	8	.	.	6 1	1	.
BE.48	All other accidents ... ... {M. F.	9	1	.	2	3 3	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**CARLOW.**

AGE AT DEATH:											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over	
79	.	.	.	.	2	.	.	2	1	2	B.30
74	32	.	.	1	.	.	.	1	1	2	B.31
85	.	.	.	.	.	.	2	1	2	3	B.32
1	.	.	.	1	.	.	.	.	.	.	B.46b
42	.	.	.	.	.	2	.	1	1	1	B.33
11	.	.	11	.	.	.	.	.	.	.	B.34
1	.	.	.	.	.	.	.	1	.	.	B.35
2	2	.	.	.	.	.	.	.	.	.	B.36b
1	.	.	.	.	.	.	.	.	1	.	B.36c
1	.	.	.	.	.	.	.	.	.	.	B.36d
1	.	.	.	.	.	.	.	1	.	.	B.37
11	.	.	.	.	.	.	.	.	.	1	B.46c
93	.	.	1	.	1	.	.	.	1	5	B.38
2	.	.	.	.	.	.	.	.	.	1	B.39
4	.	.	.	.	1	2	1	.	.	.	B.40a
32	32	.	.	.	.	.	.	.	.	.	B.41
32	32	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43b
65	65	.	.	.	.	.	.	.	.	.	B.44
23	.	.	.	.	.	.	.	.	2	21	B.45a
21	.	.	.	.	.	.	.	.	2	19	B.45b
117	31	.	.	.	.	.	.	1	3	5	B.45b
1611	.	1	.	.	.	.	.	3	2	7	B.46e
71	.	.	1	1	.	.	1	2	1	1	BE.47
54	.	1	.	.	.	.	2	1	1	2	BE.48

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY DUBLIN CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	All Causes	... ... ...{M. F.	6,198	1,131 865	77 133	586 576	1,260 1,570
B.1	Tuberculosis of respiratory system ...{M. F.	375	123 69	8	24 21	67 55	.
B.2	Tuberculosis, other forms ...{M. F.	61	21 28	1 1	3 2	2 3	.
B.3	Syphilis and its sequelae ...{M. F.	22	2 2	3 1	5 4	4 1	.
B.6	Dysentery, all forms ...{M. F.	1	1	.	.	.	.
B.7b	Streptococcal sore throat ...{M. F.	1	.	.	.	1	.
B.9	Whooping cough ...{M. F.	14	5 6	.	.	2 1	.
B.10	Meningococcal infections ...{M. F.	7	3 2	.	.	2	.
B.12	Acute poliomyelitis ...{M. F.	3	3	.	.	.	.
B.17b	Acute infectious encephalitis ...{M. F.	3	.	.	1	1	.
B.17c	Late effects of acute infectious encephalitis ...{M. F.	2	.	.	1	.	1
B.14	Measles ...{M. F.	13	5 3	.	.	3	2
B.17d	All other diseases classified as infective and parasitic ...{M. F.	17	3 7	1	2 1	2 1	.
B.18a	Malignant neoplasms ...{M. F.	743	164 141	4 4	86 55	138 151	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues ...{M. F.	44	22 8	.	3 2	8 1	.
B.19	Benign and unspecified neoplasms ...{M. F.	29	12 5	4	1	2 4	.
B.20	Diabetes mellitus ...{M. F.	25	1 4	.	2 2	4 12	1
B.21	Anaemias ...{M. F.	41	6 3	2	4 14	3 9	.
B.22	Vascular lesions affecting central nervous system ...{M. F.	479	63 75	2 3	40 42	77 177	1
B.23	Nonmeningococcal meningitis ...{M. F.	12	6 4	.	.	2	.
B.24	Rheumatic fever ...{M. F.	28	3 9	.	2 2	4 8	.
B.25	Chronic rheumatic heart disease ...{M. F.	83	6 22	.	5 11	14 25	.
B.26	Arteriosclerotic and degenerative heart disease ...{M. F.	1,455	115 70	37 70	137 183	394 449	6 3
B.27	Other diseases of the heart ...{M. F.	200	27 26	3	20 32	38 54	8 3
B.28	Hypertension with heart disease ...{M. F.	168	13 12	3	48 39	19 34	.
B.29	Hypertension without mention of heart ...{M. F.	90	13 18	2	9 14	12 22	.
B.46a	Other circulatory diseases ...{M. F.	77	10 13	1 2	3 8	15 25	.
B.30	Influenza ...{M. F.	173	10 7	2 3	3 16	45 87	1
B.31	Pneumonia ...{M. F.	263	46 39	2 7	30 33	48 58	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## BOROUGH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 Years and over		
3,054	323	60	25	56	91	159	352	601	755	632		
3,144	243	44	41	57	93	152	220	430	322	1,042		
229	.	1	.	17	32	43	54	54	18	3		B.1
153	.	2	3	23	40	36	23	13	10	3		
27	3	9	2	4	3	4	2	.	.	.		B.2
34	3	8	7	7	1	3	3	.	2	.		
14	1	.	1	.	.	.	6	5	2	1		B.3
8	3	.	.	.	.	.	.	2	.	1		
1	.	.	.	.	.	1	.	.	.	.		B.6
.	.	.	.	.	.	.	.	.	.	.		B.7b
1	.	.	.	.	.	.	.	.	1	.		
7	6	1	.	.	.	.	.	.	.	.		B.9
7	6	1	.	.	.	.	.	.	.	.		
5	2	1	3	1	1	.	.	.	.	.		B.10
2	.	1	1	.	.	.	.	.	.	.		
3	.	1	.	.	.	1	1	.	.	.		B.12
.	.	.	.	.	.	.	.	.	.	.		B.17b
3	.	1	1	.	.	.	1	.	.	.		B.17c
2	.	.	.	.	.	.	1	1	.	.		B.17c
10	3	7	1	.	.	.	.	.	.	.		B.14
3	2	1	.	.	.	.	.	.	.	.		
8	1	1	.	2	.	2	1	.	1	.		B.17d
9	4	1	1	1	1	1	1	1	.	1		
392	.	1	.	1	1	6	23	81	91	114	75	
351	.	1	1	1	8	31	55	79	111	111	65	B.18a
33	.	2	5	2	3	5	5	6	7	1	1	B.18b
11	.	1	1	2	3	2	2	1	1	3	3	
15	.	1	.	1	2	1	1	3	2	1	2	B.19
14	.	1	.	.	2	3	1	1	6	6	2	
7	.	.	.	.	.	.	2	1	1	3	3	B.20
18	.	.	.	.	.	.	2	1	3	9	3	
13	.	1	.	.	.	1	1	1	6	5	6	B.21
28	.	.	.	.	.	1	1	1	5	15	6	
182	2	.	1	1	1	3	3	24	31	64	54	
297	.	1	4	1	1	4	8	23	56	84	120	B.22
6	2	.	1	1	1	1	.	.	1	.	.	B.23
6	1	4	1	1	1	1	.	.	.	.	.	
9	.	1	4	3	3	2	2	.	3	3	2	B.24
19	.	.	1	1	1	1	2	4	4	6	6	
25	.	.	1	1	1	7	9	11	10	6	13	B.25
58	.	.	.	1	1	2	6	30	95	247	389	
683	.	.	.	2	2	4	18	56	143	239	221	B.26
772	1	.	.	2	2	2	6	30	95	247	389	
85	1	1	.	2	1	3	3	9	18	27	21	B.27
115	.	.	2	1	1	4	4	7	17	48	36	
83	.	.	.	.	.	2	2	3	25	33	27	B.28
85	.	.	.	.	.	2	2	3	8	13	13	
34	.	.	.	.	1	1	.	7	19	13	20	B.29
56	.	.	.	.	1	1	2	2	5	11	26	
29	.	.	.	.	.	2	2	3	7	6	12	B.46a
48	.	.	.	.	.	2	2	2	5	11	26	
60	.	.	.	.	.	1	2	5	4	14	32	B.30
113	.	3	.	.	.	1	3	6	4	14	55	
126	42	8	12	.	1	3	2	3	12	19	13	B.31
137	33	12	.	3	3	2	3	6	9	26	43	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY DUBLIN CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
B.32	Bronchitis ... ... ... {M. F.	363	20 9	2 3	70 25	113 121	1
B.46b	Other respiratory diseases ... ... {M. F.	71	18 13	·	3 1	17 19	·
B.33	Ulcer of stomach and duodenum ... {M. F.	48	20 3	2	8 4	7 4	·
B.34	Appendicitis ... ... ... {M. F.	8	6 2	·	·	·	·
B.35	Intestinal obstruction and hernia ... {M. F.	48	20 12	1	4 3	2 6	·
B.36b	Gastroenteritis and colitis except ulcerative, aged 4 weeks and under 2 years {M. F.	10	7 1	·	·	1 1	·
B.36c	Gastroenteritis and colitis except ulcerative, aged 2 years and over ... {M. F.	11	2 4	·	·	2 3	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	5	2 2	·	·	1	·
B.37	Cirrhosis of liver ... ... {M. F.	16	2 3	·	2	6 3	·
B.46c	Other diseases of the liver, gallbladder and pancreas ... ... {M. F.	25	6 12	1	2	1 3	·
B.46d	Other digestive diseases ... ... {M. F.	29	12 7	1	2 2	1 4	·
B.38	Nephritis and nephrosis ... ... {M. F.	88	22 15	1	9 3	14 24	·
B.39	Hyperplasia of prostate ... ... M.	25	14	·	1	10	·
B.40a	Complications of pregnancy and child-birth ... ... ... F.	7	5	·	·	2	·
B.40b	Puerperal sepsis ... ... ... F.	1	1	·	·	·	·
B.40c	Other complications of the puerperium F.	1	1	·	·	·	·
B.41	Congenital malformations ... ... {M. F.	79	27 29	·	4 4	8 7	1
B.42	Birth injuries, postnatal asphyxia and atelectasis ... ... {M. F.	116	57 41	·	5 3	6 4	·
B.43a	Diarrhoea of newborn ... ... {M. F.	9	5 3	·	·	1	·
B.43b	Pneumonia of newborn ... ... {M. F.	26	17 5	·	·	2	·
B.43c	Other infections of newborn ... ... {M. F.	3	1 1	·	1	·	·
B.44	Other diseases peculiar to early infancy and immaturity unqualified ... {M. F.	159	69 51	·	15 9	6 9	·
B.45a	Senility without mention of psychosis {M. F.	90	1 1	7	1	27 53	2 1
B.45b	Ill-defined and unknown causes ... {M. F.	121	26 8	·	4 6	43 34	42 23
B.46c	All other diseases ... ... {M. F.	238	34 33	8 5	17 26	52 63	·
EXTERNAL CAUSES							
BE.47	Motor vehicle accidents ... ... {M. F.	87	25 7	·	1	3 1	·
BE.48	All other accidents ... ... {M. F.	124	34 21	1 2	7 5	31 23	1
BE.49	Suicide and self-inflicted injury ... {M. F.	8	2 1	·	·	4 1	·
BE.50	Homicide and operations of war ... {M. F.	3	·	·	·	2 1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
205	3	2				3	5	18	51	72	56	56
158	2		1			3	6	24	24	56	56	61
38	10	1			1		1	2	13	7		3
33	8	1					2	1	3	6		12
35	.	.			1	2	4	2	14	4		3
13	.	.					2	1	1	4		4
6	.	1	1				1	1	2	1		.
2	.											B.34
26	1	1	1	2	1	3	2	1	4	6	9	
22	3					2		1	6	5		5
8	6	2	2									
2												B.36b
4	.	1	1	3				1	1	1		.
7	.											B.36c
2	.	.	.	.				1	2	1		.
3	.	.	.	.								B.36d
10	.	.	.	.			1	2	3	2	1	2
6	.	.	.	.				2	1	1		2
3	.	1	1	.				1	2	3	4	1
18	.								9	4		2
15	1	1	1	1	1	4	1	1	3	1	5	2
14	1	.	1	.	.	1			4	2	5	2
46	.	1	.	1	4	3	5	10	9	6	10	10
42	1	.	1	.	3	3	4	4	8	10	12	12
25	.	.	.	.	.	.	.	.	3	8	14	B.39
7	.	.	.	2	2	3	.	.	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.	.	.
39	33	1	.	2	1	1	2	1	.	.	.	.
40	34	2	.	2	.	.	.	.	.	.	.	B.41
68	68	.	.	.	.	.	.	.	.	.	.	.
48	48	.	.	.	.	.	.	.	.	.	.	B.42
6	6	.	.	.	.	.	.	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.	.	B.43a
19	19	.	.	.	.	.	.	.	.	.	.	.
7	7	.	.	.	.	.	.	.	.	.	.	B.43b
2	2	.	.	.	.	.	.	.	.	.	.	B.43c
90	90	.	.	.	.	.	.	.	.	.	.	.
69	69	.	.	.	.	.	.	.	.	.	.	B.44
29	.	.	.	.	.	.	.	.	.	3	9	26
61	.	.	.	.	.	.	.	.	.	9		52
73	8	3	3	3	.	.	2	5	15	25	12	15
48	3	1	1	1	6	7	3	6	7	12	14	14
111	5	2	1	1	3	8	10	13	28	20	35	21
127	3				6	7	3	16	21	35	35	35
29	.	2	6	1	1	3	5	2	3	3	1	4
8	.	1	4	.	.	.	.	.	1	1		1
73	9	5	3	2	8	6	5	1	10	13	13	9
51	5	1	3	2	2	3	3	1	4	13	17	17
6	.	.	.	1	.	.	1	1	2	.	.	.
2	.	.	.	.	.	.	.	.	1	1	.	B.49
2	1	.	.	.	.	.	.	.	1	1	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
DUN LAOGHAIRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	579	86 102	12 13	32 41	140 153	:
B.1	Tuberculosis of respiratory system ... {M. F.	20	3 6	1	3 1	4 2	:
B.2	Tuberculosis, other forms ... ... {M. F.	4	2 2				:
B.3	Syphilis and its sequelae ... ... {M. F.	2				1 1	:
B.7b	Streptococcal sore throat ... ... {M. F.	2	1	1			:
B.9	Whooping cough ... ... ... {M. F.	2			1	1	:
B.17d	All other diseases classified as infective and parasitic {M. F.	1	1				:
B.18a	Malignant neoplasms ... ... {M. F.	71	14 20	2	3 3	10 19	:
B.18b	Neoplasms of lymphatic and haemopoietic tissues {M. F.	3	2 1				:
B.19	Benign and unspecified neoplasms ... {M. F.	3	1 1			1	:
B.20	Diabetes mellitus ... ... ... {M. F.	5	2		1	2	:
B.21	Anaemias ... ... ... {M. F.	4	1 1			2	:
B.22	Vascular lesions affecting central nervous system {M. F.	71	5 11		1 8	20 26	:
B.23	Nonmeningococcal meningitis ... {M. F.	1	1				:
B.24	Rheumatic fever ... ... ... {M. F.	1				1	:
B.25	Chronic rheumatic heart disease ... {M. F.	11	2 4		1	2 2	:
B.26	Arteriosclerotic and degenerative heart disease {M. F.	163	14 13	4 6	14 17	55 40	:
B.27	Other diseases of the heart ... {M. F.	12	3 3			3 3	:
B.28	Hypertension with heart disease ... {M. F.	11	1		2	4 4	:
B.29	Hypertension without mention of heart {M. F.	7				2 5	:
B.46a	Other circulatory diseases ... {M. F.	22	2 3	1 1	3 2	2 8	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
270 309	26 16	3	1 3	7 1	4 6	6 11	21 22	43 32	71 77	88 141		
10 10	1	:	:	1	3 1	1 1	1 3	1 1	3 2	1	:	B.1
2 2	:	1	1	1	:	1	:	:	:	:	:	B.2
1 1	:	:	:	:	:	:	:	:	:	1	1	B.3
1 1	:	:	:	:	1	:	1	:	:	:	:	B.7b
1 1	1	:	:	:	:	:	:	:	:	:	:	B.9
1	:	:	:	:	:	:	:	:	1	1	:	B.17d
29 42	:	1	:	:	:	1	5 9	8 7	11 14	4 11	:	B.18a
2 1	:	:	:	1	:	:	:	:	1	1	:	B.18b
2 1	:	:	:	:	:	:	2	:	:	1	1	B.19
5	:	:	:	:	:	:	:	:	1	1	4	B.20
1 3	:	:	:	:	:	:	:	:	1	1	2	B.21
26 45	1	:	:	:	:	1 3	1 3	7 6	7 12	9 21	:	B.22
1	1	:	:	:	:	:	:	:	:	:	:	B.23
1	:	:	:	:	:	:	1	:	:	:	:	B.24
5 6	:	:	1	:	:	1	:	2	2	1 2	2	B.25
87 76	:	:	:	:	:	1	10 3	9 5	30 16	38 51	:	B.26
6 6	:	:	:	:	:	:	:	1	3	5 3	3	B.27
4 7	:	:	:	:	:	:	1	1 1	1 1	1 5	1	B.28
2 5	:	:	:	:	:	:	2	1 1	1 1	1 1	1	B.29
8 14	:	:	:	:	:	:	:	2	1 3	5 11	5	B.46a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
**DUN LAOGHAIRE**

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.30	Influenza ... ... ... {M. F.	8	1	1	1	2	1
B.31	Pneumonia ... ... ... {M. F.	13	2	2	1	2	3
B.32	Bronchitis ... ... ... {M. F.	19	4	1	1	6	6
B.46b	Other respiratory diseases ... ... {M. F.	7	2	1	1	3	2
B.33	Ulcer of stomach and duodenum ... {M. F.	3	1	1	1	1	1
B.34	Appendicitis ... ... ... {M. F.	1	1	1	1	1	1
B.35	Intestinal obstruction and hernia ... {M. F.	6	4	1	1	1	1
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	1	1	1	1
B.37	Cirrhosis of liver ... ... ... {M. F.	2	2	1	1	1	1
B.46c	Other diseases of the liver, gallbladder and pancreas {M. F.	2	1	1	1	1	1
B.46d	Other digestive diseases ... ... {M. F.	1	1	1	1	1	1
B.38	Nephritis and nephrosis ... ... {M. F.	9	2	4	1	1	2
B.39	Hyperplasia of prostate ... ... M.	5	4	1	1	1	1
B.40a	Complications of pregnancy and child-birth	F.	1	1	1	1	1
B.41	Congenital malformations ... ... {M. F.	7	2	1	1	2	1
B.42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	7	4	3	1	1	1
B.43b	Pneumonia of newborn ... ... {M. F.	1	1	1	1	1	1
B.44	Other diseases peculiar to early infancy and immaturity unqualified {M. F.	13	4	3	2	1	2
B.45a	Senility without mention of psychosis {M. F.	12	1	2	1	1	2
B.45b	Ill-defined and unknown causes ... {M. F.	10	3	1	1	3	3
B.46e	All other diseases ... ... {M. F.	26	2	1	1	3	7
EXTERNAL CAUSES:							
BE.48	All other accidents ... ... {M. F.	9	1	2	1	2	3

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**BOROUGH.**

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
44	.	.	.	.	1	.	.	1	1	31	B.30	
67	1	.	.	.	1	.	.	21	32	32	B.31	
12	.	.	.	.	.	.	.	12	33	37	B.32	
34	1	.	.	.	.	1	.	12	1	1	B.46b	
12	.	.	.	.	.	1	.	1	.	1	B.33	
1	.	.	.	.	.	.	.	.	.	1	B.34	
51	1	.	.	1	.	.	.	.	21	1	B.35	
1	.	.	.	.	.	.	.	.	1	.	B.36d	
2	.	.	.	.	.	1	.	.	1	.	B.37	
2	.	.	.	.	.	.	.	1	.	1	B.46c	
1	.	.	.	.	.	.	.	.	.	1	B.46d	
36	.	.	.	.	.	.	1	.	.	32	B.38	
5	.	.	.	.	.	.	.	.	1	4	B.39	
1	.	.	.	.	1	.	.	.	.	.	B.40a	
61	41	.	1	.	1	.	.	.	.	.	B.41	
43	43	.	.	.	.	.	.	.	.	.	B.42	
1	1	.	.	.	.	.	.	.	.	.	B.43b	
85	85	.	.	.	.	.	.	.	.	.	B.44	
39	.	.	.	.	.	.	.	.	.	39	B.45a	
64	22	.	.	.	.	.	.	2	2	2	B.45b	
1214	1	1	.	1	1	1	1	3	31	38	11	B.46e
45	21	.	.	.	.	1	.	1	1	1	3	BE.48

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO. DUBLIN (EXCLUDING)

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	1,180	165 150	21 18	111 70	334 317	1
B.1	Tuberculosis of respiratory system ... { M. F.	54	9 8	.	9 2	15 11	.
B.2	Tuberculosis, other forms ... ... { M. F.	24	8 7	2	2	3 2	.
B.3	Syphilis and its sequelae ... ... { M. F.	6	2 1	1	1	1	.
B.9	Whooping cough ... ... ... { M. F.	4	.	.	1	3	.
B.10	Meningococcal infections ... ... { M. F.	4	3	.	1	.	.
B.14	Measles ... ... ... { M. F.	3	1 2	.	.	.	.
B.17d	All other diseases classified as infective and parasitic { M. F.	5	1 2	.	.	1 1	.
B.18a	Malignant neoplasms ... ... { M. F.	140	28 19	1	9 7	37 39	.
B.18b	Neoplasms of lymphatic and haemato poetic tissues { M. F.	6	2 1	.	1	2	.
B.19	Benign and unspecified neoplasms ... { M. F.	2	1	.	.	1	.
B.20	Diabetes mellitus ... ... { M. F.	5	1	.	1	2 1	.
B.21	Anaemias ... ... ... { M. F.	8	.	.	1 2	1 4	.
B.22	Vascular lesions affecting central nervous system { M. F.	92	5 9	1 2	10 7	28 30	.
B.23	Nonmeningococcal meningitis ... { M. F.	5	3 2	.	.	.	.
B.24	Rheumatic fever ... ... ... { M. F.	5	1 2	.	.	2	.
B.25	Chronic rheumatic heart disease ... { M. F.	14	1	1	2 2	5 3	.
B.26	Arteriosclerotic and degenerative heart disease { M. F.	261	11 10	7 10	29 17	98 79	.
B.27	Other diseases of the heart ... { M. F.	29	2 3	.	1 5	6 12	.
B.28	Hypertension with heart disease ... { M. F.	25	1	.	8 5	2 9	.
B.29	Hypertension without mention of heart { M. F.	24	3 2	2	1 2	5 9	.
B.46a	Other circulatory diseases ... ... { M. F.	17	1	2	.	1 13	.
B.30	Influenza ... ... ... { M. F.	21	2	.	2	8 9	.
B.31	Pneumonia ... ... ... { M. F.	63	5 9	2 2	8 4	15 18	.
B.32	Bronchitis ... ... ... { M. F.	44	1 1	.	7 2	19 14	.
B.46b	Other respiratory diseases ... ... { M. F.	13	2 2	1	1	1 5	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
DUN LAOGHAIRE BOROUGH).

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
631 555	93 72	21 18	14 12	10 14	24 23	35 22	64 35	71 62	149 129	159 168		
33 21	.	.	1	7	9 7	9 4	8	2 1	5 1	.		B.1
15 9	.	4 4	3 2	2 2	2 1	2	2	.	.	.		B.2
4 2	.	.	.	1	.	1	1	.	2 1	.		B.3
4	4	.	.	.	.	.	.	.	.	.		B.9
1 3	1	1	.	.	.	1	.	.	1	.		B.10
1 2	2	.	1	.	.	.	.	.	.	.		B.14
2 3	1	1	.	.	.	1	.	.	.	1		B.17d
74 86	.	1 1	.	.	2 3	7 2	10 10	15 16	24 20	15 14		B.18a
4 2	.	1	.	1	.	.	1 1	2	.	.		B.18b
2	.	.	.	.	.	.	1	1	.	.		B.19
2 3	.	.	.	.	1	.	.	.	1	3	.	B.20
2 6	.	1	.	.	.	.	.	1	.	3	1 2	B.21
44 48	1	.	.	.	1	1 1	7 4	4 10	15 16	16 16		B.22
3 2	2 1	1 1	.	.	.	.	.	.	.	.		B.23
1 4	.	1	.	.	1	.	.	1	1	1	.	B.24
7 7	1	.	.	.	2	2	2 1	1	1	1	2	B.25
145 116	.	.	.	1	1 1	3 1	14 1	16 9	44 39	67 64		B.26
9 20	.	.	.	.	1	1	1	1	3	2 4	3 10	B.27
10 15	.	.	.	.	.	.	1	1	1	1 2	8 10	B.28
11 13	.	.	.	1	.	.	1 1	1 2	6 7	2	3	B.29
3 14	.	.	.	.	.	1	1 1	.	3	.	1 10	B.46a
10 11	.	.	.	.	.	.	.	2	5 3	5 3	5 6	B.30
30 33	8 12	6 6	1	3	2	1	3 1	3 4	2 4	2 4	3 4	B.31
27 17	1 1	.	.	.	.	1	2 3	4 2	10 5	9 6	.	B.32
5 8	3 3	.	.	.	.	1	1	.	.	.	1 3	B.46b

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO. DUBLIN (EXCLUDING)

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
B.36a	Gastritis and duodenitis ... ... { M. F.	1	.	.	.	.	1
B.33	Ulcer of stomach and duodenum ... ... { M. F.	13	5 1	.	.	4	2 1
B.34	Appendicitis ... ... { M. F.	2	1 1	.	.	.	.
B.35	Intestinal obstruction and hernia ... ... { M. F.	4	1	.	.	1	1
B.36b	Gastro enteritis and colitis except { M. ulcerative, aged 4 weeks and under F. 2 years	10	5 3	.	.	.	2
B.36c	Gastro enteritis and colitis except { M. ulcerative, aged 2 years and over F.	3	1	.	.	.	1
B.36d	Chronic enteritis and ulcerative colitis { M. F.	1	.	.	.	1	.
B.37	Cirrhosis of liver ... ... { M. F.	4	1 1	.	.	.	2
B.46c	Other diseases of the liver, gallbladder { M. and pancreas F.	3	1	.	.	1	1
B.46d	Other digestive diseases ... ... { M. F.	5	2 2	.	.	.	1
B.38	Nephritis and nephrosis ... ... { M. F.	19	5 5	.	.	1 2	3 3
B.39	Hyperplasia of prostate ... ... M.	3	2	1	.	.	.
B.40a	Complications of pregnancy and child- birth F.	5	4	.	.	.	1
B.41	Congenital malformations ... ... { M. F.	18	3 5	.	.	1	5 4
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis F.	26	12 10	.	.	1	1 2
B.43a	Diarrhoea of newborn ... ... { M. F.	2	2	.	.	.	.
B.43b	Pneumonia of newborn ... ... { M. F.	5	2 3	.	.	.	.
B.44	Other diseases peculiar to early infancy { M. and immaturity unqualified F.	49	18 11	.	.	5 3	8 4
B.45a	Senility without mention of psychosis { M. F.	17	.	2	.	.	6 9
B.45b	Ill-defined and unknown causes ... ... { M. F.	14	2 2	.	.	1	6 3
B.46e	All other diseases ... ... { M. F.	63	6 8	2	4 1	24 18	.
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... { M. F.	11	7 2	.	.	1	1
BE.48	All other accidents ... ... { M. F.	30	4 2	.	.	1 2	18 3
BE.49	Suicide and self-inflicted injury ... ... { M. F.	3	.	.	.	.	3
BE.50	Homicide and operations of war ... ... { M. F.	1	.	.	.	.	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED

## AND COUNTY BOROUGH.

**DUN LAOGHAIRE BOROUGH.**

TABLE 21 (Con.)--DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
			50 24	12 12	145 69	282 253	
	ALL CAUSES ... ... ... {M. F.	847					13 8
B.1	Tuberculosis of respiratory system ... {M. F.	44	10 6	1 2	6 1	11 7	.
B.2	Tuberculosis, other forms ... {M. F.	11	2	.	3 5	1	.
B.3	Syphilis and its sequelae ... {M. F.	1	.	1	.	.	.
B.7a	Scarlet fever ... ... ... {M. F.	1	1	.	.	.	.
B.9	Whooping cough ... ... ... {M. F.	6	.	.	4 1	1	.
B.16	Malaria ... ... ... {M. F.	1	.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic {M. F.	1	.	.	.	1	.
B.18a	Malignant neoplasms ... ... ... {M. F.	101	9 5	1	17 13	27 29	.
B.18b	Neoplasms of lymphatic and haemato-poietic tissues {M. F.	5	3	.	1	1	.
B.19	Benign and unspecified neoplasms ... {M. F.	2	1	.	.	1	.
B.20	Diabetes mellitus ... ... ... {M. F.	4	.	.	1 1	2	.
B.21	Anaemias ... ... ... {M. F.	4	1	1	.	2	.
B.22	Vascular lesions affecting central nervous system {M. F.	51	2	.	5 5	14 25	.
B.23	Nonmeningococcal meningitis ... {M. F.	4	1	.	2	1	.
B.24	Rheumatic fever ... ... ... {M. F.	1	.	.	.	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	10	.	.	1 3	2 4	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	198	2	6 6	30 12	88 54	3 2
B.27	Other diseases of the heart ... {M. F.	27	.	1	5 5	8 8	2
B.28	Hypertension with heart disease ... {M. F.	5	.	.	.	3 2	.
B.29	Hypertension without mention of heart {M. F.	5	.	.	1	2	.
B.46a	Other circulatory diseases ... ... ... {M. F.	31	2	2	3 1	10 13	.
B.30	Influenza ... ... ... {M. F.	21	1	.	4	2 14	1
B.31	Pneumonia ... ... ... {M. F.	44	3	1	8 2	16 14	.
B.32	Bronchitis ... ... ... {M. F.	47	.	1	9 7	16 14	1
B.46b	Other respiratory diseases ... ... ... {M. F.	6	1	.	2	3	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
KILDARE.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
489 358	44 37	12 7	6 2	14 7	16 10	20 12	38 19	66 36	121 103	152 125	
28 16	1 1	.	.	2 2	6 6	3 4	9 2	7 1	.	.	B.1
6 5	1	2 2	1 1	2 1	.	.	.	.	.	1	B.2
1	.	.	.	.	.	.	1	.	.	.	B.3
1	1	.	.	.	.	.	.	.	.	.	B.7a
4 2	3 1	1 1	.	.	.	.	.	.	.	.	B.9
1	.	.	.	.	.	.	.	.	.	1	B.16
1	.	.	.	.	.	.	.	.	.	1	B.17d
54 47	.	1	2	.	1	9 3	5 8	12 7	14 17	12 10	B.18a
4 1	.	.	.	.	.	.	1	2 1	.	1	B.18b
1 1	.	.	.	.	.	.	.	1	.	1	B.19
3 1	.	.	.	.	.	1	.	1	1	1	B.20
1 3	.	.	.	.	.	.	.	2	1	1	B.21
21 30	.	.	.	.	.	1	1 2	3 6	9 11	8 10	B.22
3 1	.	2 1	.	1	.	.	.	.	.	.	B.23
1	.	.	.	.	.	.	.	1	.	.	B.24
3 7	.	.	.	.	1	.	.	3	2	2	B.25
126 72	.	.	.	2	2	1 2	8 3	22 5	47 30	46 30	B.26
14 13	.	.	.	.	.	.	1	1	4 6	9 6	B.27
3 2	.	.	.	.	.	.	1	1	1	1	B.28
3 2	.	.	.	.	.	.	1	.	1	2 1	B.29
15 16	.	.	.	.	1	.	1	.	2 4	11 12	B.46a
3 18	2	.	.	.	.	.	.	2	2 3	1 11	B.30
28 16	3 5	3	1	1	.	1	3	3 1	11 4	3 5	B.31
26 21	3 2	.	.	.	1	.	2	3 2	8 7	11 8	B.32
6	.	.	.	.	1	1	.	.	3	1	B.46b

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.36a	Gastritis and duodenitis ... ... { M. F.	2	:	:	:	1 1	:
B.35	Intestinal obstruction and hernia ... { M. F.	6	:	:	3	3	:
B.36b	Gastro enteritis and colitis except { M. ulcerative, aged 4 weeks and under F. 2 years	6	:	:	:	2 4	:
B.36c	Gastro enteritis and colitis except { M. ulcerative, aged 2 years and over F.	2	:	:	1 1	:	:
B.37	Cirrhosis of liver ... ... { M. F.	1	:	:	1	:	:
B.46c	Other diseases of the liver, gallbladder { M. and pancreas F.	1	:	:	:	1	:
B.46d	Other digestive diseases ... ... { M. F.	2	1	:	:	1	:
B.38	Nephritis and nephrosis ... ... { M. F.	22	1	1	8 1	7 4	:
B.40a	Complications of pregnancy and child- birth F.	1	:	:	:	1	:
B.41	Congenital malformations ... ... { M. F.	10	2	:	:	3 5	:
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis F.	8	3 1	:	2	1 1	1
B.43a	Diarrhoea of newborn ... ... { M. F.	1	:	:	:	1	:
B.43b	Pneumonia of newborn ... ... { M. F.	3	2	:	:	1	:
B.44	Other diseases peculiar to early infancy { M. and immaturity unqualified F.	28	5 3	:	5	8 7	1
B.45a	Senility without mention of psychosis { M. F.	38	:	:	6 1	12 19	1 4
B.45b	Ill-defined and unknown causes ... { M. F.	13	:	:	2 1	7 3	4
B.46e	All other diseases ... ... { M. F.	48	4	:	18 5	12 9	1
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... { M. F.	8	:	:	1	5 2	:
BE.48	All other accidents ... ... { M. F.	14	1 1	:	:	10 2	:
BE.49	Suicide and self-inflicted injury ... { M. F.	2	:	:	:	2	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

KILDARE.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
1	1	1	1	1	1	1	1	1	1	1	B.36a
6	1	1	1	1	1	1	1	1	1	4	B.35
2	2	1	1	1	1	1	1	1	1	1	B.36b
1	1	1	1	1	1	1	1	1	1	1	B.36c
1	1	1	1	1	1	1	1	1	1	1	B.37
1	1	1	1	1	1	1	1	1	1	1	B.46c
1	1	1	1	1	1	1	1	1	1	1	B.46d
16	6	1	1	1	2	1	1	4	5	3	3
1	1	1	1	1	1	1	1	1	1	1	B.40a
3	2	1	1	1	1	1	1	1	1	1	B.41
6	2	1	1	1	1	1	1	1	1	1	B.42
1	1	1	1	1	1	1	1	1	1	1	B.43a
2	1	1	1	1	1	1	1	1	1	1	B.43b
18	10	18	10	10	10	10	10	10	10	10	B.44
18	20	18	20	20	20	20	20	20	20	17	B.45a
9	2	1	1	1	1	1	1	1	3	2	B.45b
30	18	2	1	1	1	1	1	4	9	11	B.46e
6	2	1	1	1	2	2	1	1	1	1	BE.47
11	3	1	1	1	3	1	1	1	1	3	BE.48
2	1	1	1	1	1	1	2	1	1	1	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
			{ M. F.				
	ALL CAUSES ...	987	51 49	13 23	161 92	306 292	26 40
B.1	Tuberculosis of respiratory system ... { M. F.	32	12 8	1 1	2 1	3 4	.
B.2	Tuberculosis, other forms ... { M. F.	12	1	1	4 3	1 2	1
B.9	Whooping cough ... { M. F.	2	.	.	1	1	.
B.17d	All other diseases classified as infective and parasitic { M. F.	2	.	.	1	1	.
B.18a	Malignant neoplasms ... { M. F.	98	10 9	1	16 8	29 25	1
B.18b	Neoplasms of lymphatic and haemato- { M. F.	6	1 1	.	2	2	.
B.19	Benign and unspecified neoplasms ... { M. F.	3	2	.	.	1	.
B.20	Diabetes mellitus ... { M. F.	2	.	.	1	1	.
B.21	Anaemias ... { M. F.	5	.	1	1	2 1	.
B.22	Vascular lesions affecting central nervous system { M. F.	69	2 3	3 4	7 10	21 19	1 1
B.25	Chronic rheumatic heart disease ... { M. F.	8	2	.	2 1	2 1	.
B.26	Arteriosclerotic and degenerative heart disease { M. F.	239	13 10	4 2	20 8	97 85	5 3
B.27	Other diseases of the heart ... { M. F.	31	1	2	7 3	10 8	.
B.28	Hypertension with heart disease ... { M. F.	10	.	.	1	3 6	.
B.29	Hypertension without mention of heart { M. F.	5	1	.	1 2	1	.
B.46a	Other circulatory diseases ... { M. F.	34	.	1 1	14 9	6 3	.
B.30	Influenza ... { M. F.	41	.	.	9 4	12 16	.
B.31	Pneumonia ... { M. F.	24	3	1	4 4	5 7	.
B.32	Bronchitis ... { M. F.	23	1	.	1	15 6	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## KILKENNY.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
531 456	54 44	11 7	3 7	8 4	17 17	18 16	31 22	63 49	143 129	183 161	
18 14	:	1	1	2	4 5	5 4	2 2	3	1	:	B.1
5 7	1 1	:	1 2	1 2	1 1	1	1	:	:	:	B.2
2	2	:	:	:	:	:	:	:	:	:	B.9
2	1	:	:	:	:	:	:	1	:	:	B.17d
55 43	:	:	:	1	2 1	1 1	4 4	11 12	19 17	17 8	B.18a
3 3	:	1 1	:	:	:	:	:	2 1	:	1	B.18b
3	:	1	:	:	:	:	:	2	:	:	B.19
1 1	:	:	:	:	:	:	:	:	1	1	B.20
3 2	:	1	:	:	:	1	:	1	1	1	B.21
33 36	1	:	1	:	:	1	1 4	5 7	14 11	12 12	B.22
4 4	:	:	:	:	1	1 2	1	1	1	1	B.25
134 105	:	:	1	:	3	2	11 1	20 10	49 42	51 46	B.26
17 14	:	:	:	:	2	:	1	2 3	8 5	5 5	B.27
4 6	:	:	:	:	:	:	1	:	2 2	1 4	B.28
1 4	:	:	:	:	1	:	2	1	:	1	B.29
21 13	:	:	:	:	:	1	:	:	8 10	13 2	B.46a
21 20	:	1	1	:	:	1	1	1	8 10	12 6	B.30
9 15	3 7	2	:	:	1	:	1	1	2 3	1 3	B.31
16 7	2	:	:	:	:	1 1	1	2 2	5 1	5 3	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH <sup>1</sup>	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ...	...{M. F.	7	1 1	1	2 2	.
B.36a	Gastritis and duodenitis ...	...{M. F.	1	.	.	1	.
B.33	Ulcer of stomach and duodenum	...{M. F.	1	.	.	1	.
B.34	Appendicitis ...	...{M. F.	2	1	.	1	.
B.35	Intestinal obstruction and hernia	...{M. F.	2	1	.	.	1
B.36b	Gastro enteritis and colitis except {M. ulcerative, aged 4 weeks and under {F. 2 years	8	1	.	3 2	2	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	.	.	1	.	.
B.37	Cirrhosis of liver ...	...{M. F.	1	.	.	.	1
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	5	1	.	2 1	1	.
B.46d	Other digestive diseases ...	...{M. F.	1	.	.	.	1
B.38	Nephritis and nephrosis ...	...{M. F.	10	1	.	1 4	4
B.39	Hyperplasia of prostate ...	... M.	5	.	.	3	2
B.40a	Complications of pregnancy and child- birth	F.	3	1	.	2	.
B.40c	Other complications of the puerperium F.		1	.	1	.	.
B.41	Congenital malformations ...	...{M. F.	11	1	.	5 4	1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	10	1	.	3 5	.	.
B.43a	Diarrhoea of newborn ...	...{M. F.	1	1	.	.	.
B.43b	Pneumonia of newborn ...	...{M. F.	2	.	.	1 1	.
B.43c	Other infections of newborn	...{M. F.	1	1	.	.	.
B.44	Other diseases peculiar to early infancy {M. and immaturity unqualified {F.	42	.	.	16 9	11 6	1 1
B.45a	Senility without mention of psychosis {M. F.	111	1 1	.	10 9	29 61	12 30
B.45b	Ill-defined and unknown causes ...{M. F.	30	.	.	3	16 11	6 3
B.46e	All other diseases ...	...{M. F.	51	3 1	3 7	12 5	12 8
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ...	...{M. F.	7	1	.	4 2	1
BE.48	All other accidents ...	...{M. F.	21	.	.	3 2	10 6
BE.49	Suicide and self-inflicted injury ...{M. F.	6	1	.	1 4	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## KILKENNY.

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
43	1	.	.	.	1	.	.	1	.	2	1	B.46b
1	.	.	.	.	.	.	.	.	.	1	.	B.36a
1	.	.	.	.	.	.	.	.	.	.	1	B.33
2	.	.	.	.	.	.	.	.	.	1	1	B.34
2	.	.	.	.	.	.	1	.	.	.	1	B.35
35	25	1	.	.	.	.	.	.	.	.	.	B.36b
1	.	.	.	.	.	.	.	1	.	.	.	B.36d
1	.	.	.	.	1	.	.	.	.	.	.	B.37
32	.	.	.	.	.	.	.	.	1	1	2	B.46c
1	.	.	.	.	.	.	.	.	.	.	1	B.46d
55	.	.	.	.	.	.	1	2	1	3	1	B.38
5	.	.	.	.	.	.	.	1	1	2	1	B.39
3	.	.	.	.	2	1	.	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	.	B.40c
74	74	.	.	.	.	.	.	.	.	.	.	B.41
46	46	.	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	.	B.43a
2	2	.	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	.	B.43c
27	27	.	.	.	.	.	.	.	.	.	.	B.44
15	15	.	.	.	.	.	.	.	.	.	.	.
40	71	.	.	.	.	.	.	.	.	4	36	B.45a
19	11	1	3	1	.	.	.	1	2	3	10	B.45b
30	21	.	2	1	1	.	1	2	7	7	7	B.46e
7	.	.	1	2	1	.	.	1	2	.	.	BE.47
18	8	2	1	2	.	1	4	.	1	2	1	BE.48
6	.	.	.	1	.	.	1	1	2	.	1	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
			18 13	21 8	147 88	239 208	
	ALL CAUSES ... ... ... { M. F.	742					25 22
B.1	Tuberculosis of respiratory system ... { M. F.	20	2 6	:	3	5 4	:
B.2	Tuberculosis, other forms ... { M. F.	6	:	1	2 1	1 1	:
B.4	Typhoid fever ... ... { M. F.	1	:	:	1	:	:
B.9	Whooping cough ... ... { M. F.	1	:	:	1	:	:
B.12	Acute poliomyelitis ... { M. F.	1	1	:	:	:	:
B.17b	Acute infectious encephalitis { M. F.	1	:	:	:	1	:
B.14	Measles ... ... { M. F.	1	:	:	1	:	:
B.16	Malaria ... ... { M. F.	1	:	:	:	1	:
B.17d	All other diseases classified as infective and parasitic { M. F.	2	:	:	2	:	:
B.18a	Malignant neoplasms ... { M. F.	59	2 1	1	14 10	20 11	:
B.18b	Neoplasms of lymphatic and haemopoietic tissues { M. F.	2	:	:	1	1	:
B.19	Benign and unspecified neoplasms ... { M. F.	2	:	:	:	1 1	:
B.20	Diabetes mellitus ... ... { M. F.	4	:	:	1 1	1 1	:
B.21	Anaemias ... ... { M. F.	5	:	:	3	1 1	:
B.22	Vascular lesions affecting central nervous system { M. F.	62	3	:	3 7	19 30	:
B.23	Nonmeningococcal meningitis ... { M. F.	2	:	:	1	1	:
B.24	Rheumatic fever ... ... { M. F.	1	:	:	:	1	:
B.25	Chronic rheumatic heart disease ... { M. F.	11	:	:	2 1	5 3	:
B.26	Arteriosclerotic and degenerative heart disease { M. F.	194	1	10 4	56 29	53 41	5 3

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## LAOIGHS.

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
425 317	33 16	5 2	2 4	3 7	11 7	15 10	25 17	47 37	120 86	164 131		
10 10	.	.	.	.	2	3 2	1 3	3 2	1	1 1	1	
4 2	2	1	.	.	2	1	.	.	.	.	B.2	
1	.	.	.	.	.	.	.	1	.	.	B.4	
1	.	1	.	.	.	.	.	.	.	.	B.9	
1	.	.	.	.	1	.	.	.	.	.	B.12	
1	.	.	.	.	.	.	.	.	.	.	B.17b	
1	.	.	.	.	.	.	1	.	.	.	B.14	
1	.	.	.	.	.	.	.	.	.	1	B.16	
2	.	.	.	.	1	.	.	.	.	1	B.17d	
37 23	.	.	.	.	.	1 1	4	3 2	7 5	13 8	9 6	B.18a
1 1	.	.	.	.	.	.	.	1	1	.	.	B.18b
1 1	.	.	.	.	.	.	.	.	1	.	1	B.19
2 2	.	.	.	.	.	.	.	1	.	1	2	B.20
1 4	.	.	1 1	.	.	.	1	.	.	2	.	B.21
25 37	.	.	.	.	.	.	1 1	2	2 5	9 15	11 16	B.22
1 1	1	.	.	.	1	.	.	.	.	.	.	B.23
1	.	.	.	.	.	1	.	.	.	.	.	B.24
7 4	.	.	.	.	1	.	.	1 1	.	3	2 3	B.25
119 75	1	.	1 1	.	2	1 1	4 1	8 10	41 25	61 37	61	B.26

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.27	Other diseases of the heart ... { M. F.	35	1		5 4	16 9	3 1
B.28	Hypertension with heart disease ... { M. F.	5			1	1 3	
B.29	Hypertension without mention of heart { M. F.	5			1 1	1 2	
B.46a	Other circulatory diseases ... { M. F.	10			3	5 2	1
B.30	Influenza ... ... { M. F.	53	1	1	2 6	21 22	1
B.31	Pneumonia ... ... { M. F.	23		1	5 1	7 9	
B.32	Bronchitis ... ... { M. F.	20		3 1	3	6 7	1
B.46b	Other respiratory diseases ... { M. F.	10	2		2	3 3	
B.33	Ulcer of stomach and duodenum ... { M. F.	4			2	2	
B.34	Appendicitis ... ... { M. F.	1			1		
B.35	Intestinal obstruction and hernia ... { M. F.	11	1		4 4	2	
B.36b	Gastro enteritis and colitis except { M. ulcerative, aged 4 weeks and under { F. 2 years	5			4		1
B.46c	Other diseases of the liver, gallbladder { M. and pancreas { F.	5			1	2 2	
B.46d	Other digestive diseases ... ... { M. F.	1			1		
R.38	Nephritis and nephrosis ... ... { M. F.	9			4	4 1	
B.39	Hyperplasia of prostate ... ... M.	3				3	
B.40a	Complications of pregnancy and child- birth { F.	1	1				
B.41	Congenital malformations ... ... { M. F.	15	3		6 2	2 2	
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis { F.	6	1		4	1	
B.44	Other diseases peculiar to early infancy { M. and immaturity unqualified { F.	14			3 5	4 2	
B.45a	Senility without mention of psychosis { M. F.	53			1 1	27 24	12 12
B.45b	Ill-defined and unknown causes ... { M. F.	22	1		3	10 8	3 4
B.46e	All other diseases ... ... { M. F.	37	1 1	5 2	6 1	9 12	1
EXTERNAL CAUSES :							
BE.47	Motor vehicle accidents ... ... { M. F.	4	1		2	1	
BE.48	All other accidents ... ... { M. F.	12	1		2 4	3 2	
BE.49	Suicide and self-inflicted injury ... { M. F.	2				1 1	

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## LAOIGHS.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
22	.	.	.	.	.	1	1	5	7	9	4	B.27
13	.	.	.	.	.	1	2	2	5	5	4	
1	.	.	.	.	.	.	.	.	3	1	1	B.28
4	.	.	.	.	.	.	.	1	1	2	1	
2	.	.	.	.	.	.	.	1	2	2	1	B.29
3	.	.	.	.	.	.	.	2	2	2	4	
8	.	.	.	.	.	.	.	2	2	2	2	B.46a
2	.	.	.	.	.	.	.	.	.	.	.	
25	.	.	.	.	.	1	2	4	7	12	16	B.30
28	2	.	.	.	.	.	2	2	5	5	16	
12	2	1	1	.	.	.	.	.	2	5	2	B.31
11	1	.	.	.	.	.	.	.	3	2	4	
12	.	1	.	.	.	.	.	1	2	5	2	B.32
8	.	.	.	.	.	.	.	3	3	2	4	
7	.	.	.	.	.	.	2	1	2	2	3	B.46b
3	.	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	2	.	1	.	.	1	B.33
1	.	.	.	.	1	.	.	.	.	.	.	B.34
5	1	.	.	.	.	1	.	.	1	2	1	B.35
6	.	.	.	.	.	.	.	.	2	1	2	
5	5	.	.	.	.	.	.	.	.	.	.	B.36b
3	.	.	.	.	.	1	.	.	1	.	1	
2	.	.	.	.	.	.	.	.	.	.	2	B.46c
1	.	.	.	.	.	.	.	1	.	.	.	B.46d
8	.	.	.	.	.	2	.	1	2	1	2	B.38
1	.	.	.	.	.	.	.	1	2	1	1	
3	.	.	.	.	.	.	.	.	.	1	2	B.39
1	.	.	.	.	.	.	1	.	.	.	.	B.40a
11	9	2	.	.	.	.	.	.	.	.	.	B.41
4	4	.	.	.	.	.	.	.	.	.	.	
6	6	.	.	.	.	.	.	.	.	.	.	B.42
7	7	.	.	.	.	.	.	.	.	.	.	B.44
28	.	.	.	.	.	.	.	.	.	3	25	
25	.	.	.	.	.	.	.	.	.	5	20	B.45a
13	.	.	.	.	1	.	.	1	2	6	4	
9	.	.	.	.	.	.	.	3	2	1	4	B.45b
21	.	.	.	.	.	2	2	2	4	8	5	
16	.	.	.	.	.	.	2	2	3	7	2	B.46e
3	.	1	.	.	.	1	.	1	.	.	1	
1	.	.	.	.	.	.	.	.	.	.	.	B.E.47
5	.	.	2	.	.	.	2	.	.	2	1	
7	.	.	.	.	.	.	.	.	.	1	5	B.E.48
1	1	.	.	.	.	1	.	.	.	1	.	B.E.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	593	12 8	9 9	102 69	197 187	56 66
B.1	Tuberculosis of respiratory system ... {M. F.	14	2	1	1 5	4 1	1
B.2	Tuberculosis, other forms ... ... {M. F.	6	1	1	1 4	1	1
B.3	Syphilis and its sequelae ... ... {M. F.	1	1	1	1	1	1
B.9	Whooping cough ... ... {M. F.	3	1	1	1	2 1	1
B.14	Measles ... ... ... {M. F.	1	1	1	1	1	1
B.16	Malaria ... ... ... {M. F.	1	1	1	1	1	1
B.18a	Malignant neoplasms ... ... {M. F.	54	2 4	1	16 4	16 11	1 1
B.18b	Neoplasms of lymphatic and haemato- topoietic tissues ... {M. F.	2	1	1	1	2	1
B.19	Benign and unspecified neoplasms ... {M. F.	1	1	1	1	1	1
B.20	Diabetes mellitus ... ... {M. F.	2	1	1	1	1 1	1
B.21	Anaemias ... ... ... {M. F.	5	1	1	1 1	2	1
B.22	Vascular lesions affecting central nervous system ... {M. F.	45	1	2 1	8 7	14 13	3 3
B.25	Chronic rheumatic heart disease ... {M. F.	3	1	1	1	1 1	1
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	137	1 1	4 6	30 19	41 35	7
B.27	Other diseases of the heart ... {M. F.	12	1	1	2	5 4	1
B.28	Hypertension with heart disease ... {M. F.	3	1	1	1	1 1	1
B.29	Hypertension without mention of heart {M. F.	6	1	1	1	1 3	1
B.46a	Other circulatory diseases ... ... {M. F.	10	1	1	1	4 5	1
B.30	Influenza ... ... ... {M. F.	61	1	1	7 9	28 17	8 7

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**LONGFORD.**

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
320 273	30 11	5 5	2	2 1	4 3	8 10	13 11	36 34	97 56	125 140		
7 7	.	.	.	.	1 1	2 3	2 2	.	2 1	.		B.1
2 4	.	1	1	.	1	1 2	.	.	.	.		B.2
1	.	.	.	.	.	.	.	1	.	.		B.3
2 1	2	1	.	.	.	.	.	.	.	.		B.9
1	.	1	.	.	.	.	.	.	.	.		B.14
1	.	.	.	.	.	.	.	.	1	.		B.16
35 19	.	.	.	.	.	2	4 2	8 6	14 4	7 7		B.18a
2	.	.	.	.	.	.	.	1	1	.		B.18b
1	.	.	.	1	.	.	.	.	.	.		B.19
1 1	.	.	.	.	.	.	.	.	1 1	.		B.20
2 3	.	.	.	.	.	1	.	1 1	1 1	.		B.21
24 21	.	.	.	.	.	.	.	1 1	3 3	12 6	8 11	B.22
2 1	.	.	.	.	.	.	.	.	.	1	1 1	B.25
76 61	.	.	.	.	.	.	.	1 1	9 6	27 18	39 36	B.26
5 7	.	.	.	.	1	.	2	1	2 3	.	2 1	B.27
2 1	.	.	.	.	.	.	.	.	2 1	.	.	B.28
3 3	.	.	.	.	1	1	1	1	1	.	1	B.29
5 5	.	.	.	1	.	.	.	1	1	3	1 3	B.46a
35 26	.	.	.	.	.	.	.	1 1	5 3	11 4	18 18	B.30

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
B.31	Pneumonia ... ... ... {M. F.	23	.	.	3 3	10 7	1 1
B.32	Bronchitis ... ... ... {M. F.	7	.	.	2	3 2	2
B.46b	Other respiratory diseases ... ... {M. F.	4	.	.	1	1 2	.
B.33	Ulcer of stomach and duodenum ... {M. F.	4	.	.	1	1 2	.
B.35	Intestinal obstruction and hernia ... {M. F.	7	.	.	2 2	2 1	1
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under {M. 2 years F.	3	.	.	1	1	.
B.37	Cirrhosis of liver ... ... ... {M. F.	1	.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	4	.	.	2	1	.
B.38	Nephritis and nephrosis ... ... {M. F.	8	.	.	2	6	.
B.39	Hyperplasia of prostate ... ... M.	4	.	.	3	1	.
B.40a	Complications of pregnancy and child-birth	F.	1	.	.	1	.
B.41	Congenital malformations ... ... {M. F.	10	1	.	5 2	2	1
B.42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	5	2 1	.	1	1	1
B.43a	Diarrhoea of newborn ... ... {M. F.	2	.	.	1	1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified {M. F.	10	1	.	5 1	3	2
B.45a	Senility without mention of psychosis {M. F.	76	.	1	2	32 41	26 31
B.45b	Ill-defined and unknown causes ... {M. F.	17	.	.	1	5 11	1 8
B.46e	All other diseases ... ... {M. F.	28	1 1	.	2 3	8 13	3 6
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	8	.	.	2	1	.
BE.48	All other accidents ... ... {M. F.	8	.	.	2	3 3	2
BE.49	Suicide and self-inflicted injury ... {M. F.	1	.	.	1	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

**LONGFORD.**

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
13	3	1	1	·	·	·	1	1	4	3	3	B.31
10	1							1	1	2	1	
5	·	·	·	·	·	·	1	1	2	1	1	B.32
2	·	·	1	·	·	·	·	1	·	·	1	B.46b
2	·	·	·	·	·	·	·	1	1	1	1	B.33
4	·	1	·	·	·	·	·	·	2	2	2	B.35
3	2	1	·	·	·	·	·	·	·	·	·	B.36b
1	·	·	·	·	·	·	·	·	·	·	1	B.37
1	·	·	·	·	·	·	·	1	1	1	1	B.46c
2	6	1	·	·	·	·	·	1	1	1	2	B.38
4	·	·	·	·	·	·	·	·	1	1	2	B.39
1	·	·	·	·	·	1	·	·	·	·	·	B.40a
8	2	·	·	·	·	·	·	·	·	·	·	B.41
3	2	3	2	·	·	·	·	·	·	·	·	B.42
1	1	1	·	·	·	·	·	·	·	·	·	B.43a
9	1	9	1	·	·	·	·	·	·	·	·	B.44
33	43	·	·	·	·	·	·	·	·	4	29	B.45a
6	11	2	2	·	·	·	1	·	3	3	4	B.45b
11	17	·	1	1	·	1	1	1	1	3	4	5
3	·	·	·	·	1	·	1	·	1	·	·	BE.47
5	3	1	·	·	·	1	1	·	1	1	2	1
1	·	·	·	·	·	·	·	·	1	·	·	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
					12 17	138 105	21 14
	ALL CAUSES ... ... ... { M. F.	929	51 34				
B.1	Tuberculosis of respiratory system ... { M. F.	54	5	3 1	11 14	12 8	.
B.2	Tuberculosis, other forms ... ... { M. F.	21	7 1	2	6 1	1 3	.
B.14	Measles ... ... ... { M. F.	1	.	.	1	.	.
B.17d	All other diseases classified as infective and parasitic { M. F.	4	.	.	1 1	1 1	.
B.18a	Malignant neoplasms ... ... { M. F.	109	4 6	1	16 14	34 34	1
B.18b	Neoplasms of lymphatic and haematoopoietic tissues { M. F.	4	2	.	.	1 1	.
B.19	Benign and unspecified neoplasms { M. F.	2	1	.	.	.	1
B.20	Diabetes mellitus ... ... ... { M. F.	3	1	.	1	1	.
B.21	Anaemias ... ... ... { M. F.	6	1	.	.	2 3	.
B.22	Vascular lesions affecting central nervous system { M. F.	67	2	2	7 9	23 24	3
B.23	Nonmeningococcal meningitis ... { M. F.	2	.	.	1 1	.	.
B.24	Rheumatic fever ... ... ... { M. F.	1	.	.	.	1	.
B.25	Chronic rheumatic heart disease ... { M. F.	10	.	.	5 2	1 2	.
B.26	Arteriosclerotic and degenerative heart disease { M. F.	225	6 3	3 9	26 17	87 74	3 1
B.27	Other diseases of the heart ... { M. F.	23	1	.	4 1	9 8	.
B.28	Hypertension with heart disease ... { M. F.	4	.	.	.	2 2	1
B.29	Hypertension without mention of heart { M. F.	6	1	.	.	2 3	.
B.46a	Other circulatory diseases ... ... { M. F.	9	.	2	1	5 1	.
B.30	Influenza ... ... ... { M. F.	47	1	.	1 1	24 20	1
B.31	Pneumonia ... ... ... { M. F.	18	1	.	4 5	3 5	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
LOUTH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
498 431	38 32	8 5	7 3	16 11	23 10	17 11	39 35	52 47	140 125	158 152		
31 23	:	:	:	8 5	11 4	2 3	6 6	2 3	1 1	1 1		B.1
14 7	1	3	3	3	4 2	3 1	:	1	:	:		B.2
1	1	:	:	:	:	:	:	:	:	:		B.14
2 2	:	:	1	:	:	:	:	:	1 1	1 1		B.17d
55 54	:	:	:	1	1	4 2	4 8	10 17	22 21	14 5		B.18a
3 1	:	:	:	1	:	:	1	1	1	1		B.18b
2	:	:	:	:	:	:	2	:	:	:		B.19
2 1	:	:	:	:	1	:	:	1 1	1 1	1 1		B.20
3 3	:	:	:	:	:	:	:	2	2 1	1 1		B.21
34 33	:	:	:	:	1	1	2 3	4 5	14 12	13 12		B.22
1 1	1	:	:	1	:	:	:	:	:	:		B.23
1	:	:	1	:	:	:	:	:	:	:		B.24
6 4	:	:	:	:	1	1	1 1	1	3 1	1 1		B.25
122 103	:	:	:	:	1 1	1	10 6	14 6	48 37	49 52		B.26
13 10	1	:	:	:	:	:	2	3 1	4 4	6 2		B.27
2 2	:	:	:	:	:	:	1	1	1 1	1 1		B.28
2 4	:	:	:	:	:	1	1	1 1	2	2		B.29
6 3	:	:	:	:	:	:	:	:	1 3	5		B.46a
25 22	1 1	:	1 1	1	1	:	2 1	1 3	11 8	7 8		B.30
7 11	2 2	3	:	:	:	:	:	2 1	2 4	1 1		B.31

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.32	Bronchitis ... ... ... {M. F.	37	1	1	12	17 16	1
B.46b	Other respiratory diseases ... ... {M. F.	11	1	1	2 1	3 4	.
B.33	Ulcer of stomach and duodenum ... {M. F.	5	1	1	3 1	1	.
B.35	Intestinal obstruction and hernia ... {M. F.	4	1	1	1	1	.
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	1	1	1	1	1	.
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over ... {F.	3	1	1	2 1	1	.
B.37	Cirrhosis of liver ... ... ... {M. F.	2	1	1	1	1	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	2	1	1	1	2	.
B.46d	Other digestive diseases ... ... {M. F.	5	2	1	1	1 1	.
B.38	Nephritis and nephrosis ... ... {M. F.	11	3	1	2 1	5	.
B.39	Hyperplasia of prostate ... M.	5	1	1	1	2	1
B.40a	Complications of pregnancy and child- birth F.	1	1	1	1	1	.
B.41	Congenital malformations ... ... {M. F.	17	5 1	1	4 3	1 3	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	10	3 3	1	2 1	1	.
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	26	5 8	1	4 2	4 3	.
B.45a	Senility without mention of psychosis {M. F.	107	1	2	23 19	25 38	10
B.45b	Ill-defined and unknown causes ... {M. F.	16	1 1	1	2 1	7 4	3 1
B.46e	All other diseases ... ... {M. F.	31	1	2	4 2	12 10	1
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	6	2	1	1	3	.
BE.48	All other accidents ... ... {M. F.	12	2	1	2	5 2	.
BE.50	Homicide and operations of war ... {M. F.	1	1	1	1	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**LOUTH.**

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	951	34 20	21 7	165 103	306 295	42 40
B.1	Tuberculosis of respiratory system ... { M. F.	35	1 2	2 1	8 5	9 7	:
B.2	Tuberculosis, other forms ... { M. F.	10	1	:	3 2	2 2	:
B.17d	All other diseases classified as infective and parasitic { M. F.	1	:	:	1	:	:
B.18a	Malignant neoplasms ... { M. F.	101	6 5	1	15 12	38 24	:
B.18b	Neoplasms of lymphatic and haematoopoietic tissues { M. F.	2	2	:	:	:	1
B.19	Benign and unspecified neoplasms ... { M. F.	3	1	:	1 1	:	:
B.20	Diabetes mellitus ... { M. F.	6	:	:	1 1	2 2	:
B.21	Anaemias ... { M. F.	6	1	1	1	1 2	:
B.22	Vascular lesions affecting central nervous system { M. F.	62	1	3	14 9	14 21	1
B.23	Nonmeningococcal meningitis ... { M. F.	1	:	:	1	:	:
B.25	Chronic rheumatic heart disease ... { M. F.	7	:	:	1 1	1 4	:
B.26	Arteriosclerotic and degenerative heart disease { M. F.	273	4	8 3	41 32	87 98	1 6
B.27	Other diseases of the heart ... { M. F.	30	1	:	8 3	9 8	2 5
B.28	Hypertension with heart disease ... { M. F.	14	:	:	6 3	3 2	:
B.29	Hypertension without mention of heart { M. F.	15	:	:	6 1	6 2	:
B.46a	Other circulatory diseases ... { M. F.	22	:	1	6 2	7 6	:
B.30	Influenza ... { M. F.	66	:	2	7 7	24 26	1 1
B.31	Pneumonia ... { M. F.	21	2	1	5 3	5 5	1
B.32	Bronchitis ... { M. F.	24	:	:	4	11 9	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
MEATH.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
526 425	38 24	6 3	5 7	5 5	8 18	29 6	32 25	56 48	180 110	187 179	
20 15	.	.	.	1 3	5 7	6 2	4 3	1	3	.	B.1
6 4	.	1	.	1	1 2	2 2	.	1	.	.	B.2
1	.	.	.	.	1	.	.	.	.	.	B.17d
60 41	.	.	.	.	.	3	5 2	8 15	28 14	16 10	B.18a
2	.	.	.	.	1	.	.	1	.	.	B.18b
2 1	.	.	1 1	1	.	.	.	.	.	.	B.19
3 3	.	.	1	.	.	.	1	1	2	1	B.20
3 3	.	.	.	.	.	1	.	.	1 2	1 1	B.21
32 30	.	.	.	.	1	1	4 2	1 4	10 11	16 12	B.22
1	.	1	.	.	.	.	.	.	.	.	B.23
2 5	.	.	1	.	.	1	.	1	2	2	B.25
140 133	.	.	.	.	2	3 1	6 9	16 12	51 34	64 75	B.26
18 12	.	.	.	.	.	.	2	1 2	8 5	7 5	B.27
9 5	.	.	.	.	.	.	.	3	3 3	3 2	B.28
12 3	.	.	.	.	.	.	.	4 1	7 1	1 1	B.29
13 9	.	.	1	.	.	.	1 1	.	3 3	8 5	B.46a
33 33	1	.	.	1	.	1	2 1	5 4	10 12	14 15	B.30
12 9	5 4	2	.	.	.	1	1	1	1 2	2 2	B.31
15 9	.	1	.	.	.	.	2 1	1 1	4 3	7 4	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ... ... {M. F.	11	1	·	2 2	4 2	·
B.33	Ulcer of stomach and duodenum ... {M. F.	13	1	·	8	2 2	·
B.34	Appendicitis ... ... {M. F.	2	·	·	1	1	·
B.35	Intestinal obstruction and hernia ... {M. F.	2	·	·	·	2	·
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under {M. F. 2 years	4	·	·	1 2	1	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	·	·	·	·
B.46c	Other diseases of the liver, gallbladder and pancreas {M. F.	1	·	·	·	1	·
B.46d	Other digestive diseases ... {M. F.	1	1	·	·	·	·
B.38	Nephritis and nephrosis ... {M. F.	16	1	·	3 3	2 7	·
B.39	Hyperplasia of prostate ... M.	6	1	·	3	2	·
B.40a	Complications of pregnancy and child-birth F.	1	·	·	·	1	·
B.41	Congenital malformations ... {M. F.	12	4 3	·	1 1	1 2	·
B.42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	9	4 1	·	2	1 1	·
B.44	Other diseases peculiar to early infancy, and immaturity unqualified {M. F.	23	1 1	·	7 1	9 4	4 2
B.45a	Senility without mention of psychosis {M. F.	50	·	·	·	24 26	18 15
B.45b	Ill-defined and unknown causes ... {M. F.	31	·	·	2	20 9	15 8
B.46e	All other diseases ... {M. F.	42	3	1 1	8 1	12 16	1
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... {M. F.	6	1	·	1 1	1 2	·
BE.48	All other accidents ... {M. F.	19	1 1	2	3 4	6 2	·
BE.49	Suicide and self-inflicted injury ... {M. F.	2	·	1	·	1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
MEATH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
7 4	1 2	:	:	:	1	1	:	1 1	1	3		B.46b
10 3	:	:	:	:	:	3	1 1	3 1	3 1	:		B.33
1 1	:	1	1	:	:	:	:	:	:	:		B.34
2	:	:	:	:	:	:	:	:	1	1		B.35
1 3	1 1	2	:	:	:	:	:	:	:	:		B.36b
1	:	:	:	:	:	:	:	:	1	:		B.36d
1	:	:	:	:	:	:	:	:	1	:		B.46c
1	:	:	:	:	:	:	:	:	1	:		B.46d
6 10	:	:	:	1	:	1	1	1 1	3 4	1 4		B.38
6	:	:	:	:	:	:		1	1	1	4	B.39
1	:	:	:	:	1	:						B.40a
6 6	5 5	:	1	:	:	:	1	:	:	:		B.41
2 2	7 2	:	:	:	:	:	:	:	:	:		B.42
17 6	17 6	:	:	:	:	:	:	:	:	:		B.44
24 26	:	:	:	:	:	:	:		2	22 26		B.45a
20 11	1 1	:	1	:	:	:		5 2	5 4	9 3		B.45b
21 21	2	1	3	:	:	1 1	2 2	2 1	10 4	5 8		B.46c
2 4	:	:	:	2	1 2	:	:	:	1	:		BE.47
12 7	1	:	1	:	:	4	2	1 1	1 3	2 3		BE.48
1 1	:	:	:	:	1	:	:	:	:	1		BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	<b>ALL CAUSES</b> ... ... ... { M. F.	754	18 7	15 9	131 84	270 220	84 35
B.1	Tuberculosis of respiratory system ... { M. F.	25	1	1	6 3	4 10	1 1
B.2	Tuberculosis, other forms ... { M. F.	9	·	·	2 4	3	·
B.8	Diphtheria ... { M. F.	2	·	·	1	1	·
B.14	Measles ... { M. F.	1	·	·	·	1	1
B.18a	Malignant neoplasms ... { M. F.	73	5 2	1	17 12	18 18	2 2
B.18b	Neoplasms of lymphatic and haemato- topoietic tissues { M. F.	3	·	·	2	1	·
B.19	Benign and unspecified neoplasms ... { M. F.	1	·	·	·	1	1
B.20	Diabetes mellitus ... { M. F.	5	1	·	2 1	1	·
B.21	Anaemias ... { M. F.	3	1	·	1 1	·	·
B.22	Vascular lesions affecting central nervous system { M. F.	59	1	1	7 7	17 26	1 1
B.23	Nonmeningococcal meningitis ... { M. F.	3	·	·	1 1	1	·
B.24	Rheumatic fever ... { M. F.	2	·	·	1	1	·
B.25	Chronic rheumatic heart disease ... { M. F.	2	·	·	·	2	·
B.26	Arteriosclerotic and degenerative heart disease { M. F.	162	·	5 4	21 9	76 47	12 6
B.27	Other diseases of the heart ... { M. F.	21	·	·	6 2	8 5	1
B.28	Hypertension with heart disease ... { M. F.	10	·	·	·	4 6	·
B.29	Hypertension without mention of heart { M. F.	7	·	·	4	2 1	·
B.46a	Other circulatory diseases ... { M. F.	10	·	1 1	4	1 3	·
B.30	Influenza ... { M. F.	39	·	1	2 2	13 21	2 4

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
OFFALY.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
434 320	26 25	8 12	6 1	8 3	10 9	15 12	16 19	55 36	126 83	164 120		
11 14		1		2	2 5	3 2	1 2	1 1	2 2	1		B.1
2 7	1	1 3					1	1	2			B.2
1 1		1	1									B.8
1				1								B.14
41 32					1 1	1 3	1 9	11 7	20 5	7 7		B.18a
3					1				2			B.18b
1									1			B.19
4 1			1						2 1	1		B.20
2 1					1					1 1		B.21
25 34		1						1	6 12	10 13	9 7	B.22
1 2		2		1								B.23
2						2						B.24
2								1			1	B.25
102 60				1		1	1	6 2	18 3	36 26	40 28	B.26
14 7					2	1	1	2		6 3	5 1	B.27
4 6								1		1 4	3 1	B.28
6 1										2	4 1	B.29
6 4							1	1 1		2	2 3	B.46a
16 23				1	1	1	2 1	4 3	2 10	5 9	B.80	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE			Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	
B.31	Pneumonia ... ... ... {M. F.	28	·	·	6 2	9 11 1
B.32	Bronchitis ... ... ... {M. F.	18	·	·	1 2	11 4 1
B.46b	Other respiratory diseases ... ... {M. F.	1	·	·	·	1
B.33	Ulcer of stomach and duodenum ... {M. F.	5	1	·	2	1 1
B.34	Appendicitis ... ... {M. F.	2	·	·	2	·
B.35	Intestinal obstruction and hernia ... {M. F.	2	·	·	2	·
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under 2 years F.	5	1	·	1 2	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over F.	1	·	·	1	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	4	·	·	3	1
B.46d	Other digestive diseases ... ... {M. F.	5	·	·	2	2 1
B.38	Nephritis and nephrosis ... ... {M. F.	11	·	·	3 2	3 3
B.39	Hyperplasia of prostate ... ... M.	6	2	·	1	3
B.40a	Complications of pregnancy and child- birth	F.	1	·	1	·
B.41	Congenital malformations ... ... {M. F.	4	1 2	·	·	1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	7	3	·	2 1	1
B.43a	Diarrhoea of newborn ... ... {M. F.	1	·	·	·	1
B.43b	Pneumonia of newborn ... ... {M. F.	1	·	·	·	1
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	19	2 1	·	6 6	2 2
B.45a	Senility without mention of psychosis {M. F.	117	·	2	16 16	48 35 15
B.45b	Ill-defined and unknown causes ... {M. F.	9	·	·	2	4 3 4 3
B.46e	All other diseases ... ... {M. F.	48	1	4 3	5 2	22 11 4 1
EXTERNAL CAUSES.						
BE.47	Motor vehicle accidents ... ... {M. F.	5	·	·	1	4
BE.48	All other accidents ... ... {M. F.	15	·	·	2 4	5 4 2
BE.49	Suicide and self-inflicted injury ... {M. F.	1	·	·	·	1
BE.50	Homicide and operations of war ... {M. F.	1	·	·	·	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNGCERTIFIED  
AND COUNTY BOROUGH.  
OFFALY.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
15	2	2	1	.	1	1	1	1	3	3	B.31
13	7	2	.	.	1	1	.	.	2	2	.
12	.	.	1	.	.	.	.	1	5	6	B.32
6	.	.	.	.	.	.	.	.	2	3	.
1	.	.	.	.	.	.	.	.	1	.	B.46b
4	.	.	.	.	.	.	.	2	2	.	B.33
1	.	.	.	.	.	.	.	1	1	.	.
2	.	.	.	.	.	1	1	.	.	.	B.34
.	.	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	1	.	1	.	.	B.35
2	1	1	1	.	.	.	.	.	.	.	B.36b
3	2	1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.	B.36c
4	.	.	.	.	.	.	.	.	3	1	B.36d
4	1	2	.	.	1	.	.	.	.	1	B.46d
1	.	.	.	.	.	1	1	1	2	1	B.38
6	.	.	.	.	.	1	1	.	3	1	B.39
5	.	.	.	.	.	.	.	.	3	3	.
6	.	.	.	.	.	.	.	.	3	3	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.41
2	2	2	.	.	.	.	.	.	.	.	B.42
2	2	2	.	.	.	.	.	.	.	.	.
5	2	5	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	B.43b
10	10	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	.
66	.	.	.	.	.	.	.	.	6	60	B.45a
51	.	.	.	.	.	.	.	.	3	48	.
4	.	.	.	.	.	.	.	1	1	2	B.45b
5	.	.	.	.	.	.	.	.	4	4	.
31	1	1	1	3	2	2	3	4	8	7	B.46e
17	1	1	.	.	1	2	2	4	4	3	.
5	.	.	.	.	.	1	.	1	2	1	BE.47
7	1	1	2	.	.	1	1	.	1	2	BE.48
8	.	.	.	.	.	1	1	.	1	3	.
1	.	.	.	.	.	.	.	1	.	.	BE.49
1	.	.	.	.	1	.	.	.	.	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths	
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere		
	<b>ALL CAUSES</b> ... ... ... { M. F.	<b>807</b>	<b>24</b>	<b>20</b>	<b>135</b>	<b>268</b>	<b>38</b>	
			<b>17</b>	<b>14</b>	<b>108</b>	<b>221</b>	<b>30</b>	
B.1	Tuberculosis of respiratory system ... { M. F.	35	10 6	1 4	4 3	2 5	.	
B.2	Tuberculosis, other forms ... ... { M. F.	11	1 1	.	3 4	2	.	
B.3	Syphilis and its sequelae ... ... { M. F.	3	1	.	1	1	.	
B.9	Whooping cough ... ... ... { M. F.	1	.	.	.	1	.	
B.18a	Malignant neoplasms ... ... { M. F.	90	2 5	.	22 19	22 20	1	
B.18b	Neoplasms of lymphatic and haemato- { M. poietic tissues F.	4	1	.	1	1	.	
B.19	Benign and unspecified neoplasms ... { M. F.	2	.	.	1	1	.	
B.20	Diabetes mellitus ... ... ... { M. F.	4	.	.	1 1	2	.	
B.21	Anaemias ... ... ... { M. F.	8	.	.	1 2	5	.	
B.22	Vascular lesions affecting central { M. nervous system F.	66	2	1 1	12 8	12 30	1	
B.23	Nonmeningococcal meningitis ... { M. F.	2	.	.	1 1	.	.	
B.24	Rheumatic fever ... ... ... { M. F.	1	.	.	1	.	.	
B.25	Chronic rheumatic heart disease ... { M. F.	11	.	.	3	3 5	.	
B.26	Arteriosclerotic and degenerative heart { M. disease F.	170	1 1	13 6	24 22	65 38	3 3	
B.27	Other diseases of the heart ... ... { M. F.	21	1	1	1 2	8 8	3 3	
B.28	Hypertension with heart disease ... { M. F.	2	.	.	1	1	.	
B.29	Hypertension without mention of heart { M. F.	9	.	.	2 2	5	.	
B.46a	Other circulatory diseases ... ... { M. F.	20	1	1	3 6	6 3	1	
B.30	Influenza ... ... ... { M. F.	46	.	1	2	20 23	4 1	
B.31	Pneumonia ... ... ... { M. F.	23	.	1	6 4	7 5	1	
B.32	Bronchitis ... ... ... { M. F.	28	.	.	6	11 11	2 1	
B.46b	Other respiratory diseases ... ... { M. F.	5	.	1	1	3	.	
B.36a	Gastritis and duodenitis ... ... { M. F.	2	.	.	.	2	.	
B.33	Ulcer of stomach and duodenum ... { M. F.	7	.	.	3	3 1	.	

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

WESTMEATH.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
447	31	6	6	5	11	14	36	55	123	160	
360	17	9	1	8	5	16	25	53	90	136	
17	.	.	.	1	3	6	6	.	1	.	B.1
18	.	.	.	4	1	2	5	3	3	.	
6	.	2	1	1	1	.	.	.	1	.	B.2
5	.	.	.	.	.	1	.	.	.	.	
3	.	.	.	.	.	.	1	1	1	.	B.3
1	1	.	.	.	.	.	.	.	.	.	B.9
46	.	.	.	.	.	1	6	11	20	8	B.18a
44	.	.	.	.	.	3	11	10	14	6	
22	.	.	.	.	.	.	1	1	.	1	B.18b
2	.	.	.	.	.	.	.	.	.	1	B.19
3	.	.	.	.	.	1	.	.	.	1	B.20
1	.	.	.	.	.	.	1	1	.	.	
17	.	.	.	.	1	1	.	.	1	1	B.21
27	1	.	.	.	.	.	2	3	5	16	B.22
39	.	.	.	.	.	.	1	11	10	16	
11	1	.	1	.	.	.	.	.	.	.	B.23
1	.	.	.	.	.	.	.	.	.	1	B.24
3	.	.	.	.	.	1	.	.	2	1	B.25
8	.	.	.	.	.	.	.	4	2	1	
103	.	.	.	.	.	2	.	12	37	47	B.26
67	.	.	.	.	1	1	5	6	23	34	
9	.	.	.	.	.	.	3	3	5	1	B.27
12	.	.	.	.	.	.	.	1	5	2	
2	.	.	.	.	.	.	.	.	1	1	B.28
7	.	.	.	.	.	.	1	3	1	2	
2	.	.	.	.	.	.	.	1	1	1	B.29
10	.	.	.	.	.	2	.	2	1	6	B.46a
10	.	.	.	.	.	.	1	1	3	4	
23	1	.	.	.	1	.	2	1	7	7	B.30
23	.	.	.	.	.	.	1	1	9	12	
14	6	.	1	.	.	.	.	1	1	4	B.31
9	2	.	1	.	.	.	.	1	1	4	
17	.	.	1	.	.	.	1	4	2	5	B.32
11	.	.	.	.	.	.	.	2	2	3	
5	.	1	.	.	.	.	.	.	2	1	B.46b
2	.	1	.	.	.	.	.	.	.	1	B.36a
6	1	.	.	.	.	1	.	2	.	1	B.33

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
B.34	Appendicitis ... ... ... {M. F.	2	:	1	1	:	:
B.35	Intestinal obstruction and hernia ... {M. F.	5	:	:	2	1	:
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under {M. 2 years F.	2	:	:	1	:	:
B.37	Cirrhosis of liver ... ... {M. F.	1	:	:	:	1	:
B.46d	Other digestive diseases ... ... {M. F.	3	:	:	1	1	:
B.38	Nephritis and nephrosis ... ... {M. F.	17	:	:	2	8	2
B.39	Hyperplasia of prostate ... ... M.	6	1	:	4	1	:
B.40a	Complications of pregnancy and child- birth F.	1	:	:	1	:	:
B.41	Congenital malformations ... ... {M. F.	7	:	:	1	2	1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	11	:	:	8	1	:
B.43a	Diarrhoea of newborn ... ... {M. F.	1	:	:	1	:	:
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	11	1	:	4	1	2
B.45a	Senility without mention of psychosis {M. F.	75	:	:	4	35	11
B.45b	Ill-defined and unknown causes ... {M. F.	33	:	1	:	26	10
B.46e	All other diseases ... ... {M. F.	40	3	1	6	12	2
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	5	:	:	1	3	:
BE.48	All other accidents ... ... {M. F.	15	:	:	4	5	:
BE.49	Suicide and self-inflicted injury ... {M. F.	1	:	:	1	:	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## WESTMEATH.

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
11	.	.	.	.	.	.	1	1	.	.	B.34	
23	.	1	.	.	.	.	.	.	2	2	B.35	
11	1	.	.	.	.	.	.	.	.	.	B.36b	
1	.	.	.	.	.	.	.	.	.	.	B.37	
12	.	.	1	.	.	.	.	2	.	.	B.46d	
107	.	1	.	.	.	.	.	1	1	62	32	B.38
6	.	.	.	.	.	.	.	2	2	2	2	B.39
1	.	.	.	.	.	1	.	.	.	.	B.40a	
34	24	.	1	.	.	.	.	.	.	.	B.41	
83	83	.	.	.	.	.	.	.	.	.	B.42	
1	1	.	.	.	.	.	.	.	.	.	B.43a	
65	65	.	.	.	.	.	.	.	.	.	B.44	
3936	.	.	.	.	.	.	.	.	3	3	3633	B.45a
276	.	3	.	.	.	.	1	2	21	103	92	B.45b
2218	1	2	2	1	2	.	.	3	32	65	76	B.46e
41	.	.	.	1	1	1	.	.	.	.	1	BE.47
96	2	1	1	1	3	.	1	.	12	.	3	BE.48
1	.	.	.	.	1	.	.	.	.	.	.	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	<b>ALL CAUSES</b> ... ... ... { M. F.	1,421	53 47	30 25	176 134	491 465	40 47
B.1	Tuberculosis of respiratory system ... { M. F.	62	15 19	2 1	1 1	11 12	.
B.2	Tuberculosis, other forms ... ... { M. F.	10	1 2	.	2 1	2 2	.
B.3	Syphilis and its sequelae ... ... { M. F.	1	.	1	.	.	.
B.7b	Streptococcal sore throat ... ... { M. F.	2	.	.	1 1	.	.
B.9	Whooping cough ... ... ... { M. F.	12	.	.	4	4 4	.
B.12	Acute poliomyelitis ... ... { M. F.	1	.	.	1	.	.
B.17c	Late effects of acute infectious encephalitis ... { M. F.	1	.	1	.	.	.
B.17d	All other diseases classified as infective and parasitic ... { M. F.	5	1	.	4	.	.
B.18a	Malignant neoplasms ... ... { M. F.	140	10 5	2 1	22 16	47 37	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... { M. F.	7	1	.	2 1	1 2	.
B.19	Benign and unspecified neoplasms ... { M. F.	2	.	.	.	1	.
B.20	Diabetes mellitus ... ... ... { M. F.	9	1	.	1	2 5	.
B.21	Anaemias ... ... { M. F.	7	.	.	1 2	1 3	.
B.22	Vascular lesions affecting central nervous system ... { M. F.	140	2	11 9	28 14	31 45	1 3
B.23	Nonmeningococcal meningitis ... { M. F.	3	.	.	2	1	.
B.25	Chronic rheumatic heart disease ... { M. F.	18	.	.	3	8 7	.
B.26	Arteriosclerotic and degenerative heart disease ... { M. F.	360	4 3	5 8	35 33	141 131	5 5
B.27	Other diseases of the heart ... { M. F.	40	2	.	3 3	15 17	6 4
B.28	Hypertension with heart disease ... { M. F.	13	1	.	1	5 6	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTRY BOROUGH.  
**WEXFORD.**

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
750 671	54 20	17 15	6 8	17 19	13 17	27 30	52 41	89 73	201 175	274 273		
29 33	.	1	1	4 9	6 7	10 6	4 2	4 2	6	.		B.1
5 5	1	2 1	.	1	1	1	2	.	.	.	1	B.2
1	.	.	.	.	.	.	.	.	1	.	.	B.3
1 1	.	.	1	.	.	.	.	.	1	.	.	B.7b
8 4	4 1	4 3	.	.	.	.	.	.	.	.	.	B.9
1	.	.	.	.	1	.	.	.	.	.	.	B.12
1	.	.	.	.	.	.	.	.	.	.	.	B.17c
4 1	.	1 1	.	1	.	.	.	.	1	1	.	B.17d
81 59	.	1	.	1	1	2 3	10 8	20 14	24 19	23 14		B.18a
4 3	.	1	.	1 2	1	.	.	.	.	1	.	B.18b
1 1	.	1	.	.	.	.	.	.	.	1	.	B.19
4 5	.	.	.	.	.	.	.	1	1	2 1	1 3	B.20
2 5	.	.	.	.	.	1	1	.	.	2 2	1	B.21
70 70	.	.	.	.	.	1	2 3	5 3	9 9	28 19	26 35	B.22
3	1	2	.	.	.	.	.	.	.	.	.	B.23
8 10	.	.	.	.	1 1	.	2 3	1 1	3 3	1 1	1 1	B.25
185 175	.	.	1	.	1 1	6 6	12 8	26 19	64 57	75 83		B.26
18 22	.	1	1	.	.	.	2 1	4 2	4 6	8 11		B.27
6 7	.	.	.	.	.	.	1	2	5 3	1 1		B.28

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.29	Hypertension without mention of heart { M. F.	15	1	·	·	7 7	·
B.46a	Other circulatory diseases ... ... { M. F.	22	1	2	4 1	9 5	·
B.30	Influenza ... ... { M. F.	65	1	2	5 4	25 26	1
B.31	Pneumonia ... ... { M. F.	45	2 1	4 2	6 3	15 12	1
B.32	Bronchitis ... ... { M. F.	57	1	·	8	20 28	1
B.46b	Other respiratory diseases ... ... { M. F.	10	1	·	1	2 6	·
B.33	Ulcer of stomach and duodenum ... { M. F.	8	1	·	1 1	3 2	·
B.34	Appendicitis ... ... { M. F.	3	·	·	1 2	·	·
B.35	Intestinal obstruction and hernia ... { M. F.	7	·	·	2 2	3	·
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under { F. 2 years	7	1	·	1	5	·
B.36c	Gastro-enteritis and colitis, except { M. ulcerative, aged 2 years and over { F.	4	1	·	1	1 1	·
B.37	Cirrhosis of liver ... ... { M. F.	2	1	·	1	·	·
B.46c	Other diseases of the liver, gallbladder { M. and pancreas { F.	6	2	·	2	1	·
B.46d	Other digestive diseases ... ... { M. F.	6	2	·	1 1	1 1	·
B.38	Nephritis and nephrosis ... ... { M. F.	18	1	·	1 2	8 6	1
B.39	Hyperplasia of prostate ... M.	12	2	·	2	8	·
B.40a	Complications of pregnancy and child- birth F.	7	·	·	4	3	·
B.40c	Other complications of the puerperium F.	4	·	·	3	1	·
B.41	Congenital malformations ... { M. F.	8	1	·	1	3 3	1
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis ... ... { F.	5	1	·	·	3 1	·
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified { F.	32	3	·	5 3	15 6	1
B.45a	Senility without mention of psychosis { M. F.	123	1	·	13 13	46 50	19 25
B.45b	Ill-defined and unknown causes ... { M. F.	24	2	·	2 3	9 8	4 5
B.46e	All other diseases ... { M. F.	67	1 1	1	7 11	24 22	2 1
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... { M. F.	3	·	·	1	2	·
BE.48	All other accidents ... { M. F.	24	1 2	1	6 2	8 4	·
BE.49	Suicide and self-inflicted injury { M. F.	4	·	·	·	4	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
WEXFORD.

All Ages	AGE AT DEATH										Abbreviated List No.
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
8	.	.	.	.	.	.	1	3	2	5	B.29
7	.	.	.	.	.	.	.	1	1	3	
14	.	.	.	1	1	.	1	1	3	8	B.46a
8	.	.	.	.	.	.	.	2	2	5	
32	.	1	.	.	.	.	3	3	13	12	B.30
33	.	.	.	.	.	1	2	2	13	17	
27	9	1	2	1	.	.	1	4	4	7	B.31
18	3	.	.	.	.	.	1	6	6	6	
28	1	1	.	.	.	.	1	2	2	11	B.32
29	.	.	.	.	.	.	2	2	11	14	
4	.	.	.	1	.	.	1	1	1	.	B.46b
6	.	.	.	.	.	.	1	1	3	.	
5	.	.	.	.	.	.	1	2	1	2	B.33
3	.	.	.	.	.	.	1	.	1	1	
1	.	.	.	.	1	.	.	.	.	1	B.34
2	.	.	.	.	1	.	.	.	.	.	
5	.	.	.	.	.	.	.	.	2	2	B.35
2	.	1	.	.	.	.	.	.	1	.	
5	2	1	.	.	.	.	.	.	.	.	B.36b
2	.	.	.	.	.	.	.	.	2	.	
2	.	.	.	.	.	.	.	.	1	2	B.36c
2	.	.	.	.	.	.	.	.	1	.	
1	.	.	.	.	.	.	1	3	.	1	B.37
5	.	.	.	.	.	.	.	.	1	.	
4	1	1	.	1	.	1	.	1	1	.	B.46d
2	.	.	.	.	.	.	.	.	.	.	
9	.	.	.	.	2	1	.	2	1	4	B.38
9	.	.	.	.	.	.	3	1	2	2	
12	.	.	.	.	.	.	.	2	2	8	B.39
7	.	.	.	.	2	1	4	.	.	.	B.40a
4	.	.	.	.	2	1	.	1	.	.	B.40c
4	3	2	1	1	1	.	.	.	.	.	B.41
2	.	.	.	.	.	.	.	.	.	.	
4	1	1	.	.	.	.	.	.	.	.	B.42
23	23	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	
60	.	.	.	.	.	.	.	.	1	5	B.45a
63	.	.	.	.	.	.	.	.	5	57	
13	1	1	1	.	.	.	.	1	1	9	B.45b
11	1	1	.	.	.	.	.	1	1	7	
33	1	2	1	.	.	2	3	2	3	13	B.46e
34	1	2	1	.	.	2	3	6	7	8	
3	.	.	2	.	.	.	.	.	.	1	B.E.47
16	.	1	1	4	1	3	2	1	2	2	B.E.48
8	.	1	1	.	.	.	1	1	1	5	
4	.	.	.	.	.	.	.	.	2	.	B.E.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths	
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere		
	All Causes ... ... ... { M. F.	880	61 55	16 14	108 70	252 254	17 17	
B.1	Tuberculosis of respiratory system ... { M. F.	33	8 5	2	2 2	11 3	.	
B.2	Tuberculosis, other forms ... ... { M. F.	4	3	.	1	.	.	
B.14	Measles ... ... ... { M. F.	1	.	.	1	.	.	
B.17d	All other diseases classified as infective and parasitic ... ... ... { M. F.	1	.	.	1	.	.	
B.18a	Malignant neoplasms ... ... ... { M. F.	93	12 12	1	15 6	19 28	.	
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... ... ... { M. F.	2	1	.	.	1	.	
B.19	Benign and unspecified neoplasms { M. F.	5	2	.	.	2 1	.	
B.20	Diabetes mellitus ... ... ... { M. F.	3	1	.	1	1	.	
B.21	Anaemias ... ... ... { M. F.	2	.	.	1	1	.	
B.22	Vascular lesions affecting central nervous system ... ... { M. F.	87	4 6	.	10 14	24 29	1	
B.23	Nonmeningococcal meningitis ... { M. F.	3	.	.	2 1	.	.	
B.24	Rheumatic fever ... ... ... { M. F.	1	.	.	.	1	.	
B.25	Chronic rheumatic heart disease ... { M. F.	10	1	.	.	4 5	.	
B.26	Arteriosclerotic and degenerative heart disease ... ... { M. F.	200	4 3	11 7	15 8	79 73	5 2	
B.27	Other diseases of the heart ... ... { M. F.	35	1 1	.	10 7	9 7	2 1	
B.28	Hypertension with heart disease ... { M. F.	11	1	1	1	4 4	.	
B.29	Hypertension without mention of heart { M. F.	10	.	1	2 1	3 3	.	
B.46a	Other circulatory diseases ... ... { M. F.	19	3	1	1	4 10	.	
B.30	Influenza ... ... ... { M. F.	45	.	1	5 4	17 18	2	
B.31	Pneumonia ... ... ... { M. F.	28	1	2	7 4	4 10	2	
B.32	Bronchitis ... ... ... { M. F.	18	1	1	.	12 4	.	
B.46b	Other respiratory diseases ... ... { M. F.	23	.	.	6 6	7 4	.	
B.33	Ulcer of stomach and duodenum ... { M. F.	4	2	.	1	1	.	
B.35	Intestinal obstruction and hernia ... { M. F.	5	2 1	.	.	2	.	
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years { M. F.	5	.	.	2 1	2	.	

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED.  
AND COUNTY BOROUGH.

## WICKLOW.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
437 398	40 41	3 8	1 3	10 4	12 9	17 14	32 17	59 53	123 102	141 142		
23 10	.	1	1	2	4 3	5 3	7 2	3 1	.	.	1	B.1
4	.	1	1	.	.	2	.	.	.	.	.	B.2
1	.	.	1	.	.	.	.	.	.	.	.	B.14
1	.	.	.	.	.	1	.	.	.	.	.	B.17d
46 47	.	.	.	.	2	2 2	6 2	7 11	19 20	12 10	.	B.18a
2	.	.	.	.	1	.	1	.	.	.	.	B.18b
2 3	.	.	.	.	.	.	.	2	.	.	2 1	B.19
2 1	.	.	.	.	.	.	.	2	.	.	1	B.20
1 1	.	.	.	.	.	.	.	.	.	1	.	B.21
38 49	.	.	.	1	1 1	2	3	5 8	13 16	15 22	.	B.22
2 1	.	1	1	1	.	.	.	.	.	.	.	B.23
1	.	.	.	.	.	1	.	.	.	.	.	B.24
5 5	.	.	.	1	.	.	.	2 1	2 1	2 1	1 2	B.25
109 91	.	.	.	.	1	1	5 5	16 14	35 28	51 43	.	B.26
20 15	1	.	.	.	.	1	2 1	2	9 4	6 9	.	B.27
6 5	.	.	.	.	.	.	2	1	4 1	2 1	.	B.28
5 5	.	.	.	.	.	1	1	2 2	2	2	.	B.29
8 11	.	.	.	1	.	.	1	1 2	1 2	1 2	4 7	B.46a
23 22	.	.	.	1	.	.	.	2	3	10 8	11 10	B.30
12 16	2 8	2	.	.	.	.	2	2	3	3	3 4	B.31
14 4	.	.	.	.	.	.	.	3	4 3	7 1	.	B.32
13 10	1	1	.	.	.	.	.	1	8 3	2 7	.	B.46b
4	.	.	.	.	.	1	1	.	.	1	.	B.33
2 3	1	.	.	1	.	1	.	1	.	1	.	B.35
4 1	4 1	.	.	.	.	.	.	.	.	.	.	B.36b

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.36c	Gastro-enteritis and colitis, except M. ulcerative, aged 2 years and over {M. F.	1	·	·	·	1	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	·	·	·	·
B.37	Cirrhosis of liver ... ... {M. F.	2	2	·	·	·	·
B.46c	Other diseases of the liver, gallbladder {M. and pancreas ... ... {F.	2	1	·	·	1	·
B.46d	Other digestive diseases ... ... {M. F.	5	1 1	·	2	1	·
B.38	Nephritis and nephrosis ... ... {M. F.	20	3 1	·	1 3	6 6	·
B.39	Hyperplasia of prostate ... ... M.	5	2	·	2	1	·
B.40a	Complications of pregnancy and child- birth F.	1	·	·	·	1	·
B.41	Congenital malformations ... ... {M. F.	16	4	·	5 3	2 2	1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis ... ... {F.	10	3 1	·	4 1	1	·
B.43a	Diarrhoea of newborn ... ... {M. F.	2	·	·	·	1 1	·
B.43b	Pneumonia of newborn ... ... {M. F.	3	1 1	·	·	1	1
B.43c	Other infections of newborn ... ... {M. F.	1	1	·	·	·	·
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified ... ... {F.	24	1 2	·	6 4	3 8	1 3
B.45a	Senility without mention of psychosis {M. F.	23	·	1	1	8 13	3 5
B.45b	Ill-defined and unknown causes ... ... {M. F.	10	1	·	1	3 5	1 1
B.46e	All other diseases ... ... {M. F.	32	2 4	1	3 2	10 10	1
EXTERNAL CAUSES							
BE.47	Motor vehicle accidents ... ... {M. F.	5	2	·	·	3	·
BE.48	All other accidents ... ... {M. F.	15	4 2	·	2	6 1	1 1
BE.49	Suicide and self-inflicted injury ... ... {M. F.	4	·	·	·	3 1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED

AND COUNTY BOROUGH.

**WICKLOW.**

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
1	1	1	1	1	1	1	1	1	1	1	B.36c	
1	1	1	1	1	1	1	1	1	1	1	B.36d	
2	2	1	1	1	1	1	1	1	1	1	B.37	
1	1	1	1	1	1	1	1	1	1	1	B.46c	
3	2	1	1	1	1	1	1	1	1	1	B.46d	
10	10	1	1	1	1	1	1	3	3	3	B.38	
5	5	1	1	1	1	1	1	1	1	4	B.39	
1	1	1	1	1	1	1	1	1	1	1	B.40a	
7	9	6	9	1	1	1	1	1	1	1	B.41	
8	2	8	2	1	1	1	1	1	1	1	B.42	
1	1	1	1	1	1	1	1	1	1	1	B.43a	
2	1	2	1	1	1	1	1	1	1	1	B.43b	
1	1	1	1	1	1	1	1	1	1	1	B.43c	
10	14	10	14	1	1	1	1	1	1	1	B.44	
9	14	1	1	1	1	1	1	1	1	2	7	B.45a
3	7	1	2	1	1	1	1	1	1	1	1	B.45b
15	17	2	1	1	1	2	2	2	1	1	3	B.46e
5	5	1	1	1	2	1	1	1	1	1	1	BE.47
12	3	3	1	1	2	1	2	1	3	1	2	BE.48
3	1	1	1	1	1	1	1	1	1	1	1	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), AND DEATHS FOR EACH COUNTY MUN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infiraries	Elsewhere	
			668 548	214 226	1,998 1,459	4,425 4,159	
	ALL CAUSES ... ... ... {M. F.	13,697					801 857
B.1	Tuberculosis of respiratory system ... {M. F.	528	67 66	40 41	91 72	99 52	4
B.2	Tuberculosis, other forms ... {M. F.	150	14 18	3	59 36	13 7	1
B.3	Syphilis and its sequelae ... ... {M. F.	11	·	1	4 1	5	·
B.7a	Scarlet fever ... ... ... {M. F.	2	·	·	1	1	·
B.7b	Streptococcal sore throat ... ... {M. F.	2	1	·	1	·	·
B.8	Diphtheria ... ... ... {M. F.	1	·	·	1	·	·
B.9	Whooping cough ... ... ... {M. F.	20	·	·	5 2	4 9	1
B.10	Meningococcal infections ... ... {M. F.	12	3 1	·	3 3	1 1	·
B.12	Acute poliomyelitis ... ... ... {M. F.	6	2	·	2 1	1	·
B.17a	Late effects of acute poliomyelitis {M. F.	1	·	·	·	1	·
B.17b	Acute infectious encephalitis ... {M. F.	3	·	·	1	1 1	·
B.14	Measles ... ... ... ... {M. F.	3	1	·	·	1 1	1
B.16	Malaria ... ... ... ... {M. F.	1	·	·	·	1	·
B.17d	All other diseases classified as infective and parasitic {M. F.	38	7 5	1	7 7	8 3	·
B.18a	Malignant neoplasms ... ... ... {M. F.	1,313	111 101	9 12	256 167	328 329	4 2
B.18b	Neoplasms of lymphatic and haemato poetic tissues {M. F.	45	9 5	·	9 2	13 7	·
B.19	Benign and unspecified neoplasms ... {M. F.	32	6 7	·	6 5	5 3	·
B.20	Diabetes mellitus ... ... ... {M. F.	87	9 10	1 2	9 14	24 18	5
B.21	Anaemias ... ... ... {M. F.	113	5 4	4 1	23 17	15 44	1 3

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
STER.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
7,305 6,392	505 354	116 89	78 49	121 112	147 142	247 235	477 387	955 693	1,902 1,601	2,757 2,730			
297 231	1 1	1	1 3	40 47	35 60	59 53	62 30	59 19	24 11	7 6		B.1	
89 61	8 5	23 11	17 7	14 15	7 7	9 5	4 5	3 4	4 1	1		B.2	
10 1	·	·	·	·	·	1	3 1	4	2	·		B.3	
1 1	·	1	·	1	·	·	·	·	·	·		B.7a	
1 1	·	·	·	·	·	1	·	·	·	1		B.7b	
1	·	·	1	·	·	·	·	·	·	·		B.8	
9 11	5 5	3 5	1	1	·	·	·	·	·	·		B.9	
7 5	3 2	1 3	1	·	1	1	·	·	·	·		B.10	
2 4	·	·	1	·	1	1 1	1	·	1	·		B.12	
1	·	·	·	·	·	·	·	1	·	·		B.17a	
2 1	·	1	·	·	·	·	1	1	·	·		B.17b	
2 1	·	2	·	·	·	·	·	·	·	·		B.14	
1	·	·	·	·	·	·	·	·	·	1		B.16	
22 16	1 2	2 3	2 3	1 2	2 1	3 1	3	2	4 3	2		B.17d	
704 609	·	3	4 1	4 3	11 5	21 39	67 93	159 150	274 177	161 141		B.18a	
31 14	1	3	2 3	1	4 2	3 2	5 2	7 2	3 1	2 1		B.18b	
17 15	·	1	2 1	1	4 1	4 3	4 3	2 2	2 2	1		B.19	
43 44	·	·	1	·	2	1 3	11 3	4 8	12 20	12 9		B.20	
47 66	·	4	1	·	·	1 1	4	8 13	8 14	16 22	9 11		B.21

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY MUN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.22	Vascular lesions affecting central nervous system {M. F.	930	33 27	12 19	119 110	266 344	14 22
B.23	Nonmeningocoecal meningitis ... {M. F.	31	5 3	1	10 7	3 2	.
B.24	Rheumatic fever ... {M. F.	13	1	.	1 3	7 1	.
B.25	Chronic rheumatic heart disease ... {M. F.	116	6 5	1	15 12	45 32	3
B.26	Arteriosclerotic and degenerative heart disease {M. F.	2,981	65 53	53 62	442 309	1,094 903	47 41
B.27	Other diseases of the heart ... {M. F.	492	22 14	3 8	58 53	176 158	22 21
B.28	Hypertension with heart disease ... {M. F.	112	1 5	1	12 17	38 38	1
B.29	Hypertension without mention of heart {M. F.	134	7 12	1	11 12	34 57	1 2
B.46a	Other circulatory diseases ... {M. F.	187	9 8	3 3	39 27	45 53	2
B.30	Influenza ... ... {M. F.	911	6 7	5 12	99 102	305 375	44 63
B.31	Pneumonia ... ... {M. F.	452	14 11	4 2	80 65	140 127	6 2
B.32	Bronchitis ... ... {M. F.	450	12 7	10 5	45 30	192 140	17 11
B.46b	Other respiratory diseases ... {M. F.	129	12 4	.	32 16	34 31	.
B.36a	Gastritis and duodenitis ... {M. F.	23	.	.	6 2	9 6	1
B.33	Uleer of stomach and duodenum ... {M. F.	91	20 6	1 1	24 2	23 14	1 1
B.34	Appendicitis ... ... {M. F.	24	5 1	.	10 6	1 1	1
B.35	Intestinal obstruction and hernia ... {M. F.	68	8 8	1 1	14 14	11 11	1 1
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under {M. F. 2 years	63	2 1	.	7 10	28 15	2 3
B.36c	Gastro-enteritis and colitis, except ulcerative, aged 2 years and over {M. F.	21	.	.	6 5	5 5	1
B.36d	Chronic enteritis and ulcerative colitis {M. F.	15	6 4	.	1 1	3	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
STER.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
430 500	1	1	.	4 1	1 6	12 4	20 41	69 80	137 171	185 197	.	B.22	
18 13	9 3	6 2	2 1	1 4	.	1	.	1	1	.	.	B.23	
9 4	.	.	1 1	.	2 2	1	.	2 1	3	.	.	B.24	
67 49	.	.	1 1	2 3	2 7	8 7	6 6	10 7	17 11	21 7	.	B.25	
1,654 1,327	.	.	2	2 2	12 9	33 19	82 64	232 154	597 436	694 643	.	B.26	
259 233	1	2 2	.	2 3	7 3	6 7	14 17	53 37	92 68	82 96	.	B.27	
51 61	.	.	.	.	.	1	6 5	10 13	15 28	20 14	.	B.28	
53 81	.	1	.	.	.	1	4	7 5	10 23	17 21	17 28	.	B.29
96 91	.	.	.	.	1	.	2	5 5	12 3	23 29	55 52	.	B.46a
415 496	6 6	2 3	5 2	2 2	2 3	8 10	22 12	55 38	117 163	196 237	.	B.30	
247 205	63 37	17 22	5 4	1	5 5	3 5	8 4	28 19	58 43	59 66	.	B.31	
259 191	12 1	5 5	.	1 1	1 3	1 8	18 9	47 21	77 64	97 79	.	B.32	
78 51	5 1	.	4	3	3	3 1	8 1	11 3	17 21	24 24	.	B.46b	
15 8	8 2	1	.	.	.	1	.	.	4 3	1 3	.	B.36a	
68 23	.	.	.	1	1	8 1	11 4	16 3	23 8	8 7	.	B.33	
16 8	.	4 1	.	3	2 1	2 1	1	2 1	1 1	2	.	B.34	
34 34	2 2	.	2 1	1 2	1 1	4 1	1 2	6 5	7 12	10 8	.	B.35	
37 26	37 25	1	.	.	.	.	.	.	.	.	.	B.36b	
11 10	.	1 3	.	1	1	1	3 1	1 1	3 2	4 1	.	B.36c	
7 8	.	.	.	.	1	.	1	3 1	2 1	2 1	3	B.36d	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY MUN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.37	Cirrhosis of liver ... ... ... {M. F.	10	2	1	3	3 1	.
B.46c	Other diseases of the liver, gallbladder and pancreas {M. F.	46	5 11	1	4 6	7 12	.
B.46d	Other digestive diseases ... ... {M. F.	40	8 3	1	6 4	10 8	1
B.38	Nephritis and nephrosis ... ... {M. F.	224	13 11	2 1	48 35	60 54	2 2
B.39	Hyperplasia of prostate ... ... M.	96	25	.	38	33	1
B.40a	Complications of pregnancy and child-birth F.	22	6	.	11	5	.
B.40c	Other complications of the puerperium F.	5	.	.	4	1	.
B.41	Congenital malformations ... ... {M. F.	133	14 13	.	25 21	35 25	3
B.42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	87	19 16	.	21 15	4 12	.
B.43a	Diarrhoea of newborn ... ... {M. F.	7	1	.	2 2	1 1	.
B.43b	Pneumonia of newborn ... ... {M. F.	21	1 2	.	6 2	9 1	.
B.44	Other diseases peculiar to early infancy, and immaturity unqualified {M. F.	208	28 25	.	85 52	55 53	12 8
B.45a	Senility without mention of psychosis {M. F.	1,856	6 11	22 30	86 74	771 856	504 575
B.45b	Ill-defined and unknown causes ... {M. F.	332	26 15	5 2	24 7	146 107	86 65
B.46e	All other diseases ... ... {M. F.	634	33 19	30 18	93 61	210 170	18 22
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	40	7 3	.	9 3	12 6	.
BE.48	All other accidents ... ... {M. F.	203	12 18	1	30 30	70 41	1 5
BE.49	Suicide and self-inflicted injury ... {M. F.	26	.	1	.	21 4	.
BE.50	Homicide and operations of war ... {M. F.	6	1	.	2	3	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
STER.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
91	.	.	.	.	.	.	2	31	3	1	B.37
1729	.	.	.	11	.	2	14	48	78	46	B.46c
2418	53	13	.	.	1	1	32	53	52	51	B.46d
123101	.	.	21	53	41	78	1510	2116	2835	4127	B.38
96	.	.	.	.	.	.	1	4	38	53	B.39
22	.	.	.	2	8	12	.	.	.	.	B.40a
5	.	.	.	1	1	3	.	.	.	.	B.40c
7459	5849	75	41	2	1	21	.	1	1	1	B.41
4443	4443	.	.	.	.	.	.	.	.	.	B.42
43	43	.	.	.	.	.	.	.	.	.	B.43a
165	165	.	.	.	.	.	.	.	.	.	B.43b
188130	168130	.	.	.	.	.	.	.	.	.	B.44
885971	.	.	.	.	.	.	.	1	8690	798881	B.45a
201181	3016	57	12	2	12	43	146	2615	5836	6044	B.45b
366268	114	125	114	75	97	1823	3725	6229	8887	11179	B.46e
2812	.	1	1	42	81	61	22	21	52	1	BE.47
11390	54	113	58	53	141	122	106	84	2623	1436	BE.48
215	.	.	.	2	22	3	10	41	2	.	BE.49
6	.	.	.	.	.	.	.	3	2	1	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	1,270	27 18	9 9	178 124	486 419	126 156
B.1	Tuberculosis of respiratory system ... {M. F.	39	6 3	1 2	3 12	5 7	.
B.2	Tuberculosis, other forms ... ... {M. F.	8	1 1	.	2 3	1	.
B.3	Syphilis and its sequelae ... ... {M. F.	2	.	.	1	1	.
B.12	Acute poliomyelitis ... ... {M. F.	2	.	.	1 1	.	.
B.14	Measles ... ... ... {M. F.	1	. 1	.	.	.	.
B.17d	All other diseases classified as infective and parasitic ... ... {M. F.	3	.	.	1	1	.
B.18a	Malignant neoplasms ... ... {M. F.	91	3 2	.	16 13	32 25	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... ... {M. F.	6	1	.	3 1	1	.
B.19	Benign and unspecified neoplasms ... {M. F.	1	.	.	.	1	.
B.20	Diabetes mellitus ... ... {M. F.	10	2 1	.	1	5 1	.
B.21	Anaemias ... ... ... {M. F.	9	.	.	1 2	1 5	1
B.22	Vascular lesions affecting central nervous system ... ... {M. F.	70	2	.	10 12	19 27	1 2
B.23	Nonmeningococcal meningitis ... {M. F.	6	1	1	1 2	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	8	.	.	.	4 4	.
B.26	Arteriosclerotic and degenerative heart disease ... ... {M. F.	258	2 1	3	76 38	87 51	1
B.27	Other diseases of the heart ... {M. F.	44	.	1	1 2	24 16	3 2
B.28	Hypertension with heart disease ... {M. F.	8	.	.	2	3 3	.
B.29	Hypertension without mention of heart {M. F.	7	.	.	.	4 3	1
B.46a	Other circulatory diseases ... ... {M. F.	13	1	.	4 1	4 3	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## CLARE.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
700 570	35 10	6 2	8 5	7 14	17 15	18 19	30 30	86 47	173 132	340 296	
15 24	.	.	.	2 8	2 8	1 4	3 3	4	3 1	.	B.1
4 4	1	1	2	2	2	.	.	.	.	.	B.2
1 1	.	.	.	.	.	.	1 1	.	.	.	B.3
1 1	.	.	.	.	.	1	.	1	.	.	B.12
1	.	1	.	.	.	.	.	.	.	.	B.14
2 1	.	.	.	1	.	.	.	1 1	.	.	B.17d
51 40	.	.	1	.	1	1	6	9 9	28 13	11 11	B.18a
4 3	.	.	.	1	1	1	1	2	.	.	B.18b
1	.	.	.	.	.	.	1	.	.	.	B.19
7 3	.	.	.	.	2	.	.	1	2 1	3 1	B.20
2 7	.	.	.	.	.	1	3	2	1 1	1	B.21
29 41	.	.	.	.	1	1	1 3	3 10	11 12	13 15	B.22
3 3	2	.	1 1	1	.	1	.	.	.	.	B.23
4 4	.	.	.	.	.	1	.	1 1	2 2	1	B.25
165 93	.	.	.	.	2 1	3 2	6 4	13 3	52 32	89 51	B.26
26 18	.	.	.	1	1	1	1	6 1	8 1	10 13	B.27
3 5	.	.	.	.	.	.	.	.	2	3 3	B.28
4 3	.	.	.	.	.	.	.	.	3 1	1 2	B.29
8 5	.	.	.	.	.	.	1 1	.	3 2	4 2	B.46a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.30	Influenza ... ... ... {M. F.	126	.	.	12 8	52 54	8 16
B.31	Pneumonia ... ... ... {M. F.	44	.	.	6 2	25 11	1
B.32	Bronchitis ... ... ... {M. F.	36	2	.	3	17 14	2 4
B.46b	Other respiratory diseases ... ... {M. F.	10	.	.	3	4 3	.
B.33	Ulcer of stomach and duodenum ... {M. F.	9	2 1	.	2	1 3	1
B.34	Appendicitis ... ... ... {M. F.	3	1	.	1	1	1
B.35	Intestinal obstruction and hernia ... {M. F.	8	.	.	2 4	2	.
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	7	.	.	.	5 2	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	3	.	.	.	2 1	1
B.46c	Other diseases of the liver, gallbladder {M. and pancreas ... ... ... {F.	3	.	.	1 2	.	.
B.46d	Other digestive diseases ... ... {M. F.	1	1	.	.	.	.
B.38	Nephritis and nephrosis ... ... {M. F.	19	1	.	5	4 9	.
B.39	Hyperplasia of prostate ... ... M.	5	1	.	3	1	.
B.40a	Complications of pregnancy and child- birth	F.	3	.	2	1	.
B.41	Congenital malformations ... ... {M. F.	10	1	.	2	5 2	1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis ... ... ... {F.	3	.	.	1 1	1	.
B.43a	Diarrhoea of newborn ... ... {M. F.	1	.	.	.	1	.
B.43b	Pneumonia of newborn ... ... {M. F.	2	.	.	.	1	.
B.44	Other diseases peculiar to early infancy {M. and immaturity unqualified ... {F.	8	1	.	1	5 1	1
B.45a	Senility without mention of psychosis {M. F.	261	.	4	6 3	120 128	99 110
B.45b	Ill-defined and unknown causes ... {M. F.	31	.	1	2 1	12 15	5 12
B.46e	All other diseases ... ... {M. F.	61	2 2	2	7 5	23 18	2 3
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	4	1	.	.	1 2	.
BE.48	All other accidents ... ... {M. F.	21	1	3	4	10 3	1
BE.49	Suicide and self-inflicted injury ... {M. F.	4	.	.	.	2 2	.
BE.50	Homicide and operations of war ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## CLARE.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
64						3	2	8	20	31	B.30
62	1	.	.	.	.	2	2	2	21	36	
31	6	2	1	.	3	1	1	3	6	9	B.31
13	.	.	.	.	.	.	1	5	3	4	
20	.	.	.	.	.	2	2	2	4	14	B.32
16	.	.	.	.	.	.	2	2	5	5	
7	1	.	.	.	1	.	1	.	3	1	B.46b
3	.	.	.	.	.	.	.	.	3	.	
5	.	.	.	.	.	.	3	.	2	2	B.33
4	.	.	.	.	.	1	.	.	1	.	
12	.	1	.	.	.	.	1	.	.	.	B.34
4	4	.	.	.	.	.	.	1	2	3	B.35
5	5	.	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	.	.	.	.	.	.	
2	1	.	.	.	.	.	.	.	1	1	B.36c
1	.	.	.	.	1	.	.	.	1	1	
1	2	.	.	.	.	.	.	.	1	1	B.46c
1	1	.	.	.	.	.	.	.	.	.	B.46d
10	.	.	1	1	1	1	1	2	2	2	B.38
9	.	.	.	.	.	.	.	.	2	6	
5	.	.	.	.	.	.	.	.	2	3	B.39
3	.	.	.	.	1	2	.	.	.	.	B.40a
8	6	.	1	1	.	1	.	.	.	.	B.41
2	1	.	1	.	.	.	.	.	.	.	
1	2	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	B.43b
6	6	.	.	.	.	.	.	.	.	.	B.44
2	2	.	.	.	.	.	.	.	.	.	
130	.	.	.	.	.	.	.	.	9	121	B.45a
131	.	.	.	.	.	.	.	.	7	124	
15	5	1	.	.	1	1	.	1	1	4	B.45b
16	.	.	.	.	.	.	.	4	4	7	
34	1	1	.	.	.	1	1	1	6	9	B.46e
27	.	.	.	.	.	2	3	4	11	14	
7	2	.	1	1	.	.	1	.	.	.	BE.47
13	.	1	1	1	1	2	2	2	1	2	BE.48
8	.	.	.	.	.	2	1	.	.	5	
2	2	.	.	.	.	2	1	.	.	.	BE.49
1	.	.	.	.	.	.	.	.	1	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CORK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
			127	15	148	232	
	ALL CAUSES ... ... ... {M. F.	1,080	131	17	101	259	1
B.1	Tuberculosis of respiratory system ... {M. F.	46	7 6	3 4	14 1	10 1	.
B.2	Tuberculosis, other forms ... ... {M. F.	9	2 3	.	2 2	.	.
B.3	Syphilis and its sequelae ... ... {M. F.	2	.	1	1	.	.
B.10	Meningococcal infections ... ... {M. F.	4	2	.	1	1	.
B.17d	All other diseases classified as infective and parasitic {M. F.	4	2	.	.	1 1	.
B.18a	Malignant neoplasms ... ... {M. F.	127	22 26	.	25 5	19 30	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues {M. F.	4	1 2	.	.	1	.
B.19	Benign and unspecified neoplasms ... {M. F.	5	1 3	.	1	.	.
B.20	Diabetes mellitus ... ... {M. F.	4	3	.	.	1	.
B.21	Anaemias ... ... {M. F.	6	2	.	2	1 1	.
B.22	Vascular lesions affecting central nervous system {M. F.	76	11 10	4	5 9	14 23	.
B.23	Nonmeningococcal meningitis ... {M. F.	1	.	.	.	1	.
B.24	Rheumatic fever ... ... {M. F.	1	.	.	1	.	.
B.25	Chronic rheumatic heart disease ... {M. F.	19	2 2	.	2	6 7	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	271	13 6	7 4	25 27	88 101	.
B.27	Other diseases of the heart ... ... {M. F.	40	4 10	2	9 3	2 10	.
B.28	Hypertension with heart disease ... {M. F.	11	2	.	2 3	3 1	.
B.29	Hypertension without mention of heart {M. F.	19	3 5	1	2	2 6	.
B.46a	Other circulatory diseases ... ... {M. F.	18	3 2	.	4 1	2 6	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

		AGE AT DEATH										Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
522 508	43 21	11 9	2 5	9 8	10 11	17 25	47 31	102 74	165 141	116 183		
34 12	.	.	.	6 2	2 3	8 2	7 3	5 1	4	2 1		B.1
4 5	1	3 2	1	1	.	1	.	.	.	.		B.2
2	.	.	.	.	.	1	.	1	.	.		B.3
4	3	.	.	.	.	1	.	.	.	.		B.10
1 3	.	1	.	1	.	.	.	1	.	.		B.17d
66 61	.	1	1 1	.	2 1	8	7 6	13 17	28 17	14 11		B.18a
2 2	1	.	.	.	1	.	1	1	.	.		B.18b
1 4	.	1	.	.	.	3	.	1	.	.		B.19
4	.	.	.	.	.	.	.	3	1	.		B.20
3 3	.	.	.	.	.	.	1	1 1	1 2	.		B.21
30 46	.	.	.	1	1	1	2 2	6 8	11 15	10 19		B.22
1	.	.	.	.	.	.	.	1	.	.		B.23
1	.	.	.	.	1	.	.	.	.	.		B.24
8 11	.	.	.	.	1	3	2 3	2 2	3 1	1 1		B.25
133 138	.	.	.	1	1 1	2 3	8 5	26 14	56 49	40 65		B.26
15 25	.	1	.	.	.	1 1	1 3	7 5	3	3 6		B.27
5 6	.	.	.	.	.	.	1 1	2	3	1		B.28
6 13	.	.	.	.	.	.	1 1	1 3	3	1 6		B.29
9 9	.	.	.	.	.	.	1 1	4	3	4 5		B.46a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CORK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.30	Influenza ... ... ... {M. F.	32	2	.	1 18	10 6	.
B.31	Pneumonia ... ... ... {M. F.	46	6 5	1	10 7	9 8	.
B.32	Bronchitis ... ... ... {M. F.	62	5 2	1	9 5	19 21	.
B.46b	Other respiratory diseases ... ... {M. F.	5	.	.	1 2	1 1	.
B.36a	Gastritis and duodenitis ... ... {M. F.	2	.	.	.	2	.
B.33	Ulcer of stomach and duodenum ... {M. F.	7	.	.	4 1	1 1	.
B.34	Appendicitis ... ... ... {M. F.	2	1	.	1	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	3	1 2	.	.	.	.
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	5	1 1	.	1 1	.	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	4	2 2	.	.	.	.
B.37	Cirrhosis of liver ... ... ... {M. F.	2	2	.	.	.	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	4	1 1	.	1	1	.
B.46d	Other digestive diseases ... ... {M. F.	3	2 1	.	.	.	.
B.38	Nephritis and nephrosis ... ... ... {M. F.	11	1 2	1	4 1	2	.
B.39	Hyperplasia of prostate ... ... M.	10	2	.	6	2	.
B.40a	Complications of pregnancy and child- birth F.	2	.	.	1	1	.
B.41	Congenital malformations ... {M. F.	10	4 1	.	2	2 1	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	11	5 4	.	1 1	.	.
B.43a	Diarrhoea of newborn ... ... {M. F.	1	.	.	1	.	.
B.43b	Pneumonia of newborn ... ... {M. F.	5	1	.	2	2	.
B.44	Other diseases peculiar to early infancy {M. and immaturity unqualified F.	17	2 2	.	5 2	4 2	1
B.45a	Senility without mention of psychosis {M. F.	42	3	1	4 2	12 19	.
B.45b	Ill-defined and unknown causes ... {M. F.	17	10 5	.	.	1 1	.
B.46e	All other diseases ... ... {M. F.	38	6 5	1	4 6	10 6	.
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	4	3	.	1	.	.
BE.48	All other accidents ... ... {M. F.	17	1 8	.	1 1	4 2	.
BE.50	Homicide and operations of war ... {M. F.	1	1	.	.	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
11	.	.	.	.	.	.	.	5	4	2	B.30
21	.	.	.	.	.	.	.	1	4	16	
26	4	2	.	.	1	.	1	4	7	7	B.31
20	4	2	.	.	1	.	.	2	7	4	
34	1	.	.	.	.	.	5	10	11	7	B.32
28	1	.	.	.	.	.	1	4	11	11	
2	.	.	.	.	1	.	.	.	3	1	B.46b
3	.	.	.	.	.	.	.	.	1	.	
2	1	.	.	.	.	.	.	.	1	.	B.36a
5	.	.	.	.	.	.	1	1	2	1	B.33
2	.	.	.	.	.	.	.	2	2	.	
2	.	1	.	.	.	1	.	.	.	.	B.34
1	2	.	1	.	1	.	.	.	1	.	
2	3	.	.	.	.	.	.	.	.	.	B.35
2	3	.	.	.	.	.	.	.	.	.	B.36b
2	2	.	.	.	1	.	.	1	.	.	B.36d
2	2	.	.	.	.	.	.	1	.	.	
2	1	.	.	.	.	.	.	1	1	1	B.37
3	1	.	.	.	.	.	.	.	2	1	B.46c
2	1	1	.	.	.	.	.	1	.	.	B.46d
7	4	.	.	.	1	.	.	2	3	1	B.38
10	.	.	.	.	.	.	.	.	7	3	B.39
2	.	.	.	.	1	1	.	.	.	.	B.40a
8	2	1	.	.	.	.	1	.	.	.	B.41
6	5	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43a
4	1	.	.	.	.	.	.	.	.	.	B.43b
11	11	.	.	.	.	.	.	.	.	.	B.44
6	6	.	.	.	.	.	.	.	5	12	B.45a
17	.	.	.	.	.	.	.	.	.	25	
25	.	.	.	.	.	.	.	.	4	3	B.45b
11	6	.	.	.	1	.	1	2	1	2	
20	18	.	1	1	.	.	2	3	7	5	B.46c
4	.	.	.	.	.	2	.	2	.	.	BE.47
6	11	.	2	2	1	.	.	.	1	3	BE.48
1	.	.	.	.	.	.	.	1	1	4	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	4,121	244 211	52 58	549 426	1,346 1,285	215 236
B.1	Tuberculosis of respiratory system ... {M. F.	154	22 30	17 9	26 14	25 11	1
B.2	Tuberculosis, other forms ... ... {M. F.	39	5 7	·	18 5	1 3	·
B.3	Syphilis and its sequelae ... ... {M. F.	2	·	·	1	1	·
B.7a	Scarlet fever ... ... ... {M. F.	1	·	·	·	1	·
B.8	Diphtheria ... ... ... {M. F.	1	·	·	1	·	·
B.9	Whooping cough ... ... ... {M. F.	7	·	·	1	3 3	1
B.10	Meningococcal infections ... ... ... {M. F.	6	1	·	1 3	1	·
B.12	Acute poliomyelitis ... ... ... {M. F.	2	1	·	·	1	·
B.16	Malaria ... ... ... {M. F.	1	·	·	·	1	·
B.17d	All other diseases classified as infective and parasitic {M. F.	14	3 2	·	3 4	2	·
B.18a	Malignant neoplasms ... ... ... {M. F.	409	46 37	2	81 56	97 90	2
B.18b	Neoplasms of lymphatic and haemato-poietic tissues {M. F.	15	5 2	·	2	3 3	·
B.19	Benign and unspecified neoplasms ... {M. F.	10	1 2	·	3 2	2	·
B.20	Diabetes mellitus ... ... ... {M. F.	26	2 3	1	2 9	7 2	1
B.21	Anaemias ... ... ... {M. F.	34	4 2	2	5 4	4 13	1
B.22	Vascular lesions affecting central nervous system {M. F.	310	13 8	2 4	35 26	106 116	10 8
B.23	Nonmeningococcal meningitis ... {M. F.	9	2 2	·	3 1	1	·
B.24	Rheumatic fever ... ... ... {M. F.	5	1	·	·	4	·
B.25	Chronic rheumatic heart disease ... {M. F.	36	2 2	1	8 4	12 7	1
B.26	Arteriosclerotic and degenerative heart disease {M. F.	899	16 20	20 26	105 92	353 267	16 13
B.27	Other diseases of the heart ... {M. F.	148	5 3	5	11 15	61 48	5 6
B.28	Hypertension with heart disease ... {M. F.	26	1	·	4 3	10 8	·
B.29	Hypertension without mention of heart {M. F.	40	2 2	·	3 2	10 21	·
B.46a	Other circulatory diseases ... ... {M. F.	72	3 3	1	11 12	25 17	·
B.30	Influenza ... ... ... {M. F.	263	4 2	2	35 35	76 109	9 11
B.31	Pneumonia ... ... ... {M. F.	119	2 2	2	22 20	35 36	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## CORK.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
2,191 1,930	127 97	29 19	23 15	36 32	45 40	78 63	149 111	301 203	552 491	851 859	
90	1	.	.	17	14	24	16	12	5	1	B.1
64	.	.	1	10	21	14	5	7	5	1	
24	2	7	2	6	1	3	2	1	1	.	B.2
15	1	3	1	3	3	.	1	2	1	.	
2	.	.	.	.	.	.	2	.	.	.	B.3
1	.	1	.	.	.	.	.	.	.	.	B.7a
1	.	.	1	.	.	.	.	.	.	.	B.8
3	2	.	1	.	1	.	.	.	.	.	B.9
4	2	1	.	.	.	.	.	.	.	.	
2	4	1	1	.	.	.	.	.	.	.	B.10
2	2	2	.	.	.	.	.	.	.	.	
2	.	.	1	.	.	.	1	.	.	.	B.12
1	.	.	.	.	.	.	.	.	1	.	B.16
8	1	.	1	1	1	.	1	1	1	3	.
6	.	1	1	1	1	.	.	1	1	1	
224	.	.	.	.	1	3	26	64	77	53	B.18a
185	.	.	.	1	2	12	26	40	65	39	
10	.	1	1	.	1	1	2	2	1	1	B.18b
5	.	1	1	.	1	1	1	1	1	1	
6	.	1	.	.	2	.	2	1	1	2	B.19
4	.	.	.	.	.	.	2	1	1	3	
11	.	.	1	.	1	.	2	3	2	6	B.20
15	.	.	.	1	.	.	1	1	2	3	
15	19	1	.	.	.	1	2	4	3	4	B.21
156	.	.	.	.	.	1	2	4	12	49	B.22
154	.	.	.	.	.	2	1	12	16	49	
6	3	2	.	1	1	.	.	.	.	1	B.23
3	1	.	.	1	1	.	.	.	.	.	
5	.	.	1	.	.	1	.	.	2	1	B.24
23	.	.	.	.	1	2	2	2	3	7	B.25
13	.	.	.	.	1	1	1	1	3	7	
494	.	.	.	.	1	2	12	23	71	175	B.26
405	.	.	.	.	1	1	4	16	52	133	
77	71	1	1	.	.	2	2	3	16	27	25
71	.	.	.	.	.	1	1	14	22	31	
14	.	.	.	.	.	.	.	1	4	3	B.28
12	.	.	.	.	.	.	.	4	4	4	
15	25	1	.	.	.	1	.	1	3	4	6
25	.	.	.	.	.	.	.	7	7	10	
39	.	.	.	.	.	.	.	1	2	11	B.46a
33	.	.	.	.	.	.	.	1	1	11	
117	3	1	2	.	1	3	9	17	31	50	B.30
146	2	1	1	2	2	3	7	15	45	68	
59	15	3	1	1	.	1	1	1	11	12	16
60	9	3	1	.	.	.	.	3	14	27	B.31

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
B.32	Bronchitis ... ... ... {M. F.	129	4 2	1 1	11 11	55 44	3 4
B.46b	Other respiratory diseases ... ... {M. F.	51	3 3	·	13 3	15 14	·
B.36a	Gastritis and duodenitis ... ... {M. F.	5	·	·	·	3 2	·
B.33	Ulcer of stomach and duodenum ... {M. F.	27	7 3	1	4	7 5	·
B.34	Appendicitis ... ... ... {M. F.	6	1	·	3 2	·	·
B.35	Intestinal obstruction and hernia ... {M. F.	25	4 5	·	6 4	4 2	·
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	5	·	·	1	1 3	·
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	4	·	·	·	3 1	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	6	3 1	·	1 1	·	·
B.37	Cirrhosis of liver ... ... ... {M. F.	1	·	·	1	·	·
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	19	4 7	·	·	4 4	·
B.46d	Other digestive diseases ... ... {M. F.	10	1 1	1	·	3 4	·
B.38	Nephritis and nephrosis ... ... {M. F.	70	7 8	·	5 15	16 19	2
B.39	Hyperplasia of prostate ... ... M.	32	10	·	12	10	·
B.40a	Complications of pregnancy and child- birth F.	6	3	·	3	·	·
B.40c	Other complications of the puerperium F.	1	·	·	1	·	·
B.41	Congenital malformations ... ... {M. F.	35	3 6	·	4 6	10 6	·
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	31	7 9	·	7 4	1 3	·
B.43a	Diarrhoea of newborn ... ... {M. F.	1	·	·	1	·	·
B.43b	Pneumonia of newborn ... ... {M. F.	3	1 1	·	·	1	·
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	82	16 11	·	17 13	14 11	6 2
B.45a	Senility without mention of psychosis {M. F.	586	5 5	2 3	32 32	226 281	131 161
B.45b	Ill-defined and unknown causes ... {M. F.	99	12 5	·	6 1	45 30	27 19
B.46e	All other diseases ... ... {M. F.	156	8 5	3 1	35 15	55 34	3 4
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	16	1 2	·	3 1	6 3	·
BE.48	All other accidents ... ... {M. F.	59	8 3	1	9 4	21 12	3
BE.49	Suicide and self-inflicted injury ... {M. F.	8	·	1	·	6 1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CORK.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
71	2	1	.	.	1 1	1 2	5 3	12 7	17 18	32 27	B.32
58	.	.	.	.	.	.	.	.	.	.	.
31	2	.	2	.	1	.	2 1	4 2	9 8	11 9	B.46b
20	.	.	.	.	.	.	.	.	.	.	.
3	2	1	.	.	.	.	.	.	1	1	B.36a
19	.	.	.	.	1	1	6 1	3 2	3 2	3	B.33
8	.	.	.	.	.	.	.	.	.	.	.
4	.	1	2	.	1	1	.	.	.	1	B.34
2	.	.	.	.	.	.	.	.	.	.	.
14	1	.	1 1	1	.	2	1	2 1	3 4	4 3	B.35
11	1	.	.	.	.	.	.	.	.	.	.
1	1	4	.	.	.	.	.	.	.	.	B.36b
4	1	.	.	.	.	.	.	.	.	.	.
3	1	.	1	.	1	.	.	.	1	1	B.36c
1	4	.	.	.	.	.	.	.	.	.	.
4	2	.	.	.	.	.	1	2 1	1	1	B.36d
2	.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	1	.	.	.	B.37
8	.	.	.	.	.	.	.	1	2 2	3 3	B.46e
11	.	.	.	.	.	.	1	2	2	3 3	.
4	1	.	.	.	.	.	1	1	2	1	B.46d
6	1	.	.	.	.	.	1	1	1	1	.
28	.	.	.	1 3	3 1	7	3 4	5 4	6 16	10 7	B.38
42	.	.	.	.	.	.	.	.	.	.	.
32	.	.	.	.	.	.	1	3	10	18	B.39
6	.	.	.	1	2	3	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
17	11	4	1	.	.	.	.	.	.	.	B.41
18	16	1	.	1	.	.	.	.	.	.	.
15	15	.	.	.	.	.	.	.	.	.	B.42
16	16	.	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.	B.43a
2	2	.	.	.	.	.	.	.	.	.	B.43b
1	1	.	.	.	.	.	.	.	.	.	.
47	47	.	.	.	.	.	.	.	.	.	B.44
35	35	.	.	.	.	.	.	.	.	.	.
265	.	.	.	.	.	.	.	.	25 31	240 290	B.45a
321	.	.	.	.	.	.	.	.	.	.	.
63	9	1	1	1	1	.	1	3 4	9 4	19 9	B.45b
36	1	1	1	.	.	.	.	.	.	16	.
101	2	1	5 3	3 2	3 1	7 6	18 5	17 5	22 19	23 12	B.46e
55	.	.	.	.	.	.	.	.	.	.	.
10	.	1	.	3 2	2	1	1	.	3	1	BE.47
6	.	.	.	2	.	1	1	.	.	1	.
39	4	2	1	1 2	1	4	3 1	4 3	13 4	7 6	BE.48
20	2	.	.	.	.	.	.	3	2 1	.	.
6	2	.	.	.	1	.	.	.	1	.	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
			60 53	46 40	297 192	676 666	
	ALL CAUSES ... ... ... {M. F.	2,030					260 256
B.1	Tuberculosis of respiratory system ... {M. F.	94	17 16	11 15	8 13	9 5	2
B.2	Tuberculosis, other forms ... ... {M. F.	17	1 2	2	6 4	1 1	1
B.3	Syphilis and its sequelae ... ... {M. F.	1	·	·	·	1	·
B.9	Whooping cough ... ... ... {M. F.	1	·	·	·	1	·
B.17b	Acute infectious encephalitis ... {M. F.	1	·	·	·	1	·
B.17d	All other diseases classified as infective and parasitic ... ... ... {M. F.	3	1	·	1	1	·
B.18a	Malignant neoplasms ... ... ... {M. F.	158	10 10	2 4	29 21	38 44	1
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... ... ... {M. F.	5	1	·	1	2 1	·
B.19	Benign and unspecified neoplasms ... {M. F.	3	·	·	1 1	1	·
B.20	Diabetes mellitus ... ... ... {M. F.	16	2 1	1	4 2	5 1	3
B.21	Anaemias ... ... ... {M. F.	12	·	·	4 2	2 4	·
B.22	Vascular lesions affecting central nervous system ... {M. F.	132	1 1	2 2	23 26	33 44	2
B.23	Nonmeningococcal meningitis ... {M. F.	6	1	·	2 2	1	·
B.24	Rheumatic fever ... ... ... {M. F.	1	·	·	·	1	·
B.25	Chronic rheumatic heart disease ... {M. F.	13	1	·	2 1	3 6	·
B.26	Arteriosclerotic and degenerative heart disease ... ... ... {M. F.	330	1 3	11 7	60 30	115 103	10 10
B.27	Other diseases of the heart ... {M. F.	63	1	·	9 10	23 20	8 7
B.28	Hypertension with heart disease ... {M. F.	17	1	·	4 1	5 6	1
B.29	Hypertension without mention of heart ... {M. F.	20	1	·	5 1	5 8	1
B.46a	Other circulatory diseases ... ... ... {M. F.	27	1 1	1	5 2	4 13	·
B.30	Influenza ... ... ... {M. F.	182	1	1 5	15 4	71 85	18 25
B.31	Pneumonia ... ... ... {M. F.	80	1	·	23 15	17 24	2
B.32	Bronchitis ... ... ... {M. F.	33	·	1	3 1	19 9	6 1
B.46b	Other respiratory diseases ... ... ... {M. F.	22	2 1	·	9 8	2	·
B.36a	Gastritis and duodenitis ... ... ... {M. F.	7	·	·	3 2	1 1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
KERRY.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
1,079 951	82 66	18 9	4 4	17 12	31 19	41 45	56 60	126 93	262 207	442 436		
45 49	.	.	1	6 7	10 6	7 18	9 10	7 4	4 4	1		B.1
10 7	3 2	2 1	.	.	1 1	2	1 1	1 1	1	1		B.2
1	.	.	.	.	.	.	.	.	.	.		B.3
1	.	1	.	.	.	.	.	.	.	.		B.9
1	.	1	.	.	.	.	.	.	.	.		B.17b
1 2	.	.	2	.	.	.	.	.	.	1		B.17d
79 79	.	.	.	2	3 1	8 4	2 17	18 18	31 21	15 18		B.18a
4 1	.	.	.	.	1	.	1	2	1	.		B.18b
2 1	.	.	.	.	2 1	.	.	.	.	.		B.19
12 4	.	.	.	.	.	.	4	1	5 2	2 1		B.20
6 6	1	.	.	.	.	.	1	2	3 1	2 2		B.21
59 73	1	1	.	1	1	5 1	2 7	17 20	15 22	17 22		B.22
4 2	2	1	1	2	.	.	.	.	.	.		B.23
1	.	.	.	.	.	.	.	1	.	.		B.24
5 8	.	.	.	.	5	2	1	1	1	1		B.25
187 143	.	.	.	1	5	3	11 9	24 18	68 45	75 69		B.26
33 30	.	.	.	1	2	1	3	3	13 6	13 12		B.27
9 8	.	.	.	.	.	1	2	1	3 4	4 2		B.28
10 10	.	.	.	.	.	2	2	3	2	3		B.29
10 17	.	.	.	1	.	1	.	2	3 5	4 10		B.46a
88 94	1 1	.	1	1	1	2	1 2	10 5	30 35	41 51		B.30
41 39	8 9	4 1	1	.	1	1	2	4 2	10 3	13 19		B.31
23 10	1	1	.	.	.	2	2 1	1	9 2	9 5		B.32
11 11	1	.	.	1	1	1	.	1	2	8 7		B.46b
4 3	2 1	.	.	.	.	1	.	.	2	1		B.36a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.33	Ulcer of stomach and duodenum ... { M. F.	17	6 1	:	5	5	:
B.34	Appendicitis ... ... ... { M. F.	6	1	:	4 1	:	:
B.35	Intestinal obstruction and hernia ... { M. F.	8	:	1	2	2 3	1
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under { F. 2 years	7	1	:	1	3 2	1
B.36c	Gastro-enteritis and colitis, except { M. ulcerative, aged 2 years and over ... { F.	3	:	:	1 2	:	:
B.36d	Chronic enteritis and ulcerative colitis { M. F.	1	1	:	:	:	:
B.37	Cirrhosis of liver ... ... { M. F.	1	:	:	:	1	:
B.46c	Other diseases of the liver, gallbladder { M. and pancreas ... ... ... { F.	2	:	:	1	1	:
B.46d	Other digestive diseases ... ... { M. F.	7	1	:	1 2	2 1	1
B.38	Nephritis and nephrosis ... ... { M. F.	27	2	:	6 4	10 5	1
B.39	Hyperplasia of prostate ... ... M.	20	3	:	13	4	1
B.40a	Complications of pregnancy and child- birth F.	2	2	:	:	:	:
B.40c	Other complications of the puerperium F.	1	:	:	:	1	:
B.41	Congenital malformations ... ... { M. F.	23	2	:	4 6	6 3	2
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis ... ... ... { F.	15	2	:	5 3	1 2	:
B.43b	Pneumonia of newborn ... ... { M. F.	4	:	:	2 2	:	:
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified ... { F.	49	2	:	14 8	10 13	3 3
B.45a	Senility without mention of psychosis { M. F.	393	:	:	3 2	193 195	160 166
B.45b	Ill-defined and unknown causes ... { M. F.	69	:	2	5	39 23	34 21
B.46e	All other diseases ... ... { M. F.	95	1	12 6	11 11	27 27	6 7
EXTERNAL CAUSES							
BE.47	Motor vehicle accidents ... ... { M. F.	4	1	:	1	1	:
BE.48	All other accidents ... ... { M. F.	24	2	:	2 3	9 8	2
BE.49	Suicide and self-inflicted injury ... { M. F.	7	:	:	:	6 1	:
BE.50	Homicide and operations of war ... { M. F.	1	:	:	1	:	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**KERRY.**

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
16	.	.	.	.	.	2	2	8	3	1	B.33
1	.	.	.	.	.	1	1	1	1	.	
4	.	1	1	2	.	.	.	1	1	.	B.34
2	.	.	.	.	.	1	1	1	2	1	
5	.	.	.	.	.	1	1	1	1	1	B.35
3	.	.	.	.	.	.	.	.	.	.	
5	5	2	.	.	.	.	.	.	.	.	B.36b
2	.	.	.	.	.	.	.	.	1	1	
1	2	.	.	.	.	.	1	.	1	.	B.36c
1	.	.	.	.	.	.	.	.	.	1	B.36d
1	.	.	.	.	.	.	.	.	.	.	B.37
2	.	.	.	.	.	.	.	1	.	.	B.46c
4	2	2	.	.	.	.	.	.	1	1	B.46d
18	.	.	1	.	.	.	1	1	3	2	11
9	.	.	.	.	.	1	1	1	3	3	3
20	.	.	.	.	.	.	.	.	7	13	B.39
2	.	.	.	.	.	2	.	.	.	.	B.40a
1	.	.	.	.	.	1	.	.	.	.	B.40c
12	12	.	.	.	.	.	.	.	.	.	B.41
11	11	.	.	.	.	.	.	.	.	.	
8	8	.	.	.	.	.	.	.	.	.	B.42
7	7	.	.	.	.	.	.	.	.	.	
2	2	.	.	.	.	.	.	.	.	.	B.43b
26	26	.	.	.	.	.	.	.	.	.	
23	23	.	.	.	.	.	.	.	.	.	B.44
196	.	.	.	.	.	.	.	.	21	175	B.45a
197	.	.	.	.	.	.	.	.	21	176	
46	8	1	3	.	.	1	1	2	9	12	13
23	.	.	.	.	.	2	2	2	7	7	8
51	1	5	1	.	1	1	3	3	9	11	17
44	3	1	.	.	2	3	3	3	2	13	17
2	2	.	.	1	1	1	1	.	.	.	BE.47
11	.	3	1	.	1	1	2	1	2	2	7
13	.	1	.	.	.	.	1	1	3	3	
6	1	.	.	.	1	2	.	2	1	1	BE.49
1	.	.	.	.	.	.	.	.	1	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
LIMERICK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths	
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infiraries	Elsewhere		
	ALL CAUSES ... ... ... {M. F.	636	55 28	8 8	96 111	149 181	7 16	
B.1	Tuberculosis of respiratory system ... {M. F.	38	.	1 3	12 9	8 5	.	
B.2	Tuberculosis, other forms ... ... {M. F.	12	3 1	1	5 1	1	.	
B.3	Syphilis and its sequelae ... ... {M. F.	1	.	.	1	.	.	
B.9	Whooping cough ... ... {M. F.	3	.	.	2	1	.	
B.10	Meningococcal infections ... ... {M. F.	1	1	.	.	.	.	
B.17d	All other diseases classified as infective and parasitic {M. F.	1	1	.	.	.	.	
B.18a	Malignant neoplasms ... ... {M. F.	74	11 7	.	8 12	15 21	.	
B.18b	Neoplasms of lymphatic and haemato poetic tissues {M. F.	2	.	.	2	.	.	
B.19	Benign and unspecified neoplasms ... {M. F.	2	1	.	.	.	.	
B.20	Diabetes mellitus ... ... {M. F.	5	1	.	2	1	.	
B.21	Anaemias ... ... {M. F.	8	.	.	2	5 1	.	
B.22	Vascular lesions affecting central nervous system {M. F.	31	4 1	1	4 6	6 9	1	
B.23	Nonmeningococcal meningitis ... {M. F.	3	1	.	1	.	.	
B.24	Rheumatic fever ... ... {M. F.	1	.	.	1	.	.	
B.25	Chronic rheumatic heart disease ... {M. F.	2	.	.	1	.	.	
B.26	Arteriosclerotic and degenerative heart disease {M. F.	147	7 6	1	14 28	37 53	2 5	
B.27	Other diseases of the heart ... {M. F.	34	4	.	5 9	8 8	1	
B.28	Hypertension with heart disease ... {M. F.	9	.	.	3	3	.	
B.29	Hypertension without mention of heart {M. F.	7	1	.	4	1	.	
B.46a	Other circulatory diseases ... ... {M. F.	4	1	1	2	.	.	
B.30	Influenza ... ... ... {M. F.	52	.	1	7 13	10 21	1	
B.31	Pneumonia ... ... ... {M. F.	27	2	1	3 5	8 8	.	
B.32	Bronchitis ... ... ... {M. F.	40	2	1	6 4	18 9	1 2	
B.46b	Other respiratory diseases ... ... {M. F.	8	2	.	1	3 2	.	
B.36a	Gastritis and duodenitis ... ... {M. F.	1	.	.	.	1	.	
B.33	Ulcer of stomach and duodenum ... {M. F.	5	2 1	.	1	1	.	

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
308	23	15	3	7	6	15	33	51	99	56			
328	16	8	3	9	6	16	24	50	95	101			
21	.	.	.	5	.	2	9	.	5	.		B.1	
17	.	.	.	7	3	4	2	.	1	.			
10	.	2	.	1	2	3	1	.	1	.		B.2	
2	.	2	2	.	.	.	.	.	.	.			
1	.	.	.	.	.	.	.	1	.	.		B.3	
2	1	2	.	.	.	.	.	.	.	.		B.9	
1	1	.	.	.	.	.	.	.	.	.		B.10	
1	.	1	.	.	.	.	.	.	.	.		B.17d	
1	.	.	.	.	.	.	1	.	.	.			
34	.	.	1	.	1	2	6	9	11	4		B.18a	
40	.	.	.	.	3	6	6	14	8	9			
2	.	1	.	.	1	.	.	.	.	.		B.18b	
1	1	.	1	.	.	.	.	.	.	.		B.19	
1	4	.	.	.	.	1	1	.	2	1		B.20	
1	7	.	1	.	.	.	1	1	1	5		B.21	
15	16	.	.	.	.	1	1	1	3	6	5		B.22
2	1	1	2	.	.	.	.	.	.	.		B.23	
1	.	.	.	.	1	.	.	.	.	.		B.24	
1	1	.	.	.	.	1	.	.	1	.		B.25	
59	88	.	.	.	.	2	3	14	27	13			B.26
17	17	.	.	.	1	1	8	17	26	35			B.27
3	6	.	.	.	.	1	1	5	7	3			B.28
1	6	.	.	.	.	.	1	1	1	3	1		B.29
4	.	.	.	.	.	.	.	.	1	3	3		B.46a
18	34	.	.	1	.	.	3	2	6	6	21		B.30
14	13	4	2	5	.	.	.	.	8	4	2		B.31
26	14	1	2	1	.	.	2	1	6	10	6		B.32
6	2	.	.	.	.	1	.	3	1	2	1		B.46b
1	.	.	.	.	.	.	1	2	.	2	.		B.36a
4	1	.	.	.	.	.	1	.	.	.	.		B.33

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY LIMERICK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
B.34	Appendicitis ... ... ... {M. F.	1	1	1	1	1	1
B.35	Intestinal obstruction and hernia ... {M. F.	6	1	1	1	3	1
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under 2 years	4	1	1	1	3	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	3	1	1	2	1	1
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	1	1	1	1
B.37	Cirrhosis of liver ... ... ... {M. F.	1	1	1	1	1	1
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	2	1	1	1	1	1
B.46d	Other digestive diseases ... ... {M. F.	3	1	1	1	1	1
B.38	Nephritis and nephrosis ... ... {M. F.	10	1	1	3	1	1
B.39	Hyperplasia of prostate ... ... M.	3	3	1	1	1	1
B.40a	Complications of pregnancy and child- birth F.	1	1	1	1	1	1
B.41	Congenital malformations ... ... {M. F.	5	2	1	1	2	1
B.42	Birth injuries; postnatal asphyxia and {M. atelcctasis F.	1	1	1	1	1	1
B.43a	Diarrhoea of newborn ... ... {M. F.	2	1	1	1	1	1
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	11	1	1	1	4	3
B.45a	Senility without mention of psychosis {M. F.	19	1	1	3	2	6
B.45b	Ill-defined and unknown causes ... {M. F.	12	1	1	2	8	3
B.46e	All other diseases ... ... {M. F.	23	3	1	6	5	1
EXTERNAL CAUSES							
BE.47	Motor vehicle accidents ... ... {M. F.	1	1	1	1	1	1
BE.48	All other accidents ... ... {M. F.	7	1	1	1	3	2
BE.49	Suicide and self-inflicted injury ... {M. F.	2	1	1	1	2	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
1											1	B.34
5	1							1		1	2	B.35
4	4											B.36b
2	1		1					1		1		B.36c
1											1	B.36d
1									1			B.37
2							1		1			B.46c
2	1		1								1	B.46d
5	5						1	1	1	2	2	B.38
3										1	2	B.39
1				1								B.40a
2	3	2										B.41
1	1											B.42
1	1											B.43a
6	5	6										B.44
6	13									1	3	5 10 B.45a
10	2	1	2					1	1	5	1	B.45b
12	11	2	1	1	1	1	1	1	4	2	3	1 3 B.46e
1						1						BE.47
5	2	1			1	1	1			2		BE.48
2								2				BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	1,393	60 43	28 31	184 119	458 470	86 99
B.1	Tuberculosis of respiratory system ... {M. F.	40	2	2 6	11 8	6 5	1
B.2	Tuberculosis, other forms ... ... {M. F.	19	1 2	·	11 2	2 1	·
B.3	Syphilis and its sequelae ... ... {M. F.	1	·	·	·	1	·
B.9	Whooping cough ... ... {M. F.	1	·	·	1	·	·
B.10	Meningococcal infections ... ... {M. F.	1	·	·	1	·	·
B.12	Acute poliomyelitis ... ... {M. F.	1	1	·	·	·	·
B.17a	Late effects of acute poliomyelitis ... {M. F.	1	·	·	·	1	·
B.17d	All other diseases classified as infective and parasitic {M. F.	6	1	·	2	3	·
B.18a	Malignant neoplasms ... ... {M. F.	115	7 8	1	24 10	32 33	1
B.18b	Neoplasms of lymphatic and haematoopoietic tissues {M. F.	5	1 1	·	1	1 1	·
B.19	Benign and unspecified neoplasms ... {M. F.	5	1 1	·	1	1 1	·
B.20	Diabetes mellitus ... ... {M. F.	7	1	·	·	2 4	·
B.21	Anaemias ... ... {M. F.	8	·	·	2 1	1 4	1
B.22	Vascular lesions affecting central nervous system {M. F.	77	1	2	3 3	22 46	2
B.23	Nonmeningococcal meningitis ... {M. F.	2	·	·	1 1	·	·
B.25	Chronic rheumatic heart disease ... {M. F.	11	·	·	1 1	6 3	1
B.26	Arteriosclerotic and degenerative heart disease {M. F.	283	14 11	7 7	20 15	112 97	7 4
B.27	Other diseases of the heart ... {M. F.	55	2	1	12 4	17 19	1 2
B.28	Hypertension with heart disease ... {M. F.	13	·	1	2	5 5	·
B.29	Hypertension without mention of heart {M. F.	18	1 3	·	1 2	4 7	·
B.46a	Other circulatory diseases ... {M. F.	16	·	2	6 3	5	·
B.30	Influenza ... ... {M. F.	102	1	·	17 16	35 33	5 4
B.31	Pneumonia ... ... {M. F.	50	2 1	·	8 7	19 13	3
B.32	Bronchitis ... ... {M. F.	50	1	4 3	3 2	23 14	2
B.46b	Other respiratory diseases ... {M. F.	13	2	·	2	4 5	·
B.30a	Gastritis and duodenitis ... {M. F.	1	·	·	1	·	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

LIMERICK.

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.33	Ulcer of stomach and duodenum ... { M. F.	7	2	.	1	4	1
B.34	Appendicitis ... ... ... { M. F.	1	1	.	.	.	.
B.35	Intestinal obstruction and hernia ... { M. F.	4	1	1	.	1	1
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under 2 years F.	20	.	.	3	7	1
B.36c	Gastro-enteritis and colitis, except { M. ulcerative, aged 2 years and over F.	1	.	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis { M. F.	1	.	.	.	1	.
B.37	Cirrhosis of liver ... ... ... { M. F.	2	.	.	2	.	.
B.46c	Other diseases of the liver, gallbladder { M. and pancreas F.	5	.	1	1	3	.
B.46d	Other digestive diseases ... ... { M. F.	5	.	.	1	2	.
B.38	Nephritis and nephrosis ... ... { M. F.	31	.	.	12	8	.
B.39	Hyperplasia of prostate ... ... M.	12	5	.	1	6	.
B.40a	Complications of pregnancy and child- birth F.	3	.	.	3	.	.
B.41	Congenital malformations ... ... { M. F.	17	1	.	5	2	.
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis F.	5	1	.	2	1	.
B.43a	Diarrhoea of newborn ... ... { M. F.	1	.	.	1	.	.
B.43b	Pneumonia of newborn ... ... { M. F.	2	.	.	.	2	.
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified F.	31	4	.	11	6	.
B.45a	Senility without mention of psychosis { M. F.	200	2	6	.	82	54
B.45b	Ill-defined and unknown causes ... { M. F.	32	3	.	1	13	7
B.46e	All other diseases ... ... { M. F.	86	9	3	13	23	1
EXTERNAL CAUSES							
BE.47	Motor vehicle accidents ... ... { M. F.	6	1	.	1	2	.
BE.48	All other accidents ... ... { M. F.	19	3	.	2	3	.
BE.49	Suicide and self-inflicted injury ... { M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

LIMERICK.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
7	:	:	:	:	:	:	:	:	5	2	B.33	
1	:	:	:	:	:	:	1	:	:	:	B.34	
2	:	:	:	:	:	:	:	:	1	1	B.35	
10	10	10	:	:	:	:	:	:	:	:	B.36b	
1	:	:	:	:	:	:	:	1	:	:	B.36c	
1	:	:	:	:	:	:	:	:	:	1	B.36d	
2	:	:	:	:	:	:	:	1	1	:	B.37	
1	4	:	:	:	:	:	:	:	3	1	B.46c	
3	2	2	:	:	:	:	1	:	1	1	B.46d	
20	11	:	:	2	:	1	1	2	7	7	B.38	
12	:	:	:	:	:	:	:	:	8	4	B.39	
3	:	:	:	:	1	2	:	:	:	:	B.40a	
8	6	7	1	1	:	1	:	:	1	:	B.41	
3	2	3	2	:	:	:	:	:	:	:	B.42	
1	1	1	:	:	:	:	:	:	:	:	B.43a	
2	2	:	:	:	:	:	:	:	:	:	B.43b	
17	17	14	14	:	:	:	:	:	:	:	B.44	
88	112	:	:	:	:	:	:	:	11	77	B.45a	
17	12	1	1	:	:	1	2	3	3	6	B.45b	
48	38	3	1	2	1	2	1	1	9	14	B.46e	
6	13	1	1	2	:	1	6	3	17	11	BE.47	
1	:	:	:	:	:	1	1	2	1	4	BE.48	
2	:	:	:	:	2	:	:	1	:	:	BE.49	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths	
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere		
	ALL CAUSES ... ... ... { M. F.	903	34 27	10 9	163 104	320 236	61 47	
B.1	Tuberculosis of respiratory system ... { M. F.	31	8 7	1 1	2 4	7 1	.	
B.2	Tuberculosis, other forms ... ... { M. F.	11	1	.	2 6	2	.	
B.3	Syphilis and its sequelae ... ... { M. F.	1	.	.	1	.	.	
B.7a	Scarlet fever ... ... { M. F.	1	.	.	1	.	.	
B.9	Whooping cough ... ... { M. F.	1	.	.	.	1	.	
B.17b	Acute infectious encephalitis ... { M. F.	1	.	.	1	.	.	
B.14	Measles ... ... { M. F.	2	.	.	.	1 1	1	
B.17d	All other diseases classified as infective and parasitic { M. F.	1	1	.	.	.	.	
B.18a	Malignant neoplasms ... ... { M. F.	86	3 2	1	21 13	21 25	.	
B.18b	Neoplasms of lymphatic and haematoopoietic tissues { M. F.	3	.	.	.	3	.	
B.19	Benign and unspecified neoplasms ... { M. F.	2	1	.	1	.	.	
B.20	Diabetes mellitus ... { M. F.	7	.	.	.	3 4	1	
B.21	Anaemias ... ... { M. F.	8	1	.	2 2	1 2	.	
B.22	Vascular lesions affecting central nervous system { M. F.	63	1 1	2	16 9	18 16	1 2	
B.23	Nonmeningococcal meningitis ... { M. F.	1	.	.	1	.	.	
B.24	Rheumatic fever ... ... { M. F.	2	.	.	.	2	.	
B.25	Chronic rheumatic heart disease ... { M. F.	10	1	.	1	7 1	1	
B.26	Arteriosclerotic and degenerative heart disease { M. F.	196	3 4	1 2	49 14	76 47	4 2	
B.27	Other diseases of the heart ... { M. F.	45	3	1	5 5	15 16	2 4	
B.28	Hypertension with heart disease ... { M. F.	6	.	.	1 1	1 3	.	
B.29	Hypertension without mention of heart { M. F.	11	1	.	1	4 5	.	
B.46a	Other circulatory diseases ... ... { M. F.	6	.	.	1 2	1 2	.	
B.30	Influenza ... ... { M. F.	61	.	1	6 8	21 25	3 5	
B.31	Pneumonia ... ... { M. F.	23	1	.	6 5	6 5	.	
B.32	Bronchitis ... ... { M. F.	32	1	.	4 3	14 9	2	

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

(North Riding).

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
527	39	6	6	10	11	11	17	30	51	150	207
376	22	8	8	11	10	10	24	46	91	154	
18	.	.	.	1	4	2	6	2	4	1	2
13	.	.	.	1	3	1	1	.	1	.	B.1
4	1	1	1	1	3	1	1	.	.	.	B.2
7	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	1	B.3
1	.	.	.	.	1	.	.	.	.	.	B.7a
1	.	.	.	.	.	.	.	.	.	.	B.9
1	1	.	.	.	.	.	.	.	.	.	B.17b
1	.	.	.	.	.	.	1	.	.	.	
1	1	1	.	.	.	.	.	.	.	.	B.14
1	1	.	.	.	.	.	.	.	.	.	B.17d
1	.	.	.	.	.	1	.	.	.	.	
46	.	.	.	.	.	.	.	5	9	24	8
40	.	.	.	.	.	.	1	9	10	11	9
3	.	.	.	.	.	.	.	1	.	2	.
1	.	.	1	.	.	.	1	.	.	.	B.18a
1	.	.	.	.	.	.	.	.	.	.	B.18b
3	.	.	.	.	.	.	.	.	.	.	
4	.	.	.	.	.	.	.	.	.	.	B.19
4	1	.	.	.	.	1	.	.	.	.	B.20
4	.	.	.	.	.	.	.	.	1	3	1
35	.	.	.	.	.	.	2	2	5	11	16
28	.	.	.	.	.	.	1	1	5	11	11
1	1	.	.	.	.	.	.	.	.	.	B.22
2	.	.	.	.	.	1	.	.	.	1	.
2	.	.	.	.	.	.	.	.	.	2	B.24
8	.	.	.	1	.	.	2	1	1	.	3
2	.	.	.	.	.	.	1	.	.	.	B.25
129	.	.	.	.	1	1	2	6	9	50	61
67	.	.	.	.	.	1	1	1	7	22	35
24	.	.	.	.	2	1	.	1	8	9	4
21	.	.	.	.	1	1	.	2	2	4	11
2	.	.	.	.	.	.	.	.	.	1	B.27
4	.	.	.	.	.	.	.	2	.	2	1
5	.	.	.	.	.	.	.	2	3	1	2
6	.	.	.	.	.	.	.	.	1	2	1
2	.	.	.	.	.	.	.	1	.	2	B.29
4	.	.	.	.	.	.	.	.	1	1	B.46a
27	1	.	1	.	.	1	.	1	2	6	18
34	1	.	.	.	.	.	.	3	12	12	15
12	3	1	1	1	.	.	1	.	2	2	2
11	2	.	.	.	.	.	.	.	2	4	2
19	6	1	.	.	1	.	.	.	2	4	6
13	1	.	.	.	.	.	.	.	6	4	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ... ... {M. F.	6	.	.	3	2 1	.
B.36a	Gastritis and duodenitis ... ... {M. F.	6	.	.	1	3 2	1
B.33	Ulcer of stomach and duodenum ... ... {M. F.	6	.	.	4	1 1	.
B.34	Appendicitis ... ... {M. F.	1	.	.	1	.	.
B.35	Intestinal obstruction and hernia ... ... {M. F.	3	1	.	2	.	.
B.36b	Gastro-enteritis and colitis, except ... ulcerative, aged 4 weeks and under ... 2 years {M. F.	2	.	.	.	2	1
B.36c	Gastro-enteritis and colitis, except ... ulcerative, aged 2 years and over {M. F.	1	.	.	.	1	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	1	.	.	.	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	3	2	.	1	.	.
B.46d	Other digestive diseases ... ... {M. F.	4	1	.	1 1	1	.
B.38	Nephritis and nephrosis ... ... {M. F.	10	.	.	3 1	6	1
B.39	Hyperplasia of prostate ... M.	3	.	.	.	3	.
B.40c	Other complications of the puerperium F.	2	.	.	2	.	.
B.41	Congenital malformations ... ... {M. F.	6	1 1	.	2 1	1	.
B.42	Birth injuries, postnatal asphyxia and ... atelectasis {M. F.	7	2 1	.	1 1	1 1	.
B.43b	Pneumonia of newborn ... ... {M. F.	1	.	.	1	.	.
B.44	Other diseases peculiar to early infancy, ... and immaturity unqualified {M. F.	23	1 3	.	9 4	4 2	1
B.45a	Senility without mention of psychosis {M. F.	116	1 1	3 3	9 7	52 40	29 28
B.45b	Ill-defined and unknown causes ... ... {M. F.	27	1 2	1	1 1	12 9	8 6
B.46e	All other diseases ... ... {M. F.	48	1	1	5 2	23 16	5
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	2	.	.	1	1	.
BE.48	All other accidents ... ... {M. F.	11	1	.	2 5	2 1	.
BE.49	Suicide and self-inflicted injury ... ... {M. F.	2	.	.	.	2	.
BE.50	Homicide and operations of war ... ... {M. F.	1	.	.	1	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

(North Riding).

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
51	.	.	.	.	.	.	3	1	1	.	B.46b	
42	2	1	.	.	.	.	.	.	1	1	B.36a	
51	.	.	.	.	.	.	.	.	3	2	B.33	
1	.	1	.	.	.	.	.	.	.	.	B.34	
12	.	.	.	.	1	.	.	1	1	.	B.35	
2	2	.	.	.	.	.	.	.	.	.	B.36b	
1	.	.	.	.	.	.	.	.	.	1	B.36c	
1	.	.	.	.	.	.	.	.	1	.	B.36d	
3	.	.	.	.	.	.	.	2	1	.	B.46c	
31	.	1	.	.	.	.	.	.	2	1	B.46d	
91	.	.	.	.	.	1	1	2	1	4	B.38	
3	.	.	.	.	.	.	.	.	.	3	B.39	
2	.	.	1	1	.	.	.	.	.	.	B.40c	
42	22	1	1	.	.	.	.	.	.	.	B.41	
43	43	.	.	.	.	.	.	.	.	.	B.42	
1	1	.	.	.	.	.	.	.	.	.	B.43b	
149	149	.	.	.	.	.	.	.	.	.	B.44	
6551	.	.	.	.	.	.	.	1	52	5949	B.45a	
1512	23	2	.	.	.	.	2	2	2	6	53	B.45b
3018	.	1	1	1	1	1	3	31	54	113	76	B.46e
2	.	.	.	.	2	.	.	.	.	.	BE.47	
56	.	1	.	1	2	.	.	1	12	.	2	BE.48
2	.	.	.	.	.	2	.	.	.	.	BE.49	
1	.	.	.	.	.	.	.	.	1	.	BE.50	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
			30 16	20 30	182 124	364 342	
	<b>ALL CAUSES</b> ... ... ... {M. F.	<b>1,108</b>					
B.1	Tuberculosis of respiratory system ... {M. F.	38	2 2	4	3 7	11 9	.
B.2	Tuberculosis, other forms ... {M. F.	16	1	.	7 3	4 1	.
B.7b	Streptococcal sore throat ... {M. F.	1	1	.	.	.	.
B.9	Whooping cough ... ... {M. F.	5	.	.	2	3	.
B.12	Acute poliomyelitis ... ... {M. F.	1	.	.	1	.	.
B.14	Measles ... ... ... {M. F.	.	.	.	.	.	.
B.17d	All other diseases classified as infective and parasitic {M. F.	4	.	.	1 2	1	.
B.18a	Malignant neoplasms ... ... {M. F.	110	3 5	1 2	25 16	33 25	1
B.18b	Neoplasms of lymphatic and haematoopoietic tissues {M. F.	2	.	.	.	2	.
B.19	Benign and unspecified neoplasms ... {M. F.	2	1	.	.	1	.
B.20	Diabetes mellitus ... ... {M. F.	8	1	1	2	2	.
B.21	Anaemias ... ... {M. F.	10	.	2 1	2	2 3	.
B.22	Vascular lesions affecting central nervous system {M. F.	83	2 3	1 2	12 5	25 33	.
B.23	Nonmeningococcal meningitis ... {M. F.	3	.	.	1	1	.
B.24	Rheumatic fever ... ... {M. F.	2	.	.	1	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	8	1	.	.	4 3	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	291	7	3 4	54 33	97 93	5 6
B.27	Other diseases of the heart ... {M. F.	39	1	1	2 2	20 13	2
B.28	Hypertension with heart disease ... {M. F.	10	.	.	1	5 4	.
B.29	Hypertension without mention of heart {M. F.	5	.	.	2	2 1	.
B.46a	Other circulatory diseases ... {M. F.	8	1	.	1	4 2	1
B.30	Influenza ... ... {M. F.	46	1 1	6	1 3	14 20	1
B.31	Pneumonia ... ... {M. F.	31	2	.	5 2	10 12	.
B.32	Bronchitis ... ... {M. F.	34	.	.	1 2	19 12	.
B.46b	Other respiratory diseases ... {M. F.	6	2	.	2	2	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

(South Riding).

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
596 512	44 44	14 11	7 7	8 5	8 14	24 20	36 27	74 50	151 133	230 201		
20 18	.	.	1	2 1	1 9	3 3	6 2	5 1	3	1	B.1	
11 5	.	4 1	4 1	1 1	1	2	.	1	.	.	B.2	
1	.	.	.	.	.	1	.	.	.	.	B.7b	
2 3	1 1	1 2	.	.	.	.	.	.	.	.	B.9	
1	.	.	.	.	1	.	.	.	.	.	B.12	
.	.	.	.	.	.	.	.	.	.	.	B.14	
1 3	2	.	.	.	.	1 1	.	.	.	.	B.17d	
62 48	.	1	.	1 1	.	4 3	6 4	13 12	23 12	14 16	B.18a	
2	.	.	1	.	.	1	.	.	.	.	B.18b	
1 1	.	.	.	.	.	.	.	1	1	.	B.19	
5 3	.	.	.	.	.	.	2 1	.	1 1	2 1	B.20	
6 4	.	.	.	.	.	1	1	1 1	3 1	1 1	B.21	
40 43	.	.	.	1	1	1	1 6	3 8	16 12	19 15	B.22	
1 2	1 1	1	.	.	.	.	.	.	.	.	B.23	
1 1	.	.	1	.	1	.	.	.	.	.	B.24	
5 3	.	.	.	.	1	1	1	.	1	2 2	B.25	
161 130	.	.	.	.	1	3	6	20 13	55 51	76 57	B.26	
23 16	.	.	.	.	1	3	5	2 3	13 5	7 6	B.27	
5 5	.	.	.	.	.	.	1	1	2 4	1 1	B.28	
4 1	.	.	.	.	.	.	2	.	1	1 1	B.29	
5 3	.	.	.	.	.	.	.	.	1	5 2	B.46a	
16 30	.	1	1	.	.	2	1	2 4	4 8	8 15	B.30	
15 16	3 3	2 4	1	.	.	1	1	2	5 5	3 1	B.31	
20 14	.	.	.	.	.	.	.	1	6	6 5	B.32	
4 2	1	.	1	1	.	.	.	1 1	.	1	B.46b	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CO. TIPPERARY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.36a	Gastritis and duodenitis ... ... {M. F.	.	.	.	.	.	.
B.33	Ulcer of stomach and duodenum ... ... {M. F.	9	1	1	2 1	4	.
B.34	Appendicitis ... ... {M. F.	2	1	.	1	.	.
B.35	Intestinal obstruction and hernia ... ... {M. F.	5	.	.	2 2	1	.
B.36b	Gastro-enteritis and colitis, except ... {M. ulcerative, aged 4 weeks and under F. 2 years	9	.	.	3	4 2	.
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over F.	3	.	.	2 1	.	.
B.37	Cirrhosis of liver ... ... {M. F.	3	.	1	.	2	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	5	.	.	2	2 1	.
B.46d	Other digestive diseases ... ... {M. F.	3	.	.	1	2	.
B.38	Nephritis and nephrosis ... ... {M. F.	21	1	.	5 3	5 7	.
B.39	Hyperplasia of prostate ... ... M.	8	1	.	3	4	.
B.40a	Complications of pregnancy and child- birth F.	2	.	.	.	2	.
B.41	Congenital malformations ... ... {M. F.	10	.	.	3 2	2 3	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	7	.	.	2 3	2	.
B.43a	Diarrhoea of newborn ... ... {M. F.	1	.	.	1	.	.
B.43b	Pneumonia of newborn ... ... {M. F.	1	.	.	.	1	.
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	44	1	.	18 10	4 11	.
B.45a	Senility without mention of psychosis {M. F.	103	.	4 7	7 5	39 41	13 14
B.45b	Ill-defined and unknown causes ... ... {M. F.	23	.	1 2	3	9 8	1 3
B.46e	All other diseases ... ... {M. F.	61	2 2	3 3	6 5	23 17	1 3
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	1	.	.	.	1	.
BE.48	All other accidents ... ... {M. F.	22	.	.	4 7	6 5	.
BE.49	Suicide and self-inflicted injury ... ... {M. F.	1	.	.	.	1	.
BE.50	Homicide and operations of war ... ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

(South Riding).

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
.	.	.	.	.	.	.	.	.	.	.	B.36a
36	.	.	.	.	.	.	1	1	12	12	B.33
11	.	.	.	1	.	.	.	1	.	.	B.34
32	.	.	.	.	.	11	.	2	1	.	B.35
45	44	1	.	.	.	.	.	.	.	.	B.36b
21	.	1	.	.	.	.	1	.	.	.	B.36c
3	.	.	.	.	.	.	.	1	1	1	B.37
41	.	.	.	1	.	.	1	1	2	.	B.46c
3	1	.	.	.	.	.	.	1	.	.	B.46d
1110	.	.	.	.	.	2	21	51	23	5	B.38
8	.	.	.	.	.	.	.	.	3	5	B.39
2	.	.	.	.	1	1	.	.	.	.	B.40a
55	44	11	.	.	.	.	.	.	.	.	B.41
25	25	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43a
1	1	.	.	.	.	.	.	.	.	.	B.43b
2321	2321	.	.	.	.	.	.	.	.	.	B.44
5053	.	.	.	.	.	.	.	.	24	4849	B.45a
1310	23	1	.	.	.	1	.	21	23	62	B.45b
3427	1	1	1	1	11	24	41	32	310	188	B.46c
1	.	.	.	.	.	.	1	.	.	.	BE.47
1012	.	1	11	1	2	1	.	.	24	27	BE.48
1	.	.	.	.	.	.	1	.	.	.	BE.49
1	.	.	.	.	.	.	.	1	.	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
WATERFORD

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	405	7	8	77	54	134 107 1
B.1	Tuberculosis of respiratory system ... {M. F.	25	.	.	6	3	10 6
B.2	Tuberculosis, other forms ... {M. F.	13	.	.	6	6	1
B.3	Syphilis and its sequelae ... {M. F.	1	.	.	.	.	1
B.9	Whooping cough ... {M. F.	1	.	.	1	.	.
B.18a	Malignant neoplasms ... {M. F.	55	1	2	2	10	17 14
B.18b	Neoplasms of lymphatic and haemato- poietic tissues {M. F.	2	.	.	.	1	1
B.20	Diabetes mellitus ... {M. F.	1	.	.	.	1	.
B.21	Anaemias ... {M. F.	4	.	.	.	1	2
B.22	Vascular lesions affecting central nervous system {M. F.	32	.	.	1	7	9 9
B.24	Rheumatic fever ... {M. F.	1	.	.	.	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	3	.	.	.	1	2
B.26	Arteriosclerotic and degenerative heart disease {M. F.	111	.	1	1	15	51 30 1
B.27	Other diseases of the heart ... {M. F.	7	2	1	.	2	1
B.28	Hypertension with heart disease ... {M. F.	5	.	1	.	1	1 2
B.29	Hypertension without mention of heart {M. F.	2	.	.	.	.	2
B.46a	Other circulatory diseases ... {M. F.	9	.	1	1	2	1 1
B.30	Influenza ... ... {M. F.	13	.	1	.	2	4 6
B.31	Pneumonia ... ... {M. F.	13	.	1	1	4	2 4
B.32	Bronchitis ... ... {M. F.	12	.	.	2	4	2 4

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CO. BOROUGH.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44*	45-54	55-64	65-74	75 years and over		
228 177	20 11	1 3	7 2	8 9	6 5	8 2	19 13	38 21	53 39	68 72		
16 9	.	1	1	4 3	2 1	4 1	2 1	4 1	.	.	.	B.1
7 6	.	1 1	4 1	2 3	.	.	.	1	.	.	.	B.2
1	.	.	.	.	.	.	.	1	.	.	.	B.3
1	1	.	.	.	.	.	.	.	.	.	.	B.9
30 25	.	.	.	1	1	1	3 3	6 6	12 5	7 10	.	B.18a
1 1	.	.	.	.	.	.	.	1	.	.	.	B.18b
1	.	.	.	.	.	.	.	1	.	.	.	B.20
1 3	.	.	.	.	.	.	1 1	.	2	.	.	B.21
12 15	.	.	.	.	.	.	3	4 1	5 6	8 5	.	B.22
1	.	.	.	.	.	.	.	.	1	.	.	B.24
2 1	.	.	1	1	.	.	.	1	.	.	.	B.25
68 43	.	.	1	.	1	2	5 3	12 4	22 10	26 25	.	B.26
4 3	.	.	.	.	2	.	.	.	.	2 3	.	B.27
1 4	.	.	.	.	.	.	.	1	1	3	.	B.28
2	.	.	.	.	.	.	.	.	2	.	.	B.29
3 6	.	.	.	.	.	.	1	.	1 2	2 3	.	B.46a
6 7	.	.	.	.	.	.	.	1	1 4	4 3	.	B.30
8 5	4 2	.	.	.	1	.	1	2 1	1 1	.	.	B.31
8 4	.	.	.	.	1	.	2	3	1 2	2 1	.	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
WATERFORD

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ... ... { M. F.	1	.	.	.	.	1
B.33	Ulcer of stomach and duodenum ... { M. F.	1	.	.	.	.	1
B.34	Appendicitis ... ... { M. F.	1	.	.	.	.	1
B.35	Intestinal obstruction and hernia ... { M. F.	1	.	.	.	.	1
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under { F. 2 years	3	.	.	.	.	3
B.46c	Other diseases of the liver, gallbladder { M. and pancreas { F.	2	.	.	.	.	2
B.46d	Other digestive diseases ... ... { M. F.	1	.	.	.	.	1
B.38	Nephritis and nephrosis ... ... { M. F.	12	1	2	2	3	2
B.41	Congenital malformations ... ... { M. F.	6	1	.	1	2	2
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis { F.	1	.	.	.	.	1
B.43b	Pneumonia of newborn ... ... { M. F.	1	.	.	1	.	.
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified { F.	10	1	.	4	.	.
B.45a	Senility without mention of psychosis { M. F.	22	.	.	1	7	10
B.45b	Ill-defined and unknown causes ... { M. F.	5	.	.	1	2	.
B.46e	All other diseases ... ... { M. F.	18	1	1	2	7	6
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... { M. F.	1	.	.	1	.	.
BE.48	All other accidents ... ... { M. F.	7	.	.	3	3	.
BE.49	Suicide and self-inflicted injury ... { M. F.	1	.	.	.	1	.
BE.50	Homicide and operations of war ... { M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CO. BOROUGH.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
1	1	:	:	:	:	:	:	:	:	:	B.46b		
1	:	:	:	:	:	:	:	:	1	:	B.33		
1	:	:	:	:	:	:	:	:	1	:	B.34		
1	:	:	:	1	:	:	:	:	:	:	B.35		
3	3	:	:	:	:	:	:	:	:	:	B.36b		
2	:	:	:	:	:	:	1	:	:	1	B.46c		
1	:	:	:	:	1	:	:	:	:	:	B.46d		
5	:	:	:	:	:	:	2	1	2	1	B.38		
3	3	1	1	:	1	:	:	:	:	:	B.41		
1	1	:	:	:	:	:	:	:	:	:	B.42		
1	1	:	:	:	:	:	:	:	:	:	B.43b		
5	5	:	:	:	:	:	:	:	:	:	B.44		
12	:	:	:	:	:	:	:	:	:	8	B.45a		
2	1	2	:	:	:	:	:	:	:	14	2	B.45b	
10	8	1	:	:	:	:	:	1	3	4	3	B.46e	
1	:	:	:	:	1	:	:	:	:	:	BE.47		
6	1	:	1	1	:	2	1	:	1	1	1	BE.48	
1	:	:	:	:	:	:	1	:	:	:	1	BE.49	
1	:	:	:	:	:	:	:	:	:	1	1	BE.50	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
			24 13	16 16	124 104	260 244	
	ALL CAUSES ... ... ... {M. F.}	801					
B.1	Tuberculosis of respiratory system ... {M. F.}	23	3 2	1	6 1	8 2	.
B.2	Tuberculosis, other forms ... ... {M. F.}	6	1	.	4	1	.
B.7b	Streptococcal sore throat ... ... {M. F.}	1	.	.	1	.	.
B.9	Whooping cough ... ... ... {M. F.}	1	.	.	.	1	.
B.17b	Acute infectious encephalitis ... {M. F.}	1	.	.	.	1	.
B.17d	All other diseases classified as infective and parasitic {M. F.}	2	1	.	.	1	.
B.18a	Malignant neoplasms ... ... {M. F.}	88	5 2	3 2	17 13	24 22	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues {M. F.}	1	.	.	.	1	.
B.19	Benign and unspecified neoplasms ... {M. F.}	2	.	.	1	1	.
B.20	Diabetes mellitus ... ... {M. F.}	3	1	.	.	2	.
B.21	Anaemias ... ... {M. F.}	14	.	.	4 3	2 5	.
B.22	Vascular lesions affecting central nervous system {M. F.}	56	1	3 3	4 10	14 21	.
B.25	Chronic rheumatic heart disease ... {M. F.}	6	.	.	3 1	1 1	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.}	195	1 2	2 5	24 22	78 61	2
B.27	Other diseases of the heart ... {M. F.}	17	.	.	2 2	6 7	.
B.28	Hypertension with heart disease ... {M. F.}	7	1	.	1	2 3	.
B.29	Hypertension without mention of heart {M. F.}	5	.	.	.	2 3	.
B.46a	Other circulatory diseases ... {M. F.}	14	.	.	4 2	4 4	.
B.30	Influenza ... ... {M. F.}	34	.	1	3 2	12 16	1
B.31	Pneumonia ... ... {M. F.}	19	.	1	2 1	9 6	1
B.32	Bronchitis ... ... {M. F.}	22	.	.	1 2	6 13	1
B.46b	Other respiratory diseases ... {M. F.}	7	1	.	1	2 3	.
B.36a	Gastritis and duodenitis ... {M. F.}	1	.	.	1	.	.
B.33	Ulcer of stomach and duodenum ... {M. F.}	3	.	.	1	2	.
B.34	Appendicitis ... ... {M. F.}	1	.	.	1	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
WATERFORD.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
424 377	31 22	2 7	5 3	7 4	5 9	14 14	32 25	60 42	103 106	165 145		
17 6	1	.	.	2 1	1	2	3 1	8 1	1	2		B.1
15	.	.	1	1	1	1	1	.	.	.		B.2
1	.	.	.	.	.	.	.	.	1	.		B.7b
1	1	.	.	.	.	.	.	.	.	.		B.9
1	.	.	.	.	.	.	1	.	.	.		B.17b
1	1	1	.	.	.	1	.	.	.	.		B.17d
49 39	.	.	1	.	1	2 4	6 7	9 10	19 9	11 9		B.18a
1	.	.	1	.	.	.	.	.	.	.		B.18b
2	.	.	.	1	.	.	.	.	1	.		B.19
12	.	.	.	.	.	.	.	.	1 2	.		B.20
68	.	.	.	.	.	.	1	2 2	2 4	2 1		B.21
22 34	.	.	.	1	.	.	3 5	4 5	4 15	10 9		B.22
42	.	.	1	1	.	1	.	.	.	2		B.25
105 90	.	.	.	.	1	2 1	8 3	15 11	36 30	44 44		B.26
89	.	.	.	.	.	.	1	2 1	3 3	3 4		B.27
43	.	.	.	.	.	.	1	1 2	1	2		B.28
23	.	.	.	.	.	1	.	1	1	1		B.29
86	.	.	.	.	.	.	.	3	1	4 4		B.46a
16 18	.	1	.	.	.	1	.	3	4	3 9	6 7	B.30
12 7	4 1	1	.	.	1	1	.	2 1	3 2	2 1		B.31
7 15	.	2	.	.	1	.	.	1 2	3 3	3 7		B.32
34	.	.	.	.	.	1	.	1	1	1	3	B.46b
1	.	.	.	.	.	.	.	.	1	.		B.36a
3	.	.	.	.	.	.	.	1	1	1		B.33
1	.	.	.	.	1	.	.	.	.	.		B.34

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.35	Intestinal obstruction and hernia ... {M. F.	5	:	:	2 1	1 1	:
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under F. 2 years	1	:	:	1	:	:
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over F.	3	:	:	1 1	1	:
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	:	:	:	1	:
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	1	:	:	:	1	:
B.46d	Other digestive diseases ... {M. F.	3	1 1	:	1	:	:
B.38	Nephritis and nephrosis ... {M. F.	13	:	:	3 2	5 3	:
B.39	Hyperplasia of prostate ... M.	3	:	:	:	3	:
B.40a	Complications of pregnancy and child- birth F.	3	1	:	2	:	:
B.40c	Other complications of the puerperium F.	1	:	:	1	:	:
B.41	Congenital malformations ... {M. F.	11	1	:	3 2	3 2	:
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	6	2	:	2 1	1	:
B.43b	Pneumonia of newborn ... {M. F.	2	:	:	:	2	:
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	23	4 1	:	5 4	4 5	1 1
B.45a	Senility without mention of psychosis {M. F.	114	:	1 1	21 18	38 35	18 12
B.45b	Ill-defined and unknown causes ... {M. F.	17	1	:	3 1	5 7	1 2
B.46e	All other diseases ... {M. F.	48	1 2	5 4	4 3	16 13	:
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... {M. F.	1	:	:	1	:	:
BE.48	All other accidents ... {M. F.	16	1	:	3 2	9 1	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## WATERFORD.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
32	1	·	·	·	1	·	·	1	·	1	B.35
1	1	·	·	·	·	·	·	·	·	·	B.36b
12	·	1	·	·	·	·	1	·	·	1	B.36c
1	·	·	·	·	·	·	·	·	1	·	B.36d
1	·	·	·	·	·	·	·	1	·	·	B.46c
21	·	·	·	·	·	·	1	2	·	·	B.46d
85	·	·	1	·	·	1	1	2	1	4	B.38
3	·	·	·	·	·	·	·	1	·	2	B.39
3	·	·	·	·	2	1	·	·	·	·	B.40a
1	·	·	·	·	·	1	·	·	·	·	B.40c
74	43	1	·	·	·	1	·	·	1	·	B.41
42	42	·	·	·	·	·	·	·	·	·	B.42
2	2	·	·	·	·	·	·	·	·	·	B.43b
1310	1310	·	·	·	·	·	·	·	·	·	B.44
6054	·	·	·	·	·	·	·	·	79	5345	B.45a
89	13	·	·	·	·	·	1	·	56	1	B.45b
2622	1	·	2	11	1	13	43	13	74	106	B.46e
1	·	·	·	·	·	1	·	·	·	·	BE.47
124	1	1	·	1	21	1	11	1	21	21	BE.48

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CONN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	7,246	133 104	162 126	875 660	2,712 2,474	963 984
B.1	Tuberculosis of respiratory system ... {M. F.	225	45 42	19 17	26 23	25 28	1 1
B.2	Tuberculosis, other forms ... ... {M. F.	70	4 4	2 3	26 21	7 3	1
B.4	Typhoid fever ... ... ... {M. F.	2	·	·	2	·	·
B.7a	Scarlet fever ... ... ... {M. F.	2	·	·	1	1	·
B.8	Diphtheria ... ... ... {M. F.	3	·	·	1 2	·	·
B.9	Whooping cough ... ... ... {M. F.	13	·	·	1	5 7	1 2
B.10	Meningococcal infections ... ... ... {M. F.	2	·	·	1	1	·
B.12	Acute poliomyelitis ... ... ... {M. F.	1	·	·	1	·	·
B.17a	Late effects of acute poliomyelitis ... {M. F.	1	·	·	·	1	·
B.17b	Acute infectious encephalitis ... {M. F.	2	1	·	1	·	·
B.14	Measles ... ... ... {M. F.	5	·	·	1	2	·
B.17d	All other diseases classified as infective and parasitic ... {M. F.	11	1	·	5 3	2	·
B.18a	Malignant neoplasms ... ... ... {M. F.	652	24 14	10 7	120 75	214 179	7 5
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... ... ... {M. F.	32	6 1	1	6 5	9 4	·
B.19	Benign and unspecified neoplasms ... {M. F.	13	1	1	3 2	4 2	1
B.20	Diabetes mellitus ... ... ... {M. F.	55	3	2	10 13	11 16	1 1
B.21	Anaemias ... ... ... {M. F.	46	1	·	7 5	15 18	1 1
B.22	Vascular lesions affecting central nervous system ... {M. F.	437	3 2	5 7	52 42	144 182	17 27
B.23	Nonmeningococcal meningitis ... {M. F.	16	·	·	5 4	5 2	1
B.24	Rheumatic fever ... ... ... {M. F.	15	·	·	1 3	5 6	1
B.25	Chronic rheumatic heart disease ... {M. F.	55	3	2	3 5	21 21	·
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	1,358	13 1	43 39	136 113	568 445	30 28
B.27	Other diseases of the heart ... {M. F.	184	3 3	7 3	24 28	62 54	18 14
B.28	Hypertension with heart disease ... {M. F.	61	·	8 1	8 3	21 20	1 1
B.29	Hypertension without mention of heart ... {M. F.	78	·	2 3	10 9	25 29	1 2
B.46a	Other circulatory diseases ... {M. F.	79	·	1	17 11	30 20	·
B.30	Influenza ... ... ... {M. F.	495	4	7 6	35 24	204 215	60 75
B.31	Pneumonia ... ... ... {M. F.	221	1 2	5 2	35 16	69 91	5 10

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

ACHT.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
3,882	190	40	27	55	84	112	210	378	954	1,832			
3,664	137	38	26	60	65	108	171	310	754	1,695			
115	.	.	1	13	33	29	14	18	6	2		B.1	
110	.	.	28	28	22	9	11	11	.	.			
39	3	5	2	10	10	1	6	4	1	2		B.2	
31	.	5	2	7	6	4	1	1	.	.			
2	.	1	.	.	.	.	.	.	.	1		B.4	
2	.	.	2	.	.	.	.	.	.	.		B.7a	
1	.	2	1	.	.	.	.	.	.	.		B.8	
2	.	1	.	.	.	.	.	.	.	.		B.9	
6	5	3	4	.	.	.	.	.	.	.		B.10	
2	.	2	.	.	.	.	.	.	.	.		B.12	
1	.	.	.	.	1	.	.	.	.	.		B.17a	
1	.	.	.	.	1	.	.	.	.	.			
1	1	1	.	.	.	.	.	.	.	.		B.17b	
2	.	2	2	.	.	1	.	.	.	.		B.14	
3	.	2	2	.	.	1	.	.	.	.			
6	5	1	1	.	1	1	1	1	2	1		B.17d	
377	.	2	1	2	6	9	41	77	137	104		B.18a	
275	.	1	1	2	6	12	39	62	88	65			
21	.	1	2	3	2	2	4	4	4	5	1	B.18b	
11	.	.	2	.	1	1	1	1	2	1	1		
8	.	.	.	.	.	2	2	1	2	1	1	B.19	
5	.	.	.	.	.	4	5	7	9	6	3		
23	.	.	.	2	2	2	2	2	4	6	5	B.20	
32	.	.	.	1	1	4	5	7	9	12	2		
23	.	.	.	.	.	1	3	2	4	6	5	B.21	
204	1	1	.	.	1	3	10	27	74	88		B.22	
233	.	2	2	3	1	1	17	40	85	89			
10	1	2	2	3	1	1	1	.	1	.	.	B.23	
6	.	1	2	1	.	.	.	.	.	.	.		
6	.	.	1	4	1	.	1	1	3	1	2	B.24	
24	.	.	1	1	.	3	1	2	4	3	6	10	B.25
31	.	.	1	.	1	3	2	3	4	3	13		
760	.	.	1	1	3	14	8	35	84	261	361		B.26
598	.	2	1	1	1	8	27	60	185	185	314		
96	.	.	1	1	1	2	1	5	11	27	47		B.27
88	.	.	.	.	2	1	5	12	30	38	38		
37	.	.	.	.	.	.	1	8	18	12	11	B.28	
24	.	.	.	.	.	.	1	5	13	15	10		
37	.	.	.	.	.	1	7	8	15	14	10	B.29	
41	.	.	.	.	.	1	7	8	10	12	18		
48	.	1	.	.	.	1	1	1	5	10	31	B.46a	
31	.	.	1	1	1	2	1	3	8	18	18		
246	4	4	2	1	2	1	3	5	22	68	135		B.30
249	4	2	1	2	2	5	5	5	28	58	142		
110	27	7	1	2	1	2	8	10	21	31	31		
111	13	5	1	1	1	2	4	8	35	42	42		B.31

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CONN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.32	Bronchitis ... ... ... {M. F.	186	1	4 2	20 15	80 64	11 16
B.46b	Other respiratory diseases ... ... {M. F.	39	2 1	1	8 3	11 13	1
B.36a	Gastritis and duodenitis ... ... {M. F.	8	·	·	1	5 2	·
B.33	Ulcer of stomach and duodenum ... {M. F.	34	2	·	15 3	11 3	3
B.34	Appendicitis ... ... {M. F.	9	·	·	5 2	2	·
B.35	Intestinal obstruction and hernia ... {M. F.	30	1	·	15 6	5 3	·
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	14	2 1	·	1 4	3 3	2 1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	5	·	·	2 1	1 1	1
B.36d	Chronic enteritis and ulcerative colitis {M. F.	4	1	·	1	1 1	·
B.37	Cirrhosis of liver ... ... {M. F.	12	1	·	3 2	5 1	·
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	8	1	·	1 1	1 4	·
B.46d	Other digestive diseases ... ... {M. F.	20	3	·	5 2	8 2	3
B.38	Nephritis and nephrosis ... ... {M. F.	104	1	·	30 16	27 30	3 3
B.39	Hyperplasia of prostate ... ... M.	61	1	·	35	25	2
B.40a	Complications of pregnancy and child- birth	F.	18	·	12	6	·
B.40b	Puerperal sepsis ... ... F.	·	·	·	·	·	·
B.40c	Other complications of the puerperium F.	5	1	·	4	·	·
B.41	Congenital malformations ... ... {M. F.	62	3 3	1	10 14	17 14	1 2
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	29	2 4	·	9 7	7	1
B.43a	Diarrhoea of newborn ... ... {M. F.	2	1	·	1	·	·
B.43b	Pneumonia of newborn ... ... {M. F.	8	1	·	4 1	2	·
B.43c	Other infections of newborn ... ... {M. F.	1	·	·	·	1	·
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	105	3 4	·	35 20	27 16	12 3
B.45a	Senility without mention of psychosis {M. F.	1,592	1 1	18 18	43 43	731 737	661 684
B.45b	Ill-defined and unknown causes ... {M. F.	256	1 1	2 1	11 10	123 107	89 85
B.46e	All other diseases ... ... {M. F.	342	6 3	23 12	52 47	114 85	29 19
EXTERNAL CAUSES:							
BE.47	Motor vehicle accidents ... ... {M. F.	13	·	·	4 2	7	·
BE.48	All other accidents ... ... {M. F.	136	2	2 1	23 32	45 31	89 85
BE.49	Suicide and self-inflicted injury ... {M. F.	8	·	·	·	7 1	·
BE.50	Homicide and operations of war ... {M. F.	1	·	·	·	1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## ACHT.

AGE AT DEATH											Abbreviated List No
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
104	2	1	2	.	1	3	5	12	29	54	B.32
82	2	.	.	.	.	3	3	7	20	45	.
22	1	1	1	2	.	2	3	2	6	6	B.46b
17	2	.	.	.	.	1	1	1	3	8	.
5	2	.	.	.	.	.	1	1	1	1	B.36a
3	1	.	.	.	.	.	.	.	1	1	.
28	.	.	.	2	3	6	4	2	6	4	B.33
6	.	.	.	.	.	2	1	2	3	.	.
5	1	1	.	.	1	.	1	.	1	1	B.34
4	.	.	.	.	.	.	.	.	1	1	.
20	1	.	.	.	.	.	1	4	7	7	B.35
10	.	.	.	.	.	.	.	2	4	4	.
6	4	2	1	.	.	.	.	.	.	.	B.36b
8	7	.	.	.	.	.	.	.	.	.	.
3	.	1	.	1	1	.	.	.	1	.	B.36c
2	.	.	.	.	.	.	.	.	.	1	.
3	1	.	.	.	.	1	.	.	1	.	B.36d
9	.	.	.	.	.	.	1	2	5	1	B.37
3	3	.	.	.	.	.	1	1	1	1	.
3	5	1	.	.	.	.	.	2	1	1	B.46c
16	3	1	1	.	.	.	3	.	4	5	B.46d
4	1	.	.	.	.	.	.	.	2	1	.
58	.	1	1	.	3	1	3	9	5	21	B.38
46	.	.	.	.	.	5	5	8	7	12	11
61	.	.	.	.	.	.	.	.	4	23	34
18	.	.	.	.	4	13	1	.	.	.	B.40a
.	.	.	.	.	.	.	.	.	.	.	B.40b
5	.	.	.	.	1	4	.	.	.	.	B.40c
31	23	2	1	3	.	1	.	.	.	.	1
31	27	.	.	2	.	1	1	.	.	.	B.41
18	18	.	.	.	.	.	.	.	.	.	B.42
11	11	.	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.	B.43a
6	6	2	.	.	.	.	.	.	.	.	B.43b
2	2	.	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.	B.43c
65	65	.	.	.	.	.	.	.	.	.	B.44
40	40	.	.	.	.	.	.	.	.	.	.
793	.	.	.	.	.	.	.	.	2	62	729
799	.	.	.	.	.	.	.	1	68	730	B.45a
137	13	2	2	.	1	1	3	5	8	46	58
119	9	5	2	2	1	1	2	8	13	30	48
195	5	2	2	1	4	8	9	22	26	68	49
147	5	2	1	7	5	4	4	18	18	34	53
11	.	1	1	1	1	1	1	4	1	1	BE.47
2	.	.	.	.	.	.	.	1	1	.	.
70	2	3	4	1	6	8	6	10	8	7	BE.48
66	4	4	1	.	1	1	4	.	5	8	38
?	1	.	.	.	1	.	1	3	1	1	BE.49
1	.	.	.	.	.	.	.	.	1	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
			58 57	49 37	289 220	789 695	237 240
	<b>ALL CAUSES</b> ... ... ... {M. F.	2,194					
B.1	Tuberculosis of respiratory system ... {M. F.	74	18 25	6 5	4 5	6 5	.
B.2	Tuberculosis, other forms ... ... {M. F.	30	1 2	1 2	11 8	4 1	.
B.4	Typhoid fever ... ... ... {M. F.	2	.	.	2	.	.
B.8	Diphtheria ... ... ... {M. F.	1	.	.	1	.	.
B.9	Whooping cough ... ... ... {M. F.	12	.	.	1	5 6	1 2
B.17a	Late effects of acute poliomyelitis ... {M. F.	1	.	.	.	1	.
B.17b	Acute infectious encephalitis ... {M. F.	1	.	.	1	.	.
B.17d	All other diseases classified as infective and parasitic ... {M. F.	5	1	.	3 1	.	.
B.18a	Malignant neoplasms ... ... ... {M. F.	212	10 5	3 4	45 27	70 48	1
B.18b	Neoplasms of lymphatic and haemato-poietic tissues ... {M. F.	11	1	1	3 3	1 2	.
B.19	Benign and unspecified neoplasms ... {M. F.	8	1	1	1 1	3 1	.
B.20	Diabetes mellitus ... ... ... {M. F.	15	2	.	2 4	1 6	.
B.21	Anaemias ... ... ... {M. F.	12	.	.	1 2	5 4	.
B.22	Vascular lesions affecting central nervous system ... {M. F.	131	3 1	1 2	23 18	36 47	3 5
B.23	Nonmeningococcal meningitis ... {M. F.	4	.	.	1 2	1	.
B.24	Rheumatic fever ... ... ... {M. F.	7	.	.	1 1	1 4	.
B.25	Chronic rheumatic heart disease ... {M. F.	26	3	.	2 4	10 7	.
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	430	6	12 10	44 42	177 139	10 6
B.27	Other diseases of the heart ... {M. F.	65	2 2	1	12 13	21 14	1 2
B.28	Hypertension with heart disease ... {M. F.	21	.	1	2 1	12 5	1
B.29	Hypertension without mention of heart ... {M. F.	29	.	1	6 6	6 10	.
B.46a	Other circulatory diseases ... {M. F.	24	.	1	7	10 6	.
B.30	Influenza ... ... ... {M. F.	141	1	2 4	10 9	57 58	8 18
B.31	Pneumonia ... ... ... {M. F.	73	1 2	2	14 5	13 36	1 6
B.32	Bronchitis ... ... ... {M. F.	61	1	2	9 8	21 20	3 4

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
GALWAY.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
1,185 1,009	71 58	16 14	10 11	23 28	25 27	34 33	59 58	113 85	303 208	531 487	
34 40	.	.	.	6 17	7 9	12 6	1 3	5 4	3 1	.	B.1
17 13	3 4	.	2	1 2	4 4	1 2	.	2	1	1	B.2
2	.	1	.	.	.	.	.	.	1	.	B.4
1	.	1	.	.	.	.	.	.	.	.	B.8
6 6	5 2	1 4	.	.	.	.	.	.	.	.	B.9
1	.	.	.	.	1	.	.	.	.	.	B.17a
1	1	.	.	.	.	.	.	.	.	.	B.17b
4 1	.	1	1	.	1	1	.	1	.	.	B.17d
128 84	.	1	1	2	1 2	3 2	12 13	21 16	53 25	36 23	B.18a
5 8	.	.	2	.	1	1	1	2	3	1	B.18b
5 3	.	.	.	.	.	.	2 2	.	2 1	1	B.19
3 12	.	.	.	1	.	1	3	.	2 4	4	B.20
6 6	.	.	.	.	.	.	1	2	3 4	1	B.21
63 68	.	.	.	.	1	.	2 3	7 15	22 22	32 27	B.22
2 2	.	1 1	1 1	1	.	.	.	.	.	.	B.23
2 5	.	.	1 3	.	.	.	.	1	1 1	.	B.24
12 14	.	.	.	.	.	1	1	1	2	5 8	B.25
239 191	.	.	.	.	2 1	4 3	10 8	27 21	83 56	113 102	B.26
36 29	.	.	.	1	1 1	1 1	1 3	7 3	7 9	18 12	B.27
15 6	.	.	.	.	.	.	.	.	1	7 3	7 3
13 16	.	.	.	.	.	1	2 6	1	6 4	3	B.29
18 6	.	1	.	.	.	1	1	1	3	12 5	B.46a
69 72	2	.	.	.	1	1 1	1 3	6 5	18 14	41 46	B.30
30 43	11 8	1 2	1 1	1	.	1	2	5 1	3 13	6 17	B.31
32 29	2	1	2	.	1	1	1	4 3	7 6	18 14	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ... ... {M. F.	11	.	.	4	3	.
B.36a	Gastritis and duodenitis ... ... {M. F.	3	.	.	1	2	.
B.33	Ulcer of stomach and duodenum ... ... {M. F.	13	.	.	5 2	4 2	.
B.34	Appendicitis ... ... {M. F.	2	.	.	1 1	.	.
B.35	Intestinal obstruction and hernia ... ... {M. F.	11	1	.	6 1	2 1	.
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under F. 2 years	6	1	.	3	1 1	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over F.	4	.	.	1 1	1 1	1
B.36d	Chronic enteritis and ulcerative colitis {M. F.	1	.	.	1	.	.
B.37	Cirrhosis of liver ... ... {M. F.	6	1	.	2 1	2	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas F.	4	1	.	.	1 2	.
B.46d	Other digestive diseases ... ... {M. F.	10	3	.	3 1	2 1	1
B.38	Nephritis and nephrosis ... ... {M. F.	34	1	.	11 3	7 12	1
B.39	Hyperplasia of prostate ... M.	12	.	.	9	3	1
B.40a	Complications of pregnancy and child- birth F.	8	.	.	4	4	.
B.40b	Puerperal sepsis ... ... F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium F.	2	1	.	1	.	.
B.41	Congenital malformations ... ... {M. F.	21	2 2	.	3 5	5 4	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis F.	13	1 3	.	3 3	3	1
B.43b	Pneumonia of newborn ... ... {M. F.	3	1	.	2	.	.
B.43c	Other infections of newborn ... ... {M. F.	1	.	.	.	1	.
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified F.	31	1	.	10 7	8 5	5 1
B.45a	Senility without mention of psychosis {M. F.	413	.	9 4	2 2	199 197	175 182
B.45b	Ill-defined and unknown causes ... ... {M. F.	45	1	.	2 2	25 15	17 9
B.46e	All other diseases ... ... {M. F.	92	3	7 3	14 10	36 16	9 1
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	3	.	.	1	2	.
BE.48	All other accidents ... ... {M. F.	46	1	1	7 8	20 9	.
BE.49	Suicide and self-inflicted injury ... ... {M. F.	3	.	.	.	2 1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## GALWAY.

All Ages	AGE AT DEATH										Abbreviated List No.
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
7 4	1	.	1	.	.	.	1	1	3 1	1 2	B.46b
2 1	1	1	.	.	.	.	.	.	.	1	B.36a
9 4	.	.	.	1	1	2	1	1	2 3	2	B.33
1 1	.	.	.	1	.	.	.	.	.	1	B.34
8 3	.	.	.	.	.	.	1	2	2 1	3 2	B.35
2 4	1 3	1	.	.	.	.	.	.	.	.	B.36b
2 2	.	1	1	1	.	.	.	.	.	1	B.36c
1	.	.	.	.	.	1	.	.	.	.	B.36d
5 1	.	.	.	.	.	1	1	1	3	.	B.37
2 2	.	.	.	.	.	.	.	1	1	1 1	B.46c
8 2	2 1	1	.	.	.	.	2	.	2	1 1	B.46d
19 15	.	1	1	.	1	1	1 4	1 3	6 3	7 5	B.38
12	.	.	.	.	.	.	.	1	6	5	B.39
8	.	.	.	.	3	4	1	.	.	.	B.40a
2	.	.	.	.	.	2	.	.	.	.	B.40b
10 11	6 10	1	1	2 1	.	.	.	.	.	.	B.40c
7 6	7 6	.	.	.	.	.	.	.	.	.	B.41
2 1	2 1	.	.	.	.	.	.	.	.	.	B.42
1	1	.	.	.	.	.	.	.	.	.	B.43b
18 13	18 13	.	.	.	.	.	.	.	.	.	B.43c
210 203	.	.	.	.	.	.	.	1	19 18	190 185	B.44
28 17	7 3	1	.	.	.	1	1	1	7 3	11 8	B.45a
60 32	1 2	1	.	2 2	4 3	3 1	9 5	7 2	24 7	10 9	B.45b
2 1	.	1	.	1	.	.	1	.	.	.	BE.47
27 19	2 3	3	.	6 1	1	3 1	2	4 2	3 3	3 9	BE.48
2 1	.	.	.	.	.	.	1	1	.	.	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	743	12 5	19 5	75 67	290 270	116 133
B.1	Tuberculosis of respiratory system ... { M. F.	18	2	3	4 5	4	.
B.2	Tuberculosis, other forms ... { M. F.	5	.	.	2 2	1	.
B.14	Measles ... ... ... { M. F.	3	.	.	.	2 1	.
B.17d	All other diseases classified as infective and parasitic { M. F.	1	.	.	1	.	.
B.18a	Malignant neoplasms ... { M. F.	40	5	.	7 6	15 7	2
B.18b	Neoplasms of lymphatic and haemopoietic tissues { M. F.	4	.	.	.	3 1	.
B.19	Benign and unspecified neoplasms ... { M. F.	1	.	.	1	.	.
B.20	Diabetes mellitus ... ... { M. F.	7	1	.	1 2	2 1	1
B.21	Anaemias ... ... { M. F.	4	.	.	.	2 2	.
B.22	Vascular lesions affecting central nervous system { M. F.	74	1	2	8 5	23 35	4 6
B.23	Nonmeningococcal meningitis ... { M. F.	2	.	.	1	1	.
B.24	Rheumatic fever ... ... { M. F.	2	.	.	.	1 1	.
B.25	Chronic rheumatic heart disease ... { M. F.	3	.	.	.	2 1	.
B.26	Arteriosclerotic and degenerative heart disease { M. F.	128	3	4 2	9 8	58 44	2 3
B.27	Other diseases of the heart ... { M. F.	13	1	1 1	2 4	2 2	1
B.28	Hypertension with heart disease ... { M. F.	5	.	3	1	1	.
B.29	Hypertension without mention of heart { M. F.	8	.	1 2	1 1	2 1	.
B.46a	Other circulatory diseases ... { M. F.	9	.	.	2 2	3 2	.
B.30	Influenza ... ... { M. F.	59	2	2	3 3	21 28	9 8

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
LEITRIM.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
396 347	10 4	6 2	1 3	5 3	5 6	14 14	22 22	53 43	102 91	178 159		
9 9	:	:	:	2 1	2 4	1 2	2 1	1	1	1	1	B.1
3 2	:	1	1	1	1	:	:	:	:	:	1	B.2
2 1	:	2	:	:	:	1	:	:	:	:	:	B.14
1	:	:	:	:	:	:	:	:	:	:	1	B.17d
27 13	:	:	:	:	1	1 1	3 1	7 5	10 4	5 2		B.18a
3 1	:	:	:	:	:	:	1	1	1 1			B.18b
1	:	:	:	:	:	1	:	:	:	:		B.19
3 4	:	:	:	1	:	2	2	1	1			B.20
2 3	:	:	:	:	:	:	:	1	1	1	1	B.21
33 41	:	:	:	:	:	1	3 3	5 6	6 19	18 13		B.22
1 1	:	1	:	:	:	1	:	:	:	:		B.23
1 1	:	1	:	:	:	:	:	1	:	:		B.24
2 1	:	:	:	:	:	:	:	1	1	1	1	B.25
74 54	:	:	:	:	:	3	4 3	13 5	25 21	29 25		B.26
5 8	:	:	:	:	:	:	:	2 1	1 5	2 2		B.27
4 1	:	:	:	:	:	:	1	:	3	1		B.28
4 4	:	:	:	:	:	:	1	2 3	1	1	1	B.29
5 4	:	:	:	:	:	:	:	1 1	3 1	1 2		B.46a
26 33	:	:	:	:	:	1	1	7 9	8 10	10 12		B.30

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.31	Pneumonia ... ... ... {M. F.	25	.	.	2 2	12 9	2 2
B.32	Bronchitis ... ... . . . {M. F.	22	.	1	2 3	8 8	1 7
B.46b	Other respiratory diseases ... ... {M. F.	4	.	.	1	1 2	.
B.36a	Gastritis and duodenitis ... ... {M. F.	.	.	.	.	.	.
B.33	Ulcer of stomach and duodenum ... {M. F.	9	2	.	2 1	3 1	1
B.34	Appendicitis ... ... {M. F.	1	.	.	1	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	1	.	.	1	.	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under {M. F. 2 years	1	.	.	.	1	.
B.46c	Other diseases of the liver, gallbladder and pancreas {M. F.	1	.	.	1	.	.
B.46d	Other digestive diseases {M. F.	3	.	.	1	1 1	1
B.38	Nephritis and nephrosis ... ... {M. F.	10	.	.	4 1	3 2	2
B.39	Hyperplasia of prostate ... ... M.	5	.	.	2	3	.
B.40a	Complications of pregnancy and child-birth F.	5	.	.	5	.	.
B.40c	Other complications of the puerperium. F.	1	.	.	1	.	.
B.41	Congenital malformations ... ... {M. F.	4	.	1	.	2 1	1
B.44	Other diseases peculiar to early infancy, and immaturity unqualified {M. F.	9	.	.	3 1	4 1	3
B.45a	Senility without mention of psychosis {M. F.	160	.	.	6 7	71 76	50 71
B.45b	Ill-defined and unknown causes ... {M. F.	63	.	.	4 1	28 30	24 30
B.46e	All other diseases ... ... {M. F.	27	.	1	5 3	11 7	6 3
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	1	.	.	.	1	.
BE.48	All other accidents ... ... {M. F.	4	.	.	1	2 1	.
BE.49	Suicide and self-inflicted injury ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## LEITRIM.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
14	1	1	.	.	.	.	1	2	3	6	B.31		
11	1	.	.	.	.	.	1	1	2	3	B.32		
11	1	.	.	.	.	1	1	1	2	4			
1	3	.	.	.	.	.	1	.	1	2	B.46b		
.	.	.	.	.	.	.	.	.	.	.	B.36a		
2	2	.	.	.	.	.	3	1	2	1	B.33		
1	.	.	.	.	.	.	.	.	1	.	B.34		
1	1	.	.	.	.	.	.	.	.	.	B.35		
1	1	.	.	.	.	.	.	.	.	.	B.36b		
1	.	.	.	.	.	.	.	.	1	.	B.46c		
1	2	.	.	.	.	.	.	.	.	2	B.46d		
7	3	.	.	.	.	.	1	3	.	1	B.38		
5	.	.	.	.	.	.	.	.	1	3	B.39		
5	.	.	.	.	.	5	.	.	.	.	B.40a		
1	.	.	.	.	1	.	.	.	.	.	B.40c		
3	1	1	.	1	.	1	1	.	.	.	B.41		
2	2	7	.	.	.	.	.	.	.	.	B.44		
77	88	.	.	.	.	.	.	.	8	69	B.45a		
32	31	1	1	1	.	1	.	1	5	12	18	B.45b	
17	10	.	1	1	1	.	1	1	4	2	6	B.46e	
1	.	.	.	.	1	.	.	.	.	.	.	BE.47	
3	1	.	.	.	.	.	1	.	2	1	.	BE.48	
1	.	.	.	.	.	.	.	.	.	1	.	BE.49	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... { M. F.	2,144	30 20	47 42	235 166	850 754	344 339
B.1	Tuberculosis of respiratory system ... { M. F.	71	15 8	8 7	8 8	11 6	1
B.2	Tuberculosis, other forms ... { M. F.	20	1	1	10 4	2 2	1
B.9	Whooping cough ... { M. F.	1	.	.	.	1	.
B.10	Meningococcal infections ... { M. F.	2	.	.	1	1	.
B.17b	Acute infectious encephalitis ... { M. F.	1	1	.	.	.	.
B.17d	All other diseases classified as infective and parasitic { M. F.	2	.	.	1 1	.	.
B.18a	Malignant neoplasms ... { M. F.	194	5 5	3 1	33 16	70 61	5 4
B.18b	Neoplasms of lymphatic and haemato- poietic tissues { M. F.	10	2 1	.	3	3 1	.
B.19	Benign and unspecified neoplasms ... { M. F.	2	.	.	1	1	1
B.20	Diabetes mellitus ... { M. F.	19	.	.	5 6	6 2	.
B.21	Anaemias ... { M. F.	18	1	.	3	6 8	1
B.22	Vascular lesions affecting central nervous system { M. F.	99	.	2	9 7	38 43	7 9
B.23	Nonmeningococcal meningitis ... { M. F.	4	.	.	1	1 2	1
B.24	Rheumatic fever ... { M. F.	3	.	.	.	2 1	1
B.25	Chronic rheumatic heart disease ... { M. F.	18	.	.	1	8 9	.
B.26	Arteriosclerotic and degenerative heart disease { M. F.	351	1	12 12	36 23	159 108	15 13
B.27	Other diseases of the heart ... { M. F.	53	.	3 2	3 5	20 20	5 7
B.28	Hypertension with heart disease ... { M. F.	10	.	1	1	2 6	1
B.29	Hypertension without mention of heart { M. F.	18	.	.	1	7 10	1
B.46a	Other circulatory diseases ... { M. F.	22	.	.	5 4	8 5	1
B.30	Influenza ... { M. F.	154	1	1	14 6	62 70	20 27
B.31	Pneumonia ... { M. F.	83	.	3 1	11 6	29 33	1 2
B.32	Bronchitis ... { M. F.	47	.	.	2 2	28 15	5 4
B.46b	Other respiratory diseases ... { M. F.	12	1	1	2 2	3 3	.
B.36a	Gastritis and duodenitis ... { M. F.	2	.	.	.	1 1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## MAYO.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
1,162 982	52 42	10 10	7 9	17 12	33 18	43 31	63 46	97 77	259 189	581 548		
42	.	.	.	4	17	10	3	5	2	2	1	B.1
29	.	.	1	5	9	7	3	2	2	2	.	
13 7	1	.	1	2	4	1	2	1	2	.	.	B.2
1	1	.	.	.	.	.	.	.	.	.	.	B.9
2	.	2	.	.	.	.	.	.	.	.	.	B.10
1	.	1	.	.	.	.	.	.	.	.	.	B.17b
1 1	.	.	.	.	.	1	1	.	.	.	.	B.17d
111 83	.	.	.	.	1	4	14	25	34	33	18	B.18a
8 2	.	.	.	1	1	1	2	1	1	2	1	B.18b
1 1	.	.	.	.	.	.	.	.	1	.	1	B.19
11 8	.	.	.	1	1	3	1	1	5	2	2	B.20
10 8	.	.	.	.	1	2	1	4	1	3	2	B.21
47 52	1	.	.	.	.	2	2	4	24	14	27	B.22
2 2	.	1	1	.	.	.	.	.	1	.	.	B.23
2 1	.	.	.	.	.	1	.	.	1	1	.	B.24
8 10	.	.	.	.	2	1	.	.	1	3	4	B.25
208 143	.	.	1	1	1	5	10	17	70	103	76	B.26
26 27	.	.	.	.	1	1	4	1	5	8	15	B.27
3 7	.	.	.	.	.	.	.	.	1	4	2	B.28
7 11	.	.	.	.	.	.	.	1	1	5	5	B.29
13 9	.	.	.	.	.	.	.	3	2	2	10	B.46a
76 78	1 3	4 2	1 1	1	.	2	1	6	19	41	50	B.30
43 40	9 4	3	.	1	1	1	4	1	10	13	16	B.31
30 17	.	.	.	.	.	.	2	4	8	16	12	B.32
6 6	1	1	2	.	.	1	1	1	1	2	2	B.46b
1 1	1	.	.	.	.	.	.	.	.	1	1	B.36a

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.33	Ulcer of stomach and duodenum ... { M. F.	7	.	.	4	3	2
B.34	Appendicitis ... ... { M. F.	2	.	.	2	.	.
B.35	Intestinal obstruction and hernia ... { M. F.	12	.	.	6 2	3 1	.
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under F. 2 years	2	.	.	.	2	2
B.36d	Chronic enteritis and ulcerative colitis { M. F.	1	.	.	.	1	.
B.37	Cirrhosis of liver ... ... { M. F.	3	.	.	1	2	.
B.46c	Other diseases of the liver, gallbladder { M. and pancreas F.	1	.	.	.	1	.
B.46d	Other digestive diseases ... ... { M. F.	4	.	.	1	3	1
B.38	Nephritis and nephrosis ... ... { M. F.	26	.	.	8 4	7 7	2
B.39	Hyperplasia of prostate ... ... M.	26	1	.	10	15	1
B.40a	Complications of pregnancy and child- birth F.	2	.	.	.	2	.
B.40c	Other complications of the puerperium F.	1	.	.	1	.	.
B.41	Congenital malformations ... ... { M. F.	19	.	.	4 5	7 3	1 1
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis F.	8	1	.	2 3	1	.
B.43a	Diarrhoea of newborn ... ... { M. F.	1	.	.	1	.	.
B.43b	Pneumonia of newborn ... ... { M. F.	5	.	.	2 1	2	.
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified F.	29	2 1	.	7 8	6 5	2 1
B.45a	Senility without mention of psychosis { M. F.	548	.	8 10	12 18	248 252	229 234
B.45b	Ill-defined and unknown causes ... ... { M. F.	85	.	1	3 3	47 31	35 21
B.46e	All other diseases ... ... { M. F.	94	1	8 4	14 14	24 29	6 10
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... { M. F.	2	.	.	1	1	.
BE.48	All other accidents ... ... { M. F.	49	1	.	11 12	12 13	.
BE.49	Suicide and self-inflicted injury ... { M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## MAYO.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
7	.	.	.	1	1	.	.	1	3	1	B.33
2	.	.	.	.	.	2	.	.	.	.	B.34
9	.	.	.	.	.	.	.	1	5	3	B.35
3	.	.	.	.	.	.	.	1	1	1	
2	2	.	.	.	.	.	.	.	.	.	B.36b
1	.	.	.	.	.	.	.	.	.	1	B.36d
2	1	.	.	.	.	.	.	.	2	.	B.37
1	.	.	.	.	.	.	.	1	.	.	B.46c
4	1	.	.	.	.	.	.	.	1	2	B.46d
15	11	.	.	.	2	.	2	4	3	3	B.38
26	.	.	.	.	.	.	.	.	10	16	B.39
2	.	.	.	.	.	1	1	.	.	.	B.40a
1	.	.	.	.	.	.	1	.	.	.	B.40c
11	10	8	1	.	.	.	.	.	.	.	B.41
4	4	4	.	.	.	.	.	.	.	.	B.42
1	1	1	.	.	.	.	.	.	.	.	B.43a
4	4	1	.	.	.	.	.	.	.	.	B.43b
15	15	14	.	.	.	.	.	.	.	.	B.44
268	280	.	.	.	.	.	.	.	20	248	B.45a
50	35	3	2	2	1	.	2	1	4	17	21
47	47	2	.	1	1	2	4	5	5	8	16
47	47	2	.	1	1	2	2	5	3	13	18
2	.	.	.	.	1	.	.	1	.	.	BE.47
23	26	.	3	2	1	3	2	5	2	1	8
1	.	.	.	.	.	.	.	1	.	.	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	1,154	17 9	31 25	152 114	421 385	151 154
B.1	Tuberculosis of respiratory system ... {M. F.	32	4 3	2	7 4	4 6	1
B.2	Tuberculosis, other forms ... ... {M. F.	6	1	1	2 2	.	.
B.7a	Scarlet fever ... ... ... {M. F.	2	.	.	1	1	.
B.17d	All other diseases classified as infective and parasitic {M. F.	2	.	.	1	1	.
B.18a	Malignant neoplasms ... ... {M. F.	103	2 3	2	25 15	27 29	.
B.18b	Neoplasms of lymphatic and haemato- poietic tissues {M. F.	5	3	.	.	2	.
B.19	Benign and unspecified neoplasms ... {M. F.	2	.	.	1	1	.
B.20	Diabetes mellitus ... ... ... {M. F.	6	.	.	1	1 4	.
B.21	Anaemias ... ... ... {M. F.	4	.	.	1	3	.
B.22	Vascular lesions affecting central nervous system {M. F.	75	.	2 1	6 8	26 32	3
B.23	Nonmeningococcal meningitis ... {M. F.	2	.	.	1 1	.	.
B.24	Rheumatic fever ... ... ... {M. F.	2	.	.	2	.	.
B.25	Chronic rheumatic heart disease ... {M. F.	5	.	1	1	1 2	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	272	2	10 12	38 33	100 77	3 4
B.27	Other diseases of the heart ... {M. F.	30	.	2	1	13 14	7 4
B.28	Hypertension with heart disease ... {M. F.	10	.	.	1	4 5	.
B.29	Hypertension without mention of heart {M. F.	15	.	1	1	9 4	.
B.46a	Other circulatory diseases ... ... {M. F.	7	.	.	3 1	3	.
B.30	Influenza ... ... ... {M. F.	52	.	1	4 4	24 19	6 5
B.31	Pneumonia ... ... ... {M. F.	21	.	1	5 1	9 5	.
B.32	Bronchitis ... ... ... {M. F.	32	.	1 1	6 2	12 10	1
B.46b	Other respiratory diseases ... ... {M. F.	3	.	.	.	1 2	.
B.36a	Gastritis and duodenitis ... ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of stomach and duodenum ... {M. F.	4	.	.	4	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	2	.	.	1 1	.	.

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
GO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	5	1 1	:	1 1	1	:
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	1	:	:	1	:	:
B.37	Cirrhosis of liver ... ... {M. {F.	1	:	:	1	:	:
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	2	:	:	1	1	:
B.46d	Other digestive diseases ... ... {M. {F.	1	:	:	1	:	:
B.38	Nephritis and nephrosis ... ... {M. {F.	14	:	:	3 5	2	:
B.39	Hyperplasia of prostate ... ... M.	12	:	:	11	1	:
B.40a	Complications of pregnancy and child- birth F.	3	:	:	3	:	:
B.41	Congenital malformations ... ... {M. {F.	10	:	:	3 1	2 4	:
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	3	:	:	1	2	:
B.43a	Diarrhoea of newborn ... ... {M. {F.	1	1	:	:	:	:
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	17	1	:	9 1	3 2	1 1
B.45a	Senility without mention of psychosis {M. {F.	265	1	1 2	2 4	130 125	122 120
B.45b	Ill-defined and unknown causes ... ... {M. {F.	28	1	1	1 1	8 16	7 13
B.46e	All other diseases ... ... {M. {F.	71	1	6 4	10 9	25 16	4 3
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. {F.	8	:	:	1 1	1	:
BE.48	All other accidents ... ... {M. {F.	21	:	2	1 8	5 5	:
BE.49	Suicide and self-inflicted injury ... ... {M. {F.	1	:	:	:	1	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

**ROSCOMMON.**

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
621 533	28 14	4 5	4 2	7 9	11 7	10 19	33 21	61 52	154 129	309 275	
17 15	.	.	.	1 2	4 3	3 4	4 1	4 3	1 2	.	B.1
4 2	.	1	.	3	.	1	1	.	.	.	B.2
2	.	.	2	.	.	.	.	.	.	.	B.7a
2	.	.	.	.	1	.	.	.	1	.	B.17d
56 47	.	1	.	.	2 3	1	4	11 9	17 17	17 13	B.18a
5	.	1	.	2	.	1	.	.	1	.	B.18b
1 1	.	.	.	.	.	1	.	1	.	.	B.19
1 5	.	.	.	.	.	.	.	1	1 2	2	B.20
4	.	.	.	.	.	.	.	1	3	.	B.21
34 41	.	.	.	.	.	.	2 1	7 7	14 18	11 15	B.22
1 1	.	.	.	1	1	.	.	.	.	.	B.23
2	.	.	.	1	.	.	1	.	.	.	B.24
2 3	.	.	.	1	.	1	1	1	.	.	B.25
150 122	.	.	.	1	.	1	7	16 9	54 36	72 66	B.26
16 14	.	.	.	.	.	1	.	1	5 4	9 8	B.27
5 5	.	.	.	.	.	.	.	3	1 3	1 2	B.28
10 5	.	.	.	.	.	.	1	1	4 3	4 2	B.29
6 1	.	.	.	.	.	.	.	.	2	4 1	B.46a
29 23	.	.	1	1	.	1	1	2 3	9 8	15 10	B.30
14 7	4	2	.	.	.	1	1	1	3 1	5 2	B.31
19 13	1	.	.	.	.	1	1	1 1	5 2	12 8	B.32
1 2	.	.	.	.	.	.	.	.	1	2	B.46b
1	.	.	.	.	.	.	1	.	.	.	B.36a
4	.	.	.	.	1	1	1	.	.	1	B.33
1 1	.	.	.	.	.	.	.	1	1	.	B.35

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
B.36b	Gastro-enteritis and colitis, except { M. ulcerative, aged 4 weeks and under { F. 2 years	5	1 1	:	1 1	1	:
B.36c	Gastro-enteritis and colitis, except { M. ulcerative, aged 2 years and over { F.	1	:	:	1	:	:
B.37	Cirrhosis of liver ... ... { M. F.	1	:	:	1	:	:
B.46c	Other diseases of the liver, gallbladder { M. and pancreas { F.	2	:	:	1	1	:
B.46d	Other digestive diseases ... ... { M. F.	1	:	:	1	:	:
B.38	Nephritis and nephrosis ... ... { M. F.	14	:	:	3 5	4 2	:
B.39	Hyperplasia of prostate ... ... M.	12	:	:	11	1	:
B.40a	Complications of pregnancy and child- birth	3	:	:	3	:	:
B.41	Congenital malformations ... ... { M. F.	10	:	:	3 1	2 4	:
B.42	Birth injuries, postnatal asphyxia and { M. atelectasis { F.	3	:	:	1	2	:
B.43a	Diarrhoea of newborn ... ... { M. F.	1	1	:	:	:	:
B.44	Other diseases peculiar to early infancy, { M. and immaturity unqualified { F.	17	1 1	:	9 1	3 2	1
B.45a	Senility without mention of psychosis { M. F.	265	1	1 2	2 4	130 125	122 120
B.45b	Ill-defined and unknown causes ... ... { M. F.	28	1	1	1 1	8 16	7 13
B.46e	All other diseases ... ... { M. F.	71	1	6 4	10 9	25 16	4 3
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... { M. F.	3	:	:	1 1	1	:
BE.48	All other accidents ... ... { M. F.	21	:	2	1 8	5 5	:
BE.49	Suicide and self-inflicted injury ... ... { M. F.	1	:	:	:	1	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
ROSCOMMON.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
23	13	1	:	:	:	:	:	:	:	:	B.36b
1	:	:	:	:	:	:	:	1	:	:	B.36c
1	:	:	:	:	:	:	:	:	:	1	B.37
2	1	:	:	:	:	:	:	:	:	1	B.46c
1	:	:	:	:	:	:	:	:	:	1	B.46d
72	:	:	:	1	:	1	1	:	42	32	B.38
12	:	:	:	:	:	:	:	2	3	7	B.39
3	:	:	:	:	:	3	:	:	:	:	B.40a
55	44	:	:	1	:	:	:	:	:	1	B.41
21	21	:	:	:	:	:	:	:	:	:	B.42
1	1	:	:	:	:	:	:	:	:	:	B.43a
134	134	13	:	:	:	:	:	:	:	:	B.44
131	:	:	:	:	:	:	:	11	1015	123115	B.45a
1018	:	:	:	:	:	11	1	13	43	410	B.45b
4229	21	11	1	2	1	1	33	78	135	148	B.46c
21	:	:	:	:	:	:	:	11	1	:	BE.47
813	:	1	:	:	2	1	1	:	13	48	BE.48
1	:	:	:	:	:	:	1	:	:	:	BE.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
			16 13	16 17	124 93	362 370	
	<b>ALL CAUSES</b> ... ... ... {M. F.	1,011					115 118
B.1	Tuberculosis of respiratory system ... {M. F.	30	6 6	3	3 1	4 7	.
B.2	Tuberculosis, other forms ... ... {M. F.	9	1 2	.	1 5	.	.
B.8	Diphtheria ... ... ... {M. F.	2	.	.	1 1	.	.
B.12	Acute poliomyelitis ... ... ... {M. F.	1	.	.	1	.	.
B.14	Measles ... ... ... {M. F.	2	.	.	1	1	.
B.17d	All other diseases classified as infective and parasitic ... {M. F.	1	.	.	.	1	.
B.18a	Malignant neoplasms ... ... ... {M. F.	103	2 1	2 2	19 11	32 34	.
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... {M. F.	2	.	.	2	.	.
B.20	Diabetes mellitus ... ... ... {M. F.	8	.	2	2	1 3	1
B.21	Anaemias ... ... ... {M. F.	8	.	.	3 2	2 1	.
B.22	Vascular lesions affecting central nervous system ... {M. F.	58	.	2	6 4	21 25	3 4
B.23	Nonmeningococcal meningitis ... {M. F.	4	.	.	2	2	.
B.24	Rheumatic fever ... ... ... {M. F.	1	.	.	.	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	3	.	1	.	2	.
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	177	1 1	5 3	9 7	74 77	2
B.27	Other diseases of the heart ... {M. F.	23	1	.	6 6	6 4	4 1
B.28	Hypertension with heart disease ... {M. F.	15	.	3 1	5	2 4	.
B.29	Hypertension without mention of heart ... {M. F.	8	.	.	2 1	1 4	1
B.46a	Other circulatory diseases ... {M. F.	17	.	.	4	6 7	.
B.30	Influenza ... ... ... {M. F.	89	.	2 1	4 2	40 40	17 17
B.31	Pneumonia ... ... ... {M. F.	19	.	.	3 2	6 8	1
B.32	Bronchitis ... ... ... {M. F.	24	.	1	1	11 11	1 1
B.46b	Other respiratory diseases ... {M. F.	9	2	.	2	3 2	1
B.36a	Gastritis and duodenitis ... ... {M. F.	2	.	.	.	1 1	.
B.33	Ulcer of stomach and duodenum ... {M. F.	1	.	*	.	1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## SLIGO.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
518	29	4	5	3	10	11	33	54	186	233		
493	19	7	1	8	7	11	24	53	137	226		
13	.	.	.	3	3	3	4	3	.	.		B.1
17	.	.	.	3	3	3	1	2	5	.		
2	.	2	.	3	1	.	1	1	.	.		B.2
7	.	.	1	.	.	.	.	.	.	.		
1	.	1	.	.	.	.	.	.	.	.		B.8
1	.	.	.	.	1	.	.	.	.	.		B.12
2	.	2	.	.	.	.	.	.	.	.		B.14
1	.	.	.	.	.	.	.	.	.	1		B.17d
55	.	.	.	.	1	1	4	13	23	13		B.18a
48	.	.	.	.	.	1	5	16	17	9		B.18b
2	.	.	.	.	.	.	1	.	1	.		
5	.	.	.	.	1	.	1	2	1	1		B.20
3	.	.	.	.	.	.	.	1	2	1		B.21
5	.	.	.	.	.	1	.	1	8	13		B.22
3	.	1	.	.	.	.	3	7	14	7		
27	.	.	.	.	.	.	.	.	.	.		
31	.	.	.	.	.	.	1	4	8	14		
4	1	.	.	2	.	.	1	.	.	.		B.23
1	.	.	.	.	.	.	.	1	.	.		B.24
3	.	.	.	.	1	.	1	.	.	1		B.25
89	.	.	1	.	.	1	4	11	29	44		B.26
88	.	.	.	.	.	1	4	7	30	45		
13	.	.	1	.	.	.	.	1	3	9		B.27
10	.	.	.	.	.	.	.	4	4	2		
10	.	.	.	.	.	.	.	.	6	2		B.28
5	.	.	.	.	.	.	.	1	2	3		
3	.	.	.	.	.	.	.	.	2	1		B.29
5	.	.	.	.	.	.	.	1	3	1		
6	.	.	.	.	1	.	.	.	5	4		B.46a
11	.	.	.	.	.	1	.	.	14	12		
46	1	.	.	.	1	.	1	5	28	24		B.30
48	1	.	.	.	.	.	1	5	12	12		
9	2	2	.	.	.	.	.	2	2	4		B.31
10	1	1	.	.	.	.	.	.	4	4		
12	1	.	.	.	.	.	2	2	4	5		B.32
13	.	.	.	.	.	.	.	1	5	5		
7	2	1	.	.	.	1	1	1	1	3		B.46b
1	.	.	.	.	.	.	.	1	1	.		B.36a
1	.	.	.	.	.	.	1	.	.	.		B.33

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
B.34	Appendicitis ... ... ... {M. F.	4	·	·	1 1	2	·
B.35	Intestinal obstruction and hernia ... {M. F.	4	·	·	1 2	1	·
B.36d	Chronic enteritis and ulcerative colitis {M. F.	2	1	·	·	1	·
B.37	Cirrhosis of liver ... ... {M. F.	2	·	·	·	1 1	·
B.46d	Other digestive diseases ... ... {M. F.	2	·	·	·	2	·
B.38	Nephritis and nephrosis ... ... {M. F.	20	·	·	4 3	6 7	1
B.39	Hyperplasia of prostate ... M.	6	·	·	3	3	·
B.40c	Other complications of the puerperium F.	1	·	·	1	·	·
B.41	Congenital malformations ... ... {M. F.	8	1 1	·	3	1 2	·
B.42	Birth injuries, postnatal asphyxia and atelectasis {M. F.	5	·	·	4	1	·
B.44	Other diseases peculiar to early infancy, and immaturity unqualified {M. F.	19	1	·	6 3	6 3	1
B.45a	Senility without mention of psychosis {M. F.	206	1	2	21 12	83 87	76 77
B.45b	Hill-defined and unknown causes ... {M. F.	35	·	1 3	1 3	15 15	6 12
B.46e	All other diseases ... ... {M. F.	58	1	1 1	9 11	18 17	4 2
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	4	·	·	2	2	·
BE.48	All other accidents ... ... {M. F.	16	·	·	3 4	6 3	·
BE.49	Suicide and self-inflicted injury ... {M. F.	2	·	·	·	2	·
BE.50	Homicide and operations of war ... {M. F.	1	·	·	·	1	·

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## SLIGO.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
1	3	1	1	.	.	.	.	1	.	1	.	B.34
1	3	.	.	.	.	.	.	.	1	1	1	B.35
2	.	.	.	.	.	.	.	.	1	.	1	B.36d
1	1	.	.	.	.	.	.	.	1	1	.	B.37
2	.	.	.	.	.	.	.	1	.	.	1	B.46d
10	10	.	.	.	.	.	2	1	1	7	2	B.38
6	.	.	.	.	.	.	.	.	.	1	5	B.39
1	.	.	.	.	.	1	.	.	.	.	.	B.40e
2	6	2	.	.	.	.	1	.	.	.	.	B.41
5	.	5	.	.	.	.	.	.	.	.	.	B.42
12	7	12	.	.	.	.	.	.	.	.	.	B.44
104	102	.	.	.	.	.	.	.	.	5	99	B.45a
17	18	3	2	1	.	1	.	2	2	6	4	B.45b
29	29	2	.	.	1	1	1	4	4	13	4	B.46e
4	.	.	.	1	.	.	1	2	.	.	.	BE.47
9	7	1	.	2	.	2	1	2	2	1	1	BE.48
2	.	.	.	.	1	.	1	.	.	.	.	BE.49
1	.	.	.	.	.	.	.	.	1	.	.	BE.50

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
ULSTER

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
			85 55	56 47	454 307	1,601 1,503	
	ALL CAUSES ... ... ... { M. F.	4,108					
B.1	Tuberculosis of respiratory system ... { M. F.	133	19 28	8	13 12	20 25	4
B.2	Tuberculosis, other forms ... { M. F.	34	5 2	1	10 5	7 3	1
B.3	Syphilis and its sequelae ... { M. F.	1	.	1	.	.	.
B.7a	Scarlet fever ... { M. F.	5	.	.	1	1 3	.
R.7b	Streptococcal sore throat ... { M. F.	1	.	.	.	1	.
B.8	Diphtheria ... { M. F.	2	.	.	1	1	.
B.9	Whooping cough ... { M. F.	28	.	.	3	11 14	2
B.12	Acute poliomyelitis ... { M. F.	3	.	.	1	1	1
B.17c	Late effects of acute infectious encephalitis ... { M. F.	2	.	1	.	1	.
B.14	Measles ... { M. F.	3	1	.	1	.	.
B.17d	All other diseases classified as infective and parasitic ... { M. F.	8	.	.	3 2	1 2	1
B.18a	Malignant neoplasms ... { M. F.	348	22 7	3 4	37 24	117 134	7 10
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... { M. F.	15	3	.	2 1	6 3	.
B.19	Benign and unspecified neoplasms ... { M. F.	17	2	.	1 5	1 8	.
B.20	Diabetes mellitus ... { M. F.	26	.	.	5 6	9 6	.
B.21	Anaemias ... { M. F.	27	1	2	6 8	5 5	.
B.22	Vascular lesions affecting central nervous system ... { M. F.	292	3 2	2 2	20 20	111 132	17 20
B.23	Nonmeningococcal meningitis ... { M. F.	6	1	.	3 1	1	.
B.24	Rheumatic fever ... { M. F.	10	.	.	1	3 6	.
B.25	Chronic rheumatic heart disease ... { M. F.	28	1	1	6 1	9 9	.
B.26	Arteriosclerotic and degenerative heart disease ... { M. F.	841	5 2	32 20	62 56	390 274	37 17
B.27	Other diseases of the heart ... { M. F.	143	.	.	11 5	63 64	24 23
B.28	Hypertension with heart disease ... { M. F.	41	.	1	4 1	22 13	.
B.29	Hypertension without mention of heart ... { M. F.	55	1	.	2	22 28	3 3
B.46a	Other circulatory diseases ... { M. F.	79	1	1	23 10	24 16	1 1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
(part of).

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
2,196 1,912	132 90	28 31	21 15	33 29	40 47	63 67	182 97	207 208	583 500	957 828		
60 73	1	.	1	7 9	11 26	10 7	14 12	11 9	5 8	1 1	B.1	
23 11	1 2	1	3 4	5 4	3 1	2	4 2	3 1	2	.	B.2	
1	.	.	.	.	.	.	.	1	.	.	B.3	
1 4	.	1 4	.	.	.	.	.	.	.	.	B.7a	
1	1	.	.	.	.	.	.	.	.	.	B.7b	
2	.	.	.	.	1	.	1	.	.	.	B.8	
11 17	9 8	2 9	.	.	.	.	.	.	.	.	B.9	
2 1	.	1	.	2	.	.	.	.	.	.	B.12	
2	.	.	.	.	.	1	1	.	.	.	B.17c	
2 1	.	1 1	1	.	.	.	.	.	.	.	B.14	
4 4	.	1	.	.	.	.	1 1	.	2 3	.	B.17d	
179 169	.	.	.	1 2	1	6 8	21 16	30 41	69 62	51 40	B.18a	
11 4	.	1 1	1	1	1	.	1	4 1	2 1	1	B.18b	
4 13	.	.	1	2	1	2	1	4	2	1	B.19	
14 12	.	.	.	1	1	.	2 1	2	3 6	8 2	B.20	
12 15	.	.	.	1	.	.	1 1	1 4	3 2	4 5	B.21	
136 156	.	.	.	1	1	2 3	4 3	18 24	58 57	54 62	B.22	
4 2	1 1	1	.	.	1	.	.	.	.	.	B.23	
4 6	.	.	2	.	1	1 2	.	.	2 1	.	B.24	
12 11	.	.	.	1	.	.	3 1	3 3	9 5	2 1	B.25	
489 352	.	.	2	2	1 2	12 9	28 16	62 49	162 108	224 164	B.26	
74 69	.	1	.	.	.	3	3 2	3 9	36 20	32 34	B.27	
26 15	.	.	.	.	.	.	1	1 1	11 5	13 9	B.28	
25 30	.	.	.	.	.	3	3 2	1 2	10 14	11 9	B.29	
49 30	.	.	.	.	.	.	1	4	24 12	21 11	B.46a	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
**ULSTER**

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.30	Influenza ... ... ... {M. F.	291	1	1	15 10	112 151	11 29
B.31	Pneumonia ... ... ... {M. F.	121	1	1	12 12	50 45	4 3
B.32	Bronchitis ... ... ... {M. F.	98	1	1	5	37 54	2 9
B.46b	Other respiratory diseases ... ... {M. F.	29	1	1	8 2	10 9	.
B.36a	Gastritis and duodenitis ... ... {M. F.	8	1	1	1	1 6	.
B.33	Ulcer of stomach and duodenum ... {M. F.	33	3	1	18 1	4 7	1
B.34	Appendicitis ... ... ... {M. F.	7	1	1	2 4	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	18	2 1	1	6 5	2	.
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	7	1	1	1	3 3	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	6	1	1	1	2 4	1
B.37	Cirrhosis of liver ... ... {M. F.	4	1	1	1	1 2	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	5	1	1	2 1	1 1	.
B.46d	Other digestive diseases ... ... {M. F.	14	2	1	5 1	3 3	.
B.38	Nephritis and nephrosis ... ... {M. F.	54	1 1	1	6 3	26 17	4 3
B.39	Hyperplasia of prostate ... ... M.	38	1	1	23	14	1
B.40a	Complications of pregnancy and child- birth F.	9	1	1	3	5	.
B.40c	Other complications of the puerperium F.	2	1	1	1	2	.
B.41	Congenital malformations ... ... {M. F.	20	1	1	3 1	12 12	2 1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	17	1	1	9 4	3 1	2
B.43b	Pneumonia of newborn ... ... {M. F.	5	1	1	2	2 1	1
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	81	2 1	1	20 19	24 15	6 4
B.45a	Senility without mention of psychosis {M. F.	598	1	1	53 26	253 266	181 178
B.45b	Ill-defined and unknown causes ... {M. F.	179	1	1	11 2	97 69	66 44
B.46e	All other diseases ... ... {M. F.	219	5 4	3 2	26 32	84 63	20 18
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	10	1	1	2 1	5 2	.
BE.48	All other accidents ... ... {M. F.	68	2 3	1	12 14	23 13	.
BE.49	Suicide and self-inflicted injury ... {M. F.	9	1	1	5 4	.	.
BE.50	Homicide and operations of war ... {M. F.	1	1	1	1	.	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
(part of).

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
129	10	1	1	1	.	1	7	13	33	62	B.30	
182	7	.	.	3	1	4	4	17	50	76		
64	18	3	3	.	1	2	4	2	10	21	B.31	
57	7	6	2	1	1	.	3	4	17	16		
43	1	1	.	.	1	.	2	4	14	19	B.32	
55	1	.	.	.	.	1	.	6	18	30		
18	2	1	.	.	.	1	3	1	4	6	B.46b	
11	.	1	.	.	.	1	2	.	2	5		
2	.	.	.	.	.	.	.	1	.	2	B.36a	
6	.	.	.	.	.	.	.	.	.	5		
25	.	.	.	1	.	4	3	5	5	7	B.33	
8	.	.	.	.	.	1	1	1	4	4		
3	.	1	.	.	1	.	1	1	1	.	B.34	
4	.	.	.	.	.	.	.	.	.	.		
10	1	1	1	.	.	.	1	1	4	1	B.35	
8	2	.	.	.	.	.	.	.	3	3		
4	3	.	.	.	.	.	.	.	.	.	B.36b	
2	4	.	1	1	.	.	1	.	1	1		
4	2	.	.	.	.	.	.	.	.	.	B.36c	
1	3	.	.	.	.	.	.	1	1	1		
3	2	.	.	.	.	1	1	.	1	.	B.37	
10	4	1	.	.	1	.	.	2	3	3		
4	1	.	.	.	1	.	.	1	1	1	B.46d	
33	1	.	.	.	2	2	3	3	4	8	B.38	
21	.	.	.	.	1	2	2	2	4	8		
38	.	.	.	.	.	.	.	.	3	10	B.39	
9	.	.	.	.	.	2	7	.	.	.	B.40a	
2	.	.	.	.	.	2	.	.	.	.	B.40c	
15	12	1	1	3	.	.	.	.	.	.		
14	10	.	.	.	.	.	.	.	.	.	1	B.41
12	12	.	.	.	.	.	.	.	.	.		
5	5	.	.	.	.	.	.	.	.	.	B.42	
4	4	.	.	.	.	.	.	.	.	.		
1	1	.	.	.	.	.	.	.	.	.	B.43b	
46	46	.	.	.	.	.	.	.	.	.		
35	35	.	.	.	.	.	.	.	.	.	B.44	
306	.	.	.	.	.	.	.	.	.	19	287	
292	.	.	.	.	.	.	.	.	30	262	B.45a	
108	5	2	3	1	1	1	.	11	30	54	B.45b	
71	3	2	.	.	1	1	3	6	16	39		
118	3	4	1	6	7	8	17	9	30	33	B.46c	
101	2	3	.	2	3	8	9	13	32	29		
7	.	3	1	1	.	2	1	.	.	.	B.E.47	
3	.	1	.	.	.	.	.	.	.	.		
37	1	3	2	3	4	3	.	3	9	9	B.E.48	
31	2	1	.	.	1	2	.	3	7	15		
5	4	.	.	.	1	1	.	1	1	.	B.E.49	
1	.	.	.	.	.	.	.	.	1	.	B.E.50	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... ... ... {M. F.	1,208	37 26	18 16	167 103	434 407	97 85
B.1	Tuberculosis of respiratory system ... {M. F.	47	10 14	3 3	4 3	5 5	.
B.2	Tuberculosis, other forms ... ... {M. F.	6	1 2	.	.	3	.
B.3	Syphilis and its sequelae ... ... {M. F.	1	.	1	.	.	.
B.7b	Streptococcal sore throat ... ... {M. F.	1	.	.	.	1	.
B.8	Diphtheria ... ... ... {M. F.	1	.	.	.	1	.
B.9	Whooping cough ... ... ... {M. F.	9	.	.	.	5 4	1
B.17c	Late effects of acute infectious encephalitis ... {M. F.	1	.	1	.	.	.
B.14	Measles ... ... ... {M. F.	3	1	.	1 1	.	.
B.17d	All other diseases classified as infective and parasitic ... {M. F.	2	.	.	2	.	.
B.18a	Malignant neoplasms ... ... ... {M. F.	114	11 3	2	17 10	38 33	3 1
B.18b	Neoplasms of lymphatic and haemopoietic tissues ... {M. F.	4	2	.	.	2	.
B.19	Benign and unspecified neoplasms ... {M. F.	7	1	.	2	4	.
B.20	Diabetes mellitus ... ... ... {M. F.	8	.	.	1 5	1	.
B.21	Anaemias ... ... ... {M. F.	11	1	.	2 2	4 2	.
B.22	Vascular lesions affecting central nervous system ... {M. F.	69	1 1	1 2	8 3	18 35	4 3
B.23	Nommeningococcal meningitis ... {M. F.	3	1	.	2	.	.
B.24	Rheumatic fever ... ... ... {M. F.	3	.	.	.	1 2	.
B.25	Chronic rheumatic heart disease ... {M. F.	6	.	.	1	3 2	.
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	264	2	11 7	32 31	99 82	5 3
B.27	Other diseases of the heart ... {M. F.	27	.	.	7	5 15	3 2
B.28	Hypertension with heart disease ... {M. F.	21	.	.	.	12 9	.
B.29	Hypertension without mention of heart ... {M. F.	22	.	.	1	8 12	2 2
B.46a	Other circulatory diseases ... {M. F.	18	1	1	1 2	5 6	.
B.30	Influenza ... ... ... {M. F.	85	.	.	2 1	39 43	2 5
B.31	Pneumonia ... ... ... {M. F.	30	.	.	4 1	15 10	1 1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## CAVAN.

AGE AT DEATH												Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
656	37	8	4	11	12	26	38	70	184	266		
552	12	8	1	12	19	16	24	64	166	230		
22	1	.	.	3	4	4	3	3	4	.		B.1
25	.	.	.	3	12	3	3	2	2	.		
4	.	1	.	1	.	1	2	1	.	.		B.2
2	.	.	.	.	.	.	.	.	.	.		
1	.	.	.	.	.	.	.	1	.	.		B.3
1	1	.	.	.	.	.	.	.	.	.		B.7b
1	.	.	.	.	.	.	.	1	.	.		B.8
5	4	1	.	.	.	.	.	.	.	.		B.9
4	4	.	.	.	.	.	.	.	.	.		
1	.	.	.	.	.	1	.	.	.	.		B.17c
2	.	1	1	.	.	.	.	.	.	.		B.14
2	.	.	.	.	.	.	.	1	.	1	.	B.17d
66	.	.	.	1	.	3	8	15	22	17		
48	.	.	.	2	.	3	3	12	19	9		B.18a
22	.	1	.	1	.	.	.	1	.	.		B.18b
16	.	.	.	.	1	1	1	2	1	.		B.19
26	.	.	.	.	1	.	.	1	4	1		B.20
7	4	.	.	.	.	1	1	2	2	2	1	B.21
28	.	.	.	.	.	1	2	2	5	15	8	
41	.	.	.	.	.	2	2	19	19	15		B.22
21	1	.	.	.	1	1	.	.	.	.		B.23
12	.	.	.	.	.	1	.	.	1	1	.	B.24
42	.	.	.	.	.	.	.	1	1	3	.	B.25
144	.	.	1	2	1	4	4	20	50	66		
120	.	.	.	.	3	3	5	13	44	51		B.26
12	.	.	.	.	.	.	1	1	8	2		
15	.	.	.	.	.	.	2	1	8	4		B.27
12	.	.	.	.	.	.	.	1	6	5		
9	.	.	.	.	.	.	.	1	3	6		B.28
13	.	.	.	.	.	.	.	.	3	5		
6	10	.	.	.	.	1	.	.	4	2		B.29
41	1	1	.	.	.	.	3	5	10	21		
44	.	.	.	.	.	.	9	14	14	21		B.30
19	3	1	3	.	.	1	2	2	1	9		
11	1	1	.	.	.	.	1	4	4	2		B.31

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.32	Bronchitis ... ... ... {M. F.	37	1	3	10 23	1 5	
B.46b	Other respiratory diseases ... ... {M. F.	9	1	3 1	5		
B.36a	Gastritis and duodenitis ... ... {M. F.	1	1	1	1	1	
B.33	Ulcer of stomach and duodenum ... {M. F.	9	1	1 1	1 5	1	1
B.34	Appendicitis ... ... {M. F.	2	1	1	1		
B.35	Intestinal obstruction and hernia ... {M. F.	8	1	2 3	1 1		
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	2	1	1	2		
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	2	1	1	1 1		
B.46d	Other digestive diseases ... ... {M. F.	4	1	1	1 1	1	
B.38	Nephritis and nephrosis ... ... {M. F.	17	1	1 1	10 4	3	
B.39	Hyperplasia of prostate ... M.	14	1	10	4		
B.40a	Complications of pregnancy and child- birth F.	2	1	1	1		
B.41	Congenital malformations ... ... {M. F.	2	1	1 1			
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	3	1	3			
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	24	2	10 2	9 1	3 1	
B.45a	Senility without mention of psychosis {M. F.	169	1	17 11	66 75	48	
B.45b	Ill-defined and unknown causes ... {M. F.	40	1	6 1	23 10	17 9	
B.46e	All other diseases ... ... {M. F.	74	2 3	14 15	29 10	5 3	
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	6	1	2 1	3		
BE.48	All other accidents ... ... {M. F.	16	1	4 1	8 2		
BE.49	Suicide and self-inflicted injury ... {M. F.	6	1	4 2			

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## CAVAN.

AGE AT DEATH												Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over			
14	.	.	.	.	.	.	1	4	6	7	B.32		
23	.	.	.	.	.	.	.	4	4	15			
8	1	1	.	.	.	1	1	.	2	3	B.46b		
1	.	.	.	.	.	.	.	1	.	1	B.36a		
1	.	.	.	.	.	.	.	1	.	.			
3	6	.	.	.	.	1	1	1	1	1	B.33		
1	1	.	.	.	1	.	1	.	.	.	B.34		
4	4	1	.	.	.	.	.	.	1	2	B.35		
2	.	1	.	.	.	.	.	.	.	1	B.36c		
1	1	.	.	.	.	1	.	.	.	1	B.46c		
2	2	.	.	.	1	.	.	.	1	.	B.46d		
11	6	.	.	.	1	1	.	.	1	2	B.38		
14	.	.	.	.	.	.	.	.	.	4	10	B.39	
2	.	.	.	.	2	.	.	.	.	.	B.40a		
1	1	1	.	.	.	.	.	.	.	.	B.41		
3	3	.	.	.	.	.	.	.	.	.	B.42		
21	21	3	.	.	.	.	.	.	.	.	B.44		
83	86	.	.	.	.	.	.	.	.	4	79	B.45a	
29	11	.	2	1	.	1	1	1	6	13	6	B.45b	
45	29	1	1	2	4	3	3	6	5	11	12	B.46e	
5	1	.	2	.	1	1	1	1	.	.	.	BE.47	
13	3	.	1	.	1	1	1	.	1	5	3	BE.48	
4	2	.	.	.	.	1	1	1	1	2	.	BE.49	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infiraries	Elsewhere	
			25 15	26 21	179 127	863 779	
	ALL CAUSES ... ... ... {M. F.	2,035					260 230
B.1	Tuberculosis of respiratory system ... {M. F.	64	7 7	4 2	8 8	11 17	4
B.2	Tuberculosis, other forms ... ... {M. F.	16	1	1	3 5	4 2	
B.7a	Scarlet fever ... ... ... {M. F.	5			1	1 3	
B.8	Diphtheria ... ... ... {M. F.	1			1		
B.9	Whooping cough ... ... ... {M. F.	9			2	3 4	
B.12	Acute poliomyelitis ... ... ... {M. F.	3			1 1	1	1
B.17c	Late effects of acute infectious encephalitis ... {M. F.	1				1	
B.17d	All other diseases classified as infective and parasitic ... {M. F.	5			1 1	1 2	1
B.18a	Malignant neoplasms ... ... ... {M. F.	161	5 2	3 2	11 10	63 65	4 5
B.18b	Neoplasms of lymphatic and haematoopoietic tissues ... {M. F.	5	1		1	3	
B.19	Benign and unspecified neoplasms ... {M. F.	6			1 2	1 2	
B.20	Diabetes mellitus ... ... ... {M. F.	14			4 1	6 3	
B.21	Anaemias ... ... ... {M. F.	12		2	3 4	1 2	
B.22	Vascular lesions affecting central nervous system ... {M. F.	147		1	5 8	71 62	13 15
B.23	Nonmeningococcal meningitis ... {M. F.	2			1		
B.24	Rheumatic fever ... ... ... {M. F.	1				1	
B.25	Chronic rheumatic heart disease ... {M. F.	14	1	1	3	5 4	
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	389	2 1	13 10	17 17	204 125	26 10
B.27	Other diseases of the heart ... {M. F.	84			4 4	41 35	19 15
B.28	Hypertension with heart disease ... {M. F.	15		1	2 1	7 4	
B.29	Hypertension without mention of heart ... {M. F.	15			1 1	4 9	1
B.46a	Other circulatory diseases ... ... {M. F.	53	1	1	19 6	16 9	1
B.30	Influenza ... ... ... {M. F.	131	1	1	2 1	52 74	9 19
B.31	Pneumonia ... ... ... {M. F.	67		1	5 6	24 31	3 1
B.32	Bronchitis ... ... ... {M. F.	33				17 16	1 3

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths	
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere		
	ALL CAUSES ... ... ... {M. F.	2,035	25 15	26 21	179 127	863 779	260 230	
B.1	Tuberculosis of respiratory system ... {M. F.	64	7 7	4 2	8 8	11 17	4	
B.2	Tuberculosis, other forms ... ... {M. F.	16	1	1	3 5	4 2		
B.7a	Scarlet fever ... ... ... {M. F.	5			1	1 3		
B.8	Diphtheria ... ... ... {M. F.	1			1			
B.9	Whooping cough ... ... ... {M. F.	9			2	3 4		
B.12	Acute poliomyelitis ... ... ... {M. F.	3			1 1	1	1	
B.17c	Late effects of acute infectious encephalitis ... {M. F.	1				1		
B.17d	All other diseases classified as infective and parasitic ... {M. F.	5			1 1	1 2	1	
B.18a	Malignant neoplasms ... ... ... {M. F.	161	5 2	3 2	11 10	63 65	4 5	
B.18b	Neoplasms of lymphatic and haematoopoietic tissues ... {M. F.	5	1		1	3		
B.19	Benign and unspecified neoplasms ... {M. F.	6			1 2	1 2		
B.20	Diabetes mellitus ... ... ... {M. F.	14			4 1	6 3		
B.21	Anaemias ... ... ... {M. F.	12		2	3 4	1 2		
B.22	Vascular lesions affecting central nervous system ... {M. F.	147		1	5 8	71 62	13 15	
B.23	Nonmeningococcal meningitis ... {M. F.	2			1 1			
B.24	Rheumatic fever ... ... ... {M. F.	1				1		
B.25	Chronic rheumatic heart disease ... {M. F.	14	1	1	3	5 4		
B.26	Arteriosclerotic and degenerative heart disease ... {M. F.	389	2 1	13 10	17 17	204 125	26 10	
B.27	Other diseases of the heart ... {M. F.	84			4 4	41 35	19 15	
B.28	Hypertension with heart disease ... {M. F.	15		1	2 1	7 4		
B.29	Hypertension without mention of heart ... {M. F.	15			1 1	4 9	1	
B.46a	Other circulatory diseases ... ... {M. F.	53	1	1 1	19 6	16 9	1	
B.30	Influenza ... ... ... {M. F.	131	1	1	2 1	52 74	9 19	
B.31	Pneumonia ... ... ... {M. F.	67		1	5 6	24 31	3 1	
B.32	Bronchitis ... ... ... {M. F.	33				17 16	1 3	

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and District Hospitals and Co. Infirmarys	Elsewhere	
	<b>ALL CAUSES</b> ... ... ... { M. F.	<b>2,035</b>	<b>25</b>	<b>26</b>	<b>179</b>	<b>863</b>	<b>260</b>
			<b>15</b>	<b>21</b>	<b>127</b>	<b>779</b>	<b>230</b>
B.1	Tuberculosis of respiratory system ... { M. F.	64	7	4	8	11	4
B.2	Tuberculosis, other forms ... { M. F.	16	1	1	3	4	2
B.7a	Scarlet fever ... { M. F.	5	·	·	1	1	3
B.8	Diphtheria ... { M. F.	1	·	·	1	·	·
B.9	Whooping cough ... { M. F.	9	·	·	2	3	4
B.12	Acute poliomyelitis ... { M. F.	3	·	·	1	1	1
B.17c	Late effects of acute infectious encephalitis { M. F.	1	·	·	·	1	·
B.17d	All other diseases classified as infective and parasitic { M. F.	5	·	·	1	1	1
B.18a	Malignant neoplasms ... { M. F.	161	5	3	11	63	4
B.18b	Neoplasms of lymphatic and haemato poetic tissues { M. F.	5	1	·	1	3	·
B.19	Benign and unspecified neoplasms ... { M. F.	6	·	·	1	1	2
B.20	Diabetes mellitus ... { M. F.	14	·	·	4	6	3
B.21	Anaemias ... { M. F.	12	·	2	4	1	2
B.22	Vascular lesions affecting central nervous system { M. F.	147	·	1	5	71	13
B.23	Nonmeningococcal meningitis ... { M. F.	2	·	·	1	·	·
B.24	Rheumatic fever ... { M. F.	1	·	·	·	1	·
B.25	Chronic rheumatic heart disease ... { M. F.	14	1	1	3	5	·
B.26	Arteriosclerotic and degenerative heart disease { M. F.	389	2	13	17	204	26
B.27	Other diseases of the heart ... { M. F.	84	·	·	4	41	10
B.28	Hypertension with heart disease ... { M. F.	15	·	1	2	7	·
B.29	Hypertension without mention of heart { M. F.	15	·	·	1	4	1
B.46a	Other circulatory diseases ... { M. F.	53	1	1	19	16	1
B.30	Influenza ... { M. F.	131	1	1	2	52	9
B.31	Pneumonia ... { M. F.	67	·	1	5	24	3
B.32	Bronchitis ... { M. F.	33	·	·	·	17	1

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## DONEGAL.

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
1,093 942	61 52	15 18	11 11	17 11	18 23	22 36	59 49	92 88	273 231	525 423	
30 34	.	.	1	4 3	6 11	5 3	9 7	5 5	1 4	.	B.1
9 7	1 2	.	2	4 3	1 1	.	.	1 1	.	.	B.2
1 4	.	1	4	.	.	.	.	.	.	.	B.7a
1	.	.	.	.	1	.	.	.	.	.	B.8
3 6	2 1	1 5	.	.	.	.	.	.	.	.	B.9
2 1	.	1	.	2	.	.	.	.	.	.	B.12
1	.	.	.	.	.	.	1	.	.	.	B.17c
2 3	.	1	.	.	.	.	.	.	1 3	.	B.17d
82 79	.	.	.	.	1	2 5	8 9	11 18	33 27	27 20	B.18a
5	.	.	1	.	.	.	1	1	2	.	B.18b
2 4	.	.	.	2	1	.	.	2	.	1	B.19
10 4	.	.	.	1	.	.	.	2	1	2 2	B.20
4 8	.	.	1	.	.	.	1 2	1 2	1 2	1 2	B.21
77 70	.	.	.	.	1	2	1 1	12 10	28 26	36 30	B.22
1 1	.	1 1	.	.	.	.	.	.	.	.	B.23
1	.	.	1	.	.	.	.	.	.	.	B.24
10 4	.	.	.	.	.	.	3 1	1 1	4 1	2 1	B.25
236 153	.	.	1	.	.	6 6	14 9	27 21	74 37	115 79	B.26
45 39	.	1	.	.	.	2	1	1 6	19 9	24 21	B.27
9 6	.	.	.	.	.	.	.	1	3 2	6 3	B.28
5 10	.	.	.	.	.	3	1	1	4 5	1	B.29
37 16	.	.	.	.	.	.	3	3 1	18 8	16 4	B.46a
55 76	5 5	.	1	1 2	1	1 2	4 3	3 3	12 23	28 37	B.30
30 37	10 5	2 4	2	1	1	.	1 2	1 2	6 9	9 11	B.31
17 16	.	1	.	1	.	.	.	3	5 10	7 6	B.32

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46b	Other respiratory diseases ... ...{M. F.	14	:	:	3	3 8	:
B.36a	Gastritis and duodenitis ... ...{M. F.	7	:	:	1	1 5	:
B.33	Ulcer of stomach and duodenum ...{M. F.	18	1	:	13	2 2	:
B.34	Appendicitis ... ...{M. F.	5	1	:	1 3	:	:
B.35	Intestinal obstruction and hernia ...{M. F.	8	1 1	:	3 1	1 1	:
B.36b	Gastro-enteritis and colitis, except {M. ulcerative, aged 4 weeks and under {F. 2 years	3	:	:	:	1 2	1
B.36c	Gastro-enteritis and colitis, except {M. ulcerative, aged 2 years and over {F.	4	:	:	:	2 2	1
B.37	Cirrhosis of liver ... ...{M. F.	4	:	:	1	1 2	:
B.46c	Other diseases of the liver, gallbladder {M. and pancreas {F.	2	:	:	2	:	:
B.46d	Other digestive diseases ... ...{M. F.	6	:	:	3	1 2	:
B.38	Nephritis and nephrosis ... ...{M. F.	30	1	:	4 1	13 11	1 2
B.39	Hyperplasia of prostate ... M.	17	1	:	9	7	1
B.40a	Complications of pregnancy and child- birth F.	4	1	:	1	2	:
B.40c	Other complications of the puerperium F.	2	:	:	:	2	:
B.41	Congenital malformations ... ...{M. F.	20	:	:	1	11 8	2 1
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis {F.	10	:	:	4 2	3 1	2
B.43b	Pneumonia of newborn ... ...{M. F.	3	:	:	:	2 1	1
B.44	Other diseases peculiar to early infancy, {M. and immaturity unqualified {F.	37	:	:	3 8	13 13	3 3
B.45a	Senility without mention of psychosis {M. F.	348	:	:	25 10	160 153	118 110
B.45b	Ill-defined and unknown causes ... {M. F.	99	:	:	4 1	56 38	41 23
B.46e	All other diseases ... ...{M. F.	96	1 1	1 1	5 7	36 44	14 15
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ...{M. F.	2	:	:	:	1 1	:
BE.48	All other accidents ... ...{M. F.	40	2	1	5 12	11 9	:
BE.49	Suicide and self-inflicted injury ... {M. F.	3	:	:	:	1 2	:

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## DONEGAL.

AGE AT DEATH											Abbreviated List No.	
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over		
6	1	1	.	.	.	.	1	.	1	2	B.46b	
8	1	1	.	.	.	.	1	.	2	4		
2	.	.	.	.	.	.	.	.	.	2	B.36a	
5	.	.	.	.	.	.	.	.	.	5		
18	.	.	.	.	.	3	3	4	2	4	B.33	
2	.	.	.	.	.	.	.	.	1	1		
2	.	1	.	.	1	.	1	1	1	.	B.34	
3	.	1	1	.	.	.	1	.	2	1	B.35	
5	1	.	.	.	.	.	.	.	1	1		
12	1	2	.	.	.	.	.	.	.	.	B.36b	
22	.	.	1	.	.	1	.	.	1	.	B.36c	
13	.	.	.	.	.	.	.	1	1	1	B.37	
2	.	.	.	.	1	.	.	1	.	.	B.46c	
4	1	.	.	.	.	.	1	2	1	1	B.46d	
2	1	.	.	1	.	2	2	2	3	5	B.38	
18	12	.	.	.	.	.	.	2	2	6		
17	.	.	.	.	.	.	.	.	2	4	B.39	
4	.	.	.	.	.	4	.	.	.	.	B.40a	
2	.	.	.	.	2	.	.	.	.	.	B.40c	
12	5	10	1	2	.	.	.	.	.	.	B.41	
8	1	.	.	.	.	.	.	.	.	.		
7	3	7	.	.	.	.	.	.	.	.	B.42	
3	3	.	.	.	.	.	.	.	.	.		
2	1	2	.	.	.	.	.	.	.	.	B.43b	
16	16	16	.	.	.	.	.	.	.	.		
21	21	.	.	.	.	.	.	.	.	.	B.44	
185	.	.	.	.	.	.	.	.	14	171	B.45a	
183	.	.	.	.	.	.	.	.	19	144		
60	4	3	1	3	.	1	.	2	4	14	35	B.45b
39	3	1	.	.	.	1	.	2	2	12	18	
43	1	1	1	.	1	2	2	5	2	13	16	B.46e
53	1	1	1	.	.	3	3	4	5	13	23	
1	1	1	.	.	.	.	.	.	.	.	B.E.47	
16	1	2	1	1	2	3	1	.	2	5	3	B.E.48
24	1	1	.	.	.	1	2	.	3	11	.	
1	2	.	.	.	.	1	.	.	.	1	1	B.E.49

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	<b>ALL CAUSES</b> ... ... ... {M. F.	865	23 14	12 10	108 77	304 317	34 58
B.1	Tuberculosis of respiratory system ... {M. F.	22	2 7	1 3	1 1	4 3	.
B.2	Tuberculosis, other forms ... ... {M. F.	12	3	1	4	3 1	1
B.9	Whooping cough ... ... ... {M. F.	10	:	:	1	3 6	1
B.17d	All other diseases classified as infective and parasitic {M. F.	1	:	:	1	:	.
B.18a	Malignant neoplasms ... ... {M. F.	73	6 2	:	9 4	16 36	4
B.18b	Neoplasms of lymphatic and haematoopoietic tissues {M. F.	6	:	:	1 1	3 1	.
B.19	Benign and unspecified neoplasms ... {M. F.	4	1	:	1	2	.
B.20	Diabetes mellitus ... ... ... {M. F.	4	:	:	:	2 2	.
B.21	Anaemias ... ... ... {M. F.	4	:	:	1 2	1	.
B.22	Vascular lesions affecting central nervous system {M. F.	76	2 1	:	7 9	22 35	2
B.23	Nonmeningococcal meningitis ... {M. F.	1	:	:	:	1	.
B.24	Rheumatic fever ... ... ... {M. F.	6	:	:	1	2 3	.
B.25	Chronic rheumatic heart disease ... {M. F.	8	:	1	2 1	1 3	.
B.26	Arteriosclerotic and degenerative heart disease {M. F.	188	1 1	8 3	13 8	87 67	6 4
B.27	Other diseases of the heart ... {M. F.	32	:	:	1	17 14	2 6
B.28	Hypertension with heart disease ... {M. F.	5	:	:	2	3	.
B.29	Hypertension without mention of heart {M. F.	18	1	:	:	10 7	1
B.46a	Other circulatory diseases ... ... {M. F.	10	:	1	3 2	3 1	1
B.30	Influenza ... ... ... {M. F.	75	:	1	11 8	21 34	5
B.31	Pneumonia ... ... ... {M. F.	24	1	:	3 5	11 4	1
B.32	Bronchitis ... ... ... {M. F.	28	:	1	2	10 15	1
B.46b	Other respiratory diseases ... ... {M. F.	6	:	:	2 1	2 1	.
B.33	Ulcer of stomach and duodenum ... {M. F.	6	1	:	4	1	.
B.35	Intestinal obstruction and hernia ... {M. F.	2	:	:	1	:	.
B.36b	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and under 2 years {M. F.	4	:	:	1	2 1	.

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

## MONAGHAN.

TABLE 21 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
B.46c	Other diseases of the liver, gallbladder and pancreas ... { M. F.	1	:	:	1	:	:
B.46d	Other digestive diseases ... ... { M. F.	4	2	:	1	1	:
B.38	Nephritis and nephrosis ... ... { M. F.	7	:	:	1 1	3 2	1
B.39	Hyperplasia of prostate ... ... M.	7	:	:	4	3	:
B.40a	Complications of pregnancy and child- birth F.	3	:	:	1	2	:
B.41	Congenital malformations ... ... { M. F.	7	1	:	1	1 4	:
B.42	Birth injuries, postnatal asphyxia and atelectasis { M. F.	4	:	:	2 2	:	:
B.43b	Pneumonia of newborn ... ... { M. F.	2	:	:	2	:	:
B.44	Other diseases peculiar to early infancy, and immaturity unqualified { M. F.	20	1	:	7 9	2 1	:
B.45a	Senility without mention of psychosis { M. F.	81	:	:	11 5	27 38	15 20
B.45b	Ill-defined and unknown causes ... { M. F.	40	:	:	1	18 21	8 12
B.46e	All other diseases ... ... { M. F.	49	2	2	7 10	19 9	1
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... { M. F.	2	:	:	:	1 1	:
BE.48	All other accidents ... ... { M. F.	12	1	:	3 1	4 2	:
BE.50	Homicide and operations of war ... { M. F.	1	:	:	:	1	:

TABLE 22.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED DISTRICTS IN EACH PROVINCE, AND SHOWING THE NUMBERS OF DEATHS AT AND THE

Abbreviated List No.	CAUSES OF DEATH	Total Aggregate U.D.'s.	Total Aggregate R.D.'s.	Aggregate U.D.'s. Leinster	Aggregate R.D.'s. Leinster	Aggregate U.D.'s. Munster	Aggregate R.D.'s. Munster
		6,466 6,454	16,010 13,452	4,246 4,300	4,847 3,938	1,794 1,715	5,511 4,677
B.1	Tuberculosis of respiratory system ... {M. F.	424 305	518 465	206 216	174 140	109 67	188 164
B.2	Tuberculosis, other forms ... ... {M. F.	88 86	160 116	44 51	53 48	36 23	53 38
B.3	Syphilis and its sequelae ... ... {M. F.	20 9	15 4	16 9	8 3	4 1	6 1
B.4	Typhoid fever ... ... {M. F.	1	1	1	1	1	1
B.5	Cholera ... ... {M. F.	·	·	·	·	·	·
B.6	Dysentery, all forms ... ... {M. F.	1	·	1	·	·	·
B.7a	Scarlet fever ... ... {M. F.	2	5 3	·	1	1	1
B.7b	Streptococcal sore throat ... ... {M. F.	1 2	2 3	1 2	1 1	·	1
B.8	Diphtheria ... ... {M. F.	2 1	3 2	1	1	·	1
B.9	Whooping cough ... ... {M. F.	18 15	34 41	11 9	15 12	6 4	3 7
B.10	Meningococcal infections ... ... {M. F.	9 4	4 8	5 2	1 3	4 2	3 3
B.11	Plague ... ... {M. F.	·	·	·	·	·	·
B.12	Acute poliomyelitis ... ... {M. F.	3	4 8	3	2	·	2 4
B.17a	Late effects of acute poliomyelitis ... {M. F.	·	2	·	·	·	1
B.17b	Acute infectious encephalitis ... {M. F.	3	3 5	3	3	·	2 1
B.17c	Late effects of acute infectious en- {M. cephalitis.	3	2	3	·	·	·
B.13	Smallpox ... ... {M. F.	·	·	·	·	·	·
B.14	Measles ... ... {M. F.	13 6	6 7	11 4	2 4	1	1
B.15	Typhus and other rickettsial diseases. {M. F.	·	·	·	·	·	·
B.16	Malaria ... ... {M. F.	2	2	1	2	1	1
B.17d	All other diseases classified as infective and parasitic. {M. F.	17 16	36 30	11 11	10 10	4 4	18 12
B.18a	Malignant neoplasms ... ... {M. F.	769 748	1,527 1,196	519 495	517 396	199 201	505 403
B.18b	Neoplasms of lymphatic and haemato- {M. poietic tissues.	51 20	78 35	40 14	26 12	8 5	23 9
B.19	Benign and unspecified neoplasms ... {M. F.	23 26	35 36	20 18	9 11	3 7	14 8
B.20	Diabetes mellitus ... ... {M. F.	23 44	91 90	11 26	23 20	8 14	35 30
B.21	Anæmias ... ... {M. F.	32 64	85 111	19 36	16 35	12 23	35 43

BY SEX AND SHOWING (i) AGE, (ii) PLACE OF OCCURRENCE, AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**MONAGHAN.**

AGE AT DEATH											Abbreviated List No.
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
1	.	.	.	.	.	.	.	1	.	.	B.46e
4	.	.	.	1	.	.	1	.	1	1	B.46d
4	.	.	.	.	1	1	1	1	1	1	B.38
3	.	.	.	.	.	.	.	1	2	4	B.39
3	.	.	.	.	.	3	.	.	.	.	B.40a
2	1	.	1	.	.	.	.	.	.	.	B.41
5	4	.	1	.	.	.	.	.	.	.	B.42
2	2	.	.	.	.	.	.	.	.	.	B.43b
2	2	.	.	.	.	.	.	.	.	.	B.44
9	9	.	.	.	.	.	.	.	.	.	B.45a
11	11	.	.	.	.	.	.	.	1	37	40
38	.	.	.	.	.	.	.	.	3	13	B.45b
43	.	.	.	.	.	.	.	.	2	17	17
19	1	.	.	1	.	.	.	1	3	5	B.46e
21	.	.	.	.	.	.	2	2	2	4	4
30	1	3	1	1	2	3	6	2	6	5	BE.47
19	.	.	.	.	4	4	2	4	5	1	1
1	.	.	1	.	1	.	.	.	.	.	BE.48
8	1	.	1	.	.	1	.	.	2	2	3
4	1	.	.	.	.	.	.	.	2	1	1
1	.	.	.	.	.	.	.	.	1	.	BE.50

TABLE 22.—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED DISTRICTS IN EACH PROVINCE, AND SHOWING THE NUMBERS OF DEATHS AT AND THE

Abbreviated List No.	CAUSES OF DEATH	Total Aggregate U.D.'s.	Total Aggregate R.D.'s.	Aggregate U.D.'s. Leinster	Aggregate R.D.'s. Leinster	Aggregate U.D.'s. Munster	Aggregate R.D.'s. Munster
		6,466 6,454	16,010 13,452	4,246 4,300	4,847 3,983	1,794 1,715	5,511 4,677
B.1	Tuberculosis of respiratory system ... {M. F.	424 305	518 465	296 216	174 140	109 67	188 164
B.2	Tuberculosis, other forms ... {M. F.	88 86	160 116	44 51	53 48	36 23	53 38
B.3	Syphilis and its sequelae ... {M. F.	20 9	15 4	16 9	8 3	4 1	6 1
B.4	Typhoid fever ... {M. F.	1	1	1	1	1	1
B.5	Cholera ... {M. F.	·	·	·	·	·	·
B.6	Dysentery, all forms ... {M. F.	1	·	1	·	·	·
B.7a	Scarlet fever ... {M. F.	2	5 3	·	1	1	1
B.7b	Streptococcal sore throat ... {M. F.	1 2	2 3	1 2	1 1	·	1
B.8	Diphtheria ... {M. F.	2 1	3 2	1	1	·	1
B.9	Whooping cough ... {M. F.	18 15	34 41	11 9	15 12	6 4	3 7
B.10	Meningococcal infections ... {M. F.	9 4	4 8	5 2	1 3	4 2	3 3
B.11	Plague ... {M. F.	·	·	·	·	·	·
B.12	Acute poliomyelitis ... {M. F.	3	4 8	3	2	·	2 4
B.17a	Late effects of acute poliomyelitis ... {M. F.	·	2	·	·	·	1
B.17b	Acute infectious encephalitis ... {M. F.	3	3 5	3	3	·	2 1
B.17c	Late effects of acute infectious encephalitis. ... {M. F.	3	2	3	·	·	·
B.13	Smallpox ... {M. F.	·	·	·	·	·	·
B.14	Measles ... {M. F.	13 6	6 7	11 4	2 4	1	1 1
B.15	Typhus and other rickettsial diseases. ... {M. F.	·	·	·	·	·	·
B.16	Malaria ... {M. F.	2	2	1	2	1	·
B.17d	All other diseases classified as infective and parasitic. ... {M. F.	17 16	36 30	11 11	10 10	4 4	18 12
B.18a	Malignant neoplasms ... {M. F.	769 748	1,527 1,196	519 495	517 396	199 201	505 408
B.18b	Neoplasms of lymphatic and haemopoietic tissues. ... {M. F.	51 20	78 35	40 14	26 12	8 5	23 9
B.19	Benign and unspecified neoplasms ... {M. F.	23 26	35 36	20 18	9 11	3 7	14 8
B.20	Diabetes mellitus ... {M. F.	23 44	91 90	11 26	23 20	8 14	35 30
B.21	Anaemias ... {M. F.	32 64	85 111	19 36	16 35	12 23	35 43

LIST) AND BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL AGES UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS POPULATION.

Aggregate U.D.'s, Connacht	Aggregate R.D.'s. Connacht	Aggregate U.D.'s. Ulster (part of)	Aggregate R.D.'s. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbrev- iated List No.
294 310	3,588 3,054	132 129	2,064 1,783	46 57	3,054 3,144	270 309	23 26	
16	99	3	57	3	222	10	3	B.1
16	94	6	67	7	153	10	1	
5	34	3	20	1	27	2		B.2
9	22	3	8	1	34	2	2	
.	.	.	1	.	14	1	.	B.3
.	.	.	.	.	8	1	.	
1	1	.	.	.	.	.	.	B.4
.	.	.	.	.	.	.	.	B.5
.	.	.	.	.	.	.	.	B.6
.	2	1	1	.	.	1	.	B.7a
.	.	.	.	.	.	.	.	B.7b
1	1	.	2	.	.	.	.	B.8
1	1	6	11	1	7	1	.	B.9
.	.	1	16	.	7	1	.	
.	2	.	.	.	5	.	.	B.10
.	.	.	.	.	2	.	.	
.	1	.	2	.	3	.	.	B.11
.	1	.	.	.	.	.	.	B.12
.	1	.	.	.	.	.	.	B17a
.	1	.	.	.	3	.	.	B.17b
.	1	.	2	.	2	.	.	B.17c
.	.	.	.	.	.	.	.	B.13
1	2	1	1	.	10	.	.	B.14
.	2	1	.	.	3	.	.	B.15
.	.	.	.	.	.	.	.	B.16
2	4	.	4	1	8	1	.	B.17d
1	4	.	4	.	9	.	.	
39	338	12	167	7	392	29	5	B.18a
39	236	13	156	6	351	42	5	
1	20	2	9	1	33	2	.	B.18b
1	10	4	.	.	11	1	.	
.	8	.	4	.	15	2	1	B.19
.	5	1	12	1	14	1	.	
3	20	1	13	.	7	.	.	B.20
2	30	2	10	1	18	5	.	
1	22	.	12	.	13	1	.	B.21
3	20	2	13	.	28	3	.	

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Total Aggregate U.D.'s.	Total Aggregate R.D.'s.	Aggregate U.D.'s. Leinster	Aggregate R.D.'s. Leinster	Aggregate U.D.'s. Munster	Aggregate R.D.'s. Munster	
B.22	Vascular lesions affecting central nervous system. { M. F.	409 577	951 1,088	268 414	322 362	110 131	320 369	
B.23	Nonmeningococcal meningitis ... { M. F.	19 13	36 24	13 7	10 9	5 6	13 7	
B.24	Rheumatic fever ... ... { M. F.	13 23	23 22	10 20	7 6	2 3	7 1	
B.25	Chronic rheumatic heart disease ... { M. F.	52 90	137 128	38 73	43 54	12 15	55 34	
B.26	Arteriosclerotic and degenerative heart disease. { M. F.	1,524 1,569	3,585 2,666	981 1,052	1,225 906	443 419	1,211 908	
B.27	Other diseases of the heart ... ... { M. F.	193 239	504 430	124 158	144 121	63 69	196 164	
B.28	Hypertension with heart disease ... { M. F.	120 130	131 121	98 99	39 52	17 24	34 37	
B.29	Hypertension without mention of heart { M. F.	65 112	147 148	46 71	51 37	14 32	39 49	
B.46a	Other circulatory diseases ... { M. F.	76 104	269 208	46 79	106 81	23 21	73 70	
B.30	Influenza ... ... { M. F.	190 296	917 996	102 154	215 231	69 112	346 384	
B.31	Pneumonia ... ... { M. F.	247 235	492 447	156 166	162 143	74 59	173 146	
B.32	Bronchitis ... ... { M. F.	357 272	459 364	241 186	160 122	105 72	154 119	
B.46b	Other respiratory diseases ... ... { M. F.	78 61	140 98	54 47	46 33	21 9	57 42	
B.36a	Gastritis and duodenitis ... ... { M. F.	4 3	21 17	:	3 3	3 3	12 5	
B.33	Ulcer of stomach and duodenum ... { M. F.	61 23	150 45	43 17	47 14	16 5	52 18	
B.34	Appendicitis ... ... { M. F.	13 3	28 21	7 2	10 6	5 1	11 7	
B.35	Intestinal obstruction and hernia ... { M. F.	41 43	87 55	36 27	28 19	3 13	31 21	
B.36b	Gastro-enteritis and colitis except ulcer- ative, aged 4 weeks and under 2 years { M. F.	29 15	59 49	18 4	23 23	11 9	26 17	
B.36c	Gastro-enteritis and colitis except ulcer- ative, aged 2 years and over { M. F.	12 11	15 20	6 10	5 5	4 1	7 0	
B.36d	Chronic enteritis and ulcerative colitis { M. F.	9 8	8 9	6 4	1 4	2 4	5 4	
B.37	Cirrhosis of liver ... ... { M. F.	18 10	32 9	13 7	8 5	3 1	6	
B.46c	Other diseases of the liver, gallbladder { M. and pancreas.	19 33	24 41	10 23	10 15	7 8	10 21	
B.46d	Other digestive diseases ... ... { M. F.	27 22	61 28	21 18	17 8	5 4	19 12	
B.38	Nephritis and nephrosis ... ... { M. F.	98 95	262 197	59 62	87 62	31 29	92 72	
B.39	Hyperplasia of prostate ... ... M.	62	220	40	47	18	78	
B.40a	Complications of pregnancy and child- birth.	F.	15	69	11	24	4	18
B.40b	Puerperal sepsis ... ... F.		1		1			
B.40c	Other complications of the puerperium. F.		3	15	2	4	1	4
B.41	Congenital malformations ... ... { M. F.	85 72	152 134	60 49	57 53	22 14	52 45	

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Aggregate U.D.'s. Connacht	Aggregate R.D.'s. Connacht	Aggregate U.D.'s. Ulster (part of)	Aggregate R.D.'s. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbrev- iated List No.
25	179	6	130	2	182	26	.	B.22
20	213	12	144	3	297	45	.	
.	10	1	3	.	6	1	.	B.23
.	6	.	2	.	6	.	.	
.	6	1	3	.	9	.	.	B.24
.	9	.	6	.	19	1	.	
1	23	1	16	1	25	5	1	B.25
2	29	.	11	.	58	6	.	
67	693	33	456	10	683	87	5	B.26
70	528	28	324	11	772	76	5	
5	91	1	73	4	85	6	2	B.27
6	82	6	63	8	115	6	.	
4	33	1	25	.	83	4	.	B.28
4	20	3	12	.	85	7	.	
4	33	1	24	.	34	2	.	B.29
7	34	2	28	.	56	5	.	
5	43	2	47	.	29	8	.	B.46a
1	30	3	27	2	48	14	1	
9	237	10	119	.	60	4	1	B.30
19	230	11	151	1	113	4	.	
9	101	8	56	.	126	6	.	B.31
7	104	3	54	.	137	7	1	
9	95	2	41	1	205	7	2	B.32
10	72	4	51	.	158	12	2	
2	20	1	17	.	38	3	.	B.46b
2	15	3	8	.	33	4	.	
1	4	.	2	.	.	.	.	B.36a
.	3	.	6	.	.	.	.	
2	26	.	25	.	35	1	.	B.33
1	5	.	8	.	13	2	.	
.	5	1	2	.	6	1	.	B.34
.	4	.	4	.	2	.	.	
2	18	.	10	1	26	5	.	B.35
1	9	2	6	.	22	1	.	
.	6	.	4	1	8	.	.	B.36b
2	6	.	3	.	2	.	.	
2	1	.	2	1	4	.	.	B.36c
1	2	.	4	.	7	.	.	
.	1	.	.	.	2	1	.	B.36d
2	7	.	1	3	10	2	.	B.37
2	1	.	.	.	6	.	.	
2	1	.	3	.	7	.	.	B.46e
1	4	1	1	1	18	2	.	
1	15	.	10	.	15	1	1	B.46d
.	4	.	4	.	14	.	.	
3	55	5	28	2	46	3	.	B.38
4	42	.	21	.	42	6	.	
1	60	3	35	.	25	5	.	B.39
.	18	.	9	.	7	1	.	B.40a
.	.	.	.	.	1	.	.	B.40b
.	5	.	2	.	1	.	.	B.40c
1	30	2	13	.	39	6	.	B.41
8	23	1	13	.	40	1	.	

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Total Aggregate U.D.'s.	Total Aggregate R.D.'s.	Aggregate U.D.'s. Leinster	Aggregate R.D.'s. Leinster	Aggregate U.D.'s. Munster	Aggregate R.D.'s. Munster
B.42	Birth injuries, postnatal asphyxia and atelectasis. ... { M. F.	105 69	115 79	88 55	58 34	11 10	33 33
B.43a	Diarrhoea of newborn ... { M. F.	9 6	10 3	7 4	6 2	2 2	2 1
B.43b	Pneumonia of newborn ... { M. F.	29 9	25 13	21 8	7 6	8 1	8 4
B.43c	Other infections of newborn ... { M. F.	2 1	2 1	2 1	1 1	· ·	· ·
B.44	Other diseases peculiar to early infancy and immaturity unqualified. ... { M. F.	200 151	354 240	135 102	140 84	54 40	114 90
B.45a	Senility without mention of psychosis ... { M. F.	187 308	2,225 2,262	82 145	346 363	73 127	812 844
B.45b	Ill-defined and unknown causes ... { M. F.	146 104	522 363	99 72	123 74	41 24	160 107
B.46e	All other diseases ... { M. F.	263 271	821 613	158 179	247 194	80 66	286 202
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... { M. F.	51 10	84 26	41 9	48 10	7 1	21 11
BE.48	All other accidents ... { M. F.	133 90	290 221	93 62	110 62	26 23	87 67
BE.49	Suicide and self-inflicted injury ... { M. F.	14 3	47 13	9 2	19 4	5 1	16 4
BE.50	Homicide and operations of war ... { M. F.	8 1	4 1	3 1	1 1	4 ·	2 ·
AGES							
Under 1 year	... { M. F.	636 458	1,043 739	455 325	397 291	149 98	356 256
1 year and under 65 years	... { M. F.	2,619 2,074	4,105 3,394	1,782 1,382	1,371 1,107	672 542	1,469 1,165
65 years and over	... { M. F.	3,211 3,923	10,862 9,319	2,009 2,593	3,079 2,540	973 1,075	3,686 3,256
TOTAL	... { M. F.	6,466 6,454	16,010 13,452	4,246 4,300	4,847 3,938	1,794 1,715	5,511 4,677
Births	... { M. F.	11,553 11,021	20,750 19,554	7,971 7,598	7,576 7,028	2,928 2,670	6,728 6,464
Population according to the Census of Population 1951	... { M. F.	488,978 551,757	1,017,619 902,289	330,657 375,061	333,351 297,507	121,117 136,173	339,248 302,332

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Aggregate U.D.'s. Connacht	Aggregate R.D.'s. Connacht	Aggregate U.D.'s. Ulster (part of)	Aggregate R.D.'s. Ulster (part of)	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Abbrev- iated List No.
6 4	12 7	:	12 5	2	68 48	4 3	:	B.42
:	2	:	:	:	6 3	:	:	B.43a
:	6 2	:	4 1	:	19 7	1	:	B.43b
:	1	:	:	:	2 1	:	:	B.43c
8 8	57 32	3 1	43 34	2 2	90 69	8 5	2 2	B.44
20 26	773 773	12 10	294 282	2 3	29 61	3 9	1 3	B.45a
5 7	132 112	1 1	107 70	1 3	73 48	6 4	1	B.45b
16 19	179 128	9 7	109 94	2 5	111 127	12 14	2	B.46e
2	9 2	1	6 3	2	29 8	:	:	BE.47
9 4	61 62	5 1	32 30	1	73 51	4 5	:	BE.48
:	7 1	:	5 4	:	6 2	:	:	BE.49
1	:	:	1	:	2 1	:	:	BE.50
								AGES.
23 30	167 107	9 5	123 85	6 5	323 243	26 16	3 4	Under 1 year.
113 103	793 675	52 47	472 447	25 15	1,344 1,037	85 75	9 8	1 year and under 65 years.
158 177	2,628 2,272	71 77	1,469 1,251	15 37	1,387 1,864	159 218	11 14	65 years and over.
294 310	3,588 3,054	132 120	2,064 1,783	46 57	3,054 3,144	270 309	23 26	TOTAL.
524 526	4,154 3,947	230 227	2,292 2,115	102 74	5,911 5,607	470 469	51 44	Births.
26,656 28,397	222,299 194,543	10,548 12,126	122,721 107,857	3,752 3,915	244,006 278,177	20,843 27,077	1,905 1,847	Population according to the Census of Population 1951.

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Cavan U.D.
			77 69	47 32	116 96	130 95	17 12
	<b>ALL CAUSES</b> ... ... ... {M. F.	25 11					
B.1	Tuberculosis of respiratory system ... {M. F.	1	4 3	4 3	6 6	13 6	1
B.2	Tuberculosis, other forms ... {M. F.	1	1	1	4 1	5 2	1
B.3	Syphilis and its sequelae ... {M. F.	.	.	.	.	.	.
B.4	Typhoid fever ... {M. F.	.	.	.	.	.	.
B.5	Cholera ... {M. F.	.	.	.	.	.	.
B.6	Dysentery, all forms ... {M. F.	.	.	.	.	.	.
B.7a	Scarlet fever ... {M. F.	.	.	.	.	.	.
B.7b	Streptococcal sore throat ... {M. F.	.	.	.	.	.	.
B.8	Diphtheria ... {M. F.	.	.	.	.	.	.
B.9	Whooping cough ... {M. F.	1	1	.	.	.	.
B.10	Meningococcal infections ... {M. F.	.	.	.	.	.	.
B.11	Plague ... {M. F.	.	.	.	.	.	.
B.12	Acute poliomyelitis ... {M. F.	.	.	.	.	.	.
B.17a	Late effects of acute poliomyelitis ... {M. F.	.	.	.	.	.	.
B.17b	Acute infectious encephalitis ... {M. F.	.	.	.	.	.	.
B.17c	Late effects of acute infectious encephalitis. ... {M. F.	.	.	.	.	.	.
B.13	Smallpox ... {M. F.	.	.	.	.	.	.
B.14	Measles ... {M. F.	.	.	1	.	.	.
B.15	Typhus and other rickettsial diseases ... {M. F.	.	.	.	.	.	.
B.16	Malaria ... {M. F.	.	.	1	.	.	.
B.17d	All other diseases classified as infective and parasitic. ... {M. F.	.	.	.	.	.	.
B.18a	Malignant neoplasms ... {M. F.	1 2	9 6	4 1	9 14	16 16	2
B.18b	Neoplasms of lymphatic and haemopoietic tissues. ... {M. F.	.	1	.	1	.	.
B.19	Benign and unspecified neoplasms ... {M. F.	.	1	.	1	.	.
B.20	Diabetes mellitus ... {M. F.	.	1	.	1	1	.
B.21	Anaemias ... {M. F.	.	1 1	1	.	1	.
B.22	Vascular lesions affecting central nervous system. ... {M. F.	1	1 3	4 2	4 6	6 14	1 1

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

An Uaimh U.D.	Trim U.D.	Birr U.D.	Tulla-more U.D.	Athlone U.D.	Ennis-corthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbreviated List No.
31 25	11 12	24 31	27 27	50 57	54 46	35 48	89 73	26 39	78 65	16 28	
.	.	.	2	4 2	2 3	4 5	2 4	4 3	3 1	9 3	1 3
1	.	.	1	1	1 2	1 1	.	1	.	1	B.1
.	.	.	.	.	.	.	.	1	.	.	B.2
.	.	.	.	.	.	.	.	.	.	.	B.3
.	.	.	.	.	.	.	.	.	.	.	B.4
.	.	.	.	.	.	.	.	.	.	.	B.5
.	.	.	.	.	.	.	.	.	.	.	B.6
.	.	.	.	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	.	.	B.7b
.	.	.	1	.	.	.	.	.	.	.	B.8
.	.	.	.	1	.	.	.	.	.	.	B.9
.	.	.	.	.	.	.	.	.	.	.	B.10
.	.	.	.	.	.	.	.	.	.	.	B.11
.	.	.	.	.	.	.	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	.	.	B.17a
.	.	.	.	.	.	.	.	.	.	.	B.17b
.	.	.	.	.	.	.	.	.	.	.	B.17c
.	.	.	.	.	1	.	.	.	.	.	B.13
.	.	.	.	.	.	.	.	.	.	.	B.14
.	.	.	.	.	.	.	.	.	1	.	B.15
.	.	.	.	.	.	.	.	.	.	.	B.16
.	.	.	.	.	1	.	1	1	.	.	B.17d
4 2	1 1	2 4	3	4 5	8 3	3 5	13 8	1 4	8 13	3 2	B.18a
.	.	1	.	1 1	.	.	.	.	1	.	B.18b
.	.	.	.	.	.	.	1	1	.	.	B.19
.	.	.	.	.	1	1	1	.	.	.	B.20
.	.	.	.	1 3	.	.	1 1	.	.	.	B.21
2 2	.	1 2	4	2 5	9 3	5 7	6 5	4 4	9 7	4 3	B.22

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Ceanannus Mór U.D.
B.23	Nonmeningococcal meningitis ... {M. F.	.	.	.	1	1	.
B.24	Rheumatic fever ... ... {M. F.	.	.	.	.	.	.
B.25	Chronic rheumatic heart disease ... {M. F.	.	2	.	.	4 2	.
B.26	Arteriosclerotic and degenerative heart disease. {M. F.	7 1	16 17	7 12	31 24	29 18	7 4
B.27	Other diseases of the heart ... {M. F.	1	3 3	2 2	2 2	8 2	1
B.28	Hypertension with heart disease ... {M. F.	.	1 1	.	.	1	.
B.29	Hypertension without mention of heart {M. F.	.	1 1	1 1	.	2	.
B.46a	Other circulatory diseases ... ... {M. F.	.	1 1	.	.	2	.
B.30	Influenza ... ... {M. F.	3	2 3	2 2	6 3	4 1	1
B.31	Pneumonia ... ... {M. F.	2 1	1 1	2	2 5	2 2	1
B.32	Bronchitis ... ... {M. F.	1 1	3 1	2	4 3	2 2	.
B.46b	Other respiratory diseases ... ... {M. F.	.	3	.	4 1	1	1
B.36a	Gastritis and duodenitis ... ... {M. F.	.	.	.	.	.	.
B.33	Ulcer of stomach and duodenum ... {M. F.	.	.	.	.	2	.
B.34	Appendicitis ... ... {M. F.	.	.	.	.	.	.
B.35	Intestinal obstruction and hernia ... {M. F.	.	.	1	.	1	.
B.36b	Gastro-enteritis and colitis except ulcer- ative, aged 4 weeks and under 2 years {M. F.	.	2 1	1	.	.	1
B.36c	Gastro-enteritis and colitis except ulcer- ative, aged 2 years and over {M. F.	.	.	.	1	.	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	.	1	.	.	.	.
B.37	Cirrhosis of liver ... ... {M. F.	.	.	.	1	.	.
B.46c	Other diseases of the liver, gallbladder {M. and pancreas. F.	.	2	1	.	1	.
B.46d	Other digestive diseases ... ... {M. F.	.	.	.	2	2 1	.
B.38	Nephritis and nephrosis ... ... {M. F.	2	1	1 2	1 1	2 1	.
B.39	Hyperplasia of prostate ... ... M.	.	1	1	1	2	.
B.40a	Complications of pregnancy and child- birth. F.	.	1	.	.	.	.
B.40b	Puerperal sepsis ... ... F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium F.	.	.	.	.	.	.
* B.41	Congenital malformations ... ... {M. F.	.	5	4	1 1	2 1	.
B.42	Birth injuries, postnatal asphyxia and {M. atelectasis. F.	.	2	.	2	2	1

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

An Uaimh U.D.	Trim U.D.	Birr U.D.	Tulla-more U.D.	Athlone U.D.	Ennis-corthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbreviated List No.
.	.	1	.	1	1	.	1	1	.	.	B.23
.	.	.	.	1	.	.	.	.	.	.	B.24
.	.	1	.	2	.	1	1	.	.	1	B.25
9	5	4	5	9	10	9	22	7	17	2	B.26
10	8	8	2	10	18	10	19	12	7	8	
2	1	1	1	1	1	3	2	1	1	1	B.27
1	1	1	2	1	1	1	7	.	3	.	
.	2	1	1	1	1	1	2	.	.	2	B.28
1	.	2	.	1	1	1	1	.	1	1	B.29
.	.	.	.	2	1	1	2	1	3	1	B.46a
.	3	1	1	4	4	4	4	3	2	1	B.30
.	1	1	2	1	3	1	5	1	1	.	B.31
1	2	1	1	1	2	2	1	1	4	.	B.32
.	.	.	.	2	.	1	1	.	4	1	B.46b
.	.	.	.	.	.	.	.	.	.	.	B.36a
1	2	.	1	.	1	.	.	1	.	1	B.33
.	.	.	.	.	.	.	.	.	.	.	B.34
.	.	.	.	.	.	.	.	.	.	.	B.35
.	.	.	2	.	1	.	1	1	1	.	B.36b
1	.	.	1	1	1	.	1	.	1	.	B.36c
.	.	.	1	.	.	.	.	1	.	.	B.36d
.	.	2	1	.	.	.	.	.	.	.	B.37
.	.	.	.	.	.	1	.	.	.	.	B.46c
1	.	.	.	.	.	.	.	.	.	.	B.46d
.	1	.	.	1	1	1	1	.	1	1	B.38
.	1	.	.	3	.	.	2	.	.	.	B.39
.	.	.	.	1	.	.	.	1	.	.	B.40a
.	.	.	.	.	.	.	.	.	.	.	B.40b
.	.	.	.	.	.	1	.	.	.	.	B.40c
.	.	.	1	2	.	.	.	1	1	2	B.41
3	.	.	.	1	1	1	2	1	1	1	B.42

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH		Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Ceanannus Mór U.D.
B.43a	Diarrhoea of newborn	... ...	... {M. F.}	:	:	1	:	:
B.43b	Pneumonia of newborn	... ...	... {M. F.}	:	1	:	:	:
B.43c	Other infections of newborn	... ...	... {M. F.}	:	:	:	:	:
B.44	Other diseases peculiar to early infancy and immaturity unqualified.	... ...	... {M. F.}	1	7 3	3 1	6 3	2 5 1
B.45a	Senility without mention of psychosis	... ...	... {M. F.}	2 1	3 6	:	18 17	6 8 1
B.45b	Ill-defined and unknown causes	... ...	... {M. F.}	:	1 1	1 2	5 2	3 3
B.46e	All other diseases	... ...	... {M. F.}	2	4 3	3 1	1 4	7 3 1 1
EXTERNAL CAUSES.								
BE.47	Motor vehicle accidents	... ...	... {M. F.}	1	2	1	:	2 1
BE.48	All other accidents	... ...	... {M. F.}	2	2 1	:	2 1	2 1
BE.49	Suicide and self-inflicted injury	... ...	... {M. F.}	:	2	:	:	:
BE.50	Homicide and operations of war	... ...	... {M. F.}	:	:	:	1	:
AGES.								
Under 1 year	... ...	... ...	... {M. F.}	1	17 8	9 3	13 11	10 6 3 1
1 year and under 65 years	... ...	... ...	... {M. F.}	14 3	22 22	20 10	33 33	55 33 5 4
65 years and over	... ...	... ...	... {M. F.}	10 8	38 39	18 19	65 52	65 56 9 7
TOTAL	... ...	... ...	... {M. F.}	25 11	77 69	47 32	116 96	130 95 17 12
Births	... ...	... ...	... {M. F.}	39 35	136 142	43 32	202 215	220 203 29 24
Population according to the Census of Population 1951.	... ...	... ...	... {M. F.}	1,881 1,850	5,183 5,389	1,921 1,924	8,223 8,556	9,816 9,862 966 1,159

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

An Uaimh U.D.	Trim U.D.	Birr U.D.	Tulla-more U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray No. 1 U.D.	Wicklow U.D.	Abbreviated List No.
.	.	1	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	1	.	B.43b
.	.	.	.	.	.	.	.	.	.	.	B.43c
3	.	.	1 1	3	.	4 3	2 3	2	1	2	B.44
.	.	3 8	1 5	5 4	1 2	2 2	4 9	.	2 6	.	B.45a
1 1	.	.	.	4 1	2 1	1	1 1	2	1 1	.	B.45b
1	.	1 1	4 4	4	3	1 2	2 5	.	6 4	.	B.46e
.	.	.	.	.	.	.	.	.	.	.	
1	.	.	.	.	1	.	.	.	2	.	BE.47
1	.	.	.	.	3	.	2 1	1	1 1	.	BE.48
.	.	.	.	.	1	.	.	.	.	.	BE.49
.	.	.	.	.	.	.	.	.	.	.	BE.50
.	.	.	.	.	.	.	.	.	.	.	
7	1	1	1 3	7 3	5	4 4	12 4	1 5	4 5	2 3	Under 1 year.
8 9	5	9 4	13 10	15 20	22 22	13 17	27 23	12 13	37 18	4 6	1 year & under 65 years
16 16	6 11	14 27	13 14	28 34	27 24	18 27	50 46	13 21	37 42	10 17	65 years and over.
31 25	11 12	24 31	27 27	50 57	54 46	35 48	89 73	26 39	78 65	16 26	TOTAL.
48 38	13 8	25 33	65 80	127 125	73 58	56 65	122 123	63 55	142 127	34 41	Births.
1,979 2,292	650 650	1,553 1,732	3,012 3,153	4,531 4,484	2,919 3,029	2,211 2,692	5,807 6,172	2,416 2,787	5,603 6,459	1,480 1,846	Population according to the Census of population 1951.

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.
ALL CAUSES	... ... ... {M. F.	43 40	24 26	14 17	57 39	522 508	32 37
B.1	Tuberculosis of respiratory system ... {M. F.	2 4	1	2 1	1 1	34 12	1 1
B.2	Tuberculosis, other forms ... ... {M. F.	1	·	1	· 1	4 5	1 1
B.3	Syphilis and its sequelae ... ... {M. F.	·	·	·	·	2	·
B.4	Typhoid fever ... ... ... {M. F.	·	·	·	·	·	·
B.5	Cholera ... ... ... {M. F.	·	·	·	·	·	·
B.6	Dysentery, all forms ... ... ... {M. F.	·	·	·	·	·	·
B.7a	Scarlet fever ... ... ... {M. F.	·	·	·	·	·	·
B.7b	Streptococcal sore throat ... ... {M. F.	·	·	·	·	·	·
B.8	Diphtheria ... ... ... {M. F.	·	·	·	·	·	·
B.9	Whooping cough ... ... ... {M. F.	·	·	·	1	·	·
B.10	Meningococcal infections ... ... ... {M. F.	·	·	·	·	4	·
B.11	Plague ... ... ... {M. F.	·	·	·	·	·	·
B.12	Acute poliomyelitis ... ... ... {M. F.	·	·	·	·	·	·
B.17a	Late effects of acute poliomyelitis ... ... {M. F.	·	·	·	·	·	·
B.17b	Acute infectious encephalitis ... ... {M. F.	·	·	·	·	·	·
B.17c	Late effects of acute infectious encephalitis. ... {M. F.	·	·	·	·	·	·
B.13	Smallpox ... ... ... {M. F.	·	·	·	·	·	·
B.14	Measles ... ... ... {M. F.	·	·	·	·	·	·
B.15	Typhus and other rickettsial diseases ... {M. F.	·	·	·	·	·	·
B.16	Malaria ... ... ... {M. F.	·	·	·	·	·	·
B.17d	All other diseases classified as infective and parasitic. ... {M. F.	·	·	·	·	1 3	·
B.18a	Malignant neoplasms ... ... ... {M. F.	1 3	2 4	4 2	5 4	66 61	3 1
B.18b	Neoplasms of lymphatic and haemopoietic tissues. ... {M. F.	·	·	·	2	2 2	1
B.19	Benign and unspecified neoplasms ... {M. F.	·	·	·	·	1 4	·
B.20	Diabetes mellitus ... ... ... {M. F.	·	1	1	·	4	1
B.21	Anaemias ... ... ... {M. F.	·	·	·	1	3 3	1
B.22	Vascular lesions affecting central nervous system. ... {M. F.	1 2	· 1	·	5 5	30 46	2

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Kinsale U.D.	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skib- bereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbreviated List No.
13 25	26 10	30 35	17 31	18 20	35 33	30 39	25 16	82 75	308 328	46 34	
2 1	1	1 3	1 1	.	3 1	4 1	3 1	3 4	21 17	4	B.1
.	.	1 2	.	.	.	.	.	1	10 2	1 3	B.2
.	.	.	.	.	.	.	.	.	1	.	B.3
.	.	.	.	.	.	.	.	.	.	.	B.4
.	.	.	.	.	.	.	.	.	.	.	B.5
.	.	.	.	.	.	.	.	.	.	.	B.6
.	.	.	.	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	.	.	B.7b
.	.	.	.	.	.	.	.	.	.	.	B.8
.	.	.	.	.	.	1	.	.	2 1	.	B.9
.	.	1	.	.	.	.	.	.	1	.	B.10
.	.	.	.	.	.	.	.	.	.	.	B.11
.	.	.	.	.	.	.	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	.	.	B.17a
.	.	.	.	.	.	.	.	.	.	.	B.17b
.	.	.	.	.	.	.	.	.	.	.	B.17c
.	.	.	.	.	.	.	.	.	.	.	B.13
.	.	.	.	.	.	.	.	.	.	.	B.14
.	.	.	.	.	.	.	.	.	.	.	B.15
.	.	.	.	1	.	.	.	.	.	.	B.16
1	1	.	.	.	.	.	.	.	1	.	B.17d
2 3	6	2	3 5	1 3	5 4	8	3	5 9	34 40	5 1	B.18a
.	.	.	.	.	.	.	.	1	2	1	B.18b
.	.	1 1	.	.	.	.	.	.	1 1	.	B.19
1	.	.	.	.	.	1	1	2 1	1 4	.	B.20
.	.	.	.	.	.	1	.	1	1 7	.	B.21
.	2 2	3 1	1 2	2 2	2 3	1 4	2	4 6	15 16	4 6	B.22

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.
B.23	Nonmeningococcal meningitis ... {M. F.	1	.	.	2	1	.
B.24	Rheumatic fever ... ... {M. F.	.	.	.	1	1	.
B.25	Chronic rheumatic heart disease ... {M. F.	1	.	1	.	8 11	.
B.26	Arteriosclerotic and degenerative heart disease. {M. F.	16 10	8 5	1 2	16 7	133 138	3 5
B.27	Other diseases of the heart ... {M. F.	3 2	1	.	4 4	15 25	1 2
B.28	Hypertension with heart disease ... {M. F.	.	1	.	1	5 6	.
B.29	Hypertension without mention of heart {M. F.	1	.	1	3	6 13	3 1
B.46a	Other circulatory diseases ... {M. F.	.	.	2	1 1	9 9	.
B.30	Influenza ... ... {M. F.	4 6	1 1	2 3	3 1	11 21	1 6
B.31	Pneumonia ... ... {M. F.	.	1	.	.	26 20	.
B.32	Bronchitis ... ... {M. F.	1	3 2	1	11 4	34 28	.
B.46b	Other respiratory diseases ... {M. F.	.	.	.	3	2 3	1
B.36a	Gastritis and duodenitis ... ... {M. F.	.	.	.	1	2	.
B.33	Ulcer of stomach and duodenum ... {M. F.	1	.	.	.	5 2	.
B.34	Appendicitis ... ... {M. F.	.	.	.	.	2	1
B.35	Intestinal obstruction and hernia ... {M. F.	1	.	.	.	1 2	.
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years {M. F.	1	.	.	.	2 3	.
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over {M. F.	.	1	.	.	.	.
B.36d	Chronic enteritis and ulcerative colitis {M. F.	.	.	.	.	2 2	.
B.37	Cirrhosis of liver ... ... {M. F.	.	.	.	.	2	.
B.46c	Other diseases of the liver, gallbladder and pancreas. {M. F.	1	.	.	1	3 1	.
B.46d	Other digestive diseases ... ... {M. F.	.	.	.	.	2 1	.
B.38	Nephritis and nephrosis ... ... {M. F.	1	3 1	1	1	7 4	1
B.39	Hyperplasia of prostate ... ... M.	.	.	.	.	10	1
B.40a	Complications of pregnancy and child-birth. F.	.	.	.	.	2	.
B.40b	Puerperal sepsis ... ... F.	.	.	.	.	.	.
B.40c	Other complications of the puerperium. F.	.	.	.	.	.	.
B.41	Congenital malformations ... ... {M. F.	1	1	1	.	8 2	2
B.42	Birth injuries, postnatal asphyxia and atelectasis. {M. F.	.	1	.	.	6 5	1

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Kingsale U.D.	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbreviated List No.
.	.	.	.	.	.	.	.	1	2	.	B.23
.	.	.	.	.	1	.	.	.	1	.	B.24
.	.	.	.	.	.	.	.	.	1	.	B.25
2	6	8	7	7	11	9	3	20	59	8	B.26
6	1	7	12	7	9	4	5	14	88	4	.
.	.	.	.	.	.	.	.	1	1	.	.
.	.	.	.	2	.	1	3	4	17	2	B.27
.	1	2	1	1	.	2	1	3	3	.	B.28
.	.	1	.	1	.	3	.	1	6	1	B.29
.	1	.	.	2	.	1	.	1	4	.	B.46a
2	2	1	3	.	1	4	1	6	18	1	B.30
.	.	1	1	2	.	2	1	7	34	1	.
.	.	5	.	1	1	2	3	5	14	2	B.31
.	6	.	.	2	.	1	.	2	13	2	.
.	1	.	.	1	2	1	.	2	26	1	B.32
.	.	.	.	.	.	.	.	2	14	2	.
.	.	.	.	.	.	.	1	.	6	1	B.46b
.	.	.	.	.	.	.	.	.	2	.	.
.	.	.	1	1	.	.	1	.	1	1	B.36a
.	.	1	.	.	.	.	1	.	4	1	.
.	.	.	.	.	.	.	.	.	1	.	B.33
.	.	.	.	.	.	.	.	.	1	.	.
.	.	.	.	1	.	.	.	1	5	1	B.35
.	.	.	1	.	.	.	.	.	4	1	.
.	.	.	.	.	.	.	.	.	2	1	B.36b
.	.	.	.	.	.	.	.	.	1	.	.
.	.	.	.	.	.	.	.	1	1	.	B.36c
.	.	.	.	.	.	.	.	.	1	.	.
.	.	.	.	1	.	.	.	.	1	.	B.36d
.	.	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	.	.	.	2	.	B.37
.	.	.	.	.	.	1	.	.	2	.	.
.	.	.	.	1	.	.	.	.	1	.	B.46c
.	.	.	2	1	.	1	.	1	5	2	B.46d
2	2	.	2	1	1	1	.	1	5	2	B.38
.	2	.	.	.	.	.	.	1	3	.	B.39
.	.	.	.	.	.	.	.	.	1	.	B.40a
.	.	.	.	.	.	.	.	.	.	.	B.40b
.	.	.	.	.	.	.	.	.	2	1	B.40c
.	.	.	.	.	.	.	1	.	2	3	.
.	.	.	.	.	.	.	2	.	2	1	B.41
.	.	.	.	.	.	.	.	1	1	.	B.42

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.	Fermoy U.D.
B.43a	Diarrhoea of newborn ... ... {M. F.}	1	.	.	.	1	.
B.43b	Pneumonia of newborn ... ... {M. F.}	.	.	.	.	4 1	.
B.43c	Other infections of newborn ... ... {M. F.}	.	.	.	.	.	.
B.44	Other diseases peculiar to early infancy and immaturity unqualified {M. F.}	2 1	.	.	1	11 6	3 1
B.45a	Senility without mention of psychosis {M. F.}	1 1	2 5	1 2	1	17 25	5 12
B.45b	Ill-defined and unknown causes ... ... {M. F.}	.	1 2	.	1	11 6	2
B.46c	All other diseases ... ... {M. F.}	6 2	1	1	2	20 18	1 2
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.}	1	.	.	.	4	.
BE.48	All other accidents ... ... {M. F.}	1 1	.	.	.	6 11	.
BE.49	Suicide and self-inflicted injury ... ... {M. F.}	.	.	.	.	.	.
BE.50	Homicide and operations of war ... ... {M. F.}	.	.	.	.	1	.
AGES							
Under 1 year	... ... ... ... {M. F.}	3 3	2 1	1	3 1	43 21	5 1
1 year and under 65 years	... ... ... ... {M. F.}	14 10	6 8	8 2	22 14	198 163	11 13
65 years and over	... ... ... ... {M. F.}	26 27	16 17	6 14	32 24	281 324	16 23
TOTAL	... ... ... ... {M. F.}	43 40	24 26	14 17	57 39	522 508	32 37
Births	... ... ... ... {M. F.}	75 54	26 27	11 21	64 66	866 783	39 57
Population according to the Census of Population 1951	... ... ... ... {M. F.}	2,840 3,248	1,506 1,648	1,283 1,459	2,581 3,130	34,715 39,852	1,888 2,120

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Kinsale U.D.	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skib- bereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Abbrev- iated List No.	
2	3	1	1	1	3	2	1	2	6	5	B.43a	
2	7	2	3	3	6	8	2	6	8	13	43b	
1	1	2	3	2	1	1	2	1	10	2	B.43c	
2	3	1	2	1	3	2	1	2	6	5	B.44	
2	7	2	3	3	6	8	2	6	8	13	25	B.45a
1	1	2	3	2	1	1	2	1	10	2	B.45b	
2	3	1	2	1	3	2	2	7	12	11	33	B.46e
1	1	1	1	1	1	1	1	1	1	1	BE.47	
1	1	1	1	1	1	1	1	1	5	2	BE.48	
1	1	1	1	1	1	1	1	1	2	1	BE.49	
1	1	1	1	1	1	1	1	1	1	1	BE.50	
3	3	1	1	1	3	2	2	8	23	16	AGES. Under 1 year	
2	8	4	11	9	5	13	9	10	30	130	19	1 year and under 65 years
8	14	22	19	8	13	19	18	13	44	155	23	65 years and over.
13	25	26	30	17	18	35	30	25	82	308	46	TOTAL
19	10	20	58	26	17	53	41	18	112	562	41	Births.
805	1,125	1,054	2,693	1,331	1,054	2,196	3,088	1,478	5,260	24,103	2,136	Population according to the Census of Popu- lation 1951.
		1,223	2,890	1,497	1,287	2,556	3,210	1,671	5,785	26,717	2,284	

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.
	ALL CAUSES ... ... ... { M. F.	15 5	34 31	44 36	24 25	51 50	32 33
B.1	Tuberculosis of respiratory system ... { M. F.	1	1 3	1	2	2	2
B.2	Tuberculosis, other forms ... { M. F.	·	1	2 1	2	1	3 1
B.3	Syphilis and its sequelae ... { M. F.	·	·	·	·	·	·
B.4	Typhoid fever ... { M. F.	·	·	·	·	·	·
B.5	Cholera ... { M. F.	·	·	·	·	·	·
B.6	Dysentery, all forms ... { M. F.	·	·	·	·	·	·
B.7a	Scarlet fever ... { M. F.	·	·	·	·	·	·
B.7b	Streptococcal sore throat ... { M. F.	·	·	·	·	·	·
B.8	Diphtheria ... { M. F.	·	·	·	·	·	·
B.9	Whooping cough ... { M. F.	·	·	2	·	·	1
B.10	Meningococcal infections ... { M. F.	·	·	·	·	·	·
B.11	Plague ... { M. F.	·	·	·	·	·	·
B.12	Acute poliomyelitis ... { M. F.	·	·	·	·	·	·
B.17a	Late effects of acute poliomyelitis ... { M. F.	·	·	·	·	·	·
B.17b	Acute infectious encephalitis ... { M. F.	·	·	·	·	·	·
B.17c	Late effects of acute infectious encephalitis. ... { M. F.	·	·	·	·	·	·
B.13	Smallpox ... { M. F.	·	·	·	·	·	·
B.14	Measles ... { M. F.	·	1	·	·	·	·
B.15	Typhus and other rickettsial diseases ... { M. F.	·	·	·	·	·	·
B.16	Malaria ... { M. F.	·	·	·	·	·	·
B.17d.	All other diseases classified as infective and parasitic. ... { M. F.	·	·	1	·	·	·
B.18a	Malignant neoplasms ... { M. F.	7	1 3	3 3	1 7	7 3	3 5
B.18b	Neoplasms of lymphatic and haemopoietic tissues. ... { M. F.	·	·	·	·	·	·
B.19	Benign and unspecified neoplasms ... { M. F.	·	·	·	·	1	·
B.20	Diabetes mellitus ... { M. F.	1	·	·	·	1	1
B.21	Anaemias ... { M. F.	1	1	1	1	·	1
B.22	Vascular lesions affecting central nervous system. ... { M. F.	1	3 1	2 3	4	7 8	2 3

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Dun-garvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbrev- iated List No.
44 40	228 177	30 13	94 129	38 30	30 32	25 17	77 89	18 27	
2	16 9	1 2	2 5	5 4	2	2 1	4 4	2	B.1
.	7 6	1 4	1 4	2 1	.	.	1 4	1 2	B.2
.	1	.	.	.	.	.	.	.	B.3
.	.	.	1	.	.	.	.	.	B.4
.	.	.	.	.	.	.	.	.	B.5
.	.	.	.	.	.	.	.	.	B.6
.	.	.	.	.	.	.	.	.	B.7a
.	.	.	.	.	.	.	.	.	B.7b
.	.	.	.	.	.	.	1 1	.	B.8
1	1	.	1 1	.	.	.	.	1	B.9
.	.	.	.	.	.	.	.	.	B.10
.	.	.	.	.	.	.	.	.	B.11
.	.	.	.	.	.	.	.	.	B.12
.	.	.	.	.	.	.	.	.	B.17a
.	.	.	.	.	.	.	.	.	B.17b
.	.	.	.	.	.	.	.	.	B.17c
.	.	.	.	.	.	.	.	.	B.13
.	.	.	.	.	.	.	1 1	1 1	B.14
.	.	.	.	.	.	.	.	.	B.15
.	.	.	.	.	.	.	.	.	B.16
.	.	.	1 1	1	.	.	.	.	B.17d
2 5	30 25	4	15 18	3 5	2 3	6 5	9 8	2 1	B.18a
.	1 1	.	1 1	.	.	.	.	1	B.18b
.	.	.	.	.	.	.	.	1	B.19
.	1	.	1	.	1	1	1 1	.	B.20
2 3	1 3	.	1	1	.	.	1 1	.	B.21
2 3	17 15	1	9 8	3 3	2	1	9 9	1 1	B.22

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Templemore U.D.	Thurles U.D.	Carrik-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.
B.23	Nonmeningococcal meningitis ... { M. F.	:	:	:	1	1	:
B.24	Rheumatic fever ... ... ... { M. F.	:	:	1	:	:	:
B.25	Chronic rheumatic heart disease ... { M. F.	:	:	:	:	:	:
B.26	Arteriosclerotic and degenerative heart disease. { M. F.	4 1	11 7	8 10	7 8	10 12	8 9
B.27	Other diseases of the heart ... ... { M. F.	:	5 2	1	:	1 1	2 3
B.28	Hypertension with heart disease ... { M. F.	:	1 1	:	:	:	1
B.29	Hypertension without mention of heart { M. F.	:	:	1	:	:	:
B.46a	Other circulatory diseases ... ... { M. F.	:	:	:	:	:	1
B.30	Influenza ... ... ... { M. F.	:	1 2	2 1	1	2 2	3 2
B.31	Pneumonia ... ... ... { M. F.	:	2 1	4 2	:	2 3	1
B.32	Bronchitis ... ... ... { M. F.	2 1	1	2 1	1 1	5 3	2
B.46b	Other respiratory diseases ... ... { M. F.	:	:	:	:	1	1
B.36a	Gastritis and duodenitis ... ... { M. F.	:	1	:	:	:	:
B.33	Ulcer of stomach and duodenum ... { M. F.	:	:	:	:	:	1
B.34	Appendicitis ... ... ... { M. F.	:	:	:	:	1	:
B.35	Intestinal obstruction and hernia ... { M. F.	:	1	:	:	:	:
B.36b	Gastro-enteritis and colitis except ulcerative, aged 4 weeks and under 2 years { M. F.	:	:	1	:	1 1	1
B.36c	Gastro-enteritis and colitis except ulcerative, aged 2 years and over { M. F.	:	:	:	1	:	:
B.36d	Chronic enteritis and ulcerative colitis { M. F.	:	:	:	:	:	:
B.37	Cirrhosis of liver ... ... ... { M. F.	:	:	:	:	:	:
B.46c	Other diseases of the liver, gallbladder and pancreas { M. F.	:	2	:	1	1	:
B.46d	Other digestive diseases ... ... ... { M. F.	:	:	:	:	:	:
B.38	Nephritis and nephrosis ... ... ... { M. F.	:	:	:	2	1	:
B.39	Hyperplasia of prostate ... ... M.	:	:	:	:	:	:
B.40a	Complications of pregnancy and child-birth. F.	:	:	:	:	1	:
B.40b	Puerperal sepsis ... ... ... F.	:	:	:	:	:	:
B.40c	Other complications of the puerperium F.	:	1	:	:	:	:
B.41	Congenital malformations ... ... { M. F.	:	:	1	:	:	1
B.42	Birth injuries, postnatal asphyxia and atelectasis. { M. F.	:	:	:	:	1	:

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Dun-garvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbrev- iated List No.
.	.	.	.	.	.	.	.	.	B.23
.	1	.	.	.	.	.	.	.	B.24
.	2	.	.	.	1	.	.	.	B.25
15	68	14	23	6	6	5	13	5	B.26
5	43	1	35	2	8	4	20	5	
1	4	1	1	.	.	.	3	2	B.27
.	3	.	3	.	.	.	3	.	
.	1	.	2	.	.	.	2	.	B.28
.	4	.	1	1	.	.	2	.	
.	1	.	1	.	1	.	.	1	B.29
2	3	.	4	.	.	.	1	.	B.46a
.	6	.	1	.	.	.	.	1	
2	6	.	1	.	.	.	.	1	B.30
3	7	1	8	4	2	1	5	4	
2	8	.	2	.	2	4	1	2	B.31
3	5	.	3	2	.	.	2	1	
1	8	1	4	2	1	.	1	.	B.32
.	4	2	7	.	1	.	.	.	
.	1	.	1	.	.	.	2	.	B.46b
.	.	.	1	.	.	.	.	.	B.36a
.	1	.	1	.	.	1	.	.	B.33
.	1	.	.	.	.	.	.	.	B.34
.	1	.	.	1	.	.	1	1	B.35
.	3	.	.	2	.	.	.	.	B.36b
.	.	.	.	2	.	.	.	.	B.36c
.	.	.	.	1	.	.	1	.	B.36d
.	.	.	1	.	1	.	.	.	B.37
.	2	1	1	1	.	.	.	.	B.46c
.	1	.	1	.	.	.	.	.	B.46d
1	7	.	1	.	1	.	.	1	B.38
.	5	.	1	.	1	.	.	2	
.	.	.	.	.	.	1	.	1	B.39
.	.	.	.	.	.	.	.	.	B.40a
.	.	.	.	.	.	.	.	.	B.40b
.	.	.	.	.	.	.	.	.	B.40c
2	3	3	2	1	1	.	.	1	B.41
1	1	.	1	2	.	.	4	.	B.42

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.
B.43a	Diarrhoea of newborn ... ... {M. F.	:	:	:	:	:	:
B.43c	Other infections of newborn ... ... {M. F.	:	:	:	:	:	:
B.43b	Pneumonia of newborn ... ... {M. F.	:	:	:	:	:	:
B.44	Other diseases peculiar to early infancy {M. and immaturity unqualified ... ... {F.	:	1	6 4	2 1	4 3	1
B.45a	Senility without mention of psychosis {M. F.	1	2	4 3	1	1 4	1
B.45b	Ill-defined and unknown causes ... ... {M. F.	:	1 1	2	1	2 1	:
B.46e	All other diseases ... ... {M. F.	:	2 1	2 3	1 1	2	1
EXTERNAL CAUSES.							
BE.47	Motor vehicle accidents ... ... {M. F.	:	:	:	:	:	:
BE.48	All other accidents ... ... {M. F.	:	:	1	1	1	2 4
BE.49	Suicide and self-inflicted injury {M. F.	:	:	:	1	:	:
BE.50	Homicide and operations of war ... ... {M. F.	:	:	:	:	:	:
AGES.							
Under 1 year	... ... ... ... {M. F.	:	3 1	7 6	2 2	9 6	2
1 year and under 65 years	... ... ... ... {M. F.	5 1	11 14	13 13	5 6	17 13	12 14
65 years and over	... ... ... ... {M. F.	10 4	20 16	24 17	17 17	25 31	20 22
TOTAL	... ... ... ... {M. F.	15 5	34 31	44 36	24 25	51 50	32 33
Births	... ... ... ... {M. F.	21 19	83 66	70 59	19 32	148 130	69 62
Population according to the Census of Population, 1951.	{M. F.	888 1,076	3,013 3,263	2,223 2,534	1,290 1,539	5,076 5,395	2,454 2,694

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Dun-garvan U.D.	Waterford C.B.	Ballinasloe U.D.	Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Abbrev- iated List No.
.	.	.	.	.	.	.	.	.	B.43a
.	.	.	.	.	.	.	.	.	B.43c
1	1	.	.	.	.	.	.	.	B.43b
3	5	1	2	3	2	1	4	3	B.44
10	14	1	7	5	2	2	3	2	B.45a
.	3	2	1	1	2	1	2	1	B.45b
2	10	2	4	1	4	1	4	1	B.46e
.	1	.	1	.	.	.	1	1	BE.47
2	6	3	.	.	3	.	3	2	BE.48
.	1	.	.	.	.	.	.	.	BE.49
.	1	.	.	.	.	.	1	.	BE.50
									AGES.
6	20	2	6	3	2	1	9	1	Under 1 year.
6	11	4	13	2	4	1	6	1	
21	87	13	33	14	14	11	28	11	1 year and under 65 years.
8	55	4	41	16	8	6	28	12	
17	121	15	55	21	14	13	40	7	65 years and over.
26	111	5	75	12	20	10	55	14	
44	228	30	94	38	30	25	77	18	TOTAL.
40	177	13	120	30	32	17	89	27	
54	316	39	222	64	43	20	136	36	Births.
61	309	26	212	73	49	15	151	47	
2,668	13,485	2,988	10,374	3,000	2,508	1,426	6,360	1,675	Population according to the Census of Popula- tion 1951.
2,755	15,206	2,608	10,942	3,220	2,780	1,678	7,169	1,880	

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Abbreviated List No.	CAUSES OF DEATH	Bunratty U.D.	Bundoran U.D.	Letterkenny U.D.	Carriacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.16	Malaria ... ... ... {M. F.	:	:	:	:	:	:	:	B.16
B.17d	All other diseases classified as {M. infective and parasitic. F.	:	:	:	:	:	:	:	B.17d
B.18a	Malignant neoplasms ... ... {M. F.	2 2	1 1	2 3	1 3	2 1	1	1 2	B.18a
B.18b	Neoplasms of lymphatic and {M. haematopoietic tissues. F.	:	:	:	1	:	:	:	B.18b
B.19	Benign and unspecified neoplasms {M. F.	:	:	:	:	:	:	:	B.19
B.20	Diabetes mellitus ... ... {M. F.	1	:	:	:	:	1 1	:	B.20
B.21	Anaemias ... ... ... {M. F.	:	1	:	:	:	:	1	B.21
B.22	Vascular lesions affecting central {M. nervous system. F.	3	1 1	1	1 1	3 3	1	2	B.22
B.23	Nonmeningococcal meningitis ... {M. F.	:	:	:	1	:	:	:	B.23
B.24	Rheumatic fever ... ... {M. F.	:	:	:	:	:	:	1	B.24
B.25	Chronic rheumatic heart disease ... {M. F.	:	1	:	:	:	:	:	B.25
B.26	Arteriosclerotic and degenerative {M. heart disease. F.	3 4	5 3	2	9 2	2	5 7	4 5	B.26
B.27	Other diseases of the heart ... {M. F.	:	1	1	1	1	:	1	B.27
B.28	Hypertension with heart disease ... {M. F.	1	3	:	:	:	:	:	B.28
B.29	Hypertension without mention of {M. heart. F.	:	:	:	1	1	:	:	B.29
B.46a	Other circulatory diseases ... {M. F.	:	:	:	1	2 1	:	:	B.46a
B.30	Influenza ... ... ... {M. F.	:	2	4 4	2	1 3	:	:	B.30
B.31	Pneumonia ... ... ... {M. F.	1	:	2	1 1	:	3 1	1	B.31
B.32	Bronchitis ... ... ... {M. F.	:	1	1	1	:	1	2	B.32
B.46b	Other respiratory diseases ... {M. F.	:	2	:	:	:	:	1 1	B.46b

TABLE 22 (Con.)—DEATHS IN 1951, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List No.	CAUSES OF DEATH	Bunrana U.D.	Bundoran U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castledblayney U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.36a	Gastritis and duodenitis ... { M. F.	.	.	.	.	.	.	.	B.36a
B.33	Ulcer of stomach and duodenum { M. F.	.	.	.	.	.	.	.	B.33
B.34	Appendicitis ... ... { M. F.	.	1	.	.	.	.	.	B.34
B.35	Intestinal obstruction and hernia { M. F.	.	.	.	.	1	.	.	B.35
B.36b	Gastro-enteritis and colitis except { M. ulcerative, aged 4 weeks and { F. under 2 years	.	.	.	.	.	.	.	B.36b
B.36c	Gastro-enteritis and colitis except { M. ulcerative, aged 2 years and over { F.	.	.	.	.	.	.	.	B.36c
B.36d	Chronic enteritis and ulcerative { M. colitis.	.	.	.	.	.	.	.	B.36d
B.37	Cirrhosis of liver ... { M. F.	.	.	.	.	.	.	.	B.37
B.46c	Other diseases of the liver, gall- { M. bladder and pancreas.	.	.	.	.	.	.	.	B.46c
B.46d	Other digestive diseases ... { M. F.	.	.	.	.	.	.	.	B.46d
B.38	Nephritis and nephrosis ... { M. F.	2	.	.	.	1	1	1	B.38
B.39	Hyperplasia of prostate ... M.	.	.	.	1	.	1	.	B.39
B.40a	Complications of pregnancy and F. childbirth.	.	.	.	.	.	.	.	B.40a
B.40b	Puerperal sepsis ... ... F.	.	.	.	.	.	.	.	B.40b
B.40c	Other complications of the puer- F. perium.	.	.	.	.	.	.	.	B.40c
B.41	Congenital malformations ... { M. F.	1	.	1	.	.	.	1	B.41
B.42	Birth injuries, postnatal asphyxia { M. and atelectasis.	.	.	.	.	.	.	.	B.42
B.43a	Diarrhoea of newborn ... { M. F.	.	.	.	.	.	.	.	B.43a
B.43b	Pneumonia of newborn ... { M. F.	.	.	.	.	.	.	.	B.43b
B.43c	Other infections of newborn { M. F.	.	.	.	.	.	.	.	B.43c
B.44	Other diseases peculiar to early { M. infancy and immaturity un- { F. qualified.	1	.	1	.	1	1	.	B.44

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Abbreviated List No.	CAUSES OF DEATH	Bunclanna U.D.	Bundoran U.D.	Letterkenny U.D.	Carrikmacross U.D.	Castlederg U.D.	Clones U.D.	Monaghan U.D.	Abbreviated List No.
B.45a	Senility without mention of psychosis. ♂ M. ♀ F.	3	·	4	1	1	4 4	2	B.45a
B.45b	Ill-defined and unknown causes ♂ M. ♀ F.	1	·	·	·	·	·	·	B.45b
B.46e	All other diseases ... ♂ M. ♀ F.	1	1	·	1 1	1	4 1	2 2	B.46e
EXTERNAL CAUSES									
BE.47	Motor vehicle accidents ... ♂ M. ♀ F.	·	·	·	·	·	·	·	BE.47
BE.48	All other accidents ... ♂ M. ♀ F.	2	·	1	·	1	2	·	BE.48
BE.49	Suicide and self-inflicted injury ♂ M. ♀ F.	·	·	·	·	·	·	·	BE.49
BE.50	Homicide and operations of war ... ♂ M. ♀ F.	·	·	·	·	·	·	·	BE.50
AGES									
Under 1 year	... ♂ M. ♀ F.	2 1	·	3 1	1	1 2	1	1	Under 1 year.
1 year and under 65 years	... ♂ M. ♀ F.	7 5	5 3	1 5	7 6	5 2	9 5	7 9	1 year and under 65 years.
65 years and over	... ♂ M. ♀ F.	9 8	9 8	7 10	10 6	9 11	15 10	5 10	65 years and over.
TOTAL	... ♂ M. ♀ F.	18 14	14 11	11 16	18 12	15 15	25 15	13 19	TOTAL.
Births	... ♂ M. ♀ F.	37 39	21 18	37 29	19 22	28 20	29 28	23 24	Births.
Population according to the Census of M. Population 1951	... ♂ M. ♀ F.	1,428 1,611	764 916	1,472 1,532	894 1,151	1,044 1,129	1,240 1,215	2,031 2,692	Population according to the Census of Population 1951.

TABLE 23.—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE IN

## 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

7-13	14-20	21-27	Total under 4 weeks	MONTHS												Detailed International List No.
				4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12		
121	86	66	922	201	135	116	67	50	48	36	30	33	19	22		
105	45	47	646	125	91	77	68	35	42	29	23	13	24	24		
2	1	1	4	7	11	8	5	3	4	9	6	11	6	3	001-138	
.	.	.	3	6	5	8	7	6	12	4	7	4	5	7		002
.	.	.	.	.	.	.	1	.	1	.	.	.	1	.		003
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		008
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		010
.	.	.	.	1	2	3	1	.	2	4	3	2	1	2	2	011
.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	012
.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	014
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	015
.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	019
.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	020
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	050
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	051
.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	053
.	.	.	1	4	7	6	1	3	1	1	4	3	2	7	2	056
.	.	.	.	2	3	3	3	6	3	3	3	1	1	1	1	057
.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	061
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	082
.	.	.	.	.	.	.	1	.	.	1	1	2	1	1	1	085
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	092
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	130	
1	.	.	1	1	2	.	.	1	.	.	.	.	.	.	.	134
1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	149-239
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	204
1	.	.	1	.	.	.	3	1	1	3	1	2	.	.	.	228
.	.	.	.	.	3	2	1	1	1	1	1	1	1	1	1	240-239
.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	.	241

TABLE 23 (con.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

TABLE 23 (con.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

			Total under 4 weeks	MONTHS											Detailed International List No.
7-13	14-20	21-27		4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	474
.	.	1	1	3	2	3	2	.	.	1	.	.	.	.	475
.	.	1	1	1	1	1	2	1	2	.	1	.	1	.	480
.	.	3	3	2	2	2	1	1	1	1	1	1	1	1	481
.	.	.	.	6	5	6	1	1	.	2	2	1	1	1	490
.	.	.	.	25	20	26	16	7	11	11	9	7	5	6	491
.	.	.	.	24	13	16	7	11	9	8	7	4	5	5	492
.	.	.	.	1	1	.	2	1	.	.	.	.	.	.	493
.	.	.	.	8	11	12	2	5	2	2	3	4	2	1	500
.	1	.	1	2	2	2	1	.	3	1	1	2	.	.	501
.	1	2	5	2	.	1	2	1	1	1	1	.	1	1	502
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	513
1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	517
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	518
.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	519
1	.	.	2	2	1	1	1	1	1	.	.	.	1	.	522
.	.	.	2	1	.	1	.	.	.	1	.	.	.	.	527
2	5	3	12	31	23	7	10	7	10	6	3	1	3	1	530- 587
1	2	1	5	21	14	8	10	2	4	6	2	3	1	4	533
1	2	1	4	1	2	.	.	.	.	.	.	1	.	.	536
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	539
.	2	.	2	2	2	3	1	.	.	1	1	.	.	1	543
1	1	.	1	2	1	1	1	.	.	.	.	1	.	.	544
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	552
.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	560
1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	561
.	1	1	1	1	1	1	2	1	1	1	2	1	1	1	570

TABLE 23 (con.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

Detailed International List No.	CAUSES OF DEATH	Total under 1 year	under 30 mins.	30 mins and under 1 day	Total under 1 day	DAYS						
						1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	Total under 7 days
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over.	{M. F. 82 57	.	.	.	.	.	.	.	.	.	.
576	Peritonitis ...	{M. F. 1	.	.	.	.	.	.	.	.	.	.
578	Other diseases of intestines and peritoneum.	{M. F. 3 1	.	.	.	.	.	.	.	.	.	.
583	Other diseases of liver	{M. F. 1	.	.	.	.	.	.	.	.	.	.
590-637	X. Diseases of the genito-urinary system	{M. F. 1 5	.	.	.	.	.	.	.	.	.	.
593	Nephritis not specified as acute or chronic	{M. F. 1 2	.	.	.	.	.	.	.	.	.	.
600	Infections of kidney ...	{M. F. 2	.	.	.	.	.	.	.	.	.	.
626	Diseases of parametrium and pelvic peritoneum (female).	{M. F. 1	.	.	.	.	.	.	.	.	.	.
690-716	XII. Diseases of the skin and cellular tissue	{M. F. 4 2	.	.	.	.	.	.	.	.	.	.
690	Boil and carbuncle ...	{M. F. 1	.	.	.	.	.	.	.	.	.	.
692	Other cellulitis and abscess, without mention of lymphangitis.	{M. F. 2	.	.	.	.	.	.	.	.	.	.
698	Other local infections of skin and sub-cutaneous tissue.	{M. F. 1	.	.	.	.	.	.	.	.	.	.
701	Eczema ...	{M. F. 1	.	.	.	.	.	.	.	.	.	.
707	Lichen planus	{M. F. 1	.	.	.	.	.	.	.	.	.	.
720-749	XIII. Diseases of the bones and organs of movement.	{M. F. 1	.	.	.	.	.	.	.	.	.	.
744	Other diseases of muscle, tendon and fascia.	{M. F. 1	.	.	.	.	.	.	.	.	.	.
750-759	XIV. Congenital Malformations	{M. F. 192 176	7 8	20 19	27	9	15	12	10	4	1	78 62
750	Monstrosity ...	{M. F. 5 13	3	1	4	12	.	.	.	1	1	5 13
751	Spina bifida and meningocele	{M. F. 45 50	2	5	7	1	3	3	2	2	2	17 14
752	Congenital hydrocephalus	{M. F. 8 17	1	2	3	1	1	2	.	1	1	7 8
753	Other congenital malformations of nervous system and sense organs.	{M. F. 2 1	.	1	1	.	.	.	.	.	.	1
754	Congenital malformations of circulatory system.	{M. F. 20 62	.	7	7	5	6	6	3	.	.	27 16
755	Cleft palate and harelip	{M. F. 3 4	.	3	3	1	.	.	.	.	.	.
756	Congenital malformations of digestive system.	{M. F. 41 17	.	1	1	2	2	1	4	1	.	11 4
757	Congenital malformations of genito-urinary system.	{M. F. 3 1	.	1	1	.	.	.	.	.	.	1
758	Congenital malformations of bone and joint.	{M. F. 1	.	.	.	.	.	.	.	.	.	.
759	Other and unspecified congenital malformations, not elsewhere specified.	{M. F. 14 11	2	5	7	2	3	1	.	2	.	10 6

## IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

7-13	14-20	21-27	Total under 4 weeks	MONTHS												Detailed International List No.
				4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12		
.	.	.	.	26 18	19 10	7 4	9 8	6 2	8 2	3 6	3 1	2	1	4	571	
.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	576	
.	.	1	1	1	.	.	.	1	.	.	.	.	.	.	578	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	583	
.	.	.	.	1	1	1	.	.	.	2	.	1	.	.	590- 637	
.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	593	
.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	600	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	626	
.	1	.	1	1	.	.	.	1	1	.	.	.	.	.	690- 716	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	690	
.	1	.	1	1	.	.	.	1	.	.	.	.	.	.	692	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	698	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	701	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	707	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	720- 749	
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	744	
23 21	14 10	10 13	125 106	31 21	10 12	12 8	4 10	3 4	2 7	1 1	2 2	2 2	2 2	2 1	2 1	750- 759
.	.	.	5 13	.	.	.	.	.	.	.	.	.	.	.	.	750
10 8	6 3	2	33 27	6 7	5 5	2	1 5	1 2	1 1	1 1	.	.	.	.	.	751
.	1	2	11	1	1	1	.	1	1	1	1	1	1	.	.	752
.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	753
6 10	6 5	4 2	43 33	8 9	5 5	6 5	2 4	1 1	1 4	1	2	1	.	.	.	754
1	.	1	1	2	.	1	.	.	.	.	.	.	1	.	.	755
4 1	1	3 4	19 10	13 4	4	3	2	1	1	.	.	.	.	.	.	756
.	.	2	1	3 1	.	.	.	.	.	.	.	.	.	.	.	757
1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	758
1 1	1	.	12 8	2	1	.	.	1	.	1	.	.	.	.	.	759

TABLE 23 (con.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

TABLE 23 (con.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

Detailed International List No.	CAUSES OF DEATH	Total under 1 year	30 mins. under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS						
						1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	Total under 7 days
Ill-defined diseases peculiar to early infancy												
773.0	without mention of immaturity	141 {M. F. 91	1 2	9 7	10 9	5 4	6 6	1 3	2 1	2 1	1 1	26 24
773.5	with mention of immaturity	107 {M. F. 65	1 1	38 10	39 11	9 12	8 8	3 6	4 2	5 5	3 1	71 45
774	Immaturity, with mention of any other subsidiary condition.	24 {M. F. 18	1 1	6 4	6 5	4 5	5 5	1 1	1 1	2 2	1 1	16 14
775	Immaturity subsidiary to some other cause.	— {M. F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
776	Immaturity unqualified	218 {M. F. 166	17 13	63 36	80 49	34 25	21 21	12 13	11 8	13 3	4 3	175 122
780-795	XVI. Symptoms, Senility and Ill-defined Conditions.	72 {M. F. 41	1 3	2 1	3 4	2 1	3 1	2 1	1 1	— —	1 1	12 7
780	Certain symptoms referable to nervous system and special senses.	54 {M. F. 25	1 2	2 1	3 3	1 1	3 3	2 2	1 1	— —	1 1	11 3
782	Symptoms referable to cardiovascular and lymphatic system.	2 {M. F. 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
783	Symptoms referable to respiratory system	1 {M. F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
784	Symptoms referable to upper gastro-intestinal tract.	3 {M. F. —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 1
785	Symptoms referable to abdomen and lower gastro-intestinal system.	3 {M. F. 2	— —	— —	— —	— —	— —	1 1	— —	— —	— —	1 1
788	Other general symptoms	1 {M. F. —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
795	Ill-defined and unknown causes of morbidity and mortality.	8 {M. F. 9	1 1	— —	1 1	— —	— —	— —	— —	— —	— —	3 3
E.800-E.999	E. XVII. Alternative classification of accidents, poisonings and violence (external cause).	35 {M. F. 23	7 4	3 1	10 5	2 1	1 1	1 1	— —	— —	— —	14 6
E.904	Unspecified falls	— {M. F. 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E.916	Accident caused by fire and explosion of combustible material.	— {M. F. 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E.917	Accident caused by hot substance, corrosive liquid and steam.	— {M. F. 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E.921	Inhalation and ingestion of food causing obstruction or suffocation.	7 {M. F. 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E.922	Inhalation and ingestion of other object causing obstruction or suffocation.	2 {M. F. 2	— —	1 1	1 1	— —	— —	1 1	— —	— —	— —	2 2
E.923	Foreign body entering eye and adnexa	— {M. F. 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
E.924	Accidental mechanical suffocation in bed and cradle.	11 {M. F. 8	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 1
E.925	Accidental mechanical suffocation in other and unspecified circumstances.	2 {M. F. 2	1 1	— —	— —	1 1	— —	— —	— —	— —	— —	1 1
E.926	Lack of care of infants under 1 year of age	8 {M. F. 6	5 4	2 1	7 5	1 1	— —	— —	— —	— —	— —	7 6
E.933	Hunger, thirst and exposure	— {M. F. 1	— —	— —	— —	— —	1 1	— —	— —	— —	— —	1 1
E.983	Assault by other means	— {M. F. 2	1 1	— —	1 1	— —	— —	1 1	— —	— —	— —	2 2

## IN 1951, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

7-13	14-20	21-27	Total under 4 weeks	MONTHS												Detailed International List No.
				4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12		
15	9	13	63	29	14	14	9	5	2	1	1	3	1	1	2	773·0
9	2	8	43	19	12	4	4	2	1	1	1	1	1	1	2	773·5
11	6	4	92	6	5	1	·	3	·	·	·	·	·	·	·	774
9	5	1	60	2	2	1	·	1	·	·	·	·	·	·	·	775
3	·	1	20	3	·	1	1	1	·	·	·	·	·	·	·	776
·	·	·	15	·	·	·	·	·	·	·	·	·	·	·	·	777
16	11	4	206	7	4	·	·	1	·	·	·	·	·	·	·	780-
25	9	5	161	2	2	·	1	1	·	·	·	·	·	·	2	795
3	7	4	26	13	11	9	2	5	5	1	2	1	1	1	2	780
4	1	2	14	7	4	5	4	1	1	1	2	1	1	1	2	782
3	5	2	21	11	8	4	1	5	1	1	2	1	·	·	2	783
3	3	2	9	5	2	2	4	1	1	·	·	1	1	1	1	784
·	·	·	·	·	1	1	1	·	·	·	·	·	·	·	·	785
·	·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	788
·	·	1	1	2	·	·	1	·	·	·	·	·	·	·	·	795
·	1	·	1	2	2	·	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	1	1	3	1	·	·	·	·	1	1	·
·	·	1	1	2	3	1	1	2	1	·	·	·	·	1	1	·
·	3	1	15	2	4	5	2	5	3	2	1	1	1	1	1	E.800-E.899
·	3	1	13	3	·	·	·	·	·	·	·	·	·	·	·	E.904
·	·	1	1	1	·	·	·	·	·	·	·	·	·	·	·	E.916
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	E.917
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	E.921
·	·	1	1	1	1	1	1	3	2	1	1	·	·	·	·	E.922
·	1	·	1	1	1	1	1	1	1	1	1	·	·	·	·	E.923
·	·	·	·	2	1	2	4	2	2	·	·	·	·	1	1	E.924
·	2	2	1	4	1	2	2	2	1	·	·	·	·	·	·	E.925
·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	E.926
·	·	·	·	7	1	1	·	·	·	·	·	·	·	·	·	E.933
·	·	·	·	6	·	·	·	·	·	·	·	·	·	·	·	E.983
·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·
·	·	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·

TABLE 24.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

International List No.	CAUSES OF DEATH.	Total		Dublin County Borough and Dún Laoghaire Borough	Other County Boroughs	Remaining Principal Towns		Other Urban Districts		All Rural Districts		
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
010	Tuberculosis of meninges {M. and central nervous system. {F.	.	17 11	.	3 2	.	1	.	1	1 2	.	12 6
001-009, 011-019	Tuberculosis, other forms {M. {F.	.	6 11	.	2	.	.	.	2	.	1 1	5 6
020-029	Syphilis and its sequelae {M. {F.	1 2	1 2	1	2	.	.	.	.	.	.	.
056	Whooping cough ... {M. {F.	1 30	38 30	.	7 7	.	1 1	.	2 1	3 3	1	25 18
030-055, 057-138	Other infective and parasitic diseases. {M. {F.	3 2	11 17	.	5 6	.	3	.	.	2	3 2	3 9
340	Meningitis, except meningococcal and tuberculous {M. {F.	2 3	17 3	1	2	.	1 1	1	2	2	1 2	11 1
330-334, 341-398	Diseases of nervous system {M. and sense organs. {F.	1 .	15 6	1	3	.	.	.	1	.	.	12 4
480-483	Influenza ... {M. {F.	3 7	20 16	.	.	.	.	.	2 1	1 2	3 6	18 13
490-493	Pneumonia ... {M. {F.	.	199 144	.	43 33	.	12 8	.	11 4	.	10 5	123 94
500-502	Bronchitis ... {M. {F.	5 1	21 9	.	3 2	.	2	.	1	.	1 1	5 7
470-475, 510-527	Other diseases of the respiratory system. {M. {F.	7 4	17 14	1	9	.	1	.	2	.	1 1	6 4
571	Gastro-enteritis and colitis, {M. except diarrhoea of newborn. {F.	.	82 57	.	6 2	.	9 3	.	6 4	.	5 5	56 43
530-570, 573-587	Other diseases of the digestive system. {M. {F.	12 5	20 18	2	1	1	1	1	1	1 2	8 2	16 13
750-759	Congenital malformations {M. {F.	125 106	67 70	23	14	11	2	10	2	9 5	2 8	72 71
760-761	Birth injuries ... {M. {F.	112 57	2 4	37 21	1 1	3 1	.	6 3	.	7 2	.	59 30
762	Postnatal asphyxia and atelectasis. {M. {F.	91 79	15 8	31 28	3 1	3 4	1 1	5 4	2	5 3	1	47 40
763	Pneumonia of newborn ... {M. {F.	54 22	.	19 8	.	5 1	.	3	.	2	.	25 13
764	Diarrhoea of newborn ... {M. {F.	19 9	.	6 3	.	1 2	.	.	.	2 1	.	10 3
765-768	Other infections of the newborn. {M. {F.	3 1	1 1	2	.	1	.	.	.	.	1	1
769-0- 773-0	Other and ill-defined diseases of early infancy. Without mention of immaturity. {M. {F.	108 79	85 58	14	10	2	3	3	5	8 9	7 3	81 53
769-5- 773-5	With mention of immaturity. {M. {F.	102 65	17 5	26	3	3	1	3	1	14 6	2 1	56 35
774	Immaturity with mention of any other subsidiary condition. {M. {F.	20 15	4 3	5	.	.	1	1	.	2 1	.	13 7
776	Immaturity unqualified ... {M. {F.	206 161	12 5	40	.	12	1	14 13	1	19 17	1 1	121 95
Residue	Other causes ... {M. {F.	48 29	90 59	8	19	4	3	3	4 9	3 2	4 2	30 17
	All Causes ... {M. {F.	922 646	757 551	216	133	45	41	48	40 30	71 47	42 38	542 357

TABLE 25.—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN UNDER 1 YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE IN 1951.

International List No.	CAUSES OF DEATH.	Total under 1 year	Total under 1 day	DAYS			Total under 4 weeks	MONTHS		
				1 and under 7	Total under 7 days	7 and under 28		4 wks. and under 3 mths.	3 and under 6 mths.	6 and under 12 mths.
010	Tuberculosis of meninges and central nervous system. {M. F.	1	1	1	1	1	1	1	1	1
001-009, 011-019.	Tuberculosis, other forms ... {M. F.	1	1	1	1	1	1	1	1	1
020-029	Syphilis and its sequelae ... {M. F.	1	2	1	1	1	1	1	2	1
056	Whooping cough ... {M. F.	1	1	1	1	1	1	1	1	1
030-055, 057-138.	Other infective and parasitic diseases {M. F.	1	1	1	1	1	1	1	1	1
340	Meningitis, except meningococcal and {M. tuberculous. F.	1	1	1	1	1	1	1	1	1
330-334, 341-398.	Diseases of the nervous system and sense organs. {M. F.	1	1	1	1	1	1	1	1	1
480-483	Influenza ... ... {M. F.	1	1	1	1	1	1	1	1	1
490-493	Pneumonia ... ... {M. F.	8	8	8	8	8	8	2	5	4
500-502	Bronchitis ... ... {M. F.	2	2	2	2	2	2	2	2	2
470-475, 510-527.	Other diseases of the respiratory system {M. F.	2	2	2	2	2	1	1	1	1
571-572	Enteritis and colitis, except diarrhoea {M. of the newborn. F.	1	5	1	5	1	1	2	1	1
530-570, 573-587.	Other diseases of the digestive system {M. F.	4	3	4	3	4	1	1	1	2
750-759	Congenital malformations ... ... {M. F.	6	3	2	1	3	1	4	1	1
760-761	Birth injuries ... ... {M. F.	4	1	2	1	4	1	4	1	1
762	Postnatal asphyxia and atelectasis {M. F.	5	5	1	2	3	1	4	1	1
763	Pneumonia of newborn ... ... {M. F.	1	1	1	1	1	1	1	1	1
764	Diarrhoea of newborn ... ... {M. F.	1	1	1	1	1	1	1	1	1
765-768	Other infections of the newborn ... {M. F.	1	1	1	1	1	1	1	1	1
	Other and ill-defined Diseases of Early Infancy :									
769-0-773-0	Without mention of immaturity ... {M. F.	22	13	1	1	2	2	3	11	1
769-5-773-5	With mention of immaturity ... {M. F.	9	1	1	1	2	3	5	4	1
774	Immaturity with mention of any other subsidiary condition. {M. F.	1	1	1	1	1	1	1	1	1
776	Immaturity unqualified ... ... {M. F.	6	8	2	4	3	3	6	8	8
E.800-999	Accidental deaths ... ... {M. F.	1	1	1	1	1	1	1	1	1
Residue	Other causes ... ... {M. F.	13	6	7	3	2	9	1	2	1
	All Causes ... ... {M. F.	85	60	15	7	9	24	14	28	20
							12	12	11	5

TABLE 26.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND COUNTY

Detailed International List No.	CAUSES OF DEATH.	TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system. {M. F.	.	17 11	.	7 4	.	6 3	.	3 3	.	1 1
001-009, 011-019	Tuberculosis, other forms {M. F.	.	6 11	.	2 5	.	3 3	.	2 .	.	1 1
020-029	Syphilis and its sequelae {M. F.	.	1 2	.	1 2	.	.	.	.	.	.
056	Whooping cough ... {M. F.	1 30	38 30	1	19 14	.	5 5	.	5 3	.	9 8
030-055, 057-138	Other infective and parasitic diseases. {M. F.	3 2	11 17	3 1	6 12	1	4 4	.	1 .	.	1
340	Meningitis, except meningococcal and tuberculous. {M. F.	2 3	17 3	1 2	7 1	1	8 2	.	1 .	.	1
330-334, 341-393	Diseases of the nervous system and sense organs. {M. F.	1 6	15 3	1	7 3	.	6 2	.	2 1	.	.
480-483	Influenza ... {M. F.	3 7	20 16	2	3 4	2 3	4 3	.	4 4	1 2	9 5
490-493	Pneumonia ... {M. F.	.	199 144	.	91 87	.	63 37	.	27 13	.	18 7
500-502	Bronchitis ... {M. F.	5 1	21 9	2	9 5	2	10 1	.	2 2	1	.
470-475, 510-527	Other diseases of the respiratory system. {M. F.	7 4	17 14	1	15 13	3	2 1	1	1 1	2	.
571	Gastro-enteritis and colitis, except diarrhoea of the newborn. {M. F.	.	82 57	.	37 22	.	37 25	.	4 7	.	4 3
530-570, 573-587	Other diseases of the digestive system. {M. F.	12 5	20 18	7	3 7	4 1	11 6	1	5 3	1	2
750-759	Congenital malformations ... {M. F.	125 106	67 70	72 57	27 33	37 31	21 18	12 14	11 13	4 4	8 6
760-761	Birth injuries ... {M. F.	112 57	2 4	73 37	1 4	23 12	.	9 7	1 1	7	.
762	Postnatal asphyxia and atelectasis {M. F.	91 79	15 8	63 45	9 3	17 26	4 5	7 4	1 1	4 4	1
763	Pneumonia of newborn ... {M. F.	54 22	.	28 14	.	16 5	.	6 2	.	4 1	.
764	Diarrhoea of newborn ... {M. F.	19 9	.	13 6	.	4 3	.	2	.	.	.
765-768	Other infections of the newborn {M. F.	3 1	1 1	3 1	.	.	.	.	1	.	.
769-0-773-0	Other and ill-defined diseases of early infancy:— Without mention of immaturity {M. F.	108 79	85 58	48 30	39 24	35 32	25 21	19 13	11 7	6 4	10 6
769-5-773-5	With mention of immaturity ... {M. F.	102 65	17 5	58 36	9 2	31 22	6 3	4 4	1 1	9 3	1
774	Immaturity with mention of any other subsidiary condition. {M. F.	20 15	4 3	7 11	2 1	8 3	1 1	5 1	1 1	.	.
776	Immaturity unqualified ... {M. F.	206 161	12 5	105 80	7 2	58 46	4 2	23 13	1 1	20 22	.
Residue	Other causes ... ... {M. F.	48 29	90 59	18 12	47 26	20 10	24 16	7 4	12 13	3 3	7 4
	All Causes ... ... {M. F.	922 646	757 551	504 341	348 275	261 197	244 157	96 63	94 63	61 45	71 45

TABLE 26.—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND COUNTY

Detailed International List No.	CAUSES OF DEATH	TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of meninges and {M. central nervous system. {F.	.	17 11	.	7 4	.	6 3	.	3 3	.	1 1
001-009, 011-019	Tuberculosis, other forms ...{M. {F.	.	6 11	.	2 5	.	3 3	.	2	.	1 1
020-029 ...	Syphilis and its sequelae ...{M. {F.	.	1 2	1	2	.	.	.	.	.	.
056 ...	Whooping cough ...{M. {F.	1	38 30	1	19 14	.	5 5	.	5 3	.	9 8
030-055, 057-138	Other infective and parasitic dis- {M. eases. {F.	3 2	11 17	3 1	6 12	1	4 4	.	1	.	1
340 ...	Meningitis, except meningococcal {M. and tuberculous. {F.	2 3	17 3	1	7 1	1	8 2	.	1	.	1
330-334, 341-398	Diseases of the nervous system and {M. sense organs. {F.	1 6	15 6	1	7 3	.	6 2	.	2 1	.	.
480-483 ...	Influenza ...{M. {F.	3 7	20 16	2	3 3	2	4 3	.	4 4	1 2	9 5
490-493 ...	Pneumonia ...{M. {F.	.	199 144	.	91 87	.	63 37	.	27 13	.	18 7
500-502 ...	Bronchitis ...{M. {F.	5 1	21 9	2	9 5	2	10 1	.	2 2	1	.
470-475, 510-527	Other diseases of the respiratory {M. system. {F.	7 4	17 14	1	15 13	3	2	1	1	2	.
571 ...	Gastro-enteritis and colitis, except {M. diarrhoea of the newborn. {F.	.	82 57	.	37 22	.	37 25	.	4 7	.	4 3
530-570, 573-587	Other diseases of the digestive {M. system. {F.	12 5	20 18	7	3 7	4	11 6	1	5 3	.	1 2
750-759 ...	Congenital malformations ...{M. {F.	125 106	67 70	72 57	27 33	37 31	21 18	12 14	11 13	4 4	8 6
760-761 ...	Birth injuries ...{M. {F.	112 57	2 4	73 37	1 4	23 12	.	9 7	1 1	7	.
762 ...	Postnatal asphyxia and atelectasis {M. {F.	91 79	15 8	63 45	9 3	17 26	4 5	7 4	1 1	4 4	1
763 ...	Pneumonia of newborn ...{M. {F.	54 22	.	28 14	.	16 5	.	6 2	.	4 1	.
764 ...	Diarrhoea of newborn ...{M. {F.	19 9	.	13 6	.	4 3	.	2	.	.	.
765-768 ...	Other infections of the newborn {M. {F.	3 1	1 1	3 1	1	.	.	.	1	.	.
769-0-773-0	Other and ill-defined diseases of early infancy :— Without mention of immaturity {M. {F.	108 79	85 58	48 30	39 24	35 32	25 21	19 13	11 7	6 4	10 6
769-5-773-5	With mention of immaturity ...{M. {F.	102 65	17 5	58 36	9 2	31 22	6 3	4 4	1	9 3	1
774 ...	Immaturity with mention of any {M. other subsidiary condition. {F.	20 15	4 3	7 11	2 1	8 3	1 1	5 1	1 1	.	.
776 ...	Immaturity unqualified ...{M. {F.	206 161	12 5	105 80	7 2	58 46	4 2	23 13	1 1	20 22	.
Residue ...	Other causes ... ...{M. {F.	48 29	90 59	18 12	47 26	20 10	24 16	7 4	12 13	3 3	7 4
	All Causes ... ...{M. {F.	922 646	757 551	504 341	348 275	261 197	244 157	96 63	94 74	61 45	71 45

AND UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY BOROUGH.

CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (Rem. of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Detailed International List No.
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
.	.	.	3 2	.	.	.	.	.	1	.	1	.	1	010
.	1	.	1	.	1	.	.	.	1 1	.	1	.	1	001-009, 011-019
.	.	1	1 2	.	.	.	.	.	.	.	.	.	.	020-029
.	1 1	.	6 6	.	1 1	.	4	.	3 1	.	2	.	.	056
1 1	2	.	5 6	.	.	1 1	3	.	1 1	.	.	.	.	030-055, 057-138
.	.	1	1 1	.	1	1	2	.	.	.	.	1	.	340
.	.	1	2	.	1	.	3	.	.	.	1	.	.	330-334, 341-398
.	.	.	.	.	.	.	.	.	2	.	.	2	.	480-483
.	3 2	.	42 33	.	1	.	8 12	.	3 5	.	3 7	.	2 1	490-493
.	.	.	3 2	.	.	.	1 1	.	3 2	.	2	.	1	500-502
.	.	1	9 8	.	1	2	3 1	.	.	.	1	.	.	470-475, 510-527
.	2	.	6 2	.	.	.	5 5	.	2 3	.	2 5	.	5	571
.	.	1 3	1 1	1	.	2	1	.	.	.	.	1	.	530-570, 573-587
3 2	.	19 24	14 10	4 1	.	5 4	1 4	2 5	2 2	7 3	1	8 1	1 3	750-759
2 1	.	35 19	1 1	2 2	.	7 3	1	2 2	.	3 3	.	3	.	760-761
1 1	.	29 27	3 1	2 1	.	4 8	3	3	1	1 2	1	3	.	762
1	.	19 7	.	1	.	2 3	.	2 1	.	2	.	.	.	763
.	.	6 3	.	.	.	2	.	1	.	1	.	.	.	764
.	.	2	1	.	.	.	.	.	.	1	.	.	.	765-768
1 1	1	11 8	7 9	3	3 2	7 4	3 2	4 3	6 1	3 1	5 1	1 1	2 1	769-0- 773-0
1	.	24 15	3	2	.	7 4	3	3 1	1 1	4 1	1 1	2 3	1	769-5- 773-5
1	.	5 6	.	.	.	1 2	1	.	.	1	.	.	1	774
3 3	.	40 30	1	2	.	9 6	.	4 3	1	15 10	.	1	1	776
2 1	1	7 6	15 7	1	4 3	2	10 2	2	1	2 2	.	.	1	Residue
15 10	7 8	201 149	122 94	15 8	11 8	49 39	44 33	21 17	23 20	37 23	17 21	18 10	15 6	

TABLE 26 (con.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List No.	CAUSES OF DEATH.	LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of meninges and central nervous system. {M. F.	.	.	.	1	.	.	.	1	.	.
001-009, 011-019	Tuberculosis, other forms {M. F.	.	.	.	.	.	.	.	.	.	.
020-029 ...	Syphilis and its sequelae {M. F.	.	.	.	.	.	.	.	.	.	.
056 ...	Whooping cough {M. F.	1	1	.	.	.	.	.	.	.	1
030-055, 057-138	Other infective and parasitic diseases. {M. F.	.	.	.	1	.	.	.	.	.	.
340 ...	Meningitis, except meningococcal and tuberculous. {M. F.	.	.	.	1	.	.	.	.	.	1
330-334, 341-398	Diseases of the nervous system and sense organs. {M. F.	.	.	.	1	.	1	.	.	.	1
480-483 ...	Influenza {M. F.	.	.	.	1	.	1	.	.	.	1
490-493 ...	Pneumonia {M. F.	3	1	2	2	5	4	2	7	6	2
500-502 ...	Bronchitis {M. F.	.	.	1	.	.	.	.	.	.	.
470-475, 510-527	Other diseases of the respiratory system. {M. F.	.	.	.	.	1	2	.	.	.	1
571 ...	Gastro-enteritis and colitis, except diarrhoea of the newborn. {M. F.	2	1	1	.	1	1	1	2	.	1
530-570, 573-587	Other diseases of the digestive system. {M. F.	1	.	.	.	.	.	1	1	.	1
750-759 ...	Congenital malformations {M. F.	5 1	3 1	8 1	1 5	3 5	2	1	1	2 1	3
760-761 ...	Birth injuries {M. F.	2 1	1	3 1	1 1	3 1	.	3	.	2 1	.
762 ...	Postnatal asphyxia and atelectasis {M. F.	1	.	2 2	1	4 1	.	2	.	6 1	1
763 ...	Pneumonia of newborn {M. F.	.	.	.	.	.	.	1	.	.	.
764 ...	Diarrhoea of newborn ... {M. F.	1	.	.	.	.	.	1	.	1	.
765-768 ...	Other infections of the newborn {M. F.	.	.	.	.	.	.	.	.	.	.
769-0-773-0	Other and ill-defined diseases of early infancy:— Without mention of immaturity {M. F.	1	1	2 2	.	2 1	5 1	3 1	1 2	1	2
769-5-773-5	With mention of immaturity {M. F.	.	.	.	1	2	.	6 6	.	1 2	.
774 ...	Immaturity with mention of any other subsidiary condition. {M. F.	.	.	.	.	1	.	.	.	.	.
776 ...	Immaturity unqualified {M. F.	6 1	1	9 11	1	7 3	1	.	.	2 1	.
Residue ...	Other causes {M. F.	2 1	1	1	2 4	1	1 2	1	1 1	1 1	2
	All Causes {M. F.	19 5	11 6	26 17	12 15	22 12	16 12	19 10	7 15	15 7	16

UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List No.			
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year				
.	1	.	.	.	.	1	.	.	2	.	2	.	.	010			
.	.	.	.	.	.	.	.	.	1	.	1	.	.	001-009, 011-019			
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029			
.	4	1	.	.	.	.	.	.	2	.	.	.	.	056			
.	.	.	.	.	.	.	.	3	.	1	.	.	.	030-055, 057-138			
.	1	.	.	.	.	2	.	.	1	2	.	2	.	340			
.	.	.	.	.	1	.	.	.	.	1	.	2	.	330-334, 341-398			
.	1	.	.	1	.	.	.	.	1	2	.	1	.	480-483			
.	9	3	.	2	2	.	6	.	4	4	15	8	.	490-493			
1	.	.	.	.	.	.	.	1	.	2	.	1	.	500-502			
.	.	.	1	1	.	.	.	.	2	.	1	.	.	470-475, 510-527			
.	5	1	.	4	1	.	5	2	3	3	1	5	2	.	571		
1	1	.	2	.	.	.	1	1	2	3	1	4	2	.	530-570, 573-587		
3	2	6	4	3	1	5	1	8	1	11	8	6	6	2	750-759		
1	.	5	2	.	1	.	3	1	.	8	.	4	5	.	760-761		
2	1	1	3	.	2	.	2	4	1	14	5	2	4	2	.	762	
.	.	2	1	.	1	.	4	1	.	2	1	2	2	.	763		
.	.	1	1	.	1	.	1	.	.	1	.	.	1	.	764		
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	765-768		
5	3	3	4	5	1	1	2	3	1	1	16	2	2	1	1	769-0- 773-0	
6	2	.	1	.	.	.	.	1	1	1	9	2	3	1	.	769-5- 773-5	
.	1	1	.	.	.	.	.	.	.	5	1	1	2	1	.	774	
5	3	3	5	6	.	1	1	8	3	.	12	1	13	1	3	.	776
.	1	2	.	5	3	2	3	1	.	5	10	4	4	4	2	Residue	
24	11	30	23	17	9	26	4	29	14	76	51	39	43	10	13	.	
		9	23	18	6	4	12	9	9	61	36	35	31	5	11	.	

## UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List No.	
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year		
.	1	.	.	.	.	1	.	.	2	.	.	2	.	010	
.	.	.	.	.	.	.	.	.	1	.	.	1	.	001-009, 011-019	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029	
.	4	1	.	.	.	.	.	.	2	2	.	.	.	056	
.	.	.	.	.	.	.	.	3	.	1	2	.	.	030-055, 057-138	
.	1	.	.	.	.	2	.	.	1	2	.	.	2	340	
.	.	.	.	.	1	.	.	.	1	.	.	2	1	330-334, 341-348	
.	1	.	.	1	.	.	.	.	1	2	.	.	1	480-483	
.	9	3	2	2	2	6	4	4	15	9	.	8	9	490-493	
1	.	.	.	1	1	.	.	1	2	.	.	1	.	500-502	
.	.	.	1	1	.	.	.	2	.	.	1	.	.	470-475, 510-527	
.	5	1	4	1	2	5	2	3	1	4	.	5	2	571	
1	1	.	2	.	.	1	1	2	2	3	1	4	2	530-570, 573-587	
3	2	2	4	1	5	8	1	8	3	6	8	6	3	750-759	
1	.	5	2	1	3	1	3	8	.	4	5	.	.	760-761	
2	1	1	3	2	2	4	1	5	14	2	4	2	.	762	
.	.	2	1	1	1	4	1	2	1	2	2	.	.	763	
.	.	1	1	1	.	1	.	1	.	.	.	.	1	764	
.	.	1	.	.	.	.	.	.	.	.	.	.	.	765-768	
5	3	3	4	5	1	2	3	1	16	2	2	6	1	769-0-773-0	
6	2	.	1	.	.	.	1	1	9	2	3	.	1	769-5-773-5	
.	1	1	.	.	.	.	.	5	1	1	2	1	.	774	
5	3	3	5	6	1	1	8	3	12	1	13	1	3	776	
.	1	2	5	3	2	3	1	5	10	4	4	4	2	Residue	
24	11	30	9	23	17	18	9	26	29	14	26	51	43	10	13
								4	12	9	61	36	31	5	11

TABLE 26 (con.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List No.	CAUSES OF DEATH.	LIMERICK COUNTY		TIPPERARY (NORTH RIDING)		TIPPERARY (SOUTH RIDING)		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of meninges and central nervous system. {M. F.	:	1	:	1	:	:	:	:	:	:
001-009, 011-019	Tuberculosis, other forms {M. F.	:	1	:	1	:	1	:	1	:	1
020-020 ...	Syphilis and its sequelae {M. F.	:	1	:	1	:	1	:	1	:	1
056 ...	Whooping cough {M. F.	:	1	:	1	:	1	:	1	:	1
030-055, 057-138	Other infective and parasitic diseases. {M. F.	:	1	:	1	:	1	:	1	:	1
340 ...	Meningitis, except meningococcal and tuberculous. {M. F.	:	1	:	1	:	1	:	1	:	1
330-334, 341-398	Diseases of the nervous system and sense organs. {M. F.	:	1	:	1	:	1	:	1	:	1
480-483 ...	Influenza {M. F.	1	1	1	1	1	1	1	1	1	1
490-493 ...	Pneumonia {M. F.	12	5	2	3	3	3	4	2	4	1
500-502 ...	Bronchitis {M. F.	1	1	2	4	1	1	1	1	1	1
470-475, 510-527	Other diseases of the respiratory system. {M. F.	:	1	:	1	:	1	:	1	:	1
571 ...	Gastro-enteritis and colitis, except diarrhoea of the newborn. {M. F.	10	10	2	2	4	4	3	3	1	1
530-570, 573-587	Other diseases of the digestive system. {M. F.	1	1	2	2	1	1	1	1	1	1
750-759 ...	Congenital malformations {M. F.	5	1	1	1	3	1	2	1	2	2
760-761 ...	Birth injuries {M. F.	2	2	3	1	1	1	1	1	1	1
762 ...	Postnatal asphyxia and atelectasis {M. F.	1	1	2	1	1	1	1	1	3	1
763 ...	Pneumonia of newborn {M. F.	2	1	1	1	1	1	1	1	2	1
764 ...	Diarrhoea of newborn ... {M. F.	1	1	1	1	1	1	1	1	1	1
765-768 ...	Other infections of the newborn {M. F.	1	1	1	1	1	1	1	1	1	1
769-0-773-0	Other and ill-defined diseases of early infancy:— Without mention of immaturity {M. F.	1	5	2	2	5	1	1	6	4	3
769-5-773-5	With mention of immaturity {M. F.	2	4	1	2	2	4	2	1	3	1
774 ...	Immaturity with mention of any other subsidiary condition. {M. F.	2	1	3	1	8	2	2	1	3	1
776 ...	Immaturity unqualified {M. F.	6	1	6	1	7	1	1	1	5	1
Residue ...	Other causes {M. F.	1	2	1	1	1	1	1	1	2	1
	All Causes {M. F.	25	38	19	20	28	16	8	14	20	11
		15	30	13	9	27	17	7	4	16	6

UNDER 1 YEAR IN 1951, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List No.	
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year		
.	82	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	010
.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	001-009, 011-019	
.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	020-029	
.	52	.	.	.	.	1	.	.	.	.	.	4	.	2	.	3 056	
.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	030-055, 057-138	
.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	340	
.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	.	330-334, 341-398	
.	2	.	.	.	.	3	.	.	.	1	.	1	1	4	1	4 483	
.	118	.	1	.	9	4	.	4	.	2	1	3	1	10	5	5 490-493	
.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	1	500-502	
1	1	.	.	1	.	.	.	.	.	1	.	1	.	.	.	470-475, 510-527	
.	13	.	1	.	2	.	3	.	.	.	.	.	.	1	2	571	
1	21	.	1	.	2	.	1	.	1	.	1	1	1	1	.	1 530-570, 573-587	
4	26	1	.	55	53	23	21	2	2	3	1	.	2	8	1	3 750-759	
4	3	.	.	33	.	1	.	1	2	.	3	.	2	1	.	760-761	
2	3	.	.	11	.	1	.	1	.	3	.	.	4	2	1	762	
2	1	.	.	41	.	.	.	.	.	.	.	.	2	1	.	763	
.	1	.	.	1	.	1	.	1	.	.	.	.	.	.	.	764	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765-768	
95	42	21	1	35	31	12	42	32	11	3	1	3	21	56	32	2 769-0- 773-0	
1	2	.	2	.	11	.	11	.	1	3	.	1	41	.	22	769-5- 773-5	
33	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	774	
23	21	.	2	66	19	91	42	.	132	.	.	513	.	27	.	776	
48	68	.	1	1	34	1	1	23	2	.	11	32	33	1	3	Residue	
32	39	72	32	2524	2718	176	118	1510	149	224	158	2625	3527	1316	2110		

TABLE 27.—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A. Acute Anterior Poliomyelitis. B. Cerebro-spinal Fever. C. Encephalitis Lethargica. D. Diarrhoea and Enteritis. E. Paratyphoid A. F. Paratyphoid B. G. Trachoma. H. Erysipelas. J. Ophthalmia Neonatorum. K. Pemphigus Neonatorum. L. Undulant Fever. M. Continued Fever. N. Dysentery (Bacillary). O. Dysentery (Amoebic). P. Malaria. Q. Membranous Croup. R. Puerperal Pyrexia. S. Influenza pneumonia. T. Puerperal Sepsis. U. Scabies. V. Infective Hepatitis. W. Streptococcal Sore Throat. X. Tinea Capitis. Y. Rubella. Z(1). Infective Mononucleosis. Z(2). Salmonella Infection. Z(3). Well's Disease.

COUNTY BOROUGHES.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Cork ...	...	•	•	6	32	35	252
Dublin ...	...	•	•	5	695	2,618	1,405
Limerick ...	...	•	•	4	15	12	52
Waterford ...	...	•	•	•	6	4	92
Total ...	...	•	•	15	748	2,669	1,801
							A.15. B.37. C.3. D.1.105. G.7. H.149. J.11. L.2. N.21. R.2. S.83. T.3. U.424. V.57. W.4.036. X.35. Y.58. Z(1).66. Z(2).11.

URBAN DISTRICTS.

COUNTY	Urban District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Carlow ...	Carlow ...	...	•	•	•	16	1	6 R.1.
Cavan ...	Cavan ...	...	•	•	•	21	70	4 H.2. S.4. U.4. V.2. W.77. Y.1.
Clare ...	Ennis ...	...	•	•	2	8	1	A.2. H.2. W.2. X.1.
	Kilrush ...	...	•	•	•	•	•	1
Cork ...	Clonakilty ...	...	•	•	•	•	•	•
	Cobh ...	...	•	•	•	•	•	2
	Fermoy ...	...	•	•	•	•	•	1
	Kinsale ...	...	•	•	1	•	•	H.1.
	Macroom ...	...	•	•	•	•	•	1
	Mallow ...	...	•	•	4	8	•	B.2.
	Middleton ...	...	•	•	2	21	•	D.4. U.3.
	Skibbereen ...	...	•	•	2	•	•	
	Youghal ...	...	•	•	10	1	7	
Donegal ...	Buncrana ...	...	•	•	2	5	•	•
	Bundoran ...	...	•	•	1	32	1	•
	Letterkenny ...	...	•	•	1	•	•	A.1. Y.1.
Dublin ...	Dun Laoghaire ...	...	•	1	1	90	51	127
								A.5. D.55. F.4. H.9. S.4. U.15. V.3. W.173. X.2. Y.2. Z(1).4.
Galway ...	Ballinasloe ...	...	•	2	2	9	1	D.3. H.2. S.3. U.15.
	Galway ...	...	•	•	2	9	15	B.2. D.13. H.3. T.1. V.1. W.1. 49
Kerry ...	Killarney ...	...	•	1	•	3	1	B.1. F.1. H.1. S.26. W.4.
	Listowel ...	...	•	1	2	•	•	S.2.
	Tralee ...	...	•	1	1	•	•	B.1. S.1. T.1.
Kildare ...	Athy ...	...	•	•	•	1	1	•
	Nas-na-Riogh ...	...	•	•	•	1	27	4 H.1. J.1. U.4. W.4.
Kilkenny ...	Kilkenny ...	...	•	•	•	9	17	3 F.1. H.2. W.1.
Longford ...	Longford ...	...	•	•	1	2	44	4 D.5. U.1. W.5.
Louth ...	Drogheda ...	...	•	•	1	3	6	D.3. F.1. N.1. U.1. Z(1).1.
	Dundalk ...	...	•	1	3	19	50	H.1. L.1. S.4. 10
Mayo ...	Ballina ...	...	•	•	•	3	1	3 W.2.
	Castlebar ...	...	•	•	•	1	•	
	Westport ...	...	•	•	•	•	•	

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

## URBAN DISTRICTS—contd.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES	
Meath	An Uaimh ... Ceanannus Mór ... Trim ...	• • •	• • •	• • •	4 2	4 6 5	• 4 3	U.2. W.1. Z(1).1.	
Monaghan	Carriekmacross ... Castleblayney ... Clones ... Monaghan ...	• • • •	• • • •	• • • •	2 13 5	1 6 7	4 3 5	B.3. S.2. S.5.	
Offaly	Birr ... Tullamore ...	• •	• •	• 1	6 3	21	33	B.1. D.1. U.1. V.9. X.1. B.1. D.1. U.2. V.1. W.25.	
Sligo	Sligo ...	•	•	•	12	4	330	36	D.2. H.1. S.10. W.3. Y.2.
Tipperary, N.R.	Nenagh ... Templemore ... Thurles ...	• • •	• • •	• • •	8 5 7	2 1 2	3 2 2	S.4. W.1. Y.1. Z(1).1. S.2. B.1.	
Tipperary, S.R.	Carriek-on-Suir ... Cashel ... Clonmel ... Tipperary ...	• • • •	• • • •	• • • •	1 3 31 18	1 1 5 18	4 1 3 1	B.2. Y.1. H.1. W.9. B.1. U.1. W.1.	
Waterford	Dungarvan ...	•	•	•	1	•	12	80	D.11. H.1. U.3. V.4.
Westmeath	Athlone ...	•	•	•	•	8	•	•	S.3. U.1.
Wexford	Enniscorthy ... New Ross ...	• •	• •	• •	5 1	1	2	B.1. D.1. H.2. R.1. S.2. U.2. W.4.	
	Wexford ...	•	•	•	•	6	10	14	W.1.
Wicklow	Arklow ... Bray ... Wicklow ...	• • •	• • •	• • •	1 20 3	60 9 46	62 9 5	X.2. D.11. H.2. S.55. R.1. U.24. W.19. V.1. H.3. W.38. X.1.	
	TOTAL ...	•	7	28	393	831	455	A.8. B.16. D.110. F.7. H.34. J.1. L.1. N.1. R.3. S.120. T.2. U.79. V.20. W.371. X.7. Y.9. Z(1).7.	

## RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Carlow	Carlow ... Carlow No. 2 ... Idrone ...	• • •	• • •	• • •	27 2	4 11	62 11	C.1. F.1. H.1. S.2. V.1. W.3. Y.2.
Cavan	Ballyboro' ... Bawnboy ... Beltsbret ... Castlerahan ... Cavan ... Cootehill ... Enniskillen No. 2 ... Mullaghboran ...	• • • • • • • •	• 1 • • 3 • 2 •	• • • • • • • •	3 7 7 27 7 1	13 3 3 47 7 15	69 11 11 47 1 15	A.1. B.1. S.6. S.4.
Clare	Ballyvaughan ... Corrofin ... Ennis ... Ennistymon ... Kildysert ... Kilrush ... Meelick ... Scarriff ... Tulla ...	• • • • • • • • •	• 1 • • • • • • •	• 16 2 2 1 2 2 1	1 2 3 27 7 1	4 1 4 1 1 1	4 1 1 1 1 1	H.2. W.3. Y.2. A.1. A.2. D.1. W.1.
Cork	Bandon ... Bantry ... Castletown ... Clonakilty ... Cork ... Dunmanway ... Fermoy ... Kanturk ... Kinsale ...	• • • • • • • • •	• • 1 • 2 • • • •	• • • • 17 • • • •	3 3 9 4 14 2 2 6 16	1 3 9 4 178 2 2 6 7	3 1 4 1 178 1 1 2 7	D.8. F.1. N.1. B.1. W.1. D.1. S.4. B.1. S.1. B.3. D.48. H.7. N.1. S.8. W.7. Z(3).1. D.1. Z(3).1. S.7. A.1. B.2. H.1. W.3. D.1. S.4.

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

## RURAL DISTRICTS—contd.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Donegal	Macroom	...	...	...	4	3	...	D.1. H.1. Z(3).2.
	Mallow	...	...	1	1	4	4	A.1. S.1.
	Midleton	...	...	...	22	1	4	D.5. H.1.
	Millstreet	...	...	...	...	...	...	
	Mitchelstown No. 1	...	...	...	...	...	...	
	Rathluirc	...	...	...	...	...	...	D.1.
	Skibbereen	...	1	...	...	6	...	Z(3).1.
	Schull	...	...	...	...	...	...	H.2.
	Youghal No. 1	...	...	...	1	...	5	
	Ballyshannon	...	...	...	7	...	...	
Dublin	Donegal	...	...	...	29	...	...	A.1.
	Dunfanaghy	...	...	...	48	4	2	D.5. S.5. Y.1.
	Glenties	...	...	...	36	4	58	A.1. D.1. H.7. S.6.
	Inishowen	...	...	2	12	6	14	H.2. T.1. S.23. W.1.
	Letterkenny	...	...	1	85	...	3	H.1. V.5. W.3.
	Milford	...	1	3	55	...	...	A.2. B.2. Z(3).2.
	Stranorlar	...	1	1	103	...	94	A.1. B.1. S.23. V.2 W.19.
	Balrothery	...	...	...	39	150	41	A.3. D.3. H.1. S.3. T.2. W.35.
Galway	Cill Droichead No. 2	...	...	...	7	14	15	Z(1).1. L.1. W.19. X.1. Y.1.
	Dublin Nth.	...	...	...	23	104	33	A.1. B.2. D.20. H.1. N.1. S.1.
	Dublin Sth.	...	...	3	65	229	160	B.2. D.103. H.10. N.11. S.6. V.9.
	Rathdown No. 1	...	...	1	49	72	27	V.4. W.103.
	Ballinasloe	...	...	1	4	...	...	A.5. D.6. F.1. H.2. L.1. N.1.
	Clifden	...	...	1	4	...	38	S.5. W.57. X.1. Y.3.
	Galway	...	2	1	...	...	19	H.1. W.1.
	Glenamaddy	...	...	...	18	1	...	A.1. D.5. H.2. V.4. W.1.
	Gort	...	...	...	5	...	5	A.1. H.1. T.1.
	Loughrea	...	...	...	2	6	8	D.1. H.1.
Kerry	Mountbellew	...	1	...	2	...	...	B.1. D.1. H.1.
	Oughterard	...	...	1	1	9	5	D.3. H.2. T.1. W.2.
	Portumna	...	...	...	...	53	2	D.2.
	Tuam	...	...	...	6	1	1	B.1. D.7.
	Cahirciveen	...	...	...	...	2	8	H.1. V.2. W.8.
	Dingle	...	...	...	...	...	...	D.2. S.14. W.5.
Kildare	Kenmare	...	...	...	...	12	...	A.1. S.1.
	Killarney	...	...	...	1	3	5	B.1. D.2. H.4. S.27. V.3. W.1.
	Listowel	...	...	...	13	4	13	A.1. L.1. R.1. S.72. Z(3).1.
	Tralee	...	4	...	...	...	...	B.1. R.1. S.2.
Kilkenny	Athy No. 1	...	...	...	1	...	6	W.2.
	Cill Droichead No. 1	...	...	...	5	3	1	W.1.
	Edenderry No. 2	...	...	...	2	13	5	S.2.
	Nás Na Rioch No. 1	...	...	...	2	10	5	D.1. H.2. W.1.
	Callan	...	1	...	2	...	...	A.1. S.1. W.2.
Laois	Carrick-on-Suir No. 3	...	...	...	7	67	...	A.1.
	Castlecomer	...	...	...	1	...	...	W.2.
	Ida	...	...	...	9	4	9	W.2.
	Kilkenny	...	...	...	7	1	3	W.2.
	Thomastown	...	1	1	24	50	2	S.4.
	Urringford No. 1	...	...	...	...	...	5	J.1.
Leitrim	Waterford No. 2	...	...	...	...	...	...	
	Abbeyleix	...	...	...	2	4	8	
	Athy No. 2	...	...	...	1	30	4	B.1. S.22. W.6. Y.69.
	Mountmellick	...	...	...	...	...	1	
	Roscrea No. 3	...	1	...	3	...	...	
Limerick	Slievemargy	...	...	...	...	...	...	
	Ballinamore	...	...	...	...	...	...	
	Carrick-on-Shannon No. 1	...	...	...	1	1	...	
	Kinlough	...	...	...	2	...	...	
	Manorhamilton	...	...	...	10	...	25	W.1. W.1.
Longford	Mohill	...	...	...	1	59	...	
	Croom	...	...	...	4	10	3	D.2. H.1. L.1. S.7.
	Glin	...	...	...	...	...	4	D.1. H.1. S.24.
	Kilmallock	...	...	...	4	79	6	D.2. H.1. S.5.
	Limerick No. 1	...	...	1	...	...	2	D.1.
	Mitchelstown No. 2	...	...	...	1	...	9	B.1. H.1. S.1.
	Newcastle	...	...	1	1	19	3	D.5. H.1. L.1. S.34. Z(3).1.
Tipperary	Rathkeale	...	...	...	3	...	...	D.2. H.1. S.5.
	Tipperary No. 2	...	...	...	4	11	9	S.1.
	Ballymahon	...	...	...	4	...	...	W.8.
Longford	Granard No. 1	...	...	1	...	90	5	D.5. H.1. S.5. T.1. W.4.
	Longford	...	...	1	...	9	2	D.12. S.7. W.9.

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

RURAL DISTRICTS—contd.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Louth	Ardee No. 1	..	..	..	..	..	3	B.1. N.1. S.2.
	Dundalk	..	..	..	4	9	7	N.D.3.
	Louth	..	..	..	6	17	6	
Mayo	Ballina	..	..	..	2	..	..	B.1. V.3. W.2.
	Ballinrobe	..	..	..	..	..	..	A.1.
	Belmullet	..	..	2	..	..	..	X.1.
	Castlebar	..	..	..	1	..	..	D.2. S.2. W.2.
	Claremorris	..	..	..	3	11	2	
	Swinford	..	..	..	8	21	5	B.2. C.1. H.1. S.12.
Meath	Westport	..	..	1	..	28	3	B.1. X.1.
	An Uaimh	..	..	2	1	14	7	D.2. H.1. W.2.
	Ardee No. 2	..	..	..	1	1	1	D.1. H.2. N.1.
	Ceanannus Mór	..	..	..	..	4	18	D.3. W.4. X.1.
	Dunshaughlin	..	..	..	7	34	5	H.3. R.1.
	Meath	..	..	..	2	3	4	D.1. W.2.
	Oldcastle	..	..	..	1	12	6	S.1.
Monaghan	Trim	..	..	1	..	7	125	W.2.
	Carrickmacross	..	..	..	1	1	..	A.2. D.1. T.1. S.35.
	Castleblayney	..	..	..	..	7	3	S.1. W.1.
	Clones No. 1	..	..	2	..	..	6	H.1. S.14.
Offaly	Monaghan	..	..	..	..	..	..	A.1. S.1. Z(3).3.
	Birr	..	..	..	..	2	10	B.1. D.4. F.2. H.1. V.4. W.5.
	Edenderry No. 1	..	..	..	..	1	127	D.1. H.1. L.1. N.1. S.7. W.1. Y.1.
Roscommon	Roscrea No. 2	..	..	..	1	4	..	N.1.
	Tullamore	..	..	1	..	7	36	D.3. H.2. L.1. N.1. S.7. W.7.
	Athlone No. 2	..	..	1	..	2	2	B.1. D.1. H.1. S.8.
Sligo	Boyle No. 1	..	..	2	2	23	40	F.1. S.2.
	Carrick-on-Shannon	..	..	..	..	11	14	S.1. W.1.
	No. 2	..	..	..	..	9	1	H.1. S.3. W.1. Z(2).1.
	Castlerea	..	..	..	..	89	6	A.1. D.2. H.3. S.12. W.4. Y.1.
Tipperary N.R.	Roscommon	..	..	..	1	..	..	
	Coolavin	..	..	..	..	1	2	B.1. S.10.
	Dromore West	..	..	..	..	..	1	A.1.
	Sligo	..	..	1	..	4	27	S.3. W.3.
Tipperary S.R.	Tubbercurry	..	..	..	..	..	19	T.1.
	Borrisokane	..	..	..	..	3	7	B.1. S.1. W.5. X.1.
	Nenagh	..	..	..	..	15	10	B.1. H.2. S.8. V.2. W.5. Y.4. Z(3).1.
	Roscrea No. 1	..	..	..	1	2	11	D.1. R.1. S.3.
Waterford	Thurles	..	..	..	..	2	83	C.1. S.4.
	Carrick-on-Suir No. 1	..	..	..	..	1	..	Y.1.
	Cashel	..	..	..	..	..	21	B.1. H.4. W.4.
	Clogheen	..	..	..	..	1	2	A.1. W.1.
	Clonmel No. 1	..	..	..	..	..	..	W.3.
Westmeath	Slievardagh	..	..	..	..	3	136	D.9. H.1. X.4. Y.7.
	Tipperary No. 1	..	..	2	..	9	19	A.1. D.1.
	Carrick-on-Suir No. 2	..	..	..	..	2	1	H.1. S.2.
	Clonmel No. 2	..	..	..	..	..	4	S.1. W.1.
	Dungarvan	..	..	..	..	..	52	S.1. V.1.
Wexford	Kilmacthomas	..	..	..	..	..	17	D.3. H.2. S.5. V.15. W.21. X.2.
	Lismore	..	..	..	..	4	..	
	Waterford No. 1	..	..	..	..	18	6	S.2. W.1.
	Youghal No. 2	..	..	..	..	..	1	D.4.
	..	..	..	..	..	..	17	S.4. W.1.
Wicklow	Athlone No. 1	..	..	..	..	..	3	H.1.
	Ballymore	..	..	..	..	..	..	
	Coole	..	..	..	..	1	..	H.1.
	Delvin	..	..	..	..	..	91	B.1.
	Mullingar	..	..	..	4	12	125	A.1. B.1. D.1. F.1. H.2. R.1. S.10.
Wexford	Enniscorthy	..	..	1	..	37	7	A.2.
	Gorey	..	..	..	..	8	250	D.1. H.1. S.3.
	New Ross	..	..	..	1	..	4	A.1. H.1.
	Wexford	..	..	..	..	3	36	A.2. C.1. W.1.
	Baltinglass	..	..	..	..	5	1	F.1. S.4.
	Rathdown No. 2	..	..	..	..	2	37	D.1. W.1.
	Rathdrum	..	..	..	3	16	64	D.1. H.4. V.1. W.56.
	Shillelagh	..	..	..	..	..	28	C.1. X.1.
	TOTAL	...	..	39	34	1,304	2,841	1,726
								A.40. B.35. C.5. D.310. F.8. H.106. J.1. L.7. N.20. R.8. S.537. T.10. V.71. W.755. X.22. Y.96. Z(1).6. Z(2).1. Z(3).13.

TABLE 27 (contd.).—SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1951.

## SUMMARY 1951.

	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES	
COUNTY BOROUGHS ...	.	.	15	748	2,669	1,801	A.15. B.37. C.3. D.1,105. G.7. H.149. J.11. L.2. N.21. R.2. S.83. T.3. U.424. V.57. W.4,036. X.35. Y.58. Z(1).66. Z(2).11.	
URBAN DISTRICTS ...	.	.	7	28	393	831	455	A.8. B.16. D.110. F.7. H.34. J.1. L.1. N.1. E.3. S.129. T.2. U.79. V.20. W.371. X.7. Y.9. Z(1).7.
RURAL DISTRICTS ...	.	.	39	34	1,304	2,841	1,726	A.40. B.35. C.5. D.310. F.8. H.106. J.1. L.7. N.20. R.8. S.537. T.10. V.71. W.755. X.22. Y.96. Z(1).6. Z(2).1. Z(3).13.
TOTAL ... ...	.	.	46	77	2,445	6,341	3,982	A.63. B.88. C.8. D.1,525. F.15. G.7. H.289. J.13. L.10. N.42. R.13. S.749. T.15. U.508. V.148. W.5,162. X.64. Y.163. Z(1).79. Z(2).12. Z(3).13.

The returns of Streptococcal Sore Throat represent the cases notified to the Department before 1st December, 1951. Since that date the disease is not a notifiable disease.