

Note:

Due to the nature of the scanning technology, no guarantee can be made regarding specific letter and number translations.



John H. O'Connell
T. Deane

AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1955

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,
or through any bookseller.



AN ROINN SLÁINTE

TUARASCÁIL

AR

STADREAMH BEATHA

REPORT

ON

VITAL STATISTICS

1955

COMPILED BY THE CENTRAL STATISTICS OFFICE
PUBLISHED BY THE STATIONERY OFFICE

To be purchased from the
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,
or through any Bookseller.

1958

Price: Six Shillings

CONTENTS

PART I - TEXT

	Page
GENERAL SUMMARY	vi
MARRIAGES	
Number and rate	viii
Mode of celebration	viii
Rates by counties and provinces	ix
Age at marriage	ix
BIRTHS	
Number and rate	x
Rates by counties and provinces	xi
Gross and net reproduction rates	xii
Age at maternity, parity, duration of marriage	xii
Multiple births	xv
DEATHS	
Number and rate	xv
Rates by counties and provinces	xvii
Cause of death	xix
Tuberculosis	xxi
Cancer	xxiv
Diseases of the circulatory system	xxix
Respiratory diseases	xxix
Pregnancy, childbirth and the puerperium	xxx
Infant mortality	xxx
Accidents, poisoning and violence	xxxiii
Uncertified deaths	xxxiii
Inquests and post-mortems	xxxv
DIAGRAM 1 - Birth, marriage and death rates (per 1,000 population) 1938 to 1955	vii
" 2 - Distribution of total births according to age at maternity in Ireland in 1955 and in England and Wales in 1954	xiv
" 3 - Distribution of legitimate first births according to age at maternity in Ireland in 1955 and distribution of legitimate first maternities according to age at maternity in England and Wales in 1954	xiv
" 4 - Standardised death rates (per 1,000 population) from all causes, 1955	xviii
" 5 - Death rate (per 1,000 population) from tuberculosis and cancer, 1938-1955	xxii
" 6 - Infant and neo-natal mortality (per 1,000 live births), 1938-1955	xxii

PART II - TABLES

Contents	Area	Title	Page
Population	State	Table 1 Estimated population of Ireland, exclusive of the Six Counties, at the middle of each year 1851 to 1955	2
Population by age	State	Table 2 Total population of Ireland, exclusive of the Six Counties, by sex and age in 1951	3
Population	Counties	Table 3 Population by sex in each county and county borough in 1951	4
Marriages, births, deaths, 1864-1955	State	Table 4 Marriages, births and deaths registered and natural increase (excess of births over deaths) 1864-1955	5
Marriage, birth, death rates, 1864-1955	State	Table 5 Marriage, birth, death and infant mortality rates and rate of natural increase, 1864-1955	6
Marriages, births, deaths, 1941-1955	State	Table 6 Marriages, births and deaths registered during each of the years 1941-1955 with the average annual rates for the ten years 1941-1950 and the rates for each year from 1951 to 1955 per 1,000 of the population	7
Deaths by principal causes, 1955 with rates	State and Six Counties	Table 7 Deaths from principal causes in Ireland and the Six Counties, 1955 with rates per 100,000 population	8
Deaths by age, 1864-1955	State	Table 8 Average annual number of deaths of males and females, classified by age, registered during the years 1864-1950 and in each year 1951 to 1955	10
Death rates by age, 1864-1955	State	Table 9 Average annual number of deaths of males and females, classified by age per 1,000 corresponding population 1864-1950 and in each year 1951 to 1955	11
Births, deaths, infant mortality and illegitimate births, showing county transfers, 1955	Counties	Table 10 Births and deaths registered in each county and county borough in 1955 and the numbers relating to the resident population of each area, with corresponding particulars for illegitimate births and deaths of infants under 1 year of age	12
Marriages, births and deaths, by sex, 1955	Counties	Table 11 Marriages, births and deaths classified by sex, registered during 1955 showing illegitimate births and deaths from some principal causes separately in each county and county borough	14
Marriage, birth and death rates, 1955	Counties	Table 12 Marriage, birth and death rates and the proportions of illegitimate births in 1955 in each county and county borough and the death rates for some of the principal diseases	15
Marriages, 1955	Counties	Table 13 Marriages registered in each county and county borough during 1955	16
Births and deaths, 1955	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 14 Births and deaths classified by sex registered in 1955 for the principal towns and aggregate urban and rural districts showing separately illegitimate births, and the deaths from tuberculosis and malignant neoplasms	18
Birth and death rates, 1955	Principal Towns, Agg. U.D.'s. and Agg. R.D.'s.	Table 15 Birth and death rates in 1955 in the principal towns and in aggregate urban and aggregate rural districts, the proportions of illegitimate births and the death rates from tuberculosis and malignant neoplasms	19
Births and deaths 1955	Urban Districts	Table 16 Births and deaths registered in 1955 for each urban district, classified by sex	20
Deaths by age, 1955	Agg. Urban and Agg. Rural	Table 17 Deaths registered in 1955 at each year of age in the aggregate Urban Districts and in the aggregate rural districts	21
Deaths by age, 1955	Counties	Table 18 Deaths classified by sex and age registered during 1955 for each county and county borough	24
Deaths by cause and age, 1955	State	Table 19 Deaths in 1955, classified by cause (International detailed list, 6th Revision 1948) and by sex and age	28
Deaths in Hospitals, 1955	Counties	Table 20 Deaths of residents of each province, county and county borough registered in 1955 classified by place of occurrence	62

Contents	Area	Title	Page
Deaths by cause and un-certified deaths, 1955	Counties	Table 21 Deaths of residents of each county and county borough in 1955 classified by cause, and showing the numbers which were not medically certified	64
Deaths by cause, sex and age 1955	Dublin C.B. Other U.D's. and Agg. R.D's.	Table 22 Deaths registered in 1955, classified by cause (International abbreviated list) sex and age for Dublin County Borough, remaining urban districts and aggregate rural districts	84
Deaths not medically certified, by age, 1955	Counties	Table 23 Deaths of residents of each county and county borough registered in 1955 which were not medically certified classified by age	90
Deaths by age, sex and principal causes, 1955	Counties	Table 24 Deaths in 1955 classified by principal groups of causes, sex and age, for each county and county borough	91
Infant mortality, 1955	State	Table 25 Infant mortality - Total deaths under one year of age in 1955, classified by sex, age and cause (International detailed list)	110
Infant mortality, 1955	Principal Towns, U.D's. and R.D's.	Table 26 Infant mortality - Deaths at ages under 4 weeks, 4 weeks and under 1 year in 1955, classified by sex and cause, for the principal towns, other urban districts and rural districts	114
Infant mortality, 1955 (illegitimate infants)	State	Table 27 Infant mortality - Deaths of illegitimate children in 1955 under one year of age, classified by sex, age and cause	115
Infant mortality, 1955	Counties	Table 28 Infant mortality - Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1955, classified by sex and cause for each county and county borough	116
Deaths, by conjugal condition, 1955	State	Table 29 Deaths registered in 1955 classified by conjugal condition and sex in certain age groups	122
Deaths, by quarter of Registration, 1955	Counties	Table 30 Deaths registered in 1955 in respect of the resident population of each county and county borough, showing the number registered each quarter	123
Births, by quarter of registration, 1955	Counties	Table 31 Births registered in 1955 in respect of the resident population of each county and county borough showing the numbers registered each quarter	124
Births, by age of mother, 1955	State	Table 32 Births registered in 1955 classified by age of mother at maternity and sex and showing the number of illegitimate births	125
Births, by age of mother by county, 1955	Counties	Table 33 Births registered in 1955, classified by age of mother at maternity and county of normal residence	126
Births, by age of mother and previous children 1955	State	Table 34 Total births registered in 1955 classified by age of mother at maternity and number of previous liveborn children	134
Legitimate births, by age at maternity and duration of marriage, 1955	State	Table 35 Legitimate births registered in 1955 classified by age of mother at maternity and duration of marriage	136
Legitimate first births, 1955	State	Table 36 Legitimate first births registered in 1955 classified by age of mother at maternity and duration of marriage	138
Legitimate first births, duration of marriage under two years, 1955	State	Table 37 Legitimate births registered in 1955 classified by age of mother at maternity and duration of marriage for duration under two years	139
Births, hospital and domiciliary, 1955	Counties	Table 38 Births registered in 1955 in each County and county borough showing place of occurrence and area of normal residence	140
Notifications of infectious diseases, 1955	State	Table 39 Summary of causes of infectious diseases notified to the Department of Health during the year 1955	142

REPORT ON VITAL STATISTICS FOR THE YEAR 1955

This Report has been prepared by the Central Statistics Office for the Minister for Health in accordance with the provisions of Section 2 of the Vital Statistics and Births, Deaths and Marriages Registration Act, 1952. It follows closely the form of the Reports of the Ard-Chláraitheoir for earlier years.

The statistics in this Report relate to the area in Ireland exclusive of the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents, and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1955 is exclusive of late registrations, and the number of deaths for each of the years 1940 to 1955 is exclusive of non-residents.

The important statistics contained in this Report have already been published, and the Report consists mainly of a breakdown and analysis of these statistics.

GENERAL SUMMARY

Marriages - There were 16,443 marriages registered during the year 1955 compared with 15,831 in 1954. The marriage rate per 1,000 population was 5.7. This rate had been virtually stable at a figure of 5.4 since 1948. The marriage rate is exceptionally low by comparison with other countries.

Births - The number of births registered during 1955 was 61,622 and the birth rate was 21.2 per 1,000 population compared with 21.3 per 1,000 population in 1954. The number of illegitimate births registered in 1955 was 1,234 or 2.0 per cent of all births.

Deaths - The number of deaths registered during 1955 was 36,761 and the death rate was 12.6 per 1,000 population.

Of the deaths registered in 1955, 30.5 per cent were stated to be due to heart diseases, 12.8 per cent to malignant neoplasms, 10.1 per cent to vascular lesions affecting the central nervous system and 2.4 per cent to tuberculosis (all forms).

The number of deaths from tuberculosis of all forms was 889 and the rate was 0.31 per 1,000 population. This is the lowest rate recorded up to 1955. There has been a considerable decline in the death rate from tuberculosis since 1947, when it was 1.24 per 1,000 population.

There were 4,533 deaths from malignant neoplasms and neoplasms of lymphatic and haematopoietic tissues (excluding Hodgkin's disease and leukaemia and aleukaemia). This total is comparable with that for "cancer" in the 1949 and earlier Reports. The rate in 1955 was 1.56 per 1,000 population compared with 1.51 in 1954.

During 1955 the deaths of 2,264 infants under 1 year were registered, equivalent to a rate of 37 per 1,000 live births. This is the lowest rate recorded up to 1955.

The total number of deaths from accidents and other external causes in 1955 was 1,051 of which road vehicle accidents accounted for 273.


Marriage, birth and death rates per 1,000 population for the years 1938 to 1955 are illustrated in Diagram 1.

Issue of Authority for Registration - Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of the Ard-Chláraitheoir. The number of births registered on the authority of the Ard-Chláraitheoir in 1955 was 1,285 and the number of deaths registered was 247. Throughout the tables in this Report these births and deaths have been excluded.

Population - The estimated population at mid-1955 was 2,909,000.

Diagram I.

BIRTH MARRIAGE AND DEATH RATES (PER 1000 POPULATION) 1938-1955



COLLECTION OF STATISTICS

Certain modifications in the system of collecting statistics of births and deaths were introduced in 1955 in accordance with the provisions of the Vital Statistics Regulations, 1954 (S.I. No. 280 of 1954). At the time of registration of a birth or death the informant is required to complete a form containing the information required for registration and in addition certain particulars to be used for statistical purposes only. Copies of these forms are contained in an Appendix to this Report. From the form, the Registrar makes the necessary entries in the Register, and the form is subsequently forwarded to the Central Statistics Office for use in the compilation of statistics.

MARRIAGES

There were 16,443 marriages registered in 1955, an increase of 612 on the previous year, and the highest number of marriages registered in a single year since 1946. The marriage rate, at 5.7 per 1,000 population in 1955, compared with a rate of 5.4 in each of the years 1948 to 1954. Tables 4 and 5 of this Report show the average numbers of marriages registered and marriage rates for ten year periods since 1864 and by single years since 1941, while Table 6 shows marriages classified by quarter of registration and religious denomination for each year since 1943. The following table compares the marriage rates in Ireland in the years 1951 to 1955 with those in the Six Counties, England and Wales and Scotland:

TABLE I

NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1955.

Years	Ireland*	Six Counties	England and Wales	Scotland
1951	5.4	6.8	8.2	8.1
1952	5.4	6.8	8.0	8.0
1953	5.4	6.8	7.8	8.0
1954	5.4	6.6	7.7	8.2
1955	5.7	6.8	8.1	8.4

* Excluding Six Counties

In each case the marriage rate showed an increase between 1954 and 1955. The marriage rate in this country is lower than that in the Six Counties which is, in turn, low by comparison with the rates for England and Wales and Scotland.

Mode of Celebration

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church registered in 1955 amounted to 15,594 (equal to 94.8 per cent of the total) and other marriages numbered 849. In the year 1955 the number of marriages other than Catholic recorded included 605 according to the rites and ceremonies of the Protestant Episcopalian Church, 107 in Presbyterian Meeting Houses, 42 in registered buildings belonging to various other religious denominations, 67 by civil contract in the Registrars' Offices, 3 according to the usage of the Society of Friends and 25 according to Jewish rites.

The most recent Census of Population at which particulars of religious denomination were asked was that of 1946. At that time Catholics represented 94.3 per cent of the population, Protestant Episcopalians 4.2 per cent,

Presbyterians 0.8 per cent, Methodists 0.3 per cent and other denominations 0.4 per cent.

The number of Catholic marriages recorded during 1955 corresponds to a rate of 5.68 per 1,000 of the estimated Catholic population, this being 0.26 above the rate for the preceding year. The rate for all other marriages in 1955 was 5.12 per 1,000 of all persons other than Catholics in the population, an increase of 0.17 on the corresponding rate for 1954. Details of marriages registered in each of the years 1951 to 1955 are given in Table II.

TABLE II

MARRIAGES REGISTERED IN YEARS 1951-1955 ACCORDING TO THE MODES OF CELEBRATION, AND THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES

Years	Marriages registered, other than Catholic							Catholic marriages	Total marriages registered	Rate per 1,000 of estimated corresponding population		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In Registrars' Offices	Society of Friends	Jews	Total			Catholic marriages	All Other marriages	Total marriages
1951	570	131	50	63	2	6	822	15,195	16,017	5.44	4.85	5.41
1952	582	147	32	98	2	30	891	14,985	15,876	5.39	5.30	5.38
1953	534	121	46	54	-	15	770	15,118	15,888	5.44	4.58	5.39
1954	582	121	41	64	2	21	831	15,000	15,831	5.42	4.95	5.40
1955	605	107	42	67	3	25	849	15,594	16,443	5.68	5.12	5.65

Marriage rates by counties and provinces

Marriage rates in the counties, county boroughs and provinces are shown in Table 13. In making comparisons between different areas it must be remembered that the rates are based on the total number of marriages registered in each area, irrespective of the fact that the persons married may not be residents of the areas in which the marriages took place. An examination of the returns of marriages shows that many persons living in the rural portions of the country are married in the county boroughs or other urban areas. This fact accounts in some measure for the high rates in the county boroughs which were in 1955 Limerick County Borough 9.71 per 1,000 population, Dublin County Borough 9.52, Cork County Borough 8.79 and Waterford County Borough 6.59. The lowest rates were recorded in the counties of Limerick (3.25 per 1,000 population, Mayo (3.61), Laoighis (3.80), Leitrim (3.83) and Kerry (3.90).

Age at marriage

In the period covered by these statistics the law did not require that the ages of the contracting parties should be entered in the marriage register or certificate. It was necessary only that each party should be described as of full age or minor, as the case might be. Thus a record of the ages of persons marrying is not available.

Particulars of marriages of minors (i.e. persons under 21 years of age) for the years 1951 to 1955 are given in Table III.

TABLE III

MARRIAGES OF MINORS, 1951-1955

Year	Number of marriages of minors		Marriages of minors per 100 marriages		Marriages of female minors per 100 marriages of male minors
	Males	Females	Males	Females	
1951	292	1,368	1.82	8.54	468
1952	291	1,348	1.83	8.49	463
1953	289	1,276	1.82	8.03	442
1954	294	1,277	1.86	8.07	434
1955	321	1,477	1.95	8.98	460

x
BIRTHS

The new system for the collection of statistics of births referred to earlier has made available in 1955, for the first time, a considerable volume of information dealing with such matters as age of mother at maternity, parity of birth and duration of marriage. These statistics are presented in Tables 32 to 38.

The number of births registered during the year 1955 was 61,622, the males numbering 31,483 and the females 30,139. Births registered in 1954 numbered 62,534 and in 1953, 62,558. The birth rate in 1955 was 21.2 per thousand population, compared with 21.3 in 1954 and 21.2 in 1953.

Table IV compares the birth rates in Ireland in the years 1951 to 1955 with those in the Six Counties, England and Wales and Scotland.

TABLE IV
NUMBERS OF BIRTHS IN IRELAND* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-1955

Year	Numbers of Births (in thousands) Ireland*	Birth rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1951	62.9	21.2	20.7	15.5	17.7
1952	64.6	21.9	20.9	15.3	17.7
1953	62.6	21.2	20.9	15.5	17.8
1954	62.5	21.3	20.8	15.2	18.0
1955	61.6	21.2	20.8	15.0	18.0

* Exclusive of the Six Counties.

In each of the years shown the birth rate in this country was slightly higher than that in the Six Counties and was considerably above the rates for England and Wales and Scotland.

The crude birth rates (i.e. number of births per 1,000 total population) for the counties and county boroughs in 1955 are shown in Table V. They range from 16.2 in Co. Leitrim to 25.2 in Limerick County Borough. In general the crude birth rate is higher in the county boroughs and in the more urbanised counties of Leinster and Munster than it is in the counties of the west and north west. The value of comparisons between counties in respect of the crude birth rate is, however, much reduced by the fact that the proportion of women at the reproductive ages in the population varies considerably between the different areas. To obtain more valid comparisons, Table V also shows (a) total births to mothers aged 15 to 44 years per 1,000 women at these ages and (b) legitimate births per 1,000 married women aged 15 to 44 years (both crude and standardised rates). Standardisation eliminates the effect of variation in the fertility rates on account of the different age distributions of the married women in the local areas. It will be seen that the standardised fertility rates give a very different picture of the fertility of women in the different areas to that which would be derived from the crude birth rate alone. The standardised number of births per 1,000 married women aged 15 to 44 years is highest in Tipperary North Riding, Galway, Laoighis, Westmeath and Kerry, and lowest in Dublin County, and Dun Laoghaire, Wicklow, Wexford and Cork County Borough.

TABLE V

NUMBER OF BIRTHS PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15-44 AND NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES 15-44, IN EACH COUNTY AND COUNTY BOROUGH, 1955

County, County Borough, or Province	Total births per 1,000 population (a)	Total births per 1,000 women aged 15-44 (b)	Legitimate births per 1,000 married women aged 15-44 years	
			Crude (c)	Standardised (d)
Carlow	22.7	125	265	258
Dublin County Borough	23.0	93	244	238
Dun Laoghaire Borough	20.2	80	210	214
Dublin County (Remainder)	20.2	115	227	211
Kildare	24.7	136	256	241
Kilkenny	20.4	115	253	253
Laoighis	21.5	123	273	272
Longford	20.5	116	253	254
Louth	23.1	111	249	241
Meath	22.3	122	260	256
Offaly	21.8	123	262	251
Westmeath	23.8	131	282	271
Wexford	20.1	109	228	227
Wicklow	21.3	106	223	217
LEINSTER	22.7	105	245	238
Clare	17.8	105	230	237
Cork County Borough	21.3	90	232	229
Cork County	19.8	102	235	247
Kerry	19.6	109	247	265
Limerick County Borough	25.2	108	249	238
Limerick County	20.6	116	243	250
Tipperary N.R.	23.1	123	275	279
Tipperary S.R.	21.7	120	256	252
Waterford County Borough	21.8	98	241	232
Waterford County	19.4	108	231	230
MUNSTER	20.5	107	242	248
Galway	21.0	117	271	278
Leitrim	16.2	99	219	230
Mayo	19.6	111	253	263
Roscommon	17.1	100	230	239
Sligo	18.9	104	236	241
CONNACHT	19.4	110	251	259
Cavan	19.4	115	259	263
Donegal	17.6	96	217	221
Monaghan	19.3	103	247	252
ULSTER (part of)	18.4	103	234	238
TOTAL	21.2	106	244	244

(a) Total births per 1,000 of total population (estimated).

(b) Total births to mothers aged 15 to 44 years, per 1,000 women in this age group (estimated).

(c) Legitimate births to mothers aged 15 to 44 years per 1,000 married women in this age group (estimated).

(d) The direct method of standardisation was used. The number of legitimate births per 1,000 married women in each five-year age group in each county (estimated) was first of all calculated. By applying these rates for each county to the total number of married women in each five-year age group, an estimate was obtained of the number of births to be expected in the whole country if the rates for the particular county applied. Dividing this expected number of births by the total number of married women aged 15 to 54 years in the country gives the county standardised fertility rate.

Gross and net reproduction rates

Among the most widely used measures of fertility and reproduction are the gross and net reproduction rates, from which may be obtained an indication of the extent to which the population is reproducing itself. The Gross Reproduction Rate for a particular year represents the average number of female babies which would be born to women passing through the reproductive ages, assuming that they experienced the fertility rates prevailing in the year under investigation. In calculating this rate no account is taken of the mortality of infants before they themselves reach child-bearing ages. When allowance for this loss through mortality is made the Net Reproduction Rate is obtained. For the year 1955 the gross reproduction rate for the whole country was 1.591 while the net reproduction rate was 1.454. Table VI shows the gross and net reproduction rates for the principal regions of the country.

TABLE VI

GROSS AND NET REPRODUCTION RATES IN EACH PROVINCE IN 1955, SHOWING SEPARATELY DUBLIN COUNTY AND COUNTY BOROUGH

Area	Gross reproduction rate	Net reproduction rate
Dublin County and County Borough	1.444	1.321
Remainder of Leinster	1.747	1.597
Munster	1.590	1.453
Connacht	1.667	1.520
Ulster (part of)	1.517	1.384
Total	1.591	1.454

It will be seen that the lowest gross and net reproduction rates occurred in Dublin County and County Borough while the highest rates occurred in the remainder of Leinster.

The value of gross and net reproduction rates as measures of population replacement has been questioned for a number of reasons. In particular the calculations by which these rates are derived contain the assumptions that the proportions of women in the various age groups, and the proportions married will remain unchanged. Thus the gross and net reproduction rates are in rather a similar position to the crude birth and death rates, being dependent on a number of variable factors.

Classifications by age at maternity, parity and duration of marriage

In Table 34 is shown the total number of births registered in 1955, classified by age of mother at maternity and number of previous live-born children. The number of births in the case of which the mother's age was not stated was 1,676, or 2.7 per cent of the total, while the number where the parity was not stated was 1,202 or 2.0 per cent of the total. In view of the fact that 1955 was the first year in which this information was sought, the relatively low proportion of cases "not stated" is reasonably satisfactory.

Of the 60,420 births in the case of which the number of previous children was stated, 12,707 or 21 per cent were first births. The percentage distributions of births according to number of previous live-born children in Ireland, England and Wales and Scotland are compared in Table VII.

TABLE VII

PERCENTAGE DISTRIBUTION OF BIRTHS ACCORDING TO NUMBER OF PREVIOUS LIVEBORN CHILDREN IN IRELAND, (EXCLUSIVE OF THE SIX COUNTIES) ENGLAND AND WALES AND SCOTLAND

Number and previous liveborn children	Ireland (1955)	England and Wales* (1954)	Scotland (1955)
	%	%	%
0	21.0	39.4	36.3
1	18.9	29.9	27.8
2	15.9	15.5	16.4
3	12.9	7.5	8.7
4	9.8	3.6	4.8
5 to 9	19.0	3.9	5.7
10 to 14	2.3	0.2	0.4
15 and over	0.2	0.0	0.0
Total	100.-	100.-	100.-

* Figures relate to maternities to women married only once.

The percentage of women with large families was considerably higher in Ireland than in England and Wales or Scotland. Thus in Ireland 19.0 per cent of the mothers had 5 to 9 previous children, the corresponding percentages being only 3.9 in England and Wales and 5.7 in Scotland.

The percentage distribution of total births registered in 1955 according to age of mother at maternity is shown in Diagram 2. For purposes of comparison this diagram also shows the distribution according to age of mother at maternity for all live births in England and Wales in 1954. It will be seen that the two age distributions are very different, women at the older ages representing a much larger proportion of the total in Ireland than in England and Wales. This difference in age distribution may be attributed to two factors, namely (a) the later average age at marriage in Ireland and (b) the larger average size of family in Ireland indicating that, in general, women continue bearing children for a longer time after marriage than in England and Wales. In Diagram 3 the effect of this second factor is eliminated: the age distributions in Ireland and England and Wales are compared in respect of legitimate first births or legitimate first maternities only. The difference in age distributions between Ireland and England and Wales remains very pronounced.

In Table 35 legitimate births are classified by age of mother at maternity and duration of marriage, while in Table 36 a similar classification is done in respect of legitimate first births. The results contained in Table 36 are summarised in Table VIII.

TABLE VIII

LEGITIMATE FIRST BIRTHS REGISTERED IN 1955 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

Age	Duration of marriage								
	Total	Under 1 year	1 and 2 years	3 and 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 years and over	Not stated
Under 20 years	570	445	116	3	-	-	-	-	6
20-24	3,304	1,937	1,248	81	14	-	-	-	24
25-29	4,074	1,930	1,815	195	90	15	-	-	29
30-34	2,442	874	1,145	217	157	38	1	-	10
35-39	1,003	254	475	108	99	41	20	1	5
40-44	222	34	96	26	39	18	7	-	2
45 years and over	9	-	3	2	2	2	-	-	-
Not stated	157	18	29	5	4	2	-	-	99
Total	11,781	5,492	4,927	637	405	116	28	1	175

It will be seen that only about 1 per cent of first births occurred at durations of marriage of over 10 years, and only 10 per cent occurred at durations

DIAGRAM 2

Distribution of total births according to age at maternity in Ireland in 1955, and in England and Wales in 1954.





DIAGRAM 3

Distribution of legitimate first births according to age at maternity in Ireland in 1955 and distribution of legitimate first maternities according to age at maternity in England and Wales in 1954.



of over 3 years. Thirty-five per cent of first births (excluding cases with age not stated) were to mothers in the age group 25-29 years, while 11 per cent were to mothers aged 35 years or over.

A comparison between Ireland, England and Wales and Scotland in respect of legitimate births per 1,000 married women in each age group and illegitimate births per 1,000 single women in each age group is made in Table IX.

TABLE IX

LEGITIMATE LIVE BIRTHS PER 1,000 MARRIED WOMEN AND ILLEGITIMATE LIVE BIRTHS PER 1,000 SINGLE, DIVORCED OR WIDOWED WOMEN, IN EACH AGE GROUP IN IRELAND (1955) ENGLAND AND WALES (1954) AND SCOTLAND (1955)

Age group	Legitimate births per 1,000 married women			Illegitimate births per 1,000 single, widowed and divorced women		
	Ireland(a)	England and Wales	Scotland	Ireland(a)	England and Wales	Scotland
15-19 years	681	411	451	3	4	4
20-24 "	455	251	305	6	14	13
25-29 "	356	170	215	5	21	17
30-34 "	308	96	125	3	21	18
35-39 "	192	50	67	2	14	12
40-44 "	86	15	19	1	4	4
45-49 "	6	1	1	0	0	0
15-49 years	203	86	111	3	9	8

(a) Exclusive of the Six Counties.

In each age group the legitimate fertility rate in Ireland was considerably higher than that in England and Wales or Scotland while the rate for illegitimate births was considerably lower.

Multiple births

The number of infants born alive in multiple births registered in 1955 was 1,857, consisting of 921 pairs of twins and 5 sets of triplets. These births are shown classified by age of mother at maternity, in Table X.

TABLE X

MULTIPLE BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY

Age of Mother at Maternity	Twin births	Triple births
Under 20 years	9	-
20-24	94	-
25-29	213	2
30-34	305	2
35-39	224	1
40-44	60	-
45 and over	3	-
Not stated	13	-
Total	921	5

DEATHS

The number of deaths registered during the year 1955 was 36,761 of which 19,773 were those of males and 16,988 those of females. This is equivalent to a rate of 12.6 deaths per 1,000 total population, compared with 12.1 in the previous year and 11.7 in 1953.

In Table XI are shown the average annual death rates, by age group, for decennial periods since the beginning of this century, and for single years from 1951 to 1955.

TABLE XI

AGE SPECIFIC DEATH RATES (PER 1,000 POPULATION) FOR DECENNIAL PERIODS 1901-1950 AND EACH YEAR FROM 1951-55

Period	Age Groups												Crude rate per 1,000 population
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
1901-10	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79	16.91
1911-20	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00	16.64
1921-30	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72	14.45
1931-40	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56	14.17
1941-50	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26	13.97
1951	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64	14.32
1952	10.25	0.79	0.60	1.07	1.42	2.02	3.46	7.67	17.07	43.11	107.99	224.21	11.90
1953	9.45	0.73	0.50	0.78	1.23	1.82	3.09	7.40	17.13	41.73	100.45	245.25	11.75
1954	9.05	0.58	0.49	0.72	0.99	1.63	3.05	7.34	17.94	43.06	117.74	264.72	12.12
1955	8.60	0.63	0.51	0.64	1.02	1.59	2.74	7.16	18.69	45.42	124.32	307.31	12.63

While the crude death rate per 1,000 population has shown a gradual downward trend since the beginning of the century, striking falls have occurred in the death rates at the younger ages, and the improvement has been greatest in the most recent years. In the age group 65-74 years, little change has occurred in the death rate since the period 1901-1910, while at ages above 75 years the death rate has tended to increase.

Table XII compares the death rates in the years 1951-55 with those in the Six Counties, England and Wales and Scotland. It will be seen that, with the exception of the year 1952, the death rates in this country are the highest in the table during the period.

TABLE XII

DEATH RATES PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-1955

Year	Number of deaths (thousands) Ireland*	Death rate per 1,000 population			
		Ireland*	Six Counties	England and Wales	Scotland
1951	42.4	14.3	12.8	12.5	12.9
1952	35.1	11.9	10.8	11.3	12.0
1953	34.6	11.7	10.7	11.4	11.5
1954	35.5	12.1	10.9	11.3	12.0
1955	36.8	12.6	11.1	11.7	12.0

* Exclusive of the Six Counties.

A difficulty arises when comparisons are made between the death rates in different regions of the country, due to the fact that the age distribution of the population varies considerably from one county to another. Thus, if a particular county contains a large proportion of elderly persons the crude death rate per 1,000 population will be relatively high even if the health conditions in that county are better than the general average. To overcome this difficulty standardised death rates are prepared, as follows:- For each county the death rate in each age group is calculated by dividing the deaths of persons whose normal residence was in that county in each age group by the corresponding population. By multiplying the death rate in each age group by the total population in the whole country in that age group and summing the resulting products an estimate is obtained of the number of deaths to be expected in the whole country, if the rates in the county under investigation are applied generally. This

of over 3 years. Thirty-five per cent of first births (excluding cases with age not stated) were to mothers in the age group 25-29 years, while 11 per cent were to mothers aged 35 years or over.

A comparison between Ireland, England and Wales and Scotland in respect of legitimate births per 1,000 married women in each age group and illegitimate births per 1,000 single women in each age group is made in Table IX.

TABLE IX

LEGITIMATE LIVE BIRTHS PER 1,000 MARRIED WOMEN AND ILLEGITIMATE LIVE BIRTHS PER 1,000 SINGLE, DIVORCED OR WIDOWED WOMEN, IN EACH AGE GROUP IN IRELAND (1955) ENGLAND AND WALES (1954) AND SCOTLAND (1955)

Age group	Legitimate births per 1,000 married women			Illegitimate births per 1,000 single, widowed and divorced women		
	Ireland(a)	England and Wales	Scotland	Ireland(a)	England and Wales	Scotland
15-19 years	681	411	451	3	4	4
20-24 "	455	251	305	6	14	13
25-29 "	356	170	215	5	21	17
30-34 "	308	96	125	3	21	18
35-39 "	192	50	67	2	14	12
40-44 "	86	15	19	1	4	4
45-49 "	6	1	1	0	0	0
15-49 years	203	86	111	3	9	8

(a) Exclusive of the Six Counties.

In each age group the legitimate fertility rate in Ireland was considerably higher than that in England and Wales or Scotland while the rate for illegitimate births was considerably lower.

Multiple births

The number of infants born alive in multiple births registered in 1955 was 1,857, consisting of 921 pairs of twins and 5 sets of triplets. These births are shown classified by age of mother at maternity, in Table X.

TABLE X

MULTIPLE BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY

Age of Mother at Maternity	Twin births	Triple births
Under 20 years	9	-
20-24	94	-
25-29	213	2
30-34	305	2
35-39	224	1
40-44	60	-
45 and over	3	-
Not stated	13	-
Total	921	5

DEATHS

The number of deaths registered during the year 1955 was 36,761 of which 19,773 were those of males and 16,988 those of females. This is equivalent to a rate of 12.6 deaths per 1,000 total population, compared with 12.1 in the previous year and 11.7 in 1953.

"expected number" of deaths is divided by the total population of the country to give the county standardised death rate.






Table XIII shows the crude and standardised death rates for each county and county borough in 1955.


TABLE XIII
CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGH IN 1955

County, County Borough or Province	Deaths per 1,000 population	
	Crude	Standardised
Carlow	12.12	12.47
Dublin County Borough	10.72	13.92
Dun Laoghaire Borough	12.60	13.50
Dublin County (remainder)	8.03	11.92
Kildare County	11.65	14.32
Kilkenny County	14.16	13.70
Laoighis County	14.31	13.29
Longford County	14.54	12.65
Louth County	11.74	12.91
Meath County	12.73	13.27
Offaly County	12.55	12.79
Westmeath County	12.81	12.57
Wexford County	14.10	13.55
Wicklow County	12.80	13.60
Leinster	11.66	13.40
Clare County	13.84	11.57
Cork County Borough	11.62	13.06
Cork County	12.94	11.81
Kerry County	13.52	11.90
Limerick County Borough	10.42	13.24
Limerick County	12.73	12.05
Tipperary N.R.	14.35	13.83
Tipperary S.R.	13.66	13.33
Waterford County Borough	11.61	13.29
Waterford County	13.42	12.16
Munster	12.95	12.29
Galway	12.72	11.83
Leitrim	17.03	13.28
Mayo	13.21	10.36
Roscommon	16.00	12.41
Sligo	15.25	12.57
Connacht	14.02	11.67
Cavan	15.99	13.99
Donegal	13.97	12.01
Monaghan	13.57	12.96
Ulster (part of)	14.41	12.72
Total	12.64	12.64

In certain areas the standardised rates differ appreciably from the crude rates. Leinster, which had the lowest crude death rate among the provinces in 1955, had the highest standardised rate. The standardised death rates in 1955 were lowest in the counties of Mayo, Clare, Cork (excluding the County Borough), Galway and Kerry and highest in Kildare, Cavan, Dublin County Borough,

STANDARDISED DEATH RATES (PER 1,000 POPULATION)
FROM ALL CAUSES 1955.

-  UNDER 12.0
-  12.0 AND UNDER 12.5
-  12.5 AND UNDER 13.0
-  13.0 AND UNDER 13.5
-  13.5 AND OVER



Tipperary North Riding and Kilkenny.

The standardised death rate for each county is illustrated in Diagram 4.

Cause of Death

The tables in this Report showing cause of death are based on the Sixth Revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948, prepared by the World Health Organisation. The Sixth Revision was used for the first time in classifying death by causes in the 1950 Report. From 1940 to 1949 the Fifth Revision was used.

Table XIV shows the average annual numbers of deaths and death rates from some of the principal groups of causes in the periods 1935-37, 1945-47, 1950-52 and 1953-55.

TABLE XIV

NUMBERS OF DEATHS AND DEATH RATES FROM PRINCIPAL CAUSES 1935-37, 1945-47, 1950-52 and 1953-55

	1935-37	1945-47	1950-52	1953-55
	Annual Average			
Tuberculosis of respiratory system	2,851	2,731	1,598	812
Tuberculosis, other forms	778	863	442	215
Diphtheria	339	144	7	7
Other infective and parasitic diseases	929	569	349	243
Cancer	3,601	3,980	4,194	4,430
Vascular lesions affecting central nervous system	2,350	2,810	2,907	3,494
Diseases of the heart	7,509	10,459	10,519	10,499
Other diseases of the circulatory system	907	948	1,620	2,032
Influenza	1,473	575	987	393
Other diseases of the respiratory system	5,253	3,473	2,667	2,380
Senility	6,176	6,229	4,436	3,283
Other diseases	9,924	9,069	7,762	6,865
Accidents and other external causes	982	910	921	976
All Causes	43,072	42,760	38,409	35,629
	Rates per 100,000 population			
Tuberculosis of respiratory system	96.0	92.4	54.0	27.7
Tuberculosis, other forms	26.2	29.2	14.9	7.3
Diphtheria	11.4	4.9	0.2	0.3
Other infective and parasitic diseases	31.3	19.2	11.8	8.3
Cancer	121.3	134.7	141.6	151.2
Vascular lesions affecting central nervous system	79.2	95.1	98.2	119.3
Diseases of the heart	253.0	353.9	355.3	358.4
Other diseases of the circulatory system	30.6	32.1	54.7	69.4
Influenza	49.6	19.5	33.3	13.4
Other diseases of the respiratory system	177.0	117.5	90.1	81.3
Senility	208.0	210.8	149.8	112.1
Other diseases	334.3	306.9	262.4	234.4
Accidents and other external causes	33.1	30.8	31.1	33.3
All Causes	1,451.0	1,447.0	1,297.4	1,216.4

Compared with earlier years, the figures for the period 1953-55 show marked declines in the numbers of deaths from tuberculosis and other infective diseases. On the other hand the number of deaths from cancer and vascular lesions affecting the central nervous system have shown a steady upward trend. The number of deaths due to diseases of the heart were about the same in each of the periods 1945-47, 1950-52 and 1953-55, although considerably higher than in the period 1935-37. Deaths from other diseases of the circulatory system increased substantially in the period since

TABLE XV
PROPORTIONS OF DEATHS FROM PRINCIPAL CAUSES IN CERTAIN AGE GROUPS IN 1955

Abbreviated List No.	Causes of Death	All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
B.1	Tuberculosis of respiratory system	20	1	11	20	141	207	120	58	33	12	2
B.2	Tuberculosis, other forms	4	6	74	43	45	36	16	9	3	1	0
B.8	Diphtheria	0	-	16	26	-	-	-	-	-	-	-
B.9	Whooping cough	1	12	29	-	-	-	-	-	-	-	-
B.14	Measles	0	2	21	7	-	-	-	-	-	-	0
B.18	Malignant neoplasms of:-											
(a)	Digestive organs and peritoneum	64	-	5	10	11	31	71	102	106	95	42
(b)	Respiratory system	15	-	-	-	-	7	27	43	42	15	5
(c)	Other sites including lymphatic system	49	2	53	73	71	84	97	103	78	55	30
B.20	Diabetes mellitus	5	-	11	7	11	3	11	6	7	7	4
B.22	Vascular lesions	101	4	8	23	40	20	54	86	116	131	108
B.25-27	Diseases of the heart	305	1	8	26	54	125	161	252	300	361	361
B.24) B.28-29) B.46a)	Other diseases of the circulatory system	63	-	3	46	42	41	43	40	57	75	74
B.30	Influenza	16	8	13	17	14	7	8	12	11	15	20
B.31	Pneumonia (excluding that of newborn)	27	98	187	40	31	16	19	18	19	20	21
B.32	Bronchitis	30	8	21	7	3	3	18	25	30	37	32
B.33	Ulcer of stomach and duodenum	8	-	-	3	6	8	20	22	12	11	3
B.34	Appendicitis	2	-	26	23	3	7	3	3	2	1	0
B.35	Intestinal obstruction and hernia	5	6	16	10	3	2	5	6	7	6	4
B.38	Nephritis and nephrosis	16	1	11	26	42	34	34	24	21	16	12
B.39	Hyperplasia of prostate	8	-	-	-	-	-	-	3	3	9	11
B.40	Complications of pregnancy and childbirth	2	-	-	-	17	57	25	1	-	-	-
B.41-44	Congenital malformations, birth injuries, etc.	45	704	87	43	34	8	4	1	1	-	-
B.45	Senility without mention of psychosis	81	-	-	-	-	-	-	-	0	21	177
	Other diseases	104	124	289	276	155	147	178	146	127	96	79
B.47	External causes- accidents, etc.	29	23	111	274	277	157	86	40	25	16	15
	Total	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	Number of Deaths in 1955	36,761	2,264	380	303	354	610	1,028	2,278	4,608	9,266	15,670

XX

1945-47. The number of deaths ascribed to senility declined steadily over the whole period, this being probably due, to a large extent, to the increasing accuracy of certification of cause of death and to the falling proportion of deaths not medically certified. The number of deaths due to accidents and other external causes has shown little change over the whole period.

Deaths registered in 1955, classified by sex, age group and cause are shown in Table 19, the Detailed International List being used. Table XV shows the principal causes of death in each age group in 1955.

Diseases of the heart caused the largest proportion of all deaths, namely 305 in every 1,000 deaths. Next in order were malignant neoplasms (128), vascular lesions affecting the central nervous system (101) and senility without psychosis (81). At ages under 1 year congenital malformations, birth injuries and diseases peculiar to early infancy accounted for 704 out of every 1,000 deaths. At ages 1 to 4 years, pneumonia was the principal cause of death, accounting for 187 per 1,000 deaths at these ages, while accidents, etc. caused 111 deaths and tuberculosis (all forms) 85 deaths per 1,000 deaths from 1 to 4 years. The proportion of deaths caused by tuberculosis increases considerably in the early adult age group. At ages 15-24 years, 186 out of every 1,000 deaths were caused by this disease, while at ages 25-34 years the proportion of deaths due to tuberculosis rose to 243 per 1,000 deaths. At ages 35-44 years tuberculosis was still one of the major causes of death, accounting for 136 per 1,000 deaths at these ages. The principal causes of death at ages 35-44 years were malignant neoplasms (195 per 1,000 deaths) and diseases of the heart (161 per 1,000 deaths). Between the ages of 45 and 74 years diseases of the heart, malignant neoplasms and vascular lesions affecting the central nervous system were the principal causes of death. At ages above 75 years a large proportion of deaths (177 per 1,000) were ascribed to senility, largely due to the fact that many deaths in this group were not medically certified.

Some of the principal causes of death are considered in greater detail in the following sections.

Tuberculosis

Table XVI shows the number of deaths and the death rate per 1,000 population for each of the years 1951 to 1955.

TABLE XVI

NUMBER OF DEATHS AND DEATH RATES PER 1,000 POPULATION FROM TUBERCULOSIS OF THE RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS 1951-55

Year	Tuberculosis of the respiratory system		Other forms of tuberculosis		Ratio of male to female mortality	
	Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of respiratory system	Other forms of tuberculosis
1951	1,712	0.58	450	0.15	1.22	1.23
1952	1,207	0.41	372	0.13	1.45	1.27
1953	911	0.31	276	0.09	1.52	1.09
1954	797	0.27	208	0.07	1.59	0.93
1955	729	0.25	160	0.06	1.38	1.12

In 1955 there were 889 deaths from tuberculosis of which 729 were caused by the respiratory form and 160 by other forms of the disease. There has been a marked reduction in the number of deaths, both from tuberculosis of the respiratory system and other forms, in a comparatively recent period; the number of deaths in 1955 was the lowest recorded, showing a fall of almost 60 per cent since 1951. The trend in the death rate from tuberculosis (all forms) since 1938 is shown by Diagram 5.

Diagram 5

DEATH RATE (PER 1000 POPULATION) FROM TUBERCULOSIS & CANCER 1938-55





Diagram 6

INFANT AND NEO-NATAL MORTALITY (PER 1000 LIVE BIRTHS) 1938-1955



In Table XVII tuberculosis death rates are examined, by age groups, for a number of different periods.

TABLE XVII

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION, 1935-37, 1945-47, 1950-52, 1953, 1954 AND 1955

Period	Under 15	15-19	20-24	25-34	35-44	45-54	55 and over	All ages
1935-37	0.53	1.36	2.25	2.18	1.63	1.32	0.71	1.22
1945-47	0.52	1.40	2.17	1.99	1.58	1.38	0.87	1.22
1950-52	0.24	0.52	0.96	1.10	1.00	0.90	0.70	0.69
1953	0.16	0.19	0.36	0.48	0.47	0.62	0.65	0.40
1954	0.13	0.14	0.20	0.38	0.44	0.57	0.58	0.34
1955	0.08	0.08	0.24	0.39	0.37	0.48	0.56	0.31

There was little change, either in the overall death rate or in the rates for individual age groups between the periods 1935-37 and 1945-47. By 1950-52, however, the death rates in the younger age groups were roughly halved, while in the most recent years the death rates for these age groups were only a fraction of their level in 1945-47. Thus, between 1945-47 and 1955 the death rate in the age group under 15 years was reduced by 85 per cent, in the group 15 to 19 years by 94 per cent and in the group 20 to 24 years by 89 per cent. In the group 55 years and over the reduction in the death rate was less marked, amounting to 36 per cent.

The death rates from tuberculosis in the years 1951 to 1955 in this country are compared with those in the Six Counties, England and Wales and Scotland in Table XVIII.

TABLE XVIII

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS (ALL FORMS) IN IRELAND AND NEIGHBOURING COUNTRIES, 1951-55

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	0.73	0.45	0.32	0.43
1952	0.54	0.30	0.24	0.32
1953	0.40	0.23	0.20	0.26
1954	0.34	0.18	0.18	0.22
1955	0.31	0.15	0.15	0.19

* Exclusive of the Six Counties

Throughout the period the death rate from tuberculosis has been higher in Ireland than in the neighbouring countries. The striking feature of this table, however, is the extent to which Ireland, in which mortality from tuberculosis has for many years been heavier than in other countries, has shared in the general improvement.

In Table XIX the average annual death rates from tuberculosis for the period 1953-55 are compared for each province, county and county borough. Crude death rates only are shown as the effect of standardisation (to correct for the different age distribution in the different regions) is found to be slight.

TABLE XIX

AVERAGE ANNUAL DEATH RATES FROM ALL FORMS OF TUBERCULOSIS PER 1,000 POPULATION FOR EACH COUNTY AND COUNTY BOROUGH, 1953-55

County	Rates per 1,000 population	County	Rates per 1,000 population
Carlow	0.34	Clare	0.45
Dublin Co. Boro'	0.38	Cork Co. Boro'	0.48
Dun Laoghaire Boro'	0.24	Cork Co.	0.38
Dublin County (Remainder)	0.30	Kerry	0.30
Kildare	0.40	Limerick Co. Boro'	0.68
Kilkenny	0.31	Limerick Co.	0.28
Laoighis	0.27	Tipperary N.R.	0.40
Longford	0.27	Tipperary S.R.	0.37
Louth	0.37	Waterford Co. Boro'	0.38
Meath	0.24	Waterford Co.	0.30
Offaly	0.33		
Westmeath	0.45	Munster	0.39
Wexford	0.48		
Wicklow	0.30	Galway	0.29
		Leitrim	0.28
Leinster	0.36	Mayo	0.25
		Roscommon	0.28
Cavan	0.28	Sligo	0.34
Donegal	0.37		
Monaghan	0.25	Connacht	0.28
Ulster (part of)	0.32	Total	0.35

In the period 1953-55 the average death rate from tuberculosis was lowest in Connacht and highest in Munster. Limerick County Borough had the highest death rate in the period (0.68 per 1,000) and was followed by Cork County Borough and Wexford County (0.48 per 1,000), Westmeath (0.45 per 1,000), Tipperary North Riding and Kildare (0.40 per 1,000). The death rate was lowest in Meath (0.24 per 1,000), Dun Laoghaire Borough (0.24 per 1,000), Mayo (0.25 per 1,000) and Monaghan (0.25 per 1,000).

Cancer

Up to 1949 cancer deaths were those classified as Nos. 045 to 055 of the Fifth Revision of the International List of Causes of Death, while since the year 1950 deaths have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total cancer deaths should be based upon Nos. 140 to 205 of the International Statistical Classification, 1948, but that for comparability with years prior to 1950 Nos. 140 to 205 excluding Nos. 201 (Hodgkin's disease) and 204 (Leukaemia and aleukaemia) should also be shown.

In 1955 there were 4,695 deaths from cancer (Nos. 140 to 205). Of this number, 46 deaths were caused by Hodgkin's disease and 116 by leukaemia and aleukaemia.

Table XX shows the death rate from cancer in certain age groups in the years 1951 to 1955.

TABLE XX

DEATHS FROM CANCER (Nos. 140-205) CLASSIFIED BY SEX AND AGE PER 100,000 POPULATION OF THE SAME AGES, 1951-55

Year	Age group (years)							
	Under 25	25-34	35-44	45-54	55-64	65-74	75 and over	Total
MALES								
1951	8	22	53	179	415	829	1,058	161
1952	9	21	48	160	377	836	1,182	160
1953	8	18	54	173	425	788	1,226	164
1954	8	20	48	169	422	836	1,202	165
1955	9	19	42	172	470	869	1,394	177
FEMALES								
1951	5	17	63	182	381	604	750	137
1952	5	18	75	184	347	563	786	135
1953	7	23	77	205	351	579	773	140
1954	6	18	61	198	390	625	907	148
1955	5	19	66	184	377	629	890	145

In the case of the age groups 75 years and over, the cancer death rate has shown pronounced upward trend over the five years. By reference to previous Reports it will be seen that this upward trend has extended over a considerable period. It is likely that the increase in deaths attributed to cancer at the older ages is connected with the gradual decline in the number of deaths which are not medically certified. In 1955 uncertified deaths represented 8.8 per cent of the total, compared with 12.2 per cent in 1951 and 16.0 per cent in 1938; uncertified deaths are discussed more fully in a later section. The death rate from cancer among males is appreciably higher than among females: in 1955 the male death rate for all ages was 22 per cent above that for females. Between the ages 35 and 54 years the cancer death rates for males are slightly below those for females, but at other ages, particularly above 75 years, the excess of male deaths is marked. The trend in the death rate from cancer since 1938 is shown in Diagram 5; for the reason given earlier, the figures plotted in this diagram exclude deaths from Hodgkin's disease and leukaemia and aleukaemia.

The death rates from cancer in Ireland and neighbouring countries in the years 1951 to 1955 are compared in Table XXI.

TABLE XXI

DEATHS FROM CANCER (Nos. 140-205) PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES, 1951 TO 1955

Year	Ireland*	Six Counties	England and Wales	Scotland
1951	1.49	1.53	1.96	1.92
1952	1.48	1.53	1.99	1.98
1953	1.52	1.58	1.99	1.98
1954	1.56	1.54	2.03	2.05
1955	1.61	1.60	2.03	2.06

* Exclusive of the Six Counties.

The general increase in the cancer death rate in each area will be noted. Whereas, up to the year 1953, the cancer death rate in this country was generally slightly below that in the Six Counties, in 1954 and 1955 the Six Counties rate was lowest. The cancer death rates in England and Wales and in Scotland are appreciably higher than those in this country or the Six Counties.

The death rates from cancer in Counties and County Boroughs are compared in Table XXII, the three year period 1953-55 has been used to reduce random fluctuations, as the numbers of deaths in certain counties are fairly small. Standardised rates, which eliminate the effect of different age distributions in the different areas are also shown.

TABLE XXII

DEATH RATES FROM CANCER (Nos. 140-205) IN EACH COUNTY AND COUNTY BOROUGH, 1953 TO 1955
(CRUDE AND STANDARDISED)

County	Rate per 1,000 population		County	Rate per 1,000 population	
	Crude	Standardised		Crude	Standardised
Carlow	1.40	1.42	Clare	1.57	1.33
Dublin Co. Borough	1.56	1.94	Cork Co. Borough	1.77	1.92
Dun Laoghaire Borough	1.79	1.87	Cork Co.	1.73	1.57
Dublin Co. (Remainder)	1.13	1.67	Kerry	1.40	1.26
Kildare	1.39	1.73	Limerick Co. Boro'	1.50	1.85
Kilkenny	1.58	1.50	Limerick Co.	1.46	1.39
Laoighis	1.58	1.47	Tipperary N.R.	1.64	1.55
Longford	1.86	1.66	Tipperary S.R.	1.78	1.73
Louth	1.62	1.73	Waterford Co. Borough	1.70	1.91
Meath	1.54	1.57	Waterford Co.	1.80	1.61
Offaly	1.73	1.75			
Westmeath	1.49	1.44	Munster	1.64	1.55
Wexford	1.75	1.67			
Wicklow	1.29	1.36			
Leinster	1.54	1.73	Galway	1.34	1.28
			Leitrim	1.27	1.03
Cavan	1.64	1.44	Mayo	1.41	1.20
Donegal	1.28	1.14	Roscommon	1.70	1.36
Monaghan	1.43	1.35	Sligo	1.86	1.58
			Connacht	1.47	1.28
Ulster (part of)	1.41	1.27	Total	1.55	1.55

The crude death rate from cancer in 1955 varied from 1.86 per 1,000 population in Sligo and Longford to 1.13 in Dublin County (excluding the County Borough and Dun Laoghaire). In certain areas, however, the standardised rates were considerably different from the crude rates and when comparing the relative seriousness of mortality in different counties it is, of course, the standardised rates which should be used. In the counties of the west and northwest standardisation had the effect of lowering the death rates considerably. The standardised rates varied from 1.94 per 1,000 population in Dublin County Borough to 1.03 in Leitrim. The proportion of deaths not medically certified varies widely between the different areas, being very high (i.e. 20 - 30 per cent) in the counties of Donegal, Roscommon, Mayo and Leitrim and low (i.e. less than 2 per cent) in the County Boroughs. Thus the possibility that some cancer deaths may escape detection in the areas with low medical certification should be borne in mind in comparing the death rates between counties.

Full details of deaths due to cancer registered in 1955, classified by site of the disease, and age group are contained in Table 19. The death rate from cancer per 100,000 in each age group for the main groups of sites are shown in Table XXIII and it will be observed that there is in general a rapid rise in the death rate with increasing age. Deaths due to malignant neoplasms of the digestive system represented half the total cancer deaths for each sex, the death rate being about 25 per cent higher for males than females. The death rate from malignant neoplasms of the respiratory system was over three times as great for males as for females. In the case of malignant neoplasms of the breast and genito-urinary organs the female

TABLE XXIII

DEATHS FROM MALIGNANT NEOPLASMS BY SITE, AND FROM NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUES, IN CERTAIN AGE GROUPS PER 100,000 POPULATION, 1955

Inter- national Numbers	Site	Males								Females							
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
	Malignant Neoplasm of:-																
140-148	Buccal cavity and pharynx	0.1	0.5	2.1	3.7	13.0	55.5	160.2	11.2	-	-	1.1	2.5	9.7	17.4	46.2	4.3
150-159	Digestive system	1.2	4.7	16.7	83.6	233.3	494.7	696.1	89.9	0.2	5.2	22.4	61.9	164.1	367.4	547.4	72.8
160-165	Respiratory system	-	1.6	8.9	49.0	122.3	101.1	114.7	27.9	-	0.5	6.0	12.8	34.1	34.9	26.7	8.7
170-181	Breast and genito-urinary organs	0.8	2.1	2.6	9.9	43.7	122.0	251.1	22.7	1.0	7.8	26.3	80.4	133.3	156.1	165.3	42.7
190-199	Other and unspecified sites	2.0	3.1	5.7	13.0	37.3	70.4	160.2	16.9	1.3	2.6	7.1	15.3	26.0	46.5	96.0	12.8
	Neoplasm of:-																
200-205	Lymphatic and haematopoietic tissues	3.7	7.3	5.7	12.4	20.3	24.8	11.9	8.5	2.2	3.2	3.3	10.8	9.8	6.8	8.9	4.7
	TOTAL	7.8	19.3	41.7	171.6	469.9	868.5	1,394.2	177.1	4.7	19.3	66.2	183.7	377.0	629.1	890.5	145.4

TABLE XXIV

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1955, CLASSIFIED BY SEX AND AGE, WITH CORRESPONDING DEATH RATES PER 100,000 POPULATION

1948 International List Numbers	Cause of Death	Males								Females							
		0-24	25-34	35-44	45-54	55-64	65-74	75-	Total	0-24	25-34	35-44	45-54	55-64	65-74	75-	Total
		Actual numbers															
400-402	Rheumatic fever	11	5	6	3	1	1	2	29	12	5	3	2	1	1	.	24
410-416	Chronic rheumatic heart disease	7	15	13	29	44	52	68	228	6	15	26	41	26	46	60	220
421	Chronic endocarditis	1	2	10	23	52	86	104	278	1	6	8	10	35	86	96	242
420	Coronary and arteriosclerotic heart disease	2	16	42	229	455	774	591	2,109	.	2	29	76	221	416	337	1,081
422	Other myocardial degeneration	1	2	11	56	217	804	1,815	2,906	2	7	12	51	163	649	1,921	2,805
430-434	Other diseases of heart	6	5	7	36	94	237	355	740	6	6	7	22	74	191	304	610
440-443	Hypertension with heart disease	1	.	4	10	60	126	134	335	.	1	4	11	45	145	198	404
444-447	Hypertension without mention of heart	4	4	4	18	49	104	99	282	2	3	7	22	45	73	113	265
450-468	Other diseases of circulatory system	.	2	4	9	43	137	325	520	.	5	12	17	20	106	285	445
400-468	Total diseases of circulatory system	33	51	101	413	1,015	2,321	3,493	7,427	29	50	108	252	630	1,713	3,314	6,096
		Rates per 100,000 corresponding population															
	Rheumatic fever	1.7	2.6	3.1	1.9	0.8	1.0	4.0	2.0	1.9	2.6	1.6	1.3	0.8	1.0	.	1.7
	Chronic rheumatic heart disease	1.1	7.8	6.8	18.0	35.6	51.5	134.5	15.5	1.0	7.8	14.2	26.2	21.1	45.0	106.6	15.3
	Chronic endocarditis	0.2	1.0	5.2	14.2	42.1	85.3	205.7	18.9	0.2	3.1	4.4	6.4	28.4	83.4	170.6	16.8
	Coronary and arteriosclerotic heart disease	0.3	8.4	21.9	141.8	368.6	767.3	1,168.7	143.3	.	1.0	15.9	48.5	179.6	403.2	599.0	75.2
	Other myocardial degeneration	0.2	1.0	5.7	34.7	175.8	797.1	3,589.2	197.5	0.3	3.7	6.6	32.5	132.4	629.0	3,414.6	195.2
	Other diseases of heart	0.9	2.6	3.7	22.3	76.2	235.0	702.0	50.3	1.0	3.1	3.8	14.0	60.1	185.2	540.4	42.4
	Hypertension with heart disease	0.2	.	2.1	6.2	48.6	124.9	265.0	22.8	.	0.5	2.2	7.0	36.6	140.6	351.9	28.1
	Hypertension without mention of heart	0.6	2.1	2.1	11.1	39.7	103.1	195.8	19.2	0.3	1.6	3.8	14.0	36.6	70.8	200.9	18.4
	Other diseases of circulatory system	.	1.0	2.1	5.6	34.8	135.8	642.7	35.3	.	2.6	6.6	10.8	16.3	102.8	506.6	31.0
	Total diseases of circulatory system	5.1	26.6	52.7	255.8	822.3	2,301.0	6,907.5	504.7	4.7	26.1	59.1	160.8	511.9	1,660.6	5,890.6	424.2

death rate was almost double that of males, being fairly high even in the younger age groups.

Diseases of the circulatory system

There were 13,523 deaths ascribed to diseases of the circulatory system (Nos. 400-468) registered in 1955, of which 7,427 were deaths of males and 6,096 deaths of females. Details of these deaths, classified by cause and age may be obtained from Table 19, while the numbers assigned to each county or county borough are shown in Table 21. Deaths and death rates from certain groups of causes are given in Table XXIV.

The excess of male over female deaths is largely accounted for by the greater number of deaths of males from coronary and arteriosclerotic heart disease (2,109 males compared with 1,081 females); in respect of the remaining groups of causes the differences between the male and female death rates is not nearly so pronounced. At ages under 45 years there is relatively little difference between the male and female death rates of diseases of the circulatory system. In interpreting Table XXIV it should be borne in mind that a number of deaths (mainly of elderly persons) stated to be due to heart diseases are not medically certified. The numbers of uncertified deaths in the above groups are shown in Table XXV.

TABLE XXV

DEATHS FROM DISEASES OF THE CIRCULATORY SYSTEM REGISTERED IN 1955 SHOWING THE NUMBERS AND PERCENTAGES NOT MEDICALLY CERTIFIED

	Males			Females		
	Total	Uncertified		Total	Uncertified	
		Number	Per cent		Number	Per cent
Rheumatic fever	29	.	.	24	1	4.2
Chronic rheumatic heart disease	228	3	1.3	220	2	0.9
Chronic endocarditis	278	2	0.7	242	.	.
Coronary and arteriosclerotic heart disease	2,109	100	4.7	1,081	34	3.1
Other myocardial degeneration	2,906	94	4.5	2,805	109	3.9
Other diseases of heart	740	84	11.4	610	75	12.3
Hypertension with heart disease	335	4	1.2	404	2	0.5
Hypertension without mention of heart	282	13	4.6	265	13	4.9
Other diseases of circulatory system	520	9	1.7	445	9	2.0

It appears that only in the case of "other diseases of the heart" are errors due to the incorrect assignment of uncertified deaths to the above groups likely to be substantial. A more serious source of error is the large number of uncertified deaths ascribed simply to "senility". Thus out of a total of 2,965 deaths (1,413 male, 1,552 female) stated to be due to senility, 1,751 (817 male, 934 female) were not medically certified. Of these uncertified deaths it is fair to suppose that a substantial proportion were caused by heart diseases.

Respiratory Diseases

Deaths from respiratory diseases (Nos. 470-527 on the International List) in 1955 numbered 3,035. These include 574 deaths caused by influenza, 996 by pneumonia, 1,100 by bronchitis and 365 due to other respiratory diseases.

Pregnancy, Childbirth and Puerperium

The number of deaths in this group in 1955 was 70, compared with 69 in 1954. The death rate was 1.14 per thousand births.

Infant Mortality

During the year 1955 the deaths of 2,264 infants under 1 year of age were registered, compared with 2,364 in the previous year and 2,463 in 1953. The figure for 1955 is equivalent to a rate of 36.7 per 1,000 live births registered, this being the lowest recorded and compares with 37.8 in 1954 and 39.4 in 1953. Table XXVI shows the mortality rates, per 1,000 births, at different ages under 1 year, for the years 1938 and 1946 to 1955.

TABLE XXVI
INFANT MORTALITY BY AGE, 1938 AND 1946 TO 1955

Year	Deaths per 1,000 births at ages											
	Under 24 hours	1-6 days	7-13 days	14-20 days	21 days and under 1 month	Total under 1 month	1 month and under 2 months	2 months and under 3 months	3 months and under 6 months	6 months and under 12 months	Total 1 month-1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0
1951	7.3	10.1	3.6	2.1	1.8	24.9	5.2	3.6	6.5	5.5	20.8	45.7
1952	6.9	9.6	3.1	1.8	1.6	23.0	5.0	2.9	5.8	4.7	18.4	41.4
1953	7.4	8.8	2.4	1.5	2.0	22.1	4.1	2.9	5.8	4.5	17.3	39.4
1954	8.0	8.9	2.5	1.7	1.5	22.6	3.6	2.7	4.8	4.1	15.2	37.8
1955	7.6	9.0	2.8	2.0	1.5	22.9	3.5	2.1	4.4	3.8	13.8	36.7

* From 1950, under 28 days.

A considerable reduction in infant mortality has taken place in recent years. In 1938 deaths of infants under 1 year amounted to 66.6 per 1,000 births, and in 1947 the corresponding figure was 67.9. The greatest improvement has been in respect of mortality of infants over one month: deaths between the ages of one month and one year declined from 39.1 per 1,000 births in 1947 to 13.8 per 1,000 births in 1955. The reduction in neo-natal mortality (i.e. at ages under one month) has been less marked: whereas deaths under 1 month amounted to 28.8 per 1,000 births in 1947, the corresponding figure in 1955 was 22.9. No significant reduction has occurred since 1947 (or 1938) in mortality at ages under 24 hours or between one day and one week. Deaths occurring within 24 hours of birth represented 7.0 per 1,000 births in 1947, compared with 7.6 in 1955. Deaths occurring between one day and one week after birth represented 8.8 per 1,000 births in 1947 compared with 9.0 in 1955. The trends in the infant and neo-natal mortality rates since 1938 are illustrated in Diagram 6.

In Table XXVII the infant mortality rates in Ireland and neighbouring countries are compared for the years 1951 to 1955.

TABLE XXVII
 INFANT MORTALITY RATES IN IRELAND* AND NEIGHBOURING COUNTRIES, 1951-55

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1951	46	41	30	37
1952	41	39	28	35
1953	39	38	27	31
1954	38	33	25	31
1955	37	32	25	30

* Exclusive of the Six Counties.

In each of the years shown the infant mortality rate in this country was the highest in the table while that in England and Wales was the lowest. Up to the year 1930 the infant mortality rate in Ireland had maintained a lower level than that in the Six Counties, England and Wales and Scotland. In the decade 1931-40 also the Irish rate compared very favourably with those in the Six Counties and Scotland, although a marked reduction in infant mortality in England and Wales had brought the rate for these countries below that for Ireland. The subsequent decrease in infant mortality has been greater in the Six Counties, England and Wales and Scotland than in this country.

Table XXVIII compares the neo-natal and infant mortality rates in the year 1955 for counties and county boroughs.

TABLE XXVIII
 NEO-NATAL AND INFANT MORTALITY RATES BY COUNTIES AND COUNTY BOROUGHS IN 1955

County etc.	Deaths of Infants per 1,000 births			County etc.	Deaths of infants per 1,000 births		
	Under 28 days	28 days to 1 year	Under 1 year		Under 28 days	28 days to 1 year	Under 1 year
Carlow	31	15	46	Clare	14	15	30
Dublin C.B.	22	13	35	Cork C.B.	27	12	39
Dun Laoghaire	19	19	38	Cork	22	14	36
Dublin (Remainder)	20	10	31	Kerry	25	15	40
Kildare	20	17	36	Limerick C.B.	16	19	34
Kilkenny	30	9	39	Limerick	23	16	39
Laoighis	35	15	50	Tipperary N.R.	23	9	32
Longford	25	12	37	Tipperary S.R.	32	22	54
Louth	21	8	29	Waterford C.B.	14	11	25
Meath	17	13	30	Waterford	26	8	34
Offaly	25	19	43	Munster	23	15	37
Westmeath	27	14	41	Galway	19	18	37
Wexford	21	18	38	Leitrim	26	15	41
Wicklow	23	9	33	Mayo	22	17	38
Leinster	23	13	36	Roscommon	27	12	39
Cavan	31	19	50	Sligo	25	9	34
Donegal	22	15	37	Connacht	22	15	38
Monaghan	21	9	30	Total	23	14	37
Ulster (part of)	24	15	39				

Note: In some cases the figures in the first two columns do not tot to that in the third column, on account of rounding.

In 1955 the infant mortality rates were highest in the cases of Tipperary (S.R.), Cavan, Laoighis, Carlow, Offaly and Westmeath. The lowest rates of infant mortality occurred in Waterford County Borough, Louth, Clare, Monaghan, Meath and Dublin County (excluding the County Borough and Dun Laoghaire). The neo-natal mortality rate ranged from 14 per 1,000 births for Waterford County Borough to 35 per 1,000 births for Co. Laoighis.

The causes of deaths of infants under 1 year, classified according to the Detailed International List are shown in Table 19. In Table 25 infant deaths are again classified by cause, and a more detailed age classification shown. These results are summarised in Table XXIX.

TABLE XXIX

DEATHS OF INFANTS UNDER 1 YEAR REGISTERED IN 1955, CLASSIFIED BY CAUSE AND AGE

Code	Cause	Age				
		Under 1 day	1 day to 1 week	1 week to 1 month	1 month to 1 year	Total under 1 year
001-019	Tuberculosis, all forms	-	-	-	17	17
340	Meningitis, except tuberculous and meningococcal	-	-	6	18	24
056, 470-475 480-483 490-493 500-502 510-527	Whooping cough, influenza, pneumonia, bronchitis, other respiratory diseases	3	32	79	289	403
530-587 764	Diseases of digestive system (including gastro-enteritis, colitis and diarrhoea of newborn)	2	3	33	124	162
750-759	Congenital malformations	71	77	80	159	387
760-761	Birth injuries	80	106	21	10	217
762	Asphyxia and atelectasis	83	74	18	9	184
770	Haemolytic disease (erythroblastosis)	15	34	10	5	64
771	Haemorrhagic disease	3	14	3	4	24
774, 776	Immaturity	145	154	56	15	370
	Ill defined diseases of early infancy:-					
773.0	Without mention of immaturity	14	17	25	34	90
773.5	With mention of immaturity	34	27	20	8	89
780.2	Convulsions	-	2	7	23	32
	Other causes	20	13	28	140	201
	Total	470	553	386	855	2,264

It will be seen that the relative importance of the various groups of causes differs appreciably between deaths at ages under 1 week and deaths at ages 1 month to 1 year. At ages under 1 week 29 per cent of all deaths were ascribed to immaturity, while, as may be seen from Table 25, many deaths ascribed to other underlying causes were with mention of immaturity. Birth injuries accounted for 18 per cent of deaths under 1 week, postnatal asphyxia and atelectasis for 15 per cent, and congenital malformations for 14 per cent. Nine per cent of the deaths under 1 week were assigned to the heading "Ill defined diseases peculiar to early infancy" (No. 773 of the Detailed International List); deaths described by such terms as "asthenia", "athrepsia", "cachexia", "debility", "inanition", "marasmus", "cyanosis neonatorum", "hepatitis of newborn", or "sclerema neonatorum", and not otherwise specified must be allocated to this heading. The majority of deaths due to haemolytic or haemorrhagic disease were at ages under 1 week. At ages over 1 month, congenital malformations were still an important cause of death, but only a small proportion of deaths were ascribed to immaturity, birth injuries or asphyxia. The majority of infant deaths from tuberculosis, meningitis, respiratory diseases, gastro-enteritis, and convulsions occurred at ages over 1 month. Details of the 201 deaths ascribed to "other causes" may be obtained from Table 19. This figure includes 51 deaths from external causes (accidents, etc.), 4 from septicaemia and pyaemia, 4 from measles, 8 from diseases of the thymus gland, and 19 from avitaminosis, nutritional maladjustment, etc.

Accidents, poisoning and violence

The number of deaths from external causes (Nos. E.800-999) registered in 1955 was 1,051, of which 690 were those of males and 361 those of females. The excess of male mortality from these causes was very marked at all ages between 5 and 70 years. In the age groups between 10 and 45 years, in which male deaths from all causes outnumbered female deaths, it will be seen from Table 19 that the excess of male deaths was almost entirely due to the higher number of deaths from accidents. Table XXX shows the number of deaths from accidents, poisoning or violence in 1955 and certain previous years.

TABLE XXX
DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, 1938, 1946 AND 1951 TO 1955

Cause of Death	1938	1946	1951	1952	1953	1954	1955
Railway accidents	5	14	10	6	8	2	6
Road vehicle accidents	190	134	235	239	251	260	273
Accidental poisoning	10	20	29	22	20	13	19
Accidents caused by fire, explosion and burns	156	105	85	77	71	96	95
Accidental drowning	98	119	121	104	134	125	146
Suicide	97	79	77	66	62	59	68
Other accidents and external causes	401	409	439	348	361	415	444
Total	957	880	996	862	907	970	1,051

The number of deaths caused by road vehicle accidents increased steadily each year, the figure for 1955 being the highest recorded. The number of deaths from drowning was appreciably higher in 1955 than in previous years. Statistics of road accidents (fatal and non-fatal) are compiled by the Garda Síochána each year and issued to the press and other interested parties. A summary of the principal results is published in the March issue of the Irish Trade Journal and Statistical Bulletin. Slight discrepancies between the numbers of deaths, as ascertained from the two sources are due mainly to the fact that, whereas the Garda figures relate to year of occurrence, the figures in this Report relate to year of registration.

Particulars of deaths registered in 1955 due to accidents in the home are given in Table XXXI.

It will be seen that accidental falls resulted in 77 deaths of which the majority were deaths of elderly persons. Accidents caused by fire, hot liquids etc. resulted in 74 deaths of which 24 were of children under 15 years and 39 were of persons aged 65 years and over.

Uncertified deaths

The number of cases in 1955 in which the cause of death was not certified by a medical practitioner was 3,233, which represents 8.8 per cent of the total of deaths registered. In Table 23 uncertified deaths registered in 1955 are shown classified by county and age group, while the percentage of deaths uncertified in each county is also shown. The proportion of deaths uncertified is very high in the west and north west regions of the country, being highest, in the year 1955, in the counties of Leitrim (28.2 per cent), Mayo (24.2 per cent) and Roscommon (23.2 per cent).

Table XXXII compares the percentages of deaths uncertified in each province for a number of years, and it will be observed that a steady improvement in the position is taking place.

TABLE XXXI

DEATHS DUE TO ACCIDENTS IN THE HOME REGISTERED IN 1955, CLASSIFIED BY CAUSE AND AGE GROUP

Inter- national Numbers	Cause of death		All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
880	Poisoning by alcohol	M	1	.	1
		F
881	Poisoning by petroleum products	M	1	.	1
		F
890	Poisoning by utility (illuminating) gas	M	4	1	2	1	.
		F	4	1	1	2
904	Falls	M	23	.	.	1	.	2	.	1	2	6	11
		F	54	2	2	14	36
912	Accidents caused by machinery	M	1	.	1
		F
914	Accidents caused by electric current	M	1
		F	1
916	Accidents caused by fire, etc.	M	16	.	2	.	.	1	.	2	1	1	9
		F	37	1	2	7	.	2	1	.	3	6	15
917	Accidents caused by hot liquids, etc.	M	11	1	5	1	.	1	3
		F	10	2	3	1	1	3
921	Inhalation and ingestion of food, causing obstruction or suffocation	M	3	3
		F	8	6	1	.	.	1	.
924	Suffocation in bed or cradle	M	8	8
		F	9	9
932	Excessive cold	M	1
		F	1
933	Hunger, thirst, exposure	M
		F	1	1	.
936	Other and unspecified accidents	M
		F	2	2
	Total deaths from accidents in the home	M	68	12	10	1	2	3	.	5	5	9	23
		F	127	20	5	8	2	2	2	2	6	24	56

TABLE XXXII

UNCERTIFIED DEATHS AS A PERCENTAGE OF THE TOTAL REGISTERED IN EACH PROVINCE IN THE YEARS 1938 AND 1951 TO 1955

Province	1938	1951	1952	1953	1954	1955
Leinster	7.3	4.6	4.6	3.6	3.4	3.5
Munster	14.7	12.1	9.4	9.3	8.4	7.8
Connacht	32.7	26.9	24.4	22.8	21.1	20.3
Ulster (part of)	26.2	18.6	16.2	15.7	16.0	14.7
Total	16.0	12.2	10.6	9.8	9.2	8.8

Table XXXIII shows the percentage of deaths uncertified in 1955, by age group, in each province.

TABLE XXXIII

PERCENTAGE OF DEATHS UNCERTIFIED, BY AGE GROUPS, IN EACH PROVINCE IN 1955

Province	All ages	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 and over
Leinster	3.5	2.5	1.0	1.3	0.7	0.4	1.1	1.9	2.2	2.8	5.6
Munster	7.8	1.8	1.8	.	.	.	1.5	1.5	2.0	4.5	14.4
Connacht	20.3	4.3	2.2	.	1.9	1.1	4.8	4.5	7.3	10.0	32.2
Ulster (part of)	14.7	7.6	12.0	3.4	.	1.7	1.3	2.0	4.4	7.3	24.8
Total	8.8	2.9	2.1	1.0	0.6	0.5	1.8	2.1	3.0	4.9	15.9
Actual number of deaths uncertified	3,233	66	8	3	2	3	18	48	140	457	2,488

The proportion of deaths uncertified was highest in the age groups 65-74 years and 75 years and over, while only a very small proportion of young adult deaths were uncertified. In each age group the provinces of Connacht and Ulster (part of) compare very unfavourably with Leinster and Munster in respect of the percentage of deaths uncertified.

Inquests and post-mortems

The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during 1955 was 1,884 compared with 1,553 in 1954 and 1,517 in 1953.

TABLES

TABLE 1 - ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR, 1851 TO 1955

Year	Persons	Males	Females	Year	Persons	Males	Females	Year	Persons	Males	Females
1851	5,079	2,486	2,593	1886	3,642	1,808	1,834	1921	3,096	1,599	1,497
1852	4,927	2,413	2,514	1887	3,600	1,788	1,812	1922	3,022	1,529	1,493
1853	4,807	2,358	2,449	1888	3,554	1,766	1,788	1923	3,014	1,526	1,488
1854	4,704	2,311	2,393	1889	3,516	1,748	1,768	1924	3,005	1,521	1,484
1855	4,638	2,281	2,357	1890	3,482	1,733	1,749	1925	2,985	1,512	1,473
1856	4,594	2,261	2,333	1891	3,449	1,718	1,731	1926	2,971	1,507	1,464
1857	4,540	2,234	2,306	1892	3,408	1,697	1,711	1927	2,957	1,502	1,455
1858	4,506	2,217	2,289	1893	3,382	1,684	1,698	1928	2,944	1,498	1,446
1859	4,471	2,199	2,272	1894	3,362	1,675	1,687	1929	2,937	1,496	1,441
1860	4,428	2,179	2,249	1895	3,333	1,662	1,671	1930	2,927	1,493	1,434
1861	4,393	2,164	2,229	1896	3,314	1,653	1,661	1931	2,933	1,497	1,436
1862	4,377	2,158	2,219	1897	3,298	1,646	1,652	1932	2,949	1,505	1,444
1863	4,328	2,134	2,194	1898	3,283	1,640	1,643	1933	2,962	1,512	1,450
1864	4,263	2,103	2,160	1899	3,265	1,631	1,634	1934	2,971	1,518	1,453
1865	4,223	2,084	2,139	1900	3,234	1,616	1,618	1935	2,971	1,520	1,451
1866	4,163	2,051	2,112	1901	3,213	1,607	1,606	1936	2,967	1,520	1,447
1867	4,130	2,033	2,097	1902	3,200	1,603	1,597	1937	2,948	1,510	1,438
1868	4,109	2,022	2,087	1903	3,185	1,599	1,586	1938	2,937	1,505	1,432
1869	4,090	2,012	2,078	1904	3,175	1,597	1,578	1939	2,934	1,503	1,431
1870	4,062	1,996	2,066	1905	3,165	1,594	1,571	1940	2,958	1,515	1,443
1871	4,042	1,986	2,056	1906	3,160	1,593	1,567	1941	2,993	1,533	1,460
1872	4,023	1,975	2,048	1907	3,151	1,589	1,562	1942	2,963	1,499	1,464
1873	3,989	1,955	2,034	1908	3,145	1,588	1,557	1943	2,946	1,490	1,456
1874	3,966	1,944	2,022	1909	3,142	1,589	1,553	1944	2,944	1,487	1,457
1875	3,951	1,940	2,011	1910	3,139	1,588	1,551	1945	2,952	1,490	1,462
1876	3,949	1,942	2,007	1911	3,132	1,586	1,546	1946	2,957	1,496	1,461
1877	3,956	1,947	2,009	1912	3,120	1,581	1,539	1947	2,974	1,505	1,469
1878	3,952	1,948	2,004	1913	3,103	1,572	1,531	1948	2,985	1,512	1,473
1879	3,939	1,944	1,995	1914	3,092	1,568	1,524	1949	2,981	1,513	1,468
1880	3,891	1,920	1,971	1915	3,068	1,546	1,522	1950	2,969	1,510	1,459
1881	3,847	1,901	1,946	1916	3,068	1,549	1,519	1951	2,961	1,507	1,454
1882	3,808	1,882	1,926	1917	3,065	1,551	1,514	1952	2,949	1,500	1,449
1883	3,745	1,853	1,892	1918	3,066	1,553	1,513	1953	2,945	1,498	1,447
1884	3,703	1,834	1,869	1919	3,102	1,598	1,504	1954	2,933	1,491	1,442
1885	3,671	1,820	1,851	1920	3,103	1,598	1,505	1955	2,909	1,472	1,437

TABLE 2 - TOTAL POPULATION BY SEX AND AGE IN 1951

Age (years)	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	Males	Females	Persons	Males	Females	Persons
Under 1	32,630	30,927	63,557	2.17	2.13	2.15
1	32,083	30,719	62,802	2.13	2.11	2.12
2	31,932	30,494	62,426	2.12	2.10	2.11
3	31,982	30,457	62,439	2.12	2.09	2.11
4	31,604	30,004	61,608	2.10	2.06	2.08
5-9	143,490	137,553	281,043	9.53	9.46	9.49
10-14	132,726	128,209	260,935	8.82	8.82	8.81
15-19	125,742	115,440	241,182	8.35	7.94	8.15
20-24	105,380	96,792	202,172	6.99	6.65	6.83
25-29	99,595	98,826	198,421	6.61	6.80	6.70
30-34	96,441	95,125	191,566	6.40	6.54	6.47
35-39	102,278	98,638	200,916	6.79	6.78	6.79
40-44	94,006	86,320	180,326	6.24	5.94	6.09
45-49	82,374	78,541	160,915	5.47	5.40	5.44
50-54	82,922	80,064	162,986	5.50	5.51	5.51
55-59	65,028	63,820	128,848	4.32	4.39	4.35
60-64	61,346	60,714	122,060	4.07	4.18	4.12
65-69	54,145	53,403	107,548	3.59	3.67	3.63
70-74	49,121	50,995	100,116	3.26	3.51	3.38
75-79	31,642	32,913	64,555	2.10	2.26	2.18
80-84	14,649	16,238	30,887	0.97	1.12	1.04
85-89	4,285	5,882	10,167	0.28	0.40	0.34
90-94	973	1,542	2,515	0.06	0.11	0.09
95-99	205	368	573	0.01	0.03	0.02
100 and over	18	12	30	0.00	0.00	0.00
TOTAL	1,506,597	1,453,996	2,960,593	100.00	100.00	100.00

TABLE 3 - POPULATION BY SEX OF EACH COUNTY AND COUNTY BOROUGH IN 1951

County	1951 POPULATION		
	Males	Females	Persons
Carlow	17,848	16,314	34,162
Dublin County Borough	244,006	278,177	522,183
Dun Laoghaire Borough	20,843	27,077	47,920
Dublin County (remainder)	61,277	61,642	122,919
Kildare	36,364	30,073	66,437
Kilkenny	34,687	30,548	65,235
Laoighis	26,154	22,276	48,430
Longford	18,388	16,165	34,553
Louth	34,886	33,885	68,771
Meath	34,980	31,357	66,337
Offaly	28,306	24,238	52,544
Westmeath	28,737	25,726	54,463
Wexford	45,945	44,087	90,032
Wicklow	31,587	31,003	62,590
Clare	43,473	37,856	81,329
Cork County	136,150	130,567	266,717
Cork County Borough	34,715	39,852	74,567
Kerry	66,507	60,137	126,644
Limerick County	47,588	42,831	90,419
Limerick County Borough	24,103	26,717	50,820
Tipperary, N.R.	29,989	27,020	57,009
Tipperary, S.R.	39,877	36,427	76,304
Waterford County	24,478	21,892	46,370
Waterford County Borough	13,485	15,206	28,691
Galway	85,141	75,063	160,204
Leitrim	22,374	18,835	41,209
Mayo	73,345	68,522	141,867
Roscommon	36,626	31,476	68,102
Sligo	31,469	29,044	60,513
Cavan	36,187	30,190	66,377
Donegal	67,964	63,566	131,530
Monaghan	29,118	26,227	55,345
TOTAL	1,506,597	1,453,996	2,960,593

TABLE 4 - MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1955

PERIOD	MARRIAGES	BIRTHS							DEATHS			Natural Increase
		TOTAL (Including Illegitimate)			Legitimate	Illegitimate			Total	Males	Females	
		Total	Males	Females	Total	Total	Males	Females				
Average 1864 - 70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871 - 80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881 - 90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891 - 1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901 - 10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911 - 20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921 - 30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931 - 40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941 - 50	16,585	65,010	33,495	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,560
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824
1951	16,017	62,878	32,303	30,575	61,290	1,588	833	755	42,382	22,476	19,906	20,496
1952	15,876	64,631	33,026	31,605	63,012	1,619	816	803	35,105	18,918	16,187	29,526
1953	15,888	62,558	32,241	30,317	61,218	1,340	683	657	34,591	18,420	16,171	27,967
1954	15,831	62,534	32,087	30,447	61,224	1,310	692	618	35,535	19,199	16,336	26,999
1955	16,443	61,622	31,483	30,139	60,388	1,234	647	587	36,761	19,773	16,988	24,861

TABLE 5 - MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864-1955

PERIOD	MARRIAGES	BIRTHS					DEATHS		Natural Increase per 1,000 of Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	ILLEGITIMATE		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births	
				Per 1,000 Population	Per cent. of Total Births				
1864 - 70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56
1871 - 80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25
1881 - 90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32
1891 - 1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50
1901 - 10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63
1911 - 20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86
1921 - 30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76
1931 - 40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17
1941 - 50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70
1951	5.41	21.24	20.70	0.54	2.53	1,057	14.32	45.74	6.92
1952	5.38	21.92	21.37	0.55	2.50	1,045	11.90	41.37	10.01
1953	5.39	21.24	20.79	0.46	2.14	1,063	11.75	39.37	9.50
1954	5.40	21.32	20.87	0.45	2.09	1,054	12.12	37.80	9.20
1955	5.65	21.18	20.76	0.42	2.00	1,045	12.64	36.74	8.55

TABLE 6 - MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1941-55 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1941-50 AND THE RATES FOR EACH YEAR FROM 1951 TO 1955 PER 1,000 OF THE POPULATION

YEAR	MARRIAGES										BIRTHS					DEATHS									
	CATHOLIC					ALL OTHERS					TOTAL					Quarter ending the last day of				Quarter ending the last day of					
	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total	Quarter ending the last day of				Total					
	Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.		Mar.	June	Sept.	Dec.	
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062
1950	3,253	3,545	5,066	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741
Average for Ten years 1941-50	3,722	3,807	4,642	3,514	15,685	165	245	313	177	900	3,887	4,052	4,955	3,691	16,585	16,072	17,481	16,557	14,900	65,010	12,974	10,555	8,427	9,494	41,450
1951	3,249	3,651	5,144	3,151	15,195	140	206	293	183	822	3,389	3,857	5,437	3,334	16,017	15,727	16,966	16,299	13,886	62,878	16,659	10,205	7,584	7,934	42,382
1952	3,217	3,478	4,914	3,376	14,985	156	276	282	177	891	3,373	3,754	5,196	3,553	15,876	16,341	17,502	16,048	14,740	64,631	10,657	8,713	7,256	8,479	35,105
1953	2,820	3,616	5,234	3,448	15,118	115	200	299	156	770	2,935	3,816	5,533	3,604	15,888	15,672	16,947	15,728	14,211	62,558	10,544	8,948	7,104	7,995	34,591
1954	3,210	3,386	5,211	3,193	15,000	122	256	296	157	831	3,332	3,642	5,507	3,350	15,831	15,379	16,487	15,974	14,694	62,534	10,470	8,847	7,673	8,545	35,535
1955	2,992	3,745	5,462	3,395	15,594	143	244	330	132	849	3,135	3,989	5,792	3,527	16,443	15,183	16,480	15,807	14,152	61,622	11,808	9,731	7,362	7,860	36,761
Equivalent Annual Rate per 1,000 Population Average 1941-50	5.3	5.4	6.6	5.0	5.6	3.9	5.8	7.4	4.2	5.3	5.2	5.5	6.7	5.0	5.6	21.7	23.6	22.3	20.1	21.9	17.5	14.2	11.4	12.8	14.0
1951	4.7	5.2	7.4	4.5	5.4	3.3	4.9	6.9	4.3	4.9	4.6	5.2	7.3	4.5	5.4	21.2	22.9	22.0	18.8	21.2	22.5	13.8	10.2	10.7	14.3
1952	4.6	5.0	7.1	4.9	5.4	3.7	6.6	6.7	4.2	5.3	4.6	5.1	7.1	4.8	5.4	22.2	23.7	21.8	20.0	21.9	14.5	11.8	9.8	11.5	11.9
1953	4.1	5.2	7.5	5.0	5.4	2.7	4.8	7.1	3.7	4.6	4.0	5.2	7.5	4.9	5.4	21.3	23.0	21.4	19.3	21.2	14.3	12.2	9.6	10.9	11.7
1954	4.6	4.9	7.5	4.6	5.4	2.9	6.1	7.0	3.7	4.9	4.5	5.0	7.5	4.6	5.4	21.0	22.5	21.8	20.0	21.3	14.3	12.1	10.5	11.7	12.1
1955	4.4	5.5	8.0	5.0	5.7	3.4	5.9	8.0	3.2	5.1	4.3	5.5	8.0	4.8	5.7	20.9	22.7	21.7	19.5	21.2	16.2	13.4	10.1	10.8	12.6

TABLE 7 - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1955, WITH RATES PER 100,000 POPULATION

Note - The classification of cause of death in this table is based on the Abbreviated List 1948

Detailed List No.	Causes of Death	IRELAND*		SIX COUNTIES	
		Number	Rate	Number	Rate
001-008	Tuberculosis of respiratory system	729	25.1	180	12.9
010-019	Tuberculosis, other forms	160	5.5	31	2.2
020-029	Syphilis and its sequelae	22	0.8	38	2.7
040	Typhoid fever	6	0.2	.	.
043	Cholera
045-048	Dysentery, all forms	1	.	5	0.4
050-051	Scarlet fever and streptococcal sore throat	5	0.2	3	0.2
055	Diphtheria	14	0.5	1	0.1
056	Whooping cough	39	1.3	18	1.3
057	Meningococcal infections	23	0.8	11	0.8
058	Plague
080	Acute Poliomyelitis	3	0.1	.	.
084	Smallpox
085	Measles	15	0.5	7	0.5
100-108	Typhus and other rickettsial diseases
110-117	Malaria	.	.	1	0.1
030-039, 041, 042, 044, 049, 052-054, 059-074, 081-083, 086-096, 120-138	All other diseases classified as infective and parasitic	86	3.0	49	3.5
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues:				
140-205 except 201 and 204	(a) Cancer	4,533	155.8	2,170	155.7
201 and 204	(b) Hodgkins disease and leukaemia	162	5.6	65	4.7
210-239	Benign and unspecified neoplasms	130	4.5	35	2.5
260	Diabetes mellitus	202	6.9	97	7.0
290-293	Anaemias	224	7.7	65	4.7
330-334	Vascular lesions affecting central nervous system	3,729	128.2	2,113	151.6
340	Non-meningococcal meningitis	47	1.6	12	0.9
400-402	Rheumatic fever	53	1.8	36	2.6
410-416	Chronic rheumatic heart disease	448	15.4	170	12.2

* Exclusive of the Six Counties.

TABLE 7 (contd.) - DEATHS FROM PRINCIPAL CAUSES IN IRELAND AND THE SIX COUNTIES, 1955, WITH RATES PER 100,000 POPULATION

Detailed List No.	Causes of Death	IRELAND*		SIX COUNTIES	
		Number	Rate	Number	Rate
420-422	Arteriosclerotic and degenerative heart disease	9,421	323.9	4,057	291.1
430-434	Other diseases of heart	1,350	46.4	510	36.6
440-443	Hypertension with heart disease	739	25.4	393	28.2
444-447	Hypertension without mention of heart	547	18.8	191	13.7
480-483	Influenza	574	19.7	129	9.3
490-493	Pneumonia	996	34.2	674	48.4
500-502	Bronchitis	1,100	37.8	512	36.7
540-541	Ulcer of stomach and duodenum	284	9.8	122	8.8
550-553	Appendicitis	55	1.9	15	1.1
560,561,570	Intestinal obstruction and hernia	187	6.4	78	5.6
543,571,572	Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the newborn	224	7.7	87	6.2
581	Cirrhosis of liver	68	2.3	38	2.7
590-594	Nephritis and nephrosis	575	19.8	159	11.4
610	Hyperplasia of prostate	279	9.6	144	10.3
640-652, 670-689	Complications of pregnancy, childbirth and the puerperium	70	2.4	24	1.7
750-759	Congenital malformations	461	15.8	243	17.4
760-762	Birth injuries, post-natal asphyxia and atelectasis	401	13.8	170	12.2
763-768	Infections of newborn	148	5.1	41	2.9
769-776	Other diseases peculiar to early infancy and immaturity unqualified	657	22.6	262	18.8
780-795	Senility without mention of psychosis, ill-defined and unknown causes	3,609	124.1	829	59.5
	All other causes	3,334	114.6	1,086	77.9
E810-E835	Motor vehicle accidents	218	7.5	147	10.5
E800-E802 E840-E962	All other accidents	754	25.9	338	24.3
E963, E970-E979	Suicide and self-inflicted injury	68	2.3	46	3.3
E980-E999	Homicide and operations of war	11	0.4	5	0.4
	All causes	36,761	1263.7	15,407	1,105.4

* Exclusive of the Six Counties

TABLE 8 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES CLASSIFIED BY AGE, REGISTERED DURING THE YEARS 1864 - 1955

Period	All Ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
MALES														
Average -														
1864 - 70	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871 - 80	36,224/	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881 - 90	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891 - 1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901 - 10	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911 - 20	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921 - 30	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931 - 40	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941 - 50	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
1951	22,476	2,030	133	79	167	209	520	811	1,587	2,867	5,835	6,624	1,519	95
1952	18,918	1,788	126	86	136	152	413	726	1,391	2,420	4,866	5,446	1,301	67
1953	18,420	1,655	100	59	106	139	359	588	1,317	2,472	4,698	5,476	1,384	67
1954	19,199	1,629	85	67	91	118	338	636	1,371	2,552	4,885	5,834	1,519	74
1955	19,773	1,515	95	70	97	114	318	541	1,290	2,695	5,121	6,080	1,764	73
FEMALES														
Average -														
1864 - 70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871 - 80	35,387/	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881 - 90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891 - 1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901 - 10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911 - 20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921 - 30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931 - 40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941 - 50	49,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
1951	19,906	1,490	95	91	144	204	486	740	1,187	2,228	5,003	6,230	1,863	145
1952	16,187	1,407	95	69	122	134	373	587	1,084	1,845	4,052	4,820	1,493	106
1953	16,171	1,286	103	70	80	109	346	584	1,066	1,804	3,923	5,010	1,650	140
1954	16,336	1,177	76	59	80	80	292	515	985	1,908	3,974	5,299	1,786	105
1955	16,988	1,129	78	60	54	89	292	487	988	1,913	4,145	5,578	2,021	154
PERSONS														
Average -														
1864 - 70	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871 - 80	71,611/	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881 - 90	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891 - 1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901 - 10	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911 - 20	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921 - 30	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931 - 40	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941 - 50	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182
1951	42,382	3,520	228	170	311	413	1,006	1,551	2,774	5,095	10,838	12,854	3,382	240
1952	35,105	3,195	221	155	258	286	786	1,313	2,475	4,265	8,918	10,266	2,794	173
1953	34,591	2,941	203	129	186	248	705	1,172	2,383	4,276	8,621	10,486	3,034	207
1954	35,535	2,806	161	126	171	198	630	1,151	2,356	4,460	8,859	11,133	3,305	179
1955	36,761	2,644	173	130	151	203	610	1,028	2,278	4,608	9,266	11,658	3,785	227

* For the period 1864-70 the ages at death were unspecified for an average annual number of 80 persons of whom 49 were males and 31 were females. These numbers are included in the totals.

/ For the period 1871-80 the ages at death were unspecified for an average annual number of 44 persons of whom 29 were males and 15 were females. These numbers are included in the totals.

TABLE 9 - AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES, CLASSIFIED BY AGE PER 1,000
CORRESPONDING POPULATION, 1864- 1955

Period	All ages	Under 5 years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
MALES													
1864 - 70	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871 - 80	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881 - 90	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891 - 1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901 - 10	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911 - 20	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921 - 30	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931 - 40	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941 - 50	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
1951	14.92	12.67	0.93	0.60	1.33	1.98	2.65	4.13	9.60	22.69	56.50	143.09	294.47
1952	12.61	11.21	0.88	0.65	1.09	1.45	2.12	3.71	8.45	19.23	47.33	118.17	250.69
1953	12.30	10.39	0.70	0.45	0.85	1.33	1.84	3.01	8.01	19.67	45.76	118.97	266.24
1954	12.88	10.27	0.60	0.51	0.73	1.13	1.74	3.27	8.38	20.41	47.80	127.35	293.64
1955	13.44	9.68	0.68	0.54	0.79	1.11	1.66	2.82	7.99	21.83	50.77	134.47	343.17
FEMALES													
1864 - 70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871 - 80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881 - 90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891 - 1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901 - 10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911 - 20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921 - 30	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931 - 40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941 - 50	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
1951	13.69	9.76	0.69	0.71	1.25	2.11	2.51	4.00	7.48	17.89	47.92	126.75	257.30
1952	11.17	9.25	0.69	0.54	1.06	1.39	1.93	3.18	6.86	14.87	38.95	98.41	205.63
1953	11.18	8.47	0.75	0.55	0.70	1.13	1.79	3.17	6.75	14.56	37.76	102.43	230.52
1954	11.33	7.78	0.56	0.46	0.70	0.83	1.52	2.81	6.26	15.45	38.38	108.72	244.44
1955	11.82	7.49	0.57	0.47	0.47	0.93	1.52	2.66	6.30	15.54	40.18	114.88	282.39
PERSONS													
1864 - 70	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871 - 80	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881 - 90	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891 - 1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901 - 10	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911 - 20	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921 - 30	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931 - 40	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941 - 50	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26
1951	14.32	11.25	0.81	0.65	1.29	2.04	2.58	4.07	8.56	20.31	52.19	134.68	272.64
1952	11.90	10.25	0.79	0.60	1.07	1.42	2.02	3.46	7.67	17.07	43.11	107.99	224.21
1953	11.75	9.45	0.73	0.50	0.78	1.23	1.82	3.09	7.40	17.13	41.73	110.45	245.25
1954	12.12	9.05	0.58	0.49	0.72	0.99	1.63	3.05	7.34	17.94	43.06	117.74	264.72
1955	12.63	8.60	0.63	0.51	0.64	1.02	1.59	2.74	7.16	18.69	45.42	124.30	307.31

TABLE 10 - BIRTHS AND DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH IN 1955 AND THE NUMBERS BIRTHS AND DEATHS OF

Area	BIRTHS (including illegitimate)				ILLEGITIMATE BIRTHS			
	Total Number Regis- tered	Trans- ferred from Area	Trans- ferred to Area	Net Number	Total Number Regis- tered	Trans- ferred from Area	Trans- ferred to Area	Net Number
TOTAL	61,622			61,622	1,234			1,234
Carlow	641	27	157	771	13	1	16	28
Dublin Co. Borough	17,050	4,649	78	12,479	330	164	36	202
Dun Laoghaire Borough	666	263	556	959	11	6	14	19
Dublin Co. (rem.)	729	71	2,309	2,967	71	61	30	40
Kildare	1,075	6	559	1,628	26	.	25	51
Kilkenny	1,165	50	195	1,310	24	.	9	33
Laoighis	907	6	118	1,019	3	.	14	17
Longford	681	111	111	681	4	.	11	15
Louth	2,062	535	67	1,594	23	3	12	32
Meath	849	21	660	1,488	19	.	21	40
Offaly	1,017	9	126	1,134	9	.	23	32
Westmeath	1,301	137	128	1,292	96	83	6	19
Wexford	1,673	44	138	1,767	47	1	13	59
Wicklow	781	14	519	1,286	19	.	15	34
Clare	1,255	9	143	1,389	12	.	15	27
Cork Co. Borough	2,756	1,522	478	1,712	5	4	8	9
Cork Co.	4,176	538	1,456	5,094	116	27	17	106
Kerry	2,353	37	96	2,412	19	1	15	33
Limerick Co. Borough	1,763	504	21	1,280	18	4	5	19
Limerick Co.	1,327	12	486	1,801	48	1	19	66
Tipperary N.R.	1,355	172	107	1,290	124	99	12	37
Tipperary S.R.	1,683	138	61	1,606	18	1	18	35
Waterford Co. Borough	1,001	383	12	630	5	3	4	6
Waterford Co.	625	17	270	878	22	2	8	28
Galway	3,427	203	66	3,290	46	8	19	57
Leitrim	526	12	98	612	3	.	10	13
Mayo	2,486	15	174	2,645	7	1	16	22
Roscommon	1,021	28	113	1,106	9	.	9	18
Sligo	1,113	62	38	1,089	14	7	9	16
Cavan	967	4	255	1,218	9	.	14	23
Donegal	2,151	18	47	2,180	51	1	20	70
Monaghan	1,040	88	63	1,015	13	.	15	28

RELATING TO THE RESIDENT POPULATION OF EACH AREA, WITH CORRESPONDING PARTICULARS FOR ILLEGITIMATE INFANTS UNDER 1 YEAR OF AGE.

DEATHS				DEATHS OF INFANTS				Natural Increase (excess of births over deaths)	Area
Total Number Regis- tered	Trans- ferred from Area	Trans- ferred to Area	Net Number	Total Number Regis- tered	Trans- ferred from Area	Trans- ferred to Area	Net Number		
36,761			36,761	2,264			2,264	24,861	TOTAL
405	28	34	411	30	1	7	36	360	Carlow
6,757	1,154	199	5,802	627	197	6	436	6,677	Dublin Co. Borough
594	137	141	598	26	8	18	36	361	Dun Laoghaire Borough
730	225	406	911	33	10	68	91	2,056	Dublin Co. (Rem.)
674	12	107	769	40	.	19	59	859	Kildare
883	19	47	911	42	.	9	51	399	Kilkenny
649	21	49	677	45	2	8	51	342	Laoighis
436	5	52	483	14	.	11	25	198	Longford
786	30	56	812	51	7	3	47	782	Louth
769	21	100	848	32	.	13	45	640	Meath
606	9	56	653	43	1	7	49	481	Offaly
716	73	51	694	49	2	6	53	598	Westmeath
1,209	14	43	1,238	65	3	6	68	529	Wexford
631	18	160	773	22	.	20	42	513	Wicklow
1,046	3	36	1,079	41	.	.	41	310	Clare
815	263	384	936	64	29	32	67	776	Cork Co. Borough
3,492	429	264	3,327	194	37	26	183	1,767	Cork Co.
1,625	9	44	1,660	92	1	6	97	752	Kerry
675	167	22	530	52	9	1	44	750	Limerick Co. Borough
967	8	156	1,115	58	.	12	70	686	Limerick Co.
773	23	53	803	47	10	4	41	487	Tipperary N.R.
1,002	45	55	1,012	82	5	9	86	594	Tipperary S.R.
438	123	20	335	28	12	.	16	295	Waterford Co. Borough
508	34	135	609	15	.	15	30	269	Waterford Co.
1,989	52	52	1,989	121	3	5	123	1,301	Galway
594	5	56	645	20	.	5	25	-33	Leitrim
1,746	12	47	1,781	97	.	4	101	864	Mayo
1,000	21	54	1,033	44	3	2	43	73	Roscommon
876	28	30	878	36	.	1	37	211	Sligo
941	2	63	1,002	53	.	8	61	216	Cavan
1,711	11	32	1,732	79	2	3	80	448	Donegal
718	32	29	715	22	.	8	30	300	Monaghan

TABLE 11 - MARRIAGES, BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1955 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH.

PROVINCES AND COUNTIES	Marriages	BIRTHS						DEATHS							
		Total (including illegitimate)			Illegitimate			Total			Under 1 year of age	Principal Epidemic Diseases*	Tuberculosis	Malignant Neoplasms	
		Males	Fe-males	Total	Males	Fe-males	Total	Males	Fe-males	Total	Total	Total	Total	Total	
TOTAL	16,443	31,483	30,139	61,622	647	587	1,234	19,773	16,988	36,761	2,264	228	889	4,695	
Carlow	141	393	378	771	16	12	28	229	182	411	36	4	9	44	
Dublin Co. Borough	5,158	6,305	6,174	12,479	89	113	202	2,865	2,937	5,802	436	50	160	936	
Dun Laoghaire Borough	308	488	471	959	12	7	19	277	321	598	36	2	6	86	
Dublin Co. (Remainder)	619	1,502	1,465	2,967	26	14	40	450	461	911	91	5	32	111	
Kildare	299	837	791	1,628	28	23	51	440	329	769	59	11	23	100	
Kilkenny	317	699	611	1,310	15	18	33	516	395	911	51	4	18	105	
Laoighis	180	491	528	1,019	8	9	17	404	273	677	51	6	14	86	
Longford	131	341	340	681	9	6	15	265	218	483	25	1	7	67	
Louth	387	846	748	1,594	20	12	32	435	377	812	47	2	17	116	
Meath	298	778	710	1,488	21	19	40	480	368	848	45	4	10	108	
Offaly	256	570	564	1,134	17	15	32	360	293	653	49	8	19	93	
Westmeath	266	668	624	1,292	9	10	19	402	292	694	53	2	26	89	
Wexford	433	904	863	1,767	34	25	59	655	583	1,238	68	5	33	144	
Wicklow	309	640	646	1,286	22	12	34	452	321	773	42	2	18	82	
LEINSTER	9,102	15,462	14,913	30,375	326	295	621	8,230	7,350	15,580	1,089	106	392	2,167	
Clare	325	711	678	1,389	14	13	27	598	481	1,079	41	3	30	120	
Cork Co. Borough	708	886	826	1,712	3	6	9	446	490	936	67	3	33	142	
Cork Co.	1,105	2,627	2,467	5,094	57	49	106	1,810	1,517	3,327	183	24	90	423	
Kerry	479	1,241	1,171	2,412	18	15	33	921	739	1,660	97	8	31	178	
Limerick Co. Borough	494	659	621	1,280	9	10	19	290	240	530	44	5	41	85	
Limerick Co.	285	926	875	1,801	32	34	66	620	495	1,115	70	10	20	140	
Tipperary, N.R.	274	655	635	1,290	20	17	37	445	358	803	41	3	14	101	
Tipperary, S.R.	321	789	817	1,606	22	13	35	564	448	1,012	86	8	31	140	
Waterford Co. Borough	190	324	306	630	4	2	6	165	170	335	16	1	6	54	
Waterford Co.	225	454	424	878	14	14	28	331	278	609	30	1	12	100	
MUNSTER	4,406	9,273	8,820	18,092	193	173	366	6,190	5,216	11,406	675	66	308	1,483	
Galway	679	1,673	1,617	3,290	30	27	57	1,087	902	1,989	123	25	52	218	
Leitrim	145	313	299	612	5	8	13	367	278	645	25	.	11	48	
Mayo	486	1,344	1,301	2,645	10	12	22	968	813	1,781	101	5	29	193	
Roscommon	270	558	548	1,106	6	12	18	581	452	1,033	43	3	11	114	
Sligo	232	573	516	1,089	7	9	16	477	401	878	37	6	11	115	
CONNACHT	1,812	4,461	4,281	8,742	58	68	126	3,480	2,846	6,326	329	39	114	688	
Cavan	317	630	588	1,218	15	8	23	560	442	1,002	61	7	15	92	
Donegal	531	1,121	1,059	2,180	38	32	70	908	824	1,732	80	8	44	181	
Monaghan	275	537	478	1,015	17	11	28	405	310	715	30	2	16	84	
ULSTER (part of)	1,123	2,288	2,125	4,413	70	51	121	1,873	1,576	3,449	171	17	75	357	

* Includes typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, measles, gastro-enteritis (under 2 years) and poliomyelitis.

TABLE 12 - MARRIAGE, BIRTH AND DEATH RATES AND THE PROPORTIONS OF ILLEGITIMATE BIRTHS IN 1955 IN EACH COUNTY AND COUNTY BOROUGH AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES

PROVINCES AND COUNTIES	Marriages per 1,000 Population	BIRTHS		DEATH RATE PER 1,000 POPULATION				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Population	Illegitimate % of Total Births	All causes	Principal Epidemic Diseases	Tuberculosis	Malignant Neoplasms	
TOTAL	5.65	21.18	2.00	12.64	0.08	0.31	1.61	36.74
Carlow	4.16	22.73	3.63	12.12	0.12	0.27	1.30	46.69
Dublin Co. Borough	9.52	23.04	1.62	10.72	0.92	0.30	1.73	34.94
Dun Laoghaire Borough	6.49	20.20	1.98	12.60	0.04	0.13	1.81	37.54
Dublin Co. (Remainder)	5.46	20.16	1.35	8.03	0.04	0.28	0.98	30.67
Kildare	4.53	24.66	3.13	11.65	0.17	0.35	1.51	36.24
Kilkenny	4.93	20.36	2.52	14.16	0.06	0.28	1.63	38.93
Laoighis	3.80	21.53	1.67	14.31	0.13	0.30	1.81	50.05
Longford	3.94	20.50	2.20	14.54	0.03	0.21	2.02	36.71
Louth	5.60	23.05	2.01	11.74	0.03	0.25	1.68	29.49
Meath	4.47	22.34	2.69	12.73	0.06	0.15	1.62	30.24
Offaly	4.92	21.79	2.82	12.55	0.15	0.37	1.79	43.21
Westmeath	4.91	23.84	1.47	12.81	0.04	0.48	1.64	41.02
Wexford	4.93	20.13	3.34	14.10	0.06	0.38	1.64	38.48
Wicklow	5.12	21.30	2.64	12.80	0.03	0.30	1.36	32.66
LEINSTER	6.81	22.73	2.04	11.66	0.08	0.29	1.62	35.85
Clare	4.17	17.82	1.94	13.84	0.04	0.38	1.54	29.52
Cork Co. Borough	8.79	21.26	0.53	11.62	0.04	0.41	1.76	39.14
Cork Co.	4.30	19.82	2.08	12.94	0.09	0.35	1.65	35.92
Kerry	3.90	19.64	1.37	13.52	0.07	0.25	1.45	40.22
Limerick Co. Boro'	9.71	25.17	1.48	10.42	0.10	0.81	1.67	34.38
Limerick Co.	3.25	20.56	3.66	12.73	0.11	0.23	1.60	38.87
Tipperary N.R.	4.90	23.06	2.87	14.35	0.05	0.25	1.81	31.78
Tipperary S.R.	4.33	21.67	2.18	13.66	0.11	0.42	1.89	53.55
Waterford Co. Boro'	6.59	21.83	0.95	11.61	0.03	0.21	1.87	25.40
Waterford Co.	4.96	19.35	3.19	13.42	0.02	0.26	2.20	34.17
MUNSTER	5.00	20.53	2.02	12.95	0.07	0.35	1.68	37.31
Galway	4.34	21.04	1.73	12.72	0.16	0.33	1.39	37.39
Leitrim	3.83	16.16	2.12	17.03	.	0.29	1.27	40.85
Mayo	3.61	19.62	0.83	13.21	0.04	0.22	1.43	38.19
Roscommon	4.18	17.13	1.63	16.00	0.05	0.17	1.77	38.88
Sligo	4.03	18.92	1.47	15.25	0.10	0.19	2.00	33.98
CONNACHT	4.02	19.38	1.44	14.02	0.09	0.25	1.52	37.63
Cavan	5.06	19.44	1.89	15.99	0.11	0.24	1.47	50.08
Donegal	4.28	17.59	3.21	13.97	0.06	0.31	1.46	36.70
Monaghan	5.22	19.27	2.76	13.57	0.04	0.30	1.59	29.56
ULSTER (part of)	4.69	18.44	2.74	14.41	0.07	0.31	1.49	38.75

TABLE 13 - MARRIAGES REGISTERED IN EACH

Provinces and Counties	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Protestant Episcopalian	In Registered Presbyterian Meeting Houses	In Registered Buildings	In the Registrar's Office	Society of Friends	Jews
TOTAL	16,443	15,594	849	605	107	42	67	3	25
LEINSTER	9,102	8,598	504	355	36	23	65	2	23
MUNSTER	4,406	4,293	113	100	2	7	1	1	2
CONNACHT	1,812	1,782	30	27	1	1	1	.	.
ULSTER (part of)	1,123	921	202	123	68	11	.	.	.
PROVINCE OF									
Carlow	141	132	9	9
Dublin Co. Borough	5,158	4,864	294	167	25	15	62	2	23
Dun Laoghaire Borough	308	265	43	34	6	3	.	.	.
Dublin Co. (remainder)	619	581	38	37	.	1	.	.	.
Kildare	299	294	5	5
Kilkenny	317	315	2	2
Laois	180	162	18	17	.	.	1	.	.
Longford	131	128	3	2	1
Louth	387	377	10	6	1	3	.	.	.
Meath	298	288	10	8	2
Offaly	256	238	18	18
Westmeath	266	260	6	6
Wexford	433	426	7	7
Wicklow	309	268	41	37	1	1	2	.	.
PROVINCE OF									
Clare	325	324	1	.	1
Cork Co. Borough	708	704	4	.	1	2	.	.	1
Cork Co.	1,105	1,039	66	59	.	5	1	.	1
Kerry	479	470	9	9
Limerick Co. Borough	494	490	4	4
Limerick Co.	285	278	7	7
Tipperary N.R.	274	262	12	12
Tipperary S.R.	321	318	3	3
Waterford Co. Borough	190	190
Waterford Co.	225	218	7	6	.	.	.	1	.
PROVINCE OF									
Galway	679	677	2	2
Leitrim	145	137	8	8
Mayo	486	481	5	5
Roscommon	270	268	2	2
Sligo	232	219	13	10	1	1	1	.	.
PROVINCE OF									
Cavan	317	272	45	37	5	3	.	.	.
Donegal	531	437	94	49	38	7	.	.	.
Monaghan	275	212	63	37	25	1	.	.	.

COUNTY AND COUNTY BOROUGH DURING 1955

Total Marriages Registered in the Quarter ending the last day of				MARRIAGES						Provinces and Counties
March	June	Sept.	Dec.	Contracted between				Persons not of full age		
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
3,135	3,969	5,792	3,527	15,608	164	373	98	321	1,477	TOTAL
1,548	2,158	3,498	1,898	8,754	84	208	56	220	931	LEINSTER
1,001	1,069	1,416	920	4,224	49	108	25	74	340	MUNSTER
392	499	519	402	1,742	21	38	11	14	117	CONNACHT
194	263	359	307	1,088	10	19	6	13	89	ULSTER (part of)

LEINSTER

22	33	55	31	138	.	2	1	6	23	Carlow
855	1,173	2,164	966	4,961	46	113	38	128	459	Dublin Co. Borough
54	38	142	74	294	2	9	3	13	23	Dun Laoghaire Borough
90	184	177	168	597	3	16	3	6	64	Dublin Co. (remainder)
44	73	123	59	290	6	2	1	13	66	Kildare
72	105	64	76	299	5	13	.	4	29	Kilkenny
37	43	47	53	177	.	2	1	5	30	Laois
32	43	35	21	126	2	3	.	4	9	Longford
51	87	153	96	379	2	4	2	9	51	Louth
48	71	111	68	286	4	8	.	7	32	Meath
51	59	80	66	248	2	3	3	5	26	Offaly
65	54	93	54	248	5	13	.	5	32	Westmeath
65	132	148	88	418	5	10	.	5	53	Wexford
62	63	106	78	293	2	10	4	10	34	Wicklow

MUNSTER

80	98	82	65	311	7	7	.	5	23	Clare
135	134	281	158	691	1	13	3	16	48	Cork Co. Borough
251	274	370	210	1,052	14	31	8	8	73	Cork Co.
139	128	114	98	462	5	10	2	3	17	Kerry
113	109	143	129	484	2	8	.	15	45	Limerick Co. Borough
76	76	80	53	271	3	10	1	4	22	Limerick Co.
55	76	83	60	262	1	9	2	6	24	Tipperary N.R.
66	71	104	80	303	7	10	1	8	48	Tipperary S.R.
37	51	71	31	183	3	1	3	7	18	Waterford Co. Borough
49	52	88	36	205	6	9	5	2	22	Waterford Co.

CONNACHT

169	176	185	149	653	7	18	1	8	53	Galway
29	36	46	34	136	3	4	2	1	3	Leitrim
71	162	150	103	469	6	9	2	2	26	Mayo
80	69	60	61	261	2	4	3	1	14	Roscommon
43	56	78	55	223	3	3	3	2	21	Sligo

ULSTER (part of)

56	71	61	129	304	3	7	3	6	17	Cavan
91	108	212	120	516	5	9	1	5	48	Donegal
47	84	86	58	268	2	3	2	2	24	Monaghan

TABLE 14 - BIRTHS AND DEATHS CLASSIFIED BY SEX REGISTERED IN 1955 FOR THE PRINCIPAL TOWNS AND AGGREGATE URBAN AND RURAL DISTRICTS SHOWING SEPARATELY ILLEGITIMATE BIRTHS, AND THE DEATHS FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

AREA	BIRTHS						DEATHS				
	Total (including illegitimate)			Illegitimate			Total			Tuber- culosis	Malignant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total
Dublin County Borough	6,305	6,174	12,479	89	113	202	2,865	2,937	5,802	160	936
Cork " "	886	826	1,712	3	6	9	446	490	936	33	142
Limerick " "	659	621	1,280	9	10	19	290	240	530	41	85
Waterford " "	324	306	630	4	2	6	165	170	335	6	54
Dun Laoghaire	488	471	959	12	7	19	277	321	598	6	86
Galway Borough	206	233	439	5	2	7	101	91	192	10	21
Dundalk U.D.	246	220	466	3	2	5	118	107	225	5	29
Drogheda "	209	175	384	4	2	6	82	64	146	5	24
Sligo "	148	143	291	.	2	2	71	72	143	2	15
Wexford "	122	114	236	2	2	4	80	79	159	7	14
Kilkenny "	149	118	267	.	1	1	69	67	136	3	16
Bray "	128	118	246	2	.	2	76	68	144	4	15
Tralee "	126	107	233	.	.	.	56	62	118	2	15
Clonmel "	114	140	254	1	1	2	73	56	129	5	19
Total above Principal towns	10,110	9,766	19,876	134	150	284	4,769	4,824	9,593	289	1,471
All other U.D.s	1,866	1,839	3,705	36	15	51	1,040	972	2,012	70	257
All Boroughs and Urban Districts:-											
LEINSTER	8,418	8,130	16,548	125	131	256	3,922	3,942	7,864	211	1,195
MUNSTER	2,846	2,753	5,599	36	24	60	1,508	1,497	3,005	122	452
CONNACHT	493	505	998	6	5	11	270	253	523	18	57
ULSTER (part of)	219	217	436	3	5	8	109	104	213	8	24
Total Boroughs and Urban Districts	11,976	11,605	23,581	170	165	335	5,809	5,796	11,605	359	1,728
Aggregate Rural Districts:-											
LEINSTER	7,044	6,783	13,827	201	164	365	4,308	3,408	7,716	181	972
MUNSTER	6,426	6,067	12,493	157	149	306	4,682	3,719	8,401	186	1,031
CONNACHT	3,968	3,776	7,744	52	63	115	3,210	2,593	5,803	96	631
ULSTER (part of)	2,069	1,908	3,977	67	46	113	1,764	1,472	3,236	67	333
Aggregate Rural Districts	19,507	18,534	38,041	477	422	899	13,964	11,192	25,156	530	2,967
TOTAL	31,483	30,139	61,622	647	587	1,234	19,773	16,988	36,761	889	4,695

TABLE 15 - BIRTH AND DEATH RATES IN 1955 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS, THE PROPORTIONS OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FROM TUBERCULOSIS AND MALIGNANT NEOPLASMS.

AREA	BIRTHS		DEATH RATE PER 1,000 POPULATION		
	Total Births per 1,000 population	Illegitimate % of total Births	All Causes	Tuberculosis	Malignant Neoplasms
Dublin County Borough	23.04	1.62	10.71	0.30	1.73
Cork " "	21.26	0.53	11.62	0.41	1.76
Limerick " "	25.17	1.48	10.42	0.81	1.67
Waterford " "	21.83	0.95	11.61	0.21	1.87
Dun Laoghaire " "	20.20	1.98	12.60	0.13	1.81
Galway Borough	20.59	1.59	9.01	0.47	0.99
Dundalk U.D.	23.68	1.07	11.43	0.25	1.47
Drogheda " "	22.89	1.56	8.70	0.30	1.43
Sligo " "	21.51	0.69	10.57	0.15	1.11
Wexford " "	19.70	1.69	13.27	0.58	1.17
Kilkenny " "	25.26	0.37	12.86	0.28	1.51
Bray " "	20.39	0.81	11.94	0.33	1.24
Tralee " "	21.10	.	10.68	0.18	1.36
Clonmel " "	24.26	0.79	12.32	0.48	1.81
Total above principal Towns	22.67	1.43	10.94	0.33	1.68
All other U.D.s	17.04	1.38	9.25	0.32	1.18
All Boroughs and Urban Districts:-					
LEINSTER	21.80	1.55	10.36	0.28	1.57
MUNSTER	21.76	1.07	11.68	0.47	1.76
CONNACHT	18.13	1.10	9.50	0.33	1.04
ULSTER (part of)	19.23	1.83	9.39	0.35	1.06
Total Boroughs and Urban Districts	21.55	1.42	10.61	0.33	1.58
Aggregate Rural Districts:-					
LEINSTER	23.91	2.66	13.34	0.31	1.68
MUNSTER	20.03	2.45	13.47	0.30	1.65
CONNACHT	19.55	1.49	14.65	0.24	1.59
ULSTER (part of)	18.36	2.84	14.94	0.31	1.54
Aggregate Rural Districts	20.96	2.36	13.86	0.29	1.63
TOTAL	21.18	2.00	12.64	0.31	1.61

TABLE 16 - BIRTHS AND DEATHS REGISTERED IN 1955 FOR EACH URBAN DISTRICT, CLASSIFIED BY SEX

Urban District	BIRTHS			DEATHS		
	Males	Females	Total	Males	Females	Total
Carlow	86	78	164	52	44	96
Athy	64	46	110	26	12	38
Naas	49	54	103	20	9	29
Longford	39	43	82	17	19	36
Ceannanus Mor	20	38	58	12	12	24
An Uaimh	67	56	123	24	17	41
Trim	18	15	33	12	6	18
Birr	29	34	63	12	21	33
Tullamore	73	75	148	26	25	51
Athlone	120	111	231	38	35	73
Enniscorthy	68	61	129	38	28	66
New Ross	47	34	81	30	25	55
Arklow	60	70	130	32	29	61
Wicklow	31	25	56	16	17	33
Ennis	67	73	140	37	34	71
Kilrush	17	15	32	22	24	46
Clonakilty	10	10	20	17	17	34
Cobh	59	53	112	37	40	77
Fermoy	35	51	86	32	25	57
Kinsale	12	11	23	18	12	30
Macroom	13	16	29	8	8	16
Mallow	50	62	112	25	27	52
Midleton	20	25	45	7	12	19
Skibbereen	17	14	31	16	20	36
Youghal	46	39	85	29	30	59
Killarney	47	47	94	27	26	53
Listowel	23	14	37	17	15	32
Nenagh	45	44	89	30	24	54
Templemore	12	11	23	18	14	32
Thurles	77	73	150	36	38	74
Carrick-on-Suir	59	70	129	36	39	75
Cashel	17	27	44	11	12	23
Tipperary	57	55	112	33	33	66
Dungarvan	54	43	97	22	29	51
Ballinasloe	27	20	47	15	16	31
Ballina	64	54	118	40	37	77
Castlebar	26	28	54	20	15	35
Westport	22	27	49	23	22	45
Cavan	37	44	81	14	14	28
Buncrana	21	30	51	16	12	28
Bundoran	29	24	53	12	14	26
Letterkenny	36	27	63	11	19	30
Carrickmacross	29	20	49	8	6	14
Castleblayney	28	22	50	13	8	21
Clones	19	17	36	16	8	24
Monaghan	20	33	53	19	23	42

TABLE 17 - DEATHS REGISTERED IN 1955 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS
AND IN THE AGGREGATE RURAL DISTRICTS

Ages	AGGREGATE RURAL DISTRICTS			AGGREGATE URBAN DISTRICTS			TOTAL		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
Under 1 year	1,399	822	577	865	475	390	2,264	1,297	967
1	99	50	49	72	50	22	171	100	71
2	59	31	28	35	18	17	94	49	45
3	30	17	13	31	20	11	61	37	24
4	35	19	16	19	13	6	54	32	22
1 - 4 years	223	117	106	157	101	56	380	218	162
5	26	11	15	19	9	10	45	20	25
6	24	16	8	12	6	6	36	22	14
7	18	9	9	23	15	8	41	24	17
8	15	10	5	10	5	5	25	15	10
9	17	9	8	9	5	4	26	14	12
5 - 9 years	100	55	45	73	40	33	173	95	78
10	18	8	10	11	6	5	29	14	15
11	17	8	9	14	11	3	31	19	12
12	12	7	5	11	5	6	23	12	11
13	16	9	7	6	4	2	22	13	9
14	14	6	8	11	6	5	25	12	13
10 - 14 years	77	38	39	53	32	21	130	70	60
15	11	7	4	6	4	2	17	11	6
16	20	13	7	9	3	6	29	16	13
17	22	15	7	6	3	3	28	18	10
18	27	19	8	10	5	5	37	24	13
19	21	15	6	19	13	6	40	28	12
15 - 19 years	101	69	32	50	28	22	151	97	54
20	19	14	5	9	5	4	28	19	9
21	34	23	11	22	13	9	56	36	20
22	28	14	14	12	6	6	40	20	20
23	30	16	14	15	6	9	45	22	23
24	22	8	14	12	9	3	34	17	17
20 - 24 years	133	75	58	70	39	31	209	114	89
25	20	13	7	21	11	10	41	24	17
26	27	18	9	17	8	9	44	26	18
27	18	11	7	24	18	6	42	29	13
28	35	19	16	19	10	9	54	29	25
29	45	19	26	23	11	12	68	30	38
25 - 29 years	145	80	65	104	58	46	249	138	111
30	44	22	22	24	10	14	68	32	36
31	38	20	18	15	4	11	53	24	29
32	50	28	22	31	16	15	81	44	37
33	61	27	34	25	13	12	86	40	46
34	44	20	24	29	20	9	73	40	33
30 - 34 years	237	117	120	124	63	61	361	180	181
35	48	29	19	29	15	14	77	44	33
36	44	22	22	23	12	11	67	34	33
37	51	25	26	30	21	9	81	46	35
38	62	28	34	28	11	17	90	39	51
39	65	31	34	37	23	14	102	54	48
35 - 39 years	270	135	135	147	82	65	417	217	200
40	88	39	49	37	16	21	125	55	70
41	46	24	22	41	19	22	87	43	44
42	87	48	39	52	30	22	139	78	61
43	72	43	29	49	28	21	121	71	50
44	88	51	37	51	26	25	139	77	62
40 - 44 years	381	205	176	230	119	111	611	324	287
45	122	61	61	63	32	31	185	93	92
46	90	54	36	63	31	32	153	85	68
47	84	51	33	79	45	34	163	96	67
48	107	60	47	79	42	37	186	102	84
49	112	58	54	74	45	29	186	103	83
45 - 49 years	515	284	231	358	195	163	873	479	394

TABLE 17 (contd.) - DEATHS REGISTERED IN 1955 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS

Ages	AGGREGATE RURAL DISTRICTS			AGGREGATE URBAN DISTRICTS			TOTAL		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
50	195	113	82	110	61	49	305	174	131
51	92	56	36	87	50	37	179	106	73
52	160	98	62	116	62	54	276	160	116
53	164	93	71	108	68	40	272	161	111
54	220	125	95	153	85	68	373	210	163
50 - 54 years	831	485	346	574	326	248	1,405	811	594
55	252	148	104	159	103	56	411	251	160
56	212	127	85	163	95	68	375	222	153
57	205	121	84	132	84	48	337	205	132
58	248	141	107	164	91	73	412	232	180
59	197	128	69	142	87	55	339	215	124
55 - 59 years	1,114	665	449	760	460	300	1,874	1,125	749
60	427	251	176	252	135	117	679	386	293
61	236	143	93	181	110	71	417	253	164
62	315	185	130	191	106	85	506	291	215
63	321	189	132	203	119	84	524	308	216
64	376	202	174	232	130	102	608	332	276
60 - 64 years	1,675	970	705	1,059	600	459	2,734	1,570	1,164
65	502	303	199	266	154	112	768	457	311
66	362	205	157	211	129	82	573	334	239
67	412	258	154	273	163	110	685	421	264
68	519	305	214	276	145	131	795	450	345
69	503	302	201	254	133	121	757	435	322
65 - 69 years	2,298	1,373	925	1,280	724	556	3,578	2,097	1,481
70	718	418	300	396	197	199	1,114	615	499
71	599	316	283	271	134	137	870	450	420
72	776	423	353	378	187	191	1,154	610	544
73	820	454	366	358	163	195	1,178	617	561
74	949	526	423	423	206	217	1,372	732	640
70 - 74 years	3,862	2,137	1,725	1,826	887	939	5,688	3,024	2,664
75	939	510	429	399	173	226	1,338	683	655
76	863	499	364	336	161	175	1,199	660	539
77	848	473	375	302	125	177	1,150	598	552
78	983	548	435	339	141	198	1,322	689	633
79	809	452	357	312	138	174	1,121	590	531
75 - 79 years	4,442	2,482	1,960	1,688	738	950	6,130	3,220	2,910
80	1,087	632	455	370	152	218	1,457	784	673
81	722	392	330	242	92	150	964	484	480
82	833	447	386	263	120	143	1,096	567	529
83	739	401	338	240	102	138	979	503	476
84	827	436	391	205	86	119	1,032	522	510
80 - 84 years	4,208	2,308	1,900	1,320	552	768	5,528	2,860	2,668
85	659	365	294	166	66	100	825	431	394
86	559	278	281	185	71	114	744	349	395
87	404	210	194	120	43	77	524	253	271
88	359	178	181	105	33	72	464	211	253
89	269	148	121	85	32	53	354	180	174
85 - 89 years	2,250	1,179	1,071	661	245	416	2,911	1,424	1,487
90	255	117	138	54	13	41	309	130	179
91	145	57	88	32	7	25	177	64	113
92	133	55	78	35	5	30	168	60	108
93	96	40	56	32	7	25	128	47	81
94	70	33	37	22	6	16	92	39	53
90 - 94 years	699	302	397	175	38	137	874	340	524
95	49	16	33	8	2	6	57	18	39
96	49	16	33	7	2	5	56	18	38
97	35	15	20	3	1	2	38	16	22
98	29	12	17	6	1	5	35	13	22
99	18	4	14	3	1	2	21	5	16
95 - 99 years	180	63	117	27	7	20	207	70	157
100 years & over	16	3	13	4	.	4	20	3	17
Total	25,156	13,964	11,192	11,605	5,809	5,796	36,761	19,773	16,988

TABLE 18 - DEATHS, CLASSIFIED BY SEX AND AGE, REGISTERED

Area		Age at Death								
		All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
TOTAL	Males	19,773	1,297	100	49	37	32	1,515	95	70
	Females	16,988	967	71	45	24	22	1,129	78	60
	Persons	36,761	2,264	171	94	61	54	2,644	173	130
LEINSTER	Males	8,230	633	60	24	23	16	756	51	29
	Females	7,350	456	31	25	11	6	529	46	34
	Persons	15,580	1,089	91	49	34	22	1,285	97	63
MUNSTER	Males	6,190	353	24	17	9	10	413	22	24
	Females	5,216	322	23	13	11	7	376	15	8
	Persons	11,406	675	47	30	20	17	789	37	32
CONNACHT	Males	3,480	202	11	5	4	4	226	12	10
	Females	2,846	127	9	5	1	6	188	10	13
	Persons	6,326	329	20	10	5	10	374	22	23
ULSTER (part of)	Males	1,873	109	5	3	1	2	120	10	7
	Females	1,576	62	8	2	1	3	76	7	5
	Persons	3,449	171	13	5	2	5	196	17	12
LEINSTER										
Carlow	Males	229	24	3	.	.	.	27	3	.
	Females	182	12	1	1	.	1	15	3	2
	Persons	411	36	4	1	.	1	42	6	2
Dublin County Borough	Males	2,865	252	27	9	10	8	306	24	13
	Females	2,937	184	12	9	5	2	212	15	14
	Persons	5,802	436	39	18	15	10	518	39	27
Dun Laoghaire Borough	Males	277	21	.	.	1	.	22	1	.
	Females	321	15	.	1	1	.	17	1	1
	Persons	598	36	.	1	2	.	39	2	1
Dublin County	Males	450	42	7	1	1	3	54	5	.
	Females	461	49	3	2	2	.	56	7	4
	Persons	911	91	10	3	3	3	110	12	4
Kildare	Males	440	37	2	2	1	.	42	4	2
	Females	329	22	2	.	.	.	24	3	4
	Persons	769	59	4	2	1	.	66	7	6
Kilkenny	Males	516	31	4	2	2	1	40	2	1
	Females	395	20	1	3	.	.	24	1	1
	Persons	911	51	5	5	2	1	64	3	2
Laoighis	Males	404	31	2	.	.	.	33	.	.
	Females	273	20	1	1	.	.	22	3	1
	Persons	677	51	3	1	.	.	55	3	1
Longford	Males	265	19	.	1	.	.	20	1	2
	Females	218	6	1	.	.	.	7	1	.
	Persons	483	25	1	1	.	.	27	2	2
Louth	Males	435	32	2	2	2	.	38	2	1
	Females	377	15	3	2	.	.	20	1	1
	Persons	812	47	5	4	2	.	58	3	2
Meath	Males	480	28	2	3	1	1	35	2	1
	Females	368	17	1	.	1	2	21	1	.
	Persons	848	45	3	3	2	3	56	3	1
Offaly	Males	360	26	3	1	1	.	31	.	1
	Females	293	23	3	.	1	.	27	3	1
	Persons	653	49	6	1	2	.	58	3	2
Westmeath	Males	402	34	4	3	1	.	42	.	1
	Females	292	19	2	2	.	1	24	2	3
	Persons	694	53	6	5	1	1	66	2	4
Wexford	Males	655	36	2	.	3	2	43	4	4
	Females	583	32	1	3	1	.	37	5	2
	Persons	1,238	68	3	3	4	2	80	9	6
Wicklow	Males	452	20	2	.	.	1	23	3	3
	Females	321	22	.	1	.	.	23	.	.
	Persons	773	42	2	1	.	1	46	3	3

DURING 1955, FOR EACH COUNTY AND COUNTY BOROUGH

Age at Death (contd.)

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over
97	114	138	180	217	324	479	811	1,125	1,570	2,097	3,024	3,220	2,860	1,837
54	89	111	181	200	287	394	594	749	1,164	1,481	2,664	2,910	2,668	2,175
151	203	249	361	417	611	873	1,405	1,874	2,734	3,578	5,688	6,130	5,528	4,012
37	42	60	70	87	149	221	391	567	739	958	1,311	1,205	962	595
30	41	49	90	88	148	180	273	337	554	678	1,179	1,211	1,022	861
67	83	109	160	175	297	401	664	904	1,293	1,636	2,490	2,416	1,984	1,456
33	47	44	64	80	102	149	267	328	482	666	912	1,060	918	579
12	23	37	45	66	82	129	185	242	347	455	818	920	828	628
45	70	81	109	146	184	278	452	570	829	1,121	1,730	1,980	1,746	1,207
15	15	20	26	33	41	58	91	142	223	303	510	633	664	458
9	15	16	31	35	37	53	84	104	160	211	421	485	537	477
24	30	36	57	68	78	111	175	246	383	514	931	1,118	1,201	935
12	10	14	20	17	32	51	62	88	126	170	291	322	316	205
3	10	9	15	11	20	32	52	66	103	137	246	294	281	209
15	20	23	35	28	52	83	114	154	229	307	537	616	597	414
3	1	1	1	.	2	2	9	14	17	29	38	38	26	18
.	.	2	3	3	5	4	3	6	11	14	32	29	22	28
3	1	3	4	3	7	6	12	20	28	43	70	67	48	46
14	19	28	27	43	62	89	167	242	314	386	437	329	236	129
12	20	21	36	30	70	82	118	144	254	303	477	456	368	305
26	39	49	63	73	132	171	285	386	568	689	914	785	604	434
.	.	2	2	3	3	11	14	26	25	34	36	33	33	32
1	.	3	2	3	5	5	16	16	20	25	56	51	65	34
1	.	5	4	6	8	16	30	42	45	59	92	84	98	66
4	3	2	5	2	12	11	20	33	34	43	70	68	49	35
4	3	4	7	3	9	11	11	11	39	38	64	74	53	63
8	6	6	12	5	21	22	31	44	73	81	134	142	102	98
2	6	2	5	3	12	12	19	22	38	49	65	60	58	39
1	3	4	6	3	8	15	15	12	20	30	54	50	38	39
3	9	6	11	6	20	27	34	34	58	79	119	110	96	78
3	1	4	5	3	5	11	14	18	42	60	87	102	68	50
1	1	2	2	3	7	7	12	20	19	38	71	63	67	56
4	2	6	7	6	12	18	26	38	61	98	158	165	135	106
.	1	3	1	5	4	11	12	25	31	35	66	74	78	25
.	1	1	1	5	6	5	10	9	14	26	48	44	44	34
.	1	4	2	10	10	16	22	34	45	61	114	118	122	59
.	.	.	2	3	2	6	8	14	15	29	43	46	49	25
1	.	2	3	3	2	4	6	5	15	19	37	39	44	30
1	.	2	5	6	4	10	14	19	30	48	80	85	93	55
3	.	1	3	1	7	15	26	35	49	48	58	61	50	37
1	1	4	5	7	5	7	13	22	27	33	67	66	57	40
4	1	5	8	8	12	22	39	57	76	81	125	127	107	77
1	2	4	4	4	7	15	14	32	37	58	83	90	57	34
2	1	.	7	6	4	6	12	12	30	32	64	82	48	40
3	3	4	11	10	11	21	26	44	67	90	147	172	105	74
2	2	2	4	5	9	7	24	21	29	36	58	49	45	35
2	1	.	8	5	8	4	10	8	25	24	34	52	43	38
4	3	2	12	10	17	11	34	29	54	60	92	101	88	73
.	2	2	4	5	6	7	22	18	29	41	64	64	49	46
2	2	1	3	5	5	3	11	18	16	20	49	53	45	30
2	4	3	7	10	11	10	33	36	45	61	113	117	94	76
5	2	5	6	6	12	12	19	33	48	52	128	123	106	47
2	6	5	7	10	8	16	20	34	40	47	87	96	88	73
7	8	10	13	16	20	28	39	67	88	99	215	219	194	120
.	3	4	1	4	6	12	23	34	31	58	78	68	58	43
1	3	.	.	2	6	11	16	20	24	29	39	56	40	51
1	6	4	1	6	12	23	39	54	55	87	117	124	98	94

TABLE 18 (contd.) - DEATHS, CLASSIFIED BY SEX AND AGE, REGISTERED

Area		Age at Death								
		All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14
MUNSTER										
Clare	Males	598	21	2	1	.	.	24	2	1
	Females	481	20	2	1	1	.	24	1	.
	Persons	1,079	41	4	2	1	.	48	3	1
Cork County Borough	Males	446	29	1	.	2	1	33	3	1
	Females	490	38	2	.	1	.	41	2	1
	Persons	936	67	3	.	3	1	74	5	2
Cork County	Males	1,810	94	9	4	2	4	113	3	8
	Females	1,517	89	8	5	2	1	105	2	.
	Persons	3,327	183	17	9	4	5	218	5	8
Kerry	Males	921	53	4	2	1	1	61	6	1
	Females	739	44	.	1	3	3	51	1	2
	Persons	1,660	97	4	3	4	4	112	7	3
Limerick County Borough	Males	290	19	1	.	1	.	21	1	4
	Females	240	25	.	2	2	.	29	1	.
	Persons	530	44	1	2	3	.	50	2	4
Limerick County	Males	620	34	.	2	.	.	36	3	1
	Females	495	36	4	2	2	.	44	1	3
	Persons	1,115	70	4	4	2	.	80	4	4
Tipperary North Riding	Males	445	20	3	5	.	.	28	1	2
	Females	358	21	2	1	.	2	26	.	.
	Persons	803	41	5	6	.	2	54	1	2
Tipperary South Riding	Males	564	57	3	.	3	1	64	3	3
	Females	448	29	4	1	.	1	35	6	1
	Persons	1,012	86	7	1	3	2	99	9	4
Waterford County Borough	Males	165	9	.	2	.	2	13	.	2
	Females	170	7	1	.	.	.	8	1	.
	Persons	335	16	1	2	.	2	21	1	2
Waterford County	Males	331	17	1	1	.	1	20	.	1
	Females	278	13	13	.	1
	Persons	609	30	1	1	.	1	33	.	2
CONNACHT										
Galway	Males	1,087	74	6	1	2	1	84	3	3
	Females	902	49	4	3	.	3	59	3	6
	Persons	1,989	123	10	4	2	4	143	6	9
Leitrim	Males	367	17	1	.	.	1	19	.	.
	Females	278	8	.	.	1	1	10	2	.
	Persons	645	25	1	.	1	2	29	2	.
Mayo	Males	968	59	3	3	1	.	66	3	3
	Females	813	42	1	2	.	.	45	3	2
	Persons	1,781	101	4	5	1	.	111	6	5
Roscommon	Males	581	23	1	1	.	1	26	2	1
	Females	452	20	2	.	.	1	23	1	4
	Persons	1,033	43	3	1	.	2	49	3	5
Sligo	Males	477	29	.	.	1	1	31	4	3
	Females	401	8	2	.	.	1	11	1	1
	Persons	878	37	2	.	1	2	42	5	4
ULSTER (part of)										
Cavan	Males	560	37	.	1	.	1	39	5	2
	Females	442	24	.	.	1	1	26	1	1
	Persons	1,002	61	.	1	1	2	65	6	3
Donegal	Males	908	52	4	2	1	1	60	3	4
	Females	824	28	6	1	.	1	36	5	3
	Persons	1,732	80	10	3	1	2	96	8	7
Monaghan	Males	405	20	1	.	.	.	21	2	1
	Females	310	10	2	1	.	1	14	1	1
	Persons	715	30	3	1	.	1	35	3	2

DURING 1955, FOR EACH COUNTY AND COUNTY BOROUGH

Age at Death (contd.)

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over
7	5	3	9	6	8	14	21	36	40	60	88	102	92	80
7	5	2	5	9	8	11	19	14	26	39	65	94	88	76
7	5	5	14	15	16	25	40	50	66	99	153	196	180	156
1	4	2	4	4	7	19	21	28	51	59	73	75	41	20
2	3	2	2	4	8	20	21	24	35	48	95	93	55	34
3	7	4	6	8	15	39	42	52	86	107	168	168	96	54
7	10	11	22	20	33	42	75	84	147	207	276	337	251	164
8	5	8	13	15	24	31	50	68	105	135	238	286	235	189
15	15	19	35	35	57	73	125	152	252	342	514	623	486	353
8	6	5	9	14	15	19	34	35	63	87	122	164	157	115
1	2	3	5	11	12	15	18	42	42	59	114	143	134	84
9	8	8	14	25	27	34	52	77	105	146	236	307	291	199
3	6	5	8	9	10	11	25	26	33	28	42	30	15	13
2	5	2	2	3	5	9	13	20	20	15	34	38	29	15
3	8	10	10	12	15	20	38	46	53	43	76	68	44	28
4	4	4	6	8	6	11	22	30	40	62	92	97	120	74
1	3	2	7	7	10	7	14	19	36	42	87	66	78	68
5	7	6	13	15	16	18	36	49	76	104	179	163	198	142
1	1	6	4	6	9	6	19	23	26	55	67	83	64	44
3	7	3	3	5	3	14	17	14	22	29	55	52	54	54
1	4	13	7	11	12	20	36	37	48	84	122	135	118	98
2	2	1	5	9	13	32	35	41	55	70	93	98	38	38
4	5	5	10	11	19	17	26	46	66	79	73	45	45	45
6	2	6	10	19	24	51	52	67	101	136	172	171	83	83
1	3	2	4	1	6	6	16	16	15	24	29	17	10	10
1	3	4	1	4	4	7	11	13	17	27	26	26	21	21
1	6	6	1	8	1	10	13	27	29	32	51	55	43	31
1	1	4	1	4	4	8	12	15	25	38	58	50	63	21
1	1	4	2	3	2	7	7	13	22	25	37	43	56	42
1	7	8	3	7	6	15	19	28	47	63	95	93	119	63
9	5	6	7	10	10	19	31	48	80	104	152	178	204	134
4	6	6	12	13	14	18	32	35	45	63	140	145	146	155
13	11	12	19	23	24	37	63	83	125	167	292	323	350	289
1	1	3	3	4	2	12	22	30	30	56	71	67	47	47
1	1	1	3	3	6	5	6	10	14	19	45	51	55	47
2	2	1	6	6	10	7	18	32	44	49	101	122	122	94
5	4	9	6	11	13	22	20	34	48	81	123	190	187	143
1	6	3	8	11	5	14	23	31	39	63	122	133	163	141
6	10	12	14	22	18	36	43	65	87	144	245	323	350	284
1	2	3	7	6	4	12	14	14	40	44	102	107	115	81
1	1	3	2	4	4	9	13	16	29	32	63	87	90	70
2	3	6	9	10	8	21	27	30	69	76	165	194	205	151
3	3	2	3	3	10	3	14	24	25	44	77	87	91	53
3	1	3	6	4	8	7	10	12	33	34	51	69	83	64
3	4	5	9	7	18	10	24	36	58	78	128	156	174	117
4	4	5	4	4	10	12	24	26	40	53	82	87	95	64
4	2	1	4	2	8	9	14	29	23	42	78	87	67	48
4	6	6	8	6	18	21	38	55	63	95	160	174	162	112
7	5	7	11	9	17	28	27	44	55	73	128	162	157	111
1	7	6	5	7	8	17	28	28	55	67	118	147	166	120
8	12	13	16	16	25	45	55	72	110	140	246	309	323	231
1	1	2	5	4	5	11	11	18	31	44	81	73	64	30
2	1	2	6	2	4	6	10	9	25	28	50	60	48	41
3	2	4	11	6	9	17	21	27	56	72	131	133	112	71

DURING 1955, FOR EACH COUNTY AND COUNTY BOROUGH

Age at Death (contd.)

15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over
7	5	3	9	6	8	14	21	36	40	60	88	102	92	80
		2	5	9	8	11	19	14	26	39	65	94	88	76
7	5	5	14	15	16	25	40	50	66	99	153	196	180	156
1	4	2	4	4	7	19	21	28	51	59	73	75	41	20
2	3	2	2	4	8	20	21	24	35	48	95	93	55	34
3	7	4	6	8	15	39	42	52	86	107	168	168	96	54
7	10	11	22	20	33	42	75	84	147	207	276	337	251	164
8	5	8	13	15	24	31	50	68	105	135	238	286	235	189
15	15	19	35	35	57	73	125	152	252	342	514	623	486	353
8	6	5	9	14	15	19	34	35	63	87	122	164	157	115
1	2	3	5	11	12	15	18	42	42	59	114	143	134	84
9	8	8	14	25	27	34	52	77	105	146	236	307	291	199
3	6	5	8	9	10	11	25	26	33	28	42	30	15	13
	2	5	2	3	5	9	13	20	20	15	34	38	29	15
3	8	10	10	12	15	20	38	46	53	43	76	68	44	28
4	4	4	6	8	6	11	22	30	40	62	92	97	120	74
1	3	2	7	7	10	7	14	19	36	42	87	66	78	68
5	7	6	13	15	16	18	36	49	76	104	179	163	198	142
1	1	6	4	6	9	6	19	23	26	55	67	83	64	44
	3	7	3	5	3	14	17	14	22	29	55	52	54	54
1	4	13	7	11	12	20	36	37	48	84	122	135	118	98
	2	2	1	5	9	13	32	35	41	55	70	93	98	38
	4		5	5	10	11	19	17	26	46	66	79	73	45
	6	2	6	10	19	24	51	52	67	101	136	172	171	83
1	3	2		4	1	6	6	16	16	15	24	29	17	10
		4	1	4		4	7	11	13	17	27	26	26	21
1	3	6	1	8	1	10	13	27	29	32	51	55	43	31
1	6	4	1	4	4	8	12	15	25	38	58	50	63	21
	1	4	2	3	2	7	7	13	22	25	37	43	56	42
1	7	8	3	7	6	15	19	28	47	63	95	93	119	63
9	5	6	7	10	10	19	31	48	80	104	152	178	204	134
4	6	6	12	13	14	18	32	35	45	63	140	145	146	155
13	11	12	19	23	24	37	63	83	125	167	292	323	350	289
	1		3	3	4	2	12	22	30	30	56	71	67	47
	1	1	3	3	6	5	6	10	14	19	45	51	55	47
	2	1	6	6	10	7	18	32	44	49	101	122	122	94
5	4	9	6	11	13	22	20	34	48	81	123	190	187	143
1	6	3	8	11	5	14	23	31	39	63	122	133	163	141
6	10	12	14	22	18	36	43	65	87	144	245	323	350	284
1	2	3	7	6	4	12	14	14	40	44	102	107	115	81
1	1	3	2	4	4	9	13	16	29	32	63	87	90	70
2	3	6	9	10	8	21	27	30	69	76	165	194	205	151
	3	2	3	3	10	3	14	24	25	44	77	87	91	53
3	1	3	6	4	8	7	10	12	33	34	51	69	83	64
3	4	5	9	7	18	10	24	36	58	78	128	156	174	117
4	4	5	4	4	10	12	24	26	40	53	82	87	95	64
	2	1	4	2	8	9	14	29	23	42	78	87	67	48
4	6	6	8	6	18	21	38	55	63	95	160	174	162	112
7	5	7	11	9	17	28	27	44	55	73	128	162	157	111
1	7	6	5	7	8	17	28	28	55	67	118	147	166	120
8	12	13	16	16	25	45	55	72	110	140	246	309	323	231
1	1	2	5	4	5	11	11	18	31	44	81	73	64	30
2	1	2	6	2	4	6	10	9	25	28	50	60	48	41
3	2	4	11	6	9	17	21	27	56	72	131	133	112	71

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
114 89	138 111	180 181	217 200	324 287	479 394	611 594	1,125 749	1,570 1,164	2,097 1,481	3,024 2,664	3,220 2,910	2,860 2,668	1,837 2,175	
23 20	35 36	43 42	37 35	41 31	38 42	58 31	58 28	74 25	49 26	44 21	16 16	4 13	1 .	001-138
19 28	32 35	41 40	36 33	40 30	34 39	54 27	54 24	66 21	43 22	35 19	11 12	2 5	. .	001-019
14 22	22 30	34 38	30 32	35 26	28 36	46 21	50 21	64 18	40 15	31 16	10 8	2 4	. .	002
.	1	1	1	.	.	.	003
.	1	.	.	.	007
.	1	2	.	.	1	008
2 3	2 1	3 .	3 .	1 3	1 1	1 1	1 1	1 1	010
2 .	3 1	. 2	2 .	1 1	1 .	1 1	2 2	.	1 .	1 1	.	1 .	.	011
. 2	2 .	1 .	. .	1 .	4 1	2 3	1 .	1 1	. 3	.	1 2	.	.	012
.	1	013
.	1	.	.	1	1	.	.	.	014
.	2	.	1	.	1	1	.	.	015
1 .	1 2	1 .	1 1	1 .	. .	1	1 .	016
. 1	. .	1	1	017
.	.	1	1 .	.	.	1	018
.	1 1	2	1	019
.	.	.	. 1	1 .	2 .	2 .	1 .	.	1 .	.	022
.	1	023
.	1 .	.	1 .	2 .	1 .	.	.	024
.	.	1 .	.	.	1 .	1 .	.	1	025
.	1	026
.	.	1	1	1 .	.	.	029
1 .	.	.	1 .	.	.	1 .	1	040
.	048
.	050
1	1	051
.	1 .	.	.	1 1	1 1	.	052

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
114 89	138 111	180 181	217 200	324 287	479 394	811 594	1,125 749	1,570 1,164	2,097 1,481	3,024 2,664	3,220 2,910	2,860 2,668	1,837 2,175	
23 30	35 36	43 42	37 35	41 31	38 42	58 31	58 28	74 25	49 26	44 21	16 16	4 13	1	001-138
19 28	32 35	41 40	36 33	40 30	34 39	54 27	54 24	66 21	43 22	35 19	11 12	2 5	.	001-019
14 22	22 30	34 38	30 32	35 26	28 36	46 21	50 21	64 18	40 15	31 16	10 8	2 4	.	002
.	1	1	1	.	.	.	003
.	1	.	.	.	007
.	1	2	.	.	1	008
2 3	2 1	3 .	3 .	1 3	1 1	. 1	. 1	. 1	010
2 .	3 1	. 2	2 .	1 1	1 .	. 1	2 2	. .	1 .	1 1	. 1	011
2 .	2 .	1 .	. .	1 .	4 1	2 3	1 .	1 1	. 3	. .	1 2	012
.	1	013
.	1	.	.	1	.	.	.	014
.	2	.	1	.	.	1	.	.	015
1 .	1 2	1 .	1 1	1 .	. .	1 1	. .	016
1 .	.	1	1	017
.	.	1	1	1	018
.	1	2 1	019
.	.	.	. 1	1 .	2 .	2 .	1 .	. .	1 .	. .	022
.	1	023
. 1	. .	. 1	2 .	1	024
.	.	1	1 .	1 .	. .	1	025
.	1	026
.	.	1	1 .	. 1	1	029
1	1	1 .	. 1	040
.	048
.	050
1	1	051
.	1	1 1	1 1	. .	052

TABLE 19 (contd.) - DEATHS IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Causes of Death		Age at Death											
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19		
142	Malignant neoplasm of salivary gland	M	6	1	.	.
		F	3
143	Malignant neoplasm of floor of mouth	M	5
		F	2
144	Malignant neoplasm of other parts of mouth and mouth unspecified	M	26
		F	8
145	Malignant neoplasm of oral mesopharynx	M	10
		F	4
146	Malignant neoplasm of nasopharynx	M	2
		F	2
147	Malignant neoplasm of hypopharynx	M	2
		F	12
148	Malignant neoplasm of pharynx, unspecified	M	25
		F	14
150	Malignant neoplasm of oesophagus	M	88
		F	60
151	Malignant neoplasm of stomach	M	575
		F	418
152	Malignant neoplasm of small intestine, including duodenum	M	11
		F	8
153	Malignant neoplasm of large intestine, except rectum	M	261	1	1	1	.	.	1	.
		F	263
154	Malignant neoplasm of rectum	M	163
		F	93
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	26
		F	29
156	Malignant neoplasm of liver (secondary and unspecified)	M	68	.	.	1	.	.	1
		F	68
157	Malignant neoplasm of pancreas	M	121
		F	84
158	Malignant neoplasm of peritoneum	M	8	1
		F	11	1	.	.	.
159	Malignant neoplasm of unspecified digestive organs	M	2
		F	4
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	6
		F	5
161	Malignant neoplasm of larynx	M	59
		F	21
162	Malignant neoplasm of trachea and of bronchus and lung specified as primary	M	111
		F	27
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M	227
		F	70
164	Malignant neoplasm of mediastinum	M	6
		F	2
165	Malignant neoplasm of thoracic organs (secondary)	M	1
		F
170	Malignant neoplasm of breast	M	7
		F	313
171	Malignant neoplasm of cervix uteri	F	47
172	Malignant neoplasm of corpus uteri	F	9
173	Malignant neoplasm of other parts of uterus including chorionepithelioma	F	1
174	Malignant neoplasm of uterus, unspecified	F	121
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	67	1	.	.	.

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	.	.	1	1	1	.	.	1	1	1	.	.	053
.	.	1	.	1	1	1	.	.	1	1	1	.	.	055
.	056
.	2	057
1	.	.	1	061
1	1	1	1	.	.	.	064
.	1	.	070
.	1	072
.	1	1	1	1	2	1	.	.	.	080
.	081
.	.	1	.	.	.	1	082
1	.	.	.	1	1	.	.	083
.	1	1	1	085
.	1	.	087
.	088
.	1	.	.	1	.	1	1	089
.	1	1	.	092
1	.	.	1	.	1	1	.	.	1	1	1	2	.	093
.	1	.	.	096
.	1	.	1	.	.	.	116
.	122
.	1	1	.	.	.	134
.	1	.	.	.	1	1	138
.	1	.	.	.	1	1	140-239
11	17	23	28	39	110	176	264	337	376	511	387	237	90	140-239
7	11	28	31	92	122	179	214	250	286	377	272	160	79	140-239
11	17	20	24	56	106	171	256	324	370	506	380	236	89	140-205
5	11	26	31	90	114	174	208	256	281	368	266	158	77	140-205
.	.	.	.	1	.	1	.	2	2	9	12	9	6	140
.	1	1	3	1	2	140
.	1	2	6	4	17	8	6	4	141
.	1	1	.	4	.	2	141

TABLE 19 (contd.) - DEATHS IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Causes of Death		Age at Death											
			All Ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19		
142	Malignant neoplasm of salivary gland	M	6	1	.	.
		F	3
143	Malignant neoplasm of floor of mouth	M	5
		F	2
144	Malignant neoplasm of other parts of mouth and mouth unspecified	M	26
		F	8
145	Malignant neoplasm of oral mesopharynx	M	10
		F	4
146	Malignant neoplasm of nasopharynx	M	2
		F	2
147	Malignant neoplasm of hypopharynx	M	2
		F	12
148	Malignant neoplasm of pharynx, unspecified	M	25
		F	14
150	Malignant neoplasm of oesophagus	M	88
		F	60
151	Malignant neoplasm of stomach	M	575
		F	418
152	Malignant neoplasm of small intestine, including duodenum	M	11
		F	8
153	Malignant neoplasm of large intestine, except rectum	M	261	1	.	1	1	.	1	.
		F	263
154	Malignant neoplasm of rectum	M	163
		F	93
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	M	26
		F	29
156	Malignant neoplasm of liver (secondary and unspecified)	M	68	.	.	1	.	.	.	1
		F	68
157	Malignant neoplasm of pancreas	M	121
		F	84
158	Malignant neoplasm of peritoneum	M	8	1	.	.	.
		F	11	1	.	.
159	Malignant neoplasm of unspecified digestive organs	M	2
		F	4
160	Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses	M	6
		F	5
161	Malignant neoplasm of larynx	M	59
		F	21
162	Malignant neoplasm of trachea and of bronchus and lung specified as primary	M	111
		F	27
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	M	227
		F	70
164	Malignant neoplasm of mediastinum	M	6
		F	2
165	Malignant neoplasm of thoracic organs (secondary)	M	1
		F
170	Malignant neoplasm of breast	M	7
		F	313
171	Malignant neoplasm of cervix uteri	F	47
172	Malignant neoplasm of corpus uteri	F	9
173	Malignant neoplasm of other parts of uterus including chorionepithelioma	F	1
174	Malignant neoplasm of uterus, unspecified	F	121
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament	F	67	1	.	.

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	1	.	.	.	1	.	2	1	142
.	1	1	.	.	1	143
.	1	.	1	2	1	2	.	144
.	1	.	1	2	7	10	4	2	145
.	1	1	2	1	3	2	.	.	146
.	1	1	147
.	.	1	.	1	.	1	1	3	4	1	1	.	.	148
.	.	.	.	2	1	.	1	1	3	5	6	5	1	149
.	.	.	.	1	.	.	2	2	.	5	2	1	1	150
.	.	.	1	4	4	2	10	15	17	20	12	5	2	151
1	1	3	4	11	19	43	55	77	102	117	83	46	13	152
.	1	2	3	14	10	16	31	51	57	100	76	44	13	153
.	1	1	.	1	.	.	3	1	1	1	2	.	.	154
.	1	.	.	1	1	2	.	.	1	.	1	1	.	155
.	3	1	1	3	8	19	17	22	44	54	44	32	13	156
.	.	.	2	9	9	15	21	26	28	60	48	27	15	157
1	.	1	1	1	4	10	22	16	21	39	27	16	4	158
.	.	1	2	2	2	8	6	11	20	17	13	8	3	159
.	.	.	.	1	.	3	1	4	3	8	1	2	3	160
.	.	.	.	1	2	2	1	6	10	3	3	1	.	161
.	1	1	1	2	2	6	6	6	13	11	12	6	2	162
.	.	.	.	1	4	4	7	7	13	11	6	11	2	163
1	.	.	1	2	6	9	7	25	18	27	14	7	4	164
.	.	.	.	3	2	5	8	10	13	20	16	5	2	165
.	.	1	1	1	.	.	1	.	1	1	1	.	.	166
.	.	.	1	1	.	1	4	.	2	1	.	.	.	167
.	1	.	1	.	168
.	1	.	2	.	169
.	1	1	1	2	1	.	170
.	1	.	3	.	.	1	171
.	.	1	.	1	.	4	2	12	7	15	7	9	2	172
.	.	.	.	3	.	2	3	1	4	2	1	3	1	173
.	.	2	2	4	14	15	25	19	11	7	8	4	.	174
.	.	.	.	1	1	3	9	7	4	1	1	.	.	175
.	.	1	2	7	21	25	50	39	37	22	16	3	4	176
.	.	.	3	3	3	11	10	10	13	9	7	.	1	177
.	.	.	.	1	.	.	1	2	.	.	1	1	.	178
.	.	.	1	.	.	.	1	179
.	1	.	.	.	180
.	181
.	.	4	7	21	33	36	43	40	33	40	27	17	12	182
.	.	1	2	3	4	8	5	5	6	7	.	3	3	183
.	.	1	.	.	1	1	2	1	1	2	.	.	.	184
.	1	.	185
.	1	3	3	7	12	14	16	16	16	15	10	6	2	186
1	1	1	.	4	5	8	9	14	13	7	2	1	.	187

TABLE 19 (contd.) - DEATHS IN 1955 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of Death		Age at Death									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
290-299	IV - Diseases of the Blood and Blood-forming Organs	M	109	1	.	1	1	.	3	.	2	2
		F	147	1	2	1	.	4	2	1	.	
290	Pernicious and other hyperchromic anaemias	M	36
		F	51
291	Iron deficiency anaemias (hypochromic anaemias)	M	3	1	.	.	.	1
		F	3
292	Other anaemias of specified type	M	11	.	.	1	.	1
		F	14	1	.	.
293	Anaemia of unspecified type	M	42	1	.
		F	64	1	.	.	.	1	2	.	.	.
294	Polycythaemia	M	1
		F
295	Haemophilia	M	1
		F
296	Purpura and other haemorrhagic conditions	M	7	1
		F	9	.	2	.	.	2
297	Agranulocytosis	M
		F	3	.	.	1	.	1
298	Diseases of spleen	M	7	.	.	.	1	1	.	1	1	.
		F	3
299	Other diseases of blood and blood-forming organs	M	1
		F
300-326	V - Mental, Psychoneurotic and Personality Disorders	M	56	2	5	.	.	.	7	.	.	1
		F	61	6	.	.	.	6	4	.	.	1
300	Schizophrenic disorders (dementia praecox)	M
		F	1
301	Manic-depressive reaction	M	10
		F	11
303	Paranoia and paranoid states	M
		F	1
304	Senile psychosis	M	21
		F	23
305	Presenile psychosis	M	1
		F	1
309	Other and unspecified psychoses	M	4
		F	4
311	Hysterical reaction without mention of anxiety reaction	M
		F	1
314	Neurotic-depressive reaction	M	1
		F
315	Psychoneurosis with somatic symptoms (somatization reaction affecting circulatory system)	M	1
		F
318	Psychoneurotic disorders, other, mixed, and unspecified types	M	6
		F	5
322	Alcoholism	M	4
		F	1
325	Mental deficiency	M	8	2	5	.	.	7	.	.	1	
		F	13	6	.	.	.	6	4	.	1	
330-338	VI - Diseases of the Nervous System and Sense Organs	M	2,021	29	4	4	2	1	40	12	6	6
		F	2,413	17	8	2	1	28	8	7	7	
330	Subarachnoid haemorrhage	M	48	1	2
		F	77	1	.	.	.	1	.	.	.	4
331	Cerebral haemorrhage	M	756	3	1	1	.	6	2	.	1	
		F	920	3	.	.	.	3

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number	
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over		
1	3	2	4	5	7	9	5	9	12	19	17	11	6	290-299	
1	4	2	2	5	8	7	6	16	18	22	20	15	14		
.	1	.	2	.	2	2	1	3	4	10	6	2	3		290
.	1	.	1	.	2	2	4	4	7	14	6	4	6		291
.	.	.	.	1	2	.	1		292
.	1	.	.	.	2	.	1	1	2	.	1	2	.		293
1	1	.	.	1	1	2	1	2	4		294
.	.	.	1	2	3	3	.	3	6	9	6	7	3		295
.	2	1	.	2	3	3	.	7	4	8	14	10	7		296
.	1		297
.		298
1		299
.	.	.	1	1	2	1	1	.	.	.	2	.	.		300-306
.	.	.	1	1	.	.	.	1	2		300
.		301
.	3	2	6	3	5	12	6	6	4	303	
1	.	1	1	1	1	5	1	5	6	7	10	7	5	304	
.	1	305	
.	309	
.	1	1	.	.	2	6	4	5	4	311	
.	.	.	.	1	1	1	.	.	1	5	6	6	5	314	
.	315	
.	1	.	318	
.	322	
.	.	1	.	.	1	.	2	325	
.	330-338	
1	.	.	1	330	
5	10	7	16	35	41	61	118	164	254	377	415	293	141	331	
5	10	10	18	29	45	90	122	231	276	491	475	339	222	330	
1	.	.	3	4	8	11	4	4	5	1	2	.	2	331	
4	4	1	6	9	7	10	8	6	6	5	5	.	1	330	
1	.	2	2	15	12	32	48	81	97	148	165	93	51	331	
1	.	2	4	5	19	42	58	113	124	199	168	113	69	331	

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
2	4	7	6	3	6	8	11	22	22	17	31	17	6	410
4	4	7	11	8	12	17	6	11	19	14	24	11	8	
.	1	411
.	.	1	.	.	2	3	.	1	3	3	4	2	.	414
.	1	1	.	4	3	3	.	.	2	4	2	3	.	
1	.	.	.	1	1	1	2	1	3	2	5	.	.	415
.	2	2	2	.	2	5	1	.	
1	1	2	1	2	4	4	3	4	.	2	2	1	.	416
.	1	1	1	2	1	2	2	2	1	4	2	1	2	
.	2	14	15	27	92	137	180	275	373	401	327	193	71	420
.	1	1	11	18	25	51	83	138	160	256	185	108	44	
.	3	3	3	6	3	5	4	2	420.0
.	1	2	.	1	2	4	4	4	2	
.	2	14	15	26	90	134	172	259	359	389	310	181	69	420.1
.	1	1	11	18	24	49	83	134	156	245	173	103	42	
.	.	.	.	1	2	.	5	13	8	9	12	8	.	420.2
.	3	2	7	8	1	.	
1	2	2	4	6	11	12	22	30	32	54	45	39	20	421
.	2	4	4	4	3	7	13	22	32	54	54	25	17	
.	1	1	4	7	12	44	74	143	273	531	720	666	429	422
.	1	6	6	6	16	35	60	103	181	468	649	715	557	
1	1	1	.	1	3	.	2	.	3	.	1	.	.	430
.	2	1	.	.	1	
.	1	.	.	.	1	.	.	1	1	.	3	.	.	431
.	3	1	5	.	
.	1	.	.	2	1	9	6	15	36	57	76	61	23	433
.	.	.	3	1	5	7	9	18	37	54	68	38	35	
1	.	2	2	2	6	17	28	42	57	83	77	72	42	434
.	.	2	1	2	1	7	19	28	34	63	59	64	34	
.	.	.	.	1	.	.	.	2	1	441
.	2	.	.	1	1	1	.	.	.	
.	.	.	1	1	2	1	442
.	1	.	.	.	1	.	2	
1	.	.	2	2	2	8	26	32	49	76	67	40	23	443
.	1	.	1	1	3	6	17	26	51	91	102	58	35	
.	1	2	.	1	2	6	18	21	25	42	37	19	4	444
.	.	.	1	2	3	7	12	21	21	25	34	26	17	
1	.	1	1	1	1	8	2	1	1	1	1	1	.	445
.	1	2	1	1	5	4	.	3	1	3	2	.	.	
1	.	.	1	.	.	.	1	.	3	4	5	1	4	446
.	2	2	3	4	3	2	4	
.	.	.	1	1	1	.	2	4	13	15	12	10	5	447
.	3	2	3	5	5	11	14	7	4	
.	.	.	.	1	.	2	4	18	23	80	110	111	67	450
.	1	.	.	10	17	57	70	90	83	
.	.	.	.	1	1	.	1	.	3	1	4	.	1	451
.	2	.	.	1	1	
.	1	1	.	.	.	452
.	.	.	1	.	1	
.	.	.	.	1	1	2	.	1	.	453
.	1	.	
.	1	1	.	1	3	.	.	454
.	1	.	1	1	.	3	.	
.	.	1	.	1	.	.	.	2	2	6	3	8	12	455
.	1	1	1	8	9	7	5	

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	.	1	1	456
.	1	460
.	.	2	.	.	.	1	1	1	1	3	1	.	1	462
.	1	.	.	463
.	.	.	.	3	2	.	.	.	464
.	.	.	1	1	1	2	1	1	2	3	.	1	.	465
.	1	1	1	1	3	4	3	4	4	5	2	.	.	466
.	.	1	.	2	.	3	2	2	3	2	3	3	1	467
.	.	.	.	1	.	1	.	1	1	.	1	1	.	468
.	.	.	.	1	1	470-527
5	4	7	16	22	37	68	83	136	175	255	224	232	168	470
8	1	8	15	13	25	24	39	75	102	226	277	225	168	472
.	1	.	.	.	473
.	1	474
.	.	.	1	1	475
.	1	480
1	1	.	.	1	3	3	4	7	5	15	10	9	13	481
2	.	1	.	1	1	4	2	7	7	14	15	9	9	482
.	.	1	.	1	5	4	7	9	22	31	40	41	32	483
.	.	1	2	3	5	1	7	9	14	27	56	44	32	488
.	1	.	.	1	.	490
.	1	1	.	2	.	491
.	1	492
2	.	1	2	1	4	2	4	9	7	13	9	8	4	493
1	.	1	3	3	5	4	15	11	20	24	29	31	22	500
.	.	1	2	1	4	4	3	8	22	39	42	40	25	501
.	.	1	.	.	.	1	2	1	1	.	2	.	.	502
1	2	4	1	1	3	5	9	10	8	16	11	13	11	513
1	.	.	3	1	3	2	6	3	9	8	20	18	18	517
.	1	.	1	1	1	3	4	3	6	9	5	12	4	
.	2	3	5	2	17	9	11	9	
.	.	1	1	.	1	5	4	12	19	34	33	39	27	
.	.	.	2	.	2	2	.	10	9	27	36	30	31	
1	.	.	2	7	8	27	16	57	63	85	64	50	36	
.	.	.	3	2	2	3	6	20	18	57	52	36	25	
1	.	.	.	1	1	.	
.	.	.	.	1	
.	1	1	.	.	
.	1	

TABLE 19 (contd.) - DEATHS IN 1955 CLASSIFIED BY CAUSE (INTERNATIONAL)

Detailed International List Number	Cause of Death		Age at Death										
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19	
518	Empyema	M	5
		F	2	1	1	.	.	.	
519	Pleurisy	M	10	1	.
		F	8
520	Spontaneous pneumothorax	M	1
		F
521	Abscess of lung	M	7	1	1	.	.	.
		F	1
522	Pulmonary congestion of hypostasis	M	94	3	1	.	.	.	1	5	.	.	.
		F	94	2	2	.	.	.
523	Pneumoconiosis due to silica and silicates (occupational)	M	1
		F
525	Other chronic interstitial pneumonia	M	14	.	1	1	.	.	.
		F	6
526	Bronchiectasis	M	41	2	.
		F	15	.	2	2	.	.	.
527	Other diseases of lung and pleural cavity	M	29	2	2	.	1	.
		F	16	4	4	.	.	.
530-537	IX - Diseases of the Digestive System	M	582	75	9	7	3	3	97	9	1	2	
		F	464	54	7	5	1	2	69	5	7	1	
532	Other inflammatory diseases of supporting structures of teeth	M	1
		F	1
537	Diseases of salivary glands	M
		F	2
538	Other diseases of buccal cavity	M	1	1	1
		F
539	Diseases of oesophagus	M	1
		F	6
540	Ulcer of stomach	M	130
		F	52	1	.	.
541	Ulcer of duodenum	M	82
		F	20
542	Gastrojejunal ulcer	M	4
		F	1
543	Gastritis and duodenitis	M	2
		F	17	1	1	1	.	.	.
544	Disorders of function of stomach	M	2	1	1
		F	2	.	.	1	.	.	1
545	Other diseases of stomach and duodenum	M	9
		F	9	1	1
550	Acute appendicitis	M	28	.	.	2	2	2	6	3	1	.	
		F	15	.	.	1	1	.	2	2	1	.	
551	Appendicitis unqualified	M	4	.	1	.	.	.	1	.	.	.	
		F	5	1	1	.	.	.	
552	Other appendicitis	M	
		F	2	
553	Other diseases of appendix	M	1	
		F	
560	Hernia of abdominal cavity without mention of obstruction	M	7	.	.	1	.	.	1	.	.	.	
		F	12	4	4	.	.	.	
561	Hernia of abdominal cavity with obstruction	M	20	
		F	31	
570	Intestinal obstruction, without mention of hernia	M	56	7	2	1	.	.	10	1	.	1	
		F	51	2	1	1	.	.	4	.	2	.	
571	Gastro-enteritis and colitis, except ulcerative age 4 weeks and over	M	93	60	5	3	1	1	70	3	.	1	
		F	69	44	5	.	.	.	49	1	.	.	

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	.	.	1	.	1	.	.	.	1	2	.	.	.	518
.	.	.	.	1	
1	1	1	1	2	2	2	.	519
.	1	4	.	1	1	.	.	
.	1	.	.	520
.	.	.	1	.	1	1	.	2	1	521
.	1	
.	.	1	.	1	3	6	5	3	6	13	10	24	17	522
.	.	1	.	2	1	3	3	2	5	17	24	22	12	
.	1	523
.	.	.	1	.	.	1	3	1	3	3	1	.	.	525
.	.	.	.	1	2	.	2	.	.	1	.	.	.	
1	.	.	2	1	1	4	3	5	9	4	6	1	2	526
.	.	1	1	.	1	1	3	.	2	3	.	.	1	
1	.	.	.	4	.	1	6	5	2	3	3	1	.	527
.	1	.	.	1	6	.	2	1	1	
6	4	8	16	23	28	44	57	56	64	67	55	29	16	530-537
2	3	6	6	11	17	24	31	26	33	68	47	42	21	
.	1	532
.	1	
.	1	.	.	1	537
.	538
.	1	539
.	.	.	1	.	.	.	1	1	.	2	.	1	.	
1	.	2	5	8	9	11	15	12	25	22	11	7	2	540
1	.	.	.	2	2	1	5	5	12	13	7	2	1	
.	2	.	3	3	9	13	12	6	8	14	9	2	1	541
.	.	1	.	.	2	4	1	1	5	4	1	1	.	
.	.	.	.	1	1	.	.	1	.	.	1	.	.	542
.	1	.	.	.	
.	.	.	.	1	.	1	.	.	1	3	5	3	2	543
.	1	
.	1	.	.	.	1	544
1	.	.	1	.	.	1	2	.	1	1	1	1	.	545
.	2	3	.	.	1	1	1	.	.	
.	1	2	1	.	.	4	2	3	1	1	2	1	.	550
.	.	.	1	1	1	.	1	1	3	1	.	1	.	
1	2	.	.	.	551
.	.	1	.	.	1	1	.	.	
.	1	552
.	
.	1	553
.	
.	1	3	.	1	.	1	.	.	560
.	3	2	2	1	.	.	
.	.	.	.	2	1	1	.	.	3	5	5	1	2	561
.	.	.	1	.	.	2	1	1	8	4	5	6	3	
.	.	1	1	1	2	.	5	7	5	8	6	7	1	570
.	1	5	3	7	6	7	6	11	9	
.	.	.	.	1	1	.	3	2	1	2	2	5	2	571
1	1	3	1	.	4	3	4	2	.	

TABLE 19 (contd.) - DEATHS IN 1955 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of Death		Age at Death												
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19			
695	Impetigo	M
		F	1	.	.	1	.	.	.	1
701	Eczema	M	1	1	1
		F	1	1	1
702	Occupational dermatitis	M	1
		F
705	Erythematous conditions	M
		F	2
710	Other hypertrophic and atrophic conditions of skin	M
		F	1
715	Chronic ulcer of skin	M	14	1	1
		F	11
720-749	XIII - Diseases of the Bones and Organs of Movement	M	120	2	.	.	1	1	.	4	1	1	.	.	.
		F	157	3	3
720	Acute arthritis due to pyogenic organisms	M	2	1	1
		F	1
722	Rheumatoid arthritis and allied conditions	M	48
		F	92
723	Osteo-arthritis (arthrosis) and allied conditions	M	8
		F	11
724	Other specified forms of arthritis	M	3
		F	3
725	Arthritis, unspecified	M	19
		F	16
727	Rheumatism unspecified	M	22
		F	22
730	Osteomyelitis and periostitis	M	11	1	.	1	.	1	.	.	.
		F	2
731	Osteitis deformans	M	2
		F
733	Other diseases of bone	M	2	1	1
		F	6	2	2
744	Other diseases of muscle, tendon, and fascia	M	3	.	.	.	1	.	.	1	1
		F	2	1	1
745	Curvature of spine	M
		F	2
750-759	XIV - Congenital Malformations	M	214	183	8	2	1	2	.	196	6	3	3	.	.
		F	247	204	9	8	2	1	.	224	3	1	4	.	.
750	Monstrosity	M	10	10	10
		F	18	17	17
751	Spina bifida and meningocele	M	43	43	43
		F	63	62	.	1	.	.	.	63
752	Congenital hydrocephalus	M	16	11	3	14	1
		F	22	20	1	1	.	.	.	22
753	Other congenital malformations of nervous system and sense organs	M	5	3	.	1	.	1	.	5
		F	5	2	1	1	.	.	.	4	1
754	Congenital malformations of circulatory system	M	80	63	4	1	1	1	.	70	3	3	3	.	.
		F	75	53	4	2	2	1	.	62	2	.	.	3	3
755	Cleft palate and harelip	M	2	2	2
		F	7	5	1	1	.	.	.	7
756	Congenital malformations of digestive system	M	35	34	1	35
		F	30	28	1	29
757	Congenital malformations of genito-urinary system	M	10	5	5	2
		F	10	3	1	1	.	.	.	5	.	1	1	.	.

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	695
.	701
.	1	702
.	1	.	.	.	1	705
.	1	710
.	.	.	.	1	.	.	1	.	.	4	3	2	2	715
.	1	.	2	2	1	5	
.	.	1	.	1	3	2	12	10	14	15	26	22	9	720-749
.	.	1	.	.	3	3	8	15	17	28	32	27	19	
.	1	.	.	720
.	1	.	.	
.	.	1	.	.	2	1	7	4	7	7	5	12	2	722
.	.	1	.	1	3	2	4	10	10	17	21	15	8	
.	1	.	1	3	2	1	723
.	1	2	.	1	3	3	
.	1	.	.	.	1	.	724
.	1	1	.	.	1	.	
.	1	1	3	4	6	3	725
.	1	5	2	3	3	2	
.	1	3	2	3	5	3	727
.	1	2	1	5	4	5	4
.	1	1	1	.	1	.	4	1	.	730
.	1	.	.	.	1
.	1	.	1	.	.	731
.	1	.	1	.	1	1	733
.	1	734
.	1	.	.	744
.	1	.	.	.	1	.	.	.	745
1	1	1	.	.	1	.	2	2	750-759
4	2	1	4	.	.	2	1	1	
.	.	.	1	750
.	751
.	1	752
.	753
.	1	754
3	1	1	3	755
.	756
.	.	1	.	.	1	.	1	757
.	1	1	1	

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
.	758
1	1	759
1	760-776
.	760
.	761
.	762
.	763
.	764
.	766
.	768
.	769
.	770
.	771
.	772
.	773
.	774
.	776
1	.	2	5	5	5	11	10	26	46	113	323	605	576	780-795
.	1	.	2	5	1	8	8	23	29	152	322	546	714	780
.	1	.	1	781
.	1	.	782
1	.	2	1	3	2	9	6	18	24	34	48	32	38	782
.	1	.	2	5	.	5	4	16	14	34	42	36	24	783
.	.	.	.	1	.	1	.	1	.	.	1	.	.	783
.	1	.	.	784
.	.	.	1	1	.	.	.	2	.	1	2	.	.	784
.	1	.	.	.	2	.	785
.	2	2	.	1	785
.	1	.	2	2	3	786
.	1	788
.	1	788
.	1	789
.	1	789

DETAILED LIST, 6th REVISION, 1948) AND BY SEX AND AGE

Age at Death (contd.)														Detailed International List Number
20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & over	
1	.	.	.	1	.	.	3	3	2	4	.	.	.	E845
.	.	.	.	1	E856
.	1	E866
.	E879
.	E880
.	E881
.	E883
.	E884
.	.	1	.	.	.	1	2	.	1	.	.	.	1	E890
.	1	E892
.	.	1	.	1	2	1	.	1	1	1	2	3	.	E900
.	1	1	3	.	2	
.	1	.	1	2	.	.	1	.	.	.	1	.	.	E901
2	2	3	2	1	1	3	2	1	2	.	1	.	.	E902
.	1	.	1	.	1	1	.	.	2	.	.	1	.	
.	.	.	.	2	.	.	1	.	.	2	1	.	1	E903
.	1	.	1	1	1	1	
1	2	1	.	1	.	1	2	.	2	13	9	12	15	E904
.	1	3	2	1	24	33	43	31	
1	3	.	.	2	2	1	1	1	E910
2	.	1	3	6	.	.	1	.	.	1	.	.	.	E912
.	1	E913
.	1	
1	.	.	1	.	2	E914
.	1	E915
.	
1	.	1	.	1	.	2	.	1	1	.	5	3	1	E916
.	.	2	.	1	.	.	1	2	3	3	7	5	4	
.	.	.	1	.	.	1	.	.	1	1	3	.	2	E917
.	3	3	4	1	
.	.	1	.	1	.	1	1	1	1	1	.	.	.	E919
.	
.	.	.	1	1	E921
.	2	
.	E924
.	.	2	.	1	1	.	.	.	E925
.	E926
.	1	.	1	2	1	.	.	.	E928

TABLE 19 (contd.) - DEATHS IN 1955 CLASSIFIED BY CAUSE (INTERNATIONAL

Detailed International List Number	Cause of Death		Age at Death									
			All ages	Under 1 year	1	2	3	4	Total under 5	5-9	10-14	15-19
E929	Accidental drowning and submersion	M	114	.	2	1	.	2	5	4	14	18
		F	32	2	3	2
E931	Excessive heat and insolation	M	1	1	1	.	.	.
		F
E932	Excessive cold	M	5
		F	2
E933	Hunger, thirst, and exposure	M	4
		F	2
E935	Lightning	M	1
		F	1
E936	Other and unspecified accidents	M	24	1	4
		F	13	3	3	.	.	.
E945	Complications of anaesthesia for non-therapeutic purpose	M	1
		F
E962	Late effect of other accidental injury	M	1
		F
E965	Late effects of injuries due to war operations	M	4
		F
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	M	5
		F	1
E972	Suicide and self-inflicted poisoning by gases in domestic use	M
		F	2
E973	Suicide and self-inflicted poisoning by other gases	M	2
		F
E974	Suicide and self-inflicted injury by hanging and strangulation	M	25
		F	3
E975	Suicide and self-inflicted injury by submersion (drowning)	M	9
		F	6
E976	Suicide and self-inflicted injury, by firearms and explosives	M	8
		F	1
E977	Suicide and self-inflicted injury, by cutting and piercing instruments	M	5
		F	1
E981	Assault by firearms and explosive	M	1
		F	1
E983	Assault by other means	M	2
		F	3	3	3	.	.	.

TABLE 20 - DEATHS OF RESIDENTS OF EACH PROVINCE, COUNTY AND COUNTY

Area		Total Deaths	Place of Occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals, District Hospitals and Co. Infirmaries	Elsewhere
TOTAL	Males	19,773	2,523	634	5,453	11,163
	Females	16,988	2,040	637	4,107	10,204
	Persons	26,761	4,563	1,271	9,560	21,267
LEINSTER	Males	8,230	1,623	276	2,267	4,064
	Females	7,350	1,306	282	1,740	4,022
	Persons	15,580	2,929	558	4,007	8,086
MUNSTER	Males	6,190	638	204	1,860	3,488
	Females	5,216	534	192	1,422	3,068
	Persons	11,406	1,172	396	3,282	6,556
CONNACHT	Males	3,480	192	96	891	2,301
	Females	2,846	144	125	662	1,915
	Persons	6,326	336	221	1,553	4,216
ULSTER (part of)	Males	1,873	70	58	435	1,310
	Females	1,576	56	38	283	1,199
	Persons	3,449	126	96	718	2,509
Leinster						
Carlow	Males	229	18	5	68	138
	Females	182	12	10	36	124
	Persons	411	30	15	104	262
Dublin County Borough	Males	2,865	1,022	85	626	1,132
	Females	2,937	802	103	644	1,388
	Persons	5,802	1,824	188	1,270	2,520
Dublin County (remainder)	Males	450	118	13	103	216
	Females	461	97	20	76	268
	Persons	911	215	33	179	484
Kildare	Males	440	53	8	145	234
	Females	329	32	13	76	208
	Persons	769	85	21	221	442
Kilkenny	Males	516	31	19	178	288
	Females	395	26	13	102	254
	Persons	911	57	32	280	542
Laoighis	Males	404	20	14	136	234
	Females	273	20	11	86	156
	Persons	677	40	25	222	390
Longford	Males	265	24	13	79	149
	Females	218	12	6	60	140
	Persons	483	36	19	139	289
Louth	Males	435	69	24	116	226
	Females	377	41	25	91	220
	Persons	812	110	49	207	446
Meath	Males	480	34	14	166	266
	Females	368	28	15	98	227
	Persons	848	62	29	264	493
Offaly	Males	360	17	7	132	204
	Females	293	15	6	91	181
	Persons	653	32	13	223	385
Westmeath	Males	402	29	23	157	193
	Females	292	18	18	106	150
	Persons	694	47	41	263	343
Wexford	Males	655	37	23	204	391
	Females	583	50	18	159	356
	Persons	1,238	87	41	363	747
Wicklow	Males	452	60	15	114	263
	Females	321	48	13	76	184
	Persons	773	108	28	190	447

BOROUGH REGISTERED IN 1955, CLASSIFIED BY PLACE OF OCCURRENCE

Area		Total Deaths	Place of Occurrence			
			General and Special Hospitals	Mental Hospitals	Co. Homes & Hospitals, District Hospitals and Co. Infirmaries	Elsewhere
Munster						
Clare	Males	598	29	24	190	355
	Females	481	23	18	158	282
	Persons	1,079	52	42	348	637
Cork County Borough	Males	446	99	10	144	193
	Females	490	93	12	162	223
	Persons	936	192	22	306	416
Cork County	Males	1,810	235	56	507	1,012
	Females	1,517	201	49	374	893
	Persons	3,327	436	105	881	1,905
Kerry	Males	921	61	27	253	580
	Females	739	48	28	177	486
	Persons	1,660	109	55	430	1,066
Limerick County Borough	Males	290	62	10	107	111
	Females	240	47	11	92	90
	Persons	530	109	21	199	201
Limerick County	Males	620	60	22	122	416
	Females	495	45	12	81	357
	Persons	1,115	105	34	203	773
Tipperary North Riding	Males	445	22	9	177	237
	Females	358	19	16	116	207
	Persons	803	41	25	293	444
Tipperary South Riding	Males	564	31	23	201	309
	Females	448	32	20	141	255
	Persons	1,012	63	43	342	564
Waterford County Borough	Males	165	14	8	56	87
	Females	170	8	11	46	105
	Persons	335	22	19	102	192
Waterford County	Males	331	25	15	103	188
	Females	278	18	15	75	170
	Persons	609	43	30	178	358
Connacht						
Galway	Males	1,087	120	32	288	647
	Females	902	85	61	226	530
	Persons	1,989	205	93	514	1,177
Leitrim	Males	367	13	9	80	265
	Females	278	12	5	63	198
	Persons	645	25	14	143	463
Mayo	Males	968	20	26	229	693
	Females	813	21	32	171	589
	Persons	1,781	41	58	400	1,282
Roscommon	Males	581	13	13	149	406
	Females	452	7	17	108	320
	Persons	1,033	20	30	257	726
Sligo	Males	477	26	16	145	290
	Females	401	19	10	94	278
	Persons	878	45	26	239	568
Ulster (part of)						
Cavan	Males	560	20	18	146	376
	Females	442	12	9	114	307
	Persons	1,002	32	27	260	683
Donegal	Males	908	30	24	152	702
	Females	824	27	18	95	684
	Persons	1,732	57	42	247	1,386
Monaghan	Males	405	20	16	137	232
	Females	310	17	11	74	208
	Persons	715	37	27	211	440

TABLE 21 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH IN 1955

In the following tables, deaths are classified according to an extended version of the International Classification

Number in Detailed International classification	International Abbreviated List B.	Cause of Death		Total	Uncertified
001-008	1	Tuberculosis of respiratory system	M	427	1
			F	302	.
010-019	2	Tuberculosis, other forms	M	85	1
			F	75	.
020-029	3	Syphilis and its sequelae	M	18	.
			F	4	.
040	4	Typhoid fever	M	5	.
			F	1	.
045-048	6	Dysentery, all forms	M	.	.
			F	1	.
050	7a	Scarlet fever	M	2	.
			F	.	.
051	7b	Streptococcal sore throat	M	2	.
			F	1	.
055	8	Diphtheria	M	11	.
			F	3	.
056	9	Whooping cough	M	25	.
			F	14	.
057	10	Meningococcal infections	M	15	.
			F	8	.
080	12	Acute poliomyelitis	M	.	.
			F	3	.
085	14	Measles	M	9	.
			F	6	1
030-039, 041-042, 044-049, 052-054, 059-074, 081-083, 086-096, 120-138	17	Other infective and parasitic diseases	M	40	.
			F	46	.
		Malignant Neoplasms:-			
151	18a	of stomach	M	575	8
			F	418	9
150, 152-159	18b	of other digestive organs and peritoneum	M	748	5
			F	620	3
160-165	18c	of respiratory system	M	410	.
			F	125	.
170	18d	of breast	M	7	.
			F	313	4
171-181	18e	of genito-urinary system	M	327	1
			F	300	3
200-205	18f	of lymphatic and haematopoietic tissues	M	125	.
			F	67	.
140-148, 190-199	18g	of other sites	M	414	11
			F	246	5
210-239	19	Benign and unspecified neoplasms	M	64	1
			F	66	2
260	20	Diabetes mellitus	M	93	3
			F	109	6
290-293	21	Anaemias	M	92	.
			F	132	1
330-334	22	Vascular lesions affecting central nervous system	M	1,690	64
			F	2,039	87
340	23	Nonmeningococcal meningitis	M	30	.
			F	17	.
400-402	24	Rheumatic fever	M	29	.
			F	24	1
410-416	25	Chronic rheumatic heart disease	M	228	3
			F	220	2
421	26a	Chronic endocarditis	M	278	2
			F	242	6
420	26b	Coronary and arteriosclerotic heart disease	M	2,109	100
			F	1,081	34
422	26c	Other myocardial degeneration	M	2,906	94
			F	2,805	109
430-434	27	Other diseases of heart	M	740	84
			F	610	75
440-443	28	Hypertension with heart disease	M	335	4
			F	404	2

CLASSIFIED BY CAUSE, AND SHOWING THE NUMBERS WHICH WERE NOT MEDICALLY CERTIFIED

national Abbreviated (B) List. The relationship between the list and the Detailed International is shown.

Number in Detailed International classification	International Abbreviated List B.	Cause of Death		Total	Uncertified
444-447	29	Hypertension without mention of heart	M	282	13
			F	265	13
450-468	46a	Other diseases of circulatory system	M	520	9
			F	445	9
480-483	30	Influenza	M	285	30
			F	289	32
490-493	31	Pneumonia	M	514	8
			F	482	18
500-502	32	Bronchitis	M	654	23
			F	446	11
526	46b	Bronchiectasis	M	41	.
			F	15	1
470-475, 510-525, 527	46c	Other diseases of respiratory system	M	172	1
			F	137	.
540, 541	33	Ulcer of stomach and duodenum	M	212	3
			F	72	1
550-553	34	Appendicitis	M	33	.
			F	22	.
560, 561, 570	35	Intestinal obstruction and hernia	M	83	3
			F	104	1
543, 571, 572	36	Gastritis and enteritis (except of newborn)	M	109	2
			F	115	3
764, 571.0	36, 43 Part of	Gastro-enteritis (under 2 years)	M	84	1
			F	63	2
581	37	Cirrhosis of liver	M	37	2
			F	31	.
530-539, 542-544, 545, 573-578, 580, 582-587	46d	Other diseases of digestive system	M	108	8
			F	120	3
590-594	38	Nephritis and nephrosis	M	339	14
			F	236	5
610	39	Hyperplasia of prostate	M	279	3
640-689	40	Complications of pregnancy and childbirth	F	70	.
750-759	41	Congenital malformations	M	214	5
			F	247	4
760-762	42	Birth injuries, asphyxia and atelectasis	M	263	2
			F	138	2
763-768	43	Infections of the newborn	M	73	.
			F	75	1
769-776	44	Other diseases of early infancy	M	392	16
			F	265	9
794	45a	Senility without mention of psychosis	M	1,413	817
			F	1,552	934
780-793, 795	45b	Ill-defined and unknown causes	M	354	186
			F	290	164
240-245, 250-254, 270-277, 280-289, 294-299, 300-309, 310-318, 320-326, 341-345, 350-357, 360-369, 370-379, 380-389, 390-398, 600-609, 611-637, 690-698, 700-716, 720-727, 730-738, 740-749	46e	All other diseases	M	867	59
			F	909	79
E810-E835	47	Motor vehicle accidents	M	181	.
			F	37	.
E800-E802, E840-E962	48	All other accidents	M	448	3
			F	306	4
EE963, E970-E979	49	Suicide and self-inflicted injury	M	54	.
			F	14	.
E964, E965, E980-E999	50	Homicide and operations of war	M	7	.
			F	4	.
TOTAL			M	19,773	1,589
			F	16,988	1,644

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		LEINSTER		MUNSTER		CONNACHT		ULSTER	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	194	.	162	1	42	.	29	.
		F	138	.	92	.	44	.	28	.
2	Tuberculosis, other forms	M	32	.	29	1	13	.	11	.
		F	28	.	25	.	15	.	7	.
3	Syphilis and its sequelae	M	13	.	1	.	2	.	2	.
		F	3	1	.
4	Typhoid fever	M	1	.	1	.	2	.	1	.
		F	.	.	1
6	Dysentery, all forms	M
		F	1
7a	Scarlet fever	M	1	1	.
		F
7b	Streptococcal sore throat	M	2
		F	1
8	Diphtheria	M	10	.	1
		F	3
9	Whooping cough	M	10	.	10	.	3	.	2	.
		F	3	.	9	.	1	.	1	.
10	Meningococcal infections	M	9	.	5	.	.	.	1	.
		F	4	.	4
12	Acute poliomyelitis	M
		F	3
14	Measles	M	8	1	.
		F	3	1	.	.	3	.	.	.
17	Other infective and parasitic diseases	M	16	.	11	.	6	.	7	.
		F	18	.	13	.	11	.	4	.
Malignant neoplasms:-										
18a	of stomach	M	237	2	176	.	101	5	61	1
		F	203	1	95	.	78	6	42	2
18b	of other digestive organs and peritoneum	M	308	2	265	.	120	3	55	.
		F	284	.	222	.	80	2	34	1
18c	of respiratory system	M	257	.	114	.	25	.	14	.
		F	69	.	40	.	15	.	1	.
18d	of breast	M	3	.	2	.	.	.	2	.
		F	157	2	88	.	39	2	29	.
18e	of genito-urinary system	M	135	.	108	.	56	1	28	.
		F	153	1	97	1	30	1	20	.
18f	of lymphatic and haematopoietic tissues	M	59	.	34	.	20	.	12	.
		F	30	.	23	.	13	.	1	.
18g	other	M	161	4	133	2	80	5	40	2
		F	111	1	86	.	31	.	18	2
19	Benign and unspecified neoplasms	M	30	.	20	.	12	1	2	.
		F	32	2	20	.	7	.	7	.
20	Diabetes mellitus	M	35	.	27	1	19	2	12	.
		F	41	2	34	1	29	3	5	.
21	Anaemias	M	34	.	34	.	15	.	9	.
		F	55	.	44	1	19	.	14	.
22	Vascular lesions affecting central nervous system	M	776	11	470	11	274	19	170	23
		F	934	14	640	21	273	31	192	21
23	Nonmeningococcal meningitis	M	15	.	8	.	3	.	4	.
		F	8	.	7	.	1	.	1	.
24	Rheumatic fever	M	12	.	12	.	3	.	2	.
		F	13	.	7	.	2	.	2	1
25	Chronic rheumatic heart disease	M	110	.	57	1	35	.	26	2
		F	106	1	59	1	30	.	25	.
26a	Chronic endocarditis	M	121	.	81	1	43	1	33	.
		F	101	1	70	2	42	3	29	.
26b	Coronary and arteriosclerotic heart disease	M	1,018	41	603	26	308	17	180	16
		F	547	17	287	4	164	9	83	4
26c	Other myocardial degeneration	M	1,074	11	990	26	579	37	263	20
		F	1,160	20	933	33	468	28	244	28
27	Other diseases of heart	M	320	21	238	25	100	24	82	14
		F	257	22	209	23	70	19	74	11
28	Hypertension with heart disease	M	170	1	76	2	65	1	24	.
		F	239	.	91	1	50	.	24	1

CLASSIFIED BY CAUSE, AND SHOWING THE NUMBERS WHICH WERE NOT MEDICALLY CERTIFIED

national Abbreviated (B) List. The relationship between the list and the Detailed International is shown.

Number in Detailed International classification	International Abbreviated List B.	Cause of Death		Total	Uncertified
444-447	29	Hypertension without mention of heart	M	282	13
			F	265	13
450-468	46a	Other diseases of circulatory system	M	520	9
			F	445	9
480-483	30	Influenza	M	285	30
			F	289	32
490-493	31	Pneumonia	M	514	8
			F	482	18
500-502	32	Bronchitis	M	654	23
			F	446	11
526	46b	Bronchiectasis	M	41	.
			F	15	1
470-475, 510-525, 527	46c	Other diseases of respiratory system	M	172	1
			F	137	.
540, 541	33	Ulcer of stomach and duodenum	M	212	3
			F	72	1
550-553	34	Appendicitis	M	33	.
			F	22	.
560, 561, 570	35	Intestinal obstruction and hernia	M	83	3
			F	104	1
543, 571, 572	36	Gastritis and enteritis (except of newborn)	M	109	2
			F	115	3
764, 571.0	36, 43 Part of	Gastro-enteritis (under 2 years)	M	84	1
			F	63	2
581	37	Cirrhosis of liver	M	37	2
			F	31	.
530-539, 542-544, 545, 573-578, 580, 582-587	46d	Other diseases of digestive system	M	108	8
			F	120	3
590-594	38	Nephritis and nephrosis	M	339	14
			F	236	5
610	39	Hyperplasia of prostate	M	279	3
640-689	40	Complications of pregnancy and childbirth	F	70	.
750-759	41	Congenital malformations	M	214	5
			F	247	4
760-762	42	Birth injuries, asphyxia and atelectasis	M	263	2
			F	138	2
763-768	43	Infections of the newborn	M	73	.
			F	75	1
769-776	44	Other diseases of early infancy	M	392	16
			F	265	9
794	45a	Senility without mention of psychosis	M	1,413	817
			F	1,552	934
780-793, 795	45b	Ill-defined and unknown causes	M	354	186
			F	290	164
240-245, 250-254, 270-277, 280-289, 294-299, 300-309, 310-318, 320-326, 341-345, 350-357, 360-369, 370-379, 380-389, 390-398, 600-609, 611-637, 690-698, 700-716, 720-727, 730-738, 740-749	46e	All other diseases	M	867	59
			F	909	79
E810-E835	47	Motor vehicle accidents	M	181	.
			F	37	.
E800-E802, E840-E962	48	All other accidents	M	448	3
			F	306	4
EE963, E970-E979	49	Suicide and self-inflicted injury	M	54	.
			F	14	.
E964, E965, E980-E999	50	Homicide and operations of war	M	7	.
			F	4	.
TOTAL			M	19,773	1,589
			F	16,988	1,644

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		LEINSTER		MUNSTER		CONNACHT		ULSTER		
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
29	Hypertension without mention of heart	M	116	5	97	1	45	6	24	1	
		F	131	1	63	3	49	5	22	4	
46a	Other diseases of circulatory system	M	223	1	156	3	97	4	44	1	
		F	208	4	128	1	76	2	33	2	
30	Influenza	M	106	3	71	7	59	11	49	9	
		F	126	4	68	4	53	15	42	9	
31	Pneumonia	M	245	1	156	.	82	7	31	.	
		F	238	2	139	6	63	7	42	3	
32	Bronchitis	M	345	3	200	5	78	12	31	3	
		F	241	1	107	.	69	10	29	.	
46b	Bronchiectasis	M	18	.	13	.	8	.	2	.	
		F	6	.	5	1	3	.	1	.	
46c	Other diseases of respiratory system	M	73	1	65	.	16	.	18	.	
		F	59	.	46	.	21	.	11	.	
33	Ulcer of stomach and duodenum	M	99	1	82	.	17	1	14	1	
		F	29	.	23	.	9	.	11	1	
34	Appendicitis	M	9	.	13	.	8	.	3	.	
		F	9	.	8	.	2	.	3	.	
35	Intestinal obstruction and hernia	M	27	1	24	.	22	1	10	1	
		F	48	.	25	1	21	.	10	.	
36	Gastritis and enteritis (except of newborn)	M	54	.	28	.	23	1	4	1	
		F	52	1	36	1	15	.	12	1	
36, 43 parts of	Gastro-enteritis (under 2 years)	M	32	.	23	.	23	.	6	1	
		F	30	1	21	1	7	.	5	.	
37	Cirrhosis of liver	M	19	2	10	.	5	.	3	.	
		F	18	.	8	.	2	.	3	.	
46d	Other diseases of digestive system	M	48	2	29	1	19	4	12	1	
		F	53	.	29	.	25	2	13	1	
38	Nephritis and nephrosis	M	148	4	104	1	49	7	38	2	
		F	96	.	67	1	44	3	29	1	
39	Hyperplasia of prostate	M	91	.	93	.	65	3	30	.	
40	Complications of pregnancy and childbirth	F	28	.	28	.	7	.	7	.	
41	Congenital malformations	M	103	2	59	1	35	1	17	1	
		F	128	3	77	.	28	.	14	1	
42	Birth injuries, asphyxia and atelectasis	M	144	.	66	.	32	1	21	1	
		F	73	2	44	.	15	.	6	.	
43	Infections of the newborn	M	29	.	18	.	17	.	9	.	
		F	40	.	21	1	10	.	4	.	
44	Other diseases of early infancy	M	191	7	113	2	52	3	36	4	
		F	105	3	104	4	39	2	17	.	
45a	Senility without psychosis	M	228	75	519	262	466	374	200	106	
		F	310	104	533	300	492	400	217	130	
45b	Ill-defined and unknown causes	M	124	62	105	42	87	57	38	25	
		F	109	59	84	35	68	48	29	22	
46e	All other diseases	M	323	8	289	11	165	34	90	6	
		F	375	9	271	14	156	38	107	18	
EXTERNAL CAUSES											
47	Motor vehicle accidents	M	94	.	48	.	20	.	19	.	
		F	20	.	12	.	4	.	1	.	
48	All other accidents	M	189	3	140	.	72	.	47	.	
		F	137	.	87	.	58	3	24	1	
49	Suicide and self-inflicted injury	M	12	.	19	.	14	.	9	.	
		F	4	.	5	.	2	.	3	.	
50	Homocide and operations of war	M	1	.	5	.	1	.	.	.	
		F	2	.	2	
TOTAL			M	8,230	274	6,190	431	5,480	643	1,873	241
			F	7,360	278	5,216	462	2,846	639	1,576	265

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Carlow		Dublin Co. Borough		Dublin Co. Borough		Dublin Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	3	.	88	.	2	.	15	.
		F	4	.	58	.	4	.	12	.
2	Tuberculosis, other forms	M	1	.	9	.	.	.	1	.
		F	1	.	5	.	.	.	4	.
3	Syphilis and its sequelae	M	.	.	7	.	.	.	3	.
		F	.	.	2
4	Typhoid fever	M	.	.	1
		F
6	Dysentery, all forms	M
		F	.	.	1
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M	.	.	2
		F
8	Diphtheria	M	.	.	10
		F	.	.	3
9	Whooping cough	M	.	.	5	.	1	.	1	.
		F	.	.	2
10	Meningococcal infections	M	1	.	3	.	.	.	1	.
		F	.	.	3	.	1	.	.	.
12	Acute poliomyelitis	M
		F	.	.	2
14	Measles	M	1	.	3	.	.	.	1	.
		F	.	.	1	.	.	.	1	.
17	Other infective and parasitic diseases	M	2	.	4	.	1	.	3	.
		F	3	.	5	.	2	.	1	.
Malignant neoplasms:-										
18a	of stomach	M	5	.	81	.	4	.	13	.
		F	3	.	81	.	7	.	11	.
18b	of other digestive organs and peritoneum	M	7	.	122	.	8	.	17	.
		F	7	.	130	.	14	.	16	.
18c	of respiratory system	M	3	.	164	.	11	.	11	.
		F	.	.	31	.	2	.	2	.
18d	of breast	M	.	.	2	.	.	.	1	.
		F	3	.	62	.	13	.	11	.
18e	of genito-urinary system	M	4	.	55	.	4	.	10	.
		F	3	.	69	.	6	.	6	.
18f	of lymphatic and haematopoietic tissues	M	1	.	23	.	2	.	3	.
		F	1	.	13	.	2	.	2	.
18g	other	M	4	.	54	.	7	.	5	.
		F	3	.	49	.	6	.	3	.
19	Benign and unspecified neoplasms	M	1	.	13
		F	1	.	10	.	4	.	1	.
20	Diabetes mellitus	M	2	.	11	.	.	.	2	.
		F	.	.	21	1	1	.	1	.
21	Anaemias	M	1	.	9	.	.	.	2	.
		F	3	.	21	.	1	.	5	.
22	Vascular lesions affecting central nervous system	M	24	.	272	1	33	.	43	.
		F	20	.	380	2	55	.	54	.
23	Nonmeningococcal meningitis	M	.	.	8	.	1	.	1	.
		F	.	.	4	.	.	.	1	.
24	Rheumatic fever	M	.	.	6
		F	.	.	5	.	1	.	2	.
25	Chronic rheumatic heart disease	M	6	.	34	.	4	.	7	.
		F	2	.	64	1	4	.	3	.
26a	Chronic endocarditis	M	2	.	19	.	5	.	7	.
		F	.	.	35	.	3	.	6	.
26b	Coronary and arteriosclerotic heart disease	M	22	2	388	9	61	.	56	.
		F	10	1	240	6	40	.	39	.
26c	Other myocardial degeneration	M	44	.	214	.	26	.	50	.
		F	36	2	385	1	55	.	70	.
27	Other diseases of heart	M	10	1	132	5	10	.	20	.
		F	13	5	118	8	4	.	11	.
28	Hypertension with heart disease	M	6	.	71	.	11	.	7	.
		F	4	.	136	.	8	.	13	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Carlow		Dublin Co. Borough		Dan Laoghaire Borough		Dublin Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	1	.	38	.	5	.	9	.
		F	1	.	65	1	8	.	10	.
46a	Other diseases of circulatory system	M	2	.	53	.	7	.	10	.
		F	3	.	88	1	9	.	14	.
30	Influenza	M	1	.	32	.	3	.	9	.
		F	6	.	37	.	3	.	7	.
31	Pneumonia	M	2	.	131	.	3	.	13	.
		F	1	.	123	.	14	.	17	.
32	Bronchitis	M	2	.	186	.	7	.	24	.
		F	5	.	134	.	6	.	16	.
46b	Bronchiectasis	M	.	.	8	.	.	.	2	.
		F	.	.	3
46c	Other diseases of respiratory system	M	1	.	32	.	1	.	1	.
		F	1	.	27	.	2	.	7	.
33	Ulcer of stomach and duodenum	M	4	.	34	1	5	.	5	.
		F	1	.	10	.	1	.	2	.
34	Appendicitis	M	2	.	5
		F	.	.	1	.	1	.	2	.
35	Intestinal obstruction and hernia	M	.	.	11	.	1	.	2	.
		F	.	.	25	.	3	.	1	.
36	Gastritis and enteritis (except of newborn)	M	3	.	23	.	1	.	1	.
		F	1	1	22	.	2	.	3	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	2	.	12	.	1	.	1	.
		F	1	1	10	.	.	.	1	.
37	Cirrhosis of liver	M	.	.	6	2	2	.	1	.
		F	.	.	9	.	1	.	1	.
46d	Other diseases of digestive system	M	.	.	13	1	2	.	2	.
		F	1	.	19	.	1	.	3	.
38	Nephritis and nephrosis	M	3	.	34	.	10	.	5	.
		F	5	.	27	.	7	.	4	.
39	Hyperplasia of prostate	M	1	.	22	.	6	.	3	.
40	Complications of pregnancy and childbirth	F	2	.	6
41	Congenital malformations	M	3	.	41	.	2	.	6	.
		F	4	1	51	.	6	.	16	.
42	Birth injuries, asphyxia and atelectasis	M	7	.	66	.	4	.	14	.
		F	3	1	24	1	1	.	9	.
43	Infections of the newborn	M	.	.	16	.	1	.	3	.
		F	2	.	22	.	1	.	4	.
44	Other diseases of early infancy	M	10	1	61	1	9	.	7	1
		F	1	.	38	.	2	.	9	.
45a	Senility without psychosis	M	9	3	11	.	.	.	9	.
		F	14	6	22	.	4	.	18	.
45b	Ill-defined and unknown causes	M	9	5	31	18	.	.	5	.
		F	5	.	41	22	.	.	1	.
46e	All other diseases	M	13	.	97	1	12	.	22	.
		F	7	1	138	3	9	.	32	.
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	1	.	41	.	3	.	5	.
		F	.	.	9	.	.	.	2	.
48	All other accidents	M	5	.	59	.	2	.	11	.
		F	2	.	57	.	7	.	8	.
49	Suicide and self-inflicted injury	M	.	.	3	.	.	.	1	.
		F	.	.	1
50	Homicide and operations of war	M	.	.	1
		F	.	.	2
TOTAL		M	229	12	2,865	39	277	.	450	1
		F	182	18	2,937	47	321	.	461	.

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Kildare		Kilkenny		Leois		Longford	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	8	.	9	.	6	.	1	.
		F	9	.	7	.	4	.	3	.
2	Tuberculosis, other forms	M	5	.	1	.	2	.	1	.
		F	1	.	1	.	2	.	2	.
3	Syphilis and its sequelae	M
		F
4	Typhoid fever	M
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M
		F
9	Whooping cough	M	1	.	1
		F	1	.	.	.
10	Meningococcal infections	M	1	.	.	.	1	.	.	.
		F
12	Acute poliomyelitis	M
		F
14	Measles	M	.	.	1
		F	1	1
17	Other infective and parasitic diseases	M	2	.	.	.	2	.	.	.
		F	.	.	1	.	2	.	.	.
Malignant neoplasms:-										
18a	of stomach	M	10	.	17	.	9	.	18	.
		F	10	.	15	.	6	.	5	.
18b	of other digestive organs and peritoneum	M	16	.	24	.	17	.	8	.
		F	14	.	9	.	11	.	12	.
18c	of respiratory system	M	8	.	5	.	6	.	1	.
		F	7	.	7	.	.	.	1	.
18d	of breast	M
		F	9	.	6	.	5	.	4	1
18e	of genito-urinary system	M	3	.	4	.	8	.	6	.
		F	4	.	7	.	4	.	3	.
18f	of lymphatic and haematopoietic tissues	M	1	.	1	.	3	.	1	.
		F	3
18g	other	M	9	.	8	1	15	1	4	1
		F	6	.	2	.	2	.	4	1
19	Benign and unspecified neoplasms	M	1
		F	.	.	2	1	1	.	1	.
20	Diabetes mellitus	M	1	.	3	.	1	.	2	.
		F	1	.	2	.	1	.	2	.
21	Anaemias	M	3	.	.	.	2	.	2	.
		F	6	.	4	.	3	.	1	.
22	Vascular lesions affecting central nervous system	M	27	.	46	1	31	.	26	2
		F	38	1	45	.	32	1	23	1
23	Nonmeningococcal meningitis	M	3
		F	.	.	1	.	1	.	.	.
24	Rheumatic fever	M	.	.	1	.	1	.	.	.
		F	1	.	1	.
25	Chronic rheumatic heart disease	M	12	.	4	.	6	.	1	.
		F	5	.	1	.	5	.	.	.
26a	Chronic endocarditis	M	11	.	5	.	7	.	4	.
		F	8	.	3	.	5	.	2	.
26b	Coronary and arteriosclerotic heart disease	M	34	5	47	1	52	3	24	6
		F	18	1	26	.	14	2	7	2
26c	Other myocardial degeneration	M	70	.	96	1	68	2	65	.
		F	45	.	59	2	53	6	74	2
27	Other diseases of heart	M	16	3	16	1	16	1	4	1
		F	20	2	17	.	5	.	2	1
28	Hypertension with heart disease	M	1	.	6	.	5	.	5	.
		F	6	.	13	.	6	.	4	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Carlow		Dublin Co. Borough		Dun Laoghaire Borough		Dublin Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	1	.	38	.	5	.	9	.
		F	1	.	65	1	8	.	10	.
46a	Other diseases of circulatory system	M	2	.	53	.	7	.	10	.
		F	3	.	88	1	9	.	14	.
30	Influenza	M	1	.	32	.	3	.	9	.
		F	6	.	37	.	3	.	7	.
31	Pneumonia	M	2	.	131	.	3	.	13	.
		F	1	.	123	.	14	.	17	.
32	Bronchitis	M	2	.	186	.	7	.	24	.
		F	5	.	134	.	6	.	16	.
46b	Bronchiectasis	M	.	.	8	.	.	.	2	.
		F	.	.	3
46c	Other diseases of respiratory system	M	1	.	32	.	1	.	1	.
		F	1	.	27	.	2	.	7	.
33	Ulcer of stomach and duodenum	M	4	.	34	1	5	.	5	.
		F	1	.	10	.	1	.	2	.
34	Appendicitis	M	2	.	5	.	.	.	2	.
		F	.	.	1	.	1	.	.	.
35	Intestinal obstruction and hernia	M	.	.	11	.	1	.	2	.
		F	.	.	25	.	3	.	1	.
36	Gastritis and enteritis (except of newborn)	M	3	.	23	.	1	.	1	.
		F	1	1	22	.	2	.	3	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	2	.	12	.	1	.	1	.
		F	1	1	10	.	.	.	1	.
37	Cirrhosis of liver	M	.	.	6	2	2	.	1	.
		F	.	.	9	.	1	.	1	.
46d	Other diseases of digestive system	M	.	.	13	1	2	.	2	.
		F	1	.	19	.	1	.	3	.
38	Nephritis and nephrosis	M	3	.	34	.	10	.	5	.
		F	5	.	27	.	7	.	4	.
39	Hyperplasia of prostate	M	1	.	22	.	6	.	3	.
40	Complications of pregnancy and childbirth	F	2	.	6
41	Congenital malformations	M	3	.	41	.	2	.	6	.
		F	4	1	51	.	6	.	16	.
42	Birth injuries, asphyxia and atelectasis	M	7	.	66	.	4	.	14	.
		F	3	1	24	1	1	.	9	.
43	Infections of the newborn	M	.	.	16	.	1	.	3	.
		F	2	.	22	.	1	.	4	.
44	Other diseases of early infancy	M	10	1	61	1	9	.	7	1
		F	1	.	38	.	2	.	9	.
45a	Senility without psychosis	M	9	3	11	.	.	.	9	.
		F	14	6	22	.	4	.	18	.
45b	Ill-defined and unknown causes	M	9	5	31	18	.	.	5	.
		F	5	.	41	22	.	.	1	.
46e	All other diseases	M	13	.	97	1	12	.	22	.
		F	7	1	138	3	9	.	32	.
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	1	.	41	.	3	.	5	.
		F	.	.	9	.	.	.	2	.
48	All other accidents	M	5	.	59	.	2	.	11	.
		F	2	.	57	.	7	.	8	.
49	Suicide and self-inflicted injury	M	.	.	3	.	.	.	1	.
		F	.	.	1
50	Homicide and operations of war	M	.	.	1
		F	.	.	2
TOTAL		M	229	12	2,865	39	277	.	450	1
		F	182	18	2,937	47	321	.	461	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Kildare		Kilkenny		Laois		Longford	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	2	.	7	.	7	.	8	5
		F	3	.	5	.	3	.	1	.
46a	Other diseases of circulatory system	M	15	.	34	.	6	.	2	.
		F	3	.	18	.	4	.	1	.
30	Influenza	M	5	.	7	.	9	.	2	2
		F	7	.	8	1	10	.	6	2
31	Pneumonia	M	11	1	11	.	9	.	6	.
		F	14	.	9	.	3	.	2	.
32	Bronchitis	M	21	.	13	.	9	.	3	1
		F	9	.	11	1	2	.	1	.
46b	Bronchiectasis	M	1
		F	1
46c	Other diseases of respiratory system	M	3	.	1	.	1	.	1	.
		F	1	.	3	.	3	.	.	.
33	Ulcer of stomach and duodenum	M	3	.	7	.	4	.	3	.
		F	3	.	2	.	1	.	1	.
34	Appendicitis	M	1	.	1
		F	1	.	1	.	2	.	.	.
35	Intestinal obstruction and hernia	M	1	.	1	.	1	1	1	.
		F	2	.	2	.	1	.	1	.
36	Gastritis and enteritis (except of newborn)	M	6	.	2	.	4	.	.	.
		F	5	.	2	.	1	.	.	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	4	.	1	.	3	.	1	.
		F	4	.	1	.	2	.	.	.
37	Cirrhosis of liver	M	2	.	1	.	1	.	.	.
		F	.	.	1	.	1	.	.	.
46d	Other diseases of digestive system	M	3	.	.	.	2	.	3	1
		F	1	.	7	.	2	.	1	.
38	Nephritis and nephrosis	M	17	.	7	.	10	1	3	2
		F	5	.	6	.	5	.	.	.
39	Hyperplasia of prostate	M	3	.	7	.	7	.	6	.
40	Complications of pregnancy and childbirth	F	1	.	.	.	3	.	2	.
41	Congenital malformations	M	6	1	4	.	7	.	2	1
		F	7	.	5	.	3	1	2	.
42	Birth injuries, asphyxia and atelectasis	M	7	.	4	.	4	.	4	.
		F	1	.	6	.	7	.	1	.
43	Infections of the newborn	M	1	.	1	.	2	.	1	.
		F	1	.	1	.	2	.	1	.
44	Other diseases of early infancy	M	15	.	13	.	11	3	6	1
		F	3	.	7	.	6	1	.	.
45a	Senility without psychosis	M	15	2	41	12	23	7	23	18
		F	15	2	42	16	21	10	28	27
45b	Ill-defined and unknown causes	M	7	4	15	3	4	4	5	5
		F	2	1	10	4	4	4	9	9
46e	All other diseases	M	26	2	27	.	15	.	8	.
		F	21	.	16	.	18	.	6	.
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	7	.	4	.	4	.	1	.
		F	5	.	1
48	All other accidents	M	18	.	11	.	5	.	4	.
		F	7	.	4	.	7	.	4	.
49	Suicide and self-inflicted injury	M	1	.	2	.	1	.	.	.
		F
50	Homicide and operations of war	M
		F
TOTAL		M	440	18	516	20	404	23	265	46
		F	329	8	395	25	273	25	218	46

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Kildare		Kilkenny		Laois		Longford	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	2	.	7	.	7	.	8	5
		F	3	.	5	.	3	.	1	.
46a	Other diseases of circulatory system	M	15	.	34	.	6	.	2	.
		F	3	.	18	.	4	.	1	.
30	Influenza	M	5	.	7	.	9	.	2	2
		F	7	.	8	1	10	.	6	2
31	Pneumonia	M	11	1	11	.	9	.	6	.
		F	14	.	9	.	3	.	2	.
32	Bronchitis	M	21	.	13	.	9	.	3	1
		F	9	.	11	1	2	.	1	.
46b	Bronchiectasis	M	1
		F	1
46c	Other diseases of respiratory system	M	3	.	1	.	1	.	1	.
		F	1	.	3	.	3	.	.	.
33	Ulcer of stomach and duodenum	M	3	.	7	.	4	.	3	.
		F	3	.	2	.	1	.	1	.
34	Appendicitis	M	1	.	1
		F	1	.	1	.	2	.	.	.
35	Intestinal obstruction and hernia	M	1	.	1	.	1	1	1	.
		F	2	.	2	.	1	.	1	.
36	Gastritis and enteritis (except of newborn)	M	6	.	2	.	4	.	.	.
		F	5	.	2	.	1	.	.	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	4	.	1	.	3	.	1	.
		F	4	.	1	.	2	.	.	.
37	Cirrhosis of liver	M	2	.	1	.	1	.	.	.
		F	.	.	1	.	1	.	.	.
46d	Other diseases of digestive system	M	3	.	.	.	2	.	3	1
		F	1	.	7	.	2	.	1	.
38	Nephritis and nephrosis	M	17	.	7	.	10	1	3	2
		F	5	.	6	.	5	.	.	.
39	Hyperplasia of prostate	M	3	.	7	.	7	.	6	.
40	Complications of pregnancy and childbirth	F	1	.	.	.	3	.	2	.
41	Congenital malformations	M	6	1	4	.	7	.	2	1
		F	7	.	5	.	3	1	2	.
42	Birth injuries, asphyxia and atelectasis	M	7	.	4	.	4	.	4	.
		F	1	.	6	.	7	.	1	.
43	Infections of the newborn	M	1	.	1	.	2	.	1	.
		F	1	.	1	.	2	.	1	.
44	Other diseases of early infancy	M	15	.	13	.	11	3	6	1
		F	3	.	7	.	6	1	.	.
45a	Senility without psychosis	M	15	2	41	12	23	7	23	18
		F	15	2	42	16	21	10	28	27
45b	Ill-defined and unknown causes	M	7	4	15	3	4	4	5	5
		F	2	1	10	4	4	4	9	9
46e	All other diseases	M	26	2	27	.	15	.	8	.
		F	21	.	16	.	18	.	6	.
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	7	.	4	.	4	.	1	.
		F	5	.	1
48	All other accidents	M	18	.	11	.	5	.	4	.
		F	7	.	4	.	7	.	4	.
49	Suicide and self-inflicted injury	M	1	.	2	.	1	.	.	.
		F
50	Homicide and operations of war	M
		F
TOTAL		M	440	18	516	20	404	23	265	46
		F	329	8	395	25	273	25	218	46

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Louth		Meath		Offaly		Westmeath	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	10	.	4	.	7	.	13	.
		F	5	.	3	.	7	.	7	.
2	Tuberculosis, other forms	M	1	.	3	.	2	.	2	.
		F	1	.	.	.	3	.	4	.
3	Syphilis and its sequelae	M
		F
4	Typhoid fever	M
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M	1	.	.	.
		F
7b	Streptococcal sore throat	M
		F	1	.	.	.
8	Diphtheria	M
		F
9	Whooping cough	M	1
		F
10	Meningococcal infections	M	.	.	2
		F
12	Acute poliomyelitis	M	.	.	1
		F
14	Measles	M	2	.	.	.
		F
17	Other infective and parasitic diseases	M
		F	2	.	1	.	.	.	1	.
Malignant neoplasms:-										
18a	of stomach	M	16	.	18	1	12	1	8	.
		F	12	.	15	.	12	.	8	1
18b	of other digestive organs and peritoneum	M	16	.	14	.	12	1	10	1
		F	15	.	9	.	11	.	9	.
18c	of respiratory system	M	10	.	7	.	9	.	7	.
		F	1	.	4	.	2	.	3	.
18d	of breast	M
		F	4	1	9	.	8	.	9	.
18e	of genito-urinary system	M	9	.	1	.	6	.	3	.
		F	10	.	5	.	9	.	6	1
18f	of lymphatic and haematopoietic tissues	M	6	.	5	.	2	.	6	.
		F	2	.	2	.	2	.	1	.
18g	other	M	10	.	11	1	5	.	14	.
		F	5	.	8	.	3	.	5	.
19	Benign and unspecified neoplasms	M	5	.	3	.	1	.	3	.
		F	2	.	2	.	1	.	2	1
20	Diabetes mellitus	M	.	.	2	.	2	.	3	.
		F	2	1	2	.	1	.	3	.
21	Anaemias	M	1	.	1	.	4	.	3	.
		F	1	.	2	.	4	.	2	.
22	Vascular lesions affecting central nervous system	M	29	.	50	1	24	2	37	2
		F	49	1	40	2	27	2	33	4
23	Nonmeningococcal meningitis	M	1	1	.
		F
24	Rheumatic fever	M	1	.	.	.
		F	1	2	.
25	Chronic rheumatic heart disease	M	4	.	3	.	3	.	5	.
		F	6	.	4	.	.	.	3	.
26a	Chronic endocarditis	M	12	.	4	.	10	.	14	.
		F	12	.	3	.	7	1	7	.
26b	Coronary and arteriosclerotic heart disease	M	43	.	63	1	40	6	44	3
		F	27	1	27	1	11	.	21	3
26c	Other myocardial degeneration	M	69	1	84	2	57	2	55	1
		F	64	.	67	2	48	.	37	1
27	Other diseases of heart	M	13	.	23	2	7	.	14	2
		F	10	1	14	1	8	.	11	1
28	Hypertension with heart disease	M	4	.	12	1	7	.	9	.
		F	3	.	9	.	5	.	8	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Louth		Meath		Offaly		Westmeath	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	8	.	2	.	7	.	6	.
		F	5	.	9	.	4	.	3	.
46a	Other diseases of circulatory system	M	6	.	16	.	9	.	18	1
		F	5	.	5	.	5	.	9	3
30	Influenza	M	6	.	14	1	4	.	2	.
		F	5	.	9	.	6	.	5	1
31	Pneumonia	M	12	.	13	.	8	.	4	.
		F	5	.	7	1	8	.	4	.
32	Bronchitis	M	16	.	13	.	6	1	3	.
		F	10	.	17	.	7	.	4	.
46b	Bronchiectasis	M	.	.	1	.	4	.	1	.
		F	.	.	1
46c	Other diseases of respiratory system	M	4	.	9	1	3	.	4	.
		F	5	.	2	.	1	.	.	.
33	Ulcer of stomach and duodenum	M	9	.	9	.	4	.	4	.
		F	1	.	4	.	.	.	1	.
34	Appendicitis	M
		F
35	Intestinal obstruction and hernia	M	2	.	.	.	1	.	3	.
		F	4	.	.	.	2	.	1	.
36	Gastritis and enteritis (except of newborn)	M	1	.	3	.	3	.	.	.
		F	2	.	4	.	2	.	3	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	.	.	1	.	3	.	.	.
		F	1	.	2	.	2	.	2	.
37	Cirrhosis of liver	M	1	2	.
		F	1	.	2	.	1	.	1	.
46d	Other diseases of digestive system	M	4	.	4	.	2	.	6	.
		F	4	.	5	.	1	.	1	.
38	Nephritis and nephrosis	M	9	.	7	.	10	1	15	.
		F	8	.	4	.	9	.	6	.
39	Hyperplasia of prostate	M	5	.	6	.	1	.	3	.
40	Complications of pregnancy and childbirth	F	3	.	3	.	2	.	2	.
41	Congenital malformations	M	4	.	3	.	4	.	5	.
		F	5	.	5	.	3	.	5	1
42	Birth injuries, asphyxia and atelectasis	M	5	.	4	.	4	.	14	.
		F	3	.	2	.	5	.	2	.
43	Infections of the newborn	M	2	.	1	.	.	.	1	.
		F	1
44	Other diseases of early infancy	M	13	.	9	.	11	.	11	.
		F	5	.	4	.	8	.	7	2
45a	Senility without psychosis	M	31	4	7	6	26	11	12	5
		F	42	3	17	10	33	16	22	7
45b	Ill-defined and unknown causes	M	6	2	10	8	7	4	12	6
		F	5	3	11	7	5	4	4	1
46e	All other diseases	M	16	1	22	2	14	2	12	.
		F	19	.	20	1	14	3	21	1
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	7	.	5	.	3	.	1	.
		F	1	.	1
48	All other accidents	M	8	.	11	.	15	2	13	1
		F	4	.	9	.	7	.	7	.
49	Suicide and self-inflicted injury	M	.	.	1
		F	1	.
50	Homicide and operations of war	M
		F
TOTAL		M	435	8	480	27	360	33	402	22
		F	377	11	368	25	293	26	292	28

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Wexford		Wicklow		Cork Co. Borough		Cork Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	14	.	14	.	20	.	45	1
		F	13	.	2	.	10	.	28	.
2	Tuberculosis, other forms	M	3	.	1	.	2	.	9	1
		F	3	.	1	.	1	.	8	.
3	Syphilis and its sequelae	M	2	.	1	.	1	.	.	.
		F	1
4	Typhoid fever	M
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M
		F
9	Whooping cough	M	7	.
		F	1	.
10	Meningococcal infections	M	3	.	1	.
		F	1	.	3	.
12	Acute poliomyelitis	M
		F
14	Measles	M
		F
17	Other infective and parasitic diseases	M	2	.	.	.	1	.	3	.
		F	1	.	6	.
Malignant neoplasms:-										
18a	of stomach	M	20	.	6	.	18	.	51	.
		F	12	.	6	.	8	.	25	.
18b	of other digestive organs and peritoneum	M	24	.	13	.	23	.	75	.
		F	19	.	8	.	25	.	61	.
18c	of respiratory system	M	10	.	5	.	16	.	32	.
		F	6	.	3	.	3	.	13	.
18d	of breast	M
		F	7	.	7	.	4	.	24	.
18e	of genito-urinary system	M	16	.	6	.	7	.	41	.
		F	13	.	8	.	14	.	18	.
18f	of lymphatic and haematopoietic tissues	M	1	.	4	.	3	.	13	.
		F	1	.	1	.	3	.	5	.
18g	other	M	6	.	9	.	9	.	41	.
		F	9	.	6	.	9	.	24	1
19	Benign and unspecified neoplasms	M	1	.	2	.	3	.	7	.
		F	4	.	1	.	7	.	5	.
20	Diabetes mellitus	M	3	.	3	.	.	.	5	1
		F	3	.	1	.	2	.	11	1
21	Anaemias	M	1	.	5	.	.	.	7	.
		F	1	.	1	.	.	.	15	.
22	Vascular lesions affecting central nervous system	M	73	1	61	1	37	.	142	4
		F	77	.	61	.	60	.	227	10
23	Nonmeningococcal meningitis	M	1	2	.
		F	2	.
24	Rheumatic fever	M	3	3	.
		F	2	.	2	.
25	Chronic rheumatic heart disease	M	4	.	17	.	4	.	22	.
		F	4	.	5	.	9	.	15	.
26a	Chronic endocarditis	M	19	.	2	.	2	.	17	.
		F	8	.	2	.	1	.	17	.
26b	Coronary and arteriosclerotic heart disease	M	77	.	67	5	60	.	167	8
		F	44	.	23	.	52	.	87	3
26c	Other myocardial degeneration	M	108	1	68	1	64	.	313	11
		F	118	2	49	2	96	.	305	11
27	Other diseases of heart	M	23	3	16	2	14	.	63	8
		F	17	3	7	.	20	.	63	12
28	Hypertension with heart disease	M	15	.	11	.	6	.	28	1
		F	12	.	12	.	9	.	27	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Wexford		Wicklow		Cork Co. Borough		Cork Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	7	.	9	.	7	.	20	.
		F	10	.	4	.	6	.	21	1
46a	Other diseases of circulatory system	M	39	.	6	.	16	.	45	1
		F	40	.	4	.	12	.	36	.
30	Influenza	M	6	.	6	.	2	.	21	3
		F	6	.	11	.	5	.	20	.
31	Pneumonia	M	14	.	8	.	9	.	50	.
		F	16	.	15	1	16	.	40	1
32	Bronchitis	M	32	.	10	1	27	.	67	1
		F	15	.	4	.	19	.	28	.
46b	Bronchiectasis	M	.	.	1	.	2	.	5	.
		F	.	.	1	.	.	.	1	.
46c	Other diseases of respiratory system	M	.	.	12	.	9	.	13	.
		F	1	.	6	.	7	.	8	.
33	Ulcer of stomach and duodenum	M	6	.	2	.	6	.	26	.
		F	2	.	.	.	1	.	6	.
34	Appendicitis	M	6	.
		F	1	.	.	.	2	.	2	.
35	Intestinal obstruction and hernia	M	3	5	.
		F	2	.	4	.	5	.	4	.
36	Gastritis and enteritis (except of newborn)	M	5	.	2	.	5	.	6	.
		F	4	.	1	.	.	.	9	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	3	.	.	.	3	.	9	.
		F	2	.	2	.	.	.	7	.
37	Cirrhosis of liver	M	1	.	2	.	1	.	3	.
		F	1	.
46d	Other diseases of digestive system	M	5	.	2	.	2	.	13	1
		F	2	.	5	.	3	.	9	.
38	Nephritis and nephrosis	M	11	.	7	.	3	.	33	.
		F	5	.	5	.	5	.	15	.
39	Hyperplasia of prostate	M	14	.	7	.	6	.	28	.
40	Complications of pregnancy and childbirth	F	3	.	1	.	3	.	4	.
41	Congenital malformations	M	11	.	5	.	5	.	16	1
		F	10	.	6	.	12	.	18	.
42	Birth injuries, asphyxia and atelectasis	M	3	.	4	.	6	.	20	.
		F	5	.	4	.	5	.	15	.
43	Infections of the newborn	M	1	.	6	.
		F	1	.	4	.	1	.	3	.
44	Other diseases of early infancy	M	8	.	7	.	7	.	26	1
		F	11	.	4	.	11	.	32	.
45a	Senility without psychosis	M	14	7	7	.	5	.	134	58
		F	20	6	12	1	5	.	130	67
45b	Ill-defined and unknown causes	M	4	1	9	2	1	.	20	9
		F	7	3	5	1	4	.	24	7
46e	All other diseases	M	23	.	16	.	17	.	83	2
		F	36	.	18	.	22	.	67	3
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	8	.	4	.	4	.	14	.
		F	.	.	1	.	.	.	6	.
48	All other accidents	M	13	.	14	.	12	.	46	.
		F	13	.	1	.	9	.	26	.
49	Suicide and self-inflicted injury	M	2	.	1	.	.	.	8	.
		F	1	.	1
50	Homocide and operations of war	M	2	.
		F
TOTAL		M	655	13	452	12	446	.	1,810	112
		F	593	14	321	5	490	.	1,517	117

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Clare		Kerry		Limerick Co. Borough		Limerick Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	14	.	18	.	27	.	11	.
		F	5	.	9	.	9	.	6	.
2	Tuberculosis, other forms	M	8	.	3	.	3	.	.	.
		F	3	.	1	.	2	.	3	.
3	Syphilis and its sequelae	M
		F
4	Typhoid fever	M	1	.	.	.
		F	.	.	1
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M	1	.	.	.
		F
9	Whooping cough	M	.	.	2	.	.	.	1	.
		F	.	.	2	.	.	.	5	.
10	Meningococcal infections	M
		F
12	Acute poliomyelitis	M
		F
14	Measles	M
		F
17	Other infective and parasitic diseases	M	.	.	3
		F	4	.	.	.	1	.	.	.
Malignant neoplasms:-										
18a	of stomach	M	14	.	19	.	7	.	17	.
		F	10	.	15	.	5	.	12	.
18b	of other digestive organs and peritoneum	M	17	.	38	.	11	.	22	.
		F	18	.	25	.	15	.	19	.
18c	of respiratory system	M	4	.	6	.	18	.	5	.
		F	7	.	3	.	3	.	4	.
18d	of breast	M	.	.	1	.	1	.	.	.
		F	8	.	19	.	2	.	11	.
18e	of genito-urinary system	M	11	.	6	.	4	.	12	.
		F	6	.	16	.	4	.	12	.
18f	of lymphatic and haematopoietic tissues	M	3	.	4	.	2	.	2	.
		F	2	.	3	.	5	.	.	.
18g	other	M	13	.	12	.	4	.	15	.
		F	7	.	11	1	4	.	9	.
19	Benign and unspecified neoplasms	M	1	.	3	.	3	.	.	.
		F	3	.	2	.	1	.	2	.
20	Diabetes mellitus	M	8	.	4	.	.	.	3	.
		F	3	.	3	.	1	.	5	.
21	Anaemias	M	5	.	1	.	2	.	4	.
		F	4	1	8	.	2	.	8	.
22	Vascular lesions affecting central nervous system	M	34	4	63	2	24	1	46	.
		F	48	3	63	5	29	1	55	.
23	Nonmeningococcal meningitis	M	1	.	2
		F	2	.	.	.
24	Rheumatic fever	M	4	.	1	.
		F	3	.	.	.
25	Chronic rheumatic heart disease	M	1	.	2	.	2	.	9	1
		F	4	.	4	.	3	.	7	.
26a	Chronic endocarditis	M	19	.	9	1	4	.	13	.
		F	14	.	7	1	2	.	12	1
26b	Coronary and arteriosclerotic heart disease	M	41	.	93	12	35	1	54	.
		F	24	.	28	1	7	.	10	.
26c	Other myocardial degeneration	M	135	2	139	9	35	1	106	.
		F	104	1	117	9	42	.	63	2
27	Other diseases of heart	M	26	2	36	5	14	1	19	.
		F	20	1	28	3	13	1	22	1
28	Hypertension with heart disease	M	8	.	17	1	1	.	4	.
		F	7	.	12	1	4	.	8	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Wexford		Wicklow		Cork Co. Borough		Cork Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	7	.	9	.	7	.	20	.
		F	10	.	4	.	6	.	21	1
46a	Other diseases of circulatory system	M	39	.	6	.	16	.	45	1
		F	40	.	4	.	12	.	36	.
30	Influenza	M	6	.	6	.	2	.	21	3
		F	6	.	11	.	5	.	20	.
31	Pneumonia	M	14	.	8	.	9	.	50	.
		F	16	.	15	1	16	.	40	1
32	Bronchitis	M	32	.	10	1	27	.	67	1
		F	15	.	4	.	19	.	28	.
46b	Bronchiectasis	M	.	.	1	.	2	.	5	.
		F	.	.	1	.	.	.	1	.
46c	Other diseases of respiratory system	M	.	.	12	.	9	.	13	.
		F	1	.	6	.	7	.	8	.
33	Ulcer of stomach and duodenum	M	6	.	2	.	6	.	26	.
		F	2	.	.	.	1	.	6	.
34	Appendicitis	M	6	.
		F	1	.	.	.	2	.	2	.
35	Intestinal obstruction and hernia	M	3	5	.
		F	2	.	4	.	5	.	4	.
36	Gastritis and enteritis (except of newborn)	M	5	.	2	.	5	.	6	.
		F	4	.	1	.	.	.	9	.
36.43 parts of	Gastro-enteritis (under 2 years)	M	3	.	.	.	3	.	9	.
		F	2	.	2	.	.	.	7	.
37	Cirrhosis of liver	M	1	.	2	.	1	.	3	.
		F	1	.
46d	Other diseases of digestive system	M	5	.	2	.	2	.	13	1
		F	2	.	5	.	3	.	9	.
38	Nephritis and nephrosis	M	11	.	7	.	3	.	33	.
		F	5	.	5	.	5	.	15	.
39	Hyperplasia of prostate	M	14	.	7	.	6	.	28	.
40	Complications of pregnancy and childbirth	F	3	.	1	.	3	.	4	.
41	Congenital malformations	M	11	.	5	.	5	.	16	1
		F	10	.	6	.	12	.	18	.
42	Birth injuries, asphyxia and atelectasis	M	3	.	4	.	6	.	20	.
		F	5	.	4	.	5	.	15	.
43	Infections of the newborn	M	1	.	6	.
		F	1	.	4	.	1	.	3	.
44	Other diseases of early infancy	M	8	.	7	.	7	.	26	1
		F	11	.	4	.	11	.	32	.
45a	Senility without psychosis	M	14	7	7	.	5	.	134	58
		F	20	6	12	1	5	.	130	67
45b	Ill-defined and unknown causes	M	4	1	9	2	1	.	20	9
		F	7	3	5	1	4	.	24	7
46e	All other diseases	M	23	.	16	.	17	.	83	2
		F	36	.	18	.	22	.	67	3
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	8	.	4	.	4	.	14	.
		F	.	.	1	.	.	.	6	.
48	All other accidents	M	13	.	14	.	12	.	46	.
		F	13	.	1	.	9	.	26	.
49	Suicide and self-inflicted injury	M	2	.	1	.	.	.	8	.
		F	1	.	1
50	Homocide and operations of war	M	2	.
		F
TOTAL		M	655	13	452	12	446	.	1,810	112
		F	589	14	321	5	490	.	1,517	117

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Clare		Kerry		Limerick Co. Borough		Limerick Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	14	.	18	.	27	.	11	.
		F	5	.	9	.	9	.	6	.
2	Tuberculosis, other forms	M	8	.	3	.	3	.	.	.
		F	3	.	1	.	2	.	3	.
3	Syphilis and its sequelae	M
		F
4	Typhoid fever	M	1	.	.	.
		F	.	.	1
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M	1	.	.	.
		F
9	Whooping cough	M	.	.	2	.	.	.	1	.
		F	.	.	2	.	.	.	5	.
10	Meningococcal infections	M
		F
12	Acute poliomyelitis	M
		F
14	Measles	M
		F
17	Other infective and parasitic diseases	M	.	.	3
		F	4	.	.	.	1	.	.	.
Malignant neoplasms:-										
18a	of stomach	M	14	.	19	.	7	.	17	.
		F	10	.	15	.	5	.	12	.
18b	of other digestive organs and peritoneum	M	17	.	38	.	11	.	22	.
		F	18	.	25	.	15	.	19	.
18c	of respiratory system	M	4	.	6	.	18	.	5	.
		F	7	.	3	.	3	.	4	.
18d	of breast	M	.	.	1	.	1	.	.	.
		F	8	.	19	.	2	.	11	.
18e	of genito-urinary system	M	11	.	6	.	4	.	12	.
		F	6	.	16	.	4	.	12	.
18f	of lymphatic and haematopoietic tissues	M	3	.	4	.	2	.	2	.
		F	2	.	3	.	5	.	.	.
18g	other	M	13	.	12	.	4	.	15	.
		F	7	.	11	1	4	.	9	.
19	Benign and unspecified neoplasms	M	1	.	3	.	3	.	.	.
		F	3	.	2	.	1	.	2	.
20	Diabetes mellitus	M	8	.	4	.	.	.	3	.
		F	3	.	3	.	1	.	5	.
21	Anaemias	M	5	.	1	.	2	.	4	.
		F	4	1	8	.	2	.	8	.
22	Vascular lesions affecting central nervous system	M	34	4	63	2	24	1	46	.
		F	48	3	63	5	29	1	55	.
23	Nonmeningococcal meningitis	M	1	.	2
		F	2	.	.	.
24	Rheumatic fever	M	4	.	1	.
		F	3	.	.	.
25	Chronic rheumatic heart disease	M	1	.	2	.	2	.	9	1
		F	4	.	4	.	3	.	7	.
26a	Chronic endocarditis	M	19	.	9	1	4	.	13	.
		F	14	.	7	1	2	.	12	1
26b	Coronary and arteriosclerotic heart disease	M	41	.	93	12	35	1	54	.
		F	24	.	28	1	7	.	10	.
26c	Other myocardial degeneration	M	135	2	139	9	35	1	106	.
		F	104	1	117	9	42	.	63	2
27	Other diseases of heart	M	26	2	36	5	14	1	19	.
		F	20	1	28	3	13	1	22	1
28	Hypertension with heart disease	M	8	.	17	1	1	.	4	.
		F	7	.	12	1	4	.	8	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Clare		Kerry		Limerick Co. Borough		Limerick Co. Remainder	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	12	.	25	1	8	.	6	.
		F	6	1	8	.	4	.	5	1
46a	Other diseases of circulatory system	M	7	.	42	2	3	.	13	.
		F	12	.	37	1	2	.	8	.
30	Influenza	M	4	.	13	4	2	.	12	.
		F	2	.	11	3	1	.	6	1
31	Pneumonia	M	15	.	21	.	11	.	15	.
		F	11	1	15	3	7	.	16	.
32	Bronchitis	M	15	1	14	2	4	.	15	.
		F	7	.	5	.	5	.	9	.
46b	Bronchiectasis	M	.	.	2	.	.	.	2	.
		F	1	.	1	1
46c	Other diseases of respiratory system	M	4	.	14	.	2	.	8	.
		F	2	.	13	.	2	.	4	.
33	Ulcer of stomach and duodenum	M	4	.	8	.	4	.	12	.
		F	2	.	5	.	.	.	2	.
34	Appendicitis	M	.	.	1	.	1	.	1	.
		F	.	.	1	.	1	.	1	.
35	Intestinal obstruction and hernia	M	1	.	3	.	2	.	3	.
		F	2	.	4	1	2	.	3	.
36	Gastritis and enteritis (except of newborn)	M	1	.	3	.	3	.	3	.
		F	6	1	5	.	1	.	5	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	1	.	2	.	2	.	1	.
		F	2	1	1	.	1	.	3	.
37	Cirrhosis of liver	M	3	1	.
		F	2	.	1	.	1	.	1	.
46d	Other diseases of digestive system	M	1	.	2	.	1	.	7	.
		F	2	.	4	.	1	.	2	.
38	Nephritis and nephrosis	M	5	.	9	1	5	.	16	.
		F	3	.	5	.	4	.	11	.
39	Hyperplasia of prostate	M	6	.	16	.	2	.	10	.
40	Complications of pregnancy and childbirth	F	5	.	3	.	2	.	3	.
41	Congenital malformations	M	6	.	5	.	4	.	4	.
		F	3	.	11	.	3	.	9	.
42	Birth injuries, asphyxia and atelectasis	M	1	.	11	.	1	.	6	.
		F	3	.	6	.	4	.	3	.
43	Infections of the newborn	M	.	.	4	.	.	.	2	.
		F	1	.	2	.	.	.	7	1
44	Other diseases of early infancy	M	7	.	19	1	6	.	13	.
		F	6	1	18	2	8	1	7	.
45a	Senility without psychosis	M	70	47	126	101	2	.	69	32
		F	62	51	126	104	13	.	72	43
45b	Ill-defined and unknown causes	M	10	3	24	17	5	.	15	1
		F	7	3	15	11	6	1	12	3
46e	All other diseases	M	35	1	47	5	10	1	25	1
		F	22	4	49	4	10	1	31	.
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	6	.	6	.	4	.	7	.
		F	2	.	.	.	1	.	.	.
48	All other accidents	M	18	.	20	.	7	.	11	.
		F	10	.	14	.	2	.	5	.
49	Suicide and self-inflicted injury	M	4	.	4
		F	.	.	2	.	1	.	.	.
50	Homicide and operations of war	M	.	.	1
		F	1	.	1
TOTAL		M	598	60	921	164	290	5	620	35
		F	481	68	739	151	240	5	495	53

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death	Tipperary North Riding		Tipperary South Riding		Waterford Co. Borough		Waterford Co. Remainder		
		Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
1	Tuberculosis of respiratory system	M	7	.	15	.	4	.	1	.
		F	5	.	13	.	1	.	6	.
2	Tuberculosis, other forms	M	.	.	2	.	.	.	2	.
		F	2	.	1	.	1	.	3	.
3	Syphilis and its sequelae	M
		F
4	Typhoid fever	M
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M
		F
9	Whooping cough	M
		F	.	.	1
10	Meningococcal infections	M	.	.	1
		F
12	Acute poliomyelitis	M
		F
14	Measles	M
		F
17	Other infective and parasitic diseases	M	3	.	1
		F	.	.	1
Malignant neoplasms:-										
18a	of stomach	M	13	.	17	.	6	.	14	.
		F	4	.	7	.	4	.	5	.
18b	of other digestive organs and peritoneum	M	22	.	29	.	8	.	20	.
		F	12	.	25	.	6	.	16	.
18c	of respiratory system	M	10	.	12	.	5	.	6	.
		F	4	.	1	.	.	.	2	.
18d	of breast	M
		F	5	.	6	.	3	.	6	.
18e	of genito-urinary system	M	11	.	7	.	1	.	8	.
		F	8	1	11	.	5	.	3	.
18f	of lymphatic and haematopoietic tissues	M	1	.	3	.	1	.	2	.
		F	2	.	1	.	2	.	.	.
18g	other	M	7	.	12	.	5	.	15	.
		F	2	.	9	.	8	.	3	.
19	Benign and unspecified neoplasms	M	1	2	.
		F
20	Diabetes mellitus	M	1	.	3	.	2	.	1	.
		F	3	.	2	.	2	.	2	.
21	Anaemias	M	6	.	5	.	1	.	3	.
		F	.	.	2	.	2	.	3	.
22	Vascular lesions affecting central nervous system	M	34	.	54	.	11	.	25	.
		F	43	1	55	1	20	.	40	.
23	Nonmeningococcal meningitis	M	2	.	1
		F	.	.	3
24	Rheumatic fever	M	1	.	1	.	1	.	1	.
		F
25	Chronic rheumatic heart disease	M	6	.	5	.	4	.	2	.
		F	3	.	10	1	2	.	2	.
26a	Chronic endocarditis	M	4	.	9	.	2	.	2	.
		F	3	.	10	.	1	.	3	.
26b	Coronary and arteriosclerotic heart disease	M	51	.	52	2	16	.	34	3
		F	28	.	25	.	8	.	18	.
26c	Other myocardial degeneration	M	42	1	77	1	29	.	50	1
		F	38	.	78	7	44	1	46	2
27	Other diseases of heart	M	25	6	19	1	6	.	16	2
		F	17	2	12	1	5	.	9	2
28	Hypertension with heart disease	M	4	.	5	.	.	.	3	.
		F	6	.	10	.	1	.	7	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Clare		Kerry		Limerick Co. Borough		Limerick Co. Remainder		
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
29	Hypertension without mention of heart	M	12	.	25	1	8	.	6	.	
		F	6	1	8	.	4	.	5	1	
46e	Other diseases of circulatory system	M	7	.	42	2	3	.	13	.	
		F	12	.	37	1	2	.	8	.	
30	Influenza	M	4	.	13	4	2	.	12	.	
		F	2	.	11	3	1	.	6	1	
31	Pneumonia	M	15	.	21	.	11	.	15	.	
		F	11	1	15	3	7	.	16	.	
32	Bronchitis	M	15	1	14	2	4	.	15	.	
		F	7	.	5	.	5	.	9	.	
46b	Bronchiectasis	M	.	.	2	.	.	.	2	.	
		F	1	.	1	1	
46c	Other diseases of respiratory system	M	4	.	14	.	2	.	8	.	
		F	2	.	13	.	2	.	4	.	
33	Ulcer of stomach and duodenum	M	4	.	8	.	4	.	12	.	
		F	2	.	5	.	.	.	2	.	
34	Appendicitis	M	.	.	1	.	1	.	1	.	
		F	.	.	1	.	1	.	1	.	
35	Intestinal obstruction and hernia	M	1	.	3	.	2	.	3	.	
		F	2	.	4	1	2	.	3	.	
36	Gastritis and enteritis (except of newborn)	M	1	.	3	.	3	.	3	.	
		F	6	1	5	.	1	.	5	.	
36, 43 parts of	Gastro-enteritis (under 2 years)	M	1	.	2	.	2	.	1	.	
		F	2	1	1	.	1	.	3	.	
37	Cirrhosis of liver	M	3	1	.	
		F	2	.	1	.	1	.	1	.	
46d	Other diseases of digestive system	M	1	.	2	.	1	.	7	.	
		F	2	.	4	.	1	.	2	.	
38	Nephritis and nephrosis	M	5	.	9	1	5	.	16	.	
		F	3	.	5	.	4	.	11	.	
39	Hyperplasia of prostate	M	6	.	16	.	2	.	10	.	
40	Complications of pregnancy and childbirth	F	5	.	3	.	2	.	3	.	
41	Congenital malformations	M	6	.	5	.	4	.	4	.	
		F	3	.	11	.	3	.	9	.	
42	Birth injuries, asphyxia and atelectasis	M	1	.	11	.	1	.	6	.	
		F	3	.	6	.	4	.	3	.	
43	Infections of the newborn	M	.	.	4	.	.	.	2	.	
		F	1	.	2	.	.	.	7	1	
44	Other diseases of early infancy	M	7	.	19	1	6	.	13	.	
		F	6	1	18	2	8	1	7	.	
45a	Senility without psychosis	M	70	47	126	101	2	.	69	32	
		F	62	51	126	104	13	.	72	43	
45b	Ill-defined and unknown causes	M	10	3	24	17	5	.	15	1	
		F	7	3	15	11	6	1	12	3	
46e	All other diseases	M	35	1	47	5	10	1	25	1	
		F	22	4	49	4	10	1	31	.	
	EXTERNAL CAUSES										
47	Motor vehicle accidents	M	6	.	6	.	4	.	7	.	
		F	2	.	.	.	1	.	.	.	
48	All other accidents	M	18	.	20	.	7	.	11	.	
		F	10	.	14	.	2	.	5	.	
49	Suicide and self-inflicted injury	M	4	.	4	
		F	.	.	2	.	1	.	.	.	
50	Homocide and operations of war	M	.	.	1	
		F	1	.	1	
TOTAL		M	598	60	921	164	290	5	620	35	
		F	481	68	739	151	240	5	495	53	

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Tipperary North Riding		Tipperary South Riding		Waterford Co. Borough		Waterford Co. Remainder		
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified	
29	Hypertension without mention of heart	M	7	.	6	.	4	.	2	.	
		F	5	.	3	.	.	.	5	.	
46a	Other diseases of circulatory system	M	5	.	7	.	2	.	16	.	
		F	5	.	9	.	3	.	4	.	
30	Influenza	M	4	.	10	.	2	.	1	.	
		F	8	.	9	.	.	.	6	.	
31	Pneumonia	M	8	.	14	.	4	.	9	.	
		F	3	1	16	.	4	.	11	.	
32	Bronchitis	M	9	.	16	1	13	.	20	.	
		F	9	.	9	.	10	.	6	.	
46b	Bronchiectasis	M	.	.	2	
		F	.	.	1	.	1	.	.	.	
46c	Other diseases of respiratory system	M	6	.	5	.	1	.	3	.	
		F	2	.	5	.	1	.	2	.	
33	Ulcer of stomach and duodenum	M	10	.	5	.	.	.	7	.	
		F	4	.	2	.	.	.	1	.	
34	Appendicitis	M	2	.	.	.	1	.	1	.	
		F	1	
35	Intestinal obstruction and hernia	M	6	.	1	.	2	.	1	.	
		F	.	.	2	.	.	.	3	.	
36	Gastritis and enteritis (except of newborn)	M	2	.	4	.	1	.	.	.	
		F	2	.	4	.	1	.	3	.	
36, 43 parts of	Gastro-enteritis (under 2 years)	M	.	.	4	.	1	.	.	.	
		F	3	.	3	.	.	.	1	.	
37	Cirrhosis of liver	M	1	.	.	.	1	.	.	.	
		F	2	.	.	.	
46d	Other diseases of digestive system	M	3	
		F	5	.	1	.	1	.	1	.	
38	Nephritis and nephrosis	M	9	.	13	.	5	.	6	.	
		F	8	1	13	.	3	.	.	.	
39	Hyperplasia of prostate	M	12	.	4	.	.	.	9	.	
40	Complications of pregnancy and childbirth	F	3	.	1	.	2	.	2	.	
41	Congenital malformations	M	4	.	11	.	1	.	3	.	
		F	7	.	7	.	2	.	5	.	
42	Birth injuries, asphyxia and atelectasis	M	4	.	11	.	2	.	4	.	
		F	1	.	4	.	1	.	2	.	
43	Infections of the newborn	M	1	.	4	
		F	3	.	2	.	.	.	2	.	
44	Other diseases of early infancy	M	7	.	18	.	3	.	7	.	
		F	9	.	8	.	3	.	2	.	
45a	Senility without psychosis	M	53	16	47	5	1	.	12	3	
		F	55	20	41	9	5	.	24	6	
45b	Ill-defined and unknown causes	M	14	7	8	4	2	.	6	1	
		F	11	9	3	1	1	.	1	.	
46e	All other diseases	M	19	.	34	1	12	.	7	.	
		F	24	1	19	1	11	.	16	.	
	EXTERNAL CAUSES										
47	Motor vehicle accidents	M	.	.	4	.	.	.	2	.	
		F	1	.	.	.	1	.	1	.	
48	All other accidents	M	6	.	9	.	5	.	6	.	
		F	7	.	5	.	3	.	6	.	
49	Suicide and self-inflicted injury	M	1	.	.	.	1	.	1	.	
		F	.	.	1	.	.	.	1	.	
50	Homocide and operations of war	M	.	.	1	.	.	.	1	.	
		F	
TOTAL		M	445	30	564	15	165	.	331	10	
		F	358	36	448	21	170	1	278	10	

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Galway		Leitrim		Mayo		Roscommon	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system.	M	18	.	5	.	10	1	3	.
		F	19	.	4	.	13	.	7	.
2	Tuberculosis, other forms	M	6	.	.	.	3	.	1	.
		F	9	.	2	.	3	.	.	.
3	Syphilis and its sequelae	M	.	.	1	.	1	.	.	.
		F
4	Typhoid fever	M	2
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M
		F
9	Whooping cough	M	2	1	.
		F	1	.
10	Meningococcal infections	M
		F
12	Acute poliomyelitis	M
		F
14	Measles	M
		F	3
17	Other infective and parasitic diseases	M	3	.	.	.	1	.	1	.
		F	3	.	1	.	5	.	2	.
Malignant neoplasms:-										
18a	of stomach	M	26	1	14	.	33	3	14	.
		F	18	1	6	1	25	4	13	.
18b	of other digestive organs and peritoneum	M	35	2	8	.	27	.	28	1
		F	26	2	4	.	24	.	13	.
18c	of respiratory system	M	13	.	1	.	5	.	3	1
		F	9	.	.	.	2	.	1	.
18d	of breast	M
		F	14	.	1	.	13	1	7	1
18e	of genito-urinary system	M	23	1	2	.	18	.	7	.
		F	8	.	3	.	8	.	5	1
18f	of lymphatic and haematopoietic tissues	M	7	.	2	.	4	.	3	.
		F	4	.	1	.	3	.	3	.
18g	other	M	28	3	3	.	18	2	14	.
		F	7	.	3	.	13	.	3	.
19	Benign and unspecified neoplasms	M	4	.	1	.	5	1	2	.
		F	1	.	.	.	4	.	1	.
20	Diabetes mellitus	M	4	.	1	.	8	2	4	.
		F	8	.	.	.	14	2	4	.
21	Anaemias	M	2	.	2	.	5	.	3	.
		F	1	.	1	.	4	.	5	.
22	Vascular lesions affecting central nervous system	M	100	6	28	3	72	8	31	1
		F	86	7	27	1	75	11	39	6
23	Nonmeningococcal meningitis	M	2	1	.
		F	1	.	.	.
24	Rheumatic fever	M	1	1	.
		F	1	.	1
25	Chronic rheumatic heart disease	M	17	.	3	.	6	.	6	.
		F	9	.	5	.	6	.	8	.
26a	Chronic endocarditis	M	14	.	3	.	20	1	6	.
		F	5	.	2	.	22	1	3	1
26b	Coronary and arteriosclerotic heart disease	M	123	5	25	1	88	7	38	3
		F	82	2	8	1	37	4	23	2
26c	Other myocardial degeneration	M	151	7	82	4	124	15	150	9
		F	159	9	59	4	86	7	110	7
27	Other diseases of heart	M	30	8	16	1	25	6	19	6
		F	25	6	3	.	25	7	8	4
28	Hypertension with heart disease	M	23	.	10	.	12	.	12	1
		F	18	.	5	.	10	.	7	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Galway		Leitrim		Mayo		Roscommon	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	13	.	1	.	24	5	1	.
		F	14	.	2	.	26	3	3	.
46a	Other diseases of circulatory system	M	25	2	4	.	26	2	10	.
		F	27	.	5	.	17	2	3	.
30	Influenza	M	22	1	6	.	11	4	10	2
		F	11	2	7	1	13	5	12	3
31	Pneumonia	M	27	2	10	1	29	4	5	.
		F	18	1	5	1	19	5	9	.
32	Bronchitis	M	22	1	9	.	25	10	8	1
		F	24	2	5	1	16	5	11	1
46b	Bronchiectasis	M	3	.	2	.	2	.	1	.
		F	2	1	.
46c	Other diseases of respiratory system	M	7	.	1	.	4	.	4	.
		F	9	.	.	.	4	.	5	.
33	Ulcer of stomach and duodenum	M	8	1	.	.	3	.	5	.
		F	3	.	1	.	4	.	1	.
34	Appendicitis	M	1	.	1	.	1	.	.	.
		F	.	.	1	.	1	.	.	.
35	Intestinal obstruction and hernia	M	9	.	1	.	9	1	2	.
		F	7	.	.	.	11	.	2	.
36	Gastritis and enteritis (except of newborn)	M	12	.	1	.	7	1	.	.
		F	9	.	3	.	1	.	.	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	12	.	.	.	4	.	1	.
		F	6	.	.	.	1	.	.	.
37	Cirrhosis of liver	M	1	.	1	.	1	.	2	.
		F	1	.	.	.	1	.	.	.
46d	Other diseases of digestive system	M	7	.	.	.	11	4	1	.
		F	12	.	1	.	5	1	3	1
38	Nephritis and nephrosis	M	21	5	3	.	12	2	3	.
		F	14	1	5	.	10	.	6	1
39	Hyperplasia of prostate	M	24	2	8	.	19	.	7	1
40	Complications of pregnancy and childbirth	F	4	.	1	.	1	.	1	.
41	Congenital malformations	M	14	1	2	.	13	.	3	.
		F	13	.	1	.	10	.	3	.
42	Birth injuries, asphyxia and atelectasis	M	14	.	1	.	9	.	5	1
		F	6	.	.	.	5	.	4	.
43	Infections of the newborn	M	7	.	.	.	1	.	4	.
		F	4	.	.	.	5	.	.	.
44	Other diseases of early infancy	M	7	1	10	.	15	1	7	1
		F	12	1	5	1	12	.	7	.
45a	Senility without psychosis	M	112	92	52	49	146	116	91	82
		F	120	101	67	67	171	130	76	68
45b	Ill-defined and unknown causes	M	16	10	21	19	25	11	17	12
		F	17	11	17	16	12	7	10	8
46e	All other diseases	M	49	8	17	5	57	12	28	6
		F	41	7	12	5	51	15	21	8
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	4	.	1	.	7	.	5	.
		F	2	.	.	.	1	.	1	.
48	All other accidents	M	22	.	8	.	19	.	13	.
		F	17	1	4	.	23	2	9	.
49	Suicide and self-inflicted injury	M	5	.	.	.	7	.	1	.
		F	1	.	1	.
50	Homicide and operations of war	M	1
		F
TOTAL		M	1,067	159	367	89	968	219	581	128
		F	902	154	278	99	813	212	452	112

TABLE 21 (contd.) - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH

Abbreviated List Number	Cause of death		Sligo		Cavan		Donegal		Monaghan	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
1	Tuberculosis of respiratory system	M	6	.	8	.	16	.	5	.
		F	1	.	3	.	18	.	7	.
2	Tuberculosis, other forms	M	3	.	4	.	5	.	2	.
		F	1	.	.	.	5	.	2	.
3	Syphilis and its sequelae	M	.	.	1	.	1	.	.	.
		F	1	.	.	.
4	Typhoid fever	M	1	.	.	.
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M	1	.	.	.
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M
		F
9	Whooping cough	M	2	.	.	.
		F	1	.
10	Meningococcal infections	M	.	.	1
		F
12	Acute poliomyelitis	M
		F
14	Measles	M	1	.	.	.
		F
17	Other infective and parasitic diseases	M	1	.	2	.	3	.	2	.
		F	.	.	2	.	1	.	1	.
Malignant neoplasms:-										
18a	of stomach	M	14	.	24	.	25	1	12	.
		F	16	.	6	1	19	1	17	.
18b	of other digestive organs and peritoneum	M	22	.	13	.	30	.	12	.
		F	13	.	6	.	21	1	7	.
18c	of respiratory system	M	3	.	3	.	6	.	5	.
		F	3	.	.	.	1	.	.	.
18d	of breast	M	2	.	.	.
		F	4	.	9	.	17	.	3	.
18e	of genito-urinary system	M	6	.	8	.	13	.	7	.
		F	6	.	6	.	12	.	2	.
18f	of lymphatic and haematopoietic tissues	M	4	.	3	.	7	.	2	.
		F	2	1	.
18g	other	M	17	.	7	.	21	2	12	.
		F	5	.	7	2	7	.	4	.
19	Benign and unspecified neoplasms	M	1	.	1	.
		F	1	.	2	.	3	.	2	.
20	Diabetes mellitus	M	2	.	2	.	8	.	2	.
		F	3	1	2	.	2	.	1	.
21	Anaemias	M	3	.	3	.	3	.	3	.
		F	8	.	5	.	1	.	8	.
22	Vascular lesions affecting central nervous system	M	43	1	52	1	82	21	36	1
		F	46	6	49	4	107	16	36	1
23	Nonmeningococcal meningitis	M	.	.	2	.	2	.	.	.
		F	.	.	1
24	Rheumatic fever	M	1	.	.	.	1	.	1	.
		F	.	.	1	1	1	.	.	.
25	Chronic rheumatic heart disease	M	3	.	9	1	15	1	2	.
		F	2	.	7	.	16	.	2	.
26a	Chronic endocarditis	M	.	.	25	.	4	.	4	.
		F	10	1	22	.	5	.	2	.
26b	Coronary and arteriosclerotic heart disease	M	34	1	52	4	80	12	48	.
		F	14	.	23	1	45	3	15	.
26c	Other myocardial degeneration	M	72	2	89	3	120	16	54	1
		F	54	1	78	4	120	20	46	4
27	Other diseases of heart	M	10	2	20	3	48	11	14	.
		F	9	2	17	.	44	8	13	3
28	Hypertension with heart disease	M	8	.	9	.	12	.	3	.
		F	10	.	8	.	12	1	4	.

IN 1955 CLASSIFIED BY CAUSE AND SHOWING THE NUMBER OF UNCERTIFIED DEATHS

Abbreviated List Number	Cause of death		Sligo		Cavan		Donegal		Monaghan	
			Total	Uncertified	Total	Uncertified	Total	Uncertified	Total	Uncertified
29	Hypertension without mention of heart	M	6	1	10	1	5	.	9	.
		F	4	2	9	.	8	3	5	1
46a	Other diseases of circulatory system	M	32	.	13	.	17	1	14	.
		F	24	.	5	1	19	1	9	.
30	Influenza	M	10	4	10	1	21	8	18	.
		F	10	4	10	1	15	7	17	1
31	Pneumonia	M	11	.	6	.	18	.	7	.
		F	12	.	7	.	26	3	9	.
32	Bronchitis	M	14	.	14	1	9	.	8	2
		F	13	1	11	.	10	.	8	.
46b	Bronchiectasis	M	.	.	1	.	.	.	1	.
		F	.	.	1
46c	Other diseases of respiratory system	M	.	.	2	.	10	.	6	.
		F	3	.	2	.	7	.	2	.
33	Ulcer of stomach and duodenum	M	1	.	2	.	11	1	1	.
		F	.	.	3	.	8	1	.	.
34	Appendicitis	M	5	.	.	.	1	.	2	.
		F	3	.	.	.
35	Intestinal obstruction and hernia	M	1	.	3	1	6	.	1	.
		F	1	.	1	.	7	.	2	.
36	Gastritis and enteritis (except of newborn)	M	3	.	2	.	2	1	.	.
		F	2	.	2	.	8	1	2	.
36, 43 parts of	Gastro-enteritis (under 2 years)	M	6	.	5	1	1	.	.	.
		F	.	.	2	.	2	.	1	.
37	Cirrhosis of liver	M	.	.	1	.	2	.	.	.
		F	1	.	2	.
46d	Other diseases of digestive system	M	.	.	3	.	8	1	1	.
		F	4	.	6	.	5	1	2	.
38	Nephritis and nephrosis	M	10	.	7	.	21	2	10	.
		F	9	1	8	.	15	1	6	.
39	Hyperplasia of prostate	M	7	.	8	.	17	.	5	.
40	Complications of pregnancy and childbirth	F	.	.	2	.	3	.	2	.
41	Congenital malformations	M	3	.	6	1	4	.	7	.
		F	1	.	4	1	4	.	6	.
42	Birth injuries, asphyxia and atelectasis	M	3	.	4	.	12	1	5	.
		F	.	.	4	.	1	.	1	.
43	Infections of the newborn	M	5	.	7	.	.	.	2	.
		F	1	.	3	.	1	.	.	.
44	Other diseases of early infancy	M	13	.	13	.	18	4	5	.
		F	3	.	4	.	12	.	1	.
45a	Senility without psychosis	M	65	35	64	28	110	69	26	9
		F	58	34	62	26	128	92	27	12
45b	Ill-defined and unknown causes	M	8	5	7	5	23	18	8	2
		F	12	6	7	5	18	15	4	2
46e	All other diseases	M	14	3	22	2	42	4	26	.
		F	31	3	27	5	52	7	28	6
EXTERNAL CAUSES										
47	Motor vehicle accidents	M	3	.	4	.	11	.	4	.
		F	1	.
48	All other accidents	M	10	.	13	.	24	.	10	.
		F	5	.	9	.	13	1	2	.
49	Suicide and self-inflicted injury	M	1	.	1	.	6	.	2	.
		F	.	.	1	.	2	.	.	.
50	Homocide and operations of war	M
		F
TOTAL		M	477	54	560	52	908	174	405	15
		F	401	62	442	52	824	183	310	30

TABLE 22 - DEATHS REGISTERED IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST), SEX

DUBLIN COUNTY

Abbreviated B List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
All Causes		M	2,865	252	54	37	33	55	105	256	556	823	694
		F	2,937	184	28	29	32	57	100	200	398	780	1,129
1	Tuberculosis of respiratory system	M	68	.	.	.	2	8	19	16	23	18	2
		F	58	.	.	.	7	12	9	9	6	9	6
2	Tuberculosis, other forms	M	9	1	2	1	1	.	.	3	1	.	.
		F	5	.	2	1	.	.	2
3	Syphilis and its sequelae	M	7	1	.	.	2	4	.
		F	2	1	1	.
4	Typhoid fever	M	1	1
		F
6	Dysentery, all forms	M
		F	1	1
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M	2	.	.	.	1	.	.	1	.	.	.
		F
8	Diphtheria	M	10	.	3	7
		F	3	.	2	1
9	Whooping cough	M	5	3	2
		F	2	.	2
10	Meningococcal infections	M	3	2	1
		F	3	1	1	.	1
12	Acute poliomyelitis	M
		F	2	.	1	1
14	Measles	M	3	.	3
		F	1	1
17	Other infective and parasitic diseases	M	4	1	1	.	1	1
		F	5	1	1	1	.	1	1
Malignant neoplasms:-													
18a	of stomach	M	81	.	.	.	1	.	3	15	21	30	11
		F	81	3	5	6	12	32	23
18b	of other digestive organs and peritoneum	M	122	.	1	.	.	2	4	10	34	47	24
		F	130	1	6	13	30	47	33
18c	of respiratory system	M	164	2	11	32	71	35	13
		F	31	1	3	7	9	8	3
18d	of breast	M	2	2	.
		F	62	9	15	13	13	12
18e	of genito-urinary system	M	55	.	.	1	1	.	1	5	12	18	17
		F	69	1	1	.	.	3	6	14	18	18	8
18f	of lymphatic and haematopoietic tissues	M	23	1	.	1	2	2	1	2	6	6	2
		F	13	.	1	.	3	1	1	3	3	.	1
18g	other	M	54	.	.	3	.	2	2	3	10	20	14
		F	49	.	.	.	1	3	3	7	10	15	10
19	Benign and unspecified neoplasms	M	13	.	.	1	.	2	2	1	4	2	1
		F	10	2	2	3	3
20	Diabetic mellitus	M	11	.	.	.	1	.	.	3	1	3	3
		F	21	.	1	.	.	.	1	1	3	5	10
21	Anaemias	M	9	2	3	4
		F	21	.	.	1	.	1	1	3	2	4	9
22	Vascular lesions affecting central nervous system	M	272	.	1	.	1	1	5	13	42	95	114
		F	380	.	.	.	3	4	7	23	58	131	154
23	Nonmeningococcal meningitis	M	8	4	.	1	.	.	.	1	2	.	.
		F	4	1	1	1	1	.
24	Rheumatic fever	M	6	.	1	1	1	1	1	.	1	.	.
		F	5	.	.	2	2	1
25	Chronic rheumatic heart disease	M	34	.	.	1	2	4	4	5	7	6	5
		F	64	.	.	.	1	4	10	13	4	11	21
26a	Chronic endocarditis	M	19	1	2	4	5	4	3
		F	35	1	1	9	6	18

TABLE 22 (contd.) - DEATHS REGISTERED IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)

REMAINING

Abbreviated B List Number	Causes of Death		Age at Death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
All Causes		M	2,944	223	47	35	34	66	96	268	504	788	886
		F	2,859	206	28	25	21	50	76	211	361	715	1,166
1	Tuberculosis of respiratory system	M	107	.	2	.	5	14	14	19	29	21	3
		F	63	.	1	1	3	13	12	18	8	7	.
2	Tuberculosis other forms	M	14	.	4	2	2	3	1	.	1	1	.
		F	15	3	3	2	1	2	1	2	.	.	1
3	Syphilis and its sequelae	M	3	1	.	1	1	.	.
		F
4	Typhoid fever	M	1	1	.	.	.
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M	1	.	1
		F
9	Whooping cough	M	4	3	1
		F
10	Meningococcal infections	M	5	3	2
		F	2	1	1
12	Acute poliomyelitis	M
		F
14	Measles	M
		F	1	.	1
17	Other infective and parasitic diseases	M	4	1	1	1	.	1	.
		F	6	1	1	.	.	.	1	.	1	1	1
Malignant neoplasms:-													
18a	of stomach	M	73	2	1	12	15	23	20
		F	63	2	4	16	26	15
18b	of other digestive organs and peritoneum	M	124	1	1	12	34	48	28
		F	110	.	1	.	.	3	6	18	25	33	24
18c	of respiratory system	M	93	2	17	38	24	12
		F	25	1	3	11	9	1
18d	of breast	M	1	1
		F	47	3	8	12	14	10
18e	of genito-urinary system	M	41	.	.	1	.	1	1	1	10	13	14
		F	63	3	4	17	19	13	7
18f	of lymphatic and haematopoietic tissues	M	23	.	3	2	1	2	4	8	.	3	.
		F	21	.	3	3	1	1	5	3	3	2	3
18g	Other	M	56	.	.	1	.	.	3	8	8	17	19
		F	52	.	1	1	.	.	2	9	9	12	18
19	Benign and unspecified neoplasms	M	13	2	1	4	3	3
		F	19	.	1	1	1	.	1	7	1	4	3
20	Diabetic mellitus	M	12	.	2	2	4	4
		F	11	1	6	4
21	Anaemias	M	17	.	1	.	.	.	1	3	4	4	4
		F	16	1	1	3	2	9
22	Vascular lesions affecting central nervous system	M	259	1	1	.	1	1	6	22	38	95	94
		F	378	1	.	1	.	3	4	32	63	114	160
23	Nonmeningococcal meningitis	M	4	2	1	1	.	.	.
		F	5	3	1	1
24	Rheumatic fever	M	8	.	.	3	1	2	1	1	.	.	.
		F	7	.	.	1	2	1	1	1	.	1	.
25	Chronic rheumatic heart disease	M	34	6	1	8	6	11	7
		F	37	.	.	.	1	2	5	7	7	7	8
26a	Chronic endocarditis	M	36	1	5	6	13	11
		F	34	.	.	.	1	4	.	.	3	17	9

TABLE 22 (contd.) - DEATHS REGISTERED IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)

REMAINING

Abbreviated B List Number	Causes of Death		Age at Death										75 years and over
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
All Causes		M	2,944	223	47	35	34	66	96	265	504	788	886
		F	2,859	206	28	25	21	50	76	211	361	715	1,166
1	Tuberculosis of respiratory system	M	107	.	2	.	5	14	14	19	29	21	3
		F	63	.	1	1	3	13	12	18	8	7	.
2	Tuberculosis other forms	M	14	.	4	2	2	3	1	.	1	1	.
		F	15	3	3	2	1	2	1	2	.	.	1
3	Syphilis and its sequelae	M	3	1	.	1	1	.	.
		F
4	Typhoid fever	M	1	1	.	.	.
		F
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M
		F
7b	Streptococcal sore throat	M
		F
8	Diphtheria	M	1	.	1
		F
9	Whooping cough	M	4	3	1
		F
10	Meningococcal infections	M	5	3	2
		F	2	1	1
12	Acute poliomyelitis	M
		F
14	Measles	M	.	.	1
		F	1
17	Other infective and parasitic diseases	M	4	1	1	1	.	1	.
		F	6	1	1	.	.	.	1	.	1	1	1
Malignant neoplasms:-													
18a	of stomach	M	73	2	1	12	15	23	20
		F	63	2	4	16	26	15
18b	of other digestive organs and peritoneum	M	124	1	1	12	34	48	28
		F	110	.	1	.	.	3	6	18	25	33	24
18c	of respiratory system	M	93	2	17	38	24	12
		F	25	1	3	11	9	1
18d	of breast	M	1	1
		F	47	3	8	12	14	10
18e	of genito-urinary system	M	41	.	1	.	1	1	1	10	13	14	14
		F	63	3	4	17	19	13	7
18f	of lymphatic and haematopoietic tissues	M	23	.	3	2	1	2	4	8	.	3	.
		F	21	.	.	3	3	1	1	5	3	2	3
18g	Other	M	56	.	1	1	.	.	3	8	8	17	19
		F	52	.	1	1	.	.	2	9	9	12	18
19	Benign and unspecified neoplasms	M	13	2	1	4	3	3
		F	19	.	1	1	1	.	1	7	1	4	3
20	Diabetic mellitus	M	12	.	2	2	4	4
		F	11	1	6	4
21	Anaemias	M	17	.	1	.	.	.	1	3	4	4	4
		F	16	1	1	3	2	9
22	Vascular lesions affecting central nervous system	M	259	1	1	.	1	1	6	22	38	95	94
		F	378	1	.	1	.	3	4	32	63	114	160
23	Nonmeningococcal meningitis	M	4	2	1	1	.	.	.
		F	5	3	1	1
24	Rheumatic fever	M	8	.	.	3	1	2	1	1	.	.	.
		F	7	.	.	1	2	1	1	1	.	1	.
25	Chronic rheumatic heart disease	M	34	6	1	3	6	11	7
		F	37	.	.	.	1	2	5	7	7	7	8
26a	Chronic endocarditis	M	36	1	5	6	13	11
		F	34	.	.	.	1	4	.	.	3	17	9

TABLE 22 (contd. - DEATHS REGISTERED IN 1955, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)

RURAL

Abbreviated B List No.	Causes of Death		Age at Death										
			All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
All Causes		M	13,964	822	117	93	144	197	340	769	1,635	3,510	6,337
		F	11,192	577	106	84	90	185	311	577	1,154	2,650	5,488
1	Tuberculosis of respiratory system	M	232	2	.	4	14	35	32	41	62	35	7
		F	181	1	1	1	19	44	37	30	25	17	6
2	Tuberculosis, other forms	M	62	5	8	3	6	13	10	9	4	3	1
		F	55	5	9	5	6	4	4	6	6	8	2
3	Syphilis and its sequelae	M	8	1	.	1	3	1	2
		F	2	1	.	1
4	Typhoid fever	M	3	.	.	.	3
		F	1	1	.	.
6	Dysentery, all forms	M
		F
7a	Scarlet fever	M	2	.	1	1
		F
7b	Streptococcal sore throat	M
		F	1	.	1
8	Diphtheria	M
		F
9	Whooping cough	M	16	12	4
		F	12	10	2
10	Meningococcal infections	M	7	5	2	.	.
		F	3	.	.	.	2	.	1
12	Acute poliomyelitis	M
		F	1	.	.	1
14	Measles	M	6	2	3	1
		F	4	1	1	2
17	Other infective and parasitic diseases	M	32	6	.	4	2	2	.	2	4	8	4
		F	35	.	4	4	2	3	.	6	4	3	9
Malignant neoplasms:-													
18a	of stomach	M	421	2	11	35	96	166	111
		F	274	10	16	54	99	95
18b	of other digestive organs and peritoneum	M	502	.	1	2	3	2	12	51	88	185	158
		F	380	3	12	40	65	142	118
18c	of respiratory system	M	153	1	4	30	42	43	33
		F	69	7	10	22	19	11
18d	of breast	M	4	1	2	1
		F	204	4	16	46	58	46	34
18e	of genito-urinary system	M	231	1	1	.	.	3	3	10	31	88	94
		F	168	.	2	1	1	5	10	26	44	57	22
18f	of lymphatic and haematopoietic tissues	M	79	.	6	4	4	10	6	10	19	16	4
		F	33	.	2	1	1	4	4	9	6	5	1
18g	other	M	304	1	1	1	7	5	10	16	44	90	129
		F	145	.	2	2	1	2	10	12	25	39	52
19	Benign and unspecified neoplasms	M	38	1	.	2	.	1	3	7	13	6	5
		F	37	.	2	7	3	2	1	4	7	7	4
20	Diabetic mellitus	M	70	.	1	2	1	2	6	5	11	23	19
		F	77	.	.	.	2	.	4	4	15	24	28
21	Anaemias	M	66	1	.	1	.	2	4	6	4	24	24
		F	95	1	.	2	1	4	3	9	13	31	31
22	Vascular lesions affecting central nervous system	M	1,159	3	1	4	3	2	17	49	150	363	567
		F	1,281	3	.	2	6	1	16	58	183	415	597
23	Nonmeningococcal meningitis	M	18	11	.	1	1	.	2	2	1	.	.
		F	8	3	2	1	2	.	.
24	Rheumatic fever	M	15	.	.	1	3	2	4	2	.	1	2
		F	12	.	.	3	2	3	2	1	1	.	.
25	Chronic rheumatic heart disease	M	160	.	.	.	4	5	8	21	31	35	56
		F	119	.	.	1	3	9	11	21	15	28	31
26a	Chronic endocarditis	M	223	.	1	.	.	1	7	14	41	69	90
		F	173	2	7	9	23	63	69

TABLE 23 - DEATHS OF RESIDENTS OF EACH COUNTY AND COUNTY BOROUGH REGISTERED IN 1955 WHICH WERE NOT MEDICALLY CERTIFIED CLASSIFIED BY AGE

Provinces and Counties	AGE AT DEATH											Percentage of deaths uncertified
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over	
TOTAL	3,233	66	8	3	2	3	18	48	140	457	2,488	8.8
LEINSTER	552	27	2	2	1	1	5	20	49	117	328	3.5
MUNSTER	893	12	2	.	.	.	5	11	28	127	708	7.8
CONNACHT	1,282	14	1	.	1	1	7	13	46	151	1,048	20.3
ULSTER	506	13	3	1	.	1	1	4	17	62	404	14.7
Carlow	30	3	1	1	2	8	15	7.3
Dublin County Borough	86	3	.	1	1	.	.	6	17	29	29	1.5
Dun Laoghaire Borough
Dublin County (Remainder)	1	1	0.1
Kildare	26	2	1	3	4	5	11	3.4
Kilkenny	45	5	40	4.9
Laoighis	48	6	2	3	9	28	7.1
Longford	92	3	.	1	.	.	1	3	6	19	59	19.0
Louth	19	2	1	.	.	.	1	.	.	3	12	2.3
Meath	52	1	1	2	5	9	34	6.1
Offaly	59	2	.	.	.	1	.	1	4	13	38	9.0
Westmeath	50	4	1	4	8	33	7.2
Wexford	27	1	5	21	2.2
Wicklow	17	1	1	3	4	8	2.2
Clare	128	3	1	3	12	109	11.9
Cork County Borough
Cork County	229	2	1	.	.	.	3	2	9	36	176	6.9
Kerry	315	4	1	3	11	48	248	19.0
Limerick County Borough	10	1	2	.	.	4	3	1.9
Limerick County	88	1	1	7	79	7.9
Tipperary North Riding	66	1	3	12	50	8.2
Tipperary South Riding	36	4	1	4	27	3.6
Waterford County Borough	1	1	0.3
Waterford County	20	1	.	4	15	3.3
Galway	313	5	1	5	4	39	259	15.7
Leitrim	182	2	1	.	.	.	2	3	10	17	147	28.2
Mayo	431	5	.	.	.	1	4	3	15	56	347	24.2
Rooscommon	240	2	.	.	1	.	.	2	14	32	189	23.2
Sligo	116	3	7	106	13.2
Cavan	104	5	1	2	6	9	81	10.4
Donegal	357	8	1	1	.	1	1	2	10	49	284	20.6
Monaghan	45	.	1	1	4	39	6.3

TABLE 24 - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
TOTAL												
Tuberculosis of respiratory system	M	427	2	2	4	21	57	65	76	114	74	12
	F	302	1	2	2	29	69	58	57	39	33	12
Tuberculosis, other forms	M	85	6	14	6	9	16	11	12	6	4	1
	F	75	8	14	7	7	6	5	9	6	8	5
Other infective and parasitic diseases	M	127	38	21	12	6	5	2	8	12	15	8
	F	87	17	17	9	5	3	3	7	8	6	12
Malignant neoplasms	M	2,606	3	13	16	19	37	80	277	580	876	705
	F	2,089	1	9	9	10	37	121	288	464	649	501
Vascular lesions affecting central nervous system	M	1,690	4	3	4	5	4	28	84	230	553	775
	F	2,039	4	.	3	9	8	27	113	304	660	911
Diseases of the heart	M	6,261	.	1	4	12	40	83	373	862	1,953	2,933
	F	4,958	2	2	4	7	36	82	200	519	1,388	2,718
Other diseases of the circulatory system	M	1,166	.	1	7	8	11	18	40	153	368	560
	F	1,138	.	.	7	7	14	26	52	111	325	596
Diseases of the respiratory system	M	1,666	161	56	13	9	11	38	105	219	430	624
	F	1,369	110	37	11	13	9	28	49	114	328	670
Senility	M	1,413	1	78	1,334
	F	1,552	116	1,436
Other diseases	M	3,642	1,063	75	46	40	54	139	239	429	676	881
	F	3,018	793	71	56	40	97	126	197	322	579	737
Accidents and other external causes	M	690	20	32	53	82	83	77	76	89	94	84
	F	361	31	10	30	16	13	11	16	26	53	155
All causes	M	19,773	1,297	218	165	211	318	541	1,290	2,695	5,121	7,917
	F	16,988	967	162	138	143	292	487	988	1,913	4,145	7,753
Population	M	1,506,597	32,630	127,601	276,216	231,122	196,036	196,284	165,296	126,374	103,266	51,772
	F	1,453,996	30,927	121,674	265,762	212,232	193,951	184,958	158,605	124,534	104,398	56,955
LEINSTER												
Tuberculosis of respiratory system	M	194	.	1	1	6	17	29	37	54	43	6
	F	138	.	.	1	14	36	29	19	16	16	7
Tuberculosis, other forms	M	32	1	7	2	5	5	2	6	2	1	1
	F	28	1	7	3	2	1	1	3	4	1	5
Other infective and parasitic diseases	M	70	17	13	9	3	2	1	5	7	7	6
	F	39	6	11	5	1	1	2	1	2	5	5
Malignant neoplasms	M	1,160	1	6	9	8	16	42	132	277	400	269
	F	1,007	1	4	4	8	22	70	140	216	295	247
Vascular lesions affecting central nervous system	M	776	1	1	2	1	1	8	46	114	259	343
	F	934	1	.	1	4	6	13	55	150	320	384
Diseases of the heart	M	2,643	.	1	3	5	17	41	190	421	848	1,117
	F	2,171	.	1	3	2	15	38	107	230	610	1,165
Other diseases of the circulatory system	M	521	.	1	3	2	3	7	20	77	173	235
	F	591	.	.	5	4	6	11	27	54	177	307
Diseases of the respiratory system	M	787	79	33	3	4	6	22	52	131	208	249
	F	670	50	17	7	7	5	13	19	67	168	317
Senility	M	228	6	222
	F	310	11	299
Other diseases	M	1,523	520	39	20	15	25	50	93	187	290	284
	F	1,299	377	30	32	17	40	56	78	136	232	301
Accidents and other external causes	M	296	14	21	28	30	38	34	31	36	34	30
	F	163	20	3	19	12	7	3	4	16	22	57
All causes	M	8,230	633	123	80	79	130	236	612	1,306	2,269	2,762
	F	7,350	456	73	80	71	139	236	453	891	1,857	3,094
Population	M	664,008	15,409	59,299	125,842	108,896	91,903	84,045	71,161	51,673	38,803	16,977
	F	672,568	14,476	56,771	121,265	106,796	96,449	85,713	72,209	54,979	42,397	21,513

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
MUNSTER												
Tuberculosis of respiratory system	M	162	1	.	.	10	28	28	30	38	24	3
	F	92	.	1	.	7	16	18	26	10	11	3
Tuberculosis, other forms	M	29	3	5	1	3	5	3	5	2	2	.
	F	25	3	4	4	1	2	3	3	2	3	.
Other infective and parasitic diseases	M	29	14	5	1	.	1	.	1	2	4	1
	F	27	9	2	1	3	2	1	2	4	.	3
Malignant neoplasms	M	832	1	4	4	5	12	20	94	178	282	232
	F	651	.	4	3	1	9	32	93	156	207	146
Vascular lesions affecting central nervous system	M	470	1	1	2	2	2	14	20	63	160	205
	F	640	2	.	.	2	.	10	38	88	205	295
Diseases of the heart	M	1,969	.	.	1	.	14	24	101	263	608	958
	F	1,558	2	.	.	3	12	24	54	168	447	848
Other diseases of the circulatory system	M	341	.	.	2	6	7	5	16	45	99	161
	F	289	.	.	.	3	6	9	9	37	77	148
Diseases of the respiratory system	M	505	42	14	7	2	4	8	33	63	130	202
	F	365	31	13	2	3	2	3	17	25	91	178
Senility	M	519	27	492
	F	533	37	496
Other diseases	M	1,122	290	26	15	19	11	56	85	129	214	277
	F	930	269	26	9	11	31	42	66	95	175	206
Accidents and other external causes	M	212	1	5	13	33	24	24	31	27	28	26
	F	106	6	4	4	1	2	6	6	4	20	53
All causes	M	6,190	353	60	46	80	108	182	416	810	1,578	2,557
	F	5,216	322	54	23	35	82	148	314	589	1,273	2,376
Population	M	460,365	9,481	37,978	82,301	67,405	58,418	61,165	52,165	40,660	33,739	17,053
	F	438,505	9,244	36,282	79,137	59,706	56,354	57,111	49,362	39,300	33,707	18,302
CONNACHT												
Tuberculosis of respiratory system	M	42	1	1	1	3	6	4	6	15	4	1
	F	44	.	1	1	4	9	8	6	8	5	2
Tuberculosis, other forms	M	13	1	2	1	1	1	5	.	1	1	.
	F	15	4	2	.	4	3	.	1	.	1	.
Other infective and parasitic diseases	M	13	4	1	.	2	.	.	.	2	4	.
	F	15	1	2	2	1	.	.	4	1	1	3
Malignant neoplasms	M	402	1	2	3	3	8	11	32	77	119	146
	F	286	.	1	1	1	4	14	34	55	103	73
Vascular lesions affecting central nervous system	M	274	2	.	.	2	1	1	10	37	79	142
	F	273	1	.	1	2	2	3	10	35	78	141
Diseases of the heart	M	1,065	.	.	.	4	4	12	44	98	309	594
	F	774	.	1	1	1	5	15	26	74	203	448
Other diseases of the circulatory system	M	210	.	.	2	.	1	4	2	18	68	115
	F	177	1	6	7	15	44	104
Diseases of the respiratory system	M	243	28	6	1	2	.	6	14	19	58	109
	F	209	18	3	.	3	2	6	8	16	48	105
Senility	M	466	1	36	429
	F	492	49	443
Other diseases	M	645	162	7	8	4	12	22	34	82	114	200
	F	497	99	9	10	6	19	19	38	57	92	148
Accidents and other external causes	M	107	3	5	6	9	13	9	7	15	21	19
	F	64	4	2	7	2	2	1	3	3	8	32
All causes	M	3,480	202	24	22	30	46	74	149	365	813	1,755
	F	2,846	127	21	23	24	47	72	137	264	632	1,499
Population	M	248,955	5,048	19,632	44,316	35,899	28,955	33,332	27,320	22,381	20,106	11,966
	F	222,940	4,706	18,479	42,699	29,797	26,395	27,208	24,037	19,576	18,484	11,559

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
ULSTER (part of)												
Tuberculosis of respiratory system	M	29	.	.	2	2	6	4	3	7	3	2
	F	28	1	.	.	4	8	3	6	5	1	.
Tuberculosis, other forms	M	11	1	.	2	.	5	1	1	1	.	.
	F	7	.	1	.	.	.	1	2	.	3	.
Other infective and parasitic diseases	M	15	3	2	2	1	2	1	2	1	.	1
	F	6	1	2	1	1	.	1
Malignant neoplasms	M	212	.	1	.	3	1	7	19	48	75	58
	F	145	.	.	1	.	2	5	21	37	44	35
Vascular lesions affecting central nervous system	M	170	.	1	.	.	.	5	8	16	55	85
	F	192	.	.	1	1	.	1	10	31	57	91
Diseases of the heart	M	584	.	.	.	3	5	6	38	80	188	264
	F	455	.	.	.	1	4	5	13	47	128	257
Other diseases of the circulatory system	M	94	2	2	13	28	49
	F	81	.	.	2	.	1	.	9	5	27	37
Diseases of the respiratory system	M	131	12	3	2	1	1	2	6	6	34	64
	F	125	11	4	2	.	.	6	5	6	21	70
Senility	M	200	9	191
	F	217	19	198
Other diseases	M	352	91	3	3	2	6	11	27	31	58	120
	F	292	48	6	5	6	7	9	15	34	80	82
Accidents and other external causes	M	75	2	1	6	10	8	10	7	11	11	9
	F	28	1	1	.	1	2	1	3	3	3	13
All causes	M	1,873	109	11	17	22	34	49	113	214	461	843
	F	1,576	62	14	12	13	24	31	84	169	383	784
Population	M	133,269	2,692	10,692	23,757	18,922	16,760	17,742	14,650	11,660	10,618	5,776
	F	119,983	2,501	10,142	22,661	15,933	14,753	14,926	12,997	10,679	9,810	5,581
COUNTY CARLOW												
Tuberculosis of respiratory system	M	3	1	1	1	.
	F	4	3	.	.	1	.
Tuberculosis, other forms	M	1	1
	F	1	.	.	1
Other infective and parasitic diseases	M	4	1	1	.	1	1	.
	F	3	.	1	.	.	1	1
Malignant neoplasms	M	24	.	.	1	.	.	.	1	7	6	9
	F	20	1	2	7	5	5
Vascular lesions affecting central nervous system	M	24	2	3	9	10
	F	20	1	1	4	9	6
Diseases of the heart	M	84	1	.	4	12	27	40
	F	61	1	3	4	16	37
Other diseases of the circulatory system	M	9	1	5	3
	F	8	1	.	1	1	2	3
Diseases of the respiratory system	M	6	2	1	3
	F	13	1	.	.	.	1	2	.	.	4	5
Senility	M	9	2	7
	F	14	14
Other diseases	M	59	21	2	1	2	.	2	2	7	12	10
	F	36	11	2	3	.	2	.	.	1	9	8
Accidents and other external causes	M	6	.	.	1	1	.	.	1	.	3	.
	F	2	.	.	1	1
All causes	M	229	24	3	3	4	2	2	11	31	67	82
	F	182	12	3	5	.	5	8	7	17	46	79
Population	M	17,848	397	1,610	3,335	2,739	2,279	2,155	1,965	1,603	1,200	565
	F	16,314	360	1,496	3,296	2,210	2,015	2,002	1,778	1,441	1,105	611

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
DUBLIN COUNTY BOROUGH												
Tuberculosis of respiratory system	M	88	.	.	.	2	8	19	16	23	18	2
	F	58	.	.	.	7	12	9	9	6	9	6
Tuberculosis, other forms	M	9	1	2	1	1	.	.	3	1	.	.
	F	5	.	2	1	.	.	2
Other infective and parasitic diseases	M	35	6	9	7	1	1	1	2	2	5	1
	F	19	4	6	2	1	.	1	1	1	2	1
Malignant neoplasms	M	501	1	1	5	4	8	22	67	154	158	81
	F	435	1	2	.	4	12	33	65	95	133	90
Vascular lesions affecting central nervous system	M	272	.	1	.	1	1	5	13	42	95	114
	F	380	.	.	.	3	4	7	23	58	131	154
Diseases of the heart	M	787	.	.	1	3	6	18	73	161	277	248
	F	842	.	.	2	1	7	21	48	103	232	428
Other diseases of the circulatory system	M	168	.	1	1	2	1	6	8	25	58	66
	F	294	.	.	2	2	2	5	12	27	85	159
Diseases of the respiratory system	M	389	40	13	1	3	2	12	34	80	116	88
	F	324	22	7	2	1	1	5	10	40	84	152
Senility	M	11	11
	F	22	22
Other diseases	M	501	198	17	11	6	8	14	31	61	86	69
	F	489	146	9	12	6	15	18	29	63	92	99
Accidents and other external causes	M	104	6	10	10	10	20	8	9	7	10	14
	F	69	11	2	9	7	4	1	2	5	12	16
All causes	M	2,865	252	54	37	33	55	105	256	556	823	694
	F	2,937	184	28	29	32	57	100	200	398	780	1,129
Population	M	244,006	5,694	21,090	46,826	45,079	35,199	30,727	26,110	17,810	11,106	4,365
	F	278,177	5,394	20,138	46,573	51,211	41,785	36,452	30,540	22,499	15,920	7,665
DUN LAOGHAIRE BOROUGH												
Tuberculosis of respiratory system	M	2	1	1	.
	F	4	3	.	1	.	.	.
Tuberculosis, other forms	M
	F
Other infective and parasitic diseases	M	2	1	1	.	.	.
	F	3	.	2	1
Malignant neoplasms	M	36	3	9	11	13
	F	50	.	.	.	1	1	5	6	11	12	14
Vascular lesions affecting central nervous system	M	33	1	3	5	7	17
	F	55	5	6	17	27
Diseases of the heart	M	106	3	1	11	25	31	35
	F	106	1	3	12	33	57
Other diseases of the circulatory system	M	23	2	3	5	13
	F	26	1	3	1	10	11
Diseases of the respiratory system	M	14	1	1	1	5	6
	F	25	4	2	5	14
Senility	M
	F	4	4
Other diseases	M	56	19	1	.	.	1	3	3	5	10	14
	F	41	10	.	2	.	1	1	3	4	4	16
Accidents and other external causes	M	5	.	.	1	.	.	1	1	2	.	.
	F	7	1	6
All causes	M	277	21	1	1	.	4	6	25	51	70	98
	F	321	15	2	2	1	5	8	21	36	81	150
Population	M	20,843	500	1,857	3,916	3,335	2,780	2,809	2,303	1,695	1,142	506
	F	27,077	502	1,792	4,050	4,671	3,874	3,562	3,135	2,535	1,901	1,055

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
DUBLIN COUNTY (Remainder)												
Tuberculosis of respiratory system	M	15	.	.	1	.	2	1	4	3	4	.
	F	12	.	.	.	2	3	2	1	3	1	.
Tuberculosis, other forms	M	1	.	1
	F	4	.	1	1	.	.	1	1	.	.	.
Other infective and parasitic diseases	M	9	2	1	.	1	.	.	.	3	1	1
	F	2	.	.	2
Malignant neoplasms	M	60	.	.	.	2	.	2	6	8	21	21
	F	51	.	1	.	.	2	2	5	6	19	16
Vascular lesions affecting central nervous system	M	43	1	1	2	5	16	18
	F	54	3	1	12	15	23
Diseases of the heart	M	140	.	1	1	1	1	5	11	26	39	55
	F	129	2	.	8	12	33	74
Other diseases of the circulatory system	M	26	1	1	.	4	8	12
	F	39	1	1	1	6	11	19
Diseases of the respiratory system	M	49	5	5	.	.	.	1	.	4	13	21
	F	47	5	1	1	1	1	.	1	1	14	22
Senility	M	9	9
	F	18	18
Other diseases	M	81	33	2	1	2	2	2	5	10	10	14
	F	95	41	4	5	3	2	2	4	9	8	17
Accidents and other external causes	M	17	1	2	2	1	1	1	3	4	1	1
	F	10	3	.	2	1	.	1	.	1	1	1
All causes	M	450	42	12	5	7	7	14	31	67	113	152
	F	461	49	7	11	7	11	12	22	50	102	190
Population	M	61,277	1,878	6,954	12,639	9,283	9,330	8,287	5,718	3,585	2,561	1,042
	F	61,642	1,669	6,655	11,595	9,439	10,547	8,024	5,604	3,815	2,902	1,392
COUNTY KILDARE												
Tuberculosis of respiratory system	M	8	.	.	.	2	1	1	2	1	1	.
	F	9	.	.	.	1	6	1	.	1	.	.
Tuberculosis, other forms	M	5	.	.	1	1	1	1	1	.	.	.
	F	1	1
Other infective and parasitic diseases	M	4	2	.	1	.	.	.	1	.	.	.
	F	1	1
Malignant neoplasms	M	47	.	.	.	1	.	2	3	7	21	13
	F	53	.	.	2	1	.	5	10	11	15	9
Vascular lesions affecting central nervous system	M	27	2	5	10	10
	F	38	1	5	3	15	14
Diseases of the heart	M	143	1	13	20	37	72
	F	96	3	6	9	31	47
Other diseases of the circulatory system	M	18	2	7	9
	F	12	1	5	6
Diseases of the respiratory system	M	41	1	1	.	.	2	2	.	8	12	15
	F	32	6	.	1	.	.	.	1	2	6	16
Senility	M	15	15
	F	15	15
Other diseases	M	106	34	3	2	.	.	4	8	14	22	19
	F	60	15	2	.	2	4	1	7	4	11	14
Accidents and other external causes	M	26	.	1	2	4	3	4	1	3	4	4
	F	12	.	.	4	.	.	.	1	1	1	5
All causes	M	440	37	5	6	8	7	15	31	60	114	157
	F	329	22	2	7	4	10	11	30	32	84	127
Population	M	36,364	824	3,429	6,927	6,548	5,145	4,479	3,695	2,474	1,943	900
	F	30,073	815	3,253	6,292	4,103	4,198	3,759	2,983	2,061	1,737	872

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death	Age at death											
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
COUNTY KILKENNY												
Tuberculosis of respiratory system	M	9	1	.	4	2	2
	F	7	2	2	.	.	3	.
Tuberculosis, other forms	M	1	1	.	.	.
	F	1	.	.	.	1
Other infective and parasitic diseases	M	2	2
	F	1	1	.
Malignant neoplasms	M	59	1	.	6	9	29	14
	F	46	2	4	12	15	13
Vascular lesions affecting central nervous system	M	46	.	.	1	.	.	.	4	4	14	23
	F	45	1	9	14	21
Diseases of the heart	M	168	1	10	22	57	78
	F	106	1	7	12	23	63
Other diseases of the circulatory system	M	48	1	4	16	27
	F	36	1	1	3	16	15
Diseases of the respiratory system	M	32	5	5	.	.	1	.	.	6	5	10
	F	31	.	2	1	10	18
Senility	M	41	1	40
	F	42	5	37
Other diseases	M	93	24	2	1	2	3	3	3	9	22	24
	F	75	19	2	1	.	2	4	7	2	22	16
Accidents and other external causes	M	17	.	2	1	2	4	3	.	2	1	2
	F	5	.	.	1	1	3
All causes	M	516	31	9	3	4	9	8	25	60	127	220
	F	395	20	4	2	2	4	10	19	39	109	186
Population	M	34,687	684	2,959	6,359	4,944	4,466	4,356	3,919	3,053	2,735	1,212
	F	30,548	664	2,737	5,824	3,905	3,890	3,776	3,456	2,763	2,346	1,187
COUNTY LAOIGHIS												
Tuberculosis of respiratory system	M	6	1	2	1	1	1	.
	F	4	1	2	.	.	1	.
Tuberculosis, other forms	M	2	.	.	.	1	.	1
	F	2	.	1	1
Other infective and parasitic diseases	M	3	1	.	2
	F	3	1	1	.	1
Malignant neoplasms	M	58	2	5	11	25	15
	F	28	3	4	2	7	12
Vascular lesions affecting central nervous system	M	31	2	9	7	13
	F	32	5	4	13	10
Diseases of the heart	M	149	1	.	7	14	38	89
	F	82	1	1	2	4	25	49
Other diseases of the circulatory system	M	19	1	4	6	8
	F	14	.	.	1	.	.	.	1	1	2	9
Diseases of the respiratory system	M	28	3	1	2	2	9	11
	F	18	.	.	2	.	.	1	1	3	6	5
Senility	M	23	23
	F	21	1	20
Other diseases	M	75	28	1	.	.	2	.	5	11	12	16
	F	62	19	1	.	.	.	4	2	7	16	13
Accidents and other external causes	M	10	4	.	3	3	.
	F	7	1	3	3
All causes	M	404	31	2	.	1	4	9	23	56	101	177
	F	273	20	2	4	.	2	11	15	23	74	122
Population	M	26,154	504	2,061	4,457	3,954	3,578	3,300	2,875	2,351	2,042	1,032
	F	22,276	466	1,958	4,227	2,954	2,829	2,723	2,484	1,953	1,724	958

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY LONGFORD												
Tuberculosis of respiratory system	M	1	1	.	.
	F	3	1	1	1	.	.	.
Tuberculosis, other forms	M	1	1
	F	2	1	.	.	1	.	.
Other infective and parasitic diseases	M
	F
Malignant neoplasms	M	38	.	1	2	.	.	.	1	7	15	12
	F	29	3	5	4	7	10
Vascular lesions affecting central nervous system	M	26	3	2	10	11
	F	23	1	.	1	2	11	8
Diseases of the heart	M	98	4	11	28	55
	F	85	1	8	24	52
Other diseases of the circulatory system	M	15	4	6	5
	F	7	.	.	.	1	.	.	1	1	2	2
Diseases of the respiratory system	M	12	4	.	1	.	.	.	1	.	2	4
	F	9	1	.	1	.	1	6
Senility	M	23	2	21
	F	28	3	25
Other diseases	M	46	15	2	4	4	9	12
	F	28	5	1	1	.	1	1	.	3	8	8
Accidents and other external causes	M	5	1	3	1	.	.	.
	F	4	1	1	.	2
All causes	M	265	19	1	3	.	2	5	14	29	72	120
	F	218	6	1	1	1	5	5	10	20	56	113
Population	M	18,388	352	1,530	3,151	2,544	2,387	2,418	2,043	1,672	1,464	827
	F	16,165	349	1,436	3,133	2,117	1,974	2,004	1,668	1,456	1,256	772
COUNTY LOUTH												
Tuberculosis of respiratory system	M	10	1	6	3	.
	F	5	2	1	1	.	1	.
Tuberculosis, other forms	M	1	.	.	.	1
	F	1	.	1
Other infective and parasitic diseases	M	1	1
	F	2	2	.
Malignant neoplasms	M	67	.	2	.	.	1	2	10	20	21	11
	F	49	.	.	1	.	1	3	3	10	15	16
Vascular lesions affecting central nervous system	M	29	4	13	12
	F	49	3	12	16	18
Diseases of the heart	M	141	1	2	14	27	42	55
	F	119	1	3	5	14	44	52
Other diseases of the circulatory system	M	18	7	5	6
	F	14	.	.	1	.	1	.	1	.	5	6
Diseases of the respiratory system	M	38	4	1	.	.	1	.	4	8	4	16
	F	25	1	1	.	1	.	1	2	2	6	11
Senility	M	31	1	30
	F	42	2	40
Other diseases	M	84	27	2	1	.	.	2	10	10	14	18
	F	66	14	3	.	1	3	4	5	10	9	17
Accidents and other external causes	M	15	.	1	2	2	1	2	2	2	3	.
	F	5	1	.	.	1	.	3
All causes	M	435	32	6	3	3	4	8	41	84	106	148
	F	377	15	5	2	2	9	12	20	49	100	163
Population	M	34,886	793	3,168	6,876	5,339	4,970	4,279	3,494	2,703	2,259	1,005
	F	33,885	726	3,020	6,094	5,081	5,017	4,239	3,492	2,825	2,266	1,125

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY MEATH												
Tuberculosis of respiratory system	M	4	.	.	.	1	.	.	.	3	.	.
	F	3	1	1	.	1	.	.
Tuberculosis, other forms	M	3	.	1	.	.	1	.	1	.	.	.
	F
Other infective and parasitic diseases	M	2	1	1
	F	2	.	1	1
Malignant neoplasms	M	56	.	.	1	.	3	4	8	13	18	9
	F	52	.	.	.	1	.	1	6	12	14	18
Vascular lesions affecting central nervous system	M	50	3	6	17	24
	F	40	1	2	8	17	12
Diseases of the heart	M	177	.	.	.	1	.	2	6	24	57	87
	F	115	2	2	3	10	32	66
Other diseases of the circulatory system	M	30	1	6	10	13
	F	23	1	1	4	4	13
Diseases of the respiratory system	M	50	4	1	.	.	.	2	4	7	12	20
	F	36	.	2	.	1	.	.	1	.	10	22
Senility	M	7	7
	F	17	17
Other diseases	M	84	21	3	1	1	3	3	3	9	24	16
	F	70	14	1	.	1	3	3	5	5	19	19
Accidents and other external causes	M	17	2	1	1	.	1	.	3	1	3	5
	F	10	3	.	.	.	1	1	.	2	.	3
All causes	M	480	28	7	3	3	8	11	29	69	141	181
	F	368	17	4	1	3	7	10	18	42	96	170
Population	M	34,980	806	3,032	6,440	5,071	4,552	4,539	3,833	3,070	2,550	1,087
	F	31,357	729	2,928	6,249	4,241	4,098	3,854	3,308	2,683	2,200	1,067
COUNTY OFFALY												
Tuberculosis of respiratory system	M	7	2	1	2	.	2	.
	F	7	.	.	1	.	2	4
Tuberculosis, other forms	M	2	1	.	1
	F	3	.	1	1	.	.	1
Other infective and parasitic diseases	M	3	1	1	1
	F	1	.	1
Malignant neoplasms	M	46	.	1	.	1	.	3	5	9	13	14
	F	47	.	.	1	.	2	3	3	10	12	16
Vascular lesions affecting central nervous system	M	24	1	7	5	11
	F	27	.	.	1	.	.	.	1	4	9	12
Diseases of the heart	M	117	1	.	9	19	38	50
	F	74	1	4	4	24	41
Other diseases of the circulatory system	M	24	.	.	1	.	.	.	3	2	10	8
	F	14	4	2	8
Diseases of the respiratory system	M	25	1	2	3	5	8	6
	F	22	4	1	.	1	.	.	1	3	5	7
Senility	M	26	26
	F	33	33
Other diseases	M	68	21	2	.	1	1	4	4	6	17	12
	F	58	19	1	.	1	4	5	4	8	6	10
Accidents and other external causes	M	18	3	1	.	2	2	4	4	1	1	.
	F	7	.	.	1	1	5
All causes	M	360	26	5	1	4	6	14	31	50	94	129
	F	293	23	4	4	3	8	13	14	33	58	133
Population	M	28,306	598	2,324	4,937	4,445	4,041	3,483	3,109	2,471	1,983	915
	F	24,238	559	2,354	4,701	3,272	3,260	2,813	2,569	2,087	1,713	910

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WESTMEATH												
Tuberculosis of respiratory system	M	13	3	3	4	2	1
	F	7	.	.	.	2	1	1	1	2	.	.
Tuberculosis, other forms	M	2	.	1	1	.
	F	4	1	1	1	1	.
Other infective and parasitic diseases	M
	F	1	1
Malignant neoplasms	M	48	.	1	.	.	2	3	7	3	19	13
	F	41	.	1	.	1	.	3	5	11	10	10
Vascular lesions affecting central nervous system	M	37	5	6	13	13
	F	33	4	8	21
Diseases of the heart	M	132	3	5	8	49	67
	F	79	.	1	1	.	1	.	3	4	26	43
Other diseases of the circulatory system	M	33	2	4	5	22
	F	22	.	.	1	.	.	2	2	2	7	8
Diseases of the respiratory system	M	14	.	3	.	1	.	1	.	2	2	5
	F	13	2	.	1	.	1	1	.	3	3	2
Senility	M	12	12
	F	22	22
Other diseases	M	97	33	1	.	.	3	1	6	17	13	23
	F	62	16	2	2	.	1	3	3	6	11	18
Accidents and other external causes	M	14	1	2	1	1	1	.	1	3	1	3
	F	8	.	.	.	1	.	.	.	1	3	3
All causes	M	402	34	8	1	2	6	11	29	47	105	159
	F	292	19	5	5	4	4	10	14	34	69	128
Population	M	28,737	640	2,420	4,960	4,304	3,773	3,509	3,309	2,650	2,178	994
	F	25,726	641	2,331	4,800	3,578	3,374	2,952	2,821	2,361	1,929	939
COUNTY WEXFORD												
Tuberculosis of respiratory system	M	14	.	1	.	.	2	.	6	3	2	.
	F	13	.	.	.	2	2	2	4	2	.	1
Tuberculosis, other forms	M	3	.	1	.	1	1
	F	3	.	.	.	1	.	.	.	2	.	.
Other infective and parasitic diseases	M	4	.	.	1	.	1	.	1	1	.	.
	F	1	1
Malignant neoplasms	M	77	1	2	2	15	26	31
	F	67	4	2	13	15	19	14
Vascular lesions affecting central nervous system	M	73	.	.	1	.	.	1	3	10	21	37
	F	77	1	1	7	16	24	28
Diseases of the heart	M	231	1	6	9	28	73	114
	F	191	1	3	7	21	54	105
Other diseases of the circulatory system	M	64	.	.	1	.	1	.	2	5	21	34
	F	62	1	.	1	3	18	39
Diseases of the respiratory system	M	52	7	2	1	.	.	2	1	3	10	26
	F	38	3	3	.	2	.	2	1	4	8	15
Senility	M	14	14
	F	20	20
Other diseases	M	100	28	2	1	1	1	5	5	13	25	19
	F	97	28	1	6	2	2	8	3	9	9	29
Accidents and other external causes	M	23	1	1	3	5	3	2	2	3	2	1
	F	14	1	1	1	1	1	.	.	2	2	5
All causes	M	655	36	7	8	7	11	18	31	81	180	276
	F	583	32	5	7	8	12	18	36	74	134	257
Population	M	45,945	1,011	3,988	8,973	6,448	5,379	5,770	5,225	3,984	3,556	1,611
	F	44,087	958	3,956	8,635	5,546	5,387	5,631	4,949	3,862	3,360	1,803

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WICKLOW												
Tuberculosis of respiratory system	M	14	.	.	.	1	1	1	1	3	6	1
	F	2	1	1	.	.
Tuberculosis, other forms	M	1	.	1
	F	1	1
Other infective and parasitic diseases	M	1	1
	F
Malignant neoplasms	M	43	8	5	17	13
	F	39	4	9	10	12	4
Vascular lesions affecting central nervous system	M	61	3	6	22	30
	F	61	.	.	.	1	.	.	1	8	21	30
Diseases of the heart	M	170	.	.	1	.	2	2	14	24	55	72
	F	86	.	.	.	1	.	1	7	13	13	51
Other diseases of the circulatory system	M	26	6	11	9
	F	20	.	.	.	1	.	.	2	.	8	9
Diseases of the respiratory system	M	37	2	1	2	5	9	18
	F	37	2	1	.	6	6	22
Senility	M	7	7
	F	12	12
Other diseases	M	73	18	1	1	.	1	5	4	11	14	18
	F	60	20	1	.	1	.	2	6	5	8	17
Accidents and other external causes	M	19	.	.	4	2	1	2	3	5	2	.
	F	3	1	1	.	1
All causes	M	452	20	3	6	3	5	10	35	65	136	169
	F	321	22	1	.	4	.	8	27	44	68	147
Population	M	31,587	728	2,877	6,046	4,863	4,024	3,934	3,563	2,552	2,084	916
	F	31,003	644	2,717	5,796	4,468	4,201	3,922	3,422	2,638	2,038	1,157
COUNTY CLARE												
Tuberculosis of respiratory system	M	14	.	.	.	1	3	3	1	4	2	.
	F	5	2	3	.	.	.
Tuberculosis, other forms	M	8	2	1	.	.	2	1	1	.	1	.
	F	3	.	3
Other infective and parasitic diseases	M
	F	4	2	.	1	.	.	1
Malignant neoplasms	M	62	2	6	11	26	17
	F	58	5	9	8	25	11
Vascular lesions affecting central nervous system	M	34	2	14	18
	F	48	2	8	13	25
Diseases of the heart	M	222	1	4	10	30	60	117
	F	166	4	4	13	38	107
Other diseases of the circulatory system	M	27	1	1	1	2	12	10
	F	25	1	1	1	3	19
Diseases of the respiratory system	M	38	3	1	2	.	.	.	4	3	8	17
	F	23	2	1	1	2	5	12
Senility	M	70	9	61
	F	62	2	60
Other diseases	M	95	16	1	1	3	.	2	8	19	12	33
	F	74	16	.	1	.	5	2	8	8	18	16
Accidents and other external causes	M	28	.	.	.	8	5	1	4	5	4	1
	F	13	2	3	1	.	.	7
All causes	M	598	21	3	3	12	12	14	35	76	148	274
	F	481	20	4	1	.	7	17	30	40	104	258
Population	M	43,473	850	3,384	7,236	5,992	5,328	5,827	5,141	4,129	3,600	1,986
	F	37,856	803	3,208	6,990	4,592	4,523	4,738	4,303	3,561	3,214	1,924

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Cause of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
CORK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	20	2	3	3	6	6	.
	F	10	.	1	.	1	.	2	6	.	.	.
Tuberculosis, other forms	M	2	.	.	1	1	.	.
	F	1	1	.	.	.
Other infective and parasitic diseases	M	5	4	1	.	.
	F	2	2
Malignant neoplasms	M	76	1	3	15	18	20	19
	F	66	.	.	2	.	1	1	12	15	22	13
Vascular lesions affecting central nervous system	M	37	.	.	.	1	.	.	.	4	19	13
	F	60	1	1	3	9	23	23
Diseases of the heart	M	144	2	1	11	21	49	60
	F	178	1	.	.	.	1	5	7	26	60	78
Other diseases of the circulatory system	M	29	2	5	10	12
	F	29	.	.	.	2	.	.	2	3	7	15
Diseases of the respiratory system	M	49	1	1	1	.	.	.	5	12	17	12
	F	47	5	.	.	.	1	.	.	3	12	26
Senility	M	5	1	4
	F	5	5
Other diseases	M	63	24	1	1	1	.	3	3	11	9	10
	F	83	29	2	1	2	1	3	9	3	16	17
Accidents and other external causes	M	16	.	2	1	3	1	1	1	.	1	6
	F	9	1	.	3	5
All causes	M	446	29	4	4	5	6	11	40	79	132	136
	F	490	38	3	3	5	4	12	41	59	143	182
Population	M	34,715	817	3,021	6,700	5,929	4,796	4,263	3,737	2,599	2,008	845
	F	39,852	792	2,970	6,473	6,514	5,759	5,269	4,448	3,539	2,787	1,301
COUNTY CORK												
Tuberculosis of respiratory system	M	45	1	.	.	.	8	7	7	14	6	2
	F	28	.	.	.	2	5	4	8	3	4	2
Tuberculosis, other forms	M	9	.	.	.	1	2	1	3	1	1	.
	F	8	1	1	.	.	.	2	2	.	2	.
Other infective and parasitic diseases	M	11	7	3	1	.	.
	F	10	1	.	.	3	.	1	1	2	.	2
Malignant neoplasms	M	253	1	1	3	2	4	4	27	41	88	82
	F	170	.	3	.	.	3	5	27	45	53	34
Vascular lesions affecting central nervous system	M	142	.	1	2	.	.	5	8	21	46	59
	F	227	.	.	.	2	.	5	8	26	78	108
Diseases of the heart	M	582	3	6	23	71	183	296
	F	487	1	.	.	.	2	4	15	54	133	278
Other diseases of the circulatory system	M	96	.	.	.	3	1	2	4	10	30	46
	F	86	.	.	.	1	2	4	3	11	20	45
Diseases of the respiratory system	M	156	9	4	.	.	3	2	10	27	45	56
	F	97	10	3	.	.	.	1	4	7	28	44
Senility	M	134	4	130
	F	130	5	125
Other diseases	M	312	75	8	1	5	4	17	22	35	74	71
	F	242	76	8	.	4	8	11	12	24	44	55
Accidents and other external causes	M	70	1	2	5	6	8	9	13	10	6	10
	F	32	.	1	2	1	1	2	1	1	6	17
All causes	M	1,810	94	19	11	17	33	53	117	231	483	752
	F	1,517	89	16	2	13	21	39	81	173	373	710
Population	M	136,150	2,705	10,795	22,842	19,488	17,550	18,640	15,910	12,567	10,301	5,352
	F	130,567	2,622	10,157	22,077	17,374	17,073	17,570	15,242	12,144	10,572	5,736

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death	Age at death											
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
COUNTY KERRY												
Tuberculosis of respiratory system	M	18	.	.	.	3	6	3	1	3	2	.
	F	9	.	.	.	1	.	5	1	2	.	.
Tuberculosis, other forms	M	3	.	2	1	.	.	.
	F	1	.	.	1
Other infective and parasitic diseases	M	5	2	.	1	2	.
	F	3	2	1	.	.
Malignant neoplasms	M	86	.	1	.	1	2	7	9	19	25	22
	F	92	1	9	12	24	25	21
Vascular lesions affecting central nervous system	M	63	1	.	.	.	2	3	3	8	20	26
	F	63	1	3	10	24	25
Diseases of the heart	M	279	3	13	39	87	137
	F	184	.	.	.	1	4	2	7	17	50	103
Other diseases of the circulatory system	M	84	1	1	4	8	19	51
	F	57	1	1	.	5	20	30
Diseases of the respiratory system	M	64	7	2	1	1	.	2	2	3	13	33
	F	45	1	1	.	.	.	1	3	4	10	25
Senility	M	126	5	121
	F	126	12	114
Other diseases	M	162	43	2	5	3	1	7	13	16	30	42
	F	142	41	4	1	1	2	3	7	19	28	36
Accidents and other external causes	M	31	.	1	.	6	2	3	7	2	6	4
	F	17	.	2	1	.	.	1	.	2	4	7
All causes	M	921	53	8	7	14	14	29	53	98	209	436
	F	739	44	7	3	3	8	23	33	84	173	361
Population	M	66,507	1,249	5,196	11,906	9,162	8,102	9,618	7,278	6,039	5,148	2,809
	F	60,137	1,247	4,943	11,175	7,643	7,069	8,020	6,709	5,462	4,959	2,910
LIMERICK COUNTY BOROUGH												
Tuberculosis of respiratory system	M	27	.	.	.	2	4	6	6	5	3	1
	F	9	.	.	.	1	1	1	2	3	1	.
Tuberculosis, other forms	M	3	.	1	.	1	1
	F	2	1	.	1
Other infective and parasitic diseases	M	2	.	1	1	.	.	.
	F	1	1	.	.
Malignant neoplasms	M	47	.	.	1	.	.	2	7	12	17	8
	F	38	2	5	11	13	7
Vascular lesions affecting central nervous system	M	24	1	1	7	8	7
	F	29	1	5	6	8	9
Diseases of the heart	M	90	3	.	12	20	30	25
	F	67	2	.	2	9	14	40
Other diseases of the circulatory system	M	16	.	.	1	1	2	.	3	4	4	1
	F	13	1	1	1	4	2	4
Diseases of the respiratory system	M	19	6	1	3	2	1	6
	F	15	4	.	.	1	.	.	1	1	4	4
Senility	M	2	2
	F	13	1	12
Other diseases	M	49	13	.	1	1	1	7	3	9	7	7
	F	49	19	3	.	.	2	3	6	4	6	6
Accidents and other external causes	M	11	.	.	2	4	2	2	.	.	.	1
	F	4	1	1	.	.	1	.	.	1	.	.
All causes	M	290	19	2	5	9	13	19	36	59	70	53
	F	240	25	4	1	2	7	8	22	40	49	82
Population	M	24,103	677	2,340	5,009	3,891	3,216	3,021	2,651	1,694	1,148	456
	F	26,717	615	2,292	5,144	4,545	3,833	3,447	2,784	1,885	1,490	682

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY LIMERICK												
Tuberculosis of respiratory system	M	11	.	.	.	3	2	2	2	1	1	.
	F	6	1	1	2	.	2	.
Tuberculosis, other forms	M	.	.	.	2	1	.
	F	3
Other infective and parasitic diseases	M	1	1
	F	5	3	2
Malignant neoplasms	M	73	.	1	.	.	1	.	8	17	24	22
	F	67	2	3	5	16	21	20
Vascular lesions affecting central nervous system	M	46	1	.	5	16	24
	F	55	1	4	9	21	20
Diseases of the heart	M	201	2	2	23	23	66	95
	F	114	.	.	.	1	.	2	4	12	42	53
Other diseases of the circulatory system	M	24	.	.	.	1	.	.	.	5	5	13
	F	21	1	1	.	2	9	8
Diseases of the respiratory system	M	52	5	1	1	1	1	1	3	3	10	26
	F	35	4	2	1	1	1	1	1	2	7	15
Senility	M	69	3	66
	F	72	7	65
Other diseases	M	125	28	.	2	2	2	5	7	12	22	45
	F	112	26	4	1	2	4	9	5	14	19	28
Accidents and other external causes	M	18	.	.	1	1	2	3	.	4	7	.
	F	5	2	3
All causes	M	620	34	2	4	8	10	14	33	70	154	291
	F	495	36	8	4	4	9	17	21	55	129	212
Population	M	47,588	948	4,137	8,979	6,804	5,836	6,259	5,090	4,177	3,532	1,826
	F	42,831	953	3,962	8,541	5,273	5,287	5,523	4,564	3,721	3,208	1,799
COUNTY TIPPERARY N.R.												
Tuberculosis of respiratory system	M	7	1	3	.	1	2	.
	F	5	2	.	1	.	2	.
Tuberculosis, other forms	M	1	.	.	1	.	.
	F	2
Other infective and parasitic diseases	M	3	1	.	.	.	2	.
	F
Malignant neoplasms	M	64	1	1	5	16	25	16
	F	37	.	1	.	1	1	2	5	10	9	8
Vascular lesions affecting central nervous system	M	34	2	3	15	14
	F	43	5	6	10	22
Diseases of the heart	M	128	2	4	4	14	41	63
	F	89	1	2	9	9	27	41
Other diseases of the circulatory system	M	17	1	.	.	2	6	8
	F	16	1	.	1	3	3	8
Diseases of the respiratory system	M	27	2	2	1	.	.	.	1	3	5	13
	F	22	1	2	3	.	5	11
Senility	M	53	4	49
	F	55	5	50
Other diseases	M	104	18	6	1	2	2	6	11	9	22	27
	F	81	20	2	.	2	4	4	7	7	20	15
Accidents and other external causes	M	8	.	.	1	.	2	1	2	1	.	1
	F	8	3	5
All causes	M	445	20	8	3	2	10	15	25	49	122	191
	F	358	21	5	.	3	10	8	31	36	84	160
Population	M	29,989	618	2,548	5,036	4,292	3,932	3,793	3,605	2,799	2,320	1,046
	F	27,020	604	2,287	4,947	3,761	3,496	3,424	2,958	2,431	2,041	1,071

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY TIPPERARY, S.R.												
Tuberculosis of respiratory system	M	15	.	.	.	1	1	.	7	4	2	.
	F	13	.	.	.	2	3	2	3	2	1	.
Tuberculosis, other forms	M	2	.	1	.	.	.	1
	F	1	1
Other infective and parasitic diseases	M	2	.	1	1
	F	2	1	.	1
Malignant neoplasms	M	80	1	1	10	21	24	23
	F	60	.	.	1	.	.	3	9	10	21	16
Vascular lesions affecting central nervous system	M	54	2	3	9	14	26
	F	55	2	3	6	15	29
Diseases of the heart	M	162	.	.	1	.	1	3	10	25	46	76
	F	135	.	.	.	1	1	4	4	13	44	68
Other diseases of the circulatory system	M	19	1	1	5	4	8
	F	22	1	1	5	6	9
Diseases of the respiratory system	M	47	5	1	1	.	.	.	4	4	11	21
	F	40	2	3	.	1	.	.	.	3	10	21
Senility	M	47	47
	F	41	4	37
Other diseases	M	122	52	4	2	.	.	5	8	5	22	24
	F	73	25	3	5	.	1	2	7	4	11	15
Accidents and other external causes	M	14	.	.	2	1	.	1	2	3	2	3
	F	6	1	3	.	.	2
All causes	M	564	57	7	6	2	3	14	45	76	125	229
	F	448	29	6	7	4	5	15	30	43	112	197
Population	M	39,877	848	3,391	7,531	5,981	4,969	4,965	4,450	3,391	2,953	1,398
	F	36,427	883	3,433	6,944	4,692	4,577	4,469	4,078	3,202	2,721	1,428
WATERFORD COUNTY BOROUGH												
Tuberculosis of respiratory system	M	4	1	1	2	.	.	.
	F	1	1
Tuberculosis, other forms	M
	F	1	1
Other infective and parasitic diseases	M
	F
Malignant neoplasms	M	26	.	.	.	1	.	.	1	7	9	8
	F	28	1	1	6	8	7	5
Vascular lesions affecting central nervous system	M	11	2	4	1	4
	F	20	3	3	6	8
Diseases of the heart	M	57	1	2	7	16	31
	F	60	1	.	.	7	15	37
Other diseases of the circulatory system	M	7	.	.	1	1	.	.	1	2	1	1
	F	4	1	1	2
Diseases of the respiratory system	M	20	2	1	.	5	6	6
	F	16	1	1	1	.	.	.	1	1	6	5
Senility	M	1	1
	F	5	5
Other diseases	M	33	7	4	.	1	.	1	3	7	5	5
	F	31	6	.	.	.	1	3	1	4	7	9
Accidents and other external causes	M	6	.	.	1	1	1	1	1	.	1	.
	F	4	2	2
All causes	M	165	9	4	2	4	2	5	12	32	39	56
	F	170	7	1	1	.	5	4	11	24	44	73
Population	M	13,485	286	1,221	2,810	2,351	1,638	1,588	1,428	1,016	788	359
	F	15,206	298	1,230	2,941	2,622	1,942	1,816	1,636	1,254	977	490

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY WATERFORD												
Tuberculosis of respiratory system	M	1	1	.	.	.
	F	6	3	1	.	.	1	1
Tuberculosis, other forms	M	2	1	.	.	1
	F	3	1	.	.	1	.	.	.	1	.	.
Other infective and parasitic diseases	M
	F
Malignant neoplasms	M	65	.	1	.	1	2	.	6	16	24	15
	F	35	1	3	9	11	11
Vascular lesions affecting central nervous system	M	25	.	.	.	1	.	2	1	.	7	14
	F	40	2	5	7	26
Diseases of the heart	M	104	3	13	30	58
	F	78	1	2	8	24	43
Other diseases of the circulatory system	M	22	1	.	.	2	8	11
	F	16	2	6	8
Diseases of the respiratory system	M	33	2	2	.	.	.	1	1	1	14	12
	F	25	1	3	2	4	15
Senility	M	12	1	11
	F	24	1	23
Other diseases	M	57	14	.	1	1	1	3	7	6	11	13
	F	43	11	.	.	.	3	2	4	8	6	9
Accidents and other external causes	M	10	.	.	.	3	1	2	1	2	1	.
	F	8	.	.	1	2	5
All causes	M	331	17	3	1	7	5	8	20	40	96	134
	F	278	13	.	1	1	6	5	14	35	62	141
Population	M	24,478	483	1,945	4,252	3,515	3,051	3,191	2,875	2,249	1,941	976
	F	21,892	427	1,800	3,905	2,690	2,795	2,835	2,640	2,101	1,738	961
COUNTY GALWAY												
Tuberculosis of respiratory system	M	18	1	1	.	2	1	2	3	7	1	.
	F	19	.	.	1	3	4	4	2	2	1	2
Tuberculosis, other forms	M	6	1	1	.	1	.	1	.	1	1	.
	F	9	3	2	.	2	2
Other infective and parasitic diseases	M	7	1	1	.	2	3	.
	F	6	.	2	1	1	.	.	1	.	.	1
Malignant neoplasms	M	132	.	1	.	1	4	3	12	27	38	46
	F	86	4	15	23	27	17
Vascular lesions affecting central nervous system	M	100	1	.	.	2	.	1	.	17	25	54
	F	86	.	.	1	.	1	2	5	5	25	47
Diseases of the heart	M	335	.	.	.	2	2	4	16	37	99	175
	F	280	.	1	.	.	3	5	11	25	78	157
Other diseases of the circulatory system	M	62	1	.	.	8	22	31
	F	60	2	2	7	18	31
Diseases of the respiratory system	M	81	11	3	.	1	.	2	4	6	14	40
	F	64	6	.	.	2	1	1	3	5	15	31
Senility	M	112	7	105
	F	120	13	107
Other diseases	M	202	58	1	4	2	2	5	13	19	36	62
	F	153	39	4	3	2	6	8	11	11	24	45
Accidents and other external causes	M	32	1	2	2	1	3	2	2	6	10	3
	F	19	1	1	3	.	1	1	.	2	2	8
All causes	M	1,087	74	10	6	14	13	20	50	128	256	516
	F	902	49	10	9	10	18	27	50	80	203	446
Population	M	85,141	1,824	7,093	16,206	12,872	10,077	10,950	9,163	7,198	6,246	3,512
	F	75,063	1,678	6,560	15,238	10,602	9,121	9,191	7,952	5,997	5,434	3,290

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death	Age at death											
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
COUNTY LEITRIM												
Tuberculosis of respiratory system	M	5	1	.	.	4	.	.
	F	4	2	.	1	1	.
Tuberculosis, other forms	M
	F	2	.	.	.	1	1	.
Other infective and parasitic diseases	M	1	1	.	.
	F	1	1	.
Malignant neoplasms	M	30	.	1	.	.	.	1	.	5	11	12
	F	18	2	1	4	7	4
Vascular lesions affecting central nervous system	M	28	3	3	7	15
	F	27	1	.	7	9	10
Diseases of the heart	M	129	1	3	3	17	37	68
	F	77	1	3	7	26	40
Other diseases of the circulatory system	M	15	1	4	2	8
	F	13	1	.	.	2	4	6
Diseases of the respiratory system	M	28	3	3	3	10	9
	F	17	1	.	.	.	1	1	1	.	2	11
Senility	M	52	4	48
	F	67	4	63
Other diseases	M	70	14	1	.	.	.	3	3	13	13	23
	F	48	6	2	2	.	2	2	6	3	7	18
Accidents and other external causes	M	9	.	.	.	1	1	.	1	2	2	2
	F	4	1	2	1
All causes	M	367	17	2	.	1	3	7	14	52	86	185
	F	278	8	2	2	1	4	9	11	24	64	153
Population	M	22,374	377	1,471	3,659	3,018	2,704	3,115	2,672	2,260	1,926	1,172
	F	18,835	347	1,486	3,442	2,289	2,115	2,325	2,221	1,898	1,686	1,026
COUNTY MAYO												
Tuberculosis of respiratory system	M	10	.	.	.	1	3	1	2	1	2	.
	F	13	3	1	4	5	.	.
Tuberculosis, other forms	M	3	1	2
	F	3	1	.	.	1	.	.	1	.	.	.
Other infective and parasitic diseases	M	2	1	1	.	.
	F	5	.	.	1	.	.	.	1	1	.	2
Malignant neoplasms	M	105	1	.	1	.	2	3	7	21	30	40
	F	88	.	.	1	.	1	5	8	10	38	25
Vascular lesions affecting central nervous system	M	72	1	.	3	7	17	44
	F	75	1	.	.	2	.	.	3	5	23	41
Diseases of the heart	M	263	.	.	.	2	.	2	10	17	78	154
	F	176	3	4	21	46	102
Other diseases of the circulatory system	M	62	1	1	3	21	36
	F	53	3	2	6	12	30
Diseases of the respiratory system	M	71	12	2	.	.	.	3	5	3	13	33
	F	52	6	2	2	1	11	30
Senility	M	146	1	11	134
	F	171	20	151
Other diseases	M	201	45	4	3	2	3	10	10	25	32	67
	F	152	34	.	2	2	6	4	10	20	33	41
Accidents and other external causes	M	33	.	1	2	4	5	2	4	3	.	12
	F	25	.	1	1	2	1	.	2	1	2	15
All causes	M	968	59	7	6	9	15	24	42	82	204	520
	F	813	42	3	5	7	11	16	37	70	185	437
Population	M	73,345	1,562	6,073	13,405	10,413	7,995	9,859	7,613	6,487	6,050	3,888
	F	68,522	1,465	5,703	13,163	9,076	7,814	8,168	7,092	6,066	6,013	3,962

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY ROSCOMMON												
Tuberculosis of respiratory system	M	3	1	.	.	1	1	.
	F	7	.	1	.	1	1	1	.	.	3	.
Tuberculosis, other forms	M	1	1
	F
Other infective and parasitic diseases	M	2	1	1	.
	F	3	1	2	.	.	.
Malignant neoplasms	M	69	.	.	.	1	1	2	10	10	22	23
	F	45	2	1	5	10	15	12
Vascular lesions affecting central nervous system	M	31	1	2	3	10	15
	F	39	1	.	.	10	10	18
Diseases of the heart	M	219	1	1	8	15	63	131
	F	152	.	.	1	.	.	2	6	11	33	99
Other diseases of the circulatory system	M	24	2	.	.	9	13
	F	13	1	12
Diseases of the respiratory system	M	28	.	.	1	5	9	13
	F	38	3	1	2	5	11	16
Senility	M	91	9	82
	F	76	6	70
Other diseases	M	94	20	1	.	.	5	2	6	17	18	25
	F	68	14	2	1	1	1	3	6	9	14	17
Accidents and other external causes	M	19	1	2	2	2	2	2	.	3	4	1
	F	11	2	.	3	.	.	.	1	.	2	3
All causes	M	581	23	3	3	3	10	10	26	54	146	303
	F	452	20	3	5	2	5	8	22	45	95	247
Population	M	36,626	665	2,544	5,813	5,275	4,414	4,985	4,172	3,578	3,308	1,872
	F	31,476	585	2,429	5,676	4,115	3,733	3,798	3,544	3,005	2,771	1,820
COUNTY SLIGO												
Tuberculosis of respiratory system	M	6	.	.	1	.	.	1	1	2	.	1
	F	1	1
Tuberculosis, other forms	M	3	.	1	1	.	.	1
	F	1	1
Other infective and parasitic diseases	M	1	1
	F
Malignant neoplasms	M	66	.	.	2	1	1	2	3	14	18	25
	F	49	.	1	.	1	1	2	5	8	16	15
Vascular lesions affecting central nervous system	M	43	2	7	20	14
	F	46	2	8	11	25
Diseases of the heart	M	119	2	7	12	32	66
	F	89	.	.	.	1	2	4	2	10	20	50
Other diseases of the circulatory system	M	47	.	.	2	.	.	1	.	3	14	27
	F	38	1	3	.	9	25
Diseases of the respiratory system	M	35	2	1	.	1	.	1	2	2	12	14
	F	38	2	1	.	1	.	3	.	5	9	17
Senility	M	65	5	60
	F	58	6	52
Other diseases	M	78	25	.	1	.	2	2	2	8	15	23
	F	76	6	1	2	1	4	2	5	14	14	27
Accidents and other external causes	M	14	1	.	.	1	2	3	.	1	5	1
	F	5	5
All causes	M	477	29	2	7	3	5	13	17	49	121	231
	F	401	8	3	2	4	9	12	17	45	85	216
Population	M	31,469	620	2,451	5,233	4,321	3,765	4,423	3,700	2,858	2,576	1,522
	F	29,044	631	2,301	5,180	3,715	3,612	3,726	3,228	2,610	2,580	1,461

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death	Age at death											
	All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over	
COUNTY CAVAN												
Tuberculosis of respiratory system	M	8	.	.	1	1	1	1	1	2	1	.
	F	3	2	1
Tuberculosis, other forms	M	4	3	.	1	.	.	.
	F
Other infective and parasitic diseases	M	4	1	1	2	.	.	.
	F	2	.	.	1	1
Malignant neoplasms	M	58	.	.	.	1	.	3	4	14	23	13
	F	34	1	1	6	10	10	6
Vascular lesions affecting central nervous system	M	52	2	4	6	14	26
	F	49	3	10	16	20
Diseases of the heart	M	195	.	.	.	2	2	2	11	25	65	88
	F	147	1	4	18	45	79
Other diseases of the circulatory system	M	32	1	7	9	15
	F	23	3	1	9	10
Diseases of the respiratory system	M	33	4	1	1	.	.	1	3	1	9	13
	F	31	4	1	.	.	.	3	1	3	5	14
Senility	M	64	3	61
	F	62	12	50
Other diseases	M	92	32	1	2	1	2	2	8	8	9	27
	F	81	20	1	1	2	2	4	4	9	21	17
Accidents and other external causes	M	18	.	.	3	3	1	2	1	3	22	3
	F	10	2	1	2	5
All causes	M	560	37	2	7	8	9	14	36	66	135	246
	F	442	24	2	2	2	5	10	23	52	120	202
Population	M	36,187	679	2,719	6,096	5,245	4,641	4,777	4,074	3,377	2,982	1,597
	F	30,190	598	2,539	5,640	3,743	3,827	3,679	3,329	2,881	2,590	1,364
COUNTY DONEGAL												
Tuberculosis of respiratory system	M	16	.	.	1	1	3	3	2	4	.	2
	F	18	1	.	.	3	4	1	5	4	.	.
Tuberculosis, other forms	M	5	1	.	1	.	1	1	.	1	.	.
	F	5	.	1	.	.	.	1	1	.	2	.
Other infective and parasitic diseases	M	9	1	2	2	1	2	1
	F	2	.	1	1	.	.
Malignant neoplasms	M	104	.	1	.	1	1	2	12	21	29	37
	F	77	.	.	1	.	.	3	12	18	26	17
Vascular lesions affecting central nervous system	M	82	.	1	.	.	.	2	2	6	28	43
	F	107	.	.	1	1	.	1	5	14	29	56
Diseases of the heart	M	267	.	.	.	1	3	3	17	40	72	131
	F	230	.	.	.	1	3	2	9	25	60	130
Other diseases of the circulatory system	M	35	1	1	3	9	21
	F	40	.	.	2	.	.	.	3	3	12	20
Diseases of the respiratory system	M	58	8	1	1	1	.	1	2	4	15	25
	F	58	5	3	2	.	.	2	1	2	7	36
Senility	M	110	5	105
	F	128	5	123
Other diseases	M	181	40	2	1	1	3	7	14	14	36	63
	F	144	21	2	2	3	2	4	8	15	43	44
Accidents and other external causes	M	41	2	1	1	6	5	6	5	6	7	2
	F	15	1	1	.	.	2	1	1	1	1	7
All causes	M	908	52	8	7	12	18	26	55	99	201	430
	F	824	28	8	8	8	11	15	45	83	185	433
Population	M	67,964	1,463	5,776	12,727	9,266	8,073	9,086	7,262	5,827	5,394	3,090
	F	63,566	1,369	5,475	12,169	8,396	7,645	7,962	6,669	5,498	5,210	3,173

TABLE 24 (contd.) - DEATHS IN 1955 CLASSIFIED BY PRINCIPAL GROUPS OF CAUSES, SEX AND AGE, FOR EACH COUNTY AND COUNTY BOROUGH

Causes of death		Age at death										
		All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years & over
COUNTY MONAGHAN												
Tuberculosis of respiratory system	M	5	2	.	.	1	2	.
	F	7	.	.	.	1	2	1	1	1	1	.
Tuberculosis, other forms	M	2	.	.	1	.	1
	F	2	1	.	1	.
Other infective and parasitic diseases	M	2	1	1	.	.
	F	2	1	1
Malignant neoplasms	M	50	.	.	.	1	.	2	3	13	23	8
	F	34	1	1	3	9	8	12
Vascular lesions affecting central nervous system	M	36	1	2	4	13	16
	F	36	2	7	12	15
Diseases of the heart	M	122	1	10	15	51	45
	F	78	1	2	.	4	23	48
Other diseases of the circulatory system	M	27	1	.	3	10	13
	F	18	1	.	3	1	6	7
Diseases of the respiratory system	M	40	.	1	.	.	1	.	1	1	10	26
	F	36	2	1	3	1	9	20
Senility	M	26	1	25
	F	27	2	25
Other diseases	M	79	19	.	.	.	1	2	5	9	13	30
	F	67	7	3	2	1	3	1	3	10	16	21
Accidents and other external causes	M	16	.	.	2	1	2	2	1	2	2	4
	F	3	.	.	.	1	.	.	.	1	.	1
All causes	M	405	20	1	3	2	7	9	22	49	125	167
	F	310	10	4	2	3	8	6	16	34	78	149
Population	M	29,118	550	2,197	4,934	4,411	4,046	3,879	3,314	2,456	2,242	1,089
	F	26,227	534	2,128	4,852	3,794	3,281	3,285	2,999	2,300	2,010	1,044

TABLE 25 - INFANT MORTALITY - TOTAL DEATHS UNDER ONE YEAR OF AGE

Detailed International List Nos.	Causes of Death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS					
							1	2	3	4	5	6
010	Tuberculosis of meninges and central nervous system	M	6
		F	8
001-008	Tuberculosis, other forms	M	2
011-019		F	1
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	18
		F	10
030-055	Other infective and parasitic diseases	M	20	1
057-138		F	7
340	Meningitis, except meningococcal and tuberculous	M	17
		F	7
330-334	Other diseases of the nervous system and sense organs	M	12	.	.	1	1	1
341-398		F	10	.	1	1	1	1
480-483	Influenza	M	10
		F	7
490-493	Pneumonia	M	134
		F	87
500-502	Bronchitis	M	8
		F	9	1	.	.	.
470-475	Other diseases of the respiratory system	M	9
510-527		F	7	.	1	1	.	1
571,764	Gastro-enteritis, colitis and diarrhoea of newborn	M	79	1	1	.	.
		F	58
530-570	Other diseases of the digestive system	M	15	1
573-587		F	10	.	2	2
	Congenital malformations -											
750	Monstrosity	M	10	2	5	7	1	1
		F	17	5	9	14	2	1
751	Spina bifida and meningocele	M	43	.	7	7	.	1	2	.	.	1
		F	62	1	6	7	.	4	1	1	1	2
752	Congenital hydrocephalus	M	11	.	3	3	.	1	.	1	.	.
		F	20	1	8	9	2	.
753	Other congenital malformations of nervous system and sense organs	M	3	.	1	1
		F	2
754	Congenital malformations of circulatory system	M	63	.	5	5	10	6	3	2	1	.
		F	53	1	10	11	4	2	6	.	.	.
755	Cleft palate and harelip	M	2
		F	5
756	Congenital malformations of digestive system	M	34	.	2	2	.	1	1	.	.	.
		F	28	.	.	.	2	2	2	1	1	1
757	Congenital malformations of genito-urinary system	M	5	.	1	1	.	1
		F	3	.	.	.	1
758	Congenital malformations of bone and joint	M	2
		F	1
759	Other and unspecified congenital malformations	M	10	.	1	1	1	2	2	1	.	.
		F	13	3	.	3	1	.	.	1	.	.
	Intracranial and spinal injury at birth:-											
760.0	Without mention of immaturity	M	90	6	23	29	13	10	10	4	6	2
		F	35	2	7	9	6	7	5	2	.	.
760.5	With immaturity	M	22	.	7	7	7	3	1	1	.	.
		F	14	.	5	5	6	2	1	.	.	.
	Other birth injury:-											
761.5	Without mention of immaturity	M	23	7	5	12	4	1	.	1	.	1
		F	10	2	4	6	2	1	.	.	.	1
761.5	With immaturity	M	13	2	5	7	2	2
		F	10	1	4	5	2	2	1	.	.	.
	Post-natal asphyxia and atelectasis:-											
762.0	Without mention of immaturity	M	65	10	21	31	8	9	2	1	2	.
		F	48	7	21	28	8	6	1	.	.	.
762.5	With immaturity	M	50	2	14	16	11	8	3	1	2	2
		F	21	.	8	8	5	2	1	1	1	.

TABLE 25 (contd.) - INFANT MORTALITY - TOTAL DEATHS UNDER ONE YEAR OF

Detailed International List Nos.	Causes of Death		Total under 1 year	Under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS					
							1	2	3	4	5	6
763.0	Pneumonia of newborn:- Without mention of immaturity	M	45	.	.	.	3	2	1	.	2	1
		F	45	.	2	2	7	2	3	2	1	3
763.5	With immaturity	M	7	.	.	.	2	.	.	.	1	.
		F	7
766.0	Pemphigus neonatorum:- Without mention of immaturity	M	1
		F
766.5	With immaturity	M
		F
768.0	Other sepsis of newborn:- Without mention of immaturity	M	1
		F	6	.	.	.	1
768.5	With immaturity	M
		F	3
769.0- 769.4	Neonatal disorders arising from maternal toxæmia:- Without mention of immaturity	M	2	.	2	2
		F	3	1	1	.	.	1
769.5- 769.9	With immaturity	M	2	.	1	1	1
		F	1	1
770.0- 770.3	Haemolytic disease of newborn (erythroblastosis):- Without mention of immaturity	M	30	.	7	7	2	.	10	1	1	1
		F	20	1	2	3	.	3	3	2	2	2
770.5- 770.7	With immaturity	M	12	.	4	4	1	1	1	1	.	2
		F	2	.	1	1	.	.	1	.	.	.
771.0	Haemorrhagic disease of newborn:- Without mention of immaturity	M	11	.	1	1	.	2	3	2	.	.
		F	9	.	1	1	.	2	1	.	1	.
771.5	With immaturity	M	2	.	1	1	.	.	.	1	.	.
		F	2	1	.	1	.
772.0	Nutritional maladjustment:- Without mention of immaturity	M	7
		F	3
772.5	With immaturity	M	2
		F
773.0	Ill-defined diseases of early infancy:- Without mention of immaturity	M	50	.	7	7	2	1	3	3	.	1
		F	40	1	6	7	3	.	.	.	2	2
773.5	With immaturity	M	46	1	15	16	5	3	3	1	2	.
		F	43	1	17	18	4	3	1	1	2	2
774	Immaturity with mention of any other subsidiary condition	M	14	.	3	3
		F	7	.	1	1	.	1	2	.	1	.
776	Immaturity unqualified	M	214	13	72	85	42	17	16	8	5	6
		F	135	7	49	56	20	12	8	6	7	3
780.2	Convulsions	M	20	1	1	.	.
		F	12
	Other causes	M	55	3	3	6	1
		F	66	7	3	10	.	.	.	1	.	1
All causes		M	1,297	46	216	262	115	73	63	31	23	19
		F	967	40	168	208	75	54	40	19	22	19

AGE IN 1955, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7	7-13	14-20	21-27	Total under 4 weeks	MONTHS											Detailed International List Nos.	
					4 weeks and under 2 months	2	3	4	5	6	7	8	9	10	11		
9	14	15	7	45	763.0
20	10	5	10	45	763.5
3	1	1	2	7	
.	3	1	3	7	
.	1	.	.	1	766.0
.	766.5
.	
1	.	1	1	3	3	768.0
.	2	1	.	3	768.5
2	.	.	.	2	769.0-
3	.	.	.	3	769.4
2	.	.	.	2	769.5-
1	.	.	.	1	769.9
22	1	.	2	25	1	1	.	.	.	2	1	.	770.0-
15	5	.	.	20	770.3
10	2	.	.	12	770.5-
2	.	.	.	2	770.7
8	1	.	.	9	2	771.0
5	1	.	1	7	2	771.5
2	.	.	.	2	
2	.	.	.	2	
.	1	.	.	1	2	3	1	772.0
.	1	.	.	1	2	
.	.	1	.	1	.	1	772.5
.	
17	8	3	2	30	8	5	3	2	.	1	1	.	773.0
14	4	5	3	26	6	4	2	.	1	.	1	
30	4	5	2	41	1	2	1	1	773.5
31	6	1	2	40	1	1	.	1	
3	2	4	1	10	3	1	774
5	1	.	.	6	1	
179	18	5	4	206	7	1	776
112	8	9	4	133	1	1	
2	.	2	3	7	5	2	4	.	.	1	1	.	780.2
.	.	.	2	2	4	1	2	.	.	.	1	.	.	2	.	.	
7	.	5	1	13	11	4	10	5	1	3	1	2	2	2	2	1	
12	6	.	1	19	6	8	8	9	2	2	2	2	1	2	5		
586	99	77	49	811	132	70	78	50	28	30	27	18	20	25	8		
437	74	44	43	598	83	61	56	41	21	24	16	17	19	12	15		

TABLE 26 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER 1 YEAR IN 1955, CLASSIFIED BY SEX AND CAUSE FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS

International List Nos.	Causes of Death		Total		Dublin Co. Borough and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year
010	Tuberculosis of meninges and central nervous system	M	.	6	.	1	5
		F	.	8	.	.	.	1	.	1	.	1	.	5
001-008	Tuberculosis, other forms	M	.	2	2
011-019		F	.	1	1
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	.	18	.	4	.	.	.	1	.	1	.	12
		F	.	10	10
030-055	Other infective and parasitic diseases	M	6	14	1	2	1	3	4	9
057-138		F	.	7	.	4	.	2	1
340	Meningitis except meningococcal and tuberculous	M	4	13	2	3	1	2	9
		F	2	5	1	.	.	1	.	.	.	2	1	2
330-334	Other diseases of the nervous system and sense organs	M	1	11	.	1	.	1	.	2	.	1	1	6
341-398		F	3	7	.	1	.	1	3	5
480-483	Influenza	M	1	9	1	1	.	8
		F	3	4	1	.	.	1	2	3
490-493	Pneumonia	M	.	134	.	35	.	8	.	6	.	12	.	73
		F	.	87	.	23	.	8	.	4	.	2	.	50
500-502	Bronchitis	M	1	7	.	1	1	6
		F	2	7	.	.	1	1	1	6
470-475	Other diseases of the respiratory system	M	1	8	.	4	.	1	.	1	.	.	1	2
510-527		F	2	5	.	3	1	1	2
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M	21	58	.	9	2	4	.	7	1	5	18	33
		F	13	45	.	10	.	1	2	5	3	3	8	26
530-570	Other diseases of the digestive system	M	2	13	1	2	.	.	.	1	.	.	1	10
572-587		F	2	8	2	8
750-759	Congenital malformations	M	108	75	20	17	6	2	6	4	6	5	70	47
		F	120	84	26	22	9	7	9	1	7	14	69	40
760-761	Birth injuries	M	142	6	27	1	4	.	7	.	10	.	94	5
		F	65	4	10	1	4	.	6	.	2	.	43	3
762	Post-natal asphyxia and atelectasis	M	109	6	40	2	5	.	5	.	4	1	55	3
		F	66	3	14	.	5	1	1	.	2	1	44	1
763	Pneumonia of newborn	M	52	.	17	.	1	.	3	.	1	.	30	.
		F	52	.	20	.	1	.	.	.	6	.	25	.
765-768	Other infections of newborn	M	2	2	.
		F	6	3	2	1	.	.	1	.	.	.	3	2
	Other and ill-defined diseases of early infancy:-													
769.0-773.0	Without mention of immaturity	M	66	33	9	3	2	3	3	1	3	1	49	25
		F	57	16	6	1	4	1	4	.	5	2	38	12
769.5-773.5	With mention of immaturity	M	59	6	10	1	4	.	2	.	3	1	40	4
		F	45	5	7	.	7	.	1	2	2	.	28	3
774	Immaturity with mention of any other subsidiary condition	M	10	4	1	1	.	.	1	1	1	.	7	2
		F	6	1	2	1	.	3	1
776	Immaturity unqualified	M	206	8	45	.	7	.	13	.	15	.	126	8
		F	133	2	24	.	10	.	6	.	12	.	81	2
780.2	Convulsions	M	7	13	.	.	1	1	2	1	1	1	3	10
		F	2	10	.	1	.	1	.	.	1	2	1	6
	Other causes	M	13	42	5	7	.	1	.	.	1	2	7	32
		F	19	47	3	15	1	3	1	2	1	3	13	24
	All causes	M	811	486	179	94	33	24	42	25	46	32	511	311
		F	598	369	117	82	43	27	32	15	42	32	364	219

AGE IN 1955, CLASSIFIED BY SEX, AGE AND CAUSE (INTERNATIONAL DETAILED LIST)

Total under 7	7-13	14-20	21-27	Total under 4 weeks	MONTHS											Detailed International List Nos.	
					4 weeks and under 2 months	2	3	4	5	6	7	8	9	10	11		
9	14	15	7	45	763.0
20	10	5	10	45	763.5
3	1	1	2	7	
.	3	1	3	7	
.	1	.	.	1	766.0
.	766.5
.	
1	.	1	1	3	3	768.0
.	768.5
.	2	1	.	3	
2	.	.	.	2	769.0-
3	.	.	.	3	769.4
2	.	.	.	2	769.5-
1	.	.	.	1	769.9
22	1	.	2	25	1	1	.	.	.	2	1	.	770.0-
15	5	.	.	20	770.3
10	2	.	.	12	770.5-
2	.	.	.	2	770.7
8	1	.	.	9	2	771.0
5	1	.	1	7	2	771.5
2	.	.	.	2	
2	.	.	.	2	
.	1	.	.	1	2	3	1	772.0
.	1	.	.	1	2	
.	.	1	.	1	.	1	772.5
.	
17	8	3	2	30	8	5	3	2	.	1	1	.	773.0
14	4	5	3	26	6	4	2	.	1	.	1	
30	4	5	2	41	1	2	1	1	773.5
31	6	1	2	40	1	1	.	1	
3	2	4	1	10	3	1	774
5	1	.	.	6	1	
179	18	5	4	206	7	1	776
112	8	9	4	133	1	1	
2	.	2	3	7	5	2	4	.	.	1	1	.	780.2
.	.	2	2	2	4	1	2	.	.	.	1	.	2	.	.	.	
7	.	5	1	13	11	4	10	5	1	3	1	2	2	2	2	1	
12	6	.	1	19	6	8	8	9	2	2	2	2	1	2	5		
586	99	77	49	811	132	70	78	50	28	30	27	18	20	25	8		
437	74	44	43	598	83	61	58	41	21	24	18	17	19	12	15		

TABLE 26 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS, 4 WEEKS AND UNDER 1 YEAR IN 1955, CLASSIFIED BY SEX AND CAUSE FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS

International List Nos.	Causes of Death		Total		Dublin Co. Borough and Dun Laoghaire Borough		Other County Boroughs		Remaining Principal Towns		Other Urban Districts		All Rural Districts	
			Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year	Under 4 wks	4 wks and under 1 year
010	Tuberculosis of meninges and central nervous system	M	.	6	.	1	5
		F	.	8	.	.	.	1	.	1	.	1	.	5
001-008	Tuberculosis, other forms	M	.	2	2
011-019		F	.	1	1
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	.	18	.	4	.	.	.	1	.	1	.	12
		F	.	10	10
030-055	Other infective and parasitic diseases	M	6	14	1	2	1	3	4	9
057-138		F	.	7	.	4	.	2	1
340	Meningitis except meningococcal and tuberculous	M	4	13	2	3	1	2	9
		F	2	5	1	.	.	1	.	.	.	2	1	2
330-334	Other diseases of the nervous system and sense organs	M	1	11	.	1	.	1	.	2	.	1	1	6
341-398		F	3	7	.	1	.	1	3	5
480-483	Influenza	M	1	9	1	1	.	8
		F	3	4	1	.	.	1	2	3
490-493	Pneumonia	M	.	134	.	35	.	8	.	6	.	12	.	73
		F	.	87	.	23	.	8	.	4	.	2	.	50
500-502	Bronchitis	M	1	7	.	1	1	6
		F	2	7	.	.	1	1	1	6
470-475	Other diseases of the respiratory system	M	1	8	.	4	.	1	.	1	.	.	1	2
510-527		F	2	5	.	3	1	1	2
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	M	21	58	.	9	2	4	.	7	1	5	18	33
		F	13	45	.	10	.	1	2	5	3	3	8	26
530-570	Other diseases of the digestive system	M	2	13	1	2	.	.	.	1	.	.	1	10
572-587		F	2	8	2	8
750-759	Congenital malformations	M	108	75	20	17	6	2	6	4	6	5	70	47
		F	120	84	26	22	9	7	9	1	7	14	69	40
760-761	Birth injuries	M	142	6	27	1	4	.	7	.	10	.	94	5
		F	65	4	10	1	4	.	6	.	2	.	43	3
762	Post-natal asphyxia and atelectasis	M	109	6	40	2	5	.	5	.	4	1	55	3
		F	66	3	14	.	5	1	1	.	2	1	44	1
763	Pneumonia of newborn	M	52	.	17	.	1	.	3	.	1	.	30	.
		F	52	.	20	.	1	.	.	.	6	.	25	.
765-768	Other infections of newborn	M	2	2	.
		F	6	3	2	1	.	.	1	.	.	.	3	2
	Other and ill-defined diseases of early infancy:-													
769.0-773.0	Without mention of immaturity	M	66	33	9	3	2	3	3	1	3	1	49	25
		F	57	16	6	1	4	1	4	.	5	2	38	12
769.5-773.5	With mention of immaturity	M	59	6	10	1	4	.	2	.	3	1	40	4
		F	45	5	7	.	7	.	1	2	2	.	28	3
774	Immaturity with mention of any other subsidiary condition	M	10	4	1	1	.	.	1	1	1	.	7	2
		F	6	1	2	1	.	3	1
776	Immaturity unqualified	M	206	8	45	.	7	.	13	.	15	.	126	8
		F	133	2	24	.	10	.	6	.	12	.	81	2
780.2	Convulsions	M	7	13	.	.	1	1	2	1	1	1	3	10
		F	2	10	.	1	.	1	.	.	1	2	1	6
	Other causes	M	13	42	5	7	.	1	.	.	1	2	7	32
		F	19	47	3	15	1	3	1	2	1	3	13	24
	All causes	M	811	486	179	94	33	24	42	25	46	32	511	311
		F	598	369	117	82	43	27	32	15	42	32	364	213

TABLE 27 - INFANT MORTALITY - DEATHS OF ILLEGITIMATE CHILDREN IN 1955 UNDER ONE YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE

Inter- national List Nos.	Causes of Death	Total under 1 year	DAYS			Total under 4 weeks	MONTHS		
			Under 1 day	1 and under 7	7 and under 28		4 wks. and under 3 mths.	3 and under 6 mths.	6 and under 12 mths.
010	Tuberculosis of meninges and central nervous system	M
		F
001-008 011-019	Tuberculosis, other forms	M
		F
020-029	Syphilis, and its sequelae	M
		F
056	Whooping-cough	M
		F
030-055 057-138	Other infective and parasitic diseases	M
		F
340	Meningitis except meningococcal and tuberculous	M	1	1	.
		F
330-334 341-398	Other diseases of the nervous system and sense organs	M
		F	1	1
480-483	Influenza	M	1	1	.
		F
490-493	Pneumonia	M	8	.	.	.	1	3	4
		F	6	.	.	.	2	1	3
500-502	Bronchitis	M
		F	1	.	.	.	1	.	.
470-475 510-527	Other diseases of the respiratory system	M
		F
571-764	Gastro-enteritis and colitis and diarrhoea of newborn	M	3	.	2	2	1	.	.
		F
530-570 572-587	Other diseases of the digestive system	M	2	1	1
		F
750-759	Congenital malformations	M	6	2	2	4	2	.	.
		F	8	1	2	5	1	2	.
760-761	Birth injuries	M	7	1	5	6	.	1	.
		F	1	.	1	1	.	.	.
762	Post-natal asphyxia and atelectasis	M	1	.	1	1	.	.	.
		F
763	Pneumonia of new-born	M	2	.	2	2	.	.	.
		F	2	.	1	2	.	.	.
765-768	Other infections of the newborn	M
		F
769.0- 773.0	Other and ill-defined diseases of early infancy:- Without mention of immaturity	M	3	.	1	1	2	.	.
		F	3	.	1	1	1	1	.
769.5- 773.5	With mention of immaturity	M	3	1	1	2	1	.	.
		F	2	1	1	2	.	.	.
774	Immaturity with mention of any other subsidiary condition	M
		F
776	Immaturity unqualified	M	10	4	6	10	.	.	.
		F	4	2	1	4	.	.	.
780.2	Convulsions	M
		F	2	.	.	.	1	.	1
	Other causes	M	6	2	1	3	2	.	1
		F	5	4	.	4	.	1	.
All causes		M	59	10	14	31	9	7	6
		F	36	8	6	19	6	5	5

TABLE 28 - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Detailed International List Nos.	Causes of Death		TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (pt. of)	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M	.	6	.	1	.	3	.	1	.	1
		F	.	8	.	1	.	3	.	4	.	.
001-008	Tuberculosis, other forms	M	.	2	.	.	.	1	.	1	.	.
011-019		F	.	1	1
020-029	Syphilis and its sequelae	M
		F
056	Whooping cough	M	.	18	.	8	.	7	.	2	.	1
		F	.	10	.	1	.	7	.	1	.	1
030-055	Other infective and parasitic diseases	M	6	14	2	7	3	4	.	2	1	1
057-138		F	.	7	.	5	.	2
340	Meningitis except meningococcal and tuberculous	M	4	13	2	6	2	3	.	2	.	2
		F	2	5	1	1	.	3	.	1	1	.
330-334	Other diseases of the nervous system and sense organs	M	1	11	.	5	.	3	1	2	.	1
341-398		F	3	7	3	4	.	2	.	1	.	.
480-483	Influenza	M	1	9	1	3	.	3	.	1	.	2
		F	3	4	2	2	1	1	.	.	.	1
490-493	Pneumonia	M	.	134	.	68	.	36	.	24	.	6
		F	.	87	.	40	.	25	.	15	.	7
500-502	Bronchitis	M	1	7	.	3	.	1	.	1	1	2
		F	2	7	.	1	1	2	.	3	1	1
470-475	Other diseases of the respiratory system	M	1	8	.	4	1	1	.	2	.	1
510-527		F	2	5	1	4	1	1
571;764	Gastro-enteritis, colitis and diarrhoea of the newborn	M	21	58	2	25	7	16	6	16	6	1
		F	13	45	3	25	6	13	3	4	1	3
530-570	Other diseases of the digestive system	M	2	13	1	7	1	4	.	1	.	1
572-587		F	2	8	2	4	.	3	.	.	.	1
750-759	Congenital malformation	M	108	75	54	36	26	21	19	13	9	5
		F	120	84	60	47	39	25	15	7	6	5
760-761	Birth injuries	M	142	6	70	3	36	2	22	1	14	.
		F	65	4	37	1	16	3	9	.	3	.
762	Postnatal asphyxia and atelectasis	M	109	6	65	6	28	.	9	.	7	.
		F	66	3	34	1	23	2	6	.	3	.
763	Pneumonia of newborn	M	52	.	25	.	13	.	11	.	3	.
		F	52	.	30	.	13	.	6	.	3	.
765-768	Other infections of newborn	M	2	.	2
		F	6	3	4	3	1	.	1	.	.	.
	Other and ill-defined diseases of early infancy:-											
769.0-773.0	Without mention of immaturity	M	66	33	35	11	21	14	7	6	3	2
		F	57	16	26	4	17	7	11	3	3	2
769.5-773.5	With mention of immaturity	M	59	6	29	2	16	2	11	.	3	2
		F	45	5	18	1	20	4	5	.	2	.
774	Immaturity with mention of any other subsidiary condition	M	10	4	5	1	5	1	.	.	.	2
		F	6	1	2	1	2	.	2	.	.	.
776	Immaturity unqualified	M	206	8	107	1	50	4	26	2	23	1
		F	133	2	53	.	53	1	17	1	10	.
780.2	Convulsions	M	7	13	3	4	1	5	3	1	.	3
		F	2	10	.	2	1	5	.	2	1	1
	Other causes	M	13	42	7	22	2	10	1	8	3	2
		F	19	47	8	24	7	13	4	6	.	4
	All causes	M	811	486	410	223	212	141	116	86	73	35
		F	598	369	284	172	201	121	79	48	34	28

UNDER 1 YEAR IN 1955, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DUN LAOGHAIRE BOROUGH		DUBLIN COUNTY (Remainder of)		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	.	.	1	0 10
.	001-008
.	011-019
.	020-029
.	.	.	3	.	1	.	1	.	1	.	1	.	1	056
.	1	1	2	.	.	.	1	.	1	.	1	.	.	030-055
.	.	.	4	1	057-138
.	.	2	2	.	1	.	1	.	1	340
.	.	1	330-334
.	.	.	1	1	.	1	.	.	.	341-398
.	1	1	1	1	480-483
.	2	.	34	.	1	.	5	.	.	.	4	.	2	490-493
.	.	.	19	.	4	.	3	.	4	
.	.	.	1	1	.	1	.	.	500-502
.	1	
.	.	.	4	470-475
.	.	.	3	.	.	1	510-527
.	2	.	8	.	1	.	1	.	3	1	.	.	3	571;764
.	.	.	10	.	.	.	1	.	3	.	1	.	2	
.	.	1	1	.	1	.	.	.	1	.	1	.	1	530-570
.	.	2	2	572-587
1	.	19	16	1	1	5	1	1	4	4	.	5	2	750-759
3	1	23	19	3	3	7	6	5	1	3	1	2	1	
6	.	26	1	1	.	4	1	5	.	.	.	2	.	760-761
2	.	9	1	1	.	6	.	.	.	2	.	2	.	
1	.	37	2	3	.	8	1	1	1	4	.	2	.	762
1	.	14	.	.	.	3	.	1	.	4	.	4	1	
.	.	16	.	1	.	3	.	1	.	.	.	1	.	763
1	.	19	.	1	.	3	.	.	.	1	.	.	.	
.	1	.	765-768
.	1	2	1	.	.	1	.	.	1	
3	2	7	.	2	3	2	.	2	.	1	.	4	1	769.0-
.	.	6	1	.	.	3	.	.	.	3	1	2	1	773.0
3	.	10	1	.	.	1	.	2	.	.	.	3	.	769.5-
1	.	7	.	.	.	1	.	1	773.5
.	.	1	1	2	.	.	.	1	.	774
.	.	2	
2	.	41	.	4	.	4	.	8	1	12	.	2	.	776
.	.	22	.	2	.	5	.	2	.	3	.	3	.	
.	1	780.2
.	.	.	1	1	
.	.	5	7	.	.	1	1	.	1	.	1	.	.	
.	1	3	14	.	1	1	5	
16	8	167	85	12	9	28	14	22	15	22	9	21	10	
8	4	110	74	7	8	32	17	10	12	17	3	15	5	

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS

Detailed International List Nos.	Causes of Death		LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F 1
001-008 011-019	Tuberculosis, other forms	M F
020-029	Syphilis, and its sequelae	M F
056	Whooping cough	M F	1
030-055 057-138	Other infective and parasitic diseases	M F	1 .	. .	1
340	Meningitis except meningococcal and tuberculous	M F 1
330-334 341-398	Other diseases of the nervous system and sense organs	M F	. 1	1 .	. .	1 .	. .	1
480-483	Influenza	M F	1 1
490-493	Pneumonia	M F	. .	4 .	. .	4 1	. .	3 .	. .	1 4	. .	. 1
500-502	Bronchitis	M F
470-475 510-527	Other diseases of the respiratory system	M F
571:764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	1	1 1	. .	1 2	. .	3 2	. .	. 2
530-570 572-587	Other diseases of the digestive system	M F	1	1 1
750-759	Congenital malformations	M F	2 1	. 1	2 2	1 1	. 4	3 1	3 .	. 3	1 2	3 2
760-761	Birth injuries	M F	1 .	. .	3 3	. .	3 1	. .	3 4	. .	10 1	1 .
762	Postnatal asphyxia and atelectasis	M F	3 1	. .	2 .	. .	1 1	. .	1 1	. .	1 1	2 .
763	Pneumonia of newborn	M F	. 1	. .	1 .	. .	1	1 .	. .
765-768	Other infections of the newborn	M F	1 1
	Other and ill-defined diseases of early infancy:-											
769.0- 773.0	Without mention of immaturity	M F	3 .	. .	2 1	1 1	2 1	1 .	1 3	2 .	2 2	. .
769.5- 773.5	With mention of immaturity	M F	2 1	. .	2 1	1 .	4 1	. .	2 3	. .
774	Immaturity with mention of any other subsidiary condition	M F 1	. .	1 .	. .
776	Immaturity unqualified	M F	3 .	. .	8 2	. .	3 2	. .	4 3	. .	6 2	. .
780.2	Convulsions	M F	. .	1 .	2 .	. .	1	1 .
	Other causes	M F	. .	. 1	. 1	. .	. 2	3 2	. .	3 .	. .	2 .
	All causes	M F	13 4	6 2	29 11	9 4	14 12	14 5	16 12	10 11	24 11	10 8

AND UNDER 1 YEAR IN 1955. CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY BOROUGH		CORK COUNTY		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	2	010
.	1	.	.	.	1	001-008
.	1	011-019
.	020-029
.	4	.	2	.	.	056
.	1	.	2	.	.	030-055
.	1	3	2	1	057-138
.	2	340
.	1	.	.	.	1	.	.	1	1	1	1	.	1	330-334
.	1	.	.	341-398
.	1	.	2	.	.	.	1	480-483
.	.	.	1	1	1	.	.	490-493
.	7	.	1	.	3	.	.	.	9	.	6	.	6	500-502
.	2	.	2	.	2	.	3	.	8	.	.	.	4	470-475
.	1	.	.	1	510-527
.	1	1	1	571:764
.	3	.	.	.	1	1	2	4	4	.	2	1	1	530-570
.	2	1	1	.	2	.	.	1	6	.	1	.	1	572-587
.	1	750-759
.	1	1	.	.	760-761
6	4	4	1	3	2	5	.	4	9	2	1	1	2	762
2	5	3	2	1	2	7	4	8	7	6	3	2	1	763
3	.	3	.	.	.	3	.	8	1	9	.	.	.	765-768
5	.	1	.	1	1	1	.	5	1	4	1	2	.	769.0-
.	.	1	.	1	.	3	.	11	.	2	.	1	.	773.0
.	.	3	.	1	.	3	1	9	.	1	.	2	.	769.5-
.	773.5
.	1	.	.	.	774
.	776
6	.	4	.	6	.	5	.	10	2	7	1	1	.	780.2
5	.	2	.	4	.	6	.	13	.	11	.	4	.	769.0-
.	.	.	1	.	1	1	1	773.0
.	1	.	.	1	2	.	1	.	1	769.5-
1	3	.	1	.	.	.	1	1	4	.	2	.	.	773.5
1	2	1	1	2	1	2	1	.	2	774
17	19	15	5	11	10	21	8	53	41	20	23	7	12	
20	12	15	7	9	11	26	12	57	52	30	14	13	12	

TABLE 28 (contd.) - INFANT MORTALITY - DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS

Detailed International List Nos.	Causes of Death		LIMERICK COUNTY		TIPPERARY (North Riding)		TIPPERARY (South Riding)		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
			Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year
010	Tuberculosis of meninges and central nervous system	M F	1 1
001-008 011-019	Tuberculosis, other forms	M F
020-029	Syphilis, and its sequelae	M F
056	Whooping cough	M F	.	1 3	.	.	.	1
030-055 057-138	Other infective and parasitic diseases	M F
340	Meningitis except meningococcal and tuberculous	M F	1
330-334 341-398	Diseases of nervous system and sense organs	M F	.	1 1	1	.	.
480-483	Influenza	M F	.	1	.	.	.	1
490-493	Pneumonia	M F	.	3 3	.	2 1	.	3 2	.	2 1	.	2 1
500-502	Bronchitis	M F	.	1 1
470-475 510-527	Other diseases of the respiratory system	M F	1
571;764	Gastro-enteritis, colitis and diarrhoea of newborn	M F	1	1 1	.	3	.	4 2	.	1	.	1
530-570 572-587	Other diseases of the digestive system	M F	.	1 1	1	2	.	1
750-759	Congenital malformation	M F	3 5	1 1	.	1 2	6 2	4 3	.	2	2 4	1
760-761	Birth injuries	M F	2	.	4	.	6 2	1	1	.	3	.
762	Postnatal asphyxia and atelectasis	M F	4 3	.	.	1	4 1	.	1	.	1 2	.
763	Pneumonia of newborn	M F	1 6	.	1	.	4 1	.	.	.	1	.
765-768	Other infections of the newborn	M F
	Other and ill-defined diseases of early infancy.-											
769.0- 773.0	Without mention of immaturity	M F	4	1 1	2	.	1 1	1	.	.	1	.
769.5- 773.5	With mention of immaturity	M F	1	1 1	2	.	4 1	.	2 3	.	1	.
774	Immaturity with mention of any other subsidiary condition	M F	2	.	.	.	2 1	1	.	.	1	.
776	Immaturity unqualified	M F	4 5	.	3 4	.	8 5	1	1	.	5 1	.
780.2	Convulsions	M F	.	.	.	2	.	1
	Other causes	M F	1	3 3	.	.	.	1
	All causes	M F	22 21	12 15	13 17	7 4	37 34	20 15	5 4	4 3	13 30	4 3

AND UNDER 1 YEAR IN 1955, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Detailed International List Nos.
Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	Under 4 wks.	4 wks. and under 1 year	
.	1	1	.	.	010
.	3	.	.	.	1	
.	1	1	.	.	001-008
.	011-019
.	020-029
.	1	1	1	.	.	056
.	1	1	
.	1	.	.	.	1	.	1	.	.	1	.	030-055
.	057-138
.	1	.	.	.	1	.	1	.	.	2	340
.	1	1	
1	1	.	.	.	1	.	1	1	330-334
.	341-398
.	1	.	1	.	1	.	.	480-483
.	1	
.	9	.	3	.	11	.	.	.	1	.	1	.	5	.	.	490-493
.	4	.	1	.	5	.	3	.	2	.	2	.	4	.	1	
.	1	1	1	1	.	.	500-502
.	2	.	.	.	1	1	1	.	.	.	
.	2	1	470-475
.	1	510-527
2	10	.	.	.	4	1	.	3	2	6	.	1	.	.	.	571:764
2	4	.	.	1	1	1	.	1	.	1	
.	1	1	.	.	530-570
.	1	572-587
8	6	1	1	7	6	1	.	2	.	2	2	3	1	4	2	750-759
6	4	1	.	4	3	3	.	1	.	1	3	3	1	2	1	
9	1	1	.	6	.	3	.	3	.	3	.	8	.	3	.	760-761
3	.	.	.	4	.	2	.	.	.	2	.	1	.	.	.	
4	.	.	.	3	.	2	.	.	.	1	.	4	.	2	.	762
3	.	.	.	1	.	2	.	.	.	2	.	.	.	1	.	
5	.	.	.	1	.	3	.	2	.	1	.	.	.	2	.	763
2	.	.	.	4	2	.	1	.	.	.	
.	765-768
.	1	
3	1	2	1	1	2	.	.	1	2	.	1	2	1	1	.	769.0-
5	1	.	.	2	1	4	1	.	.	1	.	2	2	.	.	773.0
1	.	4	.	2	.	3	.	1	.	1	.	.	2	2	.	769.5-
.	.	2	.	2	.	.	.	1	773.5
.	2	.	.	774
1	.	.	.	1	
2	.	1	2	10	.	4	.	9	.	10	1	11	.	2	.	776
5	.	3	.	5	1	2	.	2	.	3	.	6	.	1	.	
2	1	1	1	.	2	.	.	780.2
.	2	1	1	.	.	.	
1	1	.	.	.	3	.	3	.	1	1	.	2	2	.	.	
.	2	.	1	3	1	.	2	1	.	.	2	.	2	.	.	
38	36	10	7	30	29	17	6	21	8	25	12	31	21	17	3	
27	22	6	2	27	15	13	7	6	2	13	11	17	11	4	6	

TABLE 29 - DEATHS REGISTERED IN 1955 CLASSIFIED BY CONJUGAL CONDITION AND SEX IN CERTAIN AGE GROUPS

Ages	MALES				FEMALES			
	Total	Single	Married	Widowed	Total	Single	Married	Widowed
Under 14 years	1,680	1,680	.	.	1,267	1,267	.	.
15-19	97	97	.	.	54	53	1	.
20-24	114	106	8	.	89	74	15	.
25-29	138	117	21	.	111	63	47	1
30-34	180	127	53	.	181	74	107	.
35-39	217	122	92	3	200	67	129	4
40-44	324	153	161	10	287	83	192	12
45-49	479	189	280	10	394	134	233	27
50-54	811	286	485	40	594	171	339	84
55-59	1,125	364	703	58	749	214	410	125
60-64	1,570	518	881	171	1,164	350	494	320
65-69	2,097	726	1,072	299	1,481	385	527	569
70-74	3,024	1,047	1,320	657	2,664	709	702	1,253
75-79	3,220	991	1,246	983	2,910	747	512	1,651
80-84	2,860	708	991	1,161	2,668	674	322	1,672
85 and over	1,837	381	500	956	2,175	492	121	1,562
TOTAL	19,773	7,612	7,813	4,348	16,988	5,557	4,151	7,280

TABLE 30 - DEATHS REGISTERED IN 1955 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH, SHOWING THE NUMBERS REGISTERED EACH QUARTER.

	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
Co. Carlow	73	62	61	45	52	31	43	44	229	182
Dublin Co. Borough	953	1,009	674	717	566	591	672	620	2,865	2,937
Dun Laoghaire Borough	81	102	80	89	51	65	65	65	277	321
Co. Dublin (rem.)	150	162	110	99	81	98	109	102	450	461
Co. Kildare	141	91	105	94	87	70	107	74	440	329
Co. Kilkenny	163	129	140	109	105	71	108	86	516	395
Co. Laoighis	137	91	95	62	90	62	82	58	404	273
Co. Longford	101	61	58	57	42	52	64	48	265	218
Co. Louth	135	116	125	92	104	82	71	87	435	377
Co. Meath	155	104	133	114	99	68	93	82	480	368
Co. Offaly	110	91	112	85	70	63	68	54	360	293
Co. Westmeath	125	96	97	77	98	60	82	59	402	292
Co. Wexford	202	177	170	158	142	120	141	128	655	583
Co. Wicklow	146	102	119	102	96	56	91	61	452	321
LEINSTER	2,672	2,393	2,079	1,900	1,683	1,489	1,796	1,568	8,230	7,350
Co. Clare	187	156	158	129	119	102	134	94	598	481
Cork Co. Borough	129	170	108	101	105	102	104	117	446	490
Co. Cork	585	486	480	409	353	287	392	335	1,810	1,517
Co. Kerry	275	219	260	213	195	144	191	163	921	739
Limerick Co. Borough	91	76	70	57	63	44	66	63	290	240
Co. Limerick	201	168	164	113	127	106	128	108	620	495
Co. Tipperary N.R.	123	116	142	103	79	70	101	69	445	358
Co. Tipperary S.R.	194	157	130	104	109	79	131	108	564	448
Waterford Co. Borough	59	50	40	48	35	38	31	34	165	170
Co. Waterford	124	112	82	64	56	55	69	47	331	278
MUNSTER	1,968	1,710	1,634	1,341	1,241	1,027	1,347	1,138	6,190	5,216
Co. Galway	340	270	295	251	211	188	241	193	1,087	902
Co. Leitrim	108	89	111	84	77	52	71	53	367	278
Co. Mayo	289	238	275	231	192	181	212	163	968	813
Co. Roscommon	200	160	156	124	99	87	126	81	581	452
Co. Sligo	153	134	140	108	83	72	101	87	477	401
CONNACHT	1,090	891	977	798	662	580	751	577	3,480	2,846
Co. Cavan	167	145	152	140	127	67	114	90	560	442
Co. Donegal	297	274	259	225	189	155	163	170	908	824
Co. Monaghan	112	89	124	102	75	67	94	52	405	310
ULSTER (part of)	576	508	535	467	391	289	371	312	1,873	1,576
TOTAL	6,306	5,502	5,225	4,506	3,977	3,385	4,265	3,595	19,773	16,988

TABLE 31 - BIRTHS REGISTERED IN 1955 IN RESPECT OF THE RESIDENT POPULATION OF EACH COUNTY AND COUNTY BOROUGH SHOWING THE NUMBERS REGISTERED EACH QUARTER.

	1st Quarter		2nd Quarter		3rd Quarter		4th Quarter		Year	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
County Carlow	102	106	95	115	103	93	93	64	393	378
Dublin County Borough	1,565	1,530	1,764	1,709	1,615	1,607	1,361	1,328	6,305	6,174
Dun Laoghaire Borough	103	107	156	128	125	119	104	117	488	471
Dublin County (remainder)	375	371	424	409	383	366	320	319	1,502	1,465
County Kildare	191	163	228	223	201	192	217	213	837	791
" Kilkenny	153	156	178	158	171	162	197	135	699	611
" Laois	117	126	133	133	125	145	116	124	491	528
" Longford	84	82	91	77	89	91	77	90	341	340
" Louth	215	193	215	195	231	195	185	165	846	748
" Meath	191	173	222	185	201	200	164	152	778	710
" Offaly	166	140	135	149	140	149	129	126	570	564
" Westmeath	171	150	186	179	168	146	143	149	668	624
" Wexford	215	226	255	198	232	249	202	190	904	863
" Wicklow	155	161	178	163	164	164	143	158	640	646
LEINSTER	3,803	3,684	4,260	4,021	3,948	3,878	3,451	3,330	15,462	14,913
County Clare	162	170	219	201	171	151	159	156	711	678
Cork County Borough	210	189	243	202	235	241	198	194	886	826
County Cork	657	524	694	699	685	631	591	613	2,627	2,467
" Kerry	320	262	295	290	312	306	314	313	1,241	1,171
Limerick County Borough	159	167	154	168	198	152	148	134	659	621
County Limerick	213	219	236	215	242	228	235	213	926	875
" Tipperary, N.R.	162	177	172	164	176	165	145	129	655	635
" Tipperary, S.R.	203	221	201	224	213	202	172	170	789	817
Waterford County Borough	78	75	93	79	78	80	75	72	324	306
County Waterford	126	115	113	98	112	100	103	111	454	424
MUNSTER	2,290	2,119	2,420	2,340	2,422	2,256	2,140	2,105	9,272	8,820
County Galway	396	391	475	442	406	406	396	378	1,673	1,617
" Leitrim	84	90	80	69	79	73	70	67	313	299
" Mayo	348	311	308	312	355	350	333	328	1,344	1,301
" Roscommon	165	141	147	138	133	152	113	117	558	548
" Sligo	135	117	165	142	136	133	137	124	573	516
CONNACHT	1,128	1,050	1,175	1,103	1,109	1,114	1,049	1,014	4,461	4,281
County Cavan	164	143	162	160	149	163	155	122	630	588
" Donegal	272	269	307	286	264	241	278	263	1,121	1,059
" Monaghan	147	114	127	119	141	122	122	123	537	478
ULSTER (part of)	583	526	596	565	554	526	555	508	2,288	2,125
TOTAL	7,804	7,379	8,451	8,029	8,033	7,774	7,195	6,957	31,483	30,139

TABLE 32 - BIRTHS REGISTERED IN 1955 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND SEX AND SHOWING THE NUMBER OF ILLEGITIMATE BIRTHS

Age of Mother at Maternity	TOTAL BIRTHS (including Illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Male	Female	Total	Male	Female
All Ages	61,622	31,483	30,139	1,234	647	587
14	7	4	3	7	4	3
15	24	15	9	17	11	6
16	50	23	27	25	12	13
17	130	63	67	52	23	29
18	338	178	160	81	44	37
19	580	307	273	98	57	41
Under 20	1,129	590	539	280	151	129
20	835	444	391	93	43	50
21	1,122	577	545	113	61	52
22	1,660	842	818	86	40	46
23	1,939	980	959	64	35	29
24	2,293	1,192	1,101	55	28	27
20-24	7,849	4,035	3,814	411	207	204
25	2,632	1,312	1,320	62	33	29
26	2,919	1,495	1,424	37	20	17
27	3,132	1,598	1,534	41	23	18
28	3,279	1,644	1,635	39	21	18
29	3,488	1,790	1,698	30	17	13
25-29	15,450	7,839	7,611	209	114	95
30	3,696	1,869	1,827	22	8	14
31	3,501	1,805	1,696	24	10	14
32	3,629	1,825	1,804	15	6	9
33	3,471	1,767	1,704	16	9	7
34	3,338	1,704	1,634	18	9	9
30-34	17,635	8,970	8,665	95	42	53
35	3,212	1,595	1,617	10	4	6
36	2,745	1,422	1,323	11	5	6
37	2,339	1,222	1,117	12	9	3
38	2,304	1,210	1,094	10	5	5
39	2,012	1,043	969	10	5	5
35-39	12,612	6,492	6,120	53	28	25
40	1,696	861	835	8	4	4
41	1,262	623	639	4	2	2
42	959	502	457	1	.	1
43	647	323	324	3	3	.
44	384	193	191	1	1	.
40-44	4,948	2,502	2,446	17	10	7
45	181	99	82	.	.	.
46	77	34	43	.	.	.
47	42	23	19	.	.	.
48	16	8	8	.	.	.
49	1	1
45-49	317	165	152	.	.	.
50	3	1	2	.	.	.
51	1	.	1	.	.	.
52	1	1
53
54	1	.	1	.	.	.
50-54	6	2	4	.	.	.
Age not stated	1,676	888	788	169	95	74

TABLE 33 - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
CARLOW						
Under 20 years	31	19	12	9	5	4
20 - 24 "	136	70	66	10	4	6
25 - 29 "	202	100	102	5	4	1
30 - 34 "	191	103	88	.	.	.
35 - 39 "	134	60	74	1	1	.
40 - 44 "	51	27	24	.	.	.
45 years and over	4	1	3	.	.	.
Age not stated	22	13	9	3	2	1
All Ages	771	393	378	28	16	12
DUBLIN COUNTY BOROUGH						
Under 20 years	213	109	104	45	20	25
20 - 24 "	1,893	930	963	49	17	32
25 - 29 "	3,633	1,831	1,802	54	23	31
30 - 34 "	3,452	1,779	1,673	20	9	11
35 - 39 "	2,072	1,040	1,032	12	6	6
40 - 44 "	829	416	413	2	2	.
45 years and over	48	22	26	.	.	.
Age not stated	339	178	161	20	12	8
All Ages	12,479	6,305	6,174	202	89	113
DUN LAOGHAIRE BOROUGH						
Under 20 years	14	7	7	4	3	1
20 - 24 "	130	67	63	6	4	2
25 - 29 "	275	143	132	5	3	2
30 - 34 "	270	134	136	3	2	1
35 - 39 "	199	96	103	.	.	.
40 - 44 "	54	34	20	.	.	.
45 years and over	4	3	1	.	.	.
Age not stated	13	4	9	1	.	1
All Ages	959	488	471	19	12	7
DUBLIN COUNTY (remainder)						
Under 20 years	22	13	9	4	4	.
20 - 24 "	371	203	168	18	12	6
25 - 29 "	939	467	472	7	4	3
30 - 34 "	889	449	440	4	1	3
35 - 39 "	508	258	250	1	1	.
40 - 44 "	147	72	75	.	.	.
45 years and over	3	2	1	.	.	.
Age not stated	88	38	50	6	4	2
All Ages	2,967	1,502	1,465	40	26	14

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
KILDARE						
Under 20 years	55	31	24	10	6	4
20 - 24 "	282	146	136	22	12	10
25 - 29 "	417	211	206	9	6	3
30 - 34 "	441	218	223	3	1	2
35 - 39 "	313	168	145	2	1	1
40 - 44 "	97	52	45	.	.	.
45 years and over	5	4	1	.	.	.
Age not stated	18	7	11	5	2	3
All Ages	1,628	837	791	51	28	23
KILKENNY						
Under 20 years	25	13	12	1	1	.
20 - 24 "	155	81	74	10	5	5
25 - 29 "	285	170	115	4	2	2
30 - 34 "	383	200	183	1	.	1
35 - 39 "	300	153	147	2	1	1
40 - 44 "	122	59	63	3	1	2
45 years and over	7	3	4	.	.	.
Age not stated	33	20	13	12	5	7
All Ages	1,310	699	611	33	15	18
LAOIS						
Under 20 years	19	11	8	3	1	2
20 - 24 "	140	57	83	4	1	3
25 - 29 "	264	124	140	5	4	1
30 - 34 "	278	136	142	2	.	2
35 - 39 "	204	106	98	.	.	.
40 - 44 "	85	42	43	.	.	.
45 years and over	4	.	4	.	.	.
Age not stated	25	15	10	3	2	1
All Ages	1,019	491	528	17	8	9
LONGFORD						
Under 20 years	13	8	5	2	2	.
20 - 24 "	66	32	34	8	5	3
25 - 29 "	155	77	78	2	1	1
30 - 34 "	191	89	102	.	.	.
35 - 39 "	177	97	80	.	.	.
40 - 44 "	61	32	29	.	.	.
45 years and over	4	2	2	.	.	.
Age not stated	14	4	10	3	1	2
All Ages	681	341	340	15	9	6

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
LOUTH						
Under 20 years	35	21	14	11	9	2
20 - 24 "	254	132	122	8	5	3
25 - 29 "	419	220	199	6	4	2
30 - 34 "	443	221	222	4	.	4
35 - 39 "	320	183	137	2	1	1
40 - 44 "	112	63	49	.	.	.
45 years and over	7	3	4	.	.	.
Age not stated	4	3	1	1	1	.
All Ages	1,594	846	748	32	20	12
MEATH						
Under 20 years	34	20	14	8	3	5
20 - 24 "	224	127	97	18	13	5
25 - 29 "	363	191	172	3	2	1
30 - 34 "	416	224	192	5	1	4
35 - 39 "	296	144	152	3	1	2
40 - 44 "	123	52	71	.	.	.
45 years and over	5	3	2	.	.	.
Age not stated	27	17	10	3	1	2
All Ages	1,488	778	710	40	21	19
OFFALY						
Under 20 years	36	15	21	5	1	4
20 - 24 "	132	65	67	13	6	7
25 - 29 "	304	163	141	3	3	.
30 - 34 "	325	149	176	2	.	2
35 - 39 "	198	107	91	1	1	.
40 - 44 "	86	47	39	.	.	.
45 years and over	4	.	4	.	.	.
Age not stated	49	24	25	8	6	2
All Ages	1,134	570	564	32	17	15
WESTMEATH						
Under 20 years	30	13	17	4	2	2
20 - 24 "	171	97	74	9	5	4
25 - 29 "	329	163	166	2	2	.
30 - 34 "	370	189	181	1	.	1
35 - 39 "	248	136	112	2	.	2
40 - 44 "	92	45	47	.	.	.
45 years and over	5	3	2	.	.	.
Age not stated	47	22	25	1	.	1
All Ages	1,292	668	624	19	9	10

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
WEXFORD						
Under 20 years	50	23	27	10	5	5
20 - 24 "	261	130	131	14	6	8
25 - 29 "	430	221	209	5	3	2
30 - 34 "	485	251	234	3	1	2
35 - 39 "	331	164	167	.	.	.
40 - 44 "	145	80	65	.	.	.
45 years and over	8	2	6	.	.	.
Age not stated	57	33	24	27	19	8
All Ages	1,767	904	863	59	34	25
WICKLOW						
Under 20 years	30	15	15	11	5	6
20 - 24 "	190	102	88	11	8	3
25 - 29 "	392	198	194	10	8	2
30 - 34 "	323	150	173	1	.	1
35 - 39 "	224	115	109	.	.	.
40 - 44 "	93	41	52	.	.	.
45 years and over	5	.	5	.	.	.
Age not stated	29	19	10	1	1	.
All Ages	1,286	640	646	34	22	12
CLARE						
Under 20 years	19	8	11	5	2	3
20 - 24 "	125	69	56	10	6	4
25 - 29 "	299	156	143	4	3	1
30 - 34 "	399	201	198	3	1	2
35 - 39 "	363	191	172	2	1	1
40 - 44 "	139	60	79	2	1	1
45 years and over	8	7	1	.	.	.
Age not stated	37	19	18	1	.	1
All Ages	1,389	711	678	27	14	13
CORK COUNTY BOROUGH						
Under 20 years	24	15	9	2	1	1
20 - 24 "	261	124	137	4	2	2
25 - 29 "	468	234	234	3	.	3
30 - 34 "	496	264	232	.	.	.
35 - 39 "	306	167	139	.	.	.
40 - 44 "	125	69	56	.	.	.
45 years and over	10	5	5	.	.	.
Age not stated	22	8	14	.	.	.
All Ages	1,712	886	826	9	3	6

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
CORK COUNTY						
Under 20 years	78	36	42	28	11	17
20 - 24 "	565	303	262	37	19	18
25 - 29 "	1,154	586	568	9	5	4
30 - 34 "	1,564	798	766	11	9	2
35 - 39 "	1,185	616	569	4	2	2
40 - 44 "	440	225	215	3	1	2
45 years and over	23	13	10	.	.	.
Age not stated	85	50	35	14	10	4
All Ages	5,094	2,627	2,467	106	57	49
KERRY						
Under 20 years	33	18	15	10	6	4
20 - 24 "	197	103	94	8	5	3
25 - 29 "	495	257	238	8	2	6
30 - 34 "	665	333	332	1	1	.
35 - 39 "	638	345	293	.	.	.
40 - 44 "	274	124	150	.	.	.
45 years and over	24	10	14	.	.	.
Age not stated	86	51	35	6	4	2
All Ages	2,412	1,241	1,171	33	18	15
LIMERICK COUNTY BOROUGH						
Under 20 years	25	15	10	2	1	1
20 - 24 "	201	105	96	6	2	4
25 - 29 "	370	193	177	6	3	3
30 - 34 "	372	183	189	.	.	.
35 - 39 "	213	111	102	3	2	1
40 - 44 "	77	39	38	.	.	.
45 years and over	7	3	4	.	.	.
Age not stated	15	10	5	2	1	1
All Ages	1,280	659	621	19	9	10
LIMERICK COUNTY						
Under 20 years	43	25	18	21	12	9
20 - 24 "	182	94	88	17	7	10
25 - 29 "	395	195	200	11	5	6
30 - 34 "	544	283	261	6	5	1
35 - 39 "	420	218	202	1	.	1
40 - 44 "	159	84	75	2	1	1
45 years and over	11	3	8	.	.	.
Age not stated	47	24	23	8	2	6
All Ages	1,801	926	875	66	32	34

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
TIPPERARY N.R.						
Under 20 years	25	10	15	7	3	4
20 - 24 "	151	73	78	16	9	7
25 - 29 "	292	161	131	2	1	1
30 - 34 "	359	176	183	1	1	.
35 - 39 "	258	129	129	3	.	3
40 - 44 "	102	50	52	1	1	.
45 years and over	7	6	1	.	.	.
Age not stated	96	50	46	7	5	2
All Ages	1,290	655	635	37	20	17
TIPPERARY S.R.						
Under 20 years	35	21	14	9	7	2
20 - 24 "	236	128	108	15	10	5
25 - 29 "	389	183	206	5	2	3
30 - 34 "	456	221	235	4	3	1
35 - 39 "	297	146	151	.	.	.
40 - 44 "	114	54	60	.	.	.
45 years and over	8	3	5	.	.	.
Age not stated	71	33	38	2	.	2
All Ages	1,606	789	817	35	22	13
WATERFORD COUNTY BOROUGH						
Under 20 years	13	5	8	1	.	1
20 - 24 "	114	63	51	2	2	.
25 - 29 "	166	82	84	.	.	.
30 - 34 "	180	97	83	1	.	1
35 - 39 "	104	49	55	.	.	.
40 - 44 "	46	24	22	1	1	.
45 years and over	6	3	3	.	.	.
Age not stated	1	1	.	1	1	.
All Ages	630	324	306	6	4	2
WATERFORD COUNTY						
Under 20 years	27	11	16	6	4	2
20 - 24 "	110	56	54	12	5	7
25 - 29 "	205	102	103	2	1	1
30 - 34 "	265	133	132	2	1	1
35 - 39 "	165	97	68	3	2	1
40 - 44 "	71	38	33	.	.	.
45 years and over	6	3	3	.	.	.
Age not stated	29	14	15	3	1	2
All Ages	878	454	424	28	14	14

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
GALWAY						
Under 20 years	46	21	25	16	11	5
20 - 24 "	353	176	177	24	10	14
25 - 29 "	721	354	367	9	5	4
30 - 34 "	975	519	456	2	1	1
35 - 39 "	732	362	370	2	1	1
40 - 44 "	337	170	167	.	.	.
45 years and over	20	13	7	.	.	.
Age not stated	106	58	48	4	2	2
All Ages	3,290	1,673	1,617	57	30	27
LEITRIM						
Under 20 years	5	4	1	1	1	.
20 - 24 "	42	20	22	7	2	5
25 - 29 "	116	62	54	1	1	.
30 - 34 "	188	100	88	1	.	1
35 - 39 "	175	83	92	1	1	.
40 - 44 "	71	36	35	1	.	1
45 years and over	4	4
Age not stated	11	4	7	1	.	1
All Ages	612	313	299	13	5	8
MAYO						
Under 20 years	31	13	18	9	2	7
20 - 24 "	235	115	120	8	5	3
25 - 29 "	521	257	264	2	1	1
30 - 34 "	759	392	367	.	.	.
35 - 39 "	670	330	340	.	.	.
40 - 44 "	266	136	130	1	1	.
45 years and over	15	10	5	.	.	.
Age not stated	148	91	57	2	1	1
All Ages	2,645	1,344	1,301	22	10	12
ROSCOMMON						
Under 20 years	19	11	8	4	1	3
20 - 24 "	87	52	35	3	1	2
25 - 29 "	224	108	116	3	.	3
30 - 34 "	337	176	161	2	1	1
35 - 39 "	292	143	149	.	.	.
40 - 44 "	90	42	48	.	.	.
45 years and over	11	6	5	.	.	.
Age not stated	45	20	26	6	3	3
All Ages	1,106	558	548	18	6	12

TABLE 33 (contd.) - BIRTHS REGISTERED IN 1955, CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND COUNTY OF NORMAL RESIDENCE

Age of Mother at Maternity	TOTAL BIRTHS (including illegitimate)			ILLEGITIMATE BIRTHS		
	Total	Males	Females	Total	Males	Females
SLIGO						
Under 20 years	11	5	6	3	2	1
20 - 24 "	105	58	47	5	2	3
25 - 29 "	250	130	120	4	3	1
30 - 34 "	348	180	168	1	.	1
35 - 39 "	262	140	122	.	.	.
40 - 44 "	92	51	41	.	.	.
45 years and over	9	4	5	.	.	.
Age not stated	12	5	7	3	.	3
All Ages	1,089	573	516	16	7	9
CAVAN						
Under 20 years	20	13	7	6	6	.
20 - 24 "	120	57	63	5	2	3
25 - 29 "	249	134	115	5	4	1
30 - 34 "	349	167	182	4	2	2
35 - 39 "	312	174	138	.	.	.
40 - 44 "	138	73	65	.	.	.
45 years and over	9	4	5	.	.	.
Age not stated	21	8	13	3	1	2
All Ages	1,218	630	588	23	15	8
DONEGAL						
Under 20 years	49	28	21	21	12	9
20 - 24 "	238	135	103	21	11	10
25 - 29 "	479	237	242	8	4	4
30 - 34 "	622	296	326	6	2	4
35 - 39 "	485	252	233	7	5	2
40 - 44 "	224	122	102	1	1	.
45 years and over	24	18	6	.	.	.
Age not stated	59	33	26	6	3	3
All Ages	2,180	1,121	1,059	70	38	32
MONAGHAN						
Under 20 years	19	13	6	2	2	.
20 - 24 "	122	64	58	11	4	7
25 - 29 "	250	129	121	7	5	2
30 - 34 "	300	159	141	1	.	1
35 - 39 "	211	112	99	1	1	.
40 - 44 "	86	43	43	.	.	.
45 years and over	8	4	4	.	.	.
Age not stated	19	13	6	6	5	1
All Ages	1,015	537	478	28	17	11

TABLE 34 - TOTAL BIRTHS REGISTERED IN 1955 CLASSIFIED BY AGE

Age of Mother at Maternity	NUMBER OF PREVIOUS											
	Total	0	1	2	3	4	5	6	7	8	9	10
All Ages	60420 61,622	12,707	11,399	9,623	7,785	5,915	4,275	3,086	1,951	1,347	827	590
14	7	6
15	24	24
16	50	46	4
17	130	103	22	3	2
18	338	257	65	11	2
19	580	390	150	32	3	2
Under 20	1,129	826	241	46	7	2
20	835	494	244	74	12	7	1	1
21	1,122	607	305	149	46	11	2
22	1,660	777	498	236	97	36	6	4
23	1,939	867	532	313	136	57	24	7	1	.	.	.
24	2,293	882	648	377	219	102	37	11	7	1	.	.
20-24	7,849	3,627	2,227	1,149	510	213	70	23	8	1	.	.
25	2,632	939	694	460	281	159	65	18	5	6	.	.
26	2,919	878	786	539	305	200	127	52	15	4	1	.
27	3,132	879	812	587	361	231	128	73	26	18	6	.
28	3,279	797	773	596	446	294	177	105	46	20	8	5
29	3,488	717	809	665	507	327	188	135	72	37	11	9
25-29	15,450	4,210	3,874	2,847	1,900	1,211	685	383	164	85	26	14
30	3,696	676	782	680	550	377	259	184	81	51	22	15
31	3,501	571	701	670	540	374	249	186	94	58	24	16
32	3,629	521	668	673	558	428	295	211	102	79	40	23
33	3,471	381	568	650	552	380	334	265	154	88	42	21
34	3,338	343	490	517	568	468	316	212	174	108	58	33
30-34	17,635	2,492	3,209	3,190	2,768	2,027	1,453	1,058	605	384	186	108
35	3,212	296	414	504	490	448	341	271	173	111	69	36
36	2,745	226	334	456	437	357	287	221	144	95	70	47
37	2,339	189	260	330	375	312	288	188	130	80	66	56
38	2,304	188	229	287	330	320	256	187	154	117	78	64
39	2,012	129	179	270	275	292	247	180	128	113	62	43
35-39	12,612	1,028	1,416	1,847	1,907	1,729	1,419	1,047	729	516	345	246
40	1,696	89	109	192	223	220	195	177	149	110	66	56
41	1,262	62	86	120	142	181	148	136	92	71	60	51
42	959	38	65	80	122	122	111	99	73	75	52	29
43	647	24	44	57	75	78	73	53	50	45	38	38
44	384	16	16	17	39	42	47	47	35	24	22	27
40-44	4,948	229	320	466	601	643	574	512	399	325	238	201
45	181	7	10	16	17	18	21	17	16	12	13	8
46	77	1	6	3	10	11	6	6	6	3	8	4
47	42	1	1	2	3	2	7	5	5	6	3	2
48	16	3	.	6	1	.	3
49 and over	7	.	.	1	1	.	1	.	.	.	1	1
45 and over	323	9	17	22	31	31	38	28	33	22	25	18
Age not stated	1,676	286	95	56	61	59	36	35	13	14	7	3

OF MOTHER AT MATERNITY AND NUMBER OF PREVIOUS LIVEBORN CHILDREN

LIVEBORN CHILDREN													Age of Mother at Maternity
11	12	13	14	15	16	17	18	19	20	21	22	Not stated	
360	234	144	81	54	20	10	7	3	.	1	1	1,202	All Ages
.	1	14
.	15
.	16
.	17
.	3	18
.	3	19
.	7	Under 20
.	2	20
.	2	21
.	6	22
.	2	23
.	9	24
.	21	20-24
.	5	25
.	12	26
.	11	27
.	12	28
.	11	29
.	51	25-29
2	2	1	14	30
4	1	13	31
9	6	7	2	7	32
15	7	1	1	12	33
17	10	4	1	1	18	34
47	26	13	4	1	64	30-34
19	17	4	4	2	1	12	35
25	20	6	6	4	.	.	1	9	36
28	10	9	5	3	10	37
43	20	15	9	2	1	1	3	38
34	22	18	8	4	2	2	4	39
149	89	52	32	15	4	3	1	38	35-39
45	27	15	11	5	2	.	.	1	.	1	.	3	40
40	27	20	7	11	.	.	.	1	.	.	.	7	41
31	22	10	4	11	6	3	2	4	42
18	11	14	8	7	6	3	1	4	43
11	19	8	6	4	2	.	1	1	44
145	106	67	36	38	16	6	3	2	.	1	1	19	40-44
9	6	6	3	.	.	.	1	1	45
4	6	.	3	46
1	.	3	1	47
1	1	1	48
.	1	.	1	49 and over
15	13	9	7	.	.	1	2	1	.	.	.	1	45 and over
4	.	3	2	.	.	.	1	1,001	Age not stated

TABLE 35 - LEGITIMATE BIRTHS REGISTERED IN 1955

Age of Mother at Maternity	LEGITIMATE BIRTHS, THE MARRIAGE											
	All Durations	0	1	2	3	4	5	6	7	8	9	10
All Ages	60,388	6,176	5,993	5,791	5,152	4,561	4,470	3,720	3,343	3,142	2,876	2,559
14
15	7	6	1
16	25	18	6
17	78	49	14	9	3
18	257	153	62	24	6	1
19	482	259	138	51	23	6
Under 20	849	485	221	84	32	7
20	742	308	212	112	54	34	10
21	1,009	358	253	188	126	44	14	8	3	.	.	.
22	1,574	477	375	311	188	118	57	30	6	4	.	.
23	1,875	503	426	334	270	156	111	42	7	5	3	.
24	2,238	501	453	383	303	249	167	90	48	20	7	.
20-24	7,438	2,147	1,719	1,328	941	601	359	170	64	29	10	.
25	2,570	506	473	420	338	282	216	141	97	51	24	6
26	2,882	436	490	480	358	343	259	182	141	92	51	25
27	3,091	457	412	466	380	308	315	224	220	134	90	34
28	3,240	399	404	384	378	299	356	249	252	179	158	98
29	3,458	325	364	427	384	354	345	272	236	242	206	130
25-29	15,241	2,123	2,143	2,177	1,838	1,586	1,491	1,068	946	698	529	293
30	3,674	288	346	358	411	358	374	304	263	273	210	203
31	3,477	234	296	339	347	316	319	283	265	271	228	182
32	3,614	213	255	315	323	314	315	298	279	258	233	226
33	3,455	154	179	263	274	270	298	282	257	256	243	235
34	3,320	133	172	216	211	256	240	239	219	253	272	241
30-34	17,540	1,022	1,248	1,491	1,566	1,514	1,546	1,406	1,283	1,311	1,186	1,087
35	3,202	104	131	166	184	195	236	228	221	242	252	239
36	2,734	73	119	135	151	175	187	199	181	187	201	194
37	2,327	62	86	110	129	118	170	149	147	168	152	153
38	2,294	52	89	99	97	102	135	140	127	144	145	157
39	2,002	30	55	65	69	88	113	119	115	112	120	125
35-39	12,559	321	480	575	630	678	841	835	791	853	870	868
40	1,688	22	36	47	51	60	75	76	93	89	89	107
41	1,258	14	22	27	26	47	58	60	49	59	65	72
42	958	10	19	14	23	21	37	36	42	40	50	51
43	644	8	7	9	10	12	24	26	31	27	29	28
44	383	2	8	5	8	3	8	13	11	11	15	22
40-44	4,931	56	92	102	118	143	202	211	226	226	248	280
45	181	.	1	2	3	3	6	7	3	11	9	9
46	77	.	.	2	1	.	5	2	.	2	2	7
47	42	.	.	1	1	.	5	1
48	16	2	1	.
49 and over	7	1	1	.
45 and over	323	.	1	5	4	3	11	9	4	16	18	17
Age not stated	1,507	22	29	29	23	29	20	21	29	9	15	14

CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

DURATION IN COMPLETED YEARS BEING												Age of Mother at Maternity
11	12	13	14	15	16	17	18	19	20-24	25 & over	Not stated	
2,158	1,876	1,542	1,178	1,030	807	639	491	373	910	83	1,578	All Ages
.	14
.	15
.	1	16
.	3	17
.	11	18
.	5	19
.	20	Under 20
.	12	20
.	15	21
.	8	22
.	18	23
.	17	24
.	70	20-24
3	13	25
7	2	16	26
16	9	2	24	27
31	21	9	3	20	28
75	41	22	6	3	26	29
132	73	33	9	3	99	25-29
124	78	38	13	7	4	22	30
151	107	81	21	14	4	2	17	31
209	143	91	61	32	13	10	6	.	.	.	20	32
212	193	140	78	56	25	9	5	5	.	.	21	33
202	211	171	99	79	39	25	12	5	9	.	16	34
898	732	521	272	188	85	46	23	10	9	.	96	30-34
241	182	163	117	105	81	46	27	9	10	.	23	35
166	157	158	118	108	91	51	37	14	21	.	11	36
143	147	131	104	94	90	66	40	29	30	.	9	37
143	141	132	112	117	95	75	76	50	60	.	6	38
136	125	122	114	105	90	84	57	53	97	1	7	39
829	752	706	565	529	447	322	237	155	218	1	56	35-39
102	100	93	116	92	100	77	63	56	137	1	6	40
71	72	71	72	70	74	70	52	50	143	8	6	41
59	63	52	58	66	38	46	41	40	136	13	3	42
33	40	29	31	38	29	33	43	29	111	12	5	43
16	19	17	25	29	19	19	13	17	83	19	1	44
281	294	262	302	295	260	245	212	192	610	53	21	40-44
7	11	6	11	9	4	13	9	9	37	10	1	45
2	1	4	4	.	5	6	4	4	18	8	.	46
.	2	.	5	1	5	3	4	3	7	4	.	47
.	2	.	1	1	4	5	.	48
.	.	1	2	1	1	49 and over
9	16	11	21	11	14	22	17	16	68	28	2	45 and over
9	9	9	9	4	1	4	2	.	5	1	1,214	Age not stated

TABLE 36 - LEGITIMATE FIRST BIRTHS REGISTERED IN 1955 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE

Age of Mother at Maternity	Legitimate first births; the duration of marriage being																	
	All Durations	Completed months		Completed years														
		0-8	9-11	0	1	2	3	4	5	6	7	8	9	10-14	15-19	20-24	25 & over	Not stated
All Ages	11,781	1,634	3,858	5,492	3,888	1,039	434	203	156	103	60	50	34	116	28	1	.	175
14
15	7	4	2	6	1
16	22	15	2	17	5
17	54	33	10	43	8	2	1
18	179	93	48	141	29	6	.	1	2
19	308	142	96	238	58	7	2	3
20	414	148	131	279	119	8	3	2	3
21	514	133	189	322	148	24	8	2	.	1	9
22	717	159	268	427	230	38	9	7	2	.	.	1	3
23	815	135	323	458	272	52	19	5	3	1	5
24	844	124	327	451	290	67	19	7	4	2	4
25	892	112	355	467	314	71	15	6	9	1	1	1	.	2	.	.	.	5
26	855	70	325	395	321	81	23	15	7	4	3	1	.	1	.	.	.	4
27	851	103	313	416	278	83	29	14	10	7	1	1	1	4	.	.	.	7
28	774	83	286	369	271	67	28	14	4	8	2	1	2	3	.	.	.	5
29	702	52	231	283	259	70	31	20	13	5	2	3	3	5	.	.	.	8
Under 20	570	287	158	445	101	15	2	1	6
20 -	3,304	699	1,238	1,937	1,059	189	58	23	9	4	.	1	24
25 -	4,074	420	1,510	1,930	1,443	372	126	69	43	25	9	7	6	15	.	.	.	29
30 -	2,442	158	716	874	857	288	157	60	55	42	23	25	12	38	1	.	.	10
35 -	1,003	54	200	254	340	135	68	40	37	25	16	10	11	41	20	1	.	5
40 -	222	8	26	34	66	30	17	9	10	9	10	6	4	18	7	.	.	2
45 and over	9	3	2	.	.	.	1	1	.	2
Age not stated	157	8	10	18	22	7	4	1	2	.	1	.	1	2	.	.	.	99

TABLE 37 - LEGITIMATE BIRTHS REGISTERED IN 1955 CLASSIFIED BY AGE OF MOTHER AT MATERNITY AND DURATION OF MARRIAGE FOR DURATIONS UNDER TWO YEARS

Age of Mother at Maternity	Legitimate births; the marriage duration in completed months being																			Age of Mother at Maternity
	0	1	2	3	4	5	6	7	8	9	10	11	0-8	9-11	12-14	15-17	18-20	21-23		
All ages	120	86	139	165	238	259	244	234	488	1,678	1,426	1,099	1,973	4,203	1,971	1,318	1,100	1,544	All ages	
14	14
15	1	1	.	.	2	1	.	.	1	4	2	.	1	.	.	15
16	4	.	.	4	7	1	.	.	.	1	1	.	.	16	2	2	2	1	1	16
17	5	3	3	4	9	4	5	1	2	7	1	5	36	13	5	3	1	5	5	17
18	3	9	11	15	12	16	15	13	6	23	17	13	100	53	23	12	11	16	18	18
19	8	5	14	17	28	30	22	14	17	50	34	20	155	104	39	36	27	36	19	19
Under 20	21	18	28	40	58	51	42	28	25	82	53	39	311	174	69	54	40	58	Under 20	
20	10	10	19	16	24	30	24	9	25	62	51	28	167	141	77	49	43	43	20	20
21	6	3	9	18	26	23	20	20	26	85	68	54	151	207	81	76	48	48	21	21
22	11	8	9	16	31	20	19	21	52	113	102	75	187	290	116	91	82	86	22	22
23	6	5	9	10	25	19	18	15	51	158	107	80	158	345	140	87	81	118	23	23
24	11	5	14	10	12	17	14	18	44	134	129	93	145	356	150	114	85	104	24	24
20-24	44	31	60	70	118	109	95	83	198	552	457	330	808	1,339	564	417	339	399	20-24	
25	7	4	4	5	12	12	15	17	53	136	133	108	129	377	166	98	84	125	25	25
26	2	3	4	7	5	11	16	14	25	130	134	85	87	349	167	101	80	142	26	26
27	6	1	12	6	8	16	13	15	42	156	106	76	119	338	141	93	77	101	27	27
28	8	2	4	8	5	8	17	14	34	102	116	81	100	299	152	76	66	110	28	28
29	4	5	2	5	3	14	6	9	18	109	78	72	66	259	116	75	67	106	29	29
25-29	27	15	26	31	33	61	67	69	172	633	567	422	501	1,622	742	443	374	584	25-29	
30	4	1	8	5	4	5	8	13	16	75	84	65	64	224	118	75	53	100	30	30
31	7	3	4	2	6	8	7	5	12	70	59	51	54	180	101	61	64	70	31	31
32	2	3	1	2	7	6	4	14	14	69	53	38	53	160	85	57	56	57	32	32
33	1	3	2	4	3	2	4	5	9	46	39	36	33	121	64	32	26	57	33	33
34	1	2	1	1	.	4	8	5	7	44	30	30	29	104	48	42	26	56	34	34
30-34	15	12	16	14	20	25	31	42	58	304	265	220	233	789	416	267	225	340	30-34	
35	1	2	1	2	1	2	.	1	10	34	25	25	20	84	38	29	23	41	35	35
36	2	2	.	.	1	2	2	4	6	22	17	15	19	54	39	21	21	38	36	36
37	1	1	1	1	4	.	2	6	5	20	14	7	21	41	27	21	19	19	37	37
38	.	1	2	4	2	3	1	1	5	12	8	13	19	33	29	19	16	25	38	38
39	2	3	1	.	4	8	6	6	10	20	10	17	17	11	39	39
35-39	6	6	4	7	8	10	6	12	30	96	70	66	89	232	143	107	96	134	35-39	
40	2	2	1	.	.	.	1	.	.	3	8	5	6	16	7	13	8	8	40	40
41	1	1	1	.	1	.	1	.	1	1	2	5	6	8	8	4	3	7	41	41
42	1	.	3	1	2	1	2	5	5	4	4	4	7	42	42
43	2	.	.	.	2	.	4	2	6	1	2	4	.	43	43
44	1	.	.	1	2	.	4	2	1	1	44	44
40-44	5	3	5	1	1	2	2	.	2	8	11	16	21	35	24	25	20	23	40-44	
45	1	.	.	45	45
46	46	46
47	47	47
48	48	48
49 & over	49 & over	
45 & over	1	.	.	45 & over	
Age not stated	2	1	.	2	.	1	1	.	3	3	3	6	10	12	13	4	6	6	Age not stated	

TABLE 38 - BIRTHS REGISTERED IN 1955 IN EACH COUNTY AND COUNTY BOROUGH SHOWING PLACE OF OCCURRENCE AND AREAS OF NORMAL RESIDENCE

Area	Number Registered		Transferred from area		Transferred to area		Net Number	
	Hospital	Domiciliary	Hospital	Domiciliary	Hospital	Domiciliary	Hospital	Domiciliary
Carlow	267	374	25	2	157	.	399	372
Dublin County Borough	13,790	3,260	4,618	31	70	8	9,242	3,237
Dun Laoghaire Borough	431	235	260	3	554	2	725	234
Dublin County (remainder)	79	650	64	7	2,287	22	2,302	665
Kildare	287	788	1	5	548	11	834	794
Kilkenny	705	460	50	.	186	9	841	469
Laoighis	523	384	6	.	115	3	632	387
Longford	491	190	107	4	109	2	493	188
Louth	1,619	443	532	3	65	2	1,152	442
Meath	354	495	16	5	656	4	994	494
Offaly	471	546	5	4	116	10	582	552
Westmeath	888	413	132	5	123	5	879	413
Wexford	884	789	39	5	132	6	977	790
Wicklow	247	534	12	2	516	3	751	535
Clare	840	415	9	.	142	1	973	416
Cork County Borough	2,242	514	1,493	29	472	6	1,221	491
County Cork	2,966	1,210	529	9	1,425	31	3,862	1,232
Kerry	1,676	677	32	5	95	1	1,739	673
Limerick County Borough	1,333	430	499	5	19	2	853	427
Limerick County	642	685	12	.	481	5	1,111	690
Tipperary N.R.	974	381	167	5	105	2	912	378
Tipperary S.R.	1,220	463	137	1	59	2	1,142	464
Waterford County Borough	840	161	376	7	12	.	476	154
Waterford County	253	372	15	2	267	3	505	373
Galway	2,287	1,140	195	8	65	1	2,157	1,133
Leitrim	269	257	11	1	95	3	353	259
Mayo	1,149	1,337	12	3	168	6	1,305	1,340
Roscommon	641	380	28	.	112	1	725	381
Sligo	708	405	61	1	35	3	682	407
Cavan	410	557	.	4	249	6	659	559
Donegal	686	1,465	16	2	46	1	716	1,464
Monaghan	785	255	83	5	61	2	763	252
TOTAL	40,957	20,665	40,957	20,665

TABLE 39 - SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED

County or County Borough	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
COUNTY BOROUGHS												
Cork	1	.	1	47	.	14	.	15	9	1	10	.
Dublin	25	2	16	973	64	41	.	70	113	49	61	.
Limerick	2	.	2	33	1	.	.	1	3	.	.	.
Waterford	.	.	.	13	.	.	.	3
COUNTIES												
Carlow												
Urban	2
Rural	7	.	.	.
Cavan												
Urban	3	.	.	23	18	.
Rural	2	.	.	60	.	.	.	1	.	.	22	.
Clare												
Urban	.	.	.	4	.	.	.	1	2	.	2	.
Rural	.	.	1	2	1	.	1	.
Cork												
Urban	2	.	1	10	.	.	.	6
Rural	9	.	7	20	.	9	.	5	5	.	1	.
Donegal												
Urban
Rural	5	.	3	1	.	.	.	3
Dublin												
Urban	7	.	5	77	.	4	.	4	3	7	6	.
Rural	12	.	2	54	3	16	.	12	10	13	8	.
Galway												
Urban	.	.	1	29	1	1	.	.	1	1	.	.
Rural	4	.	1	39	.	1	.	2	30	1	1	.
Kerry												
Urban	.	.	1	26	.	.	.	2	.	.	2	.
Rural	1	.	1	7	.	1	.	4	17	.	12	.
Kildare												
Urban	.	.	.	2	.	4	.	1	1	.	.	.
Rural	3	.	3	6	.	.	.	1	1	2	.	.
Kilkenny												
Urban	1	.	.	1
Rural	8	.	.	8	1	.	.	3	4	.	.	.
Laois												
Rural	2	.	.	.
Leitrim												
Rural
Limerick												
Rural	2	.	1	17	.	.	.	4	2	.	33	.
Longford												
Urban	.	.	.	1	.	2
Rural	2	.	.	1
Louth												
Urban	1	1	1	1	.	.	.	1
Rural	3	.	2	.	.	1

TO THE DEPARTMENT OF HEALTH, DURING THE YEAR 1955

County or County Borough	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases
COUNTY BOROUGHS													
Cork	13	.	1	.	.	.	15	1	.	2	.	50	1A
Dublin	3,628	1	.	2	288	203	393	29	.	1	4	1,699	10A
Limerick	114	.	.	.	24	.	7	3	.	.	.	63	1A
Waterford	30	10
COUNTIES													
Carlow													
Urban	1	.	2
Rural	159	.	.	.	1	.	1	48	.
Cavan													
Urban
Rural	38	.	.	.	4	.	17	4	.	.	.	14	.
Clare													
Urban	7	.	.	.	57	.	3	2	1	.	.	1	.
Rural	13	.	.	.	14	.	5	3	.	.	.	2	.
Cork													
Urban	6	1	5	38	.
Rural	27	53	.	.	5	4	245	.
Donegal													
Urban	2
Rural	259	40	.	.	2	.	85	.
Dublin													
Urban	86	.	.	.	25	2	44	122	.
Rural	661	.	.	.	45	.	94	1	.	2	1	182	1B
Galway													
Urban	148	.	.	.	3	.	10	.	.	1	.	7	.
Rural	77	.	1	1	19	.	6	2	.	2	1	81	.
Kerry													
Urban	5	.	1
Rural	64	.	2	.	9	.	12	.	.	3	4	4	.
Kildare													
Urban	45
Rural	269	.	.	2	11	.	17	1	.	.	.	1	.
Kilkenny													
Urban	3	12
Rural	110	19	16	.
Leois													
Rural	444	2	.
Leitrim													
Rural	17	.	.	.	2	.	3	.	.	1	1	.	.
Limerick													
Rural	44	16	.	.	.	1	44	.
Longford													
Urban
Rural	23	4	3	.
Louth													
Urban	29
Rural	.	.	.	1	.	.	28	13	.

TABLE 39 (contd.) - SUMMARY OF CASES OF INFECTIOUS DISEASES

County or County Borough	Acute Anterior Poliomyelitis	Brucellosis	Cerebro Spinal Fever	Diarrhoea and Enteritis	Diphtheria	Dysentery	Encephalitis Lethargica	Erysipelas	Infective Hepatitis	Infective Mononucleosis	Influenzal Pneumonia	Malaria
COUNTIES (contd.)												
Mayo												
Urban	1	.	2	7	.	.	.	3	2	.	9	.
Rural	7	.	2	4	2	6	.	1	24	.	9	.
Meath												
Urban	2	2	.	.	.
Rural	2	.	1	7	.	.	.	1	13	.	1	.
Monaghan												
Urban	2
Rural	3	.	1	.	.	1	.	1	1	.	1	.
Offaly												
Urban	3	.
Rural	.	.	.	2	8	.
Roscommon												
Rural	.	.	.	1	3	31
Sligo												
Urban	.	.	.	3	.	.	.	2	1	.	2	.
Rural	1	.	.	.	1	.	.	1
Tipperary (N.R.)												
Urban	.	.	1
Rural	1	.	.	1	14	.	1	.
Tipperary (S.R.)												
Urban
Rural	.	.	.	1	1	.
Waterford												
Urban	.	1
Rural	1	1	.	10	.	1	.	2	2	5	.	.
Westmeath												
Urban	1
Rural	3	.	.	3	.
Wexford												
Urban	.	.	1	8	.	.	.	4
Rural	6	2	.	10	.	.	.	4
Wicklow												
Urban	1	.	2	2	.	.	.
Rural	.	.	.	5	.	9	.	3	12	2	.	.
ALL COUNTY BOROUGHS	28	2	19	1,066	65	55	.	89	125	50	71	.
ALL URBAN DISTRICTS	20	2	13	191	1	12	.	28	14	8	42	1
ALL RURAL DISTRICTS	71	3	25	255	11	76	.	52	145	23	102	.
TOTAL	119	7	57	1,512	77	143	.	169	284	81	215	1

(A) Salmonella Infection.

(B) Ophthalmia Neonatorum.

NOTIFIED TO THE DEPARTMENT OF HEALTH, DURING THE YEAR 1955

County or County Borough	Measles	Paratyphoid B.	Puerperal Pyrexia	Puerperal Sepsis	Rubella	Scabies	Scarlet Fever	Tinea Capitis	Trachoma	Typhoid	Weil's Disease	Whooping Cough	Other Notifiable Infectious Diseases
COUNTIES (contd.)													
Mayo													
Urban	94	.	.	.	12	1	1	.	.	2	.	36	.
Rural	271	6	.	.	3	.	10	1	.	1	.	14	.
Meath													
Urban	15	10	27	.
Rural	70	61	202	.
Monaghan													
Urban	7	1	13
Rural	34	12	1	.
Offaly													
Urban	7	1
Rural	123	8	1
Roscommon													
Rural	27	3	.
Sligo													
Urban	15	11	.
Rural	9	1	1	.	.	.	5	.
Tipperary (N.R.)													
Urban	28	3
Rural	75	.	.	1	2	.	9	.	.	2	.	23	.
Tipperary (S.R.)													
Urban	5	.	.	.	6	1	14
Rural	25	.	.	.	8	.	6	.	.	1	.	.	.
Waterford													
Urban	6	.	.	.	13
Rural	5	3	.	.	1	1	23	3	.	.	.	57	14A
Westmeath													
Urban	1	1	1	.
Rural	16	29	2	.	.	.	152	1B
Wexford													
Urban	9	.	1	.	1	.	27	.	.	1	.	26	.
Rural	73	.	.	.	1	.	19	.	.	1	.	91	.
Wicklow													
Urban	94	.	.	.	3	3	25	1	.	.	.	31	.
Rural	76	.	.	.	3	.	18	9	.
ALL COUNTY BOROUGHES	3,785	1	1	2	312	203	425	33	.	3	4	1,812	12A
ALL URBAN DISTRICTS	576	.	1	.	126	11	201	3	1	4	.	300	.
ALL RURAL DISTRICTS	3,009	9	3	5	123	1	511	19	.	20	12	1,297	14A 2B
TOTAL	7,770	10	5	7	561	215	1,137	55	1	27	16	3,409	26A 2B

BIRTHS

CONFIDENTIAL—This form is required for statistical purposes only and will be treated as strictly confidential. It should be filled in by the person registering the birth and handed to the Registrar as required by the Vital Statistics Regulations, 1954.

Registrar's Stamp

(To be filled in by Registrar)
Entry No. or Nos. in Register

Note:—A single form may be used for multiple births (i.e., twins, triplets, etc.)

Date of birth.....day of....., 19.....	For Office use only. Do not write in this column.
Place of birth <i>(i.e., full address)</i>	
Name or names <i>(if any)</i>	
Sex	
Name, surname and dwelling place of father	
Name, surname and maiden surname of mother	
Occupation of father <i>(in full detail)*</i>	
Date of birth of mother.....day of....., 19.....	
Dwelling place of mother before the birth <i>(normal residence)</i>	
Date of present marriage of motherday of.....19.....	
Number of previous children of mother excluding birth(s) now registered	{ Number still living..... { Number born alive { but now dead

Signature of informant.....

Qualification of informant.....
(i.e., whether mother, father, midwife, etc.)

Address of informant.....

Date of registration.....

Signature of Registrar

* For example:—Farmer; farm labourer (unemployed); farmer's son working for father; foreman in hosiery factory; textile machinist; bricklayer (unemployed); road worker; garage mechanic; radio mechanic; civil engineer; bank clerk; insurance clerk; solicitor's clerk (unemployed); clerical officer—Civil Service; clerical officer—Local Authority.
If retired, state "Retired" and give previous occupation.

DEATHS

CONFIDENTIAL—This form is required for statistical purposes only and will be treated as strictly confidential. It should be filled in by the person registering the death and handed to the Registrar in accordance with the Vital Statistics Regulations, 1954.

Registrar's Stamp

(To be filled in by Registrar)
Entry No. in Register

Date on which death occurred,day of....., 19.....	For Office use only. Do not write in this column.										
Place at which death occurred (full address)											
Name, surname and home address of deceased											
Sex of deceased											
Marital condition of deceased (i.e. whether married, widowed or single)											
Age of deceased (in hours, if under one day; in completed days if under one month; in completed months if under one year; otherwise in completed years last birthday)											
Occupation of deceased (in full detail). If deceased was a child under 14 years give occupation of parent or guardian. If deceased was retired, state "Retired" and give previous occupation.											
If deceased was a married or widowed woman, give occupation of her husband (in full detail)*											
THIS PORTION TO BE FILLED IN BY REGISTRAR											
<table border="0"> <thead> <tr> <th style="text-align: center;">Cause of death</th> <th style="text-align: center;">Duration of illness</th> </tr> </thead> <tbody> <tr> <td>1 (a)</td> <td>.....</td> </tr> <tr> <td>(b)</td> <td>.....</td> </tr> <tr> <td>(c)</td> <td>.....</td> </tr> <tr> <td>2</td> <td>.....</td> </tr> </tbody> </table>		Cause of death	Duration of illness	1 (a)	(b)	(c)	2
Cause of death	Duration of illness										
1 (a)										
(b)										
(c)										
2										
State whether certified or uncertified, inquest or post-mortem											
Complete in accordance with Article 8 in instructions											

Signature of informant.....

Qualification of informant.....
(i.e. whether husband, wife, son, daughter, etc.)

Address of informant.....

Date of registration.....

Signature of Registrar

*For example: Farmer; farm labourer (unemployed); farmer's son working for father; foreman in hosiery factory; textile machinist; bricklayer (unemployed); road worker; garage mechanic; radio mechanic; civil engineer; bank clerk; insurance clerk; solicitor's clerk (unemployed); clerical officer—Civil Service; clerical officer—Local Authority.

BIRTHS

CONFIDENTIAL—This form is required for statistical purposes only and will be treated as strictly confidential. It should be filled in by the person registering the birth and handed to the Registrar as required by the Vital Statistics Regulations, 1954.

Registrar's Stamp

(To be filled in by Registrar)
Entry No. or Nos. in Register

.....

Note:—A single form may be used for multiple births (i.e., twins, triplets, etc.)

	<p>For Office use only. Do not write in this column.</p>
Date of birth.....day of....., 19.....	
Place of birth <i>(i.e., full address)</i>	
Name or names <i>(if any)</i>	
Sex	
Name, surname and dwelling place of father	
Name, surname and maiden surname of mother	
Occupation of father <i>(in full detail)*</i>	
Date of birth of mother.....day of....., 19.....	
Dwelling place of mother before the birth <i>(normal residence)</i>	
Date of present marriage of motherday of.....19.....	
Number of previous children of mother excluding birth(s) now registered	{ Number still living..... Number born alive but now dead

Signature of informant.....

Qualification of informant.....
(i.e., whether mother, father, midwife, etc.)

Address of informant.....

Date of registration.....

Signature of Registrar

* For example:—Farmer; farm labourer (unemployed); farmer's son working for father; foreman in hosiery factory; textile machinist; bricklayer (unemployed); road worker; garage mechanic; radio mechanic; civil engineer; bank clerk; insurance clerk; solicitor's clerk (unemployed); clerical officer—Civil Service; clerical officer—Local Authority.
If retired, state "Retired" and give previous occupation.

DEATHS

CONFIDENTIAL—This form is required for statistical purposes only and will be treated as strictly confidential. It should be filled in by the person registering the death and handed to the Registrar in accordance with the Vital Statistics Regulations, 1954.

Registrar's Stamp

(To be filled in by Registrar)
Entry No. in Register

Date on which death occurred,day of....., 19.....

Place at which death occurred
(full address)

Name, surname and home address
of deceased

Sex of deceased

Marital condition of deceased
(i.e. whether married, widowed or single)

Age of deceased
(in hours, if under one day; in completed days if under one month; in completed months if under one year; otherwise in completed years last birthday)

Occupation of deceased (in full detail).
If deceased was a child under 14 years give occupation of parent or guardian. If deceased was retired, state "Retired" and give previous occupation.

If deceased was a married or widowed woman, give occupation of her husband (in full detail)*

For Office use only.
Do not write in this column.

THIS PORTION TO BE FILLED IN BY REGISTRAR

	Cause of death	Duration of illness
1 (a)
(b)
(c)
2

State whether certified or uncertified, inquest or post-mortem

Complete in accordance with Article 8 in instructions

Signature of informant.....

Qualification of informant.....
(i.e. whether husband, wife, son, daughter, etc.)

Address of informant.....

Date of registration.....

Signature of Registrar

*For example: Farmer; farm labourer (unemployed); farmer's son working for father; foreman in hosiery factory; textile machinist; bricklayer (unemployed); road worker; garage mechanic; radio mechanic; civil engineer; bank clerk; insurance clerk; solicitor's clerk (unemployed); clerical officer—Civil Service; clerical officer—Local Authority.